



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 18, 2019
Report Date: October 08, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000560.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-54
P.O. Number
Number of Samples: 46

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	44	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	46	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	46	Analysis sample split/packet			WHI
Split -150	46	Analysis sample split/packet			WHI
EN002	46	Environmental disposal charge-Fire assay lead waste			VAN
FS631	45	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	46	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	46	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000560.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1887139	Drill Core	3.01	386	0.032	0.03	<0.17	39.59	0.29	5.33	22.28	38.3	177	1.7	2.3	173	0.82	6.3	3.8	26.5	12.2	83.9
1887140	Rock Pulp	0.12	93	0.006				4.19	24.01	0.98	42.8	18	7.2	4.3	567	2.46	1.4	0.4	1.7	1.0	30.7
1887141	Drill Core	2.95	403	0.010	<0.01	<0.17	35.22	0.21	9.62	17.45	43.3	165	2.5	3.1	180	1.04	11.9	2.7	3.9	12.9	78.4
1887142	Drill Core	3.14	510	0.009	<0.01	<0.17	33.76	3.97	5.50	18.50	26.4	162	1.9	2.8	191	0.81	6.6	4.2	3.0	16.9	104.3
1887143	Drill Core	3.16	511	0.006	<0.01	<0.17	35.12	0.68	5.60	18.93	19.3	149	1.8	2.1	180	0.69	2.3	3.5	0.4	14.8	89.9
1887144	Drill Core	1.64	416	<0.005	<0.01	<0.17	36.66	0.22	5.21	16.94	20.3	107	1.5	2.1	139	0.65	1.1	3.6	0.5	15.6	100.4
1887145	Drill Core	1.52	499	<0.005	<0.01	<0.17	41.05	0.30	4.16	18.56	20.3	90	1.7	1.9	175	0.73	0.6	3.6	<0.2	15.0	129.5
1887146	Drill Core	2.38	507	0.019	0.02	<0.17	36.78	1.21	5.18	21.33	19.0	173	1.6	2.3	211	0.72	72.9	4.1	14.7	15.3	121.1
1887147	Drill Core	2.99	465	0.008	<0.01	<0.17	38.71	0.42	5.95	17.48	15.9	96	1.7	1.9	146	0.69	5.6	2.7	2.9	14.9	87.7
1887148	Drill Core	2.55	464	0.329	0.32	0.22	37.00	2.68	3.69	20.79	13.9	227	1.9	2.8	220	0.70	7.5	3.5	292.6	13.4	79.6
1887149	Drill Core	1.77	439	0.016	0.01	<0.17	36.89	0.83	4.65	18.37	17.2	262	2.4	2.7	372	0.92	19.6	3.5	17.5	14.8	167.7
1887150	Drill Core	1.70	439	0.087	0.08	<0.17	34.86	5.51	6.26	26.01	13.0	566	1.9	2.1	282	0.83	103.2	3.5	84.9	14.8	68.9
1887151	Drill Core	3.52	448	0.362	0.36	0.31	35.67	2.03	9.45	21.01	14.1	693	2.3	3.7	256	0.86	151.0	3.9	378.0	14.0	76.6
1887152	Drill Core	3.17	439	0.110	0.10	<0.17	32.88	2.06	10.25	24.96	16.1	401	1.5	2.9	218	0.76	83.9	4.0	104.7	15.2	69.0
1887153	Drill Core	3.56	440	0.155	0.15	<0.17	40.44	0.51	11.88	21.49	23.9	282	6.1	6.0	281	1.04	88.1	2.7	166.1	12.9	135.1
1887154	Drill Core	3.37	392	0.007	<0.01	<0.17	32.88	0.25	8.10	17.07	20.1	104	1.4	3.0	208	0.77	3.5	2.8	7.7	15.7	86.0
1887155	Drill Core	3.02	440	0.059	0.05	<0.17	35.33	0.55	6.81	17.72	21.6	203	2.0	2.9	171	1.02	22.7	2.8	50.2	15.4	61.1
1887156	Drill Core	3.97	491	0.096	0.12	0.41	36.52	0.47	9.19	19.92	24.6	337	1.6	3.3	322	0.94	42.7	4.4	94.9	13.8	114.8
1887157	Drill Core	3.25	495	0.008	<0.01	<0.17	34.60	0.21	6.28	16.51	20.3	119	1.6	2.7	260	0.89	10.1	3.2	3.0	13.5	91.4
1887158	Drill Core	3.28	416	0.072	0.07	<0.17	39.23	0.16	7.77	16.56	24.2	137	1.9	2.8	225	0.90	0.7	3.2	50.6	15.1	93.9
1887159	Drill Core	3.13	503	0.041	0.04	<0.17	35.56	0.36	6.37	20.41	24.4	124	2.0	2.7	221	0.80	0.7	3.1	111.9	13.1	105.9
1887160	Core DUP		429	0.067	0.06	<0.17	39.13	0.40	6.38	20.08	23.2	115	1.9	2.6	221	0.80	0.7	3.0	55.6	12.8	98.9
1887161	Drill Core	3.60	453	<0.005	<0.01	<0.17	36.04	0.23	8.79	22.14	30.7	140	1.9	3.3	236	0.89	3.9	2.9	7.8	11.7	157.7
1887162	Drill Core	3.32	406	<0.005	<0.01	<0.17	29.43	0.42	6.19	13.47	24.8	97	1.9	2.7	180	0.88	1.1	2.3	4.8	10.6	92.7
1887163	Drill Core	3.00	499	0.011	<0.01	<0.17	35.36	0.08	6.65	12.77	25.3	113	2.0	2.7	164	0.82	9.3	2.3	9.1	11.5	77.9
1887164	Drill Core	3.69	463	0.011	0.01	<0.17	34.97	0.12	9.50	21.06	43.3	172	3.0	3.1	229	1.27	10.0	3.9	9.0	15.1	71.8
1887165	Drill Core	4.37	521	0.011	0.01	<0.17	39.02	1.07	8.74	9.78	46.4	146	3.2	9.1	420	2.05	8.0	3.4	4.8	12.1	184.1
1887166	Drill Core	3.62	447	<0.005	<0.01	<0.17	38.67	0.27	5.10	7.76	32.7	103	4.3	4.7	278	1.24	2.3	2.4	3.3	11.1	115.4
1887167	Drill Core	3.18	488	0.007	<0.01	<0.17	38.58	0.35	14.16	7.94	44.3	123	12.7	10.6	655	2.56	7.5	1.6	3.7	8.5	180.6
1887168	Drill Core	3.63	454	0.006	<0.01	<0.17	37.94	3.16	8.56	18.22	20.4	129	1.1	1.2	108	0.55	<0.1	2.2	0.3	11.7	70.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 3 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000560.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887139	Drill Core	0.18	0.12	0.15	3	0.74	0.033	32.6	2.1	0.46	369.5	0.007	1	0.77	0.035	0.49	0.1	2.1	0.11	0.12	<5			
1887140	Rock Pulp	0.10	0.16	<0.02	23	0.74	0.039	5.5	15.2	0.52	61.9	0.073	3	1.10	0.112	0.11	0.3	4.2	<0.02	0.05	<5			
1887141	Drill Core	0.22	0.16	0.14	5	0.62	0.039	32.8	3.3	0.48	324.9	0.009	2	0.88	0.051	0.50	0.1	2.5	0.14	0.13	<5			
1887142	Drill Core	0.15	0.27	0.24	2	0.93	0.033	38.1	2.6	0.32	245.1	0.004	<1	0.53	0.028	0.32	<0.1	1.5	0.11	0.15	<5			
1887143	Drill Core	0.10	0.12	0.28	3	0.71	0.031	40.0	3.0	0.27	322.7	0.004	<1	0.62	0.041	0.42	<0.1	1.9	0.12	0.10	<5			
1887144	Drill Core	0.08	0.20	0.18	2	0.67	0.034	43.1	2.2	0.41	315.0	0.005	1	0.70	0.008	0.48	<0.1	1.9	0.15	0.07	<5			
1887145	Drill Core	0.09	0.18	0.17	2	0.88	0.032	38.3	2.5	0.49	253.7	0.005	1	0.62	0.008	0.40	<0.1	1.5	0.13	0.04	<5			
1887146	Drill Core	0.12	0.43	0.21	3	0.92	0.033	30.6	2.3	0.38	280.2	0.003	<1	0.63	0.029	0.37	<0.1	1.9	0.11	0.23	7			
1887147	Drill Core	0.11	0.30	0.03	3	0.60	0.032	36.3	2.7	0.21	277.2	0.005	<1	0.56	0.066	0.37	<0.1	2.0	0.09	0.14	<5			
1887148	Drill Core	0.06	0.20	0.20	3	1.07	0.038	22.9	3.5	0.30	284.6	0.002	<1	0.61	0.032	0.39	0.1	2.4	0.09	0.18	<5			
1887149	Drill Core	0.14	0.62	0.26	4	2.03	0.032	39.4	4.7	0.27	433.9	0.002	1	0.68	0.023	0.41	0.2	2.7	0.15	0.36	28			
1887150	Drill Core	0.10	0.63	0.40	2	0.87	0.035	34.3	3.0	0.28	238.5	0.001	1	0.49	0.013	0.33	0.2	1.5	0.10	0.39	11			
1887151	Drill Core	0.07	0.63	0.24	3	0.70	0.039	29.4	3.5	0.32	286.2	0.001	1	0.67	0.017	0.43	0.2	1.5	0.14	0.49	7			
1887152	Drill Core	0.15	0.57	0.27	2	0.97	0.036	32.5	2.7	0.24	280.5	0.002	1	0.57	0.026	0.41	0.1	1.6	0.12	0.38	<5			
1887153	Drill Core	0.13	0.57	0.18	6	1.29	0.036	34.4	8.8	0.48	302.5	0.003	1	0.60	0.025	0.29	0.2	4.0	0.08	0.26	<5			
1887154	Drill Core	0.11	0.24	0.14	2	1.04	0.033	40.8	2.7	0.30	310.1	0.002	<1	0.56	0.025	0.33	<0.1	2.9	0.14	0.09	<5			
1887155	Drill Core	0.10	0.37	0.17	2	0.68	0.033	39.9	3.3	0.27	178.3	0.001	<1	0.55	0.022	0.27	0.1	1.7	0.11	0.18	<5			
1887156	Drill Core	0.17	0.85	0.19	2	1.37	0.032	25.5	2.3	0.34	289.4	0.001	<1	0.61	0.029	0.36	0.1	2.3	0.12	0.43	<5			
1887157	Drill Core	0.10	0.23	0.11	3	0.94	0.031	34.3	2.8	0.36	259.8	0.003	3	0.60	0.027	0.29	0.1	2.1	0.08	0.19	<5			
1887158	Drill Core	0.07	0.15	0.13	3	0.83	0.031	41.4	3.0	0.30	248.1	0.004	3	0.54	0.034	0.26	<0.1	2.8	0.08	0.07	6			
1887159	Drill Core	0.11	0.16	0.15	3	0.97	0.031	32.8	2.9	0.29	327.5	0.016	2	0.64	0.054	0.35	<0.1	2.5	0.11	0.06	<5			
1887160	Core DUP	0.08	0.16	0.15	3	0.92	0.031	31.4	2.8	0.27	240.4	0.014	<1	0.51	0.041	0.28	<0.1	2.4	0.09	0.06	<5			
1887161	Drill Core	0.15	0.12	0.09	4	1.34	0.037	34.9	3.4	0.33	240.0	0.014	<1	0.51	0.032	0.26	0.1	3.2	0.09	0.11	<5			
1887162	Drill Core	0.11	0.18	0.09	3	0.74	0.035	26.6	3.1	0.34	258.7	0.034	<1	0.52	0.036	0.28	<0.1	3.4	0.07	0.10	<5			
1887163	Drill Core	0.10	0.22	0.09	4	0.57	0.036	30.5	3.0	0.24	279.0	0.021	<1	0.57	0.057	0.31	<0.1	2.3	0.09	0.10	<5			
1887164	Drill Core	0.14	0.18	0.18	4	0.49	0.037	42.5	3.9	0.43	264.3	0.011	<1	0.66	0.049	0.27	<0.1	3.0	0.10	0.09	<5			
1887165	Drill Core	0.13	0.11	0.10	29	1.75	0.048	28.0	51.4	1.49	298.7	0.009	<1	1.31	0.025	0.24	<0.1	5.2	0.06	0.16	<5			
1887166	Drill Core	0.08	0.11	0.06	6	1.02	0.036	30.3	8.6	0.63	304.3	0.022	<1	0.91	0.074	0.30	<0.1	3.4	0.07	0.12	<5			
1887167	Drill Core	0.07	0.17	0.04	37	1.66	0.057	19.2	61.5	1.83	218.5	0.046	<1	1.67	0.056	0.24	<0.1	8.0	0.05	0.17	<5			
1887168	Drill Core	0.11	0.11	0.15	2	0.43	0.017	27.3	2.0	0.46	269.0	0.020	<1	0.50	0.032	0.25	0.1	2.1	0.06	<0.02	<5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 3 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000560.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1887139	Drill Core	<0.1	<0.02	2.2	0.76	<0.1	0.05	0.06	15.0	0.5	<0.05	1.1	6.29	61.0	<0.02	<1	0.4	6.1	12	<2			
1887140	Rock Pulp	<0.1	<0.02	4.5	0.13	0.1	0.19	0.30	2.1	2.0	<0.05	3.0	7.18	10.7	<0.02	1	0.2	1.1	<10	<2			
1887141	Drill Core	<0.1	<0.02	2.3	0.97	<0.1	0.10	0.03	15.7	0.3	<0.05	2.7	6.33	62.1	0.03	<1	0.4	7.9	10	<2			
1887142	Drill Core	<0.1	<0.02	1.6	0.81	<0.1	0.04	0.03	10.9	0.3	<0.05	1.2	11.39	70.2	<0.02	<1	0.3	5.9	<10	<2			
1887143	Drill Core	<0.1	<0.02	1.9	1.35	<0.1	0.07	0.04	14.1	0.4	<0.05	3.5	11.75	71.0	<0.02	3	0.5	5.2	<10	<2			
1887144	Drill Core	<0.1	<0.02	1.7	1.65	<0.1	0.07	0.07	16.0	0.3	<0.05	2.9	12.18	78.5	<0.02	<1	0.3	6.3	<10	<2			
1887145	Drill Core	<0.1	<0.02	1.4	1.11	<0.1	0.07	0.04	14.2	0.3	<0.05	1.7	10.97	69.7	<0.02	<1	0.3	7.5	<10	<2			
1887146	Drill Core	<0.1	<0.02	1.6	0.69	<0.1	0.06	0.03	12.3	0.3	<0.05	3.2	9.84	57.9	<0.02	4	0.4	7.7	14	<2			
1887147	Drill Core	<0.1	<0.02	1.5	0.37	<0.1	0.13	0.08	11.6	0.2	<0.05	3.6	12.19	70.2	<0.02	1	0.3	5.3	<10	<2			
1887148	Drill Core	<0.1	0.02	1.4	0.41	<0.1	0.07	0.03	12.3	0.3	<0.05	2.3	6.98	41.3	<0.02	1	0.4	6.0	<10	<2			
1887149	Drill Core	<0.1	<0.02	2.2	1.34	<0.1	0.04	0.03	18.3	0.4	<0.05	1.0	13.23	71.3	0.02	1	0.5	7.5	<10	<2			
1887150	Drill Core	<0.1	0.09	1.2	1.20	<0.1	0.03	<0.02	14.6	0.3	<0.05	0.8	9.81	61.7	<0.02	2	0.4	5.8	<10	<2			
1887151	Drill Core	<0.1	0.12	1.7	3.13	<0.1	0.03	<0.02	17.8	1.1	<0.05	0.8	10.56	59.0	<0.02	<1	0.5	6.7	<10	<2			
1887152	Drill Core	<0.1	0.05	1.4	0.95	<0.1	<0.02	<0.02	15.6	0.9	<0.05	0.7	9.82	61.2	<0.02	3	0.3	5.7	<10	<2			
1887153	Drill Core	<0.1	0.08	1.8	0.67	<0.1	0.17	<0.02	11.5	0.8	<0.05	5.6	14.12	66.4	<0.02	<1	0.5	7.2	17	<2			
1887154	Drill Core	<0.1	<0.02	1.6	0.58	<0.1	0.07	<0.02	13.9	0.6	<0.05	2.7	13.43	80.8	<0.02	<1	0.5	6.1	10	<2			
1887155	Drill Core	<0.1	<0.02	1.7	1.29	<0.1	0.03	<0.02	13.1	0.6	<0.05	1.2	10.41	78.6	<0.02	<1	0.4	6.9	<10	<2			
1887156	Drill Core	<0.1	0.04	1.7	0.69	<0.1	0.03	<0.02	15.8	0.6	<0.05	0.9	9.04	46.9	<0.02	<1	0.3	8.2	<10	<2			
1887157	Drill Core	<0.1	<0.02	1.9	0.48	<0.1	0.02	0.05	12.0	0.5	<0.05	0.7	10.29	64.8	0.03	<1	<0.1	7.0	<10	<2			
1887158	Drill Core	0.2	<0.02	2.3	0.93	<0.1	0.07	0.06	11.7	0.7	<0.05	0.6	14.39	76.0	0.02	<1	0.4	4.9	<10	<2			
1887159	Drill Core	<0.1	<0.02	2.4	0.64	<0.1	0.03	0.27	15.0	0.8	<0.05	0.9	13.83	61.8	<0.02	<1	0.2	4.6	<10	<2			
1887160	Core DUP	<0.1	<0.02	2.0	0.60	<0.1	<0.02	0.19	12.2	0.6	<0.05	0.8	13.16	59.4	<0.02	<1	0.1	4.5	<10	<2			
1887161	Drill Core	<0.1	<0.02	2.1	0.55	<0.1	0.03	0.10	10.7	0.7	<0.05	1.0	15.10	68.1	<0.02	<1	0.4	5.5	<10	<2			
1887162	Drill Core	<0.1	<0.02	2.0	0.35	<0.1	0.03	0.19	10.1	0.5	<0.05	0.7	10.14	52.1	<0.02	<1	0.3	4.9	<10	<2			
1887163	Drill Core	<0.1	<0.02	2.1	0.62	<0.1	0.03	0.16	13.1	0.6	<0.05	0.7	10.56	58.3	<0.02	<1	0.5	5.1	<10	<2			
1887164	Drill Core	<0.1	<0.02	3.0	0.67	<0.1	0.04	0.06	11.7	0.6	<0.05	1.3	15.28	83.3	<0.02	<1	0.5	7.5	<10	<2			
1887165	Drill Core	<0.1	<0.02	4.3	0.34	<0.1	0.03	<0.02	8.6	0.5	<0.05	0.8	12.37	56.4	0.03	<1	0.4	11.9	<10	<2			
1887166	Drill Core	0.1	<0.02	3.9	0.43	<0.1	0.04	0.12	10.4	0.8	<0.05	0.6	13.32	59.8	0.02	<1	0.3	7.5	<10	<2			
1887167	Drill Core	<0.1	<0.02	5.6	0.34	<0.1	0.03	0.06	6.9	0.6	<0.05	1.4	11.54	41.0	0.02	<1	0.3	13.9	<10	<2			
1887168	Drill Core	<0.1	<0.02	1.6	0.30	<0.1	0.05	0.17	8.2	0.6	<0.05	0.9	12.31	52.8	<0.02	<1	0.4	6.7	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000560.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1887169	Drill Core	3.25	448	<0.005	<0.01	<0.17	39.69	1.27	5.25	10.53	22.1	69	0.5	0.6	107	0.52	0.2	2.3	0.2	67.0
1887170	Drill Core	3.27	552	<0.005	<0.01	<0.17	37.51	0.32	3.24	6.52	19.4	44	0.7	0.6	111	0.49	0.4	1.7	0.6	66.5
1887171	Drill Core	3.40	450	0.006	<0.01	<0.17	36.03	1.78	4.30	15.40	14.0	86	0.3	0.4	81	0.39	0.8	3.8	<0.2	52.0
1887172	Drill Core	3.58	419	<0.005	<0.01	<0.17	33.83	0.16	5.70	16.68	23.5	92	0.4	0.5	102	0.52	1.7	3.9	3.0	40.2
1887173	Drill Core	1.77	419	<0.005	<0.01	<0.17	35.39	0.20	4.55	25.95	20.6	137	0.3	0.6	328	0.52	0.4	3.1	0.9	126.5
1887174	Drill Core	1.79	424	<0.005	<0.01	<0.17	34.05	0.15	8.21	33.16	23.7	162	0.5	1.1	120	0.54	1.6	4.0	0.8	39.4
1887175	Drill Core	3.31	404	<0.005	<0.01	<0.17	31.27	0.46	4.09	17.26	21.5	101	0.5	0.7	90	0.48	0.8	3.1	1.5	38.1
1887176	Drill Core	3.24	441	<0.005	<0.01	<0.17	36.93	0.52	4.06	21.37	22.6	114	1.0	0.9	100	0.52	<0.1	3.1	0.8	36.1
1887177	Drill Core	3.49	398	0.005	<0.01	<0.17	39.62	0.83	5.49	19.91	25.6	95	4.8	3.3	197	0.82	0.1	2.1	0.7	94.0
1887178	Drill Core	3.50	415	0.005	<0.01	<0.17	33.72	3.16	3.88	33.92	51.7	176	9.0	6.0	360	1.23	6.5	2.5	1.5	112.1
1887179	Drill Core	2.97	452	0.008	<0.01	<0.17	34.66	0.27	4.95	26.11	31.7	305	7.7	5.2	415	0.97	21.9	2.2	4.9	68.3
1887180	Rock	0.23	161	<0.005	<0.01	<0.17	31.72	0.41	1.36	1.05	2.5	9	1.3	0.4	61	0.62	0.7	0.2	<0.2	2.1
1887181	Drill Core	3.64	432	0.008	<0.01	<0.17	37.05	0.89	9.01	17.80	35.6	210	5.2	4.6	272	1.08	9.1	1.8	1.3	72.2
1887182	Drill Core	3.36	507	0.010	<0.01	<0.17	35.67	2.46	16.23	13.99	33.1	223	3.7	4.0	211	0.90	37.7	2.2	6.7	54.3
1887183	Drill Core	3.14	460	0.013	0.01	<0.17	35.62	0.49	10.23	19.44	34.0	224	3.2	3.3	298	0.99	58.5	3.0	8.9	56.9
1887184	Drill Core	3.26	495	0.020	0.02	<0.17	39.67	0.36	3.46	78.70	67.6	292	0.8	1.6	274	0.64	38.0	2.6	17.1	45.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000560.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1887169	Drill Core	0.10	0.11	0.07	<1	0.38	0.007	25.8	1.2	0.41	238.1	0.010	<1	0.43	0.026	0.24	0.1	2.5	0.05	<0.02
1887170	Drill Core	0.07	0.12	0.04	1	0.41	0.008	23.6	2.0	0.46	366.9	0.017	<1	0.43	0.023	0.25	0.2	2.0	0.06	<0.02
1887171	Drill Core	0.14	0.09	0.12	<1	0.29	0.003	42.3	0.9	0.15	261.3	0.002	<1	0.36	0.043	0.23	<0.1	1.5	0.07	0.04
1887172	Drill Core	0.17	0.11	0.12	<1	0.38	0.005	52.5	1.1	0.19	254.4	<0.001	2	0.38	0.030	0.21	<0.1	1.5	0.06	<0.02
1887173	Drill Core	0.51	0.07	0.16	<1	1.51	0.004	39.3	1.9	0.18	266.5	0.001	2	0.31	0.024	0.18	<0.1	1.4	0.05	<0.02
1887174	Drill Core	0.22	0.07	0.21	<1	0.42	0.004	56.3	1.2	0.21	443.1	<0.001	2	0.38	0.036	0.21	<0.1	1.7	0.06	0.06
1887175	Drill Core	0.15	0.07	0.09	<1	0.38	0.004	44.2	1.5	0.28	369.9	0.001	2	0.56	0.038	0.33	<0.1	1.6	0.08	0.04
1887176	Drill Core	0.16	0.08	0.11	<1	0.31	0.006	46.7	2.2	0.40	368.9	<0.001	2	0.46	0.014	0.24	0.1	1.4	0.05	<0.02
1887177	Drill Core	0.30	0.08	0.11	4	1.06	0.022	23.0	7.7	0.82	335.1	0.003	2	0.58	0.006	0.25	<0.1	2.2	0.06	0.04
1887178	Drill Core	0.42	0.14	0.21	8	1.52	0.024	15.7	20.8	1.32	229.2	0.011	1	0.85	0.004	0.38	<0.1	3.1	0.14	0.10
1887179	Drill Core	0.18	0.17	0.34	6	0.70	0.035	14.3	13.8	0.78	240.7	<0.001	2	0.68	0.002	0.21	0.1	2.0	0.05	0.21
1887180	Rock	<0.01	0.04	<0.02	1	0.02	0.002	2.2	2.8	0.01	10.2	0.002	2	0.06	0.004	0.01	<0.1	0.2	<0.02	<0.02
1887181	Drill Core	0.25	0.19	0.13	4	0.88	0.032	11.3	7.2	0.86	159.1	0.001	1	0.73	0.004	0.22	<0.1	1.4	0.05	0.21
1887182	Drill Core	0.16	0.38	0.08	3	0.52	0.030	17.6	3.9	0.56	207.5	<0.001	2	0.57	0.008	0.22	<0.1	1.1	0.06	0.34
1887183	Drill Core	0.21	0.42	0.08	3	0.56	0.030	18.2	2.6	0.57	279.9	<0.001	2	0.57	0.007	0.25	<0.1	1.2	0.07	0.47
1887184	Drill Core	0.54	0.74	0.12	2	0.60	0.009	30.8	4.3	0.27	182.4	<0.001	<1	0.37	0.026	0.21	<0.1	1.1	0.06	0.32



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000560.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1887169	Drill Core	<0.1	<0.02	1.5	0.29	<0.1	0.09	0.19	8.2	0.5	<0.05	1.5	12.68	52.8	0.02	<1	0.4	7.0	<10	<2
1887170	Drill Core	<0.1	<0.02	1.2	0.33	<0.1	0.05	0.18	8.8	0.4	<0.05	1.8	11.88	48.4	<0.02	<1	0.2	9.2	<10	<2
1887171	Drill Core	0.4	<0.02	1.5	0.39	<0.1	0.05	0.19	10.1	0.4	<0.05	1.5	22.24	82.4	0.03	<1	0.2	3.5	<10	<2
1887172	Drill Core	<0.1	<0.02	1.6	0.37	<0.1	0.04	0.09	9.0	0.8	<0.05	1.8	23.32	100.1	0.02	<1	0.2	4.6	<10	<2
1887173	Drill Core	<0.1	<0.02	1.4	0.31	<0.1	0.04	0.11	8.1	0.5	<0.05	1.6	23.44	73.6	<0.02	2	0.3	3.7	<10	<2
1887174	Drill Core	<0.1	<0.02	1.3	0.27	<0.1	0.06	0.09	9.2	0.9	<0.05	2.1	20.72	105.4	<0.02	<1	0.3	4.1	<10	<2
1887175	Drill Core	<0.1	<0.02	1.9	0.24	<0.1	0.07	0.11	11.3	0.5	<0.05	2.5	9.75	82.9	<0.02	<1	0.2	3.9	<10	<2
1887176	Drill Core	<0.1	<0.02	1.3	0.19	<0.1	0.07	0.12	7.9	0.4	<0.05	2.6	8.00	83.0	<0.02	<1	0.2	5.0	<10	<2
1887177	Drill Core	<0.1	<0.02	1.8	0.33	<0.1	0.10	0.04	8.2	0.3	<0.05	3.6	7.62	42.0	<0.02	<1	0.2	6.7	<10	<2
1887178	Drill Core	<0.1	<0.02	2.7	1.34	<0.1	0.24	<0.02	17.2	0.3	<0.05	7.5	8.85	29.6	<0.02	<1	0.4	13.4	<10	<2
1887179	Drill Core	<0.1	<0.02	2.3	0.87	<0.1	0.07	0.08	7.7	0.5	<0.05	3.8	6.87	26.4	<0.02	<1	0.2	12.2	<10	<2
1887180	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.09	0.06	0.9	0.2	<0.05	2.7	1.01	4.6	<0.02	<1	<0.1	1.2	<10	<2
1887181	Drill Core	<0.1	<0.02	1.8	0.32	<0.1	0.11	<0.02	7.2	0.2	<0.05	4.0	5.74	23.3	<0.02	2	0.2	13.4	<10	<2
1887182	Drill Core	<0.1	<0.02	1.5	0.57	<0.1	0.10	<0.02	8.2	0.6	<0.05	3.2	6.49	33.1	<0.02	2	0.2	10.5	<10	<2
1887183	Drill Core	<0.1	<0.02	1.5	0.72	<0.1	0.07	<0.02	9.5	0.5	<0.05	1.7	7.38	31.2	<0.02	<1	0.2	10.0	<10	<2
1887184	Drill Core	0.1	<0.02	1.3	0.49	<0.1	0.07	0.03	8.5	0.3	<0.05	2.4	13.00	58.4	<0.02	<1	0.2	4.8	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000560.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
1887142	Drill Core	3.14	510	0.009	<0.01	<0.17	33.76	3.97	5.50	18.50	26.4	162	1.9	2.8	191	0.81	6.6	4.2	3.0	16.9	104.3	
REP 1887142	QC							3.98	5.25	18.50	23.8	155	1.7	2.8	189	0.79	6.6	4.0	2.1	16.4	103.3	
1887155	Drill Core	3.02	440	0.059	0.05	<0.17	35.33	0.55	6.81	17.72	21.6	203	2.0	2.9	171	1.02	22.7	2.8	50.2	15.4	61.1	
REP 1887155	QC	0.055																				
1887159	Drill Core	3.13	503	0.041	0.04	<0.17	35.56	0.36	6.37	20.41	24.4	124	2.0	2.7	221	0.80	0.7	3.1	111.9	13.1	105.9	
REP 1887159	QC	0.029																				
1887175	Drill Core	3.31	404	<0.005	<0.01	<0.17	31.27	0.46	4.09	17.26	21.5	101	0.5	0.7	90	0.48	0.8	3.1	1.5	14.8	38.1	
REP 1887175	QC							0.43	4.16	17.50	21.1	93	0.6	0.6	95	0.49	0.8	3.2	0.6	14.7	37.6	
Core Reject Duplicates																						
1887158	Drill Core	3.28	416	0.072	0.07	<0.17	39.23	0.16	7.77	16.56	24.2	137	1.9	2.8	225	0.90	0.7	3.2	50.6	15.1	93.9	
DUP 1887158	QC	402		0.281	0.29	0.34	35.72	0.10	7.17	15.43	22.9	158	1.9	2.6	204	0.85	0.5	3.0	184.9	14.2	90.7	
Reference Materials																						
STD BVGEO01	Standard							11.14	4409.62	183.77	1696.4	2595	164.1	25.2	751	3.73	116.1	3.6	236.9	12.6	56.2	
STD DS11	Standard							14.12	158.25	138.48	338.9	1844	79.8	13.1	1026	3.11	43.6	2.5	95.4	7.3	62.1	
STD DS11	Standard							15.15	147.45	144.13	355.0	1792	78.3	12.7	1005	3.01	43.1	2.8	77.6	8.0	69.8	
STD OREAS262	Standard							0.63	115.73	54.61	147.4	459	59.2	26.0	537	3.30	35.0	1.2	59.0	8.1	33.8	
STD OREAS262	Standard							0.64	113.26	55.78	154.1	442	63.6	28.9	501	3.16	34.0	1.2	74.1	8.2	33.3	
STD OREAS262	Standard							0.68	112.43	55.51	153.0	454	61.8	27.2	546	3.21	34.8	1.2	76.8	9.6	35.8	
STD OXB130	Standard	0.127																				
STD OXI138	Standard	1.875																				
STD OXI138	Standard	1.846																				
STD OXN134	Standard	7.710																				
STD OXN134	Standard	7.656																				
STD OXQ90	Standard					25.15	29.78															
STD OXQ90	Standard					25.08	30.50															
STD OXQ90	Standard					25.28	29.98															
STD OXQ90	Standard					25.26	30.52															
STD OXQ90 Expected						24.88																



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000560.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1887142	Drill Core	0.15	0.27	0.24	2	0.93	0.033	38.1	2.6	0.32	245.1	0.004	<1	0.53	0.028	0.32	<0.1	1.5	0.11	0.15	<5
REP 1887142	QC	0.13	0.26	0.23	2	0.94	0.033	38.4	2.4	0.31	242.8	0.004	<1	0.51	0.025	0.31	<0.1	1.4	0.10	0.16	<5
1887155	Drill Core	0.10	0.37	0.17	2	0.68	0.033	39.9	3.3	0.27	178.3	0.001	<1	0.55	0.022	0.27	0.1	1.7	0.11	0.18	<5
REP 1887155	QC																				
1887159	Drill Core	0.11	0.16	0.15	3	0.97	0.031	32.8	2.9	0.29	327.5	0.016	2	0.64	0.054	0.35	<0.1	2.5	0.11	0.06	<5
REP 1887159	QC																				
1887175	Drill Core	0.15	0.07	0.09	<1	0.38	0.004	44.2	1.5	0.28	369.9	0.001	2	0.56	0.038	0.33	<0.1	1.6	0.08	0.04	<5
REP 1887175	QC	0.18	0.07	0.10	<1	0.37	0.004	48.5	1.4	0.29	378.6	0.001	2	0.56	0.039	0.33	<0.1	1.7	0.07	0.04	<5
Core Reject Duplicates																					
1887158	Drill Core	0.07	0.15	0.13	3	0.83	0.031	41.4	3.0	0.30	248.1	0.004	3	0.54	0.034	0.26	<0.1	2.8	0.08	0.07	6
DUP 1887158	QC	0.11	0.14	0.13	4	0.80	0.027	38.7	2.9	0.31	299.0	0.004	<1	0.64	0.050	0.34	<0.1	2.7	0.11	0.06	<5
Reference Materials																					
STD BVGEO01	Standard	6.36	3.72	23.37	74	1.30	0.071	28.1	180.9	1.30	276.2	0.228	5	2.33	0.189	0.89	5.1	6.8	0.60	0.68	101
STD DS11	Standard	2.39	8.44	11.23	50	1.04	0.071	16.6	59.4	0.87	343.0	0.086	6	1.14	0.072	0.40	3.3	3.2	5.03	0.28	273
STD DS11	Standard	2.35	9.42	12.49	48	1.03	0.064	19.0	55.3	0.82	383.9	0.090	8	1.16	0.072	0.39	3.3	3.3	5.14	0.26	264
STD OREAS262	Standard	0.67	4.95	0.94	22	2.96	0.040	14.0	40.0	1.18	255.3	0.002	3	1.23	0.069	0.30	0.2	3.2	0.44	0.24	168
STD OREAS262	Standard	0.66	5.50	0.92	21	2.82	0.041	16.4	41.1	1.14	239.6	0.002	5	1.29	0.067	0.30	0.2	3.0	0.44	0.26	135
STD OREAS262	Standard	0.64	6.23	1.04	23	3.00	0.039	17.1	42.3	1.17	251.2	0.003	4	1.31	0.069	0.32	0.3	3.3	0.46	0.26	179
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000560.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1887142	Drill Core	<0.1	<0.02	1.6	0.81	<0.1	0.04	0.03	10.9	0.3	<0.05	1.2	11.39	70.2	<0.02	<1	0.3	5.9	<10	<2
REP 1887142	QC	<0.1	<0.02	1.4	0.76	<0.1	0.04	0.03	10.3	0.4	<0.05	1.0	11.21	71.6	<0.02	1	0.3	5.8	<10	<2
1887155	Drill Core	<0.1	<0.02	1.7	1.29	<0.1	0.03	<0.02	13.1	0.6	<0.05	1.2	10.41	78.6	<0.02	<1	0.4	6.9	<10	<2
REP 1887155	QC																			
1887159	Drill Core	<0.1	<0.02	2.4	0.64	<0.1	0.03	0.27	15.0	0.8	<0.05	0.9	13.83	61.8	<0.02	<1	0.2	4.6	<10	<2
REP 1887159	QC																			
1887175	Drill Core	<0.1	<0.02	1.9	0.24	<0.1	0.07	0.11	11.3	0.5	<0.05	2.5	9.75	82.9	<0.02	<1	0.2	3.9	<10	<2
REP 1887175	QC	<0.1	<0.02	1.7	0.22	<0.1	0.06	0.10	11.4	0.6	<0.05	2.8	9.71	87.0	<0.02	<1	0.4	3.8	<10	<2
Core Reject Duplicates																				
1887158	Drill Core	0.2	<0.02	2.3	0.93	<0.1	0.07	0.06	11.7	0.7	<0.05	0.6	14.39	76.0	0.02	<1	0.4	4.9	<10	<2
DUP 1887158	QC	<0.1	0.02	2.6	0.91	<0.1	0.03	0.06	14.3	0.7	<0.05	0.9	13.73	71.2	<0.02	<1	0.3	5.4	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.2	1.01	8.3	7.26	0.2	0.29	0.38	100.6	5.3	<0.05	10.6	15.23	54.1	0.47	6	0.7	20.1	132	169
STD DS11	Standard	2.5	4.80	4.8	2.90	0.1	0.06	1.59	32.9	1.8	<0.05	2.9	7.56	36.5	0.24	44	0.7	23.3	126	186
STD DS11	Standard	2.4	4.85	5.4	3.08	0.1	0.06	1.64	35.2	1.8	<0.05	2.6	8.48	38.5	0.25	51	0.9	23.5	102	180
STD OREAS262	Standard	0.5	0.22	3.4	2.52	<0.1	0.24	<0.02	16.2	0.5	<0.05	9.2	10.63	27.9	0.03	<1	0.9	17.4	34	<2
STD OREAS262	Standard	0.3	0.21	4.0	2.85	<0.1	0.25	<0.02	18.8	0.6	<0.05	12.6	9.94	32.4	0.03	<1	1.0	16.9	<10	<2
STD OREAS262	Standard	0.7	0.26	3.8	3.14	<0.1	0.23	<0.02	20.1	0.6	<0.05	11.5	10.82	35.7	0.03	2	1.0	17.1	<10	<2
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000560.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		446	0.005	<0.01	<0.17	41.85	1.14	4.50	0.77	29.0	8	0.9	3.8	504	1.91	0.3	0.4	2.2	0.5	17.0
ROCK-WHI	Prep Blank		454	<0.005	<0.01	<0.17	35.72	1.13	4.99	0.86	35.1	5	1.4	4.4	550	2.03	0.7	0.4	1.6	0.9	21.9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000560.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.06	0.02	26	0.61	0.040	5.2	2.3	0.54	47.9	0.057	1	0.91	0.100	0.09	<0.1	2.7	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.03	0.06	<0.02	28	0.61	0.041	5.7	3.0	0.56	59.5	0.066	1	1.01	0.127	0.12	<0.1	3.7	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 08, 2019

Page:

2 of 2

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000560.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.3	0.10	<0.1	0.10	0.15	1.7	0.4	<0.05	1.8	7.27	10.3	<0.02	<1	0.1	1.3	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.13	<0.1	0.11	0.16	2.1	0.4	<0.05	2.8	8.32	11.6	<0.02	<1	0.2	1.4	11