



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 23, 2019
Report Date: October 08, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000580.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-55
P.O. Number
Number of Samples: 126

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	122	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	126	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	126	Analysis sample split/packet			WHI
Split -150	126	Analysis sample split/packet			WHI
EN002	126	Environmental disposal charge-Fire assay lead waste			VAN
FS631	123	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	126	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	126	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1882066	Drill Core	2.94	503	0.013	0.01	<0.17	37.67	0.62	34.79	54.30	119.6	2082	15.1	8.4	387	2.25	12.2	1.1	10.3	7.7	23.1
1882067	Drill Core	3.19	422	0.017	0.01	<0.17	42.89	0.38	26.74	154.50	198.6	562	14.4	9.7	589	2.43	9.9	1.0	16.0	7.7	21.1
1882068	Drill Core	3.47	390	0.007	<0.01	<0.17	35.95	0.27	28.64	115.39	164.8	793	12.7	8.0	654	2.82	3.2	0.9	6.8	8.0	57.7
1882069	Drill Core	2.54	432	0.007	<0.01	<0.17	28.71	0.25	16.69	81.21	106.6	346	9.0	6.1	658	2.48	3.3	0.9	5.6	7.7	87.7
1882070	Drill Core	3.46	416	<0.005	<0.01	<0.17	41.38	0.24	15.88	16.94	77.2	288	9.6	7.9	371	2.16	2.0	1.1	1.6	8.4	43.7
1882071	Drill Core	3.22	435	<0.005	<0.01	<0.17	38.15	0.37	17.57	10.82	65.4	215	9.4	8.0	349	2.18	3.6	1.6	2.3	9.3	42.0
1882072	Drill Core	2.99	424	<0.005	<0.01	<0.17	40.29	0.61	12.42	7.65	53.1	160	9.7	8.0	361	2.04	6.0	2.4	0.8	10.6	44.5
1882073	Drill Core	3.36	432	<0.005	<0.01	<0.17	30.10	0.60	13.48	8.22	63.9	136	11.2	8.0	339	2.12	6.4	1.7	<0.2	9.9	31.3
1882074	Drill Core	3.26	402	0.006	<0.01	<0.17	42.35	0.74	12.25	9.91	61.2	147	9.8	7.4	375	2.11	4.8	2.2	2.9	10.9	50.5
1882075	Drill Core	3.50	420	0.006	<0.01	<0.17	36.80	0.54	25.39	11.14	73.7	205	12.2	9.1	336	2.36	6.4	1.7	2.3	10.9	38.5
1882076	Drill Core	3.31	536	0.005	<0.01	<0.17	41.73	0.83	22.35	11.11	58.1	194	10.6	8.1	382	2.05	8.1	1.9	3.7	11.6	49.9
1882077	Drill Core	3.89	373	0.005	<0.01	<0.17	39.62	0.84	21.08	7.10	60.7	236	14.3	9.9	311	2.31	13.3	2.3	2.4	11.4	52.0
1882078	Drill Core	3.34	412	0.011	<0.01	<0.17	42.13	1.08	11.96	10.32	50.4	219	9.2	6.4	327	2.00	7.6	1.3	6.2	10.8	56.7
1882079	Drill Core	3.30	384	0.007	<0.01	<0.17	34.43	3.57	11.85	15.46	51.5	189	9.0	7.5	259	1.72	9.7	1.8	5.0	12.2	40.1
1882080	Rock	0.23	171	<0.005	<0.01	<0.17	34.48	0.43	0.96	1.50	1.6	13	1.1	0.4	74	0.65	0.6	0.2	0.8	1.5	1.2
1882081	Drill Core	3.24	488	<0.005	<0.01	<0.17	33.00	0.76	11.86	11.74	52.2	124	9.2	6.5	241	1.84	4.5	1.7	1.8	10.8	50.5
1882082	Drill Core	3.25	475	<0.005	<0.01	<0.17	32.62	0.53	8.02	19.54	51.4	153	8.4	5.7	251	1.75	3.0	1.8	1.4	13.7	52.1
1882083	Drill Core	2.87	413	<0.005	<0.01	<0.17	29.97	0.61	15.58	13.44	60.0	206	9.9	7.2	253	2.24	7.4	2.0	1.9	12.0	35.3
1882084	Drill Core	3.59	409	0.006	<0.01	<0.17	33.62	0.60	17.49	19.90	48.6	310	12.2	6.7	287	1.91	9.0	1.3	0.8	10.4	32.3
1882085	Drill Core	3.96	452	0.005	<0.01	<0.17	30.49	0.80	19.09	19.43	56.6	288	12.4	6.7	385	2.13	23.3	1.7	2.8	12.6	15.5
1882086	Drill Core	3.55	419	<0.005	<0.01	<0.17	40.35	0.74	21.82	30.82	37.2	406	13.5	5.4	312	1.20	27.6	1.6	1.9	16.7	50.1
1882087	Drill Core	3.86	415	0.006	<0.01	<0.17	35.16	0.48	16.45	23.91	34.8	460	11.1	4.3	301	1.13	11.3	0.9	1.6	14.3	35.4
1882088	Drill Core	2.08	389	0.007	<0.01	<0.17	31.98	0.52	19.05	23.11	38.6	373	11.1	5.5	410	1.48	12.8	1.3	3.7	13.3	56.2
1882089	Drill Core	3.72	485	0.006	<0.01	<0.17	38.62	1.06	15.66	21.35	54.2	200	12.2	6.5	392	2.13	13.7	1.7	3.5	10.7	57.3
1882090	Drill Core	4.04	470	<0.005	<0.01	<0.17	29.51	1.23	17.74	6.40	44.6	211	13.3	7.9	326	2.07	8.6	2.0	1.9	10.4	28.9
1882091	Drill Core	2.13	432	0.006	<0.01	<0.17	31.35	0.74	15.28	21.04	43.9	287	12.2	7.0	502	2.15	9.5	1.4	3.2	9.4	69.3
1882092	Drill Core	2.69	404	0.010	<0.01	<0.17	26.81	0.75	18.32	11.56	49.1	167	11.6	7.1	414	2.01	8.1	1.3	6.6	10.0	57.8
1882093	Drill Core	3.16	379	0.008	<0.01	<0.17	30.37	1.50	22.28	13.06	51.1	214	12.7	7.2	364	1.89	16.0	1.4	3.4	11.1	65.9
1882094	Drill Core	3.36	384	0.174	0.17	<0.17	26.52	1.27	17.13	21.10	57.4	292	11.4	6.6	373	2.02	8.8	1.4	175.9	9.4	55.6
1882095	Drill Core	1.62	380	1.249	2.50	12.75	41.42	1.39	19.68	81.14	41.1	1798	10.4	7.6	353	1.72	9.9	1.4	1129.5	11.4	27.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882066	Drill Core	0.97	1.47	0.07	24	0.46	0.072	24.9	23.8	0.76	157.1	0.006	2	1.39	0.016	0.37	4.8	4.4	0.25	<0.02	44			
1882067	Drill Core	0.88	1.36	0.05	25	0.42	0.072	26.8	27.9	0.98	134.9	0.005	1	1.55	0.012	0.30	0.4	4.4	0.19	<0.02	55			
1882068	Drill Core	1.24	1.51	0.22	29	1.12	0.066	30.8	31.3	1.14	84.9	0.005	2	1.70	0.017	0.29	0.3	4.1	0.18	<0.02	27			
1882069	Drill Core	0.83	1.30	0.21	24	1.75	0.060	23.2	26.9	0.94	80.4	0.029	2	1.53	0.016	0.25	0.5	3.4	0.15	<0.02	15			
1882070	Drill Core	0.44	0.86	0.08	21	0.97	0.062	22.1	26.3	0.90	148.8	0.042	2	1.40	0.038	0.28	0.3	5.0	0.13	<0.02	8			
1882071	Drill Core	0.29	0.75	0.06	22	1.01	0.068	28.5	27.3	0.89	169.8	0.045	2	1.26	0.032	0.28	0.2	5.4	0.13	0.04	14			
1882072	Drill Core	0.21	0.74	0.06	19	0.97	0.066	30.3	24.1	0.97	172.9	0.046	1	1.26	0.032	0.33	0.2	5.0	0.16	0.12	14			
1882073	Drill Core	0.23	0.75	0.06	17	0.66	0.064	26.3	20.8	1.00	177.0	0.034	2	1.38	0.020	0.38	0.2	4.1	0.19	<0.02	43			
1882074	Drill Core	0.23	0.56	0.08	19	1.23	0.064	26.2	21.1	1.09	162.9	0.042	2	1.36	0.029	0.36	0.4	4.6	0.17	<0.02	40			
1882075	Drill Core	0.35	0.61	0.09	27	0.88	0.077	28.8	31.8	0.99	150.6	0.025	2	1.25	0.026	0.24	0.2	5.0	0.11	<0.02	56			
1882076	Drill Core	0.27	0.68	0.09	22	1.28	0.062	28.4	22.8	0.74	177.8	0.007	<1	1.05	0.023	0.30	0.1	4.9	0.14	<0.02	52			
1882077	Drill Core	0.30	0.75	0.07	24	1.33	0.077	29.9	22.3	0.66	202.4	0.006	3	1.06	0.020	0.36	0.1	6.0	0.16	<0.02	33			
1882078	Drill Core	0.29	0.47	0.08	17	1.57	0.056	23.5	16.1	0.68	163.3	0.002	2	0.99	0.023	0.22	0.1	3.5	0.08	<0.02	37			
1882079	Drill Core	0.23	0.56	0.07	14	1.04	0.057	28.5	13.8	0.48	207.1	0.003	2	0.81	0.032	0.22	<0.1	4.9	0.08	<0.02	20			
1882080	Rock	<0.01	0.04	<0.02	<1	0.01	0.002	2.4	3.8	<0.01	10.4	0.001	2	0.05	0.004	0.01	<0.1	0.2	<0.02	<0.02	10			
1882081	Drill Core	0.20	0.38	0.04	16	1.06	0.060	24.0	17.5	0.58	161.8	0.006	<1	0.81	0.026	0.24	<0.1	4.8	0.09	<0.02	25			
1882082	Drill Core	0.15	0.30	0.06	16	0.98	0.058	28.4	19.0	0.62	144.0	0.006	2	0.83	0.030	0.25	<0.1	4.5	0.10	<0.02	51			
1882083	Drill Core	0.27	0.37	0.06	20	0.89	0.065	28.3	19.4	0.60	168.3	0.006	<1	1.03	0.027	0.29	0.2	6.1	0.12	<0.02	58			
1882084	Drill Core	0.24	0.50	0.43	20	0.64	0.054	23.1	21.7	0.80	132.1	0.005	<1	1.08	0.027	0.23	0.3	4.3	0.09	<0.02	53			
1882085	Drill Core	0.28	0.80	0.28	18	0.27	0.067	29.2	21.3	0.86	144.2	0.003	<1	1.14	0.022	0.23	<0.1	4.1	0.09	<0.02	11			
1882086	Drill Core	0.26	0.62	0.48	5	0.93	0.061	38.8	6.5	0.52	180.5	0.002	<1	0.74	0.009	0.30	<0.1	2.5	0.11	<0.02	<5			
1882087	Drill Core	0.17	0.28	0.53	6	0.56	0.047	31.2	8.3	0.62	186.3	0.002	<1	0.76	0.013	0.29	<0.1	2.0	0.11	<0.02	9			
1882088	Drill Core	0.22	0.47	0.46	8	1.20	0.050	28.4	10.2	0.65	198.7	0.006	<1	0.87	0.014	0.32	<0.1	2.9	0.12	<0.02	6			
1882089	Drill Core	0.25	1.06	0.12	13	1.06	0.057	22.9	13.9	0.56	197.8	0.040	<1	0.83	0.030	0.44	0.2	5.7	0.26	<0.02	<5			
1882090	Drill Core	0.21	1.52	0.06	15	0.59	0.063	22.8	17.5	0.55	271.9	0.047	<1	0.85	0.032	0.36	0.3	6.0	0.20	<0.02	7			
1882091	Drill Core	0.16	0.92	0.24	15	1.35	0.059	20.9	16.1	0.62	216.9	0.042	<1	0.93	0.027	0.41	0.1	5.1	0.21	<0.02	<5			
1882092	Drill Core	0.22	0.94	0.05	12	1.02	0.053	20.6	12.4	0.67	188.9	0.035	<1	0.92	0.019	0.41	0.2	5.0	0.20	<0.02	<5			
1882093	Drill Core	0.27	0.84	0.05	8	1.03	0.062	14.4	9.1	0.65	207.7	0.027	<1	0.86	0.012	0.46	<0.1	4.4	0.21	0.04	10			
1882094	Drill Core	0.29	0.47	0.06	12	0.86	0.056	17.1	13.5	0.81	181.8	0.040	1	0.96	0.019	0.32	0.3	3.7	0.13	0.03	11			
1882095	Drill Core	0.44	0.85	1.34	5	0.42	0.051	24.4	5.7	0.45	249.3	0.014	<1	0.67	0.015	0.44	0.4	2.5	0.16	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1882066	Drill Core	0.1	<0.02	6.0	4.40	<0.1	0.09	0.05	27.0	0.5	<0.05	2.6	12.13	51.7	0.03	<1	0.7	22.7	<10	<2			
1882067	Drill Core	<0.1	<0.02	6.5	4.16	<0.1	0.11	<0.02	20.4	0.7	<0.05	3.1	15.40	50.5	0.02	<1	0.7	25.0	<10	<2			
1882068	Drill Core	<0.1	0.02	7.5	4.67	<0.1	0.09	<0.02	22.2	0.5	<0.05	3.5	16.54	58.7	0.04	<1	0.8	25.2	<10	<2			
1882069	Drill Core	<0.1	<0.02	7.2	3.28	<0.1	0.09	0.05	18.9	0.8	<0.05	3.8	14.27	41.0	0.05	<1	0.7	18.8	<10	<2			
1882070	Drill Core	<0.1	<0.02	5.6	1.75	<0.1	0.09	0.11	15.4	0.7	<0.05	3.0	13.52	45.2	<0.02	<1	0.6	14.6	<10	<2			
1882071	Drill Core	<0.1	<0.02	5.7	2.11	<0.1	0.06	0.09	16.4	0.7	<0.05	2.4	16.42	51.5	0.03	<1	0.5	16.3	<10	<2			
1882072	Drill Core	0.1	<0.02	5.2	2.46	<0.1	0.07	0.09	19.0	0.8	<0.05	2.4	15.56	56.8	<0.02	2	0.6	19.6	<10	<2			
1882073	Drill Core	<0.1	<0.02	5.2	3.23	<0.1	0.15	0.05	21.4	0.8	<0.05	1.7	15.99	51.5	0.02	<1	0.5	19.3	<10	<2			
1882074	Drill Core	<0.1	<0.02	5.8	2.63	<0.1	0.06	0.07	19.4	0.8	<0.05	2.0	15.65	52.1	<0.02	<1	0.5	21.1	<10	<2			
1882075	Drill Core	0.5	<0.02	6.2	1.89	<0.1	0.07	0.04	12.2	0.7	<0.05	3.4	15.80	53.9	0.03	<1	0.7	20.1	<10	<2			
1882076	Drill Core	<0.1	<0.02	4.7	2.86	<0.1	0.07	0.02	15.0	1.3	<0.05	5.3	15.12	52.0	0.02	<1	0.9	17.2	<10	<2			
1882077	Drill Core	<0.1	<0.02	4.4	4.56	<0.1	0.03	<0.02	18.7	0.6	<0.05	1.2	14.44	53.2	0.03	<1	0.5	16.8	13	<2			
1882078	Drill Core	<0.1	<0.02	4.1	1.96	<0.1	0.03	<0.02	9.7	0.4	<0.05	1.7	9.12	43.0	0.03	<1	0.5	16.4	<10	<2			
1882079	Drill Core	<0.1	<0.02	3.4	2.40	<0.1	0.06	<0.02	9.7	0.5	<0.05	2.8	10.55	51.1	0.02	<1	0.3	14.4	<10	<2			
1882080	Rock	<0.1	<0.02	0.2	0.07	<0.1	0.10	0.04	0.6	<0.1	<0.05	2.1	0.78	4.5	<0.02	<1	<0.1	0.7	<10	<2			
1882081	Drill Core	<0.1	<0.02	3.7	2.73	<0.1	0.06	<0.02	10.5	0.7	<0.05	1.6	9.56	44.0	0.02	<1	0.4	11.3	<10	<2			
1882082	Drill Core	<0.1	<0.02	3.8	2.44	<0.1	0.06	<0.02	12.4	0.7	<0.05	2.6	10.04	54.4	<0.02	<1	0.3	11.9	<10	<2			
1882083	Drill Core	<0.1	<0.02	3.9	3.09	<0.1	0.05	<0.02	13.9	0.5	<0.05	1.7	12.77	50.9	<0.02	<1	0.3	14.4	<10	<2			
1882084	Drill Core	<0.1	0.03	4.3	1.86	<0.1	0.09	<0.02	11.1	0.4	<0.05	2.7	10.84	41.3	0.03	<1	0.4	18.8	<10	<2			
1882085	Drill Core	<0.1	<0.02	4.3	2.19	<0.1	0.05	<0.02	10.3	0.4	<0.05	1.8	14.86	53.9	<0.02	<1	0.1	21.6	<10	<2			
1882086	Drill Core	<0.1	0.03	2.7	2.60	<0.1	0.15	<0.02	14.2	0.7	<0.05	5.8	18.06	72.2	<0.02	<1	0.4	13.4	<10	<2			
1882087	Drill Core	<0.1	<0.02	3.3	1.42	<0.1	0.12	<0.02	15.4	0.4	<0.05	5.3	14.70	58.7	<0.02	<1	0.3	14.0	<10	<2			
1882088	Drill Core	<0.1	0.03	3.3	2.77	<0.1	0.10	<0.02	15.2	0.4	<0.05	4.6	13.69	52.9	<0.02	<1	0.3	13.1	<10	<2			
1882089	Drill Core	<0.1	<0.02	3.2	6.55	<0.1	0.12	0.07	26.1	0.4	<0.05	5.7	11.48	43.0	0.03	<1	0.3	8.3	<10	<2			
1882090	Drill Core	<0.1	<0.02	4.1	3.91	<0.1	0.14	0.10	19.7	0.7	<0.05	5.4	11.15	40.6	0.03	<1	0.6	10.7	<10	2			
1882091	Drill Core	<0.1	<0.02	3.5	4.64	<0.1	0.13	0.08	21.6	0.5	<0.05	4.6	10.44	39.8	0.03	<1	0.2	8.5	<10	<2			
1882092	Drill Core	<0.1	<0.02	3.5	5.44	<0.1	0.21	0.05	21.9	0.8	<0.05	8.1	7.33	37.6	0.03	1	0.1	9.7	<10	<2			
1882093	Drill Core	<0.1	0.02	2.9	5.93	<0.1	0.30	0.03	25.6	0.5	<0.05	11.6	6.21	27.4	<0.02	<1	0.3	9.7	<10	<2			
1882094	Drill Core	<0.1	<0.02	3.2	2.93	<0.1	0.26	0.05	16.3	0.8	<0.05	9.9	8.02	31.8	<0.02	<1	0.4	11.2	<10	<2			
1882095	Drill Core	<0.1	0.09	2.0	3.22	<0.1	0.30	0.07	22.0	0.7	<0.05	11.3	6.51	44.3	<0.02	<1	0.2	8.5	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 3 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1882096	Drill Core	3.43	466	0.601	0.64	1.12	39.43	1.70	26.39	24.96	56.0	727	11.5	8.0	361	1.77	17.5	1.6	481.8	10.1	86.3
1882097	Drill Core	3.75	426	0.008	<0.01	<0.17	25.51	1.07	16.69	9.43	50.8	193	11.8	8.3	384	1.89	7.6	1.9	0.7	10.8	60.9
1882098	Drill Core	3.48	358	0.005	<0.01	<0.17	42.09	0.74	19.67	10.70	53.4	199	11.3	7.8	320	1.94	3.5	1.6	2.6	10.5	61.0
1882099	Drill Core	3.52	411	0.006	<0.01	<0.17	33.65	1.51	16.16	15.89	53.5	250	10.3	7.0	434	1.96	3.5	4.4	2.2	10.6	68.7
1882100	Rock Pulp	0.12	91	7.159				9.13	190.91	18.94	70.7	849	13.1	10.6	541	4.44	13.2	0.9	7184.5	2.9	61.7
1882101	Drill Core	3.72	422	0.006	<0.01	<0.17	39.54	0.85	17.41	24.17	47.7	461	10.9	6.6	346	1.65	2.6	0.9	2.0	11.6	41.0
1882102	Drill Core	2.48	393	<0.005	<0.01	<0.17	28.70	0.59	20.74	19.34	73.5	341	10.3	7.0	353	1.71	4.4	0.9	1.4	10.6	26.3
1882103	Drill Core	3.34	407	<0.005	<0.01	<0.17	39.65	1.26	17.33	6.41	55.8	211	11.7	7.4	394	2.06	3.4	1.7	0.8	10.0	33.5
1882104	Drill Core	1.59	449	<0.005	<0.01	<0.17	39.94	0.85	14.54	5.38	44.6	118	11.1	7.0	424	1.98	2.5	1.4	0.4	11.8	44.3
1882105	Drill Core	2.50	455	<0.005	<0.01	<0.17	40.81	0.93	10.69	9.21	35.9	104	9.1	5.6	398	1.76	2.0	1.2	0.3	9.3	43.0
1882106	Drill Core	1.80	442	<0.005	<0.01	<0.17	37.41	1.17	13.14	4.27	39.8	113	10.1	6.6	370	1.81	2.7	1.2	<0.2	11.2	37.6
1882107	Drill Core	3.39	420	<0.005	<0.01	<0.17	30.15	2.30	11.89	14.08	35.9	123	9.4	6.1	451	1.81	3.2	1.3	<0.2	9.8	55.4
1882108	Drill Core	3.23	394	<0.005	<0.01	<0.17	32.57	1.83	17.54	3.38	43.9	199	11.0	6.4	458	2.10	3.7	1.5	0.3	10.9	34.9
1882109	Drill Core	2.88	408	<0.005	<0.01	<0.17	41.16	1.15	11.30	12.68	41.6	104	9.6	6.3	533	1.93	1.5	1.0	<0.2	10.6	64.8
1882110	Drill Core	3.59	405	<0.005	<0.01	<0.17	26.46	1.00	14.48	18.12	48.4	91	9.1	5.9	565	2.00	0.5	0.9	1.0	10.8	109.6
1882111	Drill Core	3.55	385	<0.005	<0.01	<0.17	38.10	0.69	8.43	17.08	47.6	83	9.8	6.2	456	2.09	1.9	1.3	1.6	12.4	56.0
1882112	Drill Core	3.43	386	<0.005	<0.01	<0.17	40.77	0.73	10.28	18.29	37.4	79	8.3	5.9	577	1.82	1.5	1.0	3.0	10.1	78.4
1882113	Drill Core	3.31	382	<0.005	<0.01	<0.17	31.74	0.82	18.09	28.62	40.6	125	8.6	6.1	541	1.90	1.2	1.2	0.9	12.4	81.6
1882114	Drill Core	2.08	447	<0.005	<0.01	<0.17	26.73	0.91	8.25	14.13	40.6	75	8.9	6.2	623	2.03	2.3	1.1	1.0	10.5	86.3
1882115	Drill Core	2.43	461	<0.005	<0.01	<0.17	35.97	0.54	13.10	13.13	37.6	93	8.4	5.4	481	1.98	1.2	2.3	0.4	10.4	64.6
1882116	Drill Core	2.65	469	<0.005	<0.01	<0.17	36.17	0.83	8.42	15.53	42.6	100	8.3	5.6	472	1.94	3.2	2.2	0.6	10.3	65.6
1882117	Drill Core	3.59	384	<0.005	<0.01	<0.17	34.97	0.95	12.15	11.58	42.0	108	9.6	5.9	560	2.20	4.8	1.6	<0.2	10.4	97.2
1882118	Drill Core	3.37	459	<0.005	<0.01	<0.17	42.13	1.08	11.52	24.20	49.1	315	10.2	5.9	531	2.13	9.0	1.5	1.4	9.5	100.9
1882119	Drill Core	1.98	467	0.105	0.11	<0.17	42.24	1.68	23.29	9.60	43.5	332	8.9	6.5	500	1.76	26.2	2.1	78.4	11.2	103.6
1882120	Rock Pulp	0.13	92	0.626				6.64	119.88	88.68	146.3	701	12.1	5.0	617	2.65	42.2	0.5	549.7	2.8	42.6
1882121	Drill Core	1.51	504	0.055	0.05	<0.17	40.85	1.27	14.65	15.70	46.2	269	11.1	5.7	376	1.77	10.5	1.7	57.3	10.9	41.2
1882122	Drill Core	1.51	383	0.412	0.40	0.35	43.42	1.14	17.06	16.67	38.2	555	20.9	6.0	344	1.72	16.1	2.0	349.3	11.2	48.5
1882123	Drill Core	1.75	462	0.139	0.14	<0.17	47.46	1.24	23.59	20.19	51.4	653	22.8	6.1	465	2.11	26.6	2.0	148.3	11.7	23.2
1882124	Drill Core	1.76	387	0.008	<0.01	<0.17	34.40	0.79	21.95	17.13	50.6	563	14.3	5.7	357	1.93	23.4	2.5	3.9	11.7	26.0
1882125	Drill Core	3.92	478	0.006	<0.01	<0.17	42.84	1.31	21.37	18.76	60.6	462	13.0	6.9	503	2.04	7.6	3.5	1.4	11.9	108.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882096	Drill Core	0.40	0.61	0.31	7	1.12	0.053	10.4	7.8	0.61	208.7	0.019	<1	0.75	0.011	0.46	0.2	2.3	0.17	<5
1882097	Drill Core	0.26	0.44	0.14	10	0.94	0.062	18.5	10.3	0.74	202.8	0.025	<1	0.92	0.015	0.35	0.1	4.4	0.14	<5
1882098	Drill Core	0.22	0.39	0.13	11	0.77	0.054	13.8	12.3	0.74	170.5	0.021	<1	0.90	0.020	0.35	0.1	4.2	0.17	<5
1882099	Drill Core	0.42	0.37	0.32	12	1.41	0.052	16.5	13.9	0.89	180.9	0.024	<1	1.03	0.021	0.32	<0.1	3.7	0.16	6
1882100	Rock Pulp	0.21	3.99	0.46	105	0.87	0.060	7.0	17.3	0.80	119.8	0.105	1	1.61	0.161	0.21	3.4	3.2	0.07	<0.02
1882101	Drill Core	0.20	0.33	0.55	10	0.71	0.054	22.6	12.2	0.84	164.4	0.015	<1	0.94	0.017	0.33	<0.1	3.2	0.13	<0.02
1882102	Drill Core	0.33	0.36	0.23	12	0.34	0.053	21.5	15.5	0.90	161.4	0.033	<1	0.96	0.021	0.29	0.2	3.6	0.12	<0.02
1882103	Drill Core	0.25	0.40	0.07	18	0.46	0.054	18.5	19.6	1.01	156.9	0.070	<1	1.11	0.024	0.38	0.2	5.4	0.19	<0.02
1882104	Drill Core	0.14	0.41	<0.02	13	0.75	0.054	21.3	12.1	0.85	203.5	0.077	<1	0.97	0.022	0.65	<0.1	5.4	0.33	<0.02
1882105	Drill Core	0.09	0.39	0.04	14	0.59	0.053	16.8	14.5	0.80	159.0	0.070	<1	0.88	0.028	0.51	<0.1	4.9	0.28	<0.02
1882106	Drill Core	0.07	0.37	<0.02	12	0.49	0.057	16.1	11.8	0.82	182.1	0.068	<1	0.93	0.020	0.62	0.1	4.2	0.29	<0.02
1882107	Drill Core	0.10	0.37	<0.02	12	0.72	0.047	15.8	13.5	0.77	182.7	0.048	<1	0.92	0.019	0.35	0.1	3.3	0.14	<0.02
1882108	Drill Core	0.05	0.32	<0.02	16	0.40	0.056	20.8	17.5	0.94	193.0	0.058	<1	1.07	0.020	0.29	0.2	3.5	0.11	<0.02
1882109	Drill Core	0.11	0.27	<0.02	11	0.98	0.053	18.0	11.3	0.76	212.9	0.053	<1	0.93	0.021	0.41	<0.1	3.6	0.17	<0.02
1882110	Drill Core	0.16	0.35	0.03	13	1.14	0.052	18.5	10.7	0.84	351.8	0.062	2	1.00	0.023	0.52	<0.1	4.4	0.21	<0.02
1882111	Drill Core	0.18	0.50	0.06	15	0.75	0.052	18.7	13.2	0.92	221.1	0.092	1	1.14	0.026	0.54	0.5	5.0	0.22	<0.03
1882112	Drill Core	0.17	0.35	0.02	11	1.16	0.046	15.2	9.6	0.77	191.0	0.055	2	0.96	0.020	0.47	0.1	3.6	0.18	<0.03
1882113	Drill Core	0.21	0.41	0.02	11	1.10	0.058	23.1	9.9	0.75	217.0	0.044	2	0.97	0.018	0.39	0.2	3.8	0.14	<0.02
1882114	Drill Core	0.15	0.53	<0.02	11	1.29	0.050	15.6	10.1	0.78	200.7	0.050	1	0.97	0.020	0.48	0.3	4.1	0.19	0.05
1882115	Drill Core	0.15	0.65	<0.02	11	0.78	0.044	17.7	9.7	0.77	201.9	0.060	<1	0.96	0.020	0.50	<0.1	4.1	0.20	0.03
1882116	Drill Core	0.13	1.33	0.03	12	0.77	0.048	18.0	11.4	0.75	181.2	0.066	2	0.95	0.021	0.45	0.3	4.5	0.22	0.06
1882117	Drill Core	0.19	1.15	0.04	15	1.09	0.049	16.4	14.2	0.92	180.5	0.063	<1	1.11	0.021	0.49	0.3	4.5	0.22	0.08
1882118	Drill Core	0.26	0.68	0.40	10	1.40	0.049	16.4	10.5	0.80	166.2	0.024	1	1.05	0.021	0.35	<0.1	3.7	0.16	0.04
1882119	Drill Core	0.41	0.87	0.09	5	1.32	0.050	21.5	5.9	0.44	249.7	0.007	<1	0.79	0.011	0.31	0.1	3.3	0.10	0.03
1882120	Rock Pulp	0.57	3.15	0.11	31	0.88	0.035	6.9	24.4	0.51	93.1	0.096	7	1.19	0.100	0.12	4.5	3.6	0.22	0.10
1882121	Drill Core	0.26	0.57	0.22	10	0.50	0.060	27.4	11.5	0.54	188.1	0.002	<1	0.87	0.009	0.26	0.1	2.4	0.08	<0.02
1882122	Drill Core	0.26	0.62	0.38	10	0.31	0.115	32.6	9.8	0.29	248.9	0.004	<1	0.67	0.018	0.26	0.1	2.1	0.09	<0.02
1882123	Drill Core	0.32	0.87	0.49	19	0.19	0.061	35.6	20.1	0.48	206.3	0.003	<1	0.91	0.018	0.23	0.1	2.6	0.09	<0.02
1882124	Drill Core	0.29	1.45	0.84	17	0.36	0.055	29.6	19.6	0.44	191.1	0.014	<1	0.83	0.033	0.22	0.1	4.0	0.11	0.03
1882125	Drill Core	0.39	0.79	0.64	16	1.66	0.056	22.5	16.4	0.71	191.2	0.018	<1	1.05	0.019	0.32	0.2	4.5	0.17	0.17



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1882096 Drill Core	0.5	0.02	2.1	3.17	<0.1	0.21	0.04	22.9	0.7	<0.05	8.2	5.84	19.5	0.02	3	0.4	8.3	<10	<2
1882097 Drill Core	<0.1	<0.02	3.3	3.19	<0.1	0.19	0.03	17.5	0.5	<0.05	7.7	7.05	34.5	<0.02	2	0.2	11.9	<10	<2
1882098 Drill Core	<0.1	0.03	3.5	3.44	<0.1	0.27	0.04	19.0	0.3	<0.05	7.3	6.93	27.2	0.03	<1	<0.1	9.4	<10	<2
1882099 Drill Core	0.2	<0.02	3.7	3.34	<0.1	0.10	0.03	16.2	0.4	<0.05	4.4	9.17	31.6	0.03	2	0.5	10.7	12	3
1882100 Rock Pulp	<0.1	0.16	5.0	0.66	0.1	0.07	0.08	7.8	1.6	<0.05	1.5	4.80	14.3	0.05	<1	<0.1	6.7	<10	<2
1882101 Drill Core	<0.1	0.03	3.6	3.14	<0.1	0.24	0.04	16.6	0.5	<0.05	7.2	8.51	43.4	0.02	<1	0.2	11.7	<10	<2
1882102 Drill Core	<0.1	<0.02	3.9	2.46	<0.1	0.26	0.07	15.2	0.5	<0.05	9.3	10.79	40.7	<0.02	<1	0.2	12.7	<10	<2
1882103 Drill Core	<0.1	<0.02	5.3	3.39	<0.1	0.25	0.11	21.7	0.6	<0.05	8.7	11.18	34.8	<0.02	2	0.4	14.6	<10	<2
1882104 Drill Core	<0.1	<0.02	3.8	5.67	<0.1	0.27	0.10	36.9	0.6	<0.05	9.7	10.57	39.9	<0.02	<1	0.8	10.9	<10	<2
1882105 Drill Core	<0.1	<0.02	3.8	4.52	<0.1	0.27	0.10	29.4	0.6	<0.05	9.4	9.65	32.0	<0.02	<1	0.5	10.8	<10	<2
1882106 Drill Core	<0.1	0.02	3.8	5.42	<0.1	0.32	0.14	35.0	0.6	<0.05	12.1	9.73	30.7	<0.02	<1	0.5	13.0	<10	<2
1882107 Drill Core	<0.1	<0.02	3.5	2.90	<0.1	0.23	0.10	16.8	0.5	<0.05	8.4	9.95	30.1	<0.02	<1	0.4	10.7	<10	<2
1882108 Drill Core	<0.1	<0.02	5.2	2.04	<0.1	0.23	0.09	14.4	0.5	<0.05	7.4	12.06	39.8	0.02	2	0.4	12.9	<10	<2
1882109 Drill Core	<0.1	<0.02	3.8	3.37	<0.1	0.24	0.10	21.1	0.4	<0.05	8.7	10.58	33.9	0.02	<1	0.4	10.5	<10	<2
1882110 Drill Core	<0.1	<0.02	4.0	3.79	<0.1	0.25	0.13	27.3	0.5	<0.05	10.2	9.48	35.9	0.04	<1	0.3	9.7	<10	<2
1882111 Drill Core	<0.1	<0.02	4.4	3.27	<0.1	0.27	0.16	28.3	0.6	<0.05	11.6	12.34	38.2	0.02	<1	0.3	12.7	<10	2
1882112 Drill Core	<0.1	<0.02	3.3	2.77	<0.1	0.23	0.11	24.2	0.5	<0.05	9.7	8.51	31.1	<0.02	<1	0.4	9.1	<10	<2
1882113 Drill Core	<0.1	<0.02	3.5	3.02	<0.1	0.27	0.11	19.8	0.6	<0.05	11.6	10.41	45.3	0.02	<1	0.5	10.6	<10	<2
1882114 Drill Core	<0.1	<0.02	3.4	4.83	<0.1	0.28	0.05	25.5	0.4	<0.05	11.0	8.38	30.6	0.03	<1	<0.1	10.6	<10	<2
1882115 Drill Core	<0.1	<0.02	3.5	4.58	<0.1	0.23	0.07	25.2	0.5	<0.05	9.4	7.66	35.4	0.02	<1	0.2	9.4	<10	<2
1882116 Drill Core	<0.1	<0.02	3.7	4.48	<0.1	0.30	0.12	23.9	0.5	<0.05	10.9	9.88	34.7	0.03	3	0.5	11.2	<10	<2
1882117 Drill Core	<0.1	<0.02	4.4	4.49	<0.1	0.30	0.08	26.1	0.6	<0.05	10.0	10.58	33.0	0.03	1	0.4	15.1	<10	<2
1882118 Drill Core	<0.1	0.03	3.2	3.03	<0.1	0.22	<0.02	17.4	0.3	<0.05	9.4	7.09	30.9	<0.02	1	0.3	17.7	<10	<2
1882119 Drill Core	<0.1	<0.02	2.2	1.78	<0.1	0.26	<0.02	14.2	0.2	<0.05	10.6	7.58	41.5	<0.02	<1	0.4	15.3	<10	<2
1882120 Rock Pulp	<0.1	0.06	4.8	0.24	0.1	0.14	0.36	3.0	2.2	<0.05	4.4	8.83	13.9	<0.02	<1	0.1	1.3	<10	<2
1882121 Drill Core	<0.1	0.03	3.7	1.64	<0.1	0.13	<0.02	11.3	0.3	<0.05	4.7	9.98	52.0	0.02	<1	0.4	17.1	<10	<2
1882122 Drill Core	0.1	0.04	2.9	1.62	<0.1	0.04	<0.02	12.9	0.4	<0.05	2.2	11.77	56.7	0.02	<1	0.4	12.0	<10	<2
1882123 Drill Core	<0.1	0.04	4.2	2.21	<0.1	0.07	<0.02	12.0	0.4	<0.05	2.5	12.02	60.5	0.03	<1	0.4	18.1	<10	<2
1882124 Drill Core	0.3	0.05	4.2	2.12	<0.1	0.18	<0.02	10.9	0.5	<0.05	6.2	11.26	59.5	0.08	4	0.5	15.5	<10	<2
1882125 Drill Core	1.0	0.04	4.5	2.99	<0.1	0.11	<0.02	18.0	0.5	<0.05	4.1	12.52	41.0	0.05	17	0.5	17.6	14	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1882126	Drill Core	3.40	448	0.020	0.02	<0.17	34.75	0.84	11.98	16.31	59.3	304	7.5	5.8	426	2.04	9.2	1.1	18.4	10.7	93.5
1882127	Drill Core	2.89	487	0.019	0.02	<0.17	45.91	1.00	17.32	12.02	62.5	284	15.1	7.7	466	2.33	8.1	1.2	12.4	11.3	102.8
1882128	Drill Core	2.66	524	0.005	<0.01	<0.17	35.43	1.00	19.50	15.34	66.2	240	12.3	8.3	330	2.55	10.9	2.0	2.2	14.4	73.3
1882129	Drill Core	3.08	432	<0.005	<0.01	<0.17	42.01	1.41	22.19	13.88	65.5	214	18.0	8.9	432	2.55	12.6	1.5	0.7	9.6	76.6
1882130	Drill Core	3.56	451	0.006	<0.01	<0.17	32.58	0.69	14.51	13.29	57.5	204	10.2	7.0	308	2.07	6.4	1.5	1.4	9.3	75.5
1882131	Drill Core	3.57	416	0.008	<0.01	<0.17	38.55	0.94	13.12	13.64	69.2	209	11.3	6.7	420	2.29	5.5	1.5	3.7	10.5	69.3
1882132	Drill Core	3.46	476	0.012	0.01	<0.17	38.54	0.59	12.22	12.19	66.7	277	10.5	6.8	256	2.43	9.3	1.5	9.4	11.2	49.5
1882133	Drill Core	3.33	404	<0.005	<0.01	<0.17	45.94	0.44	10.66	8.15	56.4	163	8.2	6.4	230	1.74	3.1	1.3	1.0	8.5	56.7
1882134	Drill Core	3.48	487	0.010	<0.01	<0.17	41.21	0.61	10.05	7.84	49.3	218	9.1	6.0	298	1.73	9.5	1.4	5.7	10.1	75.3
1882135	Drill Core	2.51	541	<0.005	<0.01	<0.17	36.15	0.29	8.81	6.25	48.5	137	9.1	6.3	201	1.81	3.3	1.2	1.7	10.2	49.5
1882136	Drill Core	2.57	378	0.007	<0.01	<0.17	25.91	0.41	8.35	9.29	53.7	167	9.1	5.8	227	1.93	5.4	1.4	2.8	12.2	60.6
1882137	Drill Core	4.62	531	0.018	0.02	<0.17	40.11	1.40	12.68	16.82	69.4	342	9.7	6.6	346	2.40	17.7	1.5	13.7	12.2	43.3
1882138	Drill Core	3.59	461	0.006	<0.01	<0.17	39.68	1.14	17.56	14.47	63.8	246	12.1	7.9	336	2.37	9.8	2.1	1.4	12.6	65.3
1882139	Drill Core	3.07	379	0.006	<0.01	<0.17	40.62	0.86	24.26	16.47	66.6	295	12.5	8.0	431	2.38	7.0	2.2	1.8	13.1	85.4
1882140	Rock Pulp	0.13	93	0.006				4.06	22.59	1.10	33.4	17	7.5	4.2	602	2.47	1.4	0.5	0.4	2.7	37.2
1882141	Drill Core	3.61	453	<0.005	<0.01	<0.17	27.17	0.44	6.73	3.59	55.2	86	10.8	7.2	320	2.25	3.4	1.2	<0.2	7.9	49.8
1882142	Drill Core	3.58	484	<0.005	<0.01	<0.17	40.57	0.74	11.19	5.63	68.6	133	13.7	8.5	374	2.11	4.8	1.0	0.4	4.8	60.3
1882143	Drill Core	3.40	541	0.006	<0.01	<0.17	36.65	0.63	10.98	20.27	65.9	209	10.7	6.8	547	2.06	3.8	1.1	0.8	9.9	113.9
1882144	Drill Core	3.31	419	0.012	0.01	<0.17	38.00	0.94	11.90	8.26	63.8	306	11.0	7.3	411	2.28	8.6	1.5	13.8	11.0	74.0
1882145	Drill Core	3.78	437	0.008	<0.01	<0.17	40.17	0.63	10.10	11.07	63.3	178	9.9	8.3	448	2.31	7.2	1.3	2.3	8.9	67.9
1882146	Drill Core	2.78	400	<0.005	<0.01	<0.17	34.59	0.79	18.11	13.77	58.3	238	10.9	8.4	290	2.09	6.0	1.8	1.4	9.9	57.9
1882147	Drill Core	3.46	498	0.005	<0.01	<0.17	39.27	0.59	16.73	15.03	56.8	255	10.7	8.7	331	2.20	5.6	1.7	1.8	11.0	64.5
1882148	Drill Core	3.44	472	<0.005	<0.01	<0.17	36.52	0.88	13.57	7.19	60.0	185	15.4	9.1	413	2.35	3.8	1.6	1.1	7.9	68.6
1882149	Drill Core	3.99	534	<0.005	<0.01	<0.17	38.78	1.03	17.06	7.14	54.3	196	13.0	8.4	482	2.25	5.7	1.9	0.5	8.0	73.8
1882150	Drill Core	3.41	504	0.005	<0.01	<0.17	37.64	0.67	14.63	33.10	69.7	290	11.0	7.8	451	2.09	4.1	1.5	<0.2	8.4	62.7
1882151	Drill Core	3.22	442	<0.005	<0.01	<0.17	39.92	0.56	17.06	11.87	55.0	206	10.5	7.3	376	2.08	4.5	1.7	<0.2	10.5	68.4
1882152	Drill Core	3.35	427	0.005	<0.01	<0.17	46.91	0.65	15.12	5.13	48.9	143	10.7	7.3	358	2.00	5.0	2.5	0.5	9.6	64.2
1882153	Drill Core	3.18	486	<0.005	<0.01	<0.17	36.91	1.46	17.71	10.74	49.4	153	10.9	8.0	353	2.06	6.2	1.7	<0.2	10.1	114.0
1882154	Drill Core	1.96	495	<0.005	<0.01	<0.17	34.08	0.56	14.68	25.04	68.5	190	7.4	4.3	298	1.61	3.3	0.9	<0.2	5.6	45.5
1882155	Drill Core	2.10	484	<0.005	<0.01	<0.17	37.02	0.89	19.50	26.43	28.6	308	5.8	4.4	289	1.28	4.2	0.9	<0.2	5.2	40.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882126	Drill Core	0.27	0.76	0.17	11	1.67	0.056	28.1	14.0	0.68	172.8	0.003	<1	1.07	0.014	0.25	<0.1	3.0	0.08	<0.02	17			
1882127	Drill Core	0.32	0.55	0.12	17	1.88	0.058	30.6	20.5	0.85	174.0	0.003	<1	1.23	0.015	0.25	<0.1	4.3	0.08	<0.02	11			
1882128	Drill Core	0.28	0.37	0.12	18	1.31	0.061	35.6	20.4	0.83	201.3	0.003	<1	1.24	0.020	0.25	<0.1	4.9	0.09	0.19	12			
1882129	Drill Core	0.33	0.54	0.18	22	1.75	0.066	27.3	24.9	0.87	200.7	0.004	<1	1.21	0.023	0.22	<0.1	5.7	0.07	0.23	5			
1882130	Drill Core	0.29	0.51	0.15	14	1.56	0.057	22.4	17.9	0.69	171.8	0.033	<1	1.11	0.020	0.27	<0.1	3.8	0.11	0.04	8			
1882131	Drill Core	0.24	0.40	0.10	15	1.64	0.060	28.3	19.2	0.87	148.3	0.022	<1	1.28	0.025	0.21	<0.1	3.9	0.08	<0.02	<5			
1882132	Drill Core	0.21	0.56	0.10	19	0.94	0.055	28.5	23.8	0.87	158.9	0.022	<1	1.28	0.029	0.18	<0.1	4.0	0.07	<0.02	7			
1882133	Drill Core	0.21	0.57	0.08	15	1.16	0.054	16.0	19.4	0.67	167.7	0.064	<1	1.02	0.035	0.23	<0.1	4.0	0.11	0.05	10			
1882134	Drill Core	0.21	0.63	0.05	11	1.81	0.053	24.9	15.9	0.62	127.0	0.014	<1	1.04	0.017	0.22	<0.1	2.9	0.10	<0.02	9			
1882135	Drill Core	0.13	0.72	0.05	10	1.31	0.053	26.0	14.9	0.71	164.7	0.012	<1	1.18	0.013	0.25	<0.1	2.9	0.10	<0.02	7			
1882136	Drill Core	0.23	0.67	0.08	11	1.43	0.056	30.5	15.5	0.71	154.0	0.007	<1	1.21	0.013	0.29	0.1	2.7	0.12	<0.02	6			
1882137	Drill Core	0.35	0.66	0.12	17	1.17	0.056	34.4	22.9	0.83	145.0	0.002	<1	1.31	0.018	0.23	0.1	3.1	0.10	<0.02	9			
1882138	Drill Core	0.32	0.64	0.10	21	1.60	0.066	33.4	25.9	0.86	175.6	0.008	<1	1.31	0.025	0.26	<0.1	5.8	0.11	0.04	10			
1882139	Drill Core	0.25	1.24	0.09	23	2.07	0.068	36.9	27.2	0.98	165.0	0.008	<1	1.69	0.022	0.37	0.1	5.6	0.17	<0.02	18			
1882140	Rock Pulp	0.02	0.16	<0.02	24	0.81	0.038	6.8	14.9	0.49	62.5	0.094	3	1.06	0.073	0.09	0.3	3.6	<0.02	0.05	<5			
1882141	Drill Core	0.07	0.80	0.02	15	0.99	0.058	19.4	20.9	0.98	158.2	0.041	<1	1.47	0.021	0.22	<0.1	3.2	0.08	<0.02	<5			
1882142	Drill Core	0.24	0.80	0.03	15	1.26	0.065	9.7	22.7	0.98	151.5	0.079	<1	1.46	0.017	0.27	<0.1	2.9	0.14	<0.02	6			
1882143	Drill Core	0.23	0.58	0.16	12	2.91	0.055	22.4	16.6	0.90	177.0	0.013	<1	1.34	0.013	0.26	<0.1	2.7	0.11	<0.02	7			
1882144	Drill Core	0.25	0.48	0.07	16	1.48	0.056	30.9	23.7	0.83	141.6	0.005	<1	1.34	0.019	0.26	0.1	3.2	0.11	<0.02	10			
1882145	Drill Core	0.22	0.47	0.11	19	1.51	0.060	26.3	24.3	0.86	113.2	0.004	1	1.29	0.026	0.22	<0.1	3.3	0.10	<0.02	19			
1882146	Drill Core	0.31	0.51	0.10	20	1.32	0.066	26.6	21.3	0.74	229.6	0.018	1	1.01	0.028	0.32	<0.1	6.0	0.13	0.04	7			
1882147	Drill Core	0.25	0.29	0.11	19	1.42	0.067	26.3	21.3	0.78	291.5	0.003	<1	1.01	0.021	0.19	<0.1	5.9	0.06	0.08	7			
1882148	Drill Core	0.20	0.86	0.06	23	1.42	0.068	24.9	30.0	0.96	146.1	0.011	1	1.37	0.015	0.30	0.1	4.1	0.14	<0.02	7			
1882149	Drill Core	0.25	1.12	0.08	24	1.98	0.064	21.1	25.6	0.84	128.6	0.026	<1	1.17	0.017	0.32	0.3	5.3	0.14	<0.02	16			
1882150	Drill Core	0.50	1.14	0.25	22	2.01	0.061	18.9	22.1	0.89	151.8	0.028	<1	1.08	0.023	0.34	0.4	4.5	0.13	0.03	25			
1882151	Drill Core	0.16	0.65	0.09	17	1.63	0.068	22.5	17.7	0.93	168.2	0.010	<1	1.11	0.017	0.34	0.1	4.7	0.13	0.07	20			
1882152	Drill Core	0.15	1.16	0.04	19	1.27	0.065	25.7	19.9	0.82	171.7	0.034	<1	1.07	0.025	0.37	0.4	5.4	0.15	0.11	10			
1882153	Drill Core	0.28	0.83	0.09	18	1.97	0.068	23.7	14.9	0.62	248.3	0.019	<1	0.85	0.022	0.37	<0.1	7.4	0.13	0.24	<5			
1882154	Drill Core	0.26	1.31	0.19	17	0.86	0.059	15.4	19.1	0.62	116.2	0.018	<1	0.80	0.024	0.16	0.3	3.7	0.06	<0.02	14			
1882155	Drill Core	0.20	0.81	0.29	9	1.07	0.042	13.7	9.8	0.37	152.2	0.014	<1	0.52	0.013	0.26	0.3	3.3	0.09	<0.02	7			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 4 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1882126	Drill Core	<0.1	<0.02	4.3	1.80	<0.1	<0.02	<0.02	11.6	0.2	<0.05	1.1	9.27	53.7	0.03	<1	0.3	12.2	<10	<2			
1882127	Drill Core	<0.1	<0.02	5.0	1.96	<0.1	0.02	<0.02	11.9	0.3	<0.05	1.0	10.50	60.2	0.02	<1	0.2	12.7	<10	<2			
1882128	Drill Core	<0.1	<0.02	5.3	2.71	<0.1	0.04	0.06	12.7	0.4	<0.05	1.5	14.09	64.1	0.04	3	0.5	13.8	<10	<2			
1882129	Drill Core	0.2	0.04	4.5	1.18	<0.1	<0.02	<0.02	8.4	0.3	<0.05	1.0	10.71	51.2	0.04	<1	0.1	11.3	<10	<2			
1882130	Drill Core	<0.1	0.02	4.2	3.09	<0.1	0.05	0.08	14.8	0.5	<0.05	1.3	11.36	41.8	0.02	<1	0.4	12.9	<10	<2			
1882131	Drill Core	<0.1	<0.02	5.0	2.51	<0.1	0.04	0.03	10.7	0.5	<0.05	0.8	15.07	53.5	<0.02	<1	0.5	15.6	<10	<2			
1882132	Drill Core	<0.1	<0.02	5.7	2.21	<0.1	0.03	0.03	10.2	0.5	<0.05	0.9	13.22	53.4	<0.02	<1	0.4	13.4	<10	<2			
1882133	Drill Core	<0.1	<0.02	4.4	2.55	<0.1	0.04	0.18	15.2	0.7	<0.05	1.2	8.97	29.6	<0.02	<1	0.5	12.3	<10	<2			
1882134	Drill Core	<0.1	<0.02	4.5	4.00	<0.1	0.04	0.04	15.7	0.5	<0.05	1.1	13.68	46.8	<0.02	<1	0.6	11.0	<10	<2			
1882135	Drill Core	<0.1	<0.02	4.3	3.41	<0.1	0.03	0.02	15.3	0.5	<0.05	1.0	13.52	48.0	<0.02	<1	0.4	10.6	<10	<2			
1882136	Drill Core	<0.1	<0.02	4.6	4.79	<0.1	0.04	<0.02	19.3	0.5	<0.05	1.3	16.27	58.4	0.02	<1	0.5	13.9	<10	<2			
1882137	Drill Core	<0.1	<0.02	5.6	5.07	<0.1	0.05	<0.02	15.2	0.7	<0.05	1.0	14.59	62.9	0.03	<1	0.7	18.0	<10	<2			
1882138	Drill Core	<0.1	<0.02	5.4	3.23	<0.1	0.05	<0.02	15.0	0.7	<0.05	2.2	16.94	60.8	0.04	<1	0.3	21.9	<10	<2			
1882139	Drill Core	<0.1	<0.02	6.9	6.64	<0.1	0.06	<0.02	23.7	0.7	<0.05	1.7	20.16	66.0	0.04	<1	1.2	21.4	<10	<2			
1882140	Rock Pulp	0.3	<0.02	4.3	0.14	<0.1	0.14	0.43	2.3	2.1	<0.05	3.4	8.88	13.3	<0.02	<1	0.3	1.1	<10	<2			
1882141	Drill Core	<0.1	<0.02	5.3	1.72	<0.1	0.04	0.11	12.8	0.5	<0.05	1.0	11.57	37.0	0.02	<1	0.7	13.0	<10	<2			
1882142	Drill Core	<0.1	<0.02	4.1	2.24	<0.1	0.04	0.14	17.5	0.5	<0.05	1.7	6.56	20.1	<0.02	2	0.4	15.0	<10	<2			
1882143	Drill Core	<0.1	<0.02	4.7	3.21	<0.1	0.03	<0.02	16.0	0.5	<0.05	0.8	12.94	43.6	0.02	1	0.3	18.2	<10	<2			
1882144	Drill Core	<0.1	<0.02	5.2	4.36	<0.1	0.02	<0.02	16.6	0.5	<0.05	0.9	15.50	54.8	<0.02	<1	0.8	15.0	<10	<2			
1882145	Drill Core	<0.1	<0.02	5.5	4.83	<0.1	0.05	0.02	14.7	0.6	<0.05	0.9	14.26	51.4	<0.02	<1	0.7	14.9	<10	<2			
1882146	Drill Core	<0.1	<0.02	3.6	4.17	<0.1	0.06	0.03	18.8	0.6	<0.05	2.0	14.49	50.5	0.03	<1	0.5	13.3	<10	<2			
1882147	Drill Core	0.2	0.04	3.7	2.02	<0.1	0.10	<0.02	8.8	0.6	<0.05	3.4	12.03	50.7	0.03	<1	0.5	16.0	<10	<2			
1882148	Drill Core	<0.1	<0.02	5.3	5.07	<0.1	0.03	<0.02	18.3	0.5	<0.05	1.4	13.74	46.8	0.03	<1	0.5	19.2	<10	<2			
1882149	Drill Core	0.1	<0.02	4.3	4.04	<0.1	0.04	0.04	17.8	0.6	<0.05	1.0	13.90	42.5	0.03	<1	0.4	13.6	<10	<2			
1882150	Drill Core	<0.1	<0.02	4.3	3.13	<0.1	0.05	0.03	18.1	0.6	<0.05	1.1	11.92	36.6	<0.02	<1	0.4	12.5	<10	<2			
1882151	Drill Core	0.1	<0.02	3.8	3.18	<0.1	0.06	<0.02	16.7	0.5	<0.05	2.0	12.40	45.3	0.02	<1	0.4	16.0	<10	<2			
1882152	Drill Core	0.1	<0.02	4.9	3.37	<0.1	0.06	0.08	20.4	0.6	<0.05	2.1	16.01	48.7	0.02	2	0.4	14.1	<10	<2			
1882153	Drill Core	0.3	<0.02	3.1	3.56	<0.1	0.05	0.03	16.9	0.7	<0.05	1.3	12.83	47.4	0.04	3	0.4	7.2	<10	<2			
1882154	Drill Core	<0.1	<0.02	2.8	1.36	<0.1	0.05	0.04	7.1	0.5	<0.05	1.2	8.86	28.5	<0.02	<1	0.3	10.0	<10	<2			
1882155	Drill Core	<0.1	<0.02	1.9	2.14	<0.1	0.03	0.03	12.5	0.7	<0.05	0.8	7.33	24.8	<0.02	<1	0.2	6.0	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1882156	Drill Core	3.51	446	<0.005	<0.01	<0.17	43.81	1.68	19.82	6.57	43.4	236	11.3	7.0	379	2.02	5.7	3.0	<0.2	8.8	85.6
1882157	Drill Core	3.83	510	<0.005	<0.01	<0.17	44.69	0.90	17.55	5.23	53.0	205	12.0	6.8	272	2.04	3.7	1.5	0.2	9.7	79.2
1882158	Drill Core	2.24	450	<0.005	<0.01	<0.17	33.25	1.45	19.39	4.34	40.4	216	12.0	8.0	263	1.90	5.8	1.8	<0.2	9.5	60.1
1882159	Drill Core	2.05	436	<0.005	<0.01	<0.17	37.18	0.31	18.32	5.40	60.3	204	11.2	8.1	301	2.22	4.7	2.0	<0.2	10.0	70.3
1882160	Core DUP		478	<0.005	<0.01	<0.17	48.49	0.29	18.84	5.45	63.4	204	11.9	8.9	275	2.19	4.5	1.9	<0.2	9.8	67.4
1882161	Drill Core	3.24	471	<0.005	<0.01	<0.17	37.82	0.26	9.52	24.31	53.2	208	4.7	4.4	244	1.16	1.6	1.2	0.8	10.5	95.1
1882162	Drill Core	3.46	401	0.006	<0.01	<0.17	28.93	0.36	6.23	36.55	32.7	263	1.5	2.3	172	0.77	1.8	1.4	1.0	12.2	104.8
1882163	Drill Core	3.10	486	0.576	0.70	2.07	39.14	0.31	7.48	18.47	32.1	521	1.6	2.1	172	0.72	1.1	1.1	2104.2	10.6	133.1
1882164	Drill Core	3.27	512	0.007	<0.01	<0.17	31.08	0.20	7.63	18.14	27.3	174	1.5	1.6	129	0.68	1.0	1.5	1.0	11.0	39.3
1882165	Drill Core	3.46	499	0.008	<0.01	<0.17	39.32	0.20	3.40	15.09	13.9	104	0.8	1.0	120	0.58	1.1	1.3	9.0	12.1	34.1
1882166	Drill Core	3.88	488	<0.005	<0.01	<0.17	36.54	0.17	3.94	8.95	26.9	91	1.8	2.0	127	0.83	1.4	1.9	5.4	13.2	32.4
1882167	Drill Core	4.20	559	<0.005	<0.01	<0.17	44.16	0.25	4.39	26.18	40.4	168	3.2	3.6	228	1.04	3.7	1.5	2.0	12.8	61.4
1882168	Drill Core	1.38	513	<0.005	<0.01	<0.17	45.55	0.28	4.66	46.02	36.3	198	7.6	8.1	179	1.52	11.0	2.1	4.0	12.2	33.1
1882169	Drill Core	2.41	491	<0.005	<0.01	<0.17	40.25	0.25	5.14	8.38	56.1	76	6.9	5.7	247	1.65	8.3	1.5	<0.2	14.2	36.1
1882170	Drill Core	1.78	454	<0.005	<0.01	<0.17	41.71	0.33	11.11	12.75	55.6	166	14.1	9.7	314	2.39	11.3	2.6	2.2	10.6	49.8
1882171	Drill Core	1.81	458	<0.005	<0.01	<0.17	31.32	1.07	23.78	9.70	65.8	307	11.3	6.9	331	2.13	5.6	2.6	1.5	8.0	61.6
1882172	Drill Core	1.77	433	<0.005	<0.01	<0.17	29.37	1.20	21.28	8.54	46.7	284	10.4	6.5	328	2.08	3.9	2.3	1.6	9.2	68.8
1882173	Drill Core	3.88	546	0.027	0.02	<0.17	41.90	0.98	19.94	62.11	117.4	278	12.2	7.6	335	2.24	6.5	1.6	20.0	9.5	78.1
1882174	Drill Core	3.43	549	<0.005	<0.01	<0.17	35.62	0.73	16.68	22.73	77.6	198	10.5	7.1	287	1.97	4.3	1.2	0.9	9.6	71.1
1882175	Drill Core	2.75	375	0.011	<0.01	<0.17	31.66	0.51	18.96	12.82	44.5	302	10.6	7.4	239	2.08	7.4	1.3	6.1	8.9	57.3
1882176	Drill Core	3.52	436	0.015	0.01	<0.17	30.12	0.83	23.79	13.84	60.4	386	12.0	8.0	222	2.12	11.3	1.6	11.1	10.0	62.1
1882177	Drill Core	2.29	493	<0.005	<0.01	<0.17	32.17	1.20	18.14	3.62	29.9	247	10.5	6.4	182	1.48	4.3	1.3	1.1	8.8	42.0
1882178	Drill Core	2.48	542	0.010	<0.01	<0.17	39.73	1.02	17.01	160.60	92.8	589	11.4	7.2	326	1.81	5.3	1.4	0.3	6.8	88.2
1882179	Drill Core	3.80	458	<0.005	<0.01	<0.17	33.18	1.32	12.11	16.93	60.5	166	10.6	6.5	398	1.88	4.8	1.5	<0.2	6.7	92.7
1882180	Rock	0.23	164	<0.005	<0.01	<0.17	26.10	0.45	1.17	0.99	2.2	10	1.1	0.4	58	0.57	0.6	0.2	1.3	1.0	1.1
1882181	Drill Core	3.45	447	<0.005	<0.01	<0.17	41.08	0.67	14.93	12.45	61.7	200	10.0	7.5	422	2.28	3.6	2.2	<0.2	12.5	91.2
1882182	Drill Core	2.47	446	<0.005	<0.01	<0.17	33.61	1.11	8.72	16.06	56.0	163	9.0	7.8	434	2.22	17.2	2.5	0.5	16.4	79.9
1882183	Drill Core	1.65	377	0.005	<0.01	<0.17	30.57	0.40	19.56	32.58	63.5	362	14.0	9.3	476	2.53	49.5	2.4	1.3	12.6	164.0
1882184	Drill Core	3.40	464	0.012	0.01	<0.17	37.81	0.86	16.43	16.17	68.1	260	10.3	7.2	466	2.31	9.2	2.2	6.2	12.0	97.1
1882185	Drill Core	1.67	433	0.253	0.25	0.27	37.53	1.09	9.27	17.52	39.5	386	6.2	5.3	379	1.70	18.7	1.7	194.8	9.1	58.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882156	Drill Core	0.14	1.02	0.21	17	1.92	0.062	19.2	16.5	0.81	224.9	0.040	1	0.96	0.020	0.49	0.5	5.7	0.21	0.14	11
1882157	Drill Core	0.25	1.02	0.13	21	1.37	0.071	24.8	20.6	0.89	215.1	0.051	<1	1.08	0.020	0.36	0.6	6.1	0.11	0.12	8
1882158	Drill Core	0.10	1.02	<0.02	20	1.24	0.068	16.6	17.8	0.85	242.2	0.054	<1	0.99	0.020	0.59	0.6	5.1	0.23	0.20	16
1882159	Drill Core	0.38	0.99	0.02	27	1.13	0.065	21.5	30.9	1.11	230.5	0.075	<1	1.16	0.026	0.30	0.7	6.7	0.11	0.36	21
1882160	Core DUP	0.34	0.95	<0.02	27	1.12	0.075	20.8	29.3	1.09	215.6	0.075	<1	1.13	0.026	0.29	0.6	6.4	0.11	0.36	27
1882161	Drill Core	0.33	0.97	0.12	7	1.55	0.039	20.8	9.3	0.53	478.2	0.035	<1	0.69	0.009	0.33	0.5	3.4	0.12	0.21	27
1882162	Drill Core	0.35	0.75	0.33	3	1.33	0.018	26.9	4.2	0.20	398.8	0.021	<1	0.48	0.021	0.24	0.4	2.2	0.08	0.08	37
1882163	Drill Core	0.24	0.69	0.11	3	1.29	0.024	22.3	5.1	0.21	335.7	0.019	<1	0.44	0.017	0.21	0.4	2.1	0.07	<0.02	22
1882164	Drill Core	0.21	0.64	0.11	3	0.64	0.020	25.5	5.3	0.21	347.9	0.027	<1	0.47	0.016	0.23	0.6	2.1	0.07	0.07	49
1882165	Drill Core	0.14	0.77	0.09	1	0.57	0.017	24.9	1.9	0.15	307.6	0.011	<1	0.38	0.019	0.23	0.4	1.5	0.07	0.05	50
1882166	Drill Core	0.33	1.09	0.08	5	0.53	0.022	27.3	6.6	0.25	255.5	0.034	<1	0.55	0.021	0.23	0.6	2.3	0.06	<0.02	83
1882167	Drill Core	0.43	0.75	0.18	6	1.22	0.035	25.8	5.8	0.34	307.0	0.027	<1	0.61	0.016	0.30	0.5	2.8	0.09	<0.02	46
1882168	Drill Core	0.31	1.10	0.23	10	0.67	0.083	22.0	10.9	0.41	378.4	0.046	<1	0.71	0.013	0.48	0.8	5.3	0.17	<0.02	12
1882169	Drill Core	0.40	1.06	0.07	13	0.67	0.053	25.2	15.4	0.58	267.5	0.034	<1	0.91	0.034	0.39	0.5	4.6	0.13	<0.02	26
1882170	Drill Core	0.21	1.09	0.10	25	1.33	0.066	17.5	25.3	0.96	266.4	0.091	<1	1.11	0.028	0.70	0.6	6.8	0.35	0.43	<5
1882171	Drill Core	0.36	1.39	0.06	23	1.36	0.068	13.9	21.4	0.91	246.1	0.063	<1	1.04	0.019	0.52	0.6	5.4	0.24	0.21	11
1882172	Drill Core	0.11	1.76	0.08	21	1.53	0.063	19.8	16.2	0.98	279.1	0.072	<1	1.15	0.014	0.69	0.6	6.1	0.32	0.08	12
1882173	Drill Core	1.27	1.43	0.09	23	1.18	0.070	21.2	24.4	0.87	179.0	0.044	<1	1.15	0.020	0.43	0.5	5.0	0.18	0.15	17
1882174	Drill Core	0.54	0.59	0.06	20	1.01	0.073	23.2	21.7	0.65	224.7	0.013	<1	0.94	0.021	0.29	<0.1	4.8	0.12	0.06	11
1882175	Drill Core	0.40	0.39	0.10	24	0.97	0.062	21.3	22.8	0.65	169.1	0.004	<1	0.94	0.032	0.19	<0.1	5.0	0.07	0.06	<5
1882176	Drill Core	0.35	0.46	0.14	22	0.96	0.072	23.9	20.9	0.61	335.5	0.035	<1	0.91	0.026	0.25	0.1	5.6	0.08	0.10	<5
1882177	Drill Core	0.04	0.34	0.06	14	0.71	0.072	17.0	14.8	0.49	397.8	0.083	<1	0.70	0.024	0.37	0.1	3.5	0.12	0.09	<5
1882178	Drill Core	0.39	0.45	0.55	17	1.29	0.080	14.8	17.7	0.60	300.3	0.069	<1	0.86	0.023	0.31	0.1	3.8	0.12	0.04	<5
1882179	Drill Core	0.37	0.80	0.04	18	1.33	0.065	16.3	18.3	0.72	143.4	0.050	<1	1.07	0.020	0.38	0.1	4.7	0.17	<0.02	7
1882180	Rock	0.05	0.12	0.03	<1	0.01	0.002	1.9	2.7	<0.01	8.4	0.001	1	0.04	0.002	0.01	<0.1	0.2	<0.02	<0.02	<5
1882181	Drill Core	0.30	0.40	0.13	14	1.63	0.066	30.7	14.1	0.66	262.0	0.011	2	0.98	0.029	0.29	<0.1	7.0	0.08	0.13	11
1882182	Drill Core	0.38	0.77	0.10	16	1.65	0.066	37.1	16.6	0.58	215.7	0.004	1	1.04	0.022	0.33	0.1	6.0	0.12	0.04	17
1882183	Drill Core	0.37	1.51	0.35	24	2.68	0.075	25.5	22.9	0.74	226.5	0.022	1	1.03	0.032	0.31	0.3	11.0	0.12	0.36	22
1882184	Drill Core	0.31	0.68	0.11	19	1.73	0.062	27.9	18.6	0.91	169.5	0.010	1	1.21	0.022	0.30	0.2	6.9	0.11	0.06	14
1882185	Drill Core	0.43	0.87	0.10	9	1.37	0.051	21.0	7.7	0.32	158.2	0.024	<1	0.66	0.020	0.30	0.4	5.1	0.11	0.02	14



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

	Method	Analyte	Unit																		MDL	
			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd		Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb		ppb
			0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
1882156	Drill Core		0.3	<0.02	2.7	3.27	<0.1	0.05	0.06	22.2	0.7	<0.05	1.4	12.84	38.9	0.03	5	0.5	9.1	<10	<2	
1882157	Drill Core		<0.1	<0.02	4.1	2.09	<0.1	0.14	0.07	15.9	0.4	<0.05	5.4	13.91	46.6	<0.02	<1	0.5	12.8	<10	<2	
1882158	Drill Core		0.1	<0.02	3.3	3.89	<0.1	0.33	0.13	30.8	0.3	<0.05	9.3	11.05	31.2	<0.02	<1	0.5	10.9	<10	<2	
1882159	Drill Core		<0.1	<0.02	4.9	1.58	<0.1	0.28	0.11	15.3	0.8	<0.05	7.7	13.05	42.8	<0.02	2	0.4	14.4	<10	<2	
1882160	Core DUP		0.2	<0.02	5.1	1.67	<0.1	0.28	0.11	15.4	0.7	<0.05	7.8	12.53	41.5	<0.02	<1	0.5	14.7	12	<2	
1882161	Drill Core		0.2	<0.02	2.3	2.00	<0.1	0.27	0.21	16.4	0.4	<0.05	9.2	14.40	41.4	<0.02	<1	0.4	8.6	<10	<2	
1882162	Drill Core		<0.1	0.02	1.7	1.86	<0.1	0.12	0.33	11.4	0.4	<0.05	3.7	15.08	52.2	<0.02	<1	0.3	4.5	<10	<2	
1882163	Drill Core		<0.1	<0.02	1.6	1.35	<0.1	0.08	0.27	10.1	0.4	<0.05	3.0	12.36	43.8	<0.02	<1	0.3	5.4	<10	<2	
1882164	Drill Core		<0.1	<0.02	1.7	1.34	<0.1	0.07	0.40	11.1	0.3	<0.05	2.1	14.84	46.4	<0.02	<1	0.3	5.5	<10	<2	
1882165	Drill Core		<0.1	<0.02	1.3	1.23	<0.1	0.10	0.30	10.1	0.3	<0.05	3.3	12.67	51.0	<0.02	<1	0.4	4.3	<10	<2	
1882166	Drill Core		<0.1	<0.02	2.5	1.87	<0.1	0.05	0.41	10.3	0.5	<0.05	1.8	15.71	56.0	0.02	<1	0.4	6.4	<10	<2	
1882167	Drill Core		<0.1	<0.02	2.3	1.96	<0.1	0.10	0.24	14.3	0.4	<0.05	3.3	16.07	49.5	0.02	<1	0.4	7.0	<10	<2	
1882168	Drill Core		0.3	<0.02	2.6	3.47	<0.1	0.16	0.26	25.0	0.3	<0.05	5.3	14.39	40.6	<0.02	<1	0.5	8.8	<10	<2	
1882169	Drill Core		0.1	<0.02	3.7	2.21	<0.1	0.09	0.18	17.4	0.5	<0.05	3.2	14.13	47.6	0.03	<1	0.4	10.9	<10	<2	
1882170	Drill Core		0.6	<0.02	4.1	4.36	0.1	0.14	0.19	39.1	0.6	<0.05	3.7	11.46	33.3	<0.02	2	0.4	9.3	<10	<2	
1882171	Drill Core		0.1	<0.02	4.0	2.89	0.1	0.06	0.09	26.6	0.4	<0.05	1.9	8.98	27.2	0.02	1	0.4	11.2	<10	<2	
1882172	Drill Core		<0.1	<0.02	3.8	4.33	<0.1	0.04	0.09	36.0	0.5	<0.05	1.3	12.29	40.9	<0.02	2	0.4	11.3	<10	<2	
1882173	Drill Core		0.4	<0.02	4.6	2.60	<0.1	0.12	0.09	22.6	0.4	<0.05	3.3	12.41	41.4	0.03	<1	0.4	15.5	<10	<2	
1882174	Drill Core		<0.1	<0.02	3.5	2.21	<0.1	0.14	<0.02	14.5	0.4	<0.05	4.1	13.44	43.3	0.02	2	0.6	15.1	<10	<2	
1882175	Drill Core		0.3	<0.02	3.8	1.35	<0.1	0.12	<0.02	8.0	0.3	<0.05	4.1	12.39	41.8	<0.02	<1	0.3	13.7	<10	<2	
1882176	Drill Core		0.3	<0.02	4.0	5.21	<0.1	0.11	0.08	12.2	0.4	<0.05	4.4	12.19	44.7	0.02	<1	0.4	15.1	<10	<2	
1882177	Drill Core		0.2	<0.02	2.6	5.44	<0.1	0.04	0.28	18.4	0.4	<0.05	2.3	9.14	35.5	<0.02	<1	0.3	6.3	<10	<2	
1882178	Drill Core		0.9	0.06	3.1	3.58	0.1	0.04	0.23	15.5	0.4	<0.05	0.9	8.22	29.2	0.02	<1	0.5	10.4	<10	<2	
1882179	Drill Core		<0.1	<0.02	3.8	3.32	<0.1	0.05	0.13	22.4	0.4	<0.05	1.7	9.56	32.4	<0.02	1	0.4	13.4	<10	<2	
1882180	Rock		<0.1	<0.02	0.1	0.07	<0.1	0.06	0.07	0.7	0.2	<0.05	1.0	0.70	3.7	<0.02	<1	<0.1	0.7	<10	<2	
1882181	Drill Core		0.1	<0.02	3.4	2.02	<0.1	0.04	0.03	13.4	0.6	<0.05	1.2	12.79	59.1	0.06	<1	0.5	12.5	<10	<2	
1882182	Drill Core		0.2	<0.02	4.3	3.52	<0.1	0.05	<0.02	17.2	0.6	<0.05	1.3	18.26	74.1	0.04	<1	0.4	15.1	<10	<2	
1882183	Drill Core		0.8	0.04	3.9	3.22	<0.1	0.04	<0.02	15.2	0.8	<0.05	0.9	12.61	48.3	0.04	2	0.6	12.2	<10	<2	
1882184	Drill Core		<0.1	<0.02	4.7	2.35	<0.1	0.04	<0.02	15.5	0.5	<0.05	1.0	14.35	56.2	0.02	<1	0.5	18.6	<10	<2	
1882185	Drill Core		0.4	0.02	2.4	2.81	<0.1	0.04	0.06	15.3	0.3	<0.05	1.3	9.02	40.9	0.03	<1	0.4	8.6	<10	<2	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1882186	Drill Core	1.82	409	<0.005	<0.01	<0.17	43.88	0.71	12.12	15.90	46.8	167	8.2	5.7	418	2.06	9.5	2.1	0.8	11.1	62.7	
1882187	Drill Core	2.32	541	<0.005	<0.01	<0.17	32.28	1.72	15.85	31.13	52.5	285	12.4	7.6	398	2.07	16.5	2.2	3.6	13.6	65.1	
1882188	Drill Core	2.89	414	0.017	0.02	<0.17	37.50	1.29	11.11	12.41	63.2	187	10.1	6.3	505	2.14	41.9	1.5	14.0	11.4	165.7	
1882189	Drill Core	3.74	442	0.006	<0.01	<0.17	39.79	0.35	12.78	16.86	54.1	210	7.2	6.0	254	2.22	11.1	2.0	2.2	12.6	65.9	
1882190	Drill Core	3.95	490	<0.005	<0.01	<0.17	32.43	0.46	18.80	15.76	56.5	200	14.3	8.8	327	1.86	9.2	1.3	<0.2	9.9	76.3	
1882191	Drill Core	3.20	426	<0.005	<0.01	<0.17	38.72	0.79	15.90	7.11	54.7	168	15.1	9.0	415	1.96	10.4	1.9	1.0	6.1	110.8	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882186	Drill Core	0.25	0.99	0.13	16	1.13	0.060	26.1	14.1	0.53	193.3	0.054	<1	0.99	0.027	0.35	0.4	6.1	0.16	0.03	<5
1882187	Drill Core	0.32	1.17	0.25	16	1.25	0.068	26.5	14.8	0.52	217.8	0.036	1	1.00	0.017	0.40	0.6	6.5	0.19	0.06	8
1882188	Drill Core	0.29	0.71	0.05	17	3.06	0.066	26.2	15.3	0.68	196.5	0.007	<1	1.05	0.023	0.29	0.2	6.6	0.09	<0.02	6
1882189	Drill Core	0.27	0.31	0.04	18	1.06	0.068	29.2	16.6	0.68	730.3	0.025	<1	0.91	0.045	0.29	<0.1	6.1	0.08	<0.02	<5
1882190	Drill Core	0.19	0.66	0.05	15	1.04	0.067	20.3	15.9	0.59	704.9	0.064	<1	0.81	0.037	0.39	<0.1	4.4	0.16	<0.02	<5
1882191	Drill Core	0.19	0.71	0.06	18	1.04	0.070	12.2	22.0	0.73	181.1	0.093	<1	1.11	0.037	0.30	0.1	3.5	0.12	0.10	<5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000580.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1882186	Drill Core	0.2	<0.02	4.3	4.33	<0.1	0.03	0.12	20.2	0.7	<0.05	0.9	14.14	49.5	<0.02	<1	0.4	11.5	<10
1882187	Drill Core	0.3	<0.02	4.6	4.68	<0.1	0.03	0.08	22.8	0.7	<0.05	1.5	14.53	51.5	0.03	<1	0.3	11.1	<10
1882188	Drill Core	<0.1	<0.02	4.0	3.67	<0.1	0.08	<0.02	14.0	0.5	<0.05	3.2	15.74	47.2	<0.02	<1	0.4	15.5	<10
1882189	Drill Core	0.2	<0.02	3.5	14.17	<0.1	0.13	0.07	14.6	0.5	<0.05	3.9	12.15	51.2	0.04	2	0.4	10.5	<10
1882190	Drill Core	<0.1	<0.02	2.8	15.39	<0.1	0.10	0.21	22.4	0.5	<0.05	2.6	10.97	39.4	<0.02	1	0.3	7.0	<10
1882191	Drill Core	0.5	<0.02	4.3	1.94	<0.1	0.06	0.25	15.8	0.5	<0.05	1.6	7.12	24.3	<0.02	3	0.6	11.2	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 08, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000580.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
1882079	Drill Core	3.30	384	0.007	<0.01	<0.17	34.43	3.57	11.85	15.46	51.5	189	9.0	7.5	259	1.72	9.7	1.8	5.0	12.2	40.1	
REP 1882079	QC							3.48	12.30	14.95	51.2	179	9.0	7.0	234	1.73	9.3	1.8	4.9	11.7	39.6	
1882095	Drill Core	1.62	380	1.249	2.50	12.75	41.42	1.39	19.68	81.14	41.1	1798	10.4	7.6	353	1.72	9.9	1.4	1129.5	11.4	27.3	
REP 1882095	QC	1.156																				
1882114	Drill Core	2.08	447	<0.005	<0.01	<0.17	26.73	0.91	8.25	14.13	40.6	75	8.9	6.2	623	2.03	2.3	1.1	1.0	10.5	86.3	
REP 1882114	QC	<0.005						0.90	8.46	14.42	41.4	73	8.9	6.1	628	2.03	2.3	1.2	0.9	10.5	89.4	
1882149	Drill Core	3.99	534	<0.005	<0.01	<0.17	38.78	1.03	17.06	7.14	54.3	196	13.0	8.4	482	2.25	5.7	1.9	0.5	8.0	73.8	
REP 1882149	QC							1.01	17.71	7.28	54.9	220	13.8	9.1	447	2.22	5.8	1.8	0.3	8.2	77.2	
1882175	Drill Core	2.75	375	0.011	<0.01	<0.17	31.66	0.51	18.96	12.82	44.5	302	10.6	7.4	239	2.08	7.4	1.3	6.1	8.9	57.3	
REP 1882175	QC	0.011																				
1882181	Drill Core	3.45	447	<0.005	<0.01	<0.17	41.08	0.67	14.93	12.45	61.7	200	10.0	7.5	422	2.28	3.6	2.2	<0.2	12.5	91.2	
REP 1882181	QC							0.72	14.99	12.41	62.7	215	10.2	7.4	425	2.26	3.7	2.2	<0.2	13.9	90.9	
1882183	Drill Core	1.65	377	0.005	<0.01	<0.17	30.57	0.40	19.56	32.58	63.5	362	14.0	9.3	476	2.53	49.5	2.4	1.3	12.6	164.0	
REP 1882183	QC	0.005																				
Core Reject Duplicates																						
1882083	Drill Core	2.87	413	<0.005	<0.01	<0.17	29.97	0.61	15.58	13.44	60.0	206	9.9	7.2	253	2.24	7.4	2.0	1.9	12.0	35.3	
DUP 1882083	QC		414	0.006	<0.01	<0.17	42.27	0.64	14.68	13.36	61.0	220	10.7	7.2	265	2.34	7.9	2.0	3.1	12.8	34.8	
1882117	Drill Core	3.59	384	<0.005	<0.01	<0.17	34.97	0.95	12.15	11.58	42.0	108	9.6	5.9	560	2.20	4.8	1.6	<0.2	10.4	97.2	
DUP 1882117	QC		427	<0.005	<0.01	<0.17	26.82	0.92	12.51	11.63	41.3	111	9.6	6.3	537	2.16	4.7	1.7	0.5	10.1	99.4	
1882151	Drill Core	3.22	442	<0.005	<0.01	<0.17	39.92	0.56	17.06	11.87	55.0	206	10.5	7.3	376	2.08	4.5	1.7	<0.2	10.5	68.4	
DUP 1882151	QC		390	<0.005	<0.01	<0.17	36.76	0.56	16.62	11.99	56.1	227	10.6	7.3	358	2.14	4.6	1.6	<0.2	9.9	75.4	
1882185	Drill Core	1.67	433	0.253	0.25	0.27	37.53	1.09	9.27	17.52	39.5	386	6.2	5.3	379	1.70	18.7	1.7	194.8	9.1	58.2	
DUP 1882185	QC		458	0.229	0.23	0.20	30.73	1.12	10.39	19.33	43.5	421	6.7	5.5	412	1.70	20.5	1.9	208.8	9.8	64.2	
Reference Materials																						
STD BVGEO01	Standard							11.04	4572.61	191.22	1793.8	2618	166.6	24.3	748	3.83	125.5	3.6	232.7	16.8	55.1	
STD BVGEO01	Standard							11.14	4409.62	183.77	1696.4	2595	164.1	25.2	751	3.73	116.1	3.6	236.9	12.6	56.2	
STD BVGEO01	Standard							11.61	4464.56	191.76	1734.0	2818	163.0	24.6	748	3.85	123.5	4.1	240.3	15.2	65.9	
STD DS11	Standard							13.95	139.30	131.80	326.1	1662	75.2	13.5	986	3.02	40.9	2.4	89.3	9.0	62.7	



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 08, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000580.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1882079	Drill Core	0.23	0.56	0.07	14	1.04	0.057	28.5	13.8	0.48	207.1	0.003	2	0.81	0.032	0.22	<0.1	4.9	0.08	<0.02	20
REP 1882079	QC	0.26	0.53	0.07	14	1.03	0.056	28.2	13.7	0.49	201.9	0.003	2	0.82	0.032	0.23	<0.1	4.2	0.09	<0.02	18
1882095	Drill Core	0.44	0.85	1.34	5	0.42	0.051	24.4	5.7	0.45	249.3	0.014	<1	0.67	0.015	0.44	0.4	2.5	0.16	<0.02	<5
REP 1882095	QC																				
1882114	Drill Core	0.15	0.53	<0.02	11	1.29	0.050	15.6	10.1	0.78	200.7	0.050	1	0.97	0.020	0.48	0.3	4.1	0.19	0.05	6
REP 1882114	QC	0.16	0.53	<0.02	11	1.29	0.052	15.6	10.1	0.78	203.7	0.053	1	0.98	0.020	0.49	0.3	4.2	0.20	0.05	7
1882149	Drill Core	0.25	1.12	0.08	24	1.98	0.064	21.1	25.6	0.84	128.6	0.026	<1	1.17	0.017	0.32	0.3	5.3	0.14	<0.02	16
REP 1882149	QC	0.25	1.12	0.08	23	1.94	0.070	20.3	25.4	0.83	133.5	0.026	<1	1.13	0.016	0.32	0.3	5.1	0.15	<0.02	19
1882175	Drill Core	0.40	0.39	0.10	24	0.97	0.062	21.3	22.8	0.65	169.1	0.004	<1	0.94	0.032	0.19	<0.1	5.0	0.07	0.06	<5
REP 1882175	QC																				
1882181	Drill Core	0.30	0.40	0.13	14	1.63	0.066	30.7	14.1	0.66	262.0	0.011	2	0.98	0.029	0.29	<0.1	7.0	0.08	0.13	11
REP 1882181	QC	0.28	0.37	0.13	14	1.64	0.067	30.3	14.7	0.65	252.8	0.011	1	0.98	0.029	0.29	<0.1	7.3	0.08	0.13	7
1882183	Drill Core	0.37	1.51	0.35	24	2.68	0.075	25.5	22.9	0.74	226.5	0.022	1	1.03	0.032	0.31	0.3	11.0	0.12	0.36	22
REP 1882183	QC																				
Core Reject Duplicates																					
1882083	Drill Core	0.27	0.37	0.06	20	0.89	0.065	28.3	19.4	0.60	168.3	0.006	<1	1.03	0.027	0.29	0.2	6.1	0.12	<0.02	58
DUP 1882083	QC	0.32	0.38	0.07	20	0.92	0.072	29.3	20.1	0.63	173.8	0.006	3	1.09	0.029	0.31	0.2	6.6	0.12	<0.02	53
1882117	Drill Core	0.19	1.15	0.04	15	1.09	0.049	16.4	14.2	0.92	180.5	0.063	<1	1.11	0.021	0.49	0.3	4.5	0.22	0.08	<5
DUP 1882117	QC	0.17	1.17	0.04	15	1.06	0.049	15.8	13.6	0.89	173.0	0.062	<1	1.06	0.019	0.47	0.3	4.5	0.22	0.08	9
1882151	Drill Core	0.16	0.65	0.09	17	1.63	0.068	22.5	17.7	0.93	168.2	0.010	<1	1.11	0.017	0.34	0.1	4.7	0.13	0.07	20
DUP 1882151	QC	0.18	0.63	0.10	18	1.68	0.068	24.0	18.9	0.96	183.5	0.011	<1	1.17	0.020	0.36	0.1	5.1	0.12	0.07	13
1882185	Drill Core	0.43	0.87	0.10	9	1.37	0.051	21.0	7.7	0.32	158.2	0.024	<1	0.66	0.020	0.30	0.4	5.1	0.11	0.02	14
DUP 1882185	QC	0.44	1.00	0.10	9	1.45	0.057	24.4	8.8	0.33	176.6	0.027	<1	0.69	0.021	0.31	0.4	5.5	0.13	0.03	6
Reference Materials																					
STD BVGEO01	Standard	6.24	3.37	24.77	77	1.34	0.076	27.2	188.0	1.32	316.6	0.225	3	2.35	0.205	0.93	5.0	6.4	0.57	0.66	91
STD BVGEO01	Standard	6.36	3.72	23.37	74	1.30	0.071	28.1	180.9	1.30	276.2	0.228	5	2.33	0.189	0.89	5.1	6.8	0.60	0.68	101
STD BVGEO01	Standard	6.71	4.02	29.14	75	1.35	0.072	28.8	203.8	1.35	309.9	0.255	4	2.46	0.215	0.90	5.5	6.5	0.66	0.65	97
STD DS11	Standard	2.23	8.21	10.62	48	1.03	0.069	17.3	54.0	0.82	337.4	0.084	6	1.14	0.073	0.39	2.7	3.1	4.87	0.28	265



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000580.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1882079	Drill Core	<0.1	<0.02	3.4	2.40	<0.1	0.06	<0.02	9.7	0.5	<0.05	2.8	10.55	51.1	0.02	<1	0.3	14.4	<10	<2
REP 1882079	QC	<0.1	<0.02	3.3	2.37	<0.1	0.09	<0.02	9.7	0.4	<0.05	2.7	10.19	50.7	0.02	<1	0.3	13.6	11	<2
1882095	Drill Core	<0.1	0.09	2.0	3.22	<0.1	0.30	0.07	22.0	0.7	<0.05	11.3	6.51	44.3	<0.02	<1	0.2	8.5	<10	<2
REP 1882095	QC																			
1882114	Drill Core	<0.1	<0.02	3.4	4.83	<0.1	0.28	0.05	25.5	0.4	<0.05	11.0	8.38	30.6	0.03	<1	<0.1	10.6	<10	<2
REP 1882114	QC	<0.1	<0.02	3.3	5.01	<0.1	0.29	0.07	26.2	0.5	<0.05	10.8	8.84	31.6	0.03	<1	0.1	10.9	<10	<2
1882149	Drill Core	0.1	<0.02	4.3	4.04	<0.1	0.04	0.04	17.8	0.6	<0.05	1.0	13.90	42.5	0.03	<1	0.4	13.6	<10	<2
REP 1882149	QC	<0.1	<0.02	4.4	4.00	<0.1	0.04	0.03	17.4	0.7	<0.05	1.1	14.39	40.4	<0.02	<1	0.3	13.9	<10	<2
1882175	Drill Core	0.3	<0.02	3.8	1.35	<0.1	0.12	<0.02	8.0	0.3	<0.05	4.1	12.39	41.8	<0.02	<1	0.3	13.7	<10	<2
REP 1882175	QC																			
1882181	Drill Core	0.1	<0.02	3.4	2.02	<0.1	0.04	0.03	13.4	0.6	<0.05	1.2	12.79	59.1	0.06	<1	0.5	12.5	<10	<2
REP 1882181	QC	0.2	<0.02	3.2	2.17	<0.1	0.05	<0.02	13.8	0.6	<0.05	1.4	13.55	59.1	0.05	<1	0.5	13.5	<10	<2
1882183	Drill Core	0.8	0.04	3.9	3.22	<0.1	0.04	<0.02	15.2	0.8	<0.05	0.9	12.61	48.3	0.04	2	0.6	12.2	<10	<2
REP 1882183	QC																			
Core Reject Duplicates																				
1882083	Drill Core	<0.1	<0.02	3.9	3.09	<0.1	0.05	<0.02	13.9	0.5	<0.05	1.7	12.77	50.9	<0.02	<1	0.3	14.4	<10	<2
DUP 1882083	QC	<0.1	<0.02	4.1	3.09	<0.1	0.04	<0.02	14.0	0.6	<0.05	1.8	13.14	53.3	0.04	<1	0.3	15.0	17	<2
1882117	Drill Core	<0.1	<0.02	4.4	4.49	<0.1	0.30	0.08	26.1	0.6	<0.05	10.0	10.58	33.0	0.03	1	0.4	15.1	<10	<2
DUP 1882117	QC	<0.1	<0.02	4.3	4.62	<0.1	0.26	0.08	26.3	0.6	<0.05	9.9	9.92	31.7	0.03	<1	0.5	14.0	<10	<2
1882151	Drill Core	0.1	<0.02	3.8	3.18	<0.1	0.06	<0.02	16.7	0.5	<0.05	2.0	12.40	45.3	0.02	<1	0.4	16.0	<10	<2
DUP 1882151	QC	0.1	<0.02	3.9	3.11	<0.1	0.07	<0.02	18.0	0.7	<0.05	2.1	12.09	48.6	<0.02	<1	0.4	17.0	<10	<2
1882185	Drill Core	0.4	0.02	2.4	2.81	<0.1	0.04	0.06	15.3	0.3	<0.05	1.3	9.02	40.9	0.03	<1	0.4	8.6	<10	<2
DUP 1882185	QC	0.5	<0.02	2.4	3.17	<0.1	0.02	0.05	16.5	0.4	<0.05	1.1	9.98	48.9	0.02	<1	0.3	10.8	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.5	0.97	7.2	7.21	0.2	0.27	0.34	94.5	6.0	<0.05	7.5	15.33	51.9	0.46	6	0.6	20.6	134	199
STD BVGEO01	Standard	5.2	1.01	8.3	7.26	0.2	0.29	0.38	100.6	5.3	<0.05	10.6	15.23	54.1	0.47	6	0.7	20.1	132	169
STD BVGEO01	Standard	4.8	1.05	8.2	7.84	0.2	0.28	0.34	101.6	6.7	<0.05	8.9	16.08	60.3	0.55	4	0.7	22.7	158	190
STD DS11	Standard	2.1	4.16	4.6	2.82	<0.1	0.09	1.46	33.3	1.7	<0.05	2.4	7.61	36.7	0.20	51	0.7	21.9	99	160



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000580.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							14.27	146.55	136.59	332.3	1701	78.1	13.3	960	2.95	41.7	2.6	69.4	7.8	61.5
STD OREAS262	Standard							0.65	120.57	55.58	147.4	460	61.9	26.5	579	3.36	35.9	1.2	67.8	11.2	35.3
STD OREAS262	Standard							0.61	112.62	53.24	137.0	445	64.6	25.1	525	3.14	34.7	1.2	78.5	10.7	33.8
STD OREAS262	Standard							0.64	113.26	55.78	154.1	442	63.6	28.9	501	3.16	34.0	1.2	74.1	8.2	33.3
STD OREAS262	Standard							0.58	109.40	55.46	133.8	433	62.5	26.6	510	3.09	33.2	1.2	61.9	9.7	30.0
STD OREAS262	Standard							0.69	116.53	57.30	148.0	497	61.5	26.4	541	3.33	35.9	1.3	73.0	10.5	39.2
STD OXB130	Standard			0.124																	
STD OXB130	Standard			0.122																	
STD OXB130	Standard			0.128																	
STD OXB130	Standard			0.126																	
STD OXI138	Standard			1.842																	
STD OXI138	Standard			1.879																	
STD OXI138	Standard			1.844																	
STD OXI138	Standard			1.837																	
STD OXN134	Standard			7.453																	
STD OXN134	Standard			7.452																	
STD OXN134	Standard			7.602																	
STD OXN134	Standard			7.731																	
STD OXQ90	Standard					25.15	29.78														
STD OXQ90	Standard					25.08	30.50														
STD OXQ90	Standard					24.93	30.45														
STD OXQ90	Standard					25.05	29.78														
STD OXQ90	Standard					25.36	30.13														
STD OXQ90	Standard					25.07	30.24														
STD OXQ90	Standard					24.99	30.53														
STD OXQ90	Standard					24.56	29.89														
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000580.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Tl ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.40	8.07	9.95	46	1.00	0.068	16.6	56.8	0.80	351.8	0.085	8	1.08	0.070	0.38	2.8	3.1	4.79	0.27	277
STD OREAS262	Standard	0.61	4.55	1.00	24	3.04	0.041	16.5	43.3	1.19	250.9	0.003	4	1.39	0.070	0.34	0.2	3.5	0.47	0.26	175
STD OREAS262	Standard	0.57	5.49	0.90	21	2.84	0.038	15.0	40.5	1.14	230.1	0.002	3	1.30	0.068	0.30	0.2	3.2	0.44	0.26	147
STD OREAS262	Standard	0.66	5.50	0.92	21	2.82	0.041	16.4	41.1	1.14	239.6	0.002	5	1.29	0.067	0.30	0.2	3.0	0.44	0.26	135
STD OREAS262	Standard	0.60	4.61	0.88	20	2.84	0.041	13.7	42.9	1.13	217.4	0.002	3	1.25	0.066	0.29	0.2	3.0	0.43	0.26	153
STD OREAS262	Standard	0.62	5.82	1.06	23	2.99	0.036	18.4	42.8	1.18	268.6	0.003	5	1.40	0.070	0.32	0.2	3.2	0.46	0.25	180
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000580.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	1.8	4.57	4.7	2.89	<0.1	0.06	1.29	33.0	1.7	<0.05	2.8	7.27	33.2	0.25	43	0.6	22.2	102	169
STD OREAS262	Standard	0.4	0.23	3.7	2.57	<0.1	0.26	<0.02	19.5	0.5	<0.05	7.7	10.60	34.0	0.03	3	1.0	16.7	<10	<2
STD OREAS262	Standard	0.2	0.26	3.7	2.72	<0.1	0.24	<0.02	18.7	0.5	<0.05	7.6	9.91	31.4	0.03	<1	1.1	17.6	<10	<2
STD OREAS262	Standard	0.3	0.21	4.0	2.85	<0.1	0.25	<0.02	18.8	0.6	<0.05	12.6	9.94	32.4	0.03	<1	1.0	16.9	<10	<2
STD OREAS262	Standard	0.1	0.20	3.5	2.61	<0.1	0.22	<0.02	16.7	0.4	<0.05	9.0	9.00	26.4	0.03	<1	0.7	17.3	<10	<2
STD OREAS262	Standard	<0.1	0.25	4.1	3.01	<0.1	0.22	<0.02	20.7	0.6	<0.05	9.6	11.71	37.3	0.03	2	0.9	16.4	<10	<2
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000580.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.01	<0.01	0.3	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		403	<0.005	<0.01	<0.17	45.78	0.91	3.95	1.03	31.0	10	1.0	3.9	543	1.90	1.4	0.4	<0.2	1.7	19.5
ROCK-WHI	Prep Blank		445	<0.005	<0.01	<0.17	40.70	1.03	2.97	1.07	27.5	9	1.0	3.2	501	1.86	1.0	0.4	<0.2	3.6	16.8



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: October 08, 2019

Part: 2 of 3

WHI19000580.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 08, 2019

Page:

3 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000580.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			