



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 23, 2019
Report Date: October 08, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000581.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-55
P.O. Number
Number of Samples: 94

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	90	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	94	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	94	Analysis sample split/packet			WHI
Split -150	94	Analysis sample split/packet			WHI
EN002	94	Environmental disposal charge-Fire assay lead waste			VAN
FS631	90	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	94	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	94	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 08, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000581.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1882192	Drill Core	3.33	529	<0.005	<0.01	<0.17	29.11	0.75	16.49	23.22	62.8	184	11.3	6.3	408	1.65	10.3	1.2	0.3	97.6
1882193	Drill Core	3.49	501	<0.005	<0.01	<0.17	46.61	0.75	18.41	27.27	88.0	238	12.9	8.9	495	2.55	9.6	1.7	<0.2	8.8
1882194	Drill Core	3.13	514	<0.005	<0.01	<0.17	36.83	0.66	11.67	7.65	70.0	148	6.5	5.6	372	2.19	17.4	1.5	0.8	3.1
1882195	Drill Core	3.59	489	0.011	0.01	<0.17	40.35	0.73	17.70	4.97	64.2	200	7.8	6.1	417	2.38	21.7	2.5	2.0	3.4
1882196	Drill Core	3.49	518	<0.005	<0.01	<0.17	40.76	0.78	18.04	7.39	67.8	249	9.6	6.4	407	2.27	39.8	2.0	0.9	4.3
1882197	Drill Core	3.49	478	0.005	<0.01	<0.17	34.16	0.60	12.88	14.59	60.7	283	9.3	5.1	454	2.22	22.6	1.2	1.1	6.5
1882198	Drill Core	3.00	486	0.019	0.02	<0.17	38.69	0.84	22.07	10.15	65.1	255	15.4	7.5	462	2.36	41.3	2.0	21.1	8.4
1882199	Drill Core	2.86	447	<0.005	<0.01	<0.17	35.08	0.81	17.20	14.68	42.8	265	11.8	6.0	225	1.64	11.4	3.1	<0.2	13.7
1882200	Rock Pulp	0.12	93	7.328				8.79	182.78	19.16	76.5	876	13.0	9.9	564	4.33	13.5	0.9	8108.2	3.2
1882201	Drill Core	2.86	473	<0.005	<0.01	<0.17	42.11	1.70	15.99	20.35	25.3	308	7.0	4.4	248	1.26	7.6	3.0	<0.2	13.5
1882202	Drill Core	1.64	494	<0.005	<0.01	<0.17	41.78	0.96	14.34	27.89	30.2	322	5.2	3.7	231	1.08	21.9	2.6	<0.2	16.2
1882203	Drill Core	1.63	495	0.007	<0.01	<0.17	31.72	0.60	17.30	30.21	44.8	373	4.9	2.8	224	1.22	49.3	1.1	6.4	16.2
1882204	Drill Core	1.61	469	<0.005	<0.01	<0.17	39.24	1.40	19.51	31.32	35.6	513	5.4	3.7	202	1.26	96.9	5.3	3.0	15.6
1882205	Drill Core	1.63	502	<0.005	<0.01	<0.17	39.40	2.17	18.26	10.65	37.7	380	16.2	6.3	296	1.79	46.3	1.7	1.6	12.4
1882206	Drill Core	1.78	535	<0.005	<0.01	<0.17	43.78	1.43	19.00	15.70	35.9	411	12.0	5.6	262	1.59	37.6	2.3	0.3	12.7
1882207	Drill Core	2.14	474	<0.005	<0.01	<0.17	37.48	1.11	16.59	18.67	31.1	282	12.1	5.0	248	1.32	45.3	2.3	1.1	10.9
1882208	Drill Core	3.33	475	<0.005	<0.01	<0.17	41.13	1.02	15.47	14.80	58.5	200	15.2	7.3	523	1.98	50.0	1.9	0.4	8.0
1882209	Drill Core	1.73	520	<0.005	<0.01	<0.17	37.75	6.01	25.08	40.35	39.4	724	13.7	6.0	227	1.51	26.6	1.5	1.3	10.7
1882210	Drill Core	1.82	530	0.007	<0.01	<0.17	39.25	9.01	20.47	15.46	27.9	567	12.9	5.4	213	1.59	74.7	1.4	10.3	11.6
1882211	Drill Core	2.15	473	0.225	0.22	<0.17	36.19	2.65	17.59	12.92	25.7	594	14.5	5.7	278	3.00	225.1	2.2	214.3	9.1
1882212	Drill Core	3.81	449	<0.005	<0.01	<0.17	36.36	1.42	30.25	27.49	62.0	603	23.5	6.5	266	1.73	35.1	2.6	0.7	8.5
1882213	Drill Core	1.31	540	<0.005	<0.01	<0.17	28.62	1.49	33.13	11.08	36.6	602	25.6	7.2	171	1.71	335.5	3.2	0.5	14.1
1882214	Drill Core	2.61	513	<0.005	<0.01	<0.17	31.43	1.03	18.85	24.20	52.2	488	17.8	5.2	231	1.47	117.3	3.1	1.3	12.9
1882215	Drill Core	3.24	513	<0.005	<0.01	<0.17	32.91	0.78	21.85	16.63	46.3	245	20.1	6.8	310	1.76	70.2	2.6	1.1	7.3
1882216	Drill Core	1.70	521	<0.005	<0.01	<0.17	40.65	0.91	27.46	7.10	40.9	197	24.7	7.7	253	1.69	53.5	1.3	0.8	7.6
1882217	Drill Core	2.94	470	<0.005	<0.01	<0.17	33.14	1.43	30.68	7.38	46.9	212	27.7	8.9	229	1.66	53.5	4.8	0.9	8.2
1882218	Drill Core	3.09	502	<0.005	<0.01	<0.17	34.55	1.47	26.68	10.34	60.6	262	26.4	8.9	366	2.10	25.5	2.9	0.4	6.8
1882219	Drill Core	1.49	505	<0.005	<0.01	<0.17	36.08	1.25	29.01	13.47	69.5	274	27.8	8.8	370	2.10	24.0	1.8	<0.2	5.5
1882220	Rock Pulp	0.12	94	0.636				6.57	117.40	89.58	150.0	727	11.7	4.7	609	2.47	41.0	0.4	646.4	2.5
1882221	Drill Core	1.55	465	<0.005	<0.01	<0.17	32.32	1.17	26.19	7.00	58.2	257	26.8	8.9	348	2.03	18.4	2.1	0.3	4.6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000581.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882192	Drill Core	0.37	0.83	0.12	13	1.49	0.057	12.7	16.8	0.50	173.0	0.073	<1	0.81	0.024	0.22	0.1	2.6	0.10	0.13	7			
1882193	Drill Core	0.72	0.70	0.12	25	1.67	0.081	25.1	28.5	0.99	154.8	0.043	<1	1.33	0.015	0.24	0.1	5.1	0.10	0.04	16			
1882194	Drill Core	0.30	1.19	0.10	13	1.72	0.083	9.3	9.4	0.73	192.4	0.084	<1	1.13	0.008	0.25	<0.1	4.4	0.09	0.11	9			
1882195	Drill Core	0.26	0.97	0.08	16	1.51	0.089	12.7	10.7	0.92	183.8	0.079	<1	1.32	0.007	0.32	0.1	5.6	0.12	0.15	<5			
1882196	Drill Core	0.50	0.96	0.10	17	1.79	0.089	15.1	11.6	0.78	164.6	0.054	<1	1.06	0.008	0.23	<0.1	7.1	0.08	0.22	<5			
1882197	Drill Core	0.32	0.95	0.29	15	1.80	0.066	17.9	13.4	0.77	138.3	0.015	<1	1.06	0.006	0.22	<0.1	5.3	0.07	<0.02	<5			
1882198	Drill Core	0.43	2.27	0.14	23	2.23	0.080	21.6	27.2	0.85	162.9	0.025	<1	1.05	0.009	0.35	0.1	8.1	0.13	<0.02	<5			
1882199	Drill Core	0.33	3.84	0.26	10	1.09	0.058	30.2	8.9	0.53	229.9	0.030	<1	0.72	0.017	0.39	0.2	5.3	0.16	0.10	<5			
1882200	Rock Pulp	0.18	5.44	0.62	108	0.88	0.059	7.8	16.9	0.81	128.2	0.122	<1	1.64	0.172	0.22	4.0	3.7	0.07	<0.02	208			
1882201	Drill Core	0.28	2.02	0.40	7	1.35	0.045	33.2	7.1	0.40	210.8	0.016	<1	0.60	0.019	0.32	0.1	2.9	0.12	0.20	<5			
1882202	Drill Core	0.65	1.28	0.43	7	1.08	0.045	42.8	6.9	0.22	196.5	0.004	<1	0.50	0.032	0.22	<0.1	1.5	0.10	0.16	<5			
1882203	Drill Core	0.36	1.21	0.50	9	0.75	0.047	38.2	7.3	0.23	223.5	0.003	<1	0.56	0.029	0.23	<0.1	1.5	0.07	0.05	6			
1882204	Drill Core	0.62	4.15	0.91	11	0.62	0.078	40.0	10.5	0.25	180.0	0.022	<1	0.59	0.031	0.26	0.2	2.7	0.16	0.05	<5			
1882205	Drill Core	0.22	3.31	0.46	19	0.68	0.061	29.6	15.8	0.56	158.6	0.026	<1	0.88	0.023	0.35	0.2	3.6	0.18	0.15	<5			
1882206	Drill Core	0.28	2.46	0.87	13	0.78	0.054	34.3	13.3	0.35	152.1	0.032	<1	0.64	0.029	0.29	0.2	4.4	0.14	0.15	<5			
1882207	Drill Core	0.30	2.56	0.46	11	1.42	0.046	30.8	12.9	0.31	176.2	0.018	<1	0.56	0.019	0.28	0.1	3.3	0.11	0.18	5			
1882208	Drill Core	0.41	3.37	0.28	22	3.97	0.064	23.0	22.6	0.70	164.4	0.039	<1	0.78	0.019	0.49	0.3	6.9	0.26	0.17	<5			
1882209	Drill Core	0.38	3.16	1.19	12	0.67	0.058	30.5	14.6	0.36	177.4	0.030	<1	0.74	0.017	0.31	0.4	2.8	0.15	0.08	<5			
1882210	Drill Core	0.23	2.32	0.67	12	0.51	0.064	32.0	14.6	0.45	138.2	0.004	<1	0.81	0.020	0.23	0.3	2.7	0.09	<0.02	8			
1882211	Drill Core	0.16	1.85	0.46	10	1.20	0.062	20.6	11.4	0.45	147.3	0.002	<1	0.82	0.008	0.29	0.2	3.3	0.09	0.87	<5			
1882212	Drill Core	0.52	3.21	0.65	22	0.98	0.052	18.7	27.1	0.48	165.9	0.052	<1	0.75	0.016	0.37	0.4	3.8	0.21	0.25	<5			
1882213	Drill Core	0.28	6.80	0.54	16	0.25	0.053	33.0	15.8	0.30	234.3	0.025	<1	0.61	0.019	0.30	0.1	3.5	0.19	0.27	<5			
1882214	Drill Core	0.39	3.86	0.52	14	0.68	0.046	28.2	13.1	0.32	193.7	0.035	<1	0.60	0.027	0.28	0.2	2.6	0.18	0.15	<5			
1882215	Drill Core	0.25	3.71	0.19	15	1.20	0.053	18.6	15.5	0.58	202.2	0.040	1	0.72	0.016	0.41	0.1	5.6	0.19	0.15	<5			
1882216	Drill Core	0.31	3.74	0.04	13	0.91	0.061	19.7	12.8	0.48	230.3	0.035	<1	0.68	0.012	0.32	0.2	4.8	0.13	0.16	<5			
1882217	Drill Core	0.39	3.05	0.07	14	1.28	0.058	21.2	12.2	0.49	233.6	0.020	<1	0.67	0.014	0.31	<0.1	5.6	0.15	0.19	<5			
1882218	Drill Core	0.31	2.69	0.13	19	1.59	0.054	12.4	19.2	0.91	165.6	0.035	<1	1.10	0.014	0.23	0.1	4.5	0.11	0.21	7			
1882219	Drill Core	0.30	3.50	0.09	23	1.02	0.060	11.0	27.4	0.92	142.9	0.084	<1	1.21	0.023	0.17	0.2	4.2	0.08	0.15	8			
1882220	Rock Pulp	0.56	3.14	0.11	29	0.83	0.034	6.3	23.2	0.51	92.8	0.079	7	1.16	0.109	0.12	4.5	3.6	0.22	0.09	173			
1882221	Drill Core	0.22	1.40	0.07	18	1.24	0.054	10.7	22.2	0.81	161.1	0.077	<1	1.05	0.022	0.15	0.3	4.0	0.07	0.28	5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 08, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000581.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1882192	Drill Core	0.3	<0.02	3.1	1.90	<0.1	0.04	0.34	12.3	5.1	<0.05	1.1	7.49	23.7	<0.02	2	0.3	9.1	<10	<2			
1882193	Drill Core	0.4	0.02	5.5	2.53	0.1	0.05	0.07	15.5	0.5	<0.05	1.9	16.24	46.5	<0.02	<1	0.6	22.1	<10	<2			
1882194	Drill Core	0.3	0.03	3.3	1.56	<0.1	0.03	0.19	11.1	0.3	<0.05	0.7	7.92	18.7	<0.02	<1	0.2	12.2	<10	<2			
1882195	Drill Core	0.3	0.03	3.6	1.98	<0.1	0.02	0.17	15.5	0.3	<0.05	0.6	9.83	23.4	0.02	<1	0.3	15.3	<10	<2			
1882196	Drill Core	0.3	0.04	3.6	2.04	<0.1	<0.02	0.14	10.3	0.4	<0.05	0.4	11.42	28.5	0.03	2	0.3	13.8	<10	<2			
1882197	Drill Core	<0.1	0.04	3.2	1.36	<0.1	0.02	0.04	9.6	0.4	<0.05	2.9	9.74	33.4	0.04	<1	0.1	11.0	<10	<2			
1882198	Drill Core	<0.1	<0.02	3.1	2.68	<0.1	0.03	0.04	16.1	0.6	<0.05	0.9	11.31	40.3	0.03	<1	0.3	11.8	<10	<2			
1882199	Drill Core	0.3	0.03	2.3	2.79	<0.1	0.14	0.10	17.3	0.5	<0.05	4.8	14.21	55.7	0.03	1	0.4	6.6	<10	<2			
1882200	Rock Pulp	<0.1	0.16	5.1	0.70	0.1	0.09	0.11	7.9	1.9	<0.05	1.3	5.20	16.2	0.05	<1	0.2	6.7	<10	<2			
1882201	Drill Core	0.1	0.04	2.5	1.64	<0.1	0.15	0.08	14.0	0.5	<0.05	4.4	14.32	60.6	<0.02	<1	0.5	8.7	<10	<2			
1882202	Drill Core	0.2	<0.02	2.3	1.03	<0.1	0.08	0.04	10.9	0.4	<0.05	2.5	16.49	74.6	0.02	<1	0.4	8.0	<10	<2			
1882203	Drill Core	<0.1	0.02	3.1	1.40	<0.1	0.10	<0.02	11.5	0.4	<0.05	2.9	12.56	72.5	0.03	<1	0.2	8.6	<10	<2			
1882204	Drill Core	0.6	0.04	2.9	2.15	<0.1	0.29	0.13	13.5	0.5	<0.05	8.6	16.58	69.9	0.03	<1	0.4	8.1	<10	<2			
1882205	Drill Core	0.3	0.05	4.2	2.89	<0.1	0.31	0.09	19.8	0.4	<0.05	10.6	14.26	54.5	0.03	2	0.6	12.8	<10	<2			
1882206	Drill Core	0.4	0.05	2.9	3.32	<0.1	0.39	0.17	15.2	0.7	<0.05	13.5	18.48	62.5	0.05	<1	0.5	10.1	<10	<2			
1882207	Drill Core	0.2	0.03	2.6	2.24	<0.1	0.24	0.09	13.4	0.4	<0.05	7.6	14.17	51.6	0.02	2	0.4	7.5	<10	<2			
1882208	Drill Core	0.1	0.03	2.3	6.23	<0.1	0.32	0.07	27.4	0.6	<0.05	10.1	12.87	39.5	0.02	2	0.2	6.9	<10	<2			
1882209	Drill Core	0.4	0.08	3.0	3.08	<0.1	0.34	0.14	16.6	0.4	<0.05	9.9	15.93	56.5	<0.02	3	0.4	10.9	<10	<2			
1882210	Drill Core	<0.1	0.09	3.6	3.50	<0.1	0.28	<0.02	12.5	0.4	<0.05	10.1	13.96	58.3	0.04	<1	0.4	16.2	<10	<2			
1882211	Drill Core	1.8	0.15	2.7	3.96	<0.1	0.28	<0.02	14.7	0.3	<0.05	11.4	8.67	37.5	0.02	<1	0.4	17.1	<10	<2			
1882212	Drill Core	0.8	0.05	3.2	2.68	<0.1	0.36	0.20	20.9	0.4	<0.05	11.6	11.89	34.0	<0.02	4	0.5	11.7	<10	<2			
1882213	Drill Core	0.8	0.08	2.8	3.34	<0.1	0.49	0.16	16.2	0.6	<0.05	16.1	14.83	59.6	<0.02	4	0.3	10.9	<10	<2			
1882214	Drill Core	1.2	0.05	2.9	2.10	<0.1	0.44	0.21	14.6	0.5	<0.05	12.0	12.73	49.2	0.03	3	0.3	9.9	<10	<2			
1882215	Drill Core	0.5	0.02	2.4	5.00	<0.1	0.15	0.11	19.8	0.5	<0.05	4.9	10.28	33.5	<0.02	2	0.5	7.0	<10	<2			
1882216	Drill Core	0.1	0.02	2.2	3.57	<0.1	0.14	0.09	13.9	0.3	<0.05	5.2	11.10	35.5	<0.02	1	0.3	7.4	<10	<2			
1882217	Drill Core	0.6	<0.02	2.2	3.60	<0.1	0.03	0.06	13.9	0.3	<0.05	1.4	12.66	37.9	0.03	2	0.2	6.5	12	<2			
1882218	Drill Core	0.3	0.04	4.3	2.21	<0.1	<0.02	0.07	10.6	0.3	<0.05	0.9	11.27	23.4	<0.02	1	0.2	14.4	<10	<2			
1882219	Drill Core	0.2	0.04	5.4	1.01	<0.1	0.05	0.16	8.0	0.7	<0.05	1.1	9.56	19.9	0.02	1	0.5	17.9	<10	<2			
1882220	Rock Pulp	<0.1	0.05	4.4	0.23	0.1	0.14	0.31	2.8	2.2	<0.05	3.3	8.33	12.2	<0.02	<1	0.2	1.4	<10	<2			
1882221	Drill Core	0.7	<0.02	3.9	0.99	<0.1	0.03	0.23	7.2	0.6	<0.05	0.9	8.93	19.6	<0.02	3	0.3	12.8	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000581.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1882222	Drill Core	2.75	449	<0.005	<0.01	<0.17	35.90	7.57	24.48	2.37	55.9	223	27.3	8.5	277	2.10	30.2	2.7	0.5	22.4
1882223	Drill Core	3.64	433	<0.005	<0.01	<0.17	39.26	5.42	30.21	8.27	77.0	322	26.9	9.2	262	2.22	46.0	4.4	0.9	57.7
1882224	Drill Core	3.85	501	<0.005	<0.01	<0.17	35.43	1.59	29.31	9.43	77.6	328	23.9	7.7	341	2.48	33.2	1.7	<0.2	30.9
1882225	Drill Core	2.14	480	<0.005	<0.01	<0.17	36.64	3.31	32.00	8.86	70.0	332	32.9	10.0	331	2.20	23.5	3.8	<0.2	50.5
1882226	Drill Core	3.42	489	<0.005	<0.01	<0.17	38.54	2.30	28.11	13.16	78.9	293	28.1	10.1	321	2.29	16.0	2.2	<0.2	50.9
1882227	Drill Core	3.50	446	<0.005	<0.01	<0.17	28.99	1.76	36.91	10.55	81.5	303	37.8	10.6	429	2.66	191.0	2.2	0.6	87.6
1882228	Drill Core	3.25	437	<0.005	<0.01	<0.17	43.46	2.05	23.04	8.57	60.5	215	23.2	9.5	409	2.39	102.4	1.9	<0.2	92.6
1882229	Drill Core	3.55	511	0.043	0.04	<0.17	42.40	2.17	24.38	14.05	66.6	208	31.4	12.2	635	2.98	598.7	1.6	28.8	57.9
1882230	Drill Core	3.42	503	0.925	0.95	1.19	40.43	1.73	32.91	7.20	68.3	461	29.7	9.5	646	2.88	187.2	1.2	859.3	38.0
1882231	Drill Core	3.02	510	0.011	<0.01	<0.17	42.19	2.27	35.41	4.01	62.5	219	35.5	11.8	512	3.02	171.0	1.3	5.0	31.1
1882232	Drill Core	3.38	441	0.028	0.03	<0.17	37.38	2.52	50.79	29.81	145.6	530	34.8	15.0	639	3.79	157.6	1.7	13.2	27.8
1882233	Drill Core	3.20	452	0.011	0.01	<0.17	41.69	1.52	36.14	26.72	86.7	400	26.5	9.7	573	2.81	60.0	1.2	5.2	46.6
1882234	Drill Core	3.05	495	0.012	0.01	<0.17	46.57	1.46	34.62	141.84	59.0	742	32.5	10.4	662	2.98	47.8	0.9	5.0	53.0
1882235	Drill Core	2.95	499	<0.005	<0.01	<0.17	40.76	1.19	29.45	12.80	86.0	161	18.5	9.1	522	2.72	20.4	0.5	2.1	42.1
1882236	Drill Core	3.25	478	0.005	<0.01	<0.17	37.06	1.65	29.98	21.40	79.8	231	23.9	9.5	442	2.50	24.8	0.6	0.2	36.1
1882237	Drill Core	2.82	482	0.006	<0.01	<0.17	35.00	1.52	29.18	10.75	59.6	182	18.2	9.2	484	2.69	16.8	0.6	0.9	32.0
1813578	Drill Core	1.54	478	0.007	<0.01	<0.17	49.71	2.29	65.70	36.51	373.5	561	27.5	9.8	620	3.24	24.3	1.4	2.6	15.0
1813579	Drill Core	1.90	466	<0.005	<0.01	<0.17	28.18	1.59	29.74	8.32	58.9	208	28.3	11.5	559	2.54	5.8	0.8	0.3	14.6
1813580	Rock	0.23	163	<0.005	<0.01	<0.17	29.20	0.42	1.43	1.05	2.6	8	1.4	0.4	69	0.58	0.5	0.1	<0.2	2.0
1813581	Drill Core	2.79	456	<0.005	<0.01	<0.17	35.63	1.83	37.10	19.01	72.9	256	23.7	12.3	516	2.67	5.9	0.8	<0.2	17.8
1813582	Drill Core	2.92	470	<0.005	<0.01	<0.17	39.57	2.90	49.09	13.64	87.0	203	26.1	12.7	765	2.98	6.5	0.9	<0.2	47.1
1813583	Drill Core	2.76	403	0.005	<0.01	<0.17	39.17	1.54	55.67	19.32	126.0	417	29.0	13.4	628	2.98	10.2	0.8	<0.2	19.7
1813584	Drill Core	2.89	386	<0.005	<0.01	<0.17	32.55	2.04	41.89	11.37	94.3	228	34.9	11.8	524	2.96	2.4	0.8	1.0	23.1
1813585	Drill Core	2.91	382	<0.005	<0.01	<0.17	28.27	1.93	41.44	7.17	103.0	217	40.1	12.9	523	2.88	3.7	1.0	<0.2	23.2
1813586	Drill Core	2.85	379	<0.005	<0.01	<0.17	38.21	2.21	39.72	10.72	87.2	278	21.9	9.8	544	2.87	4.0	1.2	<0.2	20.3
1813587	Drill Core	2.98	400	<0.005	<0.01	<0.17	30.49	1.94	28.15	20.49	98.3	237	20.5	11.3	473	2.73	2.3	1.4	<0.2	23.1
1813588	Drill Core	2.87	466	<0.005	<0.01	<0.17	37.97	2.15	41.09	12.27	95.8	236	29.5	12.0	610	2.85	7.1	1.3	<0.2	35.2
1813589	Drill Core	3.07	465	0.005	<0.01	<0.17	40.89	1.89	46.14	6.43	92.1	231	28.8	12.4	541	2.82	4.6	1.0	0.6	22.1
1813590	Drill Core	2.82	388	<0.005	<0.01	<0.17	30.57	1.50	33.33	11.50	73.3	196	26.1	11.7	548	2.87	3.5	0.8	<0.2	19.8
1813591	Drill Core	2.54	386	<0.005	<0.01	<0.17	37.85	1.53	26.80	11.17	64.7	172	23.6	12.0	695	2.84	5.1	0.6	<0.2	37.0



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000581.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882222	Drill Core	0.10	1.95	0.08	21	0.62	0.060	9.9	23.6	0.96	160.8	0.064	1	1.16	0.021	0.26	0.3	4.3	0.16	0.18	6			
1882223	Drill Core	0.54	3.61	0.09	20	1.24	0.059	13.3	20.8	1.02	163.5	0.041	1	1.11	0.014	0.39	0.2	5.2	0.23	0.18	<5			
1882224	Drill Core	0.38	4.09	0.11	24	0.49	0.054	11.6	25.8	1.22	127.9	0.028	1	1.38	0.013	0.24	0.2	4.6	0.11	<0.02	<5			
1882225	Drill Core	0.46	3.15	0.16	19	1.03	0.066	10.8	21.1	1.07	156.2	0.062	2	1.21	0.013	0.50	0.4	4.1	0.27	0.25	<5			
1882226	Drill Core	0.47	3.21	0.17	32	1.01	0.068	10.7	40.0	1.14	127.2	0.059	2	1.15	0.021	0.41	0.3	5.4	0.21	0.26	<5			
1882227	Drill Core	0.58	5.87	0.09	51	1.55	0.091	10.4	64.0	1.17	165.0	0.081	1	1.32	0.013	0.45	0.6	8.1	0.21	<0.02	<5			
1882228	Drill Core	0.33	4.06	0.09	33	1.46	0.071	9.1	37.1	1.08	136.4	0.067	1	1.17	0.019	0.51	1.2	6.6	0.28	0.06	<5			
1882229	Drill Core	0.20	12.81	0.11	57	0.66	0.067	6.8	39.3	1.82	124.0	0.070	1	1.86	0.023	0.39	0.8	5.5	0.22	0.17	<5			
1882230	Drill Core	0.38	7.47	0.11	53	0.85	0.072	10.9	34.1	1.67	137.0	0.055	<1	1.73	0.009	0.25	0.6	4.2	0.11	<0.02	7			
1882231	Drill Core	0.20	7.09	0.10	41	0.72	0.081	10.3	26.3	1.49	122.8	0.037	1	1.57	0.008	0.37	0.4	4.0	0.14	0.05	<5			
1882232	Drill Core	0.54	7.43	0.19	47	0.51	0.089	10.7	26.1	1.91	119.4	0.041	1	2.02	0.008	0.31	0.4	4.4	0.12	0.15	<5			
1882233	Drill Core	0.36	7.72	0.25	46	1.02	0.070	8.5	28.0	1.64	102.0	0.005	2	1.63	0.008	0.16	<0.1	3.9	0.05	0.18	<5			
1882234	Drill Core	0.39	5.76	0.51	56	1.27	0.080	6.7	32.1	1.79	95.2	0.005	<1	1.72	0.009	0.16	<0.1	3.6	0.05	0.42	<5			
1882235	Drill Core	0.62	3.65	0.08	36	1.05	0.067	6.8	22.5	1.57	100.0	0.020	<1	1.58	0.016	0.16	<0.1	3.6	0.04	0.27	<5			
1882236	Drill Core	0.31	6.19	0.15	27	0.98	0.076	7.7	19.6	1.40	136.2	0.015	<1	1.43	0.005	0.19	<0.1	2.4	0.04	0.25	<5			
1882237	Drill Core	0.29	3.68	0.12	30	1.02	0.061	6.7	17.8	1.37	108.6	0.021	<1	1.43	0.016	0.17	0.1	3.5	0.04	0.51	<5			
1813578	Drill Core	2.94	1.18	0.39	37	0.22	0.076	10.8	22.4	1.34	94.1	0.002	<1	1.40	0.005	0.14	<0.1	2.8	0.03	<0.02	<5			
1813579	Drill Core	0.20	0.62	0.08	27	0.46	0.062	13.5	22.3	1.25	115.5	0.003	<1	1.36	0.009	0.15	<0.1	2.4	0.04	<0.02	<5			
1813580	Rock	0.01	0.05	<0.02	1	0.05	0.002	1.7	5.0	0.02	9.3	0.001	1	0.05	0.005	0.02	<0.1	0.2	<0.02	<0.02	<5			
1813581	Drill Core	0.76	0.16	0.17	26	0.71	0.073	12.4	18.8	1.43	131.4	0.004	<1	1.45	0.007	0.16	<0.1	2.7	0.03	<0.02	<5			
1813582	Drill Core	0.53	0.16	0.13	29	1.15	0.082	14.8	21.8	1.67	138.1	0.005	<1	1.69	0.008	0.17	<0.1	3.1	0.03	<0.02	<5			
1813583	Drill Core	1.00	0.45	0.21	31	0.68	0.078	14.4	21.7	1.48	148.1	0.005	<1	1.58	0.006	0.20	<0.1	2.7	0.03	<0.02	<5			
1813584	Drill Core	0.96	0.61	0.11	36	0.84	0.077	14.2	27.1	1.35	146.7	0.004	<1	1.49	0.007	0.19	<0.1	2.8	0.03	<0.02	<5			
1813585	Drill Core	0.75	0.20	0.05	27	0.79	0.079	14.6	28.0	1.30	132.5	0.003	<1	1.43	0.006	0.18	<0.1	2.6	0.04	<0.02	8			
1813586	Drill Core	0.60	0.30	0.13	26	0.59	0.072	14.1	20.5	1.47	116.7	0.004	<1	1.52	0.007	0.19	<0.1	2.6	0.04	<0.02	<5			
1813587	Drill Core	0.43	0.89	0.10	24	0.60	0.070	14.8	16.7	1.67	115.1	0.005	1	1.64	0.008	0.23	<0.1	2.8	0.07	<0.02	<5			
1813588	Drill Core	1.00	0.82	0.17	36	1.25	0.068	16.0	19.4	1.23	151.8	0.008	2	1.47	0.009	0.32	<0.1	3.3	0.16	<0.02	<5			
1813589	Drill Core	0.48	0.47	0.06	35	0.66	0.073	14.8	19.5	1.39	132.1	0.011	1	1.52	0.007	0.27	<0.1	3.0	0.13	<0.02	<5			
1813590	Drill Core	0.39	0.17	0.12	37	0.76	0.073	16.5	32.5	1.67	112.4	0.006	<1	1.70	0.012	0.22	<0.1	3.2	0.06	<0.02	<5			
1813591	Drill Core	0.28	0.18	0.14	37	1.33	0.068	14.7	26.1	1.63	115.9	0.004	<1	1.68	0.008	0.20	<0.1	3.2	0.05	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 08, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000581.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1882222	Drill Core	0.3	0.03	4.6	2.69	<0.1	0.05	0.14	14.9	0.6	<0.05	1.0	10.31	19.5	<0.02	2	0.4	15.3	<10
1882223	Drill Core	0.5	0.04	4.2	4.11	<0.1	0.07	0.07	21.5	0.5	<0.05	1.9	12.34	24.8	0.03	2	0.7	17.6	<10
1882224	Drill Core	<0.1	0.03	5.5	3.36	<0.1	0.03	0.03	11.8	0.4	<0.05	0.7	10.75	23.7	0.03	<1	0.4	28.8	<10
1882225	Drill Core	0.9	0.03	3.9	5.83	<0.1	0.04	0.18	26.8	0.8	<0.05	0.7	12.96	22.8	<0.02	5	0.3	21.7	<10
1882226	Drill Core	0.9	<0.02	3.2	5.07	<0.1	0.05	0.13	21.2	0.5	<0.05	1.3	9.31	22.0	<0.02	<1	0.4	16.9	14
1882227	Drill Core	0.2	0.04	3.9	6.65	<0.1	0.05	0.10	23.3	0.8	<0.05	3.1	11.98	20.9	<0.02	<1	0.3	18.7	<10
1882228	Drill Core	0.4	0.03	3.9	6.43	0.1	0.04	0.08	26.8	0.7	<0.05	1.2	9.14	18.4	<0.02	3	0.3	14.4	<10
1882229	Drill Core	1.1	0.04	6.0	6.50	0.1	0.15	0.08	20.1	0.5	<0.05	3.6	9.29	13.8	<0.02	1	0.4	30.7	<10
1882230	Drill Core	0.7	0.04	5.2	5.66	<0.1	0.20	0.06	12.3	0.5	<0.05	6.9	9.23	20.5	<0.02	1	0.4	32.1	<10
1882231	Drill Core	1.1	0.05	4.4	7.92	<0.1	0.19	0.04	18.5	0.4	<0.05	5.6	7.44	20.1	<0.02	<1	0.3	24.4	<10
1882232	Drill Core	1.1	0.07	5.3	9.62	0.1	0.26	0.03	15.2	0.4	<0.05	7.6	8.63	21.2	<0.02	<1	0.4	34.7	<10
1882233	Drill Core	1.5	0.12	5.7	3.40	<0.1	0.16	<0.02	7.4	0.6	<0.05	5.3	7.85	16.6	0.03	<1	0.4	30.2	<10
1882234	Drill Core	4.0	0.23	5.5	2.56	<0.1	0.14	<0.02	6.3	0.3	<0.05	4.2	7.51	12.9	<0.02	3	0.3	22.8	<10
1882235	Drill Core	1.3	0.03	4.7	1.84	0.1	0.14	<0.02	5.6	0.3	<0.05	4.7	6.60	12.7	<0.02	2	0.2	17.5	<10
1882236	Drill Core	0.7	0.05	4.3	1.47	<0.1	0.19	<0.02	7.0	0.2	<0.05	4.4	6.32	15.3	<0.02	2	0.2	18.2	<10
1882237	Drill Core	1.2	<0.02	4.2	1.31	<0.1	0.13	0.02	5.6	0.3	<0.05	4.4	5.99	13.4	<0.02	<1	0.2	15.4	<10
1813578	Drill Core	2.4	0.05	3.7	0.73	<0.1	0.14	<0.02	4.5	0.5	<0.05	6.4	4.25	21.6	0.04	<1	0.1	13.0	<10
1813579	Drill Core	0.4	0.03	4.0	0.93	<0.1	0.17	<0.02	5.3	0.6	<0.05	6.2	4.89	25.6	<0.02	<1	0.2	10.4	<10
1813580	Rock	<0.1	<0.02	0.4	0.11	<0.1	0.08	0.03	0.9	<0.1	<0.05	1.7	0.83	3.5	<0.02	<1	<0.1	1.0	<10
1813581	Drill Core	0.8	0.03	4.4	0.32	<0.1	0.22	<0.02	4.9	0.2	<0.05	7.1	4.34	24.2	<0.02	<1	0.2	10.4	<10
1813582	Drill Core	0.7	0.03	4.3	0.36	0.1	0.24	<0.02	5.1	0.2	<0.05	6.2	5.71	29.8	<0.02	<1	0.2	10.5	<10
1813583	Drill Core	1.0	0.06	3.8	0.45	<0.1	0.20	<0.02	5.8	0.3	<0.05	6.1	5.67	28.4	<0.02	<1	0.2	10.4	<10
1813584	Drill Core	0.6	0.05	4.0	0.47	<0.1	0.19	0.06	5.5	0.2	<0.05	5.2	5.11	29.2	<0.02	<1	0.2	10.8	<10
1813585	Drill Core	0.7	0.04	4.2	0.54	<0.1	0.22	<0.02	5.4	0.2	<0.05	6.4	5.28	28.3	<0.02	<1	0.2	9.8	<10
1813586	Drill Core	0.5	0.03	4.1	0.96	<0.1	0.22	<0.02	5.9	0.2	<0.05	7.1	4.66	27.8	<0.02	<1	0.2	11.7	<10
1813587	Drill Core	0.8	0.05	4.5	2.59	<0.1	0.27	<0.02	8.3	0.3	<0.05	7.7	5.01	27.3	<0.02	<1	0.3	14.1	<10
1813588	Drill Core	0.8	0.04	3.7	5.46	<0.1	0.18	<0.02	12.7	0.3	<0.05	5.8	6.05	30.3	<0.02	<1	0.3	12.2	<10
1813589	Drill Core	0.7	0.03	3.9	3.26	<0.1	0.21	<0.02	10.5	0.2	<0.05	5.4	6.86	30.2	<0.02	<1	0.3	14.5	<10
1813590	Drill Core	0.4	0.03	4.4	1.46	<0.1	0.26	<0.02	7.4	0.1	<0.05	6.4	5.71	31.6	<0.02	<1	0.2	14.7	11
1813591	Drill Core	0.6	0.04	4.4	1.10	<0.1	0.21	<0.02	6.1	<0.1	<0.05	7.0	5.77	28.9	<0.02	<1	0.2	15.2	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000581.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1813592	Drill Core	2.80	371	<0.005	<0.01	<0.17	31.59	1.98	25.80	7.07	76.8	172	20.1	11.0	541	3.16	5.9	1.0	<0.2	6.3	22.4	
1813593	Drill Core	2.26	406	<0.005	<0.01	<0.17	29.14	1.66	12.56	13.88	76.3	174	14.5	10.2	433	2.65	3.2	0.8	0.7	5.7	22.3	
1813594	Drill Core	1.85	360	<0.005	<0.01	<0.17	30.91	1.94	19.80	16.05	84.4	231	15.1	10.6	416	2.93	4.3	1.7	<0.2	6.0	17.7	
1813595	Drill Core	3.27	497	<0.005	<0.01	<0.17	35.40	1.32	28.06	9.25	96.0	165	12.0	7.8	440	2.66	2.3	1.0	<0.2	5.8	13.6	
1813596	Drill Core	3.65	422	<0.005	<0.01	<0.17	34.62	2.05	39.61	6.50	82.4	216	15.9	10.0	412	3.09	4.4	1.0	<0.2	7.4	18.2	
1813597	Drill Core	2.87	425	<0.005	<0.01	<0.17	24.14	2.06	28.21	24.40	119.9	260	17.9	9.9	501	2.88	0.7	0.5	<0.2	6.2	13.3	
1813598	Drill Core	2.78	447	<0.005	<0.01	<0.17	31.31	1.74	32.26	74.83	239.2	743	15.7	8.9	683	2.65	12.4	1.2	<0.2	7.8	43.6	
1813599	Drill Core	2.93	500	0.007	<0.01	<0.17	33.32	0.89	22.47	12.24	101.0	245	18.5	9.2	621	2.65	26.5	0.9	1.9	8.1	60.2	
1813600	Rock Pulp	0.12	94	7.686				9.72	193.25	21.57	76.7	828	13.4	11.6	582	4.62	14.3	0.9	7472.9	2.9	87.9	
1813601	Drill Core	2.97	509	0.006	<0.01	<0.17	25.10	1.28	30.00	10.21	58.3	235	23.4	8.2	317	2.14	28.7	1.4	2.5	7.4	49.5	
1813602	Drill Core	3.45	482	<0.005	<0.01	<0.17	49.61	1.16	26.31	10.38	54.4	202	22.9	8.0	358	2.07	6.5	1.4	0.4	7.0	59.9	
1813603	Drill Core	2.92	460	0.007	<0.01	<0.17	38.08	1.48	25.83	11.02	48.9	201	23.5	7.6	236	1.85	8.8	2.1	1.5	7.1	43.6	
1813604	Drill Core	2.68	457	0.006	<0.01	<0.17	36.74	2.23	28.19	11.87	53.3	252	24.2	7.8	249	2.13	21.9	1.8	0.8	7.3	55.5	
1813605	Drill Core	2.88	412	<0.005	<0.01	<0.17	31.65	1.54	31.38	11.94	50.0	220	26.2	7.9	286	1.74	14.1	1.8	<0.2	6.0	50.0	
1813606	Drill Core	3.09	436	0.005	<0.01	<0.17	29.68	1.38	16.37	21.23	25.1	314	11.0	5.0	176	1.25	24.8	2.9	1.0	10.9	83.2	
1813607	Drill Core	2.84	452	<0.005	<0.01	<0.17	28.21	1.33	12.99	20.55	15.9	233	9.4	3.6	196	0.84	27.5	3.0	<0.2	14.2	94.8	
1813608	Drill Core	2.97	429	<0.005	<0.01	<0.17	38.93	1.48	20.11	19.49	26.1	282	13.6	5.8	194	1.29	22.6	2.9	<0.2	11.5	54.8	
1813609	Drill Core	2.95	417	<0.005	<0.01	<0.17	26.78	4.97	15.88	19.35	27.9	236	10.8	5.6	203	1.31	8.2	3.3	<0.2	11.8	80.9	
1813610	Drill Core	2.57	424	<0.005	<0.01	<0.17	33.60	0.57	9.48	22.93	19.5	284	6.1	3.8	131	1.02	4.4	4.0	<0.2	12.1	99.0	
1813611	Drill Core	3.04	386	0.006	<0.01	<0.17	32.25	1.21	22.91	16.15	61.2	237	18.0	7.2	409	2.43	96.2	2.5	<0.2	9.7	74.4	
1813612	Drill Core	2.39	428	<0.005	<0.01	<0.17	25.34	0.72	17.69	17.45	61.7	241	9.9	7.1	482	2.41	6.9	2.4	<0.2	12.0	106.5	
1813613	Drill Core	2.26	472	<0.005	<0.01	<0.17	25.54	1.04	21.37	22.50	59.4	244	12.1	7.6	320	2.17	14.4	2.1	<0.2	8.9	82.6	
1813614	Drill Core	2.33	414	0.005	<0.01	<0.17	35.64	0.43	4.16	17.21	14.1	204	0.5	0.7	88	0.54	2.7	1.4	<0.2	15.1	27.8	
1813615	Drill Core	3.22	482	0.005	<0.01	<0.17	45.80	0.36	2.25	20.50	5.9	194	0.2	0.2	68	0.34	2.8	1.1	0.8	15.7	30.5	
1813616	Drill Core	1.75	390	0.007	<0.01	<0.17	31.57	0.55	3.28	14.27	8.4	172	0.4	0.3	53	0.42	4.3	0.9	1.9	13.9	5.6	
1813617	Drill Core	3.29	452	<0.005	<0.01	<0.17	46.01	0.19	4.54	11.70	6.5	91	0.2	0.2	48	0.33	1.1	1.0	<0.2	17.3	17.8	
1813618	Drill Core	3.50	506	0.008	<0.01	<0.17	31.17	0.47	4.49	19.64	11.5	302	0.4	0.4	111	0.45	4.4	1.1	<0.2	14.7	25.5	
1813619	Drill Core	3.02	429	0.005	<0.01	<0.17	34.03	0.19	4.00	20.92	8.7	261	0.5	0.7	107	0.48	1.8	1.3	<0.2	14.3	59.1	
1813620	Rock Pulp	0.12	92	0.603				6.61	116.20	87.44	135.0	641	11.9	5.1	563	2.52	40.7	0.5	614.3	2.8	41.3	
1813621	Drill Core	2.87	420	0.024	0.02	<0.17	37.74	0.31	3.17	15.83	7.4	485	0.3	0.4	91	0.47	1.2	1.0	13.4	14.4	36.9	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000581.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813592	Drill Core	0.25	0.36	0.10	39	0.44	0.064	17.9	28.0	1.84	105.3	0.004	<1	1.85	0.009	0.23	<0.1	3.8	0.09	<0.02	<5			
1813593	Drill Core	0.33	0.31	0.11	29	0.27	0.061	14.2	18.5	1.90	111.5	0.004	<1	1.83	0.006	0.23	<0.1	2.9	0.09	<0.02	<5			
1813594	Drill Core	0.30	0.34	0.15	26	0.21	0.064	15.7	15.2	1.93	100.4	0.005	<1	1.85	0.006	0.29	<0.1	2.8	0.11	<0.02	<5			
1813595	Drill Core	0.85	0.16	0.06	21	0.17	0.062	15.5	15.3	1.80	133.0	0.004	<1	1.79	0.008	0.25	<0.1	2.9	0.05	<0.02	9			
1813596	Drill Core	0.43	0.53	0.04	24	0.25	0.072	20.5	19.2	1.56	124.2	0.003	<1	1.69	0.015	0.20	<0.1	3.4	0.05	<0.02	<5			
1813597	Drill Core	1.16	0.16	0.13	18	0.25	0.066	16.3	13.4	1.64	116.7	0.004	<1	1.64	0.006	0.21	<0.1	2.4	0.04	<0.02	<5			
1813598	Drill Core	2.02	0.27	0.79	18	1.43	0.055	20.7	12.0	1.14	135.3	0.002	<1	1.34	0.008	0.24	<0.1	2.5	0.06	<0.02	<5			
1813599	Drill Core	0.51	0.18	0.11	23	1.30	0.059	24.9	33.7	1.29	159.6	0.005	<1	1.58	0.027	0.23	<0.1	3.9	0.04	<0.02	<5			
1813600	Rock Pulp	0.20	5.70	0.63	115	1.15	0.062	9.1	17.6	0.85	135.5	0.138	4	2.03	0.229	0.24	4.1	4.1	0.07	<0.02	209			
1813601	Drill Core	0.34	0.29	0.09	16	0.89	0.059	25.5	16.7	0.80	438.2	0.007	1	1.03	0.014	0.28	<0.1	4.4	0.06	0.07	<5			
1813602	Drill Core	0.32	0.51	0.08	16	0.91	0.060	24.0	14.7	0.80	335.7	0.004	<1	1.05	0.020	0.25	<0.1	5.0	0.06	0.08	<5			
1813603	Drill Core	0.35	0.43	0.08	14	0.73	0.064	22.7	12.4	0.61	413.5	0.087	<1	0.82	0.017	0.32	<0.1	4.5	0.08	0.18	<5			
1813604	Drill Core	0.30	0.36	0.08	15	0.74	0.068	20.3	15.0	0.65	286.2	0.111	1	1.02	0.015	0.28	0.1	5.7	0.09	0.03	<5			
1813605	Drill Core	0.31	0.42	0.08	12	0.79	0.071	17.2	11.8	0.50	419.9	0.112	<1	0.83	0.015	0.29	0.1	4.8	0.08	0.08	<5			
1813606	Drill Core	0.34	0.31	0.36	8	1.19	0.059	28.9	7.5	0.23	385.4	0.105	<1	0.55	0.021	0.34	0.1	3.6	0.10	0.11	7			
1813607	Drill Core	0.24	0.39	0.27	7	1.97	0.046	37.3	7.2	0.15	259.7	0.060	<1	0.44	0.021	0.35	<0.1	2.3	0.11	0.12	<5			
1813608	Drill Core	0.33	0.45	0.54	11	0.84	0.057	31.9	11.4	0.25	274.4	0.093	<1	0.55	0.023	0.41	<0.1	4.2	0.24	0.12	<5			
1813609	Drill Core	0.29	0.36	0.39	9	1.23	0.070	34.2	9.7	0.33	291.7	0.096	1	0.60	0.019	0.38	<0.1	4.0	0.13	0.21	<5			
1813610	Drill Core	0.23	0.35	0.42	6	1.05	0.034	29.1	5.8	0.24	292.4	0.053	<1	0.55	0.028	0.30	<0.1	2.6	0.09	0.09	<5			
1813611	Drill Core	0.41	2.91	0.22	20	1.50	0.072	27.0	18.9	0.71	351.7	0.024	<1	1.20	0.015	0.34	<0.1	6.9	0.14	0.06	14			
1813612	Drill Core	0.30	0.37	0.08	20	1.57	0.069	34.4	18.8	0.77	254.7	0.009	1	1.36	0.020	0.31	<0.1	5.4	0.10	0.07	8			
1813613	Drill Core	0.54	0.82	0.08	23	1.72	0.065	25.0	19.8	0.72	415.4	0.050	<1	0.98	0.033	0.43	0.1	7.5	0.16	0.12	11			
1813614	Drill Core	0.37	0.28	0.20	<1	0.33	0.006	45.6	1.8	0.07	812.8	0.001	<1	0.41	0.019	0.31	0.1	1.4	0.09	<0.02	50			
1813615	Drill Core	0.12	0.20	0.30	<1	0.40	0.006	42.2	1.2	0.05	483.0	<0.001	<1	0.35	0.013	0.30	<0.1	0.6	0.06	<0.02	10			
1813616	Drill Core	0.14	0.26	0.13	<1	0.05	0.006	40.1	1.7	0.09	160.1	<0.001	2	0.36	0.010	0.30	0.1	0.7	0.07	<0.02	<5			
1813617	Drill Core	0.08	0.16	0.39	<1	0.16	0.005	44.7	1.3	0.06	367.0	<0.001	<1	0.30	0.020	0.27	<0.1	0.8	0.06	<0.02	<5			
1813618	Drill Core	0.55	0.35	0.31	<1	0.34	0.006	40.0	1.6	0.07	939.4	<0.001	1	0.36	0.013	0.29	<0.1	1.3	0.09	0.02	10			
1813619	Drill Core	0.33	0.23	0.21	<1	0.60	0.010	42.8	1.7	0.06	1300.7	0.002	<1	0.36	0.026	0.29	0.1	1.7	0.09	0.07	7			
1813620	Rock Pulp	0.59	2.95	0.11	30	0.87	0.036	7.2	24.8	0.51	92.5	0.098	7	1.19	0.100	0.11	4.3	3.1	0.21	0.09	140			
1813621	Drill Core	0.25	0.54	0.20	<1	0.39	0.007	41.5	1.5	0.06	609.2	0.001	1	0.40	0.019	0.35	<0.1	1.3	0.09	<0.02	5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 4 of 5 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000581.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813592	Drill Core	0.4	0.03	5.2	2.12	<0.1	0.18	<0.02	8.2	0.2	<0.05	6.1	6.94	33.3	0.03	<1	0.2	20.6	<10	<2			
1813593	Drill Core	0.3	0.02	5.1	3.07	<0.1	0.17	<0.02	8.9	0.2	<0.05	6.1	9.06	27.6	<0.02	<1	0.3	24.5	<10	<2			
1813594	Drill Core	0.9	0.04	4.6	3.66	<0.1	0.25	<0.02	11.2	0.2	<0.05	7.9	5.49	30.5	<0.02	<1	0.3	22.5	<10	<2			
1813595	Drill Core	0.4	0.03	4.3	1.53	<0.1	0.17	<0.02	7.2	0.2	<0.05	6.9	5.16	30.5	<0.02	<1	0.2	17.6	<10	<2			
1813596	Drill Core	0.5	<0.02	5.1	1.87	<0.1	0.24	<0.02	6.7	0.3	<0.05	7.4	6.68	41.1	0.02	<1	0.2	16.1	<10	<2			
1813597	Drill Core	0.5	0.03	3.8	0.68	<0.1	0.29	<0.02	5.7	0.2	<0.05	8.2	7.53	33.9	<0.02	<1	0.1	11.8	<10	<2			
1813598	Drill Core	0.8	0.12	3.3	2.60	<0.1	0.26	<0.02	8.1	0.3	<0.05	7.7	8.29	41.8	0.06	<1	0.3	13.7	<10	<2			
1813599	Drill Core	0.5	<0.02	4.8	0.58	<0.1	0.20	<0.02	7.0	0.1	<0.05	5.0	7.87	48.1	0.03	<1	0.2	11.1	<10	<2			
1813600	Rock Pulp	<0.1	0.16	6.1	0.76	<0.1	0.11	0.11	9.1	1.9	<0.05	1.9	6.62	17.6	0.06	<1	0.2	6.9	<10	<2			
1813601	Drill Core	0.8	0.02	3.5	4.39	<0.1	0.08	0.02	11.6	0.4	<0.05	3.6	10.08	46.7	0.03	2	0.2	10.9	<10	<2			
1813602	Drill Core	0.6	<0.02	3.6	4.35	<0.1	0.14	<0.02	10.6	0.3	<0.05	6.3	9.33	44.1	0.02	3	0.3	11.2	<10	<2			
1813603	Drill Core	0.7	0.03	2.3	6.36	<0.1	0.11	0.39	12.9	0.4	<0.05	3.7	10.04	44.6	<0.02	3	0.2	9.8	<10	<2			
1813604	Drill Core	1.0	0.03	3.6	1.46	<0.1	0.05	0.33	11.3	0.5	<0.05	1.6	12.79	40.1	0.03	2	0.3	13.5	<10	<2			
1813605	Drill Core	0.8	0.04	3.0	1.91	<0.1	0.07	0.43	11.6	0.5	<0.05	2.4	10.10	32.3	0.03	4	0.2	9.8	<10	<2			
1813606	Drill Core	0.7	0.04	2.0	2.10	<0.1	0.16	0.80	15.7	0.5	<0.05	5.4	13.44	50.1	0.02	2	0.4	6.3	<10	<2			
1813607	Drill Core	0.5	0.03	1.7	0.79	<0.1	0.23	0.55	16.1	0.4	<0.05	7.8	14.93	64.7	0.02	1	0.3	3.8	11	<2			
1813608	Drill Core	0.9	0.05	2.2	2.01	<0.1	0.31	0.86	25.9	0.6	<0.05	12.4	14.14	58.2	0.03	2	0.3	5.8	<10	<2			
1813609	Drill Core	0.7	0.03	2.2	1.47	<0.1	0.22	0.59	16.8	0.6	<0.05	7.1	14.45	61.3	0.02	2	0.2	8.5	<10	<2			
1813610	Drill Core	0.4	0.02	2.5	1.54	<0.1	0.08	0.43	13.0	0.6	<0.05	2.9	15.02	50.9	0.03	3	0.2	6.2	<10	<2			
1813611	Drill Core	0.7	0.02	3.9	4.37	<0.1	0.08	0.06	15.3	0.5	<0.05	2.4	14.05	48.9	0.03	2	0.5	22.2	<10	<2			
1813612	Drill Core	0.2	<0.02	5.9	2.61	<0.1	0.04	<0.02	15.8	0.6	<0.05	1.3	16.43	65.0	0.05	<1	0.5	17.6	<10	<2			
1813613	Drill Core	0.3	<0.02	3.9	3.99	<0.1	0.13	0.07	20.1	0.5	<0.05	4.2	13.50	47.6	0.03	4	0.4	9.5	<10	<2			
1813614	Drill Core	<0.1	<0.02	1.5	2.41	<0.1	0.17	0.05	15.9	0.3	<0.05	6.2	16.44	83.8	0.02	<1	0.3	2.6	<10	<2			
1813615	Drill Core	<0.1	<0.02	1.2	1.31	<0.1	0.28	0.04	11.6	0.2	<0.05	10.3	7.35	80.5	<0.02	<1	0.2	1.8	<10	<2			
1813616	Drill Core	<0.1	<0.02	1.3	1.25	<0.1	0.46	0.03	12.6	0.3	<0.05	13.4	7.05	73.3	<0.02	<1	0.3	2.6	<10	<2			
1813617	Drill Core	<0.1	<0.02	1.4	0.52	<0.1	0.52	0.10	12.2	0.3	<0.05	15.4	10.89	84.0	<0.02	<1	0.4	1.7	<10	<2			
1813618	Drill Core	<0.1	<0.02	1.3	1.02	<0.1	0.29	0.05	13.8	0.3	<0.05	12.9	11.16	72.8	<0.02	<1	0.3	2.4	<10	<2			
1813619	Drill Core	<0.1	<0.02	1.3	1.08	<0.1	0.18	0.07	14.4	0.3	<0.05	7.5	12.68	77.1	0.02	<1	0.3	2.1	<10	<2			
1813620	Rock Pulp	<0.1	0.05	4.4	0.24	0.1	0.18	0.25	3.1	2.1	<0.05	5.2	8.45	13.7	0.02	1	0.2	1.5	<10	<2			
1813621	Drill Core	<0.1	<0.02	1.3	0.59	<0.1	0.19	0.04	15.4	0.3	<0.05	7.7	8.04	79.0	0.02	<1	0.3	2.6	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000581.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1813622	Drill Core	1.85	474	<0.005	<0.01	<0.17	36.65	0.29	3.68	18.72	12.9	260	0.3	0.6	91	0.51	30.3	1.5	1.1	13.8	31.1
1813623	Drill Core	2.17	554	<0.005	<0.01	<0.17	36.82	0.37	4.29	21.68	10.2	460	0.6	0.4	109	0.45	6.6	0.8	0.3	12.7	35.9
1813624	Drill Core	1.86	463	<0.005	<0.01	<0.17	36.55	0.26	5.42	13.94	27.2	171	1.5	1.6	195	0.78	1.0	1.8	0.5	14.7	61.9
1813625	Drill Core	1.63	422	<0.005	<0.01	<0.17	39.20	0.40	5.87	14.90	32.5	114	1.9	2.2	199	1.05	0.8	1.7	0.5	11.7	89.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000581.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1813622	Drill Core	0.72	0.51	0.19	<1	0.38	0.010	41.0	1.5	0.05	350.3	0.007	1	0.39	0.033	0.29	<0.1	2.4	0.09	<0.02
1813623	Drill Core	0.42	0.30	0.56	<1	0.48	0.007	40.2	1.7	0.06	429.2	0.001	<1	0.32	0.022	0.25	<0.1	1.1	0.07	<0.02
1813624	Drill Core	0.53	0.43	0.18	2	1.04	0.015	41.3	3.4	0.26	358.2	0.002	<1	0.55	0.014	0.32	<0.1	2.7	0.10	0.15
1813625	Drill Core	0.50	0.61	0.13	4	1.29	0.021	37.1	6.2	0.30	349.7	0.003	2	0.58	0.022	0.30	0.1	4.2	0.10	0.14



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000581.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1813622	Drill Core	<0.1	<0.02	1.4	1.50	<0.1	0.12	0.23	16.2	0.5	<0.05	4.5	22.59	75.1	0.03	<1	0.3	3.0	<10
1813623	Drill Core	<0.1	<0.02	1.1	1.10	<0.1	0.22	0.07	12.6	0.3	<0.05	8.7	18.08	74.9	<0.02	<1	0.4	2.9	<10
1813624	Drill Core	0.6	<0.02	1.8	2.12	<0.1	0.16	0.05	14.6	0.4	<0.05	6.5	16.06	78.0	0.03	<1	0.3	5.6	<10
1813625	Drill Core	0.3	<0.02	2.2	3.25	<0.1	0.04	0.05	14.3	0.5	<0.05	1.8	19.60	65.1	0.04	<1	0.3	6.1	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000581.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
1882202	Drill Core	1.64	494	<0.005	<0.01	<0.17	41.78	0.96	14.34	27.89	30.2	322	5.2	3.7	231	1.08	21.9	2.6	<0.2	16.2	87.3
REP 1882202	QC							1.01	14.78	28.53	29.9	330	5.2	3.8	224	1.07	22.7	2.7	3.8	14.8	93.7
1882231	Drill Core	3.02	510	0.011	<0.01	<0.17	42.19	2.27	35.41	4.01	62.5	219	35.5	11.8	512	3.02	171.0	1.3	5.0	6.0	31.1
REP 1882231	QC			0.010																	
1882233	Drill Core	3.20	452	0.011	0.01	<0.17	41.69	1.52	36.14	26.72	86.7	400	26.5	9.7	573	2.81	60.0	1.2	5.2	5.7	46.6
REP 1882233	QC							1.67	36.76	27.10	86.6	398	26.0	9.9	551	2.86	60.4	1.2	11.8	5.6	46.7
1813592	Drill Core	2.80	371	<0.005	<0.01	<0.17	31.59	1.98	25.80	7.07	76.8	172	20.1	11.0	541	3.16	5.9	1.0	<0.2	6.3	22.4
REP 1813592	QC			<0.005																	
1813606	Drill Core	3.09	436	0.005	<0.01	<0.17	29.68	1.38	16.37	21.23	25.1	314	11.0	5.0	176	1.25	24.8	2.9	1.0	10.9	83.2
REP 1813606	QC							1.39	16.69	21.25	25.6	302	10.7	5.0	190	1.26	23.6	2.9	0.7	10.5	79.8
Core Reject Duplicates																					
1882222	Drill Core	2.75	449	<0.005	<0.01	<0.17	35.90	7.57	24.48	2.37	55.9	223	27.3	8.5	277	2.10	30.2	2.7	0.5	5.5	22.4
DUP 1882222	QC		482	<0.005	<0.01	<0.17	33.89	7.52	25.12	2.28	51.8	214	26.6	8.4	272	2.09	29.4	2.7	0.5	5.4	21.5
1813596	Drill Core	3.65	422	<0.005	<0.01	<0.17	34.62	2.05	39.61	6.50	82.4	216	15.9	10.0	412	3.09	4.4	1.0	<0.2	7.4	18.2
DUP 1813596	QC		392	<0.005	<0.01	<0.17	35.89	2.13	40.32	5.78	88.7	206	16.5	10.3	424	3.21	5.0	1.1	<0.2	7.9	19.6
Reference Materials																					
STD BVGEO01	Standard							10.71	4439.43	195.27	1749.7	2630	159.4	25.5	722	3.73	118.7	3.9	231.8	16.6	53.6
STD DS11	Standard							14.67	150.62	137.40	346.2	1755	79.2	13.5	1040	3.08	42.5	2.7	103.0	8.1	73.4
STD DS11	Standard							14.49	144.26	132.56	316.4	1702	78.3	13.3	933	3.03	42.6	2.5	147.9	7.4	65.3
STD DS11	Standard							15.92	145.82	140.08	325.0	1653	81.9	13.2	942	3.08	43.1	2.7	103.8	8.9	71.5
STD OREAS262	Standard							0.61	123.43	58.08	148.2	488	70.8	28.4	516	3.34	35.2	1.3	84.8	10.8	34.5
STD OREAS262	Standard							0.68	114.07	57.12	149.1	469	64.1	26.3	538	3.15	35.3	1.2	76.3	10.3	36.6
STD OREAS262	Standard							0.70	120.74	58.99	143.6	449	63.4	26.6	495	3.27	34.6	1.3	68.3	9.5	34.8
STD OREAS262	Standard							0.69	115.64	57.88	140.6	470	59.7	25.7	509	3.12	34.6	1.2	66.8	9.6	34.5
STD OXB130	Standard			0.127																	
STD OXB130	Standard			0.122																	
STD OXB130	Standard			0.124																	
STD OXI138	Standard			1.878																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000581.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1882202	Drill Core	0.65	1.28	0.43	7	1.08	0.045	42.8	6.9	0.22	196.5	0.004	<1	0.50	0.032	0.22	<0.1	1.5	0.10	0.16	<5
REP 1882202	QC	0.69	1.31	0.44	6	1.07	0.046	40.8	6.9	0.22	203.0	0.004	2	0.50	0.031	0.22	0.1	1.4	0.11	0.17	<5
1882231	Drill Core	0.20	7.09	0.10	41	0.72	0.081	10.3	26.3	1.49	122.8	0.037	1	1.57	0.008	0.37	0.4	4.0	0.14	0.05	<5
REP 1882231	QC																				
1882233	Drill Core	0.36	7.72	0.25	46	1.02	0.070	8.5	28.0	1.64	102.0	0.005	2	1.63	0.008	0.16	<0.1	3.9	0.05	0.18	<5
REP 1882233	QC	0.42	7.89	0.27	47	1.02	0.075	9.3	27.3	1.70	112.4	0.006	2	1.70	0.008	0.17	<0.1	4.0	0.05	0.18	<5
1813592	Drill Core	0.25	0.36	0.10	39	0.44	0.064	17.9	28.0	1.84	105.3	0.004	<1	1.85	0.009	0.23	<0.1	3.8	0.09	<0.02	<5
REP 1813592	QC																				
1813606	Drill Core	0.34	0.31	0.36	8	1.19	0.059	28.9	7.5	0.23	385.4	0.105	<1	0.55	0.021	0.34	0.1	3.6	0.10	0.11	7
REP 1813606	QC	0.31	0.30	0.35	9	1.16	0.057	29.1	7.4	0.23	384.1	0.103	2	0.55	0.021	0.34	0.1	3.8	0.09	0.11	<5
Core Reject Duplicates																					
1882222	Drill Core	0.10	1.95	0.08	21	0.62	0.060	9.9	23.6	0.96	160.8	0.064	1	1.16	0.021	0.26	0.3	4.3	0.16	0.18	6
DUP 1882222	QC	0.10	1.87	0.07	20	0.61	0.058	9.7	22.0	0.95	151.4	0.060	1	1.14	0.020	0.25	0.3	4.3	0.15	0.18	7
1813596	Drill Core	0.43	0.53	0.04	24	0.25	0.072	20.5	19.2	1.56	124.2	0.003	<1	1.69	0.015	0.20	<0.1	3.4	0.05	<0.02	<5
DUP 1813596	QC	0.41	0.61	0.04	26	0.25	0.073	23.2	21.2	1.65	139.0	0.003	<1	1.84	0.018	0.22	<0.1	3.4	0.05	<0.02	5
Reference Materials																					
STD BVGEO01	Standard	6.50	3.54	24.00	74	1.30	0.072	28.3	179.7	1.30	309.4	0.229	4	2.34	0.193	0.91	5.4	6.4	0.63	0.66	79
STD DS11	Standard	2.52	10.17	13.24	50	1.07	0.069	19.4	59.6	0.85	369.7	0.099	5	1.16	0.074	0.40	3.2	3.4	4.93	0.27	276
STD DS11	Standard	2.40	8.56	11.31	48	1.03	0.066	19.0	58.7	0.81	376.9	0.095	6	1.14	0.074	0.39	2.9	2.9	4.50	0.27	247
STD DS11	Standard	2.52	9.26	11.87	50	1.09	0.067	21.4	61.6	0.85	384.8	0.103	6	1.27	0.077	0.42	3.1	3.4	4.86	0.27	269
STD OREAS262	Standard	0.65	5.35	0.96	22	3.00	0.039	17.4	43.3	1.18	243.0	0.003	4	1.40	0.071	0.32	0.3	3.3	0.46	0.26	168
STD OREAS262	Standard	0.65	6.42	1.08	23	2.95	0.036	18.6	42.8	1.16	263.2	0.003	3	1.31	0.068	0.32	0.3	3.2	0.47	0.26	180
STD OREAS262	Standard	0.66	5.86	1.04	22	2.95	0.039	19.3	47.4	1.16	256.1	0.003	3	1.43	0.069	0.33	0.3	3.2	0.47	0.25	165
STD OREAS262	Standard	0.69	5.86	1.00	24	2.88	0.040	20.1	46.2	1.12	258.2	0.003	5	1.56	0.065	0.36	0.2	3.5	0.47	0.24	173
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000581.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1882202	Drill Core	0.2	<0.02	2.3	1.03	<0.1	0.08	0.04	10.9	0.4	<0.05	2.5	16.49	74.6	0.02	<1	0.4	8.0	<10	<2
REP 1882202	QC	0.3	0.02	2.7	1.04	<0.1	0.09	0.05	11.5	0.4	<0.05	2.5	16.95	72.2	0.03	<1	0.4	7.9	<10	<2
1882231	Drill Core	1.1	0.05	4.4	7.92	<0.1	0.19	0.04	18.5	0.4	<0.05	5.6	7.44	20.1	<0.02	<1	0.3	24.4	<10	<2
REP 1882231	QC																			
1882233	Drill Core	1.5	0.12	5.7	3.40	<0.1	0.16	<0.02	7.4	0.6	<0.05	5.3	7.85	16.6	0.03	<1	0.4	30.2	<10	<2
REP 1882233	QC	1.3	0.12	5.8	3.46	<0.1	0.17	<0.02	8.0	0.6	<0.05	5.4	7.74	18.1	0.02	2	0.3	32.7	<10	<2
1813592	Drill Core	0.4	0.03	5.2	2.12	<0.1	0.18	<0.02	8.2	0.2	<0.05	6.1	6.94	33.3	0.03	<1	0.2	20.6	<10	<2
REP 1813592	QC																			
1813606	Drill Core	0.7	0.04	2.0	2.10	<0.1	0.16	0.80	15.7	0.5	<0.05	5.4	13.44	50.1	0.02	2	0.4	6.3	<10	<2
REP 1813606	QC	0.7	0.04	2.0	2.01	<0.1	0.14	0.81	14.4	0.5	<0.05	5.4	13.36	48.7	0.02	1	0.2	6.0	<10	<2
Core Reject Duplicates																				
1882222	Drill Core	0.3	0.03	4.6	2.69	<0.1	0.05	0.14	14.9	0.6	<0.05	1.0	10.31	19.5	<0.02	2	0.4	15.3	<10	<2
DUP 1882222	QC	0.4	0.02	4.6	2.64	<0.1	0.03	0.14	14.7	0.5	<0.05	0.9	9.27	18.4	<0.02	2	0.4	16.5	<10	<2
1813596	Drill Core	0.5	<0.02	5.1	1.87	<0.1	0.24	<0.02	6.7	0.3	<0.05	7.4	6.68	41.1	0.02	<1	0.2	16.1	<10	<2
DUP 1813596	QC	0.4	0.03	5.6	1.89	0.1	0.25	<0.02	6.9	0.3	<0.05	8.1	6.69	46.7	<0.02	<1	0.3	18.1	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.8	1.10	6.9	7.21	0.3	0.29	0.34	93.7	5.6	<0.05	6.2	15.02	55.3	0.50	2	0.8	22.7	135	189
STD DS11	Standard	1.9	4.54	4.8	2.91	<0.1	0.06	1.50	34.6	2.1	<0.05	2.8	8.15	39.5	0.27	44	0.8	23.5	90	182
STD DS11	Standard	1.9	4.27	4.9	2.86	<0.1	0.06	1.57	34.5	1.7	<0.05	2.7	8.16	38.4	0.26	49	0.7	22.0	90	162
STD DS11	Standard	2.0	4.57	5.2	3.11	0.1	0.07	1.87	36.1	2.0	<0.05	3.5	8.76	41.8	0.28	49	0.9	22.7	90	176
STD OREAS262	Standard	0.2	0.24	3.8	3.14	<0.1	0.26	<0.02	19.4	0.5	<0.05	7.4	10.37	34.4	0.03	1	1.1	18.6	<10	<2
STD OREAS262	Standard	0.2	0.21	3.8	3.11	<0.1	0.22	<0.02	19.5	0.5	<0.05	11.1	10.59	35.4	0.03	<1	1.2	15.9	<10	<2
STD OREAS262	Standard	0.4	0.21	4.3	3.06	<0.1	0.29	0.08	20.9	0.6	<0.05	11.3	10.84	37.5	0.03	<1	1.0	16.5	<10	2
STD OREAS262	Standard	0.4	0.23	4.3	3.30	<0.1	0.22	<0.02	22.9	0.6	<0.05	9.8	11.57	37.5	0.04	<1	0.9	17.0	17	<2
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000581.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXI138	Standard			1.855																	
STD OXI138	Standard			1.790																	
STD OXN134	Standard			7.928																	
STD OXN134	Standard			7.707																	
STD OXN134	Standard			7.522																	
STD OXQ90	Standard					25.02	30.29														
STD OXQ90	Standard					25.07	30.43														
STD OXQ90	Standard					25.14	30.55														
STD OXQ90	Standard					25.08	30.38														
STD OXQ90	Standard					25.38	29.87														
STD OXQ90	Standard					25.40	29.73														
STD OXQ90 Expected						24.88															
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000581.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000581.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000581.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Prep Wash																					
ROCK-WHI	Prep Blank		463	<0.005	<0.01	<0.17	38.83	0.90	5.73	1.36	31.9	9	1.9	4.3	528	1.87	1.0	0.4	1.2	2.0	21.2
ROCK-WHI	Prep Blank		471	<0.005	<0.01	<0.17	40.63	0.92	2.22	1.37	33.4	9	1.5	3.8	558	1.87	0.9	0.4	<0.2	2.3	20.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000581.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.10	0.02	26	0.69	0.039	5.9	5.5	0.54	47.8	0.074	1	0.93	0.087	0.08	<0.1	3.0	<0.02	0.03	7
ROCK-WHI	Prep Blank	0.02	0.06	<0.02	24	0.62	0.040	6.2	5.4	0.51	50.1	0.072	1	0.83	0.078	0.07	<0.1	3.2	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 08, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000581.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.15	<0.1	0.12	0.20	2.0	0.4	<0.05	2.0	8.08	12.1	0.02	<1	0.2	1.4	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.12	0.1	0.12	0.21	2.0	0.3	<0.05	2.2	8.63	12.3	<0.02	<1	0.2	1.3	<10