



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 26, 2019
Report Date: October 11, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000604.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-56
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	132	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	134	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1813626	Drill Core	1.11	313	1.809	1.87	2.35	36.13	0.71	32.11	9.17	64.9	4847	6.1	4.9	370	1.47	14.1	3.5	1615.2	10.5	11.8
1813627	Drill Core	1.00	439	1.091	1.17	1.99	40.14	0.36	18.32	3.46	28.8	822	2.1	4.1	264	1.24	8.5	2.3	1043.0	11.7	11.2
1813628	Drill Core	3.14	424	0.149	0.15	<0.17	33.33	0.30	23.94	10.72	34.5	275	4.3	5.2	354	1.44	2.6	1.6	149.9	11.3	90.0
1813629	Drill Core	3.22	406	0.293	0.38	1.17	38.54	0.27	40.35	46.84	36.2	2747	2.2	3.7	260	1.33	3.6	1.9	724.2	12.1	79.1
1813630	Drill Core	1.59	442	0.343	0.35	0.43	39.94	0.25	7.87	7.96	60.8	1350	2.1	5.3	233	1.41	3.7	2.7	411.6	15.1	67.3
1813631	Drill Core	1.33	455	1.695	1.71	1.87	33.73	0.54	23.34	8.25	66.3	1954	4.9	4.9	489	1.46	6.4	3.5	2068.0	11.7	21.2
1813632	Drill Core	2.72	424	1.607	1.63	1.87	36.42	0.44	18.38	12.10	58.3	1497	2.8	4.1	321	1.32	12.8	3.2	1312.0	13.9	17.0
1813633	Drill Core	2.95	431	0.305	0.31	0.33	36.37	0.43	9.25	7.59	20.2	345	2.2	3.4	248	1.21	89.6	1.2	260.3	13.4	28.9
1813634	Drill Core	1.45	445	0.295	0.34	0.86	39.44	0.24	14.80	7.13	19.8	405	1.4	3.1	214	1.29	40.0	1.2	345.7	14.4	16.4
1813635	Drill Core	1.27	555	0.540	1.39	13.79	35.47	0.30	15.85	13.56	17.3	1273	2.3	2.2	193	0.95	22.6	1.6	329.3	8.7	17.0
1813636	Drill Core	1.35	456	0.083	0.11	0.57	27.99	0.21	5.49	8.02	8.1	190	1.2	1.2	69	0.51	14.8	1.2	50.9	14.3	14.8
1813637	Drill Core	1.26	544	0.032	0.04	<0.17	40.36	0.21	16.11	16.09	9.5	254	1.1	1.7	103	0.48	19.7	1.2	28.5	14.6	10.4
1813638	Drill Core	1.20	541	0.073	0.14	1.17	35.07	0.52	13.92	71.59	29.3	1903	2.1	2.6	206	0.71	24.7	2.1	78.8	20.7	9.2
1813639	Drill Core	2.22	502	0.348	0.36	0.47	33.71	0.63	8.26	59.41	54.1	2444	3.0	3.4	358	1.13	57.4	2.3	276.6	19.4	10.9
1813640	Rock Pulp	0.12	91	<0.005				4.24	22.76	1.00	31.3	13	7.2	4.3	584	2.41	1.1	0.5	2.8	3.2	34.2
1813641	Drill Core	1.20	526	0.309	0.35	0.94	36.02	0.64	12.89	23.68	45.7	580	2.7	2.5	411	0.91	23.5	1.7	274.5	13.6	8.6
1813642	Drill Core	1.48	508	0.960	1.02	1.70	41.29	0.44	13.62	161.73	21.6	2526	1.5	1.4	142	0.75	6.5	1.4	940.4	8.5	6.1
1813643	Drill Core	3.22	434	0.021	0.03	<0.17	34.50	0.59	5.67	23.71	25.7	221	1.7	1.7	128	0.64	2.6	1.2	10.3	13.7	23.2
1813644	Drill Core	2.60	435	0.006	<0.01	<0.17	33.81	0.31	6.37	18.09	14.0	164	1.2	1.8	147	0.77	2.2	1.5	1.6	13.9	58.2
1813645	Drill Core	3.32	421	0.081	0.09	0.23	30.93	0.23	6.56	20.82	21.5	319	1.7	1.8	157	0.78	1.8	1.3	108.6	14.8	43.4
1813646	Drill Core	1.56	365	0.905	1.09	2.69	37.96	0.31	14.14	22.87	11.6	1612	1.5	1.0	57	0.95	2.2	2.7	765.3	10.1	93.4
1813647	Drill Core	1.85	434	0.470	0.55	1.41	36.17	0.27	16.62	18.17	14.7	493	1.1	1.1	81	0.73	10.5	2.2	427.0	14.0	14.7
1813648	Drill Core	2.04	406	0.373	0.37	0.33	36.62	0.27	14.77	12.30	15.6	463	1.2	1.7	153	0.56	15.3	1.7	202.5	14.4	28.6
1813649	Drill Core	1.49	475	0.756	0.76	0.81	39.37	0.47	11.95	10.56	16.8	738	1.7	1.5	146	0.82	7.7	3.2	359.5	12.0	52.2
1813650	Drill Core	2.64	460	0.022	0.02	<0.17	36.58	0.28	8.00	21.23	28.2	199	2.0	2.4	127	0.53	13.4	2.1	15.9	13.7	21.1
1813651	Drill Core	2.70	464	0.113	0.12	0.22	35.71	0.33	14.74	18.45	32.0	380	2.3	3.0	123	0.68	11.5	2.4	112.8	16.0	35.7
1813652	Drill Core	3.15	385	0.030	0.03	<0.17	33.89	0.29	8.62	20.71	13.9	213	1.0	1.3	135	0.60	17.9	1.5	28.1	16.4	39.8
1813653	Drill Core	1.57	350	0.020	0.02	<0.17	33.26	0.20	7.22	22.30	14.0	150	1.0	1.1	117	0.53	7.8	2.3	17.9	14.5	50.3
1813654	Drill Core	1.54	544	0.253	0.24	<0.17	35.66	0.30	28.57	12.24	9.7	437	1.0	0.7	48	0.54	3.0	1.8	173.1	8.5	8.4
1813655	Drill Core	1.41	518	0.177	0.17	<0.17	36.71	0.38	16.63	52.33	25.7	942	1.5	1.5	70	0.68	14.7	3.3	194.0	13.4	16.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813626	Drill Core	0.81	0.44	0.04	3	0.12	0.038	29.3	6.7	0.29	413.9	0.002	<1	0.54	0.022	0.21	9.4	1.9	0.07	<0.02	12
1813627	Drill Core	0.29	0.24	0.03	2	0.11	0.034	25.8	2.7	0.27	228.9	0.002	<1	0.48	0.018	0.19	0.1	1.1	0.06	0.06	<5
1813628	Drill Core	0.25	0.14	0.07	5	1.04	0.050	18.5	4.9	0.67	208.8	0.002	<1	0.79	0.009	0.24	0.1	1.7	0.07	0.11	<5
1813629	Drill Core	0.26	0.28	0.09	3	0.98	0.056	19.4	2.9	0.47	187.5	0.002	<1	0.61	0.019	0.23	0.1	1.4	0.07	0.29	9
1813630	Drill Core	0.84	0.16	0.06	3	0.85	0.042	19.5	2.6	0.44	202.4	0.002	<1	0.58	0.015	0.25	<0.1	1.4	0.08	0.42	20
1813631	Drill Core	0.72	0.23	0.06	3	0.26	0.099	16.8	2.4	0.26	338.5	0.002	<1	0.55	0.011	0.24	0.1	1.6	0.07	0.12	<5
1813632	Drill Core	0.54	0.23	0.13	2	0.16	0.067	27.5	2.4	0.23	495.3	0.002	<1	0.54	0.012	0.26	<0.1	1.0	0.07	0.06	<5
1813633	Drill Core	0.21	0.74	0.10	2	0.40	0.043	25.8	2.2	0.18	219.0	0.001	<1	0.48	0.016	0.26	<0.1	1.0	0.07	0.08	18
1813634	Drill Core	0.13	0.32	0.05	2	0.24	0.046	26.3	2.4	0.31	180.7	0.001	<1	0.57	0.017	0.25	<0.1	1.1	0.06	0.14	6
1813635	Drill Core	0.12	0.44	0.04	2	0.13	0.053	20.6	3.9	0.16	324.7	<0.001	<1	0.32	0.012	0.16	0.1	0.8	0.05	0.03	<5
1813636	Drill Core	0.06	0.25	0.03	2	0.09	0.042	34.0	2.4	0.04	226.5	<0.001	<1	0.25	0.019	0.23	<0.1	0.5	0.05	<0.02	<5
1813637	Drill Core	0.12	0.29	0.10	1	0.08	0.039	33.1	2.0	0.05	258.9	<0.001	<1	0.24	0.018	0.23	<0.1	0.5	0.06	<0.02	<5
1813638	Drill Core	0.31	0.46	0.88	1	0.09	0.039	47.3	2.7	0.11	412.4	0.001	<1	0.35	0.009	0.27	<0.1	0.6	0.07	<0.02	12
1813639	Drill Core	0.63	0.74	0.65	2	0.11	0.045	39.2	3.6	0.20	293.5	<0.001	<1	0.43	0.013	0.24	<0.1	0.9	0.08	<0.02	<5
1813640	Rock Pulp	0.02	0.17	<0.02	23	0.81	0.043	6.3	14.9	0.49	58.4	0.088	2	1.03	0.068	0.08	0.2	3.6	<0.02	0.05	<5
1813641	Drill Core	0.75	0.36	0.12	2	0.11	0.042	34.8	3.1	0.17	250.8	0.001	<1	0.38	0.017	0.22	<0.1	0.9	0.06	<0.02	<5
1813642	Drill Core	0.20	0.30	0.26	1	0.06	0.027	15.1	2.8	0.12	187.0	<0.001	<1	0.24	0.015	0.16	<0.1	0.6	0.04	0.10	8
1813643	Drill Core	0.33	0.14	0.11	1	0.26	0.029	26.5	2.5	0.24	301.8	0.001	<1	0.40	0.012	0.25	<0.1	0.9	0.08	0.04	<5
1813644	Drill Core	0.16	0.17	0.14	2	0.56	0.029	21.2	2.6	0.27	191.2	0.001	<1	0.42	0.016	0.25	<0.1	1.1	0.07	0.12	<5
1813645	Drill Core	0.23	0.13	0.09	2	0.30	0.033	24.6	2.6	0.20	370.1	0.001	<1	0.37	0.018	0.25	<0.1	0.9	0.06	0.10	<5
1813646	Drill Core	0.11	0.25	0.02	1	0.09	0.043	14.8	2.8	0.09	916.5	0.001	<1	0.25	0.031	0.17	<0.1	0.8	0.04	0.18	<5
1813647	Drill Core	0.19	0.24	0.08	2	0.08	0.035	22.5	2.7	0.10	232.5	0.001	<1	0.28	0.024	0.22	<0.1	0.7	0.05	0.08	<5
1813648	Drill Core	0.26	0.17	0.02	2	0.08	0.036	25.3	2.8	0.08	646.0	0.002	<1	0.29	0.024	0.25	<0.1	0.7	0.05	<0.02	<5
1813649	Drill Core	0.25	0.36	<0.02	1	0.05	0.027	19.5	3.0	0.08	1273.2	0.001	<1	0.22	0.026	0.16	<0.1	1.0	0.04	0.04	<5
1813650	Drill Core	0.28	0.25	0.04	2	0.09	0.038	35.0	2.8	0.15	489.0	0.002	<1	0.35	0.022	0.24	<0.1	0.8	0.06	<0.02	<5
1813651	Drill Core	0.26	0.37	0.04	2	0.18	0.037	31.4	2.9	0.16	532.7	0.002	<1	0.34	0.022	0.23	<0.1	1.0	0.06	0.05	<5
1813652	Drill Core	0.25	0.38	0.04	2	0.31	0.037	34.1	2.5	0.18	594.6	0.002	<1	0.35	0.026	0.24	<0.1	0.9	0.06	0.05	<5
1813653	Drill Core	0.13	0.23	0.04	1	0.42	0.037	29.0	2.5	0.18	822.5	0.001	<1	0.35	0.023	0.24	<0.1	0.7	0.05	0.05	<5
1813654	Drill Core	0.06	0.27	0.02	<1	0.04	0.020	15.8	2.6	0.05	258.5	<0.001	<1	0.17	0.015	0.15	<0.1	0.4	0.04	0.05	<5
1813655	Drill Core	0.17	0.66	0.24	1	0.10	0.044	25.4	2.5	0.08	591.7	<0.001	<1	0.25	0.017	0.19	0.1	0.6	0.05	0.06	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813626	Drill Core	<0.1	0.58	1.5	0.24	<0.1	0.21	<0.02	6.9	0.4	<0.05	8.5	7.19	54.3	0.03	<1	0.3	6.4	<10	<2			
1813627	Drill Core	<0.1	0.23	1.4	0.27	<0.1	0.16	<0.02	6.6	0.4	<0.05	5.5	5.88	46.8	<0.02	<1	0.3	6.0	<10	<2			
1813628	Drill Core	<0.1	0.04	1.7	0.27	<0.1	0.12	<0.02	8.2	0.2	<0.05	4.7	4.84	34.4	<0.02	<1	0.3	10.1	<10	<2			
1813629	Drill Core	<0.1	1.07	1.5	0.24	<0.1	0.03	<0.02	8.1	0.2	<0.05	1.3	4.62	36.0	<0.02	<1	0.2	8.4	<10	<2			
1813630	Drill Core	<0.1	0.32	1.3	0.23	<0.1	0.02	<0.02	9.2	0.2	<0.05	1.2	5.34	37.8	<0.02	<1	0.2	7.9	<10	<2			
1813631	Drill Core	<0.1	0.74	1.4	0.29	<0.1	0.02	<0.02	8.6	0.3	<0.05	0.9	7.12	33.4	<0.02	<1	0.2	6.3	<10	<2			
1813632	Drill Core	<0.1	0.41	1.2	0.26	<0.1	<0.02	<0.02	9.6	0.2	<0.05	0.8	6.26	50.7	<0.02	<1	0.2	6.8	<10	<2			
1813633	Drill Core	<0.1	0.04	1.1	0.45	<0.1	0.03	<0.02	9.3	0.2	<0.05	1.5	5.50	48.4	<0.02	<1	0.2	6.3	<10	<2			
1813634	Drill Core	<0.1	0.10	1.4	0.33	<0.1	0.03	<0.02	9.5	0.2	<0.05	1.2	6.97	49.6	<0.02	<1	0.3	7.5	<10	<2			
1813635	Drill Core	<0.1	0.66	0.6	0.62	<0.1	0.06	<0.02	6.4	0.2	<0.05	2.0	5.93	37.4	<0.02	<1	0.2	4.1	<10	<2			
1813636	Drill Core	<0.1	0.06	0.6	0.75	<0.1	0.24	<0.02	7.7	0.2	<0.05	6.6	6.40	64.4	<0.02	<1	0.2	1.9	<10	<2			
1813637	Drill Core	<0.1	0.05	0.6	0.58	<0.1	0.27	<0.02	7.7	0.3	<0.05	7.9	5.82	60.5	<0.02	<1	0.1	1.9	<10	<2			
1813638	Drill Core	<0.1	0.87	0.9	0.60	<0.1	0.09	<0.02	10.0	0.3	<0.05	3.3	8.69	84.5	<0.02	<1	0.3	4.1	<10	<2			
1813639	Drill Core	<0.1	1.02	1.5	0.91	<0.1	0.05	<0.02	9.3	0.2	<0.05	1.9	10.13	75.9	<0.02	<1	0.3	6.0	<10	<2			
1813640	Rock Pulp	<0.1	<0.02	3.9	0.14	<0.1	0.13	0.37	2.2	1.9	<0.05	3.0	8.10	11.8	<0.02	<1	0.2	1.1	<10	<2			
1813641	Drill Core	<0.1	0.09	1.2	0.46	<0.1	0.03	<0.02	8.5	0.2	<0.05	1.2	7.63	59.8	<0.02	<1	0.3	5.8	<10	<2			
1813642	Drill Core	0.2	1.16	0.8	0.19	<0.1	0.08	<0.02	5.7	0.2	<0.05	2.3	3.14	27.8	<0.02	<1	0.2	2.7	<10	<2			
1813643	Drill Core	<0.1	<0.02	0.9	0.23	<0.1	0.26	<0.02	8.2	0.2	<0.05	7.2	5.75	46.6	<0.02	<1	0.2	4.7	<10	<2			
1813644	Drill Core	<0.1	<0.02	1.2	0.21	<0.1	0.30	<0.02	8.3	0.2	<0.05	8.1	5.15	37.5	<0.02	<1	0.2	4.1	<10	<2			
1813645	Drill Core	<0.1	0.08	1.1	0.32	<0.1	0.40	<0.02	8.5	0.2	<0.05	11.4	5.99	45.0	<0.02	<1	0.2	3.7	<10	<2			
1813646	Drill Core	<0.1	0.85	0.8	0.26	<0.1	0.22	<0.02	6.0	0.1	<0.05	6.2	3.47	27.1	<0.02	<1	0.2	1.8	<10	<2			
1813647	Drill Core	<0.1	0.09	0.9	0.33	<0.1	0.30	0.02	8.0	0.1	<0.05	8.8	4.57	41.8	<0.02	<1	0.2	3.0	<10	<2			
1813648	Drill Core	<0.1	0.12	0.9	0.27	<0.1	0.32	<0.02	9.2	0.2	<0.05	8.8	5.62	46.9	<0.02	<1	0.3	2.8	<10	<2			
1813649	Drill Core	<0.1	0.31	0.7	0.21	<0.1	0.27	<0.02	6.0	0.1	<0.05	7.0	3.14	34.8	<0.02	<1	0.2	2.0	<10	<2			
1813650	Drill Core	<0.1	0.05	1.0	0.34	<0.1	0.32	<0.02	8.2	0.2	<0.05	9.0	6.16	62.0	<0.02	<1	0.2	3.4	<10	<2			
1813651	Drill Core	0.2	0.05	1.0	0.35	<0.1	0.36	<0.02	8.5	0.2	<0.05	8.6	5.64	56.4	<0.02	<1	0.2	3.7	<10	<2			
1813652	Drill Core	<0.1	0.05	1.1	0.32	<0.1	0.31	<0.02	8.5	0.2	<0.05	8.6	5.55	61.2	<0.02	<1	0.2	3.6	<10	<2			
1813653	Drill Core	<0.1	<0.02	1.0	0.28	<0.1	0.34	<0.02	8.2	0.2	<0.05	9.1	5.29	50.0	<0.02	<1	0.2	3.2	<10	<2			
1813654	Drill Core	<0.1	0.12	0.5	0.30	<0.1	0.27	<0.02	5.2	0.1	<0.05	6.8	2.33	28.4	<0.02	<1	0.2	1.4	<10	<2			
1813655	Drill Core	<0.1	0.39	0.7	0.86	<0.1	0.33	<0.02	7.2	0.2	<0.05	9.6	5.46	45.5	<0.02	<1	0.2	2.5	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1813656	Drill Core	1.15	527	0.217	0.20	<0.17	35.26	0.35	6.48	14.97	24.8	1722	1.4	1.7	88	0.82	10.8	3.4	150.3	15.1	23.7
1813657	Drill Core	1.24	565	0.048	0.04	<0.17	38.79	0.42	7.80	25.79	23.2	907	1.3	1.8	115	0.54	6.1	1.2	34.9	10.4	10.8
1813658	Drill Core	3.17	345	0.013	0.01	<0.17	29.10	0.55	5.18	27.43	20.6	267	1.3	2.5	124	0.57	8.9	1.3	16.6	13.2	29.2
1813659	Drill Core	2.84	505	0.021	0.02	<0.17	34.95	0.39	5.20	19.39	19.4	246	1.3	3.0	98	0.54	11.6	2.1	15.2	10.5	37.3
1813660	Core DUP		528	0.016	0.02	<0.17	32.55	0.34	5.25	18.66	17.7	245	1.3	2.9	94	0.56	11.4	2.1	15.9	11.9	35.7
1813661	Drill Core	3.01	410	0.182	0.27	1.26	32.42	0.24	21.39	11.39	17.0	517	1.5	3.0	132	0.67	10.1	1.6	113.1	12.1	32.5
1813662	Drill Core	3.38	371	0.019	0.02	<0.17	33.89	0.15	4.80	12.84	8.7	172	0.6	0.7	104	0.51	7.2	1.0	15.0	9.7	57.7
1813663	Drill Core	1.36	487	0.912	1.00	2.12	36.81	0.26	13.61	4.79	14.8	1280	1.9	2.2	125	0.74	8.3	1.5	1486.8	12.1	34.5
1813664	Drill Core	1.42	496	0.419	0.45	0.91	29.61	0.84	13.56	13.58	15.8	930	1.6	1.9	268	0.82	9.2	1.4	418.8	12.8	40.0
1813665	Drill Core	1.41	373	0.309	0.30	0.26	34.52	0.35	10.87	5.34	11.4	522	1.5	2.1	218	0.90	6.5	2.0	260.6	10.8	41.4
1813666	Drill Core	1.66	571	0.468	0.45	<0.17	36.00	0.94	13.38	14.36	13.8	489	1.3	1.8	164	0.57	4.4	1.8	677.0	11.6	39.6
1813667	Drill Core	2.08	418	0.021	0.02	<0.17	41.43	0.60	4.97	11.34	13.2	191	0.8	1.1	131	0.59	13.9	1.6	12.4	12.6	77.2
1813668	Drill Core	1.66	384	0.013	0.01	<0.17	29.35	0.37	5.37	16.38	9.6	148	0.7	0.9	126	0.49	8.8	1.9	10.1	14.2	100.5
1813669	Drill Core	1.67	415	0.012	0.01	<0.17	39.25	0.23	10.04	13.27	11.9	268	1.3	2.0	95	0.54	10.4	1.1	8.1	15.9	46.0
1813670	Drill Core	1.56	369	0.088	0.09	<0.17	32.84	0.24	8.35	15.76	12.7	320	1.4	1.6	97	0.60	7.4	1.2	38.0	15.1	31.7
1813671	Drill Core	1.36	458	0.140	0.14	<0.17	31.76	0.22	17.98	9.27	6.5	858	0.9	0.9	44	0.58	3.2	1.3	177.3	12.3	25.5
1813672	Drill Core	1.51	384	0.242	0.26	0.39	38.94	0.21	10.81	16.53	9.9	579	1.1	1.4	241	0.68	7.1	1.1	329.2	13.8	45.8
1813673	Drill Core	2.70	506	0.203	0.25	0.99	28.42	0.19	4.85	16.89	11.6	203	1.0	1.4	145	0.58	8.5	1.1	108.1	14.4	27.8
1813674	Drill Core	3.09	478	0.213	0.23	0.42	30.62	0.24	6.32	72.34	30.1	679	1.1	1.4	186	0.73	10.6	1.4	511.1	15.0	51.8
1813675	Drill Core	1.56	433	0.505	0.60	1.64	37.90	0.50	10.60	175.19	23.6	2103	2.1	2.6	142	0.95	10.1	1.3	600.6	12.1	12.7
1813676	Drill Core	1.45	493	0.056	0.05	<0.17	29.21	0.59	9.11	9.93	15.1	266	2.1	2.9	137	0.82	12.2	1.1	104.5	14.6	40.0
1813677	Drill Core	3.55	458	0.371	0.39	0.59	38.75	1.63	11.22	17.46	20.4	522	1.2	2.1	225	0.75	4.5	2.3	339.6	17.7	95.5
1813678	Drill Core	1.38	425	0.505	0.50	0.39	33.15	0.39	13.85	17.77	33.3	895	2.4	2.7	176	0.95	4.9	1.7	384.4	14.7	42.0
1813679	Drill Core	1.74	465	0.016	0.01	<0.17	32.49	0.39	5.61	22.64	22.6	225	1.6	2.6	185	0.81	9.6	1.3	13.4	15.0	52.7
1813680	Rock	0.24	167	<0.005	<0.01	<0.17	27.09	0.34	0.89	0.87	0.9	8	0.8	0.3	54	0.49	0.8	0.2	0.3	2.2	1.0
1813681	Drill Core	2.54	414	0.243	0.29	0.78	33.46	0.29	9.40	60.82	42.8	439	1.6	2.6	208	0.80	6.6	0.9	132.5	13.4	91.7
1813682	Drill Core	3.54	405	<0.005	<0.01	<0.17	36.54	0.76	5.58	19.01	27.8	118	1.6	2.0	164	0.78	0.9	1.4	0.8	12.6	112.3
1813683	Drill Core	2.60	463	0.030	0.03	<0.17	30.60	1.91	2.40	33.96	13.8	216	0.5	0.4	160	0.52	1.3	2.4	31.0	19.6	83.8
1813684	Drill Core	1.82	410	0.348	0.42	1.11	38.82	0.46	8.73	14.44	13.4	473	1.3	1.2	164	0.64	2.1	3.6	254.7	14.1	84.2
1813685	Drill Core	3.43	417	0.422	0.40	0.23	39.90	0.19	6.94	11.13	20.0	359	2.4	2.9	242	0.87	1.8	4.4	426.7	14.8	101.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813656	Drill Core	0.23	0.41	0.05	1	0.13	0.070	30.2	2.8	0.08	445.5	<0.001	<1	0.27	0.020	0.20	0.2	0.8	0.06	<5
1813657	Drill Core	0.16	0.28	0.11	1	0.05	0.027	23.6	2.6	0.07	281.9	<0.001	<1	0.20	0.012	0.18	<0.1	0.5	0.05	<0.02
1813658	Drill Core	0.17	0.33	0.33	2	0.17	0.044	33.6	3.0	0.18	215.7	0.001	<1	0.35	0.023	0.24	<0.1	1.0	0.06	<0.02
1813659	Drill Core	0.17	0.48	0.22	2	0.21	0.043	30.3	2.0	0.18	193.6	0.001	1	0.33	0.022	0.21	<0.1	1.3	0.06	0.03
1813660	Core DUP	0.19	0.46	0.20	2	0.21	0.042	29.2	2.1	0.18	192.7	0.001	1	0.33	0.022	0.21	<0.1	1.3	0.06	0.02
1813661	Drill Core	0.16	0.60	0.07	2	0.24	0.041	23.5	2.4	0.20	220.4	0.001	<1	0.36	0.021	0.24	0.1	1.1	0.06	0.15
1813662	Drill Core	0.07	0.18	0.06	1	0.35	0.031	19.8	1.6	0.11	590.9	0.002	<1	0.30	0.027	0.25	<0.1	0.9	0.05	0.09
1813663	Drill Core	0.18	0.32	<0.02	1	0.15	0.038	17.2	2.2	0.15	587.7	0.001	<1	0.26	0.026	0.18	<0.1	0.8	0.04	0.21
1813664	Drill Core	0.22	0.47	0.08	2	0.46	0.053	19.7	2.3	0.20	196.5	0.001	<1	0.33	0.022	0.20	<0.1	1.2	0.04	0.17
1813665	Drill Core	0.13	0.33	0.03	2	0.50	0.034	15.8	2.2	0.19	160.2	0.001	<1	0.29	0.024	0.18	<0.1	1.0	0.04	0.34
1813666	Drill Core	0.30	0.32	0.08	1	0.20	0.042	19.4	1.9	0.13	975.1	0.001	<1	0.27	0.020	0.21	<0.1	0.8	0.04	0.18
1813667	Drill Core	0.11	0.49	<0.02	2	0.67	0.033	28.2	1.9	0.14	194.0	0.001	<1	0.30	0.022	0.23	<0.1	0.8	0.04	0.12
1813668	Drill Core	0.09	0.39	<0.02	2	0.86	0.032	32.7	2.0	0.12	311.4	0.002	<1	0.30	0.026	0.24	<0.1	0.8	0.04	0.06
1813669	Drill Core	0.08	0.35	0.04	2	0.35	0.032	36.4	2.1	0.14	331.1	0.002	<1	0.30	0.026	0.23	<0.1	0.9	0.04	0.08
1813670	Drill Core	0.10	0.24	0.05	1	0.23	0.035	28.7	2.0	0.17	311.9	0.002	<1	0.35	0.027	0.24	<0.1	0.9	0.05	0.12
1813671	Drill Core	0.02	0.32	<0.02	1	0.12	0.047	19.5	2.1	0.08	308.4	0.001	<1	0.23	0.027	0.20	<0.1	0.6	0.04	0.15
1813672	Drill Core	0.12	0.38	0.02	1	0.50	0.055	20.0	2.1	0.12	720.1	0.001	<1	0.27	0.027	0.20	<0.1	0.7	0.04	0.23
1813673	Drill Core	0.11	0.25	0.03	1	0.25	0.035	25.8	1.9	0.13	407.9	0.002	<1	0.28	0.025	0.21	<0.1	0.6	0.04	0.13
1813674	Drill Core	0.21	0.25	0.35	1	0.52	0.077	24.2	2.2	0.26	215.6	0.001	<1	0.42	0.017	0.26	<0.1	0.9	0.05	0.15
1813675	Drill Core	0.22	0.37	0.71	1	0.09	0.028	19.5	2.7	0.20	319.5	0.001	<1	0.29	0.026	0.15	<0.1	0.8	0.04	0.17
1813676	Drill Core	0.16	0.21	0.08	1	0.58	0.033	24.8	2.2	0.22	152.7	0.001	<1	0.36	0.023	0.20	<0.1	0.9	0.04	0.23
1813677	Drill Core	0.28	0.23	0.33	2	1.02	0.038	26.4	3.3	0.40	250.4	0.002	<1	0.56	0.011	0.31	0.1	1.1	0.07	0.14
1813678	Drill Core	0.24	0.34	0.19	2	0.46	0.032	21.9	3.7	0.39	181.9	0.002	<1	0.48	0.015	0.23	0.1	0.9	0.04	0.26
1813679	Drill Core	0.18	0.38	0.19	2	0.60	0.033	26.0	2.7	0.35	209.1	0.002	<1	0.49	0.018	0.24	0.2	1.0	0.06	0.11
1813680	Rock	<0.01	0.02	<0.02	<1	0.02	0.001	1.9	3.7	<0.01	6.1	0.002	1	0.03	0.002	<0.01	<0.1	0.1	<0.02	<0.02
1813681	Drill Core	0.28	0.30	0.30	1	0.75	0.035	26.8	2.9	0.34	234.0	0.002	<1	0.49	0.019	0.25	0.3	1.0	0.06	0.09
1813682	Drill Core	0.15	0.12	0.15	1	0.71	0.026	19.9	2.7	0.43	169.2	0.001	<1	0.53	0.013	0.24	0.1	1.0	0.05	0.05
1813683	Drill Core	0.16	0.10	0.37	<1	0.76	0.003	21.7	1.7	0.27	189.2	<0.001	<1	0.35	0.012	0.24	<0.1	1.0	0.05	0.07
1813684	Drill Core	0.18	0.13	0.13	<1	0.72	0.015	16.0	2.5	0.28	328.0	<0.001	<1	0.34	0.018	0.21	0.1	0.9	0.05	0.18
1813685	Drill Core	0.23	0.27	0.14	1	0.98	0.023	17.0	2.7	0.40	249.1	0.002	<1	0.45	0.019	0.24	<0.1	1.3	0.09	0.25



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813656	Drill Core	<0.1	0.25	0.8	0.84	<0.1	0.33	<0.02	8.0	0.2	<0.05	9.3	6.75	55.5	<0.02	<1	0.2	2.9	<10	<2			
1813657	Drill Core	<0.1	0.46	0.6	0.52	<0.1	0.29	<0.02	6.2	0.3	<0.05	6.7	4.85	45.0	<0.02	<1	0.2	2.3	<10	<2			
1813658	Drill Core	<0.1	0.02	1.1	0.53	<0.1	0.42	<0.02	8.5	0.2	<0.05	11.4	6.61	62.0	<0.02	<1	0.2	3.9	<10	<2			
1813659	Drill Core	<0.1	0.02	0.9	0.85	<0.1	0.32	<0.02	7.5	0.3	<0.05	9.7	5.62	56.9	<0.02	<1	0.3	3.7	<10	<2			
1813660	Core DUP	<0.1	<0.02	0.9	0.90	<0.1	0.33	<0.02	7.3	0.2	<0.05	9.9	5.38	54.7	<0.02	<1	0.2	3.6	<10	<2			
1813661	Drill Core	<0.1	0.11	1.2	0.72	<0.1	0.31	<0.02	8.1	0.2	<0.05	9.6	5.15	45.0	<0.02	<1	0.2	4.1	<10	<2			
1813662	Drill Core	<0.1	<0.02	0.9	0.30	<0.1	0.19	<0.02	8.3	0.2	<0.05	6.6	3.86	37.2	<0.02	<1	0.2	2.3	<10	<2			
1813663	Drill Core	<0.1	0.41	0.8	0.30	<0.1	0.38	<0.02	5.9	0.1	<0.05	9.6	5.27	31.3	<0.02	<1	0.2	2.5	<10	<2			
1813664	Drill Core	0.2	0.31	0.9	0.38	<0.1	0.32	<0.02	6.4	0.2	<0.05	9.1	7.09	36.4	<0.02	<1	0.1	3.3	<10	<2			
1813665	Drill Core	0.2	0.19	0.7	0.36	<0.1	0.13	<0.02	5.5	0.1	<0.05	4.3	4.24	29.4	<0.02	<1	0.2	3.2	<10	<2			
1813666	Drill Core	<0.1	0.13	0.7	0.43	<0.1	0.30	<0.02	6.5	0.2	<0.05	7.4	4.64	34.9	<0.02	<1	0.2	2.7	<10	<2			
1813667	Drill Core	0.1	<0.02	0.8	0.31	<0.1	0.20	<0.02	7.3	0.2	<0.05	4.8	6.03	51.5	<0.02	<1	0.2	2.9	<10	<2			
1813668	Drill Core	<0.1	<0.02	0.8	0.29	<0.1	0.26	<0.02	7.5	0.1	<0.05	6.4	6.10	58.6	<0.02	<1	0.2	2.3	<10	<2			
1813669	Drill Core	<0.1	<0.02	0.8	0.33	<0.1	0.30	<0.02	8.0	0.2	<0.05	7.2	5.43	63.8	<0.02	<1	0.2	2.7	<10	<2			
1813670	Drill Core	<0.1	0.04	0.9	0.64	<0.1	0.35	<0.02	8.4	0.2	<0.05	10.1	5.22	51.9	<0.02	<1	0.2	2.9	<10	<2			
1813671	Drill Core	<0.1	0.21	0.7	0.43	<0.1	0.31	<0.02	6.7	0.1	<0.05	7.7	3.60	37.5	<0.02	<1	0.2	1.8	<10	<2			
1813672	Drill Core	<0.1	0.20	0.8	0.32	<0.1	0.35	<0.02	7.0	<0.1	<0.05	9.5	8.03	38.3	<0.02	<1	0.2	2.8	<10	<2			
1813673	Drill Core	<0.1	0.06	0.8	0.31	<0.1	0.37	<0.02	7.7	<0.1	<0.05	9.9	7.11	46.9	<0.02	<1	0.2	2.8	<10	<2			
1813674	Drill Core	<0.1	0.12	1.2	0.37	<0.1	0.34	<0.02	8.8	0.1	<0.05	10.3	8.48	44.8	<0.02	<1	0.2	4.8	<10	<2			
1813675	Drill Core	0.6	0.80	0.8	0.22	<0.1	0.10	<0.02	4.9	0.2	<0.05	3.4	4.75	37.6	<0.02	<1	0.1	2.7	<10	<2			
1813676	Drill Core	0.2	0.04	1.1	0.25	<0.1	0.10	<0.02	6.4	<0.1	<0.05	3.1	6.81	46.1	<0.02	<1	0.1	3.9	<10	<2			
1813677	Drill Core	0.1	0.04	1.6	0.23	<0.1	0.34	<0.02	10.0	0.2	<0.05	9.0	7.45	49.9	<0.02	<1	0.3	5.6	<10	<2			
1813678	Drill Core	<0.1	0.25	1.4	0.26	<0.1	0.13	<0.02	7.1	0.3	<0.05	3.4	5.91	41.4	<0.02	<1	0.4	5.1	<10	<2			
1813679	Drill Core	<0.1	<0.02	1.3	0.30	<0.1	0.17	<0.02	7.2	0.3	<0.05	4.7	5.63	49.1	<0.02	<1	0.3	5.4	<10	<2			
1813680	Rock	<0.1	<0.02	0.1	0.05	<0.1	0.09	0.05	0.4	<0.1	<0.05	1.8	0.68	3.7	<0.02	<1	<0.1	0.4	<10	<2			
1813681	Drill Core	<0.1	<0.02	1.2	0.54	<0.1	0.04	<0.02	7.9	0.2	<0.05	1.6	5.79	48.9	<0.02	<1	0.3	5.4	<10	<2			
1813682	Drill Core	<0.1	<0.02	1.3	0.46	<0.1	0.12	<0.02	7.9	0.2	<0.05	3.0	3.58	37.5	<0.02	<1	0.2	5.3	<10	<2			
1813683	Drill Core	<0.1	<0.02	1.0	0.31	<0.1	0.28	0.05	7.4	0.2	<0.05	7.0	4.54	42.8	<0.02	1	0.2	3.4	<10	<2			
1813684	Drill Core	<0.1	0.20	1.0	0.35	<0.1	0.12	<0.02	6.8	0.3	<0.05	2.7	3.93	31.4	<0.02	<1	0.2	3.4	<10	<2			
1813685	Drill Core	<0.1	0.14	1.3	0.39	<0.1	0.05	<0.02	8.3	0.2	<0.05	1.8	4.12	31.9	<0.02	<1	0.3	4.9	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1813686	Drill Core	2.37	390	0.023	0.02	<0.17	38.68	0.36	7.72	11.05	29.9	203	2.0	2.5	188	0.86	14.9	0.8	16.0	14.4	30.4
1813687	Drill Core	3.26	523	0.079	0.07	<0.17	39.45	0.48	4.89	10.52	27.4	146	1.9	2.9	248	0.86	10.2	2.2	42.7	15.0	88.4
1813688	Drill Core	2.99	466	0.030	0.03	<0.17	32.97	0.19	6.44	48.75	25.5	328	2.0	4.1	257	0.98	8.4	3.0	33.3	14.8	134.8
1813689	Drill Core	3.14	410	<0.005	<0.01	<0.17	33.97	0.87	5.14	29.06	21.7	227	1.6	2.0	208	0.82	1.8	1.4	7.0	14.2	116.8
1813690	Drill Core	1.70	387	<0.005	<0.01	<0.17	34.44	0.30	30.27	27.59	74.0	283	34.8	21.4	785	3.34	1.1	1.2	8.0	4.4	412.5
1813691	Drill Core	2.90	465	<0.005	<0.01	<0.17	33.56	0.33	11.38	18.33	24.1	144	3.4	3.9	262	1.03	0.6	2.2	3.2	11.1	182.5
1813692	Drill Core	1.72	458	0.005	<0.01	<0.17	34.73	1.32	6.95	16.91	27.1	125	1.8	2.7	286	0.95	0.9	1.7	3.3	11.6	152.8
1813693	Drill Core	1.73	457	0.026	0.02	<0.17	36.26	0.30	5.74	17.01	19.0	121	1.8	2.1	238	0.76	0.8	1.1	25.4	11.3	156.8
1813694	Drill Core	3.33	422	0.005	<0.01	<0.17	26.43	0.24	11.66	14.84	21.4	89	2.1	3.5	251	0.86	0.4	1.3	1.4	11.1	153.1
1813695	Drill Core	2.65	450	0.009	<0.01	<0.17	41.27	0.49	7.47	18.55	36.2	131	2.1	2.3	210	0.77	2.9	0.8	5.1	14.5	56.4
1813696	Drill Core	2.53	429	<0.005	<0.01	<0.17	29.76	0.69	8.20	23.94	30.9	211	1.6	1.3	196	0.74	1.5	0.7	<0.2	13.1	66.6
1813697	Drill Core	2.43	424	<0.005	<0.01	<0.17	37.90	2.60	2.23	79.47	49.9	638	0.6	0.6	233	0.82	2.1	0.9	14.9	18.4	15.7
1813698	Drill Core	1.99	416	<0.005	<0.01	<0.17	39.39	0.60	7.95	17.47	30.8	183	0.5	0.6	109	0.58	1.2	0.6	0.7	16.3	24.2
1813699	Drill Core	2.17	455	0.007	<0.01	<0.17	33.50	0.36	9.35	22.82	30.0	136	0.3	0.7	123	0.50	5.5	0.8	<0.2	17.3	41.7
1813700	Rock Pulp	0.12	93	7.135				9.72	210.51	20.22	78.8	873	14.1	9.8	543	4.81	14.2	0.9	7260.4	3.0	65.4
1813701	Drill Core	3.36	482	<0.005	<0.01	<0.17	36.19	0.46	4.62	20.34	30.7	123	0.4	0.7	96	0.52	1.2	1.0	<0.2	17.5	17.7
1813702	Drill Core	2.96	467	<0.005	<0.01	<0.17	32.76	0.81	4.65	25.91	16.5	160	0.3	0.2	105	0.48	0.3	1.4	0.7	17.6	43.2
1813703	Drill Core	3.37	514	<0.005	<0.01	<0.17	38.04	0.28	3.84	22.53	5.0	120	0.2	0.2	55	0.33	0.5	1.8	0.3	16.3	19.6
1813704	Drill Core	2.27	463	0.005	<0.01	<0.17	28.95	0.36	4.25	18.84	5.4	124	0.2	0.1	46	0.32	1.2	1.7	<0.2	16.9	18.1
1813705	Drill Core	3.25	493	<0.005	<0.01	<0.17	37.74	1.04	1.85	14.35	35.5	96	0.2	0.2	96	0.62	1.3	2.8	0.5	18.3	45.8
1813706	Drill Core	2.99	458	0.008	<0.01	<0.17	32.27	0.99	3.32	28.21	37.9	231	0.5	0.5	124	0.70	3.8	1.4	0.9	18.5	58.4
1813707	Drill Core	3.26	493	<0.005	<0.01	<0.17	31.89	2.33	2.14	16.41	41.5	145	0.3	0.5	130	0.66	1.4	2.0	<0.2	17.9	47.9
1813708	Drill Core	3.48	436	0.023	0.02	<0.17	29.29	1.04	6.72	17.78	27.8	287	2.0	2.1	223	0.82	22.5	1.5	14.1	13.9	81.2
1813709	Drill Core	1.49	479	0.039	0.04	<0.17	35.54	2.51	3.18	28.64	19.7	342	1.9	1.6	171	0.76	34.2	1.2	26.3	13.8	62.2
1813710	Drill Core	3.28	515	0.046	0.04	<0.17	32.49	0.28	6.65	20.98	38.5	718	3.4	3.7	256	1.24	47.4	2.9	36.6	14.8	37.6
1813711	Drill Core	3.37	453	0.031	0.03	<0.17	39.66	0.18	7.74	20.93	33.1	473	2.8	2.8	226	1.18	32.5	2.6	21.9	14.2	37.6
1813712	Drill Core	1.65	371	0.020	0.02	<0.17	31.28	0.21	5.67	23.92	33.5	390	2.8	2.9	219	1.08	20.6	3.5	12.8	16.2	42.9
1813713	Drill Core	1.51	426	0.027	0.02	<0.17	38.77	0.17	6.44	21.77	37.9	325	4.0	3.8	307	1.33	51.4	3.0	17.5	15.5	48.7
1813714	Drill Core	3.28	384	0.032	0.03	<0.17	42.04	0.21	5.33	26.67	32.9	544	3.1	3.0	230	1.07	34.6	3.3	24.3	14.1	43.2
1813715	Drill Core	2.91	400	0.044	0.04	<0.17	34.31	0.16	4.37	23.76	36.7	681	3.1	3.0	274	1.13	44.3	2.7	33.7	14.4	53.6



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813686	Drill Core	0.24	0.40	0.18	2	0.27	0.027	24.4	2.7	0.37	179.5	0.001	<1	0.49	0.017	0.22	0.1	1.1	0.06	<5
1813687	Drill Core	0.21	0.29	0.09	2	0.80	0.030	23.4	2.7	0.41	194.2	0.002	<1	0.52	0.018	0.24	0.2	1.2	0.06	<5
1813688	Drill Core	0.20	0.29	0.55	4	1.20	0.034	20.5	10.3	0.53	247.2	0.002	<1	0.55	0.018	0.22	<0.1	1.8	0.06	<5
1813689	Drill Core	0.15	0.13	0.38	2	0.88	0.021	19.1	2.6	0.39	655.3	0.002	<1	0.47	0.020	0.22	<0.1	1.5	0.06	<5
1813690	Drill Core	0.59	0.14	0.26	34	4.27	0.046	4.7	100.3	3.30	707.6	0.008	<1	2.25	0.005	0.23	<0.1	11.3	0.08	<5
1813691	Drill Core	0.21	0.08	0.15	5	1.55	0.030	16.3	8.1	0.77	802.4	0.002	<1	0.63	0.010	0.22	<0.1	2.2	0.06	<5
1813692	Drill Core	0.25	0.09	0.12	2	1.59	0.028	21.0	3.8	0.67	657.6	0.001	<1	0.60	0.009	0.22	<0.1	1.7	0.05	<5
1813693	Drill Core	0.17	0.09	0.11	2	1.43	0.027	18.5	3.6	0.58	202.6	0.001	<1	0.43	0.007	0.23	<0.1	1.6	0.05	<5
1813694	Drill Core	0.24	0.10	0.07	2	1.65	0.028	17.2	3.6	0.62	355.1	0.001	1	0.51	0.007	0.20	<0.1	1.8	0.06	<5
1813695	Drill Core	0.26	0.18	0.12	2	0.55	0.019	28.8	2.9	0.57	168.7	<0.001	<1	0.57	0.009	0.19	<0.1	1.4	0.06	<5
1813696	Drill Core	0.16	0.18	0.26	1	0.74	0.015	29.4	2.4	0.59	135.5	<0.001	<1	0.55	0.010	0.15	<0.1	1.2	0.04	<5
1813697	Drill Core	0.27	0.27	1.03	<1	0.13	0.002	35.2	1.6	0.84	101.6	<0.001	1	0.77	0.006	0.15	0.1	0.8	0.05	<5
1813698	Drill Core	0.13	0.18	0.11	<1	0.20	0.002	37.0	1.8	0.39	249.3	<0.001	2	0.42	0.007	0.15	0.3	0.5	0.04	<5
1813699	Drill Core	0.20	0.15	0.12	<1	0.39	0.001	39.2	1.5	0.35	406.1	<0.001	2	0.36	0.006	0.15	0.2	0.5	0.05	<5
1813700	Rock Pulp	0.20	5.21	0.55	109	0.86	0.065	8.0	17.3	0.83	121.4	0.111	2	1.61	0.160	0.21	4.0	3.3	0.07	245
1813701	Drill Core	0.13	0.14	0.17	<1	0.19	0.002	41.4	1.5	0.36	144.4	<0.001	1	0.43	0.008	0.16	<0.1	0.8	0.04	<5
1813702	Drill Core	0.18	0.13	0.19	<1	0.57	0.002	43.3	1.6	0.28	270.7	<0.001	<1	0.34	0.008	0.17	<0.1	1.1	0.05	<5
1813703	Drill Core	0.09	0.10	0.10	<1	0.19	0.002	41.8	1.4	0.11	147.5	<0.001	1	0.22	0.018	0.17	<0.1	0.7	0.04	<5
1813704	Drill Core	0.06	0.18	0.11	<1	0.13	0.002	43.4	1.5	0.10	172.9	<0.001	<1	0.24	0.020	0.18	<0.1	0.5	0.05	<5
1813705	Drill Core	0.12	0.14	0.13	<1	0.34	0.002	38.6	1.8	0.57	139.2	<0.001	2	0.53	0.008	0.18	<0.1	0.7	0.05	<5
1813706	Drill Core	0.14	0.40	0.32	<1	0.38	0.002	36.1	1.7	0.61	105.0	<0.001	2	0.58	0.008	0.17	<0.1	0.7	0.05	<5
1813707	Drill Core	0.19	0.36	0.14	<1	0.33	0.002	31.5	1.5	0.73	128.7	<0.001	1	0.62	0.006	0.16	<0.1	0.8	0.05	9
1813708	Drill Core	0.21	1.24	0.10	1	0.95	0.017	20.4	2.8	0.58	139.2	<0.001	2	0.51	0.005	0.18	0.2	1.4	0.05	<5
1813709	Drill Core	0.14	1.58	0.20	2	0.76	0.048	22.5	2.9	0.39	194.6	<0.001	1	0.39	0.011	0.17	<0.1	1.2	0.05	5
1813710	Drill Core	0.20	4.97	0.16	2	0.52	0.034	21.1	2.8	0.29	123.3	<0.001	<1	0.35	0.016	0.17	0.1	0.8	0.07	16
1813711	Drill Core	0.14	3.09	0.15	3	0.47	0.030	22.7	3.4	0.27	126.4	0.001	<1	0.35	0.023	0.15	<0.1	1.0	0.05	18
1813712	Drill Core	0.12	2.69	0.17	3	0.44	0.035	34.1	3.3	0.29	176.1	0.001	<1	0.39	0.027	0.15	<0.1	1.5	0.06	28
1813713	Drill Core	0.16	1.72	0.16	5	0.53	0.033	32.5	3.9	0.38	141.0	0.002	<1	0.51	0.028	0.13	<0.1	1.8	0.05	30
1813714	Drill Core	0.20	3.46	0.18	3	0.47	0.033	24.6	3.0	0.22	172.9	0.001	<1	0.33	0.029	0.15	0.1	0.9	0.06	17
1813715	Drill Core	0.17	4.77	0.15	3	0.58	0.033	22.1	2.9	0.23	158.3	<0.001	<1	0.31	0.028	0.14	<0.1	0.8	0.06	11



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813686	Drill Core	<0.1	<0.02	1.4	0.36	<0.1	0.05	<0.02	7.5	0.3	<0.05	1.8	4.89	44.6	<0.02	<1	0.2	6.1	<10	<2			
1813687	Drill Core	<0.1	<0.02	1.3	0.44	<0.1	0.06	<0.02	7.5	0.2	<0.05	1.6	5.50	43.4	<0.02	<1	0.2	5.7	<10	<2			
1813688	Drill Core	<0.1	0.03	1.6	0.41	<0.1	0.05	<0.02	7.7	0.2	<0.05	1.3	5.03	38.2	<0.02	<1	0.2	6.8	<10	<2			
1813689	Drill Core	<0.1	<0.02	1.4	0.34	<0.1	0.08	0.02	7.4	0.3	<0.05	2.1	5.03	35.8	<0.02	<1	0.3	5.2	<10	<2			
1813690	Drill Core	<0.1	<0.02	6.4	1.07	<0.1	0.06	<0.02	8.8	<0.1	<0.05	1.9	10.03	10.1	0.03	<1	0.2	23.8	<10	<2			
1813691	Drill Core	0.2	<0.02	1.6	0.52	<0.1	0.10	<0.02	7.4	<0.1	<0.05	2.7	4.94	32.5	<0.02	<1	0.2	8.3	<10	<2			
1813692	Drill Core	<0.1	<0.02	1.3	0.35	<0.1	0.11	<0.02	7.0	0.1	<0.05	2.9	5.57	40.6	<0.02	1	0.3	7.1	<10	<2			
1813693	Drill Core	<0.1	<0.02	1.1	0.38	<0.1	0.08	<0.02	7.6	<0.1	<0.05	2.0	5.54	36.1	<0.02	<1	0.2	5.6	<10	<2			
1813694	Drill Core	<0.1	<0.02	1.2	0.29	<0.1	0.12	<0.02	6.1	0.1	<0.05	3.7	6.11	32.0	0.04	<1	0.2	6.1	<10	<2			
1813695	Drill Core	<0.1	<0.02	1.8	0.34	<0.1	0.13	<0.02	6.3	0.3	<0.05	4.3	6.94	50.0	<0.02	<1	0.2	8.3	<10	<2			
1813696	Drill Core	<0.1	<0.02	1.8	0.34	<0.1	0.11	0.02	5.1	0.2	<0.05	3.5	6.79	51.9	<0.02	<1	0.2	9.3	<10	<2			
1813697	Drill Core	<0.1	<0.02	2.6	1.66	<0.1	0.11	0.05	6.2	0.3	<0.05	4.3	7.41	65.1	<0.02	<1	0.2	15.2	<10	<2			
1813698	Drill Core	<0.1	<0.02	1.5	0.51	<0.1	0.10	0.11	5.9	0.6	<0.05	2.9	6.38	66.2	<0.02	<1	0.2	7.3	<10	<2			
1813699	Drill Core	<0.1	<0.02	1.3	0.79	0.1	0.08	0.05	5.9	1.1	<0.05	2.9	7.31	71.7	<0.02	<1	0.4	7.3	<10	<2			
1813700	Rock Pulp	<0.1	0.17	5.5	0.72	0.1	0.09	0.12	8.5	1.9	<0.05	1.7	5.30	16.3	0.05	<1	0.2	7.3	<10	<2			
1813701	Drill Core	<0.1	<0.02	1.6	0.57	<0.1	0.12	0.04	6.0	0.5	<0.05	3.1	8.15	75.7	<0.02	<1	0.3	7.1	<10	<2			
1813702	Drill Core	<0.1	<0.02	1.6	0.38	<0.1	0.09	0.05	6.7	0.2	<0.05	2.6	12.30	79.5	<0.02	<1	0.2	4.7	<10	<2			
1813703	Drill Core	<0.1	<0.02	1.0	0.49	<0.1	0.09	0.04	7.1	0.2	<0.05	3.1	12.12	75.4	<0.02	<1	0.1	2.1	<10	<2			
1813704	Drill Core	<0.1	<0.02	0.9	0.31	<0.1	0.12	0.05	7.4	0.2	<0.05	3.8	9.65	79.4	<0.02	<1	0.2	1.9	<10	<2			
1813705	Drill Core	<0.1	<0.02	1.7	0.52	<0.1	0.08	0.06	7.2	0.2	<0.05	2.5	7.97	71.9	<0.02	<1	0.2	9.5	<10	<2			
1813706	Drill Core	<0.1	<0.02	1.6	0.65	<0.1	0.10	0.06	7.0	0.3	<0.05	3.1	9.15	66.2	<0.02	<1	0.2	10.7	<10	<2			
1813707	Drill Core	<0.1	<0.02	1.4	0.78	<0.1	0.10	0.04	6.4	0.3	<0.05	3.2	9.85	59.2	<0.02	<1	0.2	11.6	<10	<2			
1813708	Drill Core	<0.1	<0.02	1.3	0.50	<0.1	0.09	<0.02	6.8	0.2	<0.05	3.2	8.20	37.3	<0.02	<1	0.2	8.2	<10	<2			
1813709	Drill Core	<0.1	<0.02	1.1	0.59	<0.1	0.11	0.03	6.8	0.2	<0.05	3.2	9.04	41.8	<0.02	1	0.2	5.4	<10	<2			
1813710	Drill Core	<0.1	<0.02	1.2	1.06	<0.1	0.12	<0.02	7.7	0.5	<0.05	3.9	6.95	37.0	<0.02	<1	0.3	4.0	<10	<2			
1813711	Drill Core	<0.1	<0.02	1.6	0.45	<0.1	0.12	<0.02	7.1	0.2	<0.05	3.7	6.30	42.5	<0.02	1	0.1	5.0	<10	<2			
1813712	Drill Core	<0.1	<0.02	2.0	0.39	<0.1	0.11	<0.02	7.9	0.4	<0.05	3.5	7.69	57.1	<0.02	<1	0.2	6.6	<10	<2			
1813713	Drill Core	<0.1	<0.02	2.3	0.36	<0.1	0.09	<0.02	6.4	0.4	<0.05	3.2	9.04	57.1	<0.02	<1	0.2	9.1	<10	<2			
1813714	Drill Core	<0.1	<0.02	1.6	0.51	<0.1	0.08	<0.02	7.5	0.3	<0.05	2.8	6.73	43.7	<0.02	<1	0.3	4.2	<10	<2			
1813715	Drill Core	<0.1	<0.02	1.7	0.62	<0.1	0.13	0.03	7.2	0.3	<0.05	4.1	6.79	39.1	<0.02	<1	0.2	4.6	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1813716	Drill Core	3.28	513	0.035	0.03	<0.17	39.30	0.14	4.37	23.74	33.6	557	3.1	2.8	237	1.23	35.5	2.3	27.7	14.0	37.2
1813717	Drill Core	3.23	489	0.043	0.04	<0.17	28.53	0.14	4.30	28.00	43.8	585	3.1	3.6	333	1.17	61.3	2.6	35.3	14.9	36.8
1813718	Drill Core	3.16	464	0.091	0.09	<0.17	35.04	0.13	3.55	20.42	19.8	870	2.3	2.3	100	1.00	63.0	2.5	73.9	12.0	28.9
1813719	Drill Core	2.76	429	0.118	0.11	<0.17	29.72	0.18	3.17	23.29	43.3	1422	4.3	3.6	164	1.36	105.8	5.6	111.7	14.9	36.4
1813720	Rock Pulp	0.12	93	0.543				6.66	124.07	84.30	147.5	627	11.5	4.9	581	2.53	41.0	0.4	549.0	2.3	33.5
1813721	Drill Core	3.21	462	0.082	0.08	<0.17	38.47	0.11	6.71	24.56	40.9	1173	2.9	3.5	243	1.34	94.7	3.7	74.8	15.7	57.9
1813722	Drill Core	3.35	407	0.052	0.05	<0.17	36.28	0.15	6.43	22.43	22.9	580	1.8	2.2	198	0.80	47.8	3.0	38.6	13.0	49.4
1813723	Drill Core	2.84	476	0.033	0.03	<0.17	39.87	0.15	7.18	21.32	27.6	356	2.1	3.2	176	0.94	28.4	4.1	22.3	14.2	59.6
1813724	Drill Core	3.40	527	0.029	0.03	<0.17	40.07	0.13	7.55	19.77	33.0	254	2.6	2.7	208	1.07	14.2	3.4	24.3	14.9	60.4
1813725	Drill Core	3.32	507	0.005	<0.01	<0.17	38.84	0.13	3.91	14.65	27.0	84	1.9	2.4	177	0.99	1.2	2.9	3.4	14.6	74.1
1813726	Drill Core	3.35	466	0.013	0.02	<0.17	35.23	0.13	6.79	20.06	29.6	196	2.1	2.2	195	1.00	5.5	2.6	8.9	16.0	66.2
1813727	Drill Core	3.27	532	0.008	<0.01	<0.17	29.12	0.12	7.48	18.53	25.3	168	1.9	2.6	144	0.98	9.4	2.4	2.2	14.3	53.5
1813728	Drill Core	3.23	543	0.005	<0.01	<0.17	34.50	0.16	5.48	20.80	31.9	192	2.5	2.5	196	1.09	5.9	3.5	1.0	16.0	62.6
1813729	Drill Core	1.71	463	0.016	0.02	<0.17	34.09	0.10	3.72	22.01	28.5	189	2.3	2.5	221	1.04	10.2	4.7	12.6	17.0	65.1
1813730	Drill Core	1.70	456	0.041	0.04	<0.17	28.17	0.13	10.27	19.40	22.2	275	2.2	2.7	344	1.00	15.3	3.0	38.3	19.1	91.6
1813731	Drill Core	3.41	435	0.041	0.04	<0.17	36.45	0.25	5.29	14.86	14.2	353	1.2	1.6	240	0.74	25.2	4.5	25.1	16.7	71.6
1813732	Drill Core	1.70	527	0.021	0.02	<0.17	37.64	0.50	8.98	30.14	6.6	497	0.5	1.2	185	0.65	20.8	5.0	20.1	18.3	137.0
1813733	Drill Core	1.62	475	0.012	0.01	<0.17	40.51	0.36	3.48	20.53	7.7	158	0.7	1.5	177	0.52	10.1	3.0	4.9	13.3	128.8
1813734	Drill Core	2.91	463	0.035	0.03	<0.17	40.85	0.43	3.77	21.38	5.0	367	0.7	1.4	149	0.57	43.6	3.9	28.9	18.2	74.5
1813735	Drill Core	1.79	466	0.641	1.19	6.63	42.36	0.23	12.31	12.14	7.7	1848	1.3	2.5	143	0.67	10.2	5.1	732.8	17.2	54.2
1813736	Drill Core	1.55	487	0.354	0.34	0.21	38.82	0.19	10.53	17.91	12.3	1366	1.0	1.8	194	0.62	28.4	3.6	533.6	15.8	41.1
1813737	Drill Core	1.66	460	0.030	0.03	<0.17	35.40	0.33	5.44	9.47	12.1	398	1.0	1.6	216	0.55	44.6	1.0	25.2	17.2	29.3
1813738	Drill Core	1.73	466	0.330	0.89	7.94	34.52	0.23	9.66	4.94	12.7	1097	1.6	2.2	240	0.72	26.2	1.5	479.5	14.5	54.2
1813739	Drill Core	3.14	485	0.314	0.29	<0.17	34.51	0.23	10.88	8.49	11.9	1159	1.8	2.7	229	0.75	32.3	1.8	310.9	17.5	28.8
1813740	Rock Pulp	0.12	92	<0.005				3.66	19.95	0.92	33.3	14	6.9	4.0	542	2.34	1.2	0.4	0.6	4.1	30.4
1813741	Drill Core	3.33	499	0.414	0.41	0.31	31.83	0.21	16.27	10.30	10.7	1104	1.6	2.3	234	0.72	24.3	2.4	373.3	15.5	54.8
1813742	Drill Core	1.84	468	0.189	0.18	<0.17	37.69	0.32	10.77	17.96	6.5	372	0.9	1.8	208	0.68	19.2	3.6	118.9	16.8	123.8
1813743	Drill Core	3.02	470	0.010	<0.01	<0.17	38.79	1.09	9.77	19.79	9.1	118	1.3	2.1	177	0.67	2.4	3.9	1.9	17.3	122.9
1813744	Drill Core	2.04	476	0.005	<0.01	<0.17	34.75	0.26	10.14	22.74	17.5	131	1.5	2.1	231	0.78	2.9	3.7	0.8	17.7	113.3
1813745	Drill Core	1.34	479	0.029	0.03	<0.17	38.63	0.24	7.96	18.81	11.8	230	0.7	1.8	205	0.72	15.1	5.0	23.4	17.3	110.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 5 of 6 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813716	Drill Core	0.18	4.33	0.16	3	0.44	0.032	25.1	3.0	0.27	123.0	0.001	<1	0.34	0.027	0.14	<0.1	1.0	0.05	1.02	20			
1813717	Drill Core	0.15	4.15	0.19	3	0.43	0.033	27.5	3.0	0.22	148.9	0.001	<1	0.31	0.030	0.13	<0.1	0.9	0.06	0.92	17			
1813718	Drill Core	0.16	4.22	0.16	1	0.20	0.031	26.6	1.6	0.11	136.3	<0.001	<1	0.26	0.022	0.16	<0.1	0.4	0.08	0.84	21			
1813719	Drill Core	0.45	5.98	0.17	2	0.31	0.037	25.6	2.6	0.20	112.1	<0.001	<1	0.35	0.024	0.15	<0.1	0.6	0.11	1.31	28			
1813720	Rock Pulp	0.53	2.97	0.10	27	0.79	0.038	5.6	23.5	0.50	79.2	0.069	7	1.10	0.089	0.10	4.5	2.8	0.22	0.09	149			
1813721	Drill Core	0.18	5.08	0.17	2	0.53	0.044	22.5	1.7	0.22	114.8	<0.001	<1	0.32	0.014	0.17	<0.1	0.6	0.09	1.25	23			
1813722	Drill Core	0.13	2.65	0.16	1	0.49	0.032	28.2	2.1	0.17	264.1	<0.001	<1	0.30	0.021	0.17	<0.1	0.9	0.06	0.56	10			
1813723	Drill Core	0.12	1.72	0.18	2	0.50	0.031	28.6	2.7	0.23	186.5	0.002	<1	0.37	0.028	0.17	<0.1	1.4	0.10	0.56	6			
1813724	Drill Core	0.10	1.06	0.15	3	0.55	0.034	36.4	3.1	0.29	304.9	0.002	<1	0.47	0.028	0.16	<0.1	1.7	0.07	0.40	<5			
1813725	Drill Core	0.09	0.19	0.12	5	0.58	0.031	37.6	3.9	0.29	491.4	0.023	<1	0.46	0.033	0.25	<0.1	2.7	0.14	0.09	<5			
1813726	Drill Core	0.14	0.28	0.15	4	0.58	0.034	43.2	3.4	0.31	393.2	0.006	<1	0.50	0.027	0.22	<0.1	2.4	0.09	0.17	<5			
1813727	Drill Core	0.10	0.24	0.13	4	0.46	0.033	38.4	3.2	0.25	338.0	0.004	<1	0.45	0.030	0.17	<0.1	2.1	0.08	0.17	7			
1813728	Drill Core	0.13	0.20	0.14	5	0.63	0.033	44.6	3.9	0.32	301.0	0.003	<1	0.50	0.028	0.15	<0.1	2.1	0.06	0.20	8			
1813729	Drill Core	0.13	0.78	0.18	3	0.70	0.033	40.0	3.7	0.29	220.1	0.002	<1	0.45	0.025	0.17	<0.1	1.9	0.06	0.30	10			
1813730	Drill Core	0.15	0.39	0.16	3	1.09	0.035	36.9	3.7	0.22	279.0	0.002	<1	0.39	0.026	0.18	<0.1	1.6	0.08	0.40	9			
1813731	Drill Core	0.10	1.26	0.14	1	0.98	0.037	32.9	2.6	0.16	170.6	0.001	<1	0.31	0.019	0.21	<0.1	1.1	0.07	0.38	<5			
1813732	Drill Core	0.11	1.35	0.22	<1	1.51	0.041	41.4	2.3	0.04	169.9	0.002	<1	0.23	0.009	0.24	<0.1	1.2	0.10	0.40	<5			
1813733	Drill Core	0.10	0.41	0.14	1	1.48	0.038	31.4	2.5	0.06	193.4	0.011	<1	0.30	0.013	0.23	<0.1	1.3	0.09	0.08	<5			
1813734	Drill Core	0.08	1.76	0.18	<1	0.73	0.039	36.8	2.2	0.09	165.5	0.001	<1	0.26	0.010	0.24	<0.1	0.7	0.08	0.28	7			
1813735	Drill Core	0.11	0.43	0.07	<1	0.68	0.049	27.6	2.3	0.08	173.5	0.001	<1	0.27	0.012	0.25	0.1	0.6	0.07	0.43	7			
1813736	Drill Core	0.14	0.38	0.11	<1	0.68	0.040	23.8	2.2	0.14	194.2	0.001	<1	0.30	0.012	0.24	0.1	0.7	0.06	0.36	<5			
1813737	Drill Core	0.10	0.54	0.16	<1	0.53	0.037	31.4	2.3	0.16	212.4	0.001	<1	0.33	0.011	0.25	<0.1	0.5	0.07	0.22	6			
1813738	Drill Core	0.15	0.44	0.06	<1	0.71	0.037	21.4	2.6	0.18	199.5	<0.001	<1	0.26	0.011	0.22	<0.1	0.8	0.06	0.43	<5			
1813739	Drill Core	0.13	0.46	0.13	<1	0.62	0.041	28.0	2.7	0.20	155.9	0.001	<1	0.36	0.014	0.24	<0.1	0.7	0.07	0.40	<5			
1813740	Rock Pulp	0.02	0.15	<0.02	21	0.75	0.040	5.4	14.4	0.48	55.6	0.064	1	0.99	0.065	0.07	0.2	3.0	<0.02	0.04	<5			
1813741	Drill Core	0.13	0.42	0.10	<1	0.95	0.044	21.2	2.3	0.16	137.6	<0.001	<1	0.31	0.012	0.22	<0.1	0.7	0.07	0.44	<5			
1813742	Drill Core	0.15	0.50	0.16	<1	1.88	0.040	35.8	2.4	0.07	167.9	0.001	<1	0.27	0.012	0.22	<0.1	1.1	0.07	0.29	14			
1813743	Drill Core	0.16	0.33	0.17	1	1.77	0.041	38.8	2.7	0.09	265.6	0.003	<1	0.29	0.012	0.22	<0.1	1.9	0.07	0.07	<5			
1813744	Drill Core	0.13	0.17	0.18	1	1.35	0.039	38.4	2.7	0.18	514.8	0.003	<1	0.38	0.016	0.23	<0.1	1.7	0.06	0.11	<5			
1813745	Drill Core	0.12	0.38	0.17	<1	1.26	0.036	33.4	2.4	0.15	204.5	0.001	<1	0.35	0.016	0.24	<0.1	1.1	0.07	0.23	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813716	Drill Core	<0.1	0.02	1.9	0.48	<0.1	0.11	<0.02	6.6	0.3	<0.05	3.7	7.26	43.9	<0.02	<1	0.1	4.7	<10	<2			
1813717	Drill Core	<0.1	<0.02	1.8	0.58	<0.1	0.11	0.03	6.6	0.3	<0.05	3.7	9.23	48.8	<0.02	<1	0.3	4.5	<10	<2			
1813718	Drill Core	<0.1	0.08	1.1	1.48	<0.1	0.09	0.02	6.8	0.3	<0.05	3.5	4.91	43.1	<0.02	<1	0.2	2.1	<10	<2			
1813719	Drill Core	<0.1	0.23	1.3	1.37	<0.1	0.17	0.02	7.8	0.2	<0.05	5.2	8.40	46.2	<0.02	1	0.2	3.7	<10	<2			
1813720	Rock Pulp	<0.1	0.05	4.3	0.23	0.1	0.13	0.34	2.7	2.0	<0.05	3.5	7.25	10.9	<0.02	1	0.3	1.5	<10	<2			
1813721	Drill Core	<0.1	0.10	1.0	2.35	<0.1	0.24	<0.02	8.0	0.2	<0.05	7.8	9.52	41.1	<0.02	<1	0.4	2.9	<10	<2			
1813722	Drill Core	<0.1	0.04	1.0	0.86	<0.1	0.21	<0.02	7.8	0.2	<0.05	6.3	8.17	49.9	<0.02	<1	0.3	3.0	<10	<2			
1813723	Drill Core	<0.1	<0.02	1.4	0.58	<0.1	0.31	0.02	8.1	0.2	<0.05	8.4	7.84	50.5	<0.02	<1	0.3	5.6	<10	<2			
1813724	Drill Core	<0.1	<0.02	2.4	0.58	<0.1	0.26	<0.02	7.7	0.4	<0.05	8.1	9.82	64.9	<0.02	<1	0.3	8.2	<10	<2			
1813725	Drill Core	<0.1	<0.02	2.5	0.82	<0.1	0.23	0.21	14.7	0.5	<0.05	7.3	13.81	67.4	<0.02	<1	0.4	5.3	<10	<2			
1813726	Drill Core	<0.1	<0.02	2.6	0.58	<0.1	0.23	0.06	12.0	0.3	<0.05	7.7	13.11	74.7	<0.02	<1	0.4	5.8	<10	<2			
1813727	Drill Core	<0.1	<0.02	2.4	0.48	<0.1	0.21	0.04	8.7	0.4	<0.05	6.2	12.94	70.2	<0.02	<1	0.4	6.8	<10	<2			
1813728	Drill Core	<0.1	<0.02	3.3	0.40	<0.1	0.22	0.02	7.6	0.3	<0.05	6.5	13.20	77.9	<0.02	<1	0.2	7.2	<10	<2			
1813729	Drill Core	<0.1	<0.02	2.0	0.38	<0.1	0.22	<0.02	7.8	0.1	<0.05	6.0	11.78	71.5	0.04	<1	0.3	5.9	<10	<2			
1813730	Drill Core	<0.1	<0.02	1.7	0.49	<0.1	0.15	0.02	9.3	<0.1	<0.05	4.7	11.65	64.5	<0.02	<1	0.3	5.2	<10	<2			
1813731	Drill Core	<0.1	0.03	1.2	0.55	<0.1	0.04	<0.02	9.8	<0.1	<0.05	1.7	11.14	57.7	<0.02	<1	0.2	3.2	<10	<2			
1813732	Drill Core	<0.1	0.02	0.8	1.84	<0.1	0.03	0.04	12.9	<0.1	<0.05	1.2	14.03	73.3	<0.02	<1	0.2	1.8	<10	<2			
1813733	Drill Core	<0.1	<0.02	1.2	1.21	<0.1	0.02	0.17	11.8	<0.1	<0.05	0.9	12.17	56.6	<0.02	<1	0.2	2.7	<10	<2			
1813734	Drill Core	<0.1	<0.02	0.9	0.89	<0.1	0.04	0.03	12.0	<0.1	<0.05	0.9	9.67	66.6	<0.02	<1	0.3	2.6	<10	<2			
1813735	Drill Core	<0.1	1.05	0.7	0.54	<0.1	0.03	<0.02	11.5	<0.1	<0.05	1.3	7.33	49.3	<0.02	<1	0.2	2.7	<10	<2			
1813736	Drill Core	<0.1	0.60	0.8	0.27	<0.1	0.03	<0.02	10.2	<0.1	<0.05	0.9	7.33	44.7	<0.02	<1	0.2	3.3	<10	<2			
1813737	Drill Core	<0.1	0.14	0.8	0.32	<0.1	<0.02	0.03	10.0	<0.1	<0.05	0.7	7.81	55.6	<0.02	<1	0.2	3.6	<10	<2			
1813738	Drill Core	0.2	0.54	0.6	0.26	<0.1	0.02	<0.02	9.7	<0.1	<0.05	0.8	6.87	40.0	<0.02	<1	0.2	2.4	<10	<2			
1813739	Drill Core	0.1	0.52	0.9	0.31	<0.1	0.02	<0.02	10.2	<0.1	<0.05	0.8	7.85	50.0	<0.02	<1	0.2	4.7	<10	<2			
1813740	Rock Pulp	<0.1	<0.02	4.1	0.13	<0.1	0.11	0.28	2.0	1.5	<0.05	2.6	7.32	10.4	<0.02	<1	0.2	1.0	<10	<2			
1813741	Drill Core	0.2	0.59	0.8	0.38	<0.1	0.03	<0.02	9.3	<0.1	<0.05	0.9	7.31	40.6	<0.02	<1	0.2	3.9	<10	<2			
1813742	Drill Core	0.1	0.12	0.8	0.50	<0.1	0.04	0.02	10.0	<0.1	<0.05	1.3	10.12	64.8	<0.02	<1	0.2	2.8	<10	<2			
1813743	Drill Core	0.1	<0.02	1.0	1.64	<0.1	0.05	0.07	10.9	0.1	<0.05	1.1	13.59	70.6	<0.02	<1	0.2	1.1	<10	<2			
1813744	Drill Core	0.2	<0.02	1.4	0.72	<0.1	0.03	0.04	10.5	0.1	<0.05	0.9	9.77	70.1	<0.02	1	0.2	2.0	<10	<2			
1813745	Drill Core	0.1	0.02	1.0	0.35	<0.1	<0.02	<0.02	10.0	<0.1	<0.05	1.0	9.32	59.4	<0.02	<1	0.2	3.4	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1813746	Drill Core	1.60	462	0.037	0.03	<0.17	38.90	0.80	12.48	38.07	15.1	386	0.9	1.3	277	0.71	30.9	2.6	28.9	123.2
1813747	Drill Core	1.81	498	0.069	0.06	<0.17	30.78	0.19	12.08	16.35	7.2	389	0.8	1.2	150	0.59	19.5	4.0	60.4	64.6
1813748	Drill Core	3.27	472	0.051	0.05	<0.17	40.06	0.14	11.18	20.35	6.3	305	0.8	1.0	131	0.48	19.5	3.4	38.3	61.1
1813749	Drill Core	3.20	467	0.091	0.12	0.56	34.09	0.22	4.27	17.99	13.3	403	1.5	1.8	131	0.65	57.9	4.6	124.0	45.2
1813750	Drill Core	2.64	479	0.062	0.06	<0.17	37.47	0.19	3.85	16.75	11.6	262	1.1	1.5	121	0.46	280.4	7.4	50.4	42.8
1813751	Drill Core	2.30	486	0.101	0.09	<0.17	38.84	0.36	6.49	8.81	13.1	261	1.2	2.3	191	0.75	359.5	4.9	106.2	73.4
1813752	Drill Core	1.31	442	0.551	0.54	0.44	40.53	0.68	13.05	62.53	17.2	5585	1.3	2.2	345	0.95	95.9	2.3	324.8	99.2
1813753	Drill Core	1.39	457	0.096	0.09	<0.17	32.79	0.32	15.19	10.68	8.6	468	0.9	1.7	222	0.81	39.9	3.3	85.9	94.1
1813754	Drill Core	1.50	471	0.110	0.10	<0.17	34.23	0.24	9.08	14.19	11.6	762	0.8	1.3	245	0.79	61.5	2.7	93.5	56.2
1813755	Drill Core	1.35	498	0.154	0.14	<0.17	38.46	0.24	13.14	5.51	12.6	1467	1.2	1.8	244	1.01	63.5	5.1	166.1	48.0
1813756	Drill Core	1.52	512	0.269	0.27	0.22	40.22	36.43	5.95	6.99	11.7	3062	1.6	2.1	334	1.13	52.2	3.3	260.0	61.1
1813757	Drill Core	1.66	463	0.392	0.41	0.69	33.48	13.07	58.98	104.40	16.9	3811	1.2	1.6	287	0.93	81.1	3.9	601.3	62.1
1813758	Drill Core	2.54	450	0.069	0.06	<0.17	40.69	0.56	15.24	14.64	15.0	457	1.2	1.6	258	0.76	87.1	2.6	62.5	48.6
1813759	Drill Core	2.47	479	0.047	0.04	<0.17	35.92	2.66	12.01	19.58	14.3	486	1.0	1.3	290	0.79	84.6	2.4	34.3	60.6
1813760	Core DUP		437	0.042	0.04	<0.17	33.16	2.57	12.10	18.21	15.1	500	1.0	1.3	278	0.83	85.6	2.4	30.7	56.6
1813761	Drill Core	1.26	453	0.033	0.03	<0.17	40.87	3.02	5.19	35.96	11.3	411	0.9	1.4	267	0.83	88.8	1.8	25.8	62.4
1813762	Drill Core	3.18	448	0.011	0.01	<0.17	26.54	0.76	10.01	23.98	16.9	232	1.3	2.1	209	0.81	36.3	1.9	6.8	85.1
1813763	Drill Core	2.76	481	0.009	<0.01	<0.17	40.01	0.34	18.04	14.09	13.6	278	1.7	2.7	169	0.82	19.7	1.5	7.3	69.9



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813746	Drill Core	0.17	0.53	0.34	<1	1.20	0.032	27.0	2.6	0.23	177.2	0.001	<1	0.36	0.015	0.20	<0.1	1.0	0.06	0.24	<5
1813747	Drill Core	0.08	0.28	0.11	<1	0.59	0.033	15.5	2.0	0.12	161.7	0.001	<1	0.25	0.020	0.21	<0.1	0.6	0.05	0.34	<5
1813748	Drill Core	0.09	0.27	0.03	<1	0.45	0.034	16.7	2.1	0.07	437.0	0.001	<1	0.22	0.023	0.23	<0.1	0.6	0.05	0.27	<5
1813749	Drill Core	0.12	1.75	0.06	<1	0.31	0.036	27.8	2.2	0.13	133.7	0.001	<1	0.26	0.019	0.22	<0.1	0.6	0.07	0.46	<5
1813750	Drill Core	0.12	2.01	0.08	<1	0.30	0.038	33.3	2.2	0.12	115.7	0.001	<1	0.25	0.018	0.20	<0.1	0.6	0.05	0.22	5
1813751	Drill Core	0.13	1.59	0.07	<1	0.77	0.043	22.8	2.0	0.28	169.9	<0.001	<1	0.42	0.009	0.25	<0.1	0.8	0.07	0.39	<5
1813752	Drill Core	0.19	1.37	0.39	1	1.19	0.083	20.0	2.7	0.31	190.2	0.002	<1	0.38	0.019	0.20	<0.1	1.1	0.06	0.60	12
1813753	Drill Core	0.13	0.93	0.10	1	1.31	0.038	21.3	2.9	0.14	245.5	0.002	<1	0.38	0.026	0.31	0.1	1.0	0.07	0.46	<5
1813754	Drill Core	0.11	0.53	0.09	<1	0.87	0.038	16.5	2.4	0.24	160.6	<0.001	<1	0.36	0.017	0.22	0.2	0.6	0.05	0.45	<5
1813755	Drill Core	0.09	0.47	0.04	<1	0.75	0.055	15.4	2.2	0.29	161.1	0.001	<1	0.39	0.019	0.23	0.2	0.7	0.05	0.74	<5
1813756	Drill Core	0.12	0.52	0.05	1	0.98	0.056	11.5	2.6	0.34	161.1	<0.001	<1	0.38	0.018	0.20	0.4	0.8	0.05	0.80	<5
1813757	Drill Core	0.25	0.68	0.35	1	0.85	0.030	14.6	2.8	0.30	322.9	<0.001	<1	0.39	0.016	0.24	0.1	0.9	0.05	0.47	8
1813758	Drill Core	0.12	0.28	0.11	1	0.64	0.036	21.8	2.3	0.27	301.6	0.001	<1	0.43	0.016	0.30	0.2	0.8	0.06	0.40	<5
1813759	Drill Core	0.11	0.38	0.17	1	0.69	0.035	19.9	2.4	0.32	229.9	0.001	<1	0.44	0.014	0.27	<0.1	0.7	0.07	0.35	<5
1813760	Core DUP	0.12	0.37	0.15	1	0.68	0.034	18.8	2.6	0.32	224.2	0.001	<1	0.46	0.015	0.29	<0.1	0.8	0.06	0.35	<5
1813761	Drill Core	0.08	0.53	0.27	1	0.68	0.036	17.2	2.6	0.30	181.4	0.001	<1	0.41	0.008	0.26	<0.1	0.8	0.06	0.34	<5
1813762	Drill Core	0.16	0.55	0.10	2	0.75	0.040	16.7	2.4	0.33	158.3	0.001	<1	0.48	0.012	0.28	<0.1	1.2	0.06	0.22	<5
1813763	Drill Core	0.14	0.55	0.06	1	0.68	0.038	17.6	2.2	0.28	156.7	0.002	<1	0.42	0.014	0.26	<0.1	1.1	0.05	0.34	<5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000604.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1813746	Drill Core	0.2	0.04	1.0	0.27	<0.1	0.04	<0.02	8.3	<0.1	<0.05	1.4	7.14	48.2	<0.02	5	0.1	5.3	<10
1813747	Drill Core	0.3	0.12	0.5	0.33	<0.1	0.17	<0.02	7.7	<0.1	<0.05	5.7	6.06	28.9	<0.02	<1	0.2	2.7	<10
1813748	Drill Core	0.4	0.06	0.5	0.21	<0.1	0.20	<0.02	7.8	<0.1	<0.05	6.7	5.43	30.6	<0.02	<1	0.2	1.9	<10
1813749	Drill Core	0.3	0.08	0.7	0.52	<0.1	0.26	<0.02	8.4	<0.1	<0.05	7.0	7.79	51.1	<0.02	<1	0.2	2.3	<10
1813750	Drill Core	0.2	0.07	0.6	0.96	<0.1	0.20	<0.02	7.5	<0.1	<0.05	6.0	9.78	58.3	<0.02	<1	0.2	2.6	<10
1813751	Drill Core	0.1	0.07	0.9	1.04	<0.1	0.12	<0.02	9.2	<0.1	<0.05	3.5	7.32	43.5	<0.02	<1	0.2	5.7	<10
1813752	Drill Core	0.3	3.90	1.1	0.29	<0.1	0.03	<0.02	7.9	<0.1	<0.05	1.1	10.19	37.0	<0.02	<1	0.3	5.3	<10
1813753	Drill Core	0.1	0.11	1.1	0.32	<0.1	0.04	<0.02	10.8	0.1	<0.05	1.5	7.30	40.9	<0.02	<1	0.2	2.8	<10
1813754	Drill Core	<0.1	0.31	0.9	0.32	<0.1	0.03	<0.02	7.4	<0.1	<0.05	0.9	6.41	30.8	<0.02	<1	0.2	4.0	<10
1813755	Drill Core	0.2	0.80	1.1	0.34	<0.1	0.04	<0.02	8.3	<0.1	<0.05	1.5	6.94	29.6	<0.02	<1	0.3	4.4	<10
1813756	Drill Core	0.2	1.63	1.0	0.37	<0.1	0.04	<0.02	7.1	<0.1	<0.05	1.2	7.52	21.7	<0.02	27	0.2	4.7	13
1813757	Drill Core	0.3	1.68	1.1	0.31	<0.1	0.13	<0.02	8.3	<0.1	<0.05	4.4	5.33	26.5	<0.02	21	0.2	5.4	<10
1813758	Drill Core	<0.1	0.12	1.1	0.41	<0.1	0.15	<0.02	9.6	<0.1	<0.05	5.4	6.91	40.6	<0.02	<1	0.2	4.3	<10
1813759	Drill Core	<0.1	0.14	1.1	0.34	<0.1	0.22	<0.02	8.7	<0.1	<0.05	7.1	6.44	36.7	<0.02	3	0.2	5.1	<10
1813760	Core DUP	<0.1	0.15	1.2	0.35	<0.1	0.24	<0.02	9.1	<0.1	<0.05	6.9	6.05	36.1	<0.02	3	0.2	5.4	<10
1813761	Drill Core	<0.1	0.08	1.2	0.26	<0.1	0.22	<0.02	8.1	<0.1	<0.05	6.9	6.37	30.8	<0.02	2	0.3	4.9	<10
1813762	Drill Core	<0.1	<0.02	1.1	0.27	<0.1	0.13	<0.02	8.7	<0.1	<0.05	4.2	3.70	31.3	<0.02	2	0.2	6.4	<10
1813763	Drill Core	<0.1	<0.02	0.9	0.24	<0.1	0.12	<0.02	7.9	<0.1	<0.05	4.6	3.84	32.4	<0.02	1	0.2	5.1	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 11, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000604.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1813637	Drill Core	1.26	544	0.032	0.04	<0.17	40.36	0.21	16.11	16.09	9.5	254	1.1	1.7	103	0.48	19.7	1.2	28.5	14.6	10.4
REP 1813637	QC							0.23	17.00	16.81	10.4	269	1.0	1.7	104	0.49	20.8	1.2	25.3	15.6	11.6
1813668	Drill Core	1.66	384	0.013	0.01	<0.17	29.35	0.37	5.37	16.38	9.6	148	0.7	0.9	126	0.49	8.8	1.9	10.1	14.2	100.5
REP 1813668	QC			0.014																	
1813671	Drill Core	1.36	458	0.140	0.14	<0.17	31.76	0.22	17.98	9.27	6.5	858	0.9	0.9	44	0.58	3.2	1.3	177.3	12.3	25.5
REP 1813671	QC							0.25	17.21	8.98	6.3	823	0.8	0.8	43	0.57	2.9	1.3	167.4	11.5	25.1
1813696	Drill Core	2.53	429	<0.005	<0.01	<0.17	29.76	0.69	8.20	23.94	30.9	211	1.6	1.3	196	0.74	1.5	0.7	<0.2	13.1	66.6
REP 1813696	QC			<0.005																	
1813706	Drill Core	2.99	458	0.008	<0.01	<0.17	32.27	0.99	3.32	28.21	37.9	231	0.5	0.5	124	0.70	3.8	1.4	0.9	18.5	58.4
REP 1813706	QC							0.96	3.20	28.33	37.7	236	0.4	0.4	118	0.71	3.9	1.4	<0.2	19.0	58.7
1813741	Drill Core	3.33	499	0.414	0.41	0.31	31.83	0.21	16.27	10.30	10.7	1104	1.6	2.3	234	0.72	24.3	2.4	373.3	15.5	54.8
REP 1813741	QC			0.486				0.21	15.77	9.93	11.3	1142	1.6	2.2	227	0.74	24.6	2.4	445.7	15.9	56.4
Core Reject Duplicates																					
1813656	Drill Core	1.15	527	0.217	0.20	<0.17	35.26	0.35	6.48	14.97	24.8	1722	1.4	1.7	88	0.82	10.8	3.4	150.3	15.1	23.7
DUP 1813656	QC		515	0.213	0.20	<0.17	37.04	0.36	6.03	14.65	25.1	1668	1.4	1.7	87	0.80	11.0	3.5	249.9	15.4	23.4
1813690	Drill Core	1.70	387	<0.005	<0.01	<0.17	34.44	0.30	30.27	27.59	74.0	283	34.8	21.4	785	3.34	1.1	1.2	8.0	4.4	412.5
DUP 1813690	QC		424	<0.005	<0.01	<0.17	40.09	0.29	32.62	25.15	76.7	269	36.0	22.9	808	3.45	0.9	1.2	4.7	3.4	413.5
1813724	Drill Core	3.40	527	0.029	0.03	<0.17	40.07	0.13	7.55	19.77	33.0	254	2.6	2.7	208	1.07	14.2	3.4	24.3	14.9	60.4
DUP 1813724	QC		422	0.025	0.02	<0.17	36.25	0.14	7.04	19.48	33.8	304	2.5	2.7	209	1.08	13.9	3.6	257.2	14.6	60.2
1813758	Drill Core	2.54	450	0.069	0.06	<0.17	40.69	0.56	15.24	14.64	15.0	457	1.2	1.6	258	0.76	87.1	2.6	62.5	15.8	48.6
DUP 1813758	QC		493	0.066	0.06	<0.17	33.62	0.58	15.86	14.53	16.3	446	1.3	1.7	280	0.74	91.6	2.6	51.3	16.4	51.3
Reference Materials																					
STD BVGEO01	Standard							11.05	4376.93	192.91	1826.1	2615	156.9	24.8	721	3.68	121.1	4.0	229.1	18.0	54.8
STD BVGEO01	Standard							11.21	4555.73	197.93	1781.6	2596	163.1	26.8	789	3.86	122.3	4.1	248.3	16.3	62.8
STD DS11	Standard							15.40	156.88	139.87	344.4	1704	81.2	13.1	969	3.06	43.7	2.5	94.1	8.0	61.6
STD DS11	Standard							16.20	161.25	148.00	349.6	1786	80.9	14.1	1044	3.21	44.4	3.0	167.1	8.6	70.1
STD DS11	Standard							15.43	153.33	136.40	333.9	1748	82.4	13.7	1070	3.21	44.1	2.5	69.8	7.9	67.5
STD OREAS262	Standard							0.69	122.44	56.11	142.0	446	59.9	25.5	475	3.14	34.0	1.2	66.0	8.8	33.8



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 11, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000604.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1813637	Drill Core	0.12	0.29	0.10	1	0.08	0.039	33.1	2.0	0.05	258.9	<0.001	<1	0.24	0.018	0.23	<0.1	0.5	0.06	<0.02	<5
REP 1813637	QC	0.12	0.31	0.12	2	0.08	0.040	35.8	2.2	0.05	270.2	0.001	<1	0.26	0.018	0.24	<0.1	0.5	0.06	<0.02	<5
1813668	Drill Core	0.09	0.39	<0.02	2	0.86	0.032	32.7	2.0	0.12	311.4	0.002	<1	0.30	0.026	0.24	<0.1	0.8	0.04	0.06	<5
REP 1813668	QC																				
1813671	Drill Core	0.02	0.32	<0.02	1	0.12	0.047	19.5	2.1	0.08	308.4	0.001	<1	0.23	0.027	0.20	<0.1	0.6	0.04	0.15	<5
REP 1813671	QC	0.03	0.33	<0.02	1	0.11	0.044	18.2	2.2	0.07	294.0	0.001	<1	0.21	0.026	0.19	<0.1	0.5	0.04	0.15	<5
1813696	Drill Core	0.16	0.18	0.26	1	0.74	0.015	29.4	2.4	0.59	135.5	<0.001	<1	0.55	0.010	0.15	<0.1	1.2	0.04	0.02	<5
REP 1813696	QC																				
1813706	Drill Core	0.14	0.40	0.32	<1	0.38	0.002	36.1	1.7	0.61	105.0	<0.001	2	0.58	0.008	0.17	<0.1	0.7	0.05	0.04	<5
REP 1813706	QC	0.13	0.40	0.32	<1	0.38	0.002	36.8	1.7	0.65	114.8	<0.001	2	0.63	0.008	0.19	<0.1	0.8	0.06	0.04	<5
1813741	Drill Core	0.13	0.42	0.10	<1	0.95	0.044	21.2	2.3	0.16	137.6	<0.001	<1	0.31	0.012	0.22	<0.1	0.7	0.07	0.44	<5
REP 1813741	QC	0.13	0.39	0.10	<1	0.97	0.042	24.2	2.5	0.18	151.7	0.001	<1	0.34	0.013	0.24	0.1	0.8	0.07	0.44	<5
Core Reject Duplicates																					
1813656	Drill Core	0.23	0.41	0.05	1	0.13	0.070	30.2	2.8	0.08	445.5	<0.001	<1	0.27	0.020	0.20	0.2	0.8	0.06	0.04	<5
DUP 1813656	QC	0.22	0.43	0.05	1	0.13	0.075	26.6	2.7	0.08	412.1	<0.001	<1	0.24	0.020	0.19	0.2	0.7	0.05	0.04	<5
1813690	Drill Core	0.59	0.14	0.26	34	4.27	0.046	4.7	100.3	3.30	707.6	0.008	<1	2.25	0.005	0.23	<0.1	11.3	0.08	0.06	<5
DUP 1813690	QC	0.56	0.14	0.24	36	4.20	0.047	4.7	106.6	3.45	729.9	0.009	<1	2.37	0.005	0.23	<0.1	11.6	0.08	0.06	<5
1813724	Drill Core	0.10	1.06	0.15	3	0.55	0.034	36.4	3.1	0.29	304.9	0.002	<1	0.47	0.028	0.16	<0.1	1.7	0.07	0.40	<5
DUP 1813724	QC	0.11	1.09	0.14	4	0.55	0.034	36.0	3.4	0.29	325.8	0.002	1	0.47	0.031	0.16	0.1	1.7	0.07	0.39	12
1813758	Drill Core	0.12	0.28	0.11	1	0.64	0.036	21.8	2.3	0.27	301.6	0.001	<1	0.43	0.016	0.30	0.2	0.8	0.06	0.40	<5
DUP 1813758	QC	0.12	0.30	0.10	1	0.65	0.037	22.1	2.2	0.27	310.0	<0.001	<1	0.41	0.015	0.29	0.2	0.8	0.06	0.40	<5
Reference Materials																					
STD BVGEO01	Standard	6.95	4.05	26.95	71	1.29	0.087	26.5	167.7	1.25	274.2	0.211	3	2.22	0.183	0.87	5.0	6.3	0.65	0.63	90
STD BVGEO01	Standard	6.65	4.03	27.58	78	1.44	0.079	28.1	203.6	1.30	280.4	0.240	3	2.41	0.209	0.94	5.3	6.3	0.63	0.73	104
STD DS11	Standard	2.45	9.33	12.12	46	0.99	0.069	18.4	56.3	0.80	344.1	0.087	8	1.11	0.068	0.38	3.1	2.8	5.00	0.27	292
STD DS11	Standard	2.41	9.11	12.44	52	1.13	0.076	19.1	59.8	0.87	373.3	0.098	8	1.22	0.074	0.42	3.3	3.3	5.24	0.31	254
STD DS11	Standard	2.25	9.19	11.82	49	1.08	0.078	17.8	61.0	0.87	376.7	0.094	7	1.23	0.074	0.41	3.1	3.7	4.87	0.28	266
STD OREAS262	Standard	0.62	6.01	0.98	20	2.81	0.037	14.2	38.7	1.11	230.3	0.002	3	1.16	0.064	0.27	0.2	2.8	0.44	0.25	143



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 11, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000604.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1813637	Drill Core	<0.1	0.05	0.6	0.58	<0.1	0.27	<0.02	7.7	0.3	<0.05	7.9	5.82	60.5	<0.02	<1	0.1	1.9	<10	<2
REP 1813637	QC	<0.1	0.03	0.7	0.54	<0.1	0.23	<0.02	8.4	0.3	<0.05	8.2	6.16	65.8	<0.02	<1	0.3	2.2	<10	<2
1813668	Drill Core	<0.1	<0.02	0.8	0.29	<0.1	0.26	<0.02	7.5	0.1	<0.05	6.4	6.10	58.6	<0.02	<1	0.2	2.3	<10	<2
REP 1813668	QC																			
1813671	Drill Core	<0.1	0.21	0.7	0.43	<0.1	0.31	<0.02	6.7	0.1	<0.05	7.7	3.60	37.5	<0.02	<1	0.2	1.8	<10	<2
REP 1813671	QC	<0.1	0.23	0.8	0.42	<0.1	0.31	<0.02	6.5	<0.1	<0.05	7.4	3.39	34.2	<0.02	<1	0.2	1.8	<10	<2
1813696	Drill Core	<0.1	<0.02	1.8	0.34	<0.1	0.11	0.02	5.1	0.2	<0.05	3.5	6.79	51.9	<0.02	<1	0.2	9.3	<10	<2
REP 1813696	QC																			
1813706	Drill Core	<0.1	<0.02	1.6	0.65	<0.1	0.10	0.06	7.0	0.3	<0.05	3.1	9.15	66.2	<0.02	<1	0.2	10.7	<10	<2
REP 1813706	QC	<0.1	<0.02	1.7	0.65	<0.1	0.11	0.07	7.4	0.4	<0.05	3.1	9.23	69.7	<0.02	<1	0.2	12.1	<10	<2
1813741	Drill Core	0.2	0.59	0.8	0.38	<0.1	0.03	<0.02	9.3	<0.1	<0.05	0.9	7.31	40.6	<0.02	<1	0.2	3.9	<10	<2
REP 1813741	QC	<0.1	0.62	0.7	0.37	<0.1	0.04	<0.02	9.7	<0.1	<0.05	0.9	7.51	44.7	<0.02	<1	0.2	4.0	<10	<2
Core Reject Duplicates																				
1813656	Drill Core	<0.1	0.25	0.8	0.84	<0.1	0.33	<0.02	8.0	0.2	<0.05	9.3	6.75	55.5	<0.02	<1	0.2	2.9	<10	<2
DUP 1813656	QC	<0.1	0.21	0.8	0.84	<0.1	0.28	<0.02	7.5	0.3	<0.05	8.2	6.57	49.4	<0.02	<1	0.2	2.9	<10	<2
1813690	Drill Core	<0.1	<0.02	6.4	1.07	<0.1	0.06	<0.02	8.8	<0.1	<0.05	1.9	10.03	10.1	0.03	<1	0.2	23.8	<10	<2
DUP 1813690	QC	<0.1	<0.02	6.7	1.05	<0.1	0.07	<0.02	8.7	<0.1	<0.05	1.7	9.95	10.1	0.03	<1	0.3	26.3	<10	<2
1813724	Drill Core	<0.1	<0.02	2.4	0.58	<0.1	0.26	<0.02	7.7	0.4	<0.05	8.1	9.82	64.9	<0.02	<1	0.3	8.2	<10	<2
DUP 1813724	QC	<0.1	<0.02	2.5	0.58	<0.1	0.26	0.03	8.1	0.3	<0.05	8.2	9.88	62.9	<0.02	<1	0.3	7.2	<10	<2
1813758	Drill Core	<0.1	0.12	1.1	0.41	<0.1	0.15	<0.02	9.6	<0.1	<0.05	5.4	6.91	40.6	<0.02	<1	0.2	4.3	<10	<2
DUP 1813758	QC	<0.1	0.15	1.2	0.42	<0.1	0.18	<0.02	9.6	<0.1	<0.05	6.1	7.00	40.7	<0.02	<1	0.2	4.5	<10	<2
Reference Materials																				
STD BVGE001	Standard	5.2	1.11	6.9	7.45	0.2	0.28	0.29	98.3	6.1	<0.05	6.7	14.94	51.5	0.49	5	0.7	22.0	126	181
STD BVGE001	Standard	4.7	1.05	7.4	7.50	0.2	0.36	0.24	98.1	6.2	<0.05	8.1	14.90	56.7	0.52	5	0.6	22.2	149	193
STD DS11	Standard	2.2	4.62	5.1	3.01	<0.1	0.06	1.48	35.6	1.8	<0.05	2.8	7.56	36.3	0.25	45	0.7	22.6	91	176
STD DS11	Standard	2.1	4.81	4.9	3.09	0.1	0.06	1.56	35.8	1.8	<0.05	3.0	8.36	39.6	0.25	45	0.7	25.4	104	190
STD DS11	Standard	1.9	4.64	5.2	3.07	<0.1	0.06	1.53	33.7	1.9	<0.05	3.1	7.85	37.9	0.24	53	0.7	22.9	100	168
STD OREAS262	Standard	0.4	0.25	3.8	2.98	<0.1	0.26	<0.02	18.5	0.5	<0.05	10.9	9.81	28.4	0.03	2	0.9	17.3	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000604.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.72	124.41	59.18	152.1	443	64.6	27.6	521	3.39	35.9	1.3	81.5	9.9	33.4
STD OREAS262	Standard							0.64	116.02	56.68	151.3	437	61.6	27.0	505	3.14	35.3	1.2	75.2	9.5	35.0
STD OREAS262	Standard							0.72	121.43	58.90	151.0	448	62.7	27.9	553	3.39	36.6	1.3	76.2	11.1	36.3
STD OREAS262	Standard							0.67	115.57	53.68	148.8	462	62.5	25.8	526	3.13	36.2	1.1	72.3	8.6	33.9
STD OXB130	Standard			0.122																	
STD OXB130	Standard			0.122																	
STD OXI138	Standard			1.843																	
STD OXI138	Standard			1.781																	
STD OXN134	Standard			7.476																	
STD OXN134	Standard			7.486																	
STD OXQ90	Standard					25.15	30.66														
STD OXQ90	Standard					25.14	29.99														
STD OXQ90	Standard					25.07	30.20														
STD OXQ90	Standard					25.19	29.89														
STD OXQ90	Standard					24.98	29.86														
STD OXQ90	Standard					25.14	30.35														
STD OXQ90	Standard					24.98	29.90														
STD OXQ90	Standard					25.03	30.44														
STD OXQ90 Expected						24.88															
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: October 11, 2019

Part: 2 of 3

WHI19000604.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: October 11, 2019

Part: 3 of 3

WHI19000604.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000604.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	0.01	0.02	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.04	<0.01	0.4	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.3	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		465	<0.005	<0.01	<0.17	39.72	0.93	5.00	0.92	32.4	6	1.9	4.4	559	2.07	0.7	0.5	1.2	2.4	19.2
ROCK-WHI	Prep Blank		471	<0.005	<0.01	<0.17	39.66	1.21	4.75	0.89	35.5	4	1.4	4.3	501	1.99	1.1	0.5	<0.2	3.0	22.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000604.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.7	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	29	0.73	0.044	6.8	4.5	0.60	45.4	0.083	2	0.95	0.063	0.07	<0.1	3.2	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.04	<0.02	25	0.60	0.049	7.2	3.1	0.52	52.0	0.084	2	0.86	0.062	0.07	<0.1	3.3	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 11, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000604.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.15	<0.1	0.11	0.17	2.1	0.4	<0.05	2.4	9.08	13.7	<0.02	<1	0.1	1.4	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	4.0	0.15	<0.1	0.14	0.21	2.1	0.4	<0.05	2.7	9.67	14.2	<0.02	<1	0.2	1.4	<10