



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 26, 2019
Report Date: October 17, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000606.2

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-56
P.O. Number
Number of Samples: 100

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	96	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
SHP01	100	Per sample shipping charges for branch shipments			VAN
FS631	100	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	100	Analysis sample split/packet			WHI
Split -150	100	Analysis sample split/packet			WHI
FS631	97	Metallics Fire Assay for Au	30	Completed	VAN
EN002	100	Environmental disposal charge-Fire assay lead waste			VAN
AQ251_EXT	100	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : Revised order of analytical reporting - no change to data.

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000606.2

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	+Au	+Wt	TotAu	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	g	gm/t	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.05	0.01	0.05	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1887185	Drill Core	1.54	492	0.014	<0.05	28.23	<0.05	0.52	10.29	14.50	36.6	205	6.8	3.8	138	1.10	4.6	0.7	7.1	9.1	38.7
1887186	Drill Core	1.93	473	0.038	<0.05	33.62	<0.05	0.68	9.39	17.33	29.2	132	4.8	2.3	116	0.92	4.0	1.0	9.7	10.3	16.9
1887187	Drill Core	2.14	500	0.011	<0.05	32.09	<0.05	0.68	11.91	13.07	36.5	395	7.1	3.2	158	1.23	5.8	0.8	3.8	8.8	21.3
1887188	Drill Core	1.63	467	0.121	<0.05	36.94	0.11	1.59	16.09	15.24	46.7	455	11.8	6.9	161	1.52	8.6	1.8	121.3	9.9	34.3
1887189	Drill Core	1.67	485	0.015	<0.05	28.53	<0.05	1.17	11.76	24.94	48.1	260	6.8	3.4	181	1.41	8.2	1.3	11.7	9.5	20.8
1887190	Drill Core	2.36	507	0.021	<0.05	32.44	<0.05	0.91	11.23	33.40	53.3	330	7.5	3.2	186	2.36	18.2	2.0	17.3	11.7	25.3
1887191	Drill Core	2.69	510	0.015	<0.05	32.86	<0.05	0.80	10.45	23.30	42.1	239	6.4	4.0	230	1.65	7.8	1.2	10.3	12.8	19.2
1887192	Drill Core	2.85	465	0.015	<0.05	32.69	<0.05	0.44	14.53	18.68	22.6	109	2.9	2.9	94	0.75	4.3	1.3	8.7	14.7	7.8
1887193	Drill Core	1.10	501	0.961	4.33	36.95	1.21	0.56	13.77	19.12	49.0	694	6.8	4.7	192	1.24	6.3	3.2	1257.6	13.9	12.9
1887198	Drill Core	0.91	467	0.021	<0.05	41.23	<0.05	0.78	18.05	6.97	42.9	3532	6.7	4.5	266	1.45	13.7	3.4	56.9	13.3	23.1
1887199	Drill Core	2.68	466	0.114	<0.05	29.98	0.11	0.55	2.96	14.03	24.3	222	1.6	1.8	302	0.78	8.6	2.1	84.2	18.1	17.8
1887200	Rock Pulp	0.12	92	7.086				9.52	198.60	20.18	80.6	827	14.1	11.8	598	4.81	13.6	0.9	7062.0	5.1	69.2
1887201	Drill Core	3.43	469	0.161	0.38	31.75	0.18	0.40	4.09	19.43	30.1	191	1.6	2.2	177	0.76	5.5	1.3	97.8	15.9	9.7
1887202	Drill Core	2.90	464	0.010	<0.05	32.06	<0.05	0.23	7.80	26.49	36.6	138	0.4	1.4	132	0.66	2.7	1.2	7.6	19.1	5.6
1887203	Drill Core	1.88	465	0.011	<0.05	37.16	<0.05	0.32	9.77	31.39	23.5	217	0.8	1.6	136	0.62	5.3	1.0	7.2	13.6	6.9
1887206	Drill Core	2.76	486	0.034	<0.05	37.83	<0.05	0.35	6.24	14.77	17.1	225	1.4	2.0	203	0.92	20.3	1.3	21.8	15.2	17.0
1887207	Drill Core	1.79	493	0.123	0.06	48.63	0.12	0.34	18.31	10.27	13.0	454	1.3	2.3	119	0.94	30.5	1.3	112.5	14.3	11.2
1887208	Drill Core	2.51	477	0.050	<0.05	48.56	<0.05	0.49	9.19	9.72	12.9	332	1.4	2.2	210	0.95	27.2	1.1	44.7	10.9	11.0
1887209	Drill Core	1.57	462	0.323	0.24	46.76	0.31	0.35	5.10	6.60	14.0	327	1.6	2.3	140	0.98	12.4	1.0	232.6	11.9	9.5
1887210	Drill Core	2.32	473	0.748	0.76	50.30	0.75	0.28	12.76	9.72	21.2	450	5.7	5.1	220	1.27	6.3	1.4	986.4	15.1	55.6
1887211	Drill Core	2.76	472	0.716	1.04	47.13	0.75	0.27	21.04	9.24	40.1	428	22.0	18.4	808	2.63	18.4	2.4	786.5	7.4	206.9
1887212	Drill Core	2.63	470	0.037	<0.05	50.22	<0.05	0.41	7.61	13.38	28.9	150	4.3	5.7	311	1.36	2.8	1.3	23.8	11.5	34.4
1887213	Drill Core	2.26	496	0.034	<0.05	52.59	<0.05	0.57	10.15	16.59	24.5	122	2.5	4.1	216	1.07	2.0	0.7	9.2	14.5	42.6
1887214	Drill Core	1.18	512	0.048	<0.05	47.88	<0.05	0.31	12.61	10.94	18.5	189	1.8	2.7	183	0.79	13.0	0.7	43.5	16.5	12.1
1887215	Drill Core	1.59	460	0.027	<0.05	45.58	<0.05	0.46	20.00	11.00	10.4	619	1.8	2.3	150	0.78	4.7	0.4	27.4	8.2	8.8
1887216	Drill Core	1.78	463	0.018	<0.05	47.98	<0.05	0.33	10.88	12.43	17.1	211	2.0	3.3	142	0.86	3.3	0.4	12.9	13.5	13.2
1887217	Drill Core	1.71	485	0.044	0.35	51.78	0.08	0.37	9.92	12.09	17.5	208	1.7	2.5	216	0.80	7.3	0.6	39.1	12.7	15.9
1887218	Drill Core	2.50	473	0.221	0.62	50.16	0.26	0.26	18.57	21.56	14.8	421	1.6	2.8	205	0.85	22.0	0.9	197.1	15.1	25.9
1887219	Drill Core	2.33	521	0.059	<0.05	50.77	0.06	0.49	3.82	7.98	14.6	384	2.3	2.5	209	1.00	25.4	0.9	48.2	12.0	14.0
1887220	Rock Pulp	0.12	93	0.576				6.48	121.06	87.88	146.4	674	12.2	5.0	597	2.60	43.0	0.4	645.7	3.2	35.6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000606.2

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887185	Drill Core																							
1887186	Drill Core																							
1887187	Drill Core																							
1887188	Drill Core																							
1887189	Drill Core																							
1887190	Drill Core																							
1887191	Drill Core																							
1887192	Drill Core																							
1887193	Drill Core																							
1887198	Drill Core																							
1887199	Drill Core																							
1887200	Rock Pulp																							
1887201	Drill Core																							
1887202	Drill Core																							
1887203	Drill Core																							
1887206	Drill Core																							
1887207	Drill Core																							
1887208	Drill Core																							
1887209	Drill Core																							
1887210	Drill Core																							
1887211	Drill Core																							
1887212	Drill Core																							
1887213	Drill Core																							
1887214	Drill Core																							
1887215	Drill Core																							
1887216	Drill Core																							
1887217	Drill Core																							
1887218	Drill Core																							
1887219	Drill Core																							
1887220	Rock Pulp																							



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000606.2

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1887185	Drill Core	0.1	<0.02	2.1	0.32	<0.1	0.32	0.28	6.2	0.2	<0.05	10.8	5.20	37.2	<0.02	<1	0.3	9.2	<10	<2			
1887186	Drill Core	0.1	<0.02	1.5	0.25	<0.1	0.36	0.36	6.0	0.1	<0.05	10.3	4.95	38.9	<0.02	<1	0.2	6.7	<10	<2			
1887187	Drill Core	0.1	<0.02	1.9	0.26	<0.1	0.28	0.41	5.7	0.1	<0.05	9.1	5.04	31.3	<0.02	<1	0.2	10.3	<10	<2			
1887188	Drill Core	0.2	<0.02	2.4	0.34	<0.1	0.33	0.62	6.6	0.3	<0.05	10.2	6.81	38.9	<0.02	<1	0.2	10.1	<10	<2			
1887189	Drill Core	0.1	<0.02	2.4	0.43	<0.1	0.30	0.43	7.1	0.2	<0.05	11.3	5.52	37.9	<0.02	<1	0.2	12.5	<10	<2			
1887190	Drill Core	0.3	<0.02	3.2	0.72	<0.1	0.33	0.61	8.8	0.2	<0.05	13.1	7.52	49.9	<0.02	<1	0.3	14.7	<10	<2			
1887191	Drill Core	0.2	<0.02	2.4	0.42	<0.1	0.40	0.37	7.2	0.1	<0.05	15.0	8.23	48.5	<0.02	<1	0.3	9.7	<10	<2			
1887192	Drill Core	<0.1	<0.02	1.0	0.29	<0.1	0.35	0.14	5.5	1.2	<0.05	11.9	5.09	51.3	<0.02	<1	0.2	5.2	<10	<2			
1887193	Drill Core	<0.1	0.18	1.7	0.88	<0.1	0.41	0.03	6.0	0.1	<0.05	18.5	8.52	39.6	<0.02	<1	0.2	9.6	<10	<2			
1887198	Drill Core	<0.1	<0.02	2.3	1.67	<0.1	0.07	<0.02	7.3	0.2	<0.05	2.6	10.05	42.9	<0.02	<1	0.4	12.5	<10	<2			
1887199	Drill Core	0.2	0.03	1.2	2.21	<0.1	0.10	0.03	7.5	<0.1	<0.05	3.6	10.66	74.2	<0.02	<1	0.3	7.3	<10	<2			
1887200	Rock Pulp	0.2	0.15	5.2	0.70	0.1	0.09	0.09	8.2	1.8	<0.05	1.4	5.24	16.4	0.05	<1	0.2	8.0	<10	<2			
1887201	Drill Core	<0.1	0.05	1.3	0.50	<0.1	0.29	<0.02	6.5	0.1	<0.05	12.4	5.21	57.4	<0.02	<1	0.2	8.0	<10	<2			
1887202	Drill Core	<0.1	<0.02	1.8	0.39	<0.1	0.11	0.05	6.8	0.8	<0.05	3.4	7.91	79.2	<0.02	<1	0.2	10.9	<10	<2			
1887203	Drill Core	<0.1	<0.02	1.2	0.80	<0.1	0.20	0.04	6.2	0.8	<0.05	5.7	4.72	61.7	0.05	<1	0.3	7.3	<10	<2			
1887206	Drill Core	<0.1	<0.02	1.4	0.43	<0.1	0.20	<0.02	8.5	0.4	<0.05	6.6	5.75	56.1	<0.02	<1	0.2	5.7	<10	<2			
1887207	Drill Core	<0.1	0.04	1.2	0.57	<0.1	0.09	<0.02	8.0	0.4	<0.05	2.9	5.16	54.6	<0.02	<1	0.2	4.0	<10	<2			
1887208	Drill Core	<0.1	<0.02	1.1	0.63	<0.1	0.04	<0.02	6.5	0.2	<0.05	1.4	4.53	46.2	<0.02	<1	0.2	4.4	<10	<2			
1887209	Drill Core	<0.1	0.08	1.1	0.46	<0.1	0.04	<0.02	6.0	0.2	<0.05	1.3	4.42	40.2	<0.02	<1	0.2	4.3	<10	<2			
1887210	Drill Core	<0.1	0.05	1.5	0.75	<0.1	0.04	<0.02	8.2	0.2	<0.05	1.5	5.79	42.1	<0.02	<1	0.3	6.7	<10	<2			
1887211	Drill Core	0.1	0.07	2.0	0.79	<0.1	0.04	<0.02	7.8	0.4	<0.05	1.3	11.66	21.3	<0.02	<1	0.3	15.1	<10	<2			
1887212	Drill Core	<0.1	<0.02	1.4	0.81	<0.1	0.05	<0.02	8.0	0.2	<0.05	1.6	6.45	44.7	<0.02	<1	0.4	7.2	<10	<2			
1887213	Drill Core	<0.1	<0.02	1.4	0.45	<0.1	0.06	<0.02	8.1	0.5	<0.05	1.4	5.65	50.8	<0.02	<1	0.3	6.1	<10	<2			
1887214	Drill Core	<0.1	<0.02	1.3	0.90	<0.1	0.03	<0.02	8.8	0.3	<0.05	1.3	4.78	60.2	<0.02	<1	0.2	5.5	<10	<2			
1887215	Drill Core	<0.1	<0.02	0.7	0.30	<0.1	0.03	<0.02	4.8	0.2	<0.05	0.9	2.85	29.7	<0.02	<1	<0.1	3.2	<10	<2			
1887216	Drill Core	<0.1	<0.02	1.1	0.63	<0.1	0.05	<0.02	7.8	0.4	<0.05	1.3	3.93	51.4	<0.02	<1	0.2	5.4	<10	<2			
1887217	Drill Core	<0.1	<0.02	1.2	0.51	<0.1	0.06	<0.02	7.7	0.4	<0.05	1.5	4.20	45.1	<0.02	<1	0.3	5.4	<10	<2			
1887218	Drill Core	<0.1	0.03	1.2	0.58	<0.1	0.06	<0.02	8.5	0.4	<0.05	2.0	4.77	40.2	<0.02	<1	0.3	5.5	<10	<2			
1887219	Drill Core	<0.1	0.03	1.5	0.76	<0.1	0.04	<0.02	7.0	0.1	<0.05	1.6	6.63	45.0	<0.02	<1	0.2	6.4	<10	<2			
1887220	Rock Pulp	<0.1	0.04	4.4	0.21	0.1	0.14	0.27	2.6	2.0	<0.05	3.2	7.76	11.7	<0.02	<1	0.3	1.5	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 17, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000606.2

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	+Au	+Wt	TotAu	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	g	gm/t	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.05	0.01	0.05	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1887221	Drill Core	2.57	465	0.010	<0.05	44.76	<0.05	0.46	12.20	15.10	48.9	177	10.7	7.6	430	1.70	4.5	1.1	10.4	11.1	94.2
1887222	Drill Core	1.57	503	0.005	<0.05	49.87	<0.05	0.13	6.76	8.51	30.2	77	2.5	2.6	221	1.07	0.6	1.0	<0.2	11.1	61.6
1887223	Drill Core	1.35	455	0.007	<0.05	46.54	<0.05	0.37	21.58	21.03	74.6	201	26.4	18.3	741	3.74	2.3	1.2	0.5	4.1	198.8
1887224	Drill Core	3.12	400	0.007	<0.05	42.42	<0.05	0.41	17.95	16.53	70.5	229	23.5	15.4	657	3.34	3.1	1.3	1.9	4.8	178.8
1887225	Drill Core	2.80	407	0.025	<0.05	46.55	<0.05	0.72	9.21	18.85	26.3	275	2.2	3.9	257	1.00	6.6	1.1	44.1	11.5	52.2
1887226	Drill Core	2.77	523	0.045	<0.05	47.94	<0.05	1.37	3.65	15.76	9.8	465	1.2	1.7	126	0.65	10.9	2.0	36.1	12.6	15.5
1887227	Drill Core	1.93	461	0.040	<0.05	41.90	<0.05	0.71	6.43	9.56	50.5	384	5.4	13.8	591	2.83	31.9	1.4	32.6	8.9	165.5
1887228	Drill Core	2.63	532	0.024	<0.05	42.40	<0.05	0.38	5.75	15.40	44.5	259	4.8	3.7	254	1.27	19.5	0.8	17.8	15.1	37.1
1887229	Drill Core	3.08	504	0.025	<0.05	40.61	<0.05	0.20	4.97	10.49	23.5	94	0.7	1.0	143	0.53	5.8	1.3	21.7	19.0	56.6
1887230	Drill Core	2.94	481	0.010	<0.05	50.01	<0.05	0.44	6.51	15.65	28.8	86	2.6	2.5	242	0.81	3.2	3.4	2.0	15.3	71.3
1887231	Drill Core	2.81	523	0.015	<0.05	43.93	<0.05	0.76	8.89	30.01	42.6	736	2.8	2.6	152	0.81	10.3	0.9	8.8	15.4	27.6
1887232	Drill Core	3.83	481	0.007	<0.05	49.31	<0.05	0.35	12.01	12.72	39.5	139	2.5	2.4	169	0.77	1.3	0.9	10.5	15.0	35.9
1887233	Drill Core	1.49	380	0.013	<0.05	43.44	<0.05	0.94	11.96	61.65	54.7	684	2.9	3.6	323	0.80	7.5	0.9	9.8	13.6	24.5
1887234	Drill Core	2.24	469	0.366	0.95	45.22	0.42	0.33	6.78	13.32	24.1	292	1.7	2.3	150	0.75	5.9	1.4	153.5	14.4	51.0
1887235	Drill Core	3.33	474	0.827	2.34	48.20	0.98	0.19	14.53	15.65	39.7	573	6.3	7.8	372	1.05	1.5	5.2	528.2	11.5	203.7
1887236	Drill Core	3.38	374	0.697	6.82	45.78	1.45	0.34	4.26	7.83	21.0	589	0.8	2.6	179	0.68	0.5	1.9	1016.1	15.3	91.2
1887237	Drill Core	2.43	565	0.117	<0.05	43.92	0.11	0.11	4.35	17.42	34.9	102	3.5	2.8	296	0.97	0.6	3.1	1.4	14.9	171.6
1887238	Drill Core	1.51	451	0.072	0.20	49.82	0.09	0.23	5.79	21.68	7.3	143	0.9	1.4	192	0.49	2.4	2.4	79.8	12.3	162.7
1887239	Drill Core	2.66	556	0.105	0.12	42.42	0.11	0.14	8.21	19.54	13.9	137	1.1	1.6	173	0.55	4.6	1.2	89.5	13.8	49.8
1887240	Rock Pulp	0.13	92	0.006				3.76	21.63	0.97	31.2	16	6.5	4.2	558	2.33	1.5	0.4	1.3	2.3	31.8
1887241	Drill Core	2.75	400	0.010	<0.05	41.95	<0.05	0.53	7.71	29.45	29.1	202	8.9	4.3	332	1.23	7.5	1.6	6.8	13.2	104.6
1887242	Drill Core	3.16	491	0.007	<0.05	34.62	<0.05	0.42	7.56	16.30	34.9	101	2.6	3.3	184	1.08	3.5	1.5	<0.2	15.0	58.6
1887243	Drill Core	2.61	427	0.035	0.31	26.08	0.05	0.28	7.01	11.91	34.5	113	2.6	2.9	164	1.26	3.5	1.3	32.1	15.1	81.3
1887244	Drill Core	2.71	461	0.010	<0.05	30.97	<0.05	0.40	4.65	15.40	37.2	97	2.6	2.7	174	1.28	10.4	1.2	5.3	14.0	65.3
1887245	Drill Core	3.04	389	0.110	<0.05	30.81	0.10	0.53	11.29	13.55	34.4	222	2.5	3.1	150	1.21	9.4	1.0	70.7	15.1	42.1
1887246	Drill Core	2.85	433	0.020	<0.05	37.83	<0.05	0.82	20.79	20.89	43.3	288	8.4	5.6	277	1.52	24.6	1.4	19.5	13.9	42.8
1887247	Drill Core	2.78	375	<0.005	<0.05	30.15	<0.05	0.71	9.83	12.66	38.9	101	18.1	8.6	336	1.78	11.8	2.8	1.3	12.4	157.5
1887248	Drill Core	1.45	485	<0.005	<0.05	35.81	<0.05	0.46	15.95	32.91	52.9	272	43.9	13.9	485	1.94	24.1	1.1	0.7	8.6	220.2
1887249	Drill Core	1.56	387	0.009	<0.05	35.17	<0.05	0.55	14.51	18.01	63.2	212	8.3	5.3	275	1.89	19.4	1.5	0.7	14.1	68.7
1887250	Drill Core	2.64	488	0.011	<0.05	29.35	<0.05	1.00	9.28	17.68	58.0	188	4.4	4.6	369	1.42	13.4	1.5	1.0	14.1	99.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000606.2

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887221	Drill Core	0.30	0.31	0.12	11	1.53	0.023	19.0	30.3	1.12	201.5	0.002	1	1.07	0.012	0.18	0.4	3.5	0.06	0.02	<5
1887222	Drill Core	0.11	0.12	0.08	3	0.70	0.032	20.1	3.2	0.50	211.0	0.003	<1	0.54	0.020	0.17	<0.1	1.2	0.06	0.05	<5
1887223	Drill Core	0.40	0.35	0.18	35	3.24	0.083	7.6	87.4	2.55	392.5	0.014	<1	2.03	0.010	0.22	<0.1	8.9	0.13	0.05	<5
1887224	Drill Core	0.49	0.33	0.14	31	2.27	0.080	8.0	75.6	2.13	699.3	0.016	<1	1.84	0.009	0.23	0.3	7.5	0.11	0.05	<5
1887225	Drill Core	0.18	0.29	0.38	5	0.57	0.040	22.3	11.0	0.43	217.9	0.005	<1	0.50	0.021	0.22	0.4	1.8	0.07	0.05	<5
1887226	Drill Core	0.14	1.73	0.42	2	0.10	0.036	35.6	2.8	0.19	169.2	0.001	<1	0.32	0.019	0.20	0.2	0.8	0.07	<0.02	11
1887227	Drill Core	0.27	1.06	0.08	48	1.81	0.060	20.7	103.4	2.16	145.3	0.004	<1	1.85	0.008	0.17	0.4	8.9	0.06	0.07	8
1887228	Drill Core	0.14	0.50	0.19	5	0.42	0.029	28.7	12.4	1.01	119.1	0.001	<1	0.91	0.011	0.16	0.3	2.2	0.04	0.04	<5
1887229	Drill Core	0.11	0.19	0.07	1	0.66	0.005	38.9	2.0	0.52	146.5	<0.001	<1	0.49	0.011	0.18	<0.1	1.3	0.05	0.05	<5
1887230	Drill Core	0.28	0.17	0.03	2	1.01	0.022	29.1	2.8	0.53	154.6	0.001	<1	0.56	0.010	0.20	<0.1	1.4	0.06	0.05	<5
1887231	Drill Core	0.16	0.43	0.18	1	0.34	0.026	29.2	2.6	0.64	146.6	<0.001	<1	0.64	0.005	0.20	1.5	0.9	0.05	0.03	<5
1887232	Drill Core	0.17	0.18	0.04	<1	0.38	0.018	28.5	2.5	0.60	151.2	<0.001	<1	0.60	0.005	0.19	<0.1	0.9	0.04	0.03	<5
1887233	Drill Core	0.37	0.54	0.60	1	0.34	0.019	24.0	2.7	0.49	141.4	<0.001	<1	0.53	0.006	0.19	0.8	0.8	0.04	<0.02	<5
1887234	Drill Core	0.20	0.32	0.07	1	0.57	0.014	25.3	2.5	0.42	372.3	<0.001	<1	0.47	0.010	0.20	0.3	1.0	0.05	0.14	6
1887235	Drill Core	0.33	0.24	0.15	5	2.44	0.009	10.1	15.9	0.68	230.5	0.004	<1	0.51	0.010	0.22	<0.1	2.8	0.07	0.22	<5
1887236	Drill Core	0.23	0.09	0.06	2	0.99	0.007	20.9	6.0	0.45	209.4	0.001	<1	0.43	0.015	0.22	0.1	1.6	0.05	0.09	<5
1887237	Drill Core	0.52	0.08	0.10	4	1.95	0.028	16.7	7.4	1.11	198.8	0.002	<1	0.66	0.013	0.22	<0.1	2.4	0.05	0.03	<5
1887238	Drill Core	0.10	0.10	0.03	1	1.01	0.030	19.4	2.2	0.11	141.8	0.001	<1	0.23	0.021	0.21	<0.1	0.6	0.04	0.08	<5
1887239	Drill Core	0.07	0.14	0.02	2	0.52	0.030	21.6	1.7	0.18	166.6	0.002	<1	0.32	0.024	0.23	<0.1	0.7	0.04	0.12	<5
1887240	Rock Pulp	0.02	0.16	0.03	21	0.73	0.038	5.5	14.4	0.48	54.4	0.073	2	0.98	0.064	0.07	0.2	2.9	<0.02	0.04	<5
1887241	Drill Core	0.17	0.21	0.19	9	1.32	0.030	30.9	10.5	0.50	135.6	0.002	1	0.58	0.020	0.21	<0.1	3.6	0.05	0.14	<5
1887242	Drill Core	0.11	0.13	0.08	4	0.45	0.037	37.5	2.9	0.37	117.9	0.003	<1	0.53	0.013	0.25	<0.1	2.4	0.09	0.04	<5
1887243	Drill Core	0.12	0.10	<0.02	6	0.58	0.036	37.5	3.4	0.36	127.6	0.005	<1	0.58	0.021	0.25	<0.1	2.7	0.07	0.06	<5
1887244	Drill Core	0.14	0.18	<0.02	5	0.42	0.037	37.8	3.0	0.37	119.1	0.003	2	0.61	0.019	0.25	<0.1	2.9	0.06	0.03	<5
1887245	Drill Core	0.10	0.27	0.13	4	0.37	0.037	38.4	2.9	0.33	149.8	0.002	<1	0.57	0.018	0.24	<0.1	2.1	0.06	0.08	<5
1887246	Drill Core	0.19	0.32	0.24	9	0.46	0.041	31.6	10.4	0.53	174.6	0.001	<1	0.72	0.012	0.24	<0.1	2.8	0.06	0.19	<5
1887247	Drill Core	0.13	0.22	0.10	15	1.39	0.043	27.5	17.6	0.82	209.8	0.039	<1	0.84	0.020	0.26	<0.1	5.2	0.08	0.09	8
1887248	Drill Core	0.35	0.19	0.25	20	2.62	0.045	20.9	26.2	1.12	182.2	0.054	<1	0.80	0.009	0.23	<0.1	7.1	0.06	0.07	<5
1887249	Drill Core	0.25	0.19	0.15	9	0.60	0.047	38.4	5.3	0.55	243.6	0.003	<1	0.85	0.019	0.23	<0.1	4.3	0.06	0.16	<5
1887250	Drill Core	0.28	0.29	0.18	5	1.06	0.043	33.5	3.4	0.52	241.8	0.003	<1	0.72	0.016	0.24	0.1	3.3	0.07	0.13	7



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 3 of 5 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000606.2

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1887221	Drill Core	<0.1	<0.02	3.0	0.70	<0.1	0.06	<0.02	6.9	0.6	<0.05	2.6	6.89	35.9	<0.02	<1	0.4	18.0	<10
1887222	Drill Core	<0.1	<0.02	1.8	0.42	<0.1	0.05	<0.02	6.8	0.4	<0.05	2.0	3.35	36.1	<0.02	<1	0.3	6.0	<10
1887223	Drill Core	<0.1	<0.02	5.5	2.06	<0.1	0.04	<0.02	10.8	0.3	<0.05	1.3	5.84	15.7	0.03	<1	0.4	31.2	<10
1887224	Drill Core	<0.1	<0.02	5.2	1.49	<0.1	0.03	<0.02	11.1	0.3	<0.05	1.7	5.55	16.1	0.03	<1	0.2	24.9	<10
1887225	Drill Core	<0.1	<0.02	1.6	0.53	<0.1	0.10	<0.02	8.7	0.4	<0.05	2.8	4.89	42.7	<0.02	<1	0.2	5.6	<10
1887226	Drill Core	<0.1	<0.02	1.0	0.30	<0.1	0.07	<0.02	8.8	0.4	<0.05	2.2	6.78	65.2	<0.02	<1	0.2	3.8	<10
1887227	Drill Core	<0.1	<0.02	5.0	0.53	<0.1	0.03	<0.02	7.6	0.1	<0.05	1.0	10.76	41.2	0.02	<1	0.5	26.2	<10
1887228	Drill Core	<0.1	<0.02	3.2	0.38	<0.1	0.04	<0.02	6.6	0.3	<0.05	1.2	7.57	53.2	<0.02	<1	0.3	11.9	<10
1887229	Drill Core	<0.1	<0.02	1.4	0.25	<0.1	0.06	0.04	7.0	0.5	<0.05	2.0	10.11	72.2	<0.02	<1	0.2	6.7	<10
1887230	Drill Core	<0.1	<0.02	1.2	0.25	<0.1	0.11	0.04	6.3	0.2	<0.05	3.5	6.06	55.0	<0.02	<1	0.1	6.4	<10
1887231	Drill Core	<0.1	<0.02	1.4	0.35	<0.1	0.14	<0.02	6.0	0.2	<0.05	4.2	4.85	55.5	<0.02	<1	0.2	8.4	<10
1887232	Drill Core	<0.1	<0.02	1.4	0.37	<0.1	0.13	<0.02	5.7	0.2	<0.05	4.0	4.16	55.7	<0.02	<1	0.2	8.4	<10
1887233	Drill Core	<0.1	<0.02	1.3	0.63	<0.1	0.15	0.04	6.1	0.1	<0.05	4.9	5.52	46.7	<0.02	<1	0.2	9.5	<10
1887234	Drill Core	<0.1	0.02	1.3	0.84	<0.1	0.10	<0.02	7.3	0.3	<0.05	3.3	5.58	48.9	<0.02	<1	0.3	6.8	<10
1887235	Drill Core	0.2	0.21	1.4	0.60	<0.1	0.09	<0.02	8.3	0.2	<0.05	2.8	5.78	19.9	<0.02	<1	0.3	6.2	<10
1887236	Drill Core	<0.1	0.23	1.3	0.36	<0.1	0.09	<0.02	7.3	0.3	<0.05	2.6	4.35	40.1	<0.02	<1	0.2	4.8	<10
1887237	Drill Core	<0.1	<0.02	1.9	0.41	<0.1	0.26	<0.02	7.0	0.2	<0.05	6.5	6.44	31.6	<0.02	<1	0.2	9.7	<10
1887238	Drill Core	<0.1	<0.02	0.6	0.43	<0.1	0.13	<0.02	7.5	0.2	<0.05	3.8	4.81	36.7	<0.02	<1	0.2	2.2	<10
1887239	Drill Core	<0.1	<0.02	0.9	0.28	<0.1	0.18	<0.02	7.8	0.2	<0.05	4.7	4.56	40.6	<0.02	<1	0.3	3.1	<10
1887240	Rock Pulp	<0.1	<0.02	3.8	0.12	<0.1	0.13	0.32	1.9	1.8	<0.05	2.2	7.55	11.0	<0.02	<1	0.2	1.1	<10
1887241	Drill Core	<0.1	<0.02	2.2	0.44	<0.1	0.16	<0.02	7.1	0.4	<0.05	5.1	9.81	57.7	<0.02	<1	0.1	7.8	<10
1887242	Drill Core	<0.1	<0.02	1.7	0.47	<0.1	0.17	<0.02	9.2	0.4	<0.05	4.3	9.95	70.0	<0.02	<1	0.2	7.2	<10
1887243	Drill Core	<0.1	<0.02	2.6	0.34	<0.1	0.18	<0.02	8.7	0.4	<0.05	4.3	11.66	68.9	<0.02	<1	0.3	7.1	<10
1887244	Drill Core	<0.1	<0.02	2.7	0.53	<0.1	0.16	<0.02	9.8	0.4	<0.05	6.4	10.27	71.6	0.02	<1	0.1	8.1	<10
1887245	Drill Core	<0.1	<0.02	1.9	0.49	<0.1	0.22	<0.02	9.5	0.3	<0.05	6.1	10.08	70.1	<0.02	<1	0.2	7.2	<10
1887246	Drill Core	0.1	<0.02	2.4	0.83	<0.1	0.17	<0.02	8.8	0.4	<0.05	4.8	9.74	60.0	<0.02	<1	0.2	12.6	<10
1887247	Drill Core	<0.1	<0.02	3.7	0.98	<0.1	0.04	0.03	10.7	0.6	<0.05	1.0	13.92	53.0	0.02	<1	<0.1	13.0	<10
1887248	Drill Core	<0.1	<0.02	2.5	0.45	<0.1	0.03	0.02	8.4	0.7	<0.05	1.0	15.71	40.4	0.03	<1	0.3	14.2	<10
1887249	Drill Core	<0.1	<0.02	4.1	0.48	<0.1	0.03	<0.02	9.8	0.7	<0.05	0.7	14.08	70.6	0.03	<1	0.3	11.0	<10
1887250	Drill Core	<0.1	<0.02	2.3	0.97	<0.1	0.03	<0.02	10.3	0.4	<0.05	1.3	11.66	62.6	0.03	<1	0.2	10.3	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000606.2

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	+Au	+Wt	TotAu	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	g	gm/t	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.05	0.01	0.05	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1887251	Drill Core	2.99	479	0.092	1.05	31.31	0.16	0.30	8.86	12.92	37.1	120	2.7	3.6	234	1.31	8.5	2.3	44.4	12.8	160.2
1887252	Drill Core	2.96	517	<0.005	<0.05	33.70	<0.05	0.20	1.45	12.34	38.0	18	3.0	3.8	184	1.41	2.3	3.2	1.4	14.6	121.7
1887253	Drill Core	3.06	397	<0.005	<0.05	35.98	<0.05	0.19	4.52	22.73	37.9	37	2.8	3.6	173	1.46	3.0	2.6	<0.2	15.5	84.2
1887254	Drill Core	3.01	404	<0.005	<0.05	33.20	<0.05	0.59	17.38	15.86	33.4	98	3.3	3.7	187	1.35	8.7	2.9	<0.2	15.9	101.4
1887255	Drill Core	3.26	433	<0.005	<0.05	33.56	<0.05	1.78	7.05	24.83	21.9	120	3.1	2.6	190	0.85	17.1	2.7	<0.2	16.2	135.6
1887256	Drill Core	2.46	398	0.009	<0.05	28.83	<0.05	1.18	6.93	22.89	26.0	172	3.1	2.6	173	0.88	14.5	1.4	4.6	15.7	75.1
1887257	Drill Core	2.82	469	<0.005	<0.05	34.34	<0.05	1.17	16.05	25.07	38.8	219	5.9	3.5	201	1.17	32.0	3.6	<0.2	15.5	77.3
1887258	Drill Core	2.16	506	<0.005	<0.05	30.86	<0.05	1.69	13.38	9.99	52.7	119	6.1	5.6	387	1.97	9.6	1.6	1.2	12.1	96.2
1887259	Drill Core	2.93	449	<0.005	<0.05	34.71	<0.05	0.65	10.90	6.36	50.3	143	6.7	5.3	304	1.98	6.1	2.3	0.6	10.3	118.6
1887260	Core DUP		481	<0.005	<0.05	30.55	<0.05	0.75	10.56	6.99	51.1	145	6.7	5.4	318	2.06	6.4	2.5	0.7	12.1	123.1
1887261	Drill Core	2.74	495	0.005	<0.05	31.66	<0.05	1.13	13.50	27.37	40.7	263	4.4	4.6	300	1.82	8.8	2.1	1.7	10.0	73.8
1887262	Drill Core	3.04	399	<0.005	<0.05	31.27	<0.05	0.99	6.11	13.35	51.5	84	6.4	5.4	337	2.41	4.0	2.5	0.4	9.2	82.8
1887263	Drill Core	1.49	479	0.008	<0.05	40.53	<0.05	2.47	4.91	22.49	59.5	242	4.9	4.8	320	1.93	7.8	1.5	2.5	12.1	42.2
1887264	Drill Core	1.50	519	<0.005	<0.05	35.01	<0.05	0.69	9.62	11.75	45.3	111	3.9	5.0	266	1.46	6.2	4.5	<0.2	15.0	71.2
1887265	Drill Core	3.10	540	0.012	<0.05	32.24	<0.05	0.50	10.04	12.99	64.0	349	2.9	4.3	263	1.37	17.5	2.0	6.6	15.8	41.5
1887266	Drill Core	2.24	495	0.014	<0.05	28.24	<0.05	0.57	4.48	13.44	53.6	331	2.4	4.0	321	1.41	16.2	2.1	9.2	14.8	51.7
1887267	Drill Core	3.28	464	<0.005	<0.05	33.76	<0.05	0.36	6.02	14.07	33.9	88	2.4	2.7	202	1.21	3.5	1.6	0.4	13.3	49.1
1887268	Drill Core	2.94	465	0.007	<0.05	32.94	<0.05	0.43	5.30	14.44	64.0	89	3.5	3.7	287	1.20	5.9	1.2	1.3	15.3	160.7
1887269	Drill Core	3.31	437	0.012	<0.05	28.04	<0.05	0.28	9.49	11.84	56.5	101	3.9	4.5	274	1.46	5.1	2.0	6.2	14.5	84.1
1887270	Drill Core	2.69	526	0.024	<0.05	41.14	<0.05	0.27	9.72	12.11	38.7	109	3.7	3.3	274	1.46	6.8	3.2	14.8	14.7	97.2
1887271	Drill Core	3.06	414	0.035	<0.05	38.52	<0.05	0.56	5.10	15.27	63.9	236	10.1	11.6	630	2.88	28.5	3.4	21.9	11.9	206.5
1887272	Drill Core	3.20	456	0.014	<0.05	32.76	<0.05	1.59	11.96	11.40	47.3	202	8.0	6.2	376	1.75	14.1	3.8	9.8	12.4	126.8
1887273	Drill Core	2.90	402	0.023	<0.05	26.11	<0.05	0.33	14.41	11.13	57.2	240	6.2	6.2	389	2.09	14.4	1.4	16.7	12.8	107.7
1887274	Drill Core	2.92	415	0.031	<0.05	33.72	<0.05	0.28	19.11	15.04	66.7	318	6.7	7.0	511	2.36	18.1	2.7	22.6	13.0	93.1
1887275	Drill Core	2.82	372	0.032	<0.05	31.13	<0.05	0.88	12.52	11.57	49.3	229	9.1	5.9	463	2.05	15.0	3.0	30.6	11.3	141.2
1887276	Drill Core	2.82	422	0.017	<0.05	27.90	<0.05	0.43	8.54	16.59	38.3	220	5.6	4.3	261	1.30	9.0	2.1	14.5	13.0	88.1
1887277	Drill Core	3.03	390	<0.005	<0.05	44.71	<0.05	0.17	6.09	12.89	37.6	56	4.4	3.6	206	1.29	0.3	1.5	1.1	12.3	92.5
1887278	Drill Core	2.89	449	<0.005	<0.05	44.85	<0.05	0.15	5.21	8.78	37.8	42	3.9	3.2	155	1.29	0.2	1.6	1.1	12.1	75.8
1887279	Drill Core	2.87	515	<0.005	<0.05	44.52	<0.05	0.15	7.40	19.53	42.8	86	4.0	3.6	209	1.42	0.1	2.0	<0.2	13.4	100.9
1887280	Rock	0.23	75	0.010	<0.05	45.21	<0.05	0.49	1.08	1.01	1.6	9	1.3	0.4	70	0.63	1.0	0.2	<0.2	1.4	2.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000606.2

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887251	Drill Core	0.19	0.19	<0.02	4	1.16	0.043	24.1	2.4	0.50	154.0	0.003	<1	0.64	0.020	0.22	0.1	3.1	0.06	<5
1887252	Drill Core	0.09	0.09	<0.02	5	0.73	0.042	33.8	3.5	0.61	144.2	0.012	<1	0.74	0.019	0.29	<0.1	3.4	0.13	<0.02
1887253	Drill Core	0.10	0.07	<0.02	6	0.49	0.043	41.0	3.6	0.56	207.4	0.041	<1	0.73	0.024	0.46	<0.1	4.2	0.22	<0.02
1887254	Drill Core	0.12	0.09	0.05	7	0.64	0.042	39.6	4.2	0.43	286.9	0.041	<1	0.61	0.024	0.33	<0.1	4.3	0.12	0.08
1887255	Drill Core	0.17	0.12	0.18	4	1.00	0.039	39.7	2.9	0.24	297.0	0.028	<1	0.43	0.017	0.30	<0.1	3.0	0.08	0.04
1887256	Drill Core	0.15	0.14	0.13	4	0.61	0.040	36.2	3.3	0.21	221.9	0.002	<1	0.44	0.022	0.25	<0.1	2.6	0.06	0.10
1887257	Drill Core	0.23	0.21	0.25	4	0.69	0.037	39.5	3.1	0.29	247.8	0.003	<1	0.51	0.018	0.26	<0.1	3.1	0.06	0.08
1887258	Drill Core	0.22	0.16	0.03	7	1.15	0.058	35.3	4.7	0.86	314.7	0.002	1	0.93	0.005	0.25	<0.1	4.2	0.07	0.04
1887259	Drill Core	0.19	0.10	<0.02	9	0.96	0.053	32.2	5.9	0.93	228.8	0.007	1	0.98	0.005	0.25	<0.1	4.8	0.07	0.02
1887260	Core DUP	0.22	0.09	0.02	9	0.97	0.057	33.9	6.1	0.98	236.8	0.008	1	1.04	0.006	0.25	<0.1	5.1	0.07	0.02
1887261	Drill Core	0.13	0.10	0.19	9	0.71	0.052	27.9	6.1	0.70	147.2	0.010	1	0.84	0.016	0.18	<0.1	4.5	0.05	0.11
1887262	Drill Core	0.18	0.06	0.10	11	0.98	0.058	27.1	9.5	1.16	159.8	0.006	<1	1.21	0.014	0.21	<0.1	6.0	0.05	0.05
1887263	Drill Core	0.18	0.31	0.25	7	0.66	0.048	33.4	6.9	0.72	127.2	0.002	<1	0.93	0.016	0.17	<0.1	3.6	0.05	0.03
1887264	Drill Core	0.23	0.18	0.13	5	0.93	0.046	41.1	3.6	0.44	176.1	0.001	<1	0.54	0.016	0.22	<0.1	5.6	0.06	0.27
1887265	Drill Core	0.32	0.50	0.13	4	0.51	0.042	39.2	2.7	0.41	164.3	0.002	<1	0.56	0.018	0.20	<0.1	3.3	0.06	0.11
1887266	Drill Core	0.27	0.65	0.15	4	0.70	0.039	36.1	2.8	0.34	141.8	0.002	<1	0.59	0.022	0.20	<0.1	2.6	0.07	0.05
1887267	Drill Core	0.23	0.12	0.11	4	0.55	0.035	35.1	2.8	0.35	167.8	0.002	1	0.57	0.016	0.23	<0.1	2.8	0.08	0.08
1887268	Drill Core	0.32	0.22	0.10	5	1.11	0.036	38.4	3.4	0.51	187.0	0.002	<1	0.69	0.015	0.24	<0.1	3.0	0.09	0.09
1887269	Drill Core	0.38	0.37	0.16	7	0.97	0.035	36.6	3.9	0.44	145.8	0.002	<1	0.70	0.021	0.21	<0.1	4.5	0.10	0.18
1887270	Drill Core	0.20	0.40	0.07	7	0.98	0.040	36.4	4.1	0.55	161.2	0.002	<1	0.73	0.016	0.21	<0.1	3.6	0.08	0.14
1887271	Drill Core	0.19	0.70	0.12	29	2.34	0.062	25.4	23.5	1.38	156.9	0.019	<1	1.38	0.018	0.19	<0.1	9.1	0.09	0.45
1887272	Drill Core	0.16	0.47	0.08	10	1.52	0.055	28.5	7.8	0.77	176.7	0.002	<1	0.93	0.012	0.18	<0.1	3.6	0.07	0.32
1887273	Drill Core	0.21	0.58	0.06	14	1.16	0.065	28.3	11.1	0.88	154.9	0.002	<1	1.07	0.016	0.19	<0.1	4.3	0.06	0.28
1887274	Drill Core	0.37	0.61	0.17	15	1.34	0.065	26.4	13.4	0.98	132.5	0.003	<1	1.16	0.018	0.17	<0.1	4.5	0.05	0.35
1887275	Drill Core	0.17	0.51	0.16	11	1.66	0.049	31.0	9.2	0.93	141.8	0.002	<1	1.09	0.013	0.20	<0.1	3.6	0.07	0.23
1887276	Drill Core	0.29	0.32	0.23	6	0.94	0.045	33.2	4.6	0.56	176.4	0.002	<1	0.69	0.019	0.21	<0.1	3.5	0.07	0.22
1887277	Drill Core	0.20	0.10	<0.02	6	0.69	0.041	34.1	3.8	0.59	237.2	0.009	1	0.68	0.021	0.26	<0.1	3.8	0.07	<0.02
1887278	Drill Core	0.09	0.07	<0.02	5	0.50	0.044	31.8	3.6	0.55	240.9	0.013	<1	0.68	0.022	0.28	<0.1	3.0	0.09	<0.02
1887279	Drill Core	0.12	0.13	0.03	5	0.71	0.045	37.8	4.3	0.79	351.7	0.022	<1	0.81	0.017	0.24	<0.1	3.1	0.08	0.03
1887280	Rock	<0.01	0.05	<0.02	<1	0.01	0.002	1.8	3.2	0.02	10.3	0.002	<1	0.06	0.003	0.01	<0.1	0.2	<0.02	<0.02



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000606.2

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1887251	Drill Core	<0.1	<0.02	1.8	0.54	<0.1	0.15	<0.02	8.4	0.3	<0.05	3.7	8.06	46.1	<0.02	<1	0.3	8.8	<10	<2			
1887252	Drill Core	<0.1	<0.02	2.6	0.99	<0.1	0.15	0.02	14.5	0.3	<0.05	4.0	12.38	65.4	<0.02	<1	0.3	10.8	<10	<2			
1887253	Drill Core	<0.1	<0.02	2.9	1.62	<0.1	0.14	0.11	23.7	0.4	<0.05	3.7	13.54	75.9	<0.02	<1	0.3	8.5	<10	<2			
1887254	Drill Core	<0.1	<0.02	2.3	1.13	<0.1	0.21	0.17	14.3	0.4	<0.05	5.2	11.93	71.6	0.02	<1	0.3	6.3	<10	<2			
1887255	Drill Core	<0.1	<0.02	1.5	0.73	<0.1	0.24	0.20	11.7	0.3	<0.05	6.3	13.30	72.7	0.02	<1	0.2	4.1	<10	<2			
1887256	Drill Core	<0.1	<0.02	1.5	0.39	<0.1	0.24	<0.02	8.9	0.4	<0.05	7.0	12.55	66.8	<0.02	<1	0.2	5.5	<10	<2			
1887257	Drill Core	<0.1	<0.02	1.6	0.67	<0.1	0.11	<0.02	9.4	0.4	<0.05	3.7	15.38	71.9	0.03	<1	0.3	7.8	<10	<2			
1887258	Drill Core	<0.1	<0.02	2.5	0.53	<0.1	0.05	<0.02	8.9	0.5	<0.05	3.0	12.23	68.0	0.02	<1	0.2	16.8	<10	<2			
1887259	Drill Core	<0.1	<0.02	3.1	1.21	<0.1	0.10	<0.02	9.2	0.2	<0.05	3.3	12.70	62.9	0.02	2	0.1	14.5	<10	<2			
1887260	Core DUP	<0.1	<0.02	2.9	1.21	<0.1	0.12	<0.02	9.6	0.2	<0.05	4.4	12.29	66.9	0.02	<1	<0.1	16.0	<10	<2			
1887261	Drill Core	<0.1	<0.02	3.2	0.42	<0.1	0.03	<0.02	6.0	0.3	<0.05	1.7	12.28	55.4	0.05	1	0.2	10.3	<10	<2			
1887262	Drill Core	<0.1	<0.02	3.8	0.40	<0.1	0.03	<0.02	6.6	0.4	<0.05	1.0	13.83	54.7	0.03	<1	0.3	11.1	<10	<2			
1887263	Drill Core	<0.1	<0.02	3.5	0.64	<0.1	0.02	<0.02	5.9	0.4	<0.05	0.8	13.00	64.1	0.02	<1	0.2	9.3	<10	<2			
1887264	Drill Core	0.1	<0.02	2.0	0.52	<0.1	0.05	<0.02	7.8	0.4	<0.05	1.7	17.64	75.9	0.03	3	0.3	7.1	<10	<2			
1887265	Drill Core	<0.1	<0.02	1.9	0.63	<0.1	0.22	<0.02	7.5	0.4	<0.05	6.4	12.81	72.0	0.03	<1	0.3	8.2	<10	<2			
1887266	Drill Core	<0.1	<0.02	1.6	0.86	<0.1	0.24	<0.02	8.1	0.3	<0.05	6.8	10.70	67.2	0.03	<1	0.3	8.3	<10	<2			
1887267	Drill Core	<0.1	<0.02	1.9	0.58	<0.1	0.10	<0.02	9.3	0.3	<0.05	2.8	9.27	68.1	0.02	<1	0.1	6.6	<10	<2			
1887268	Drill Core	<0.1	<0.02	2.3	0.63	<0.1	0.10	<0.02	9.3	0.3	<0.05	3.3	11.89	70.0	0.03	<1	0.3	10.1	<10	<2			
1887269	Drill Core	<0.1	<0.02	2.6	1.84	<0.1	0.03	<0.02	9.5	0.6	<0.05	1.4	12.58	65.9	0.03	<1	0.3	10.1	<10	<2			
1887270	Drill Core	<0.1	<0.02	2.7	1.10	<0.1	0.04	<0.02	9.0	0.4	<0.05	0.9	13.93	67.1	0.03	<1	0.3	9.6	<10	<2			
1887271	Drill Core	<0.1	<0.02	4.9	1.41	<0.1	0.03	<0.02	9.4	0.4	<0.05	0.8	13.97	48.6	0.03	2	0.4	20.1	<10	<2			
1887272	Drill Core	<0.1	<0.02	3.6	0.48	<0.1	0.02	<0.02	7.5	0.4	<0.05	0.8	11.51	53.9	0.03	6	0.3	14.0	<10	<2			
1887273	Drill Core	<0.1	<0.02	3.9	0.40	<0.1	0.04	<0.02	7.6	0.5	<0.05	1.1	10.98	54.3	0.02	<1	0.2	18.3	<10	<2			
1887274	Drill Core	<0.1	<0.02	4.7	0.36	<0.1	<0.02	<0.02	7.0	0.5	<0.05	0.8	11.01	50.6	0.03	<1	0.3	21.5	<10	<2			
1887275	Drill Core	<0.1	<0.02	4.4	0.59	<0.1	0.03	<0.02	8.3	0.4	<0.05	0.8	12.22	57.2	0.03	2	0.3	17.0	<10	<2			
1887276	Drill Core	0.2	<0.02	3.2	0.48	<0.1	0.07	<0.02	8.5	0.4	<0.05	2.7	11.53	61.4	0.03	2	0.5	9.9	<10	<2			
1887277	Drill Core	<0.1	<0.02	2.7	0.42	<0.1	0.08	0.03	9.9	0.3	<0.05	2.2	9.73	61.2	<0.02	<1	0.4	6.0	<10	<2			
1887278	Drill Core	<0.1	<0.02	3.0	0.49	<0.1	0.07	0.04	12.1	0.2	<0.05	2.1	5.95	55.1	<0.02	<1	0.4	6.0	<10	<2			
1887279	Drill Core	<0.1	<0.02	3.3	0.42	<0.1	0.06	0.05	10.4	0.4	<0.05	2.5	11.04	65.9	<0.02	<1	0.2	7.6	<10	<2			
1887280	Rock	<0.1	<0.02	0.2	0.08	<0.1	0.11	0.03	0.8	0.1	<0.05	2.3	0.81	3.6	<0.02	<1	<0.1	1.3	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000606.2

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	+Au	+Wt	TotAu	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	g	gm/t	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.05	0.01	0.05	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1887281	Drill Core	3.13	375	0.005	<0.05	45.24	<0.05	0.16	6.39	9.04	46.8	67	15.9	5.7	289	1.60	0.2	3.1	<0.2	10.2	115.7
1887282	Drill Core	3.11	402	<0.005	<0.05	44.41	<0.05	0.59	5.63	16.18	27.8	86	2.3	1.9	145	0.85	0.3	3.6	<0.2	17.0	66.9
1887283	Drill Core	2.90	375	<0.005	<0.05	42.74	<0.05	0.83	4.24	36.37	23.6	171	0.5	0.4	102	0.55	0.3	2.7	<0.2	16.6	28.4
1887284	Drill Core	2.85	400	<0.005	<0.05	46.23	<0.05	0.25	5.14	42.74	11.4	242	0.5	0.2	90	0.46	0.7	3.2	<0.2	15.8	36.3
1887285	Drill Core	3.14	459	<0.005	<0.05	35.90	<0.05	1.32	4.17	19.96	22.6	123	0.3	0.3	89	0.50	0.5	2.8	<0.2	18.1	26.5
1887286	Drill Core	2.88	381	<0.005	<0.05	37.18	<0.05	1.52	4.41	15.54	30.6	105	2.5	1.2	110	0.69	0.4	2.6	<0.2	17.3	27.3
1887287	Drill Core	3.07	385	<0.005	<0.05	30.12	<0.05	0.28	3.74	19.71	16.1	111	1.0	0.3	92	0.49	0.4	3.0	<0.2	17.6	31.3
1887288	Drill Core	1.99	373	<0.005	<0.05	33.66	<0.05	0.65	5.34	17.70	25.6	105	0.4	0.5	88	0.56	0.6	3.9	<0.2	18.0	30.9
1887289	Drill Core	1.72	426	<0.005	<0.05	35.54	<0.05	1.03	4.55	16.57	24.0	105	0.4	0.3	88	0.57	0.2	4.1	<0.2	18.1	26.6
1887290	Drill Core	2.20	421	<0.005	<0.05	26.39	<0.05	1.13	4.77	23.03	32.7	120	0.6	0.4	103	0.62	0.3	4.0	<0.2	18.6	49.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000606.2

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1887281	Drill Core	0.19	0.19	<0.02	10	0.97	0.040	30.8	17.7	1.07	416.5	0.061	<1	0.96	0.009	0.24	<0.1	4.0	0.07	0.03
1887282	Drill Core	0.13	0.11	0.06	2	0.56	0.022	49.6	2.9	0.47	274.7	0.005	<1	0.55	0.014	0.22	<0.1	2.6	0.06	0.05
1887283	Drill Core	0.16	0.12	0.24	<1	0.34	0.003	50.1	1.4	0.40	210.7	<0.001	<1	0.45	0.012	0.18	<0.1	0.9	0.05	<0.02
1887284	Drill Core	0.18	0.18	0.27	<1	0.56	0.003	38.6	1.5	0.21	252.4	<0.001	<1	0.32	0.013	0.18	<0.1	1.1	0.04	<0.02
1887285	Drill Core	0.10	0.08	0.11	<1	0.30	0.003	47.1	1.2	0.39	266.1	0.001	<1	0.45	0.016	0.17	<0.1	1.2	0.04	0.02
1887286	Drill Core	0.08	0.09	0.09	1	0.30	0.004	49.3	8.8	0.57	328.0	<0.001	<1	0.61	0.010	0.20	<0.1	1.1	0.05	<0.02
1887287	Drill Core	0.13	0.06	0.14	<1	0.53	0.003	42.8	4.6	0.27	218.2	<0.001	<1	0.41	0.010	0.21	<0.1	0.7	0.05	<0.02
1887288	Drill Core	0.13	0.05	0.11	<1	0.34	0.002	54.2	1.2	0.41	154.2	<0.001	<1	0.48	0.013	0.18	<0.1	0.8	0.05	0.03
1887289	Drill Core	0.18	0.07	0.10	<1	0.43	0.002	52.2	1.4	0.33	314.1	<0.001	<1	0.44	0.014	0.18	<0.1	0.8	0.05	0.06
1887290	Drill Core	0.21	0.08	0.13	<1	0.38	0.002	54.3	1.5	0.58	1245.8	<0.001	<1	0.58	0.009	0.17	<0.1	0.8	0.04	0.04



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000606.2

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1887281	Drill Core	<0.1	<0.02	3.4	0.50	<0.1	0.12	0.09	9.3	0.3	<0.05	3.6	12.25	54.3	<0.02	<1	0.2	9.8	<10
1887282	Drill Core	<0.1	<0.02	2.0	0.21	<0.1	0.09	0.03	7.8	0.4	<0.05	3.1	17.97	87.9	<0.02	<1	0.3	5.9	<10
1887283	Drill Core	<0.1	<0.02	1.8	0.14	<0.1	0.07	0.04	6.2	0.5	<0.05	2.3	15.18	89.7	<0.02	<1	0.2	4.0	<10
1887284	Drill Core	<0.1	<0.02	1.3	0.13	<0.1	0.12	0.04	6.3	0.3	<0.05	3.9	15.96	71.7	<0.02	<1	0.1	3.1	<10
1887285	Drill Core	<0.1	<0.02	1.8	0.12	<0.1	0.14	0.04	6.1	0.4	<0.05	3.9	17.88	88.6	<0.02	<1	<0.1	4.0	<10
1887286	Drill Core	<0.1	<0.02	2.3	0.17	<0.1	0.12	0.03	6.9	0.3	<0.05	4.0	14.67	88.0	<0.02	2	0.1	4.6	<10
1887287	Drill Core	<0.1	<0.02	1.4	0.17	<0.1	0.14	0.04	7.0	0.3	<0.05	4.5	11.88	78.8	<0.02	<1	<0.1	2.6	<10
1887288	Drill Core	<0.1	<0.02	1.8	0.20	<0.1	0.05	0.03	6.4	0.5	<0.05	1.8	9.56	95.7	<0.02	<1	0.3	4.2	<10
1887289	Drill Core	<0.1	<0.02	1.6	0.20	<0.1	0.04	0.03	6.1	0.3	<0.05	1.3	11.02	91.5	<0.02	<1	0.1	3.3	<10
1887290	Drill Core	<0.1	<0.02	2.1	0.17	<0.1	0.05	<0.02	5.7	0.4	<0.05	1.8	10.67	96.0	<0.02	2	0.2	4.4	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000606.2

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	+Au	+Wt	TotAu	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	g	gm/t	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.05	0.01	0.05	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1887198	Drill Core	0.91	467	0.021	<0.05	41.23	<0.05	0.78	18.05	6.97	42.9	3532	6.7	4.5	266	1.45	13.7	3.4	56.9	13.3	23.1
REP 1887198	QC	0.035																			
1887216	Drill Core	1.78	463	0.018	<0.05	47.98	<0.05	0.33	10.88	12.43	17.1	211	2.0	3.3	142	0.86	3.3	0.4	12.9	13.5	13.2
REP 1887216	QC	0.31 10.93 12.45 17.4 183 1.9 3.4 145 0.85 3.5 0.4 8.7 14.3 13.6																			
1887249	Drill Core	1.56	387	0.009	<0.05	35.17	<0.05	0.55	14.51	18.01	63.2	212	8.3	5.3	275	1.89	19.4	1.5	0.7	14.1	68.7
REP 1887249	QC	0.007																			
REP 1887251	QC	0.26 8.92 12.83 38.2 125 2.8 3.5 232 1.31 8.9 2.4 49.7 13.2 163.8																			
1887261	Drill Core	2.74	495	0.005	<0.05	31.66	<0.05	1.13	13.50	27.37	40.7	263	4.4	4.6	300	1.82	8.8	2.1	1.7	10.0	73.8
REP 1887261	QC	0.005																			
1887272	Drill Core	3.20	456	0.014	<0.05	32.76	<0.05	1.59	11.96	11.40	47.3	202	8.0	6.2	376	1.75	14.1	3.8	9.8	12.4	126.8
REP 1887272	QC	0.021																			
REP 1887285	QC	1.27 3.93 19.75 22.0 120 0.4 0.3 81 0.51 0.5 2.7 <0.2 18.0 25.5																			
Core Reject Duplicates																					
1887217	Drill Core	1.71	485	0.044	0.35	51.78	0.08	0.37	9.92	12.09	17.5	208	1.7	2.5	216	0.80	7.3	0.6	39.1	12.7	15.9
DUP 1887217	QC	493 0.022 <0.05 44.73 <0.05 0.36 10.23 12.09 16.3 212 1.7 2.4 221 0.80 7.4 0.6 33.4 12.5 16.6																			
1887251	Drill Core	2.99	479	0.092	1.05	31.31	0.16	0.30	8.86	12.92	37.1	120	2.7	3.6	234	1.31	8.5	2.3	44.4	12.8	160.2
DUP 1887251	QC	399 0.046 <0.05 26.49 <0.05 0.27 8.53 13.23 36.8 114 2.6 3.6 235 1.34 8.7 2.3 39.3 13.0 157.7																			
1887285	Drill Core	3.14	459	<0.005	<0.05	35.90	<0.05	1.32	4.17	19.96	22.6	123	0.3	0.3	89	0.50	0.5	2.8	<0.2	18.1	26.5
DUP 1887285	QC	453 <0.005 <0.05 33.80 <0.05 1.16 3.97 19.59 20.6 118 0.4 0.3 84 0.51 0.5 2.8 <0.2 18.3 28.1																			
Reference Materials																					
STD BVGEO01	Standard	10.78 4596.96 190.61 1778.0 2623 160.5 25.2 742 3.74 122.8 4.0 233.4 17.7 57.3																			
STD BVGEO01	Standard	10.68 4449.13 186.92 1706.5 2623 160.8 25.3 693 3.65 122.5 3.8 211.9 14.8 57.5																			
STD DS11	Standard	14.36 147.15 132.22 329.3 1691 75.5 13.2 965 3.07 41.7 2.6 79.5 8.7 67.5																			
STD DS11	Standard	14.95 162.20 147.41 356.1 1679 84.3 15.3 1071 3.26 43.0 2.8 86.2 8.9 67.8																			
STD OREAS262	Standard	0.62 121.69 58.30 148.2 459 62.8 27.0 519 3.29 36.5 1.3 72.1 10.3 37.7																			
STD OREAS262	Standard	0.62 118.67 56.71 147.0 447 61.7 26.7 530 3.28 35.5 1.2 64.5 11.0 36.7																			
STD OREAS262	Standard	0.63 121.03 58.94 146.7 461 65.8 27.5 529 3.26 36.2 1.2 64.3 10.0 36.5																			
STD OREAS262	Standard	0.69 122.91 60.57 158.4 450 64.7 28.8 559 3.29 36.2 1.4 60.3 9.6 35.4																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 17, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000606.2

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1887198	Drill Core	0.34	0.66	0.07	16	0.15	0.026	24.4	5.8	0.38	1246.7	0.002	<1	0.73	0.006	0.18	15.0	2.4	0.08	0.02	<5
REP 1887198	QC																				
1887216	Drill Core	0.06	0.24	0.11	2	0.08	0.026	28.8	3.4	0.24	207.3	0.001	<1	0.44	0.021	0.19	0.3	0.9	0.05	<0.02	<5
REP 1887216	QC	0.08	0.25	0.12	2	0.08	0.026	28.0	3.5	0.24	199.0	<0.001	<1	0.43	0.020	0.18	0.3	0.8	0.05	<0.02	<5
1887249	Drill Core	0.25	0.19	0.15	9	0.60	0.047	38.4	5.3	0.55	243.6	0.003	<1	0.85	0.019	0.23	<0.1	4.3	0.06	0.16	<5
REP 1887249	QC																				
REP 1887251	QC	0.20	0.20	<0.02	3	1.15	0.042	25.7	2.5	0.50	156.7	0.003	<1	0.65	0.020	0.22	0.1	3.2	0.05	0.14	<5
1887261	Drill Core	0.13	0.10	0.19	9	0.71	0.052	27.9	6.1	0.70	147.2	0.010	1	0.84	0.016	0.18	<0.1	4.5	0.05	0.11	<5
REP 1887261	QC																				
1887272	Drill Core	0.16	0.47	0.08	10	1.52	0.055	28.5	7.8	0.77	176.7	0.002	<1	0.93	0.012	0.18	<0.1	3.6	0.07	0.32	16
REP 1887272	QC																				
REP 1887285	QC	0.09	0.09	0.11	<1	0.29	0.003	46.5	1.3	0.38	260.8	<0.001	<1	0.46	0.017	0.18	<0.1	1.1	0.04	0.02	6
Core Reject Duplicates																					
1887217	Drill Core	0.12	0.29	0.19	2	0.13	0.031	24.0	3.3	0.25	185.8	0.001	<1	0.43	0.022	0.17	0.4	0.9	0.05	<0.02	<5
DUP 1887217	QC	0.12	0.29	0.19	2	0.13	0.030	22.8	3.4	0.25	184.4	0.001	<1	0.42	0.021	0.17	0.4	0.8	0.05	<0.02	<5
1887251	Drill Core	0.19	0.19	<0.02	4	1.16	0.043	24.1	2.4	0.50	154.0	0.003	<1	0.64	0.020	0.22	0.1	3.1	0.06	0.15	<5
DUP 1887251	QC	0.18	0.22	<0.02	4	1.15	0.041	26.4	2.5	0.51	160.6	0.003	<1	0.67	0.022	0.23	0.1	3.3	0.06	0.15	<5
1887285	Drill Core	0.10	0.08	0.11	<1	0.30	0.003	47.1	1.2	0.39	266.1	0.001	<1	0.45	0.016	0.17	<0.1	1.2	0.04	0.02	<5
DUP 1887285	QC	0.10	0.08	0.10	<1	0.33	0.003	47.8	1.2	0.37	261.4	<0.001	<1	0.44	0.015	0.18	<0.1	1.2	0.04	0.02	<5
Reference Materials																					
STD BVGEO01	Standard	6.46	3.68	26.83	74	1.40	0.079	27.8	186.1	1.26	280.8	0.231	3	2.24	0.188	0.90	5.3	6.1	0.60	0.72	87
STD BVGEO01	Standard	7.23	3.64	25.13	74	1.31	0.074	27.1	187.0	1.31	266.0	0.242	3	2.31	0.188	0.86	5.3	6.1	0.62	0.64	84
STD DS11	Standard	2.27	8.31	11.76	45	1.02	0.069	18.5	57.5	0.82	363.0	0.090	6	1.13	0.070	0.41	2.9	3.2	4.77	0.24	243
STD DS11	Standard	2.36	8.73	11.92	51	1.09	0.071	19.7	62.6	0.87	369.0	0.102	8	1.20	0.075	0.40	3.2	3.3	5.00	0.30	248
STD OREAS262	Standard	0.66	5.73	1.11	23	3.05	0.041	16.9	42.6	1.14	255.6	0.003	3	1.29	0.067	0.31	0.2	3.4	0.43	0.26	150
STD OREAS262	Standard	0.61	5.60	1.04	21	2.99	0.042	16.9	42.8	1.18	249.6	0.003	3	1.37	0.070	0.30	0.2	3.3	0.43	0.23	164
STD OREAS262	Standard	0.66	5.55	1.04	22	2.99	0.037	17.1	43.4	1.20	245.4	0.003	3	1.39	0.070	0.31	0.2	3.1	0.46	0.26	152
STD OREAS262	Standard	0.62	5.10	1.07	22	2.98	0.040	16.2	46.2	1.19	267.6	0.003	4	1.38	0.069	0.31	0.2	3.3	0.44	0.27	151



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 17, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000606.2

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1887198	Drill Core	<0.1	<0.02	2.3	1.67	<0.1	0.07	<0.02	7.3	0.2	<0.05	2.6	10.05	42.9	<0.02	<1	0.4	12.5	<10	<2
REP 1887198	QC																			
1887216	Drill Core	<0.1	<0.02	1.1	0.63	<0.1	0.05	<0.02	7.8	0.4	<0.05	1.3	3.93	51.4	<0.02	<1	0.2	5.4	<10	<2
REP 1887216	QC	<0.1	<0.02	1.1	0.60	<0.1	0.07	<0.02	7.6	0.4	<0.05	1.4	3.87	50.3	<0.02	<1	0.2	5.1	<10	<2
1887249	Drill Core	<0.1	<0.02	4.1	0.48	<0.1	0.03	<0.02	9.8	0.7	<0.05	0.7	14.08	70.6	0.03	<1	0.3	11.0	<10	<2
REP 1887249	QC																			
REP 1887251	QC	<0.1	0.02	1.9	0.55	<0.1	0.13	<0.02	8.9	0.3	<0.05	3.8	8.22	48.0	<0.02	<1	0.2	8.9	<10	<2
1887261	Drill Core	<0.1	<0.02	3.2	0.42	<0.1	0.03	<0.02	6.0	0.3	<0.05	1.7	12.28	55.4	0.05	1	0.2	10.3	<10	<2
REP 1887261	QC																			
1887272	Drill Core	<0.1	<0.02	3.6	0.48	<0.1	0.02	<0.02	7.5	0.4	<0.05	0.8	11.51	53.9	0.03	6	0.3	14.0	<10	<2
REP 1887272	QC																			
REP 1887285	QC	<0.1	<0.02	1.8	0.11	<0.1	0.11	0.04	5.7	0.4	<0.05	3.7	17.42	82.6	<0.02	1	<0.1	4.1	<10	<2
Core Reject Duplicates																				
1887217	Drill Core	<0.1	<0.02	1.2	0.51	<0.1	0.06	<0.02	7.7	0.4	<0.05	1.5	4.20	45.1	<0.02	<1	0.3	5.4	<10	<2
DUP 1887217	QC	<0.1	<0.02	1.2	0.51	<0.1	0.06	<0.02	7.5	0.5	<0.05	1.5	4.32	43.0	<0.02	<1	0.3	5.5	<10	<2
1887251	Drill Core	<0.1	<0.02	1.8	0.54	<0.1	0.15	<0.02	8.4	0.3	<0.05	3.7	8.06	46.1	<0.02	<1	0.3	8.8	<10	<2
DUP 1887251	QC	<0.1	<0.02	1.9	0.56	<0.1	0.14	<0.02	8.9	0.2	<0.05	3.9	8.19	49.9	<0.02	<1	0.3	9.0	<10	<2
1887285	Drill Core	<0.1	<0.02	1.8	0.12	<0.1	0.14	0.04	6.1	0.4	<0.05	3.9	17.88	88.6	<0.02	<1	<0.1	4.0	<10	<2
DUP 1887285	QC	<0.1	<0.02	1.7	0.12	0.1	0.11	0.05	6.2	0.4	<0.05	4.1	18.03	86.5	<0.02	<1	0.2	4.0	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.8	1.05	7.5	7.54	0.2	0.29	0.34	95.5	5.7	<0.05	7.6	14.88	56.5	0.50	3	0.7	22.3	146	185
STD BVGE001	Standard	4.5	1.04	7.5	7.29	0.2	0.27	0.30	95.8	5.7	<0.05	8.9	14.81	52.8	0.50	5	0.5	21.3	106	170
STD DS11	Standard	2.0	4.51	4.6	2.85	<0.1	0.08	1.54	33.1	1.8	<0.05	2.3	7.97	38.1	0.26	45	0.6	22.8	101	172
STD DS11	Standard	2.4	4.82	4.9	2.89	<0.1	0.06	1.56	34.2	2.0	<0.05	3.2	7.53	38.5	0.24	50	0.7	23.7	111	166
STD OREAS262	Standard	0.3	0.26	3.9	2.92	<0.1	0.22	<0.02	19.1	0.5	<0.05	8.0	11.07	34.5	0.04	1	1.1	17.8	<10	<2
STD OREAS262	Standard	0.3	0.23	3.9	2.80	<0.1	0.21	<0.02	19.1	0.6	<0.05	7.6	10.75	33.7	0.03	<1	1.0	18.3	<10	<2
STD OREAS262	Standard	0.3	0.24	4.2	2.81	<0.1	0.25	<0.02	19.4	0.6	<0.05	9.9	10.19	33.3	0.04	<1	1.1	17.4	<10	<2
STD OREAS262	Standard	0.4	0.22	4.0	2.83	<0.1	0.24	<0.02	19.7	0.6	<0.05	11.7	11.10	37.4	0.04	<1	1.2	18.4	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000606.2

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	+Au	+Wt	TotAu	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	g	gm/t	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.05	0.01	0.05	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXB130	Standard			0.127																	
STD OXB130	Standard			0.128																	
STD OXB130	Standard			0.127																	
STD OXB130	Standard			0.126																	
STD OXI138	Standard			1.865																	
STD OXI138	Standard			1.879																	
STD OXI138	Standard			1.843																	
STD OXI138	Standard			1.849																	
STD OXN134	Standard			7.673																	
STD OXN134	Standard			7.540																	
STD OXN134	Standard			7.580																	
STD OXN134	Standard			7.793																	
STD OXQ90	Standard				25.37	30.51															
STD OXQ90	Standard				25.11	29.79															
STD OXQ90	Standard				25.06	30.01															
STD OXQ90	Standard				25.05	29.82															
STD OXQ90	Standard				25.06	30.01															
STD OXQ90	Standard				24.98	30.42															
STD OXQ90 Expected					24.88																
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank				<0.05	30.00															
BLK	Blank				<0.05	30.00															
BLK	Blank				<0.05	30.00															



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000606.2

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000606.2

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000606.2

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	+Au	+Wt	TotAu	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	g	gm/t	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.05	0.01	0.05	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank				<0.05	30.00															
BLK	Blank				<0.05	30.00															
BLK	Blank				<0.05	30.00															
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		438	<0.005	<0.05	38.56	<0.05	0.83	4.04	0.83	31.3	8	1.2	4.1	542	1.97	0.9	0.4	0.3	2.3	18.6
ROCK-WHI	Prep Blank		452	<0.005	<0.05	42.66	<0.05	0.94	4.86	0.92	32.8	9	1.3	4.4	562	1.99	0.9	0.4	<0.2	2.4	18.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000606.2

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.03	<0.02	24	0.63	0.041	6.0	3.8	0.51	46.9	0.074	<1	0.84	0.060	0.07	<0.1	2.7	0.02	<0.02	7
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	24	0.65	0.044	6.5	4.1	0.54	45.1	0.080	1	0.85	0.056	0.07	<0.1	2.9	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 17, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000606.2

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.11	<0.1	0.13	0.17	1.9	0.2	<0.05	2.2	7.92	11.8	<0.02	<1	0.1	1.3	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.14	<0.1	0.11	0.20	1.9	0.3	<0.05	2.5	8.84	12.4	<0.02	<1	0.1	1.4	<10