



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 26, 2019
Report Date: October 12, 2019
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000608.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-56
P.O. Number
Number of Samples: 6

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	6	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	6	Split samples by riffle splitter			WHI
PUL85	6	Pulverize to 85% passing 200 mesh			WHI
SLBHP	0	Sort, label and box pulps			WHI
FS631	6	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	6	Analysis sample split/packet			WHI
Split -150	6	Analysis sample split/packet			WHI
EN002	6	Environmental disposal charge-Fire assay lead waste			VAN
FS631	6	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	6	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	6	Per sample shipping charges for branch shipments			VAN
MDRU-LITH17	6	XRF Whole Rock & ICP-MS Trace Elements	0.2	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 2 of 2

Part: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000608.1

	Method																				
	Analyte	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1887194	Drill Core	1.92	430	0.053	0.05	<0.17	40.74	1.25	56.53	8.99	126.9	1120	34.0	37.4	1467	7.68	41.3	10.6	42.8	2.1	105.6
1887195	Drill Core	1.58	374	0.026	0.02	<0.17	39.60	0.82	18.86	3.30	99.5	643	35.6	36.5	975	7.19	18.0	4.4	20.3	0.9	109.0
1887196	Drill Core	3.49	370	0.031	0.03	<0.17	39.95	0.68	19.51	3.81	98.2	916	31.5	32.6	692	6.69	24.3	3.8	25.5	0.9	115.3
1887197	Drill Core	1.80	444	0.020	0.02	<0.17	29.72	1.15	24.26	9.47	219.1	522	35.9	39.7	773	7.02	50.8	10.5	14.4	1.2	114.2
1887204	Drill Core	2.66	402	0.026	0.02	<0.17	38.47	1.09	40.08	8.01	105.0	3824	29.2	31.6	972	6.43	39.1	3.6	22.4	2.1	175.2
1887205	Drill Core	2.14	422	0.035	0.03	<0.17	36.32	1.14	35.59	6.49	80.9	2187	24.8	22.9	653	5.36	35.9	2.6	24.2	3.0	129.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 2 of 2

Part: 2 of 6

CERTIFICATE OF ANALYSIS

WHI19000608.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1887194	Drill Core	1.26	1.38	0.04	131	0.93	0.183	21.7	31.1	2.19	1130.7	0.029	<1	5.00	0.021	0.20	<0.1	16.4	0.27	<0.02
1887195	Drill Core	0.53	1.09	<0.02	141	1.00	0.176	17.9	27.4	2.16	1113.2	0.066	<1	5.06	0.051	0.19	<0.1	17.0	0.31	<0.02
1887196	Drill Core	0.83	1.12	<0.02	132	1.11	0.157	20.6	25.4	2.07	860.4	0.069	<1	4.01	0.105	0.25	<0.1	16.2	0.40	<0.02
1887197	Drill Core	1.80	1.89	<0.02	124	0.95	0.160	24.5	23.5	1.85	1088.4	0.014	<1	3.55	0.029	0.35	0.1	18.0	0.35	0.02
1887204	Drill Core	1.42	1.03	0.05	132	1.19	0.151	19.1	29.2	2.52	1485.5	0.099	<1	3.92	0.129	0.27	1.7	14.2	0.49	0.03
1887205	Drill Core	0.87	0.99	0.04	109	1.02	0.128	17.7	28.4	2.07	1214.7	0.064	<1	3.04	0.103	0.22	3.0	11.4	0.33	0.04



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 2 of 2

Part: 3 of 6

CERTIFICATE OF ANALYSIS

WHI19000608.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	XF700
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	LOI
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	-5.11
1887194	Drill Core	0.2	<0.02	16.7	10.75	<0.1	0.10	<0.02	18.7	0.7	<0.05	2.5	34.29	44.4	0.06	<1	1.1	76.9	<10	<2	7.26
1887195	Drill Core	0.2	<0.02	14.4	7.91	0.1	0.09	<0.02	18.6	0.7	<0.05	2.1	22.76	39.0	0.06	<1	0.9	71.6	<10	<2	6.70
1887196	Drill Core	0.2	<0.02	11.4	8.65	0.2	0.16	<0.02	23.9	0.6	<0.05	4.1	30.21	38.1	0.05	<1	1.1	65.1	<10	<2	5.21
1887197	Drill Core	0.3	<0.02	11.8	9.20	<0.1	0.10	<0.02	23.1	0.6	<0.05	3.0	40.34	44.2	0.07	<1	1.6	61.8	<10	<2	6.44
1887204	Drill Core	0.3	0.02	12.0	9.15	<0.1	0.13	<0.02	27.4	0.8	<0.05	3.9	29.41	37.5	0.07	<1	0.9	60.4	<10	<2	4.88
1887205	Drill Core	0.2	0.02	9.8	5.99	<0.1	0.14	<0.02	18.4	0.6	<0.05	3.5	24.18	34.6	0.05	<1	0.7	49.3	<10	<2	4.11



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 2 of 2

Part: 4 of 6

CERTIFICATE OF ANALYSIS

WHI19000608.1

	Method	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	TC000	TC000	LF100	LF100	LF100	LF100	LF100
	Analyte	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	MnO	TiO2	P2O5	Cr2O3	SO3	Sr	TOT/C	TOT/S	Ba	Be	Co	Cs	Ga
	Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	0.002	0.02	0.02	1	1	0.2	0.1	0.5
1887194	Drill Core	50.69	17.16	13.15	1.88	4.44	0.55	1.35	0.24	2.34	0.48	<0.01	0.017	0.018	0.07	<0.02	2202	1	40.2	14.4	19.6
1887195	Drill Core	50.64	17.77	13.39	3.04	4.38	1.13	0.45	0.21	2.37	0.46	<0.01	0.013	0.029	0.07	<0.02	1381	2	42.3	9.2	18.2
1887196	Drill Core	49.92	17.02	13.13	4.37	4.51	1.63	0.85	0.15	2.32	0.43	<0.01	0.027	0.032	0.06	<0.02	1367	2	37.9	10.3	18.8
1887197	Drill Core	49.87	18.04	12.79	2.45	4.24	0.56	2.30	0.13	2.49	0.47	<0.01	0.062	0.023	0.06	0.03	1551	4	43.0	15.3	18.6
1887204	Drill Core	51.15	16.30	11.81	3.98	5.18	1.61	1.52	0.18	2.12	0.39	<0.01	0.104	0.036	0.10	0.03	2874	2	35.9	10.8	17.3
1887205	Drill Core	56.40	14.68	10.08	3.25	4.47	1.61	2.00	0.13	1.82	0.34	<0.01	0.122	0.030	0.12	0.04	3056	3	28.8	7.7	16.0



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 2 of 2

Part: 5 of 6

CERTIFICATE OF ANALYSIS

WHI19000608.1

	Method Analyte Unit MDL	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100
		Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu	Gd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02	0.3	0.05	0.02	0.05
1887194	Drill Core	5.4	13.0	51.9	2	175.4	0.7	3.4	10.8	210	3.7	222.8	49.4	27.3	52.0	7.85	33.5	7.93	2.21	8.55
1887195	Drill Core	4.9	11.9	22.0	2	251.4	0.7	1.8	5.2	197	<0.5	208.0	39.9	20.6	43.7	6.27	27.5	6.56	2.10	7.25
1887196	Drill Core	4.6	11.7	41.5	2	315.7	0.7	1.9	4.3	208	1.2	205.5	47.2	24.2	45.8	6.97	30.0	7.41	2.28	8.13
1887197	Drill Core	5.3	12.6	86.2	2	199.8	0.8	2.4	12.6	222	29.9	220.7	59.3	28.7	51.7	7.99	34.8	8.38	2.62	9.82
1887204	Drill Core	4.9	11.5	58.7	2	373.8	0.7	3.5	4.1	184	7.5	205.0	45.7	24.6	50.4	6.96	30.5	6.84	2.05	7.79
1887205	Drill Core	4.6	10.9	70.6	2	300.8	0.6	4.7	3.2	159	11.3	187.5	39.9	24.7	49.5	6.60	27.6	6.31	1.86	6.90



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 2 of 2

Part: 6 of 6

CERTIFICATE OF ANALYSIS

WHI19000608.1

	Method Analyte Unit MDL	LF100	LF100	LF100	LF100	LF100	LF100	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
		Dy	Ho	Er	Tm	Yb	Lu	Mo	Cu	Pb	Zn	Ag	Ni	As	Cd	Sb	Bi	Sc	Se	Tl
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.1	1	0.1	0.1	0.1	1	1	0.5
1887194	Drill Core	8.04	1.72	4.90	0.68	4.28	0.71	1.1	56.5	9.6	130	1.6	33.7	55	1.2	5.0	<0.1	23	<1	0.9
1887195	Drill Core	7.17	1.44	4.22	0.60	3.63	0.58	1.0	20.3	4.4	115	0.8	37.8	30	0.6	3.2	<0.1	24	<1	<0.5
1887196	Drill Core	7.97	1.64	4.68	0.63	4.00	0.61	1.0	21.6	4.7	122	1.2	33.8	35	0.8	3.8	<0.1	22	<1	0.8
1887197	Drill Core	9.37	1.96	5.80	0.79	4.90	0.77	1.3	30.1	11.2	254	0.7	37.6	82	2.3	6.9	<0.1	26	<1	1.3
1887204	Drill Core	7.29	1.54	4.34	0.65	4.02	0.63	1.1	41.6	9.0	125	3.8	31.6	50	1.4	3.0	<0.1	21	<1	1.0
1887205	Drill Core	6.49	1.44	4.02	0.55	3.75	0.54	1.3	37.4	7.2	106	2.4	27.1	46	0.8	2.6	<0.1	19	<1	1.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 1 of 2

Part: 1 of 6

QUALITY CONTROL REPORT

WHI19000608.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1887194	Drill Core	1.92	430	0.053	0.05	<0.17	40.74	1.25	56.53	8.99	126.9	1120	34.0	37.4	1467	7.68	41.3	10.6	42.8	2.1	105.6
REP 1887194	QC																				
1887197	Drill Core	1.80	444	0.020	0.02	<0.17	29.72	1.15	24.26	9.47	219.1	522	35.9	39.7	773	7.02	50.8	10.5	14.4	1.2	114.2
REP 1887197	QC																				
1887205	Drill Core	2.14	422	0.035	0.03	<0.17	36.32	1.14	35.59	6.49	80.9	2187	24.8	22.9	653	5.36	35.9	2.6	24.2	3.0	129.6
REP 1887205	QC																				
Reference Materials																					
STD DS11	Standard							14.00	143.05	136.93	327.8	1619	81.2	13.2	993	2.99	42.2	2.5	119.4	7.3	64.4
STD GS311-1	Standard																				
STD GS910-4	Standard																				
STD OREAS184	Standard																				
STD OREAS25A-4A	Standard																				
STD OREAS262	Standard							0.69	111.79	57.97	148.3	426	61.9	25.2	515	3.16	36.7	1.2	71.5	10.2	34.2
STD OREAS45E	Standard																				
STD OXB130	Standard			0.124																	
STD OXI138	Standard			1.813																	
STD OXN134	Standard			7.808																	
STD OXQ90	Standard					24.91	29.79														
STD OXQ90	Standard					24.68	30.51														
STD SO-19	Standard																				
STD SO-19	Standard																				
STD SY-4(D)	Standard																				
STD GS311-1 Expected																					
STD GS910-4 Expected																					
STD OREAS25A-4A Expected																					
STD OREAS45E Expected																					
STD SO-19 Expected																					
STD OXQ90 Expected						24.88															



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 1 of 2

Part: 2 of 6

QUALITY CONTROL REPORT

WHI19000608.1

Method Analyte Unit MDL	AQ251																			
	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																				
1887194 Drill Core	1.26	1.38	0.04	131	0.93	0.183	21.7	31.1	2.19	1130.7	0.029	<1	5.00	0.021	0.20	<0.1	16.4	0.27	<0.02	17
REP 1887194 QC																				
1887197 Drill Core	1.80	1.89	<0.02	124	0.95	0.160	24.5	23.5	1.85	1088.4	0.014	<1	3.55	0.029	0.35	0.1	18.0	0.35	0.02	11
REP 1887197 QC																				
1887205 Drill Core	0.87	0.99	0.04	109	1.02	0.128	17.7	28.4	2.07	1214.7	0.064	<1	3.04	0.103	0.22	3.0	11.4	0.33	0.04	6
REP 1887205 QC																				
Reference Materials																				
STD DS11 Standard	2.35	9.07	11.34	46	1.00	0.070	18.0	58.3	0.81	356.7	0.087	8	1.07	0.066	0.38	3.1	3.3	5.00	0.26	239
STD GS311-1 Standard																				
STD GS910-4 Standard																				
STD OREAS184 Standard																				
STD OREAS25A-4A Standard																				
STD OREAS262 Standard	0.69	6.21	1.05	20	2.86	0.040	14.7	41.2	1.10	245.8	0.002	4	1.16	0.065	0.29	0.3	3.3	0.47	0.24	158
STD OREAS45E Standard																				
STD OXB130 Standard																				
STD OXI138 Standard																				
STD OXN134 Standard																				
STD OXQ90 Standard																				
STD OXQ90 Standard																				
STD SO-19 Standard																				
STD SO-19 Standard																				
STD SY-4(D) Standard																				
STD GS311-1 Expected																				
STD GS910-4 Expected																				
STD OREAS25A-4A Expected																				
STD OREAS45E Expected																				
STD SO-19 Expected																				
STD OXQ90 Expected																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 1 of 2

Part: 3 of 6

QUALITY CONTROL REPORT

WHI19000608.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	XF700
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	LOI
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	-5.11
Pulp Duplicates																					
1887194	Drill Core	0.2	<0.02	16.7	10.75	<0.1	0.10	<0.02	18.7	0.7	<0.05	2.5	34.29	44.4	0.06	<1	1.1	76.9	<10	<2	7.26
REP 1887194	QC																				
1887197	Drill Core	0.3	<0.02	11.8	9.20	<0.1	0.10	<0.02	23.1	0.6	<0.05	3.0	40.34	44.2	0.07	<1	1.6	61.8	<10	<2	6.44
REP 1887197	QC																				6.44
1887205	Drill Core	0.2	0.02	9.8	5.99	<0.1	0.14	<0.02	18.4	0.6	<0.05	3.5	24.18	34.6	0.05	<1	0.7	49.3	<10	<2	4.11
REP 1887205	QC																				
Reference Materials																					
STD DS11	Standard	2.1	4.53	4.9	2.92	<0.1	0.06	1.68	32.6	1.7	<0.05	2.8	7.74	34.7	0.25	45	0.6	21.8	97	169	
STD GS311-1	Standard																				
STD GS910-4	Standard																				
STD OREAS184	Standard																				6.24
STD OREAS25A-4A	Standard																				
STD OREAS262	Standard	0.2	0.26	3.6	3.13	<0.1	0.25	<0.02	18.6	0.6	<0.05	12.1	9.97	30.6	0.04	2	1.2	17.5	<10	<2	
STD OREAS45E	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SO-19	Standard																				
STD SO-19	Standard																				
STD SY-4(D)	Standard																				4.56
STD GS311-1 Expected																					
STD GS910-4 Expected																					
STD OREAS25A-4A Expected																					
STD OREAS45E Expected																					
STD SO-19 Expected																					
STD OXQ90 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 1 of 2

Part: 4 of 6

QUALITY CONTROL REPORT

WHI19000608.1

	Method	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	TC000	TC000	LF100	LF100	LF100	LF100	LF100
	Analyte	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	MnO	TiO2	P2O5	Cr2O3	SO3	Sr	TOT/C	TOT/S	Ba	Be	Co	Cs	Ga
	Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	0.002	0.02	0.02	1	1	0.2	0.1	0.5
Pulp Duplicates																					
1887194	Drill Core	50.69	17.16	13.15	1.88	4.44	0.55	1.35	0.24	2.34	0.48	<0.01	0.017	0.018	0.07	<0.02	2202	1	40.2	14.4	19.6
REP 1887194	QC																2168	5	39.1	14.4	18.5
1887197	Drill Core	49.87	18.04	12.79	2.45	4.24	0.56	2.30	0.13	2.49	0.47	<0.01	0.062	0.023	0.06	0.03	1551	4	43.0	15.3	18.6
REP 1887197	QC	49.86	18.01	12.80	2.45	4.23	0.55	2.29	0.13	2.49	0.47	<0.01	0.063	0.021							
1887205	Drill Core	56.40	14.68	10.08	3.25	4.47	1.61	2.00	0.13	1.82	0.34	<0.01	0.122	0.030	0.12	0.04	3056	3	28.8	7.7	16.0
REP 1887205	QC														0.12	0.04					
Reference Materials																					
STD DS11	Standard																				
STD GS311-1	Standard														1.03	2.18					
STD GS910-4	Standard														2.70	8.07					
STD OREAS184	Standard	42.25	4.61	39.16	0.21	3.07	<0.01	<0.01	0.66	0.06	0.02	1.70	0.002	<0.002							
STD OREAS25A-4A	Standard																				
STD OREAS262	Standard																				
STD OREAS45E	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SO-19	Standard																470	17	23.4	4.4	15.5
STD SO-19	Standard																474	19	24.4	4.6	16.6
STD SY-4(D)	Standard	49.90	20.71	6.22	8.03	0.53	7.10	1.67	0.11	0.29	0.13	<0.01	0.057	0.123							
STD GS311-1 Expected															1.02	2.35					
STD GS910-4 Expected															2.65	8.27					
STD OREAS25A-4A Expected																					
STD OREAS45E Expected																					
STD SO-19 Expected																	486	20	24	4.5	17.5
STD OXQ90 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 12, 2019

Page:

1 of 2

Part:

5 of 6

QUALITY CONTROL REPORT

WHI19000608.1

Method Analyte Unit MDL		LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100
		Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02	0.3	0.05	0.02	0.05	0.01
Pulp Duplicates																					
1887194	Drill Core	5.4	13.0	51.9	2	175.4	0.7	3.4	10.8	210	3.7	222.8	49.4	27.3	52.0	7.85	33.5	7.93	2.21	8.55	1.38
REP 1887194	QC	5.2	12.7	51.3	2	175.3	0.8	3.0	10.8	204	3.4	223.4	48.3	24.8	47.8	7.17	31.0	7.30	2.18	8.25	1.31
1887197	Drill Core	5.3	12.6	86.2	2	199.8	0.8	2.4	12.6	222	29.9	220.7	59.3	28.7	51.7	7.99	34.8	8.38	2.62	9.82	1.54
REP 1887197	QC																				
1887205	Drill Core	4.6	10.9	70.6	2	300.8	0.6	4.7	3.2	159	11.3	187.5	39.9	24.7	49.5	6.60	27.6	6.31	1.86	6.90	1.10
REP 1887205	QC																				
Reference Materials																					
STD DS11	Standard																				
STD GS311-1	Standard																				
STD GS910-4	Standard																				
STD OREAS184	Standard																				
STD OREAS25A-4A	Standard																				
STD OREAS262	Standard																				
STD OREAS45E	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SO-19	Standard	2.9	69.1	19.5	18	309.8	4.6	14.0	19.4	165	8.9	108.5	36.2	71.4	153.6	19.04	73.4	12.58	3.54	10.11	1.32
STD SO-19	Standard	3.0	73.7	20.3	19	322.7	4.8	14.0	20.1	170	9.5	114.3	37.5	74.4	161.3	19.61	75.1	13.33	3.60	10.25	1.36
STD SY-4(D)	Standard																				
STD GS311-1 Expected																					
STD GS910-4 Expected																					
STD OREAS25A-4A Expected																					
STD OREAS45E Expected																					
STD SO-19 Expected		3.1	68.5	19.5	19	317.1	4.9	13	19.4	165	9.8	112	35.5	71.3	161	19.4	75.7	13.7	3.81	10.53	1.41
STD OXQ90 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 12, 2019

Page:

1 of 2

Part:

6 of 6

QUALITY CONTROL REPORT

WHI19000608.1

	Method Analyte Unit MDL	LF100	LF100	LF100	LF100	LF100	LF100	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
		Dy	Ho	Er	Tm	Yb	Lu	Mo	Cu	Pb	Zn	Ag	Ni	As	Cd	Sb	Bi	Sc	Se	Tl
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
Pulp Duplicates																				
1887194	Drill Core	8.04	1.72	4.90	0.68	4.28	0.71	1.1	56.5	9.6	130	1.6	33.7	55	1.2	5.0	<0.1	23	<1	0.9
REP 1887194	QC	7.93	1.66	4.82	0.70	4.26	0.68													
1887197	Drill Core	9.37	1.96	5.80	0.79	4.90	0.77	1.3	30.1	11.2	254	0.7	37.6	82	2.3	6.9	<0.1	26	<1	1.3
REP 1887197	QC																			
1887205	Drill Core	6.49	1.44	4.02	0.55	3.75	0.54	1.3	37.4	7.2	106	2.4	27.1	46	0.8	2.6	<0.1	19	<1	1.1
REP 1887205	QC																			
Reference Materials																				
STD DS11	Standard																			
STD GS311-1	Standard																			
STD GS910-4	Standard																			
STD OREAS184	Standard																			
STD OREAS25A-4A	Standard							2.2	32.0	22.6	42	<0.1	40.1	9	<0.1	0.7	0.3	11	3	<0.5
STD OREAS262	Standard																			
STD OREAS45E	Standard							1.9	770.2	17.6	48	0.4	453.2	16	<0.1	1.1	0.2	87	3	<0.5
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD SO-19	Standard	7.16	1.44	3.80	0.51	3.31	0.50													
STD SO-19	Standard	7.40	1.39	3.91	0.53	3.39	0.51													
STD SY-4(D)	Standard																			
STD GS311-1 Expected																				
STD GS910-4 Expected																				
STD OREAS25A-4A Expected								2.41	33.9	25.2	44.4		45.8	9.94		0.65	0.37	13.7	2.4	0.35
STD OREAS45E Expected								2.4	780	18.2	46.7	0.311	454	16.3	0.06	1	0.28	93	2.97	0.15
STD SO-19 Expected		7.5	1.39	3.78	0.55	3.55	0.53													
STD OXQ90 Expected																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 2 of 2

Part: 1 of 6

QUALITY CONTROL REPORT

WHI19000608.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OREAS184 Expected																					
STD SY-4(D) Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5
SI BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		426	<0.005	<0.01	<0.17	34.01	0.86	4.28	0.82	32.9	5	1.3	4.0	484	1.83	0.8	0.4	<0.2	3.1	19.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 2 of 2

Part: 2 of 6

QUALITY CONTROL REPORT

WHI19000608.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OREAS184 Expected																					
STD SY-4(D) Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
SI BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.01	0.04	<0.02	23	0.59	0.041	5.8	4.4	0.49	51.0	0.067	1	0.82	0.066	0.07	<0.1	2.6	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 2 of 2

Part: 3 of 6

QUALITY CONTROL REPORT

WHI19000608.1

	AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2	XF700 LOI %
STD DS11 Expected	2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172	
STD OREAS262 Expected	0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8			
STD OREAS184 Expected																				6.24
STD SY-4(D) Expected																				4.56
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
SI BLK	Blank																			0.00
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.13	<0.1	0.09	0.18	2.0	0.2	<0.05	2.2	8.06	11.9	<0.02	<1	0.2	1.3	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 2 of 2

Part: 4 of 6

QUALITY CONTROL REPORT

WHI19000608.1

		XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	TC000	TC000	LF100	LF100	LF100	LF100	LF100	
		SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	MnO	TiO2	P2O5	Cr2O3	SO3	Sr	TOT/C	TOT/S	Ba	Be	Co	Cs	Ga
		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	0.002	0.02	0.02	1	1	0.2	0.1	0.5
STD DS11 Expected																					
STD OREAS262 Expected																					
STD OREAS184 Expected		42.25	4.62	39.3	0.216	3.05			0.676	0.06	0.017	1.75									
STD SY-4(D) Expected		49.9	20.69	6.18	8.05	0.54	7.1	1.66	0.108	0.287	0.131			0.1203							
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
SI BLK	Blank	98.76	0.32	0.02	0.01	0.03	<0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.002	<0.002							
Prep Wash																					
ROCK-WHI	Prep Blank	71.17	14.32	3.31	2.25	1.03	4.82	1.87	0.09	0.38	0.10	<0.01	0.038	0.019	0.10	<0.02	785	<1	3.8	0.3	13.4



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 2 of 2

Part: 5 of 6

QUALITY CONTROL REPORT

WHI19000608.1

		LF100 Hf ppm 0.1	LF100 Nb ppm 0.1	LF100 Rb ppm 0.1	LF100 Sn ppm 1	LF100 Sr ppm 0.5	LF100 Ta ppm 0.1	LF100 Th ppm 0.2	LF100 U ppm 0.1	LF100 V ppm 8	LF100 W ppm 0.5	LF100 Zr ppm 0.1	LF100 Y ppm 0.1	LF100 La ppm 0.1	LF100 Ce ppm 0.1	LF100 Pr ppm 0.02	LF100 Nd ppm 0.3	LF100 Sm ppm 0.05	LF100 Eu ppm 0.02	LF100 Gd ppm 0.05	LF100 Tb ppm 0.01
STD DS11 Expected																					
STD OREAS262 Expected																					
STD OREAS184 Expected																					
STD SY-4(D) Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	<0.1	<0.1	<0.1	<0.1	<0.02	<0.3	<0.05	<0.02	<0.05	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
SI BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	3.7	6.4	31.7	<1	205.2	0.3	3.1	1.4	53	<0.5	142.6	19.0	16.1	28.2	3.36	12.9	2.69	0.77	2.61	0.44



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 12, 2019

Page: 2 of 2

Part: 6 of 6

QUALITY CONTROL REPORT

WHI19000608.1

		LF100 Dy ppm 0.05	LF100 Ho ppm 0.02	LF100 Er ppm 0.03	LF100 Tm ppm 0.01	LF100 Yb ppm 0.05	LF100 Lu ppm 0.01	MA200 Mo ppm 0.1	MA200 Cu ppm 0.1	MA200 Pb ppm 0.1	MA200 Zn ppm 1	MA200 Ag ppm 0.1	MA200 Ni ppm 0.1	MA200 As ppm 1	MA200 Cd ppm 0.1	MA200 Sb ppm 0.1	MA200 Bi ppm 0.1	MA200 Sc ppm 1	MA200 Se ppm 1	MA200 Tl ppm 0.5
STD DS11 Expected																				
STD OREAS262 Expected																				
STD OREAS184 Expected																				
STD SY-4(D) Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01	<0.1	0.2	<0.1	<1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<1	<0.5
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
SI BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	2.99	0.64	1.97	0.33	2.24	0.38	0.9	4.5	2.2	38	<0.1	1.3	<1	<0.1	0.2	<0.1	7	<1	<0.5