



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 26, 2019
Report Date: October 10, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000609.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-56
P.O. Number
Number of Samples: 84

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	81	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	84	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	84	Analysis sample split/packet			WHI
Split -150	84	Analysis sample split/packet			WHI
EN002	84	Environmental disposal charge-Fire assay lead waste			VAN
FS631	81	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	84	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	84	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000609.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1884565	Drill Core	2.30	549	0.485	6.29	80.63	39.75	1.04	16.25	19.81	66.2	670	6.0	5.4	176	1.25	4.3	1.0	885.5	9.2	19.7
1884566	Drill Core	2.20	357	0.006	<0.01	<0.17	28.78	0.88	12.89	11.72	58.1	367	8.7	5.3	242	1.61	2.7	1.1	4.0	10.5	28.6
1884567	Drill Core	2.63	478	0.016	0.01	<0.17	32.38	0.86	12.22	17.23	67.3	225	8.6	6.6	328	1.57	3.0	1.0	31.1	12.0	24.6
1884568	Drill Core	3.41	418	0.014	0.01	<0.17	27.88	1.78	21.88	11.61	53.7	324	12.3	7.3	292	1.87	7.7	1.9	6.4	10.3	19.0
1884569	Drill Core	3.79	357	0.008	<0.01	<0.17	24.26	1.57	23.43	34.88	67.4	535	12.4	6.6	348	1.87	9.3	0.9	3.5	10.3	19.6
1884570	Drill Core	3.88	412	0.181	0.17	<0.17	35.17	1.43	13.83	9.34	57.2	365	7.2	5.7	314	1.61	8.4	0.9	138.5	10.8	31.4
1884571	Drill Core	1.58	400	0.107	0.12	0.22	36.71	0.78	14.28	3.36	33.1	348	6.0	5.9	386	1.47	8.8	0.9	96.0	9.8	71.2
1884572	Drill Core	1.87	539	0.188	0.19	0.18	39.39	1.03	22.77	10.21	45.5	702	9.8	8.1	420	1.88	19.1	1.8	210.2	8.9	95.4
1884573	Drill Core	1.71	471	7.402	20.10	146.16	43.05	0.75	5.03	3.56	14.9	3860	3.4	2.9	244	0.95	3.1	0.4	12826.8	4.0	18.0
1884574	Drill Core	4.05	406	0.033	0.03	<0.17	32.04	0.97	14.18	13.17	41.5	355	9.1	5.1	330	1.43	7.0	0.7	56.3	10.1	43.6
1884575	Drill Core	1.91	446	0.095	0.09	<0.17	33.52	0.37	19.20	17.49	39.9	565	11.6	6.3	377	1.51	11.2	0.7	78.5	8.6	67.8
1884576	Drill Core	3.46	476	0.060	0.05	<0.17	38.31	0.46	15.11	13.27	36.8	551	10.1	5.8	276	1.22	6.6	1.0	226.0	8.2	44.1
1884577	Drill Core	2.46	440	1.410	1.49	2.28	41.26	0.59	17.51	9.86	31.6	831	10.9	5.8	361	1.25	5.0	1.0	1199.5	8.3	64.5
1884578	Drill Core	1.61	418	1.157	4.00	33.39	36.87	0.50	14.59	22.30	21.5	1212	7.1	4.9	315	1.09	3.1	0.9	1702.2	6.5	41.2
1884579	Drill Core	2.33	456	0.019	0.02	<0.17	31.42	0.73	19.49	18.91	54.6	362	10.0	7.4	356	1.68	5.7	1.1	6.7	7.7	39.0
1884580	Rock	0.23	163	<0.005	<0.01	<0.17	29.57	0.41	1.12	1.16	1.9	11	1.0	0.4	64	0.55	1.0	0.2	1.1	1.3	1.3
1884581	Drill Core	2.85	426	0.993	1.53	7.32	36.46	0.77	26.97	12.09	57.2	941	9.5	6.9	442	1.93	6.3	1.5	1129.6	8.9	55.0
1884582	Drill Core	1.36	456	0.022	0.02	<0.17	41.26	0.39	5.20	0.51	2.4	29	0.7	0.1	127	0.46	0.8	<0.1	9.1	<0.1	0.7
1884583	Drill Core	1.87	374	0.058	0.05	<0.17	33.92	0.33	1.21	0.20	0.5	34	0.6	0.1	55	0.45	<0.1	<0.1	35.6	<0.1	<0.5
1884584	Drill Core	2.19	456	4.659	21.22	193.62	39.95	0.76	5.48	5.11	13.2	3702	4.8	3.4	272	1.12	0.9	0.7	28966.2	4.3	10.7
1884585	Drill Core	2.36	487	1.239	1.70	7.37	36.89	0.55	9.08	10.87	42.3	504	9.2	8.0	498	1.70	4.5	1.1	852.8	8.9	59.5
1884586	Drill Core	1.30	391	1.400	3.03	16.60	41.92	0.61	8.80	2.12	14.1	792	7.2	5.2	273	1.23	4.7	0.5	1473.6	4.1	14.4
1884587	Drill Core	1.82	383	1.516	4.69	35.36	35.86	0.23	6.94	5.72	46.3	609	6.5	5.6	493	1.50	5.6	1.0	1575.8	6.5	129.4
1884588	Drill Core	2.34	516	1.423	3.83	40.07	32.07	0.62	12.94	6.36	32.3	1161	6.7	5.5	407	1.62	7.9	1.4	2916.4	7.9	91.4
1884589	Drill Core	3.38	436	0.400	0.44	0.93	34.45	0.49	13.63	8.30	30.8	900	5.7	4.2	441	1.58	5.2	0.7	584.6	6.5	75.1
1884590	Drill Core	2.93	427	0.019	0.02	<0.17	29.34	1.05	14.94	39.70	52.8	411	9.1	5.9	453	1.77	6.2	0.8	7.6	7.8	63.5
1884591	Drill Core	3.04	408	<0.005	<0.01	<0.17	39.01	0.83	15.97	13.19	45.4	249	8.5	6.1	478	1.87	7.0	0.9	0.2	9.6	61.0
1884592	Drill Core	2.03	552	0.102	0.11	0.25	40.56	0.38	12.45	9.21	29.2	389	8.5	4.7	350	1.30	8.6	1.9	111.3	10.0	101.3
1884593	Drill Core	1.98	424	0.716	0.75	1.03	39.87	0.50	48.72	9.31	38.7	2116	17.2	6.4	353	1.63	21.2	3.7	793.9	10.2	75.2
1884594	Drill Core	1.79	380	0.005	<0.01	<0.17	33.63	0.59	15.18	19.47	39.4	315	8.1	4.2	218	1.20	15.4	2.1	<0.2	7.9	30.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 2 of 4 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000609.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884565	Drill Core	0.27	0.51	0.12	7	0.30	0.050	16.8	11.1	0.42	163.9	0.038	1	0.62	0.016	0.36	1.8	1.7	0.21	<0.02	9
1884566	Drill Core	0.29	0.58	0.09	13	0.50	0.057	18.4	18.8	0.70	153.4	0.073	<1	0.95	0.019	0.49	2.2	2.6	0.26	<0.02	<5
1884567	Drill Core	0.30	0.50	0.11	11	0.40	0.055	22.5	17.2	0.71	172.8	0.061	<1	0.87	0.017	0.49	0.5	2.4	0.30	<0.02	12
1884568	Drill Core	0.28	0.67	0.20	13	0.33	0.055	17.1	19.8	0.75	144.7	0.060	<1	0.92	0.018	0.40	0.3	2.7	0.21	0.05	<5
1884569	Drill Core	0.47	0.93	0.34	11	0.29	0.057	15.3	15.4	0.87	156.4	0.048	<1	1.00	0.011	0.52	0.3	2.4	0.23	0.04	<5
1884570	Drill Core	0.36	0.64	0.07	7	0.44	0.049	15.1	11.7	0.63	200.5	0.034	<1	0.75	0.014	0.45	0.4	2.0	0.19	0.09	13
1884571	Drill Core	0.34	0.69	0.06	6	1.09	0.054	13.5	8.8	0.58	238.2	0.029	<1	0.76	0.009	0.51	0.5	1.5	0.19	0.18	31
1884572	Drill Core	0.46	0.86	0.33	8	1.31	0.059	9.8	12.0	0.78	176.3	0.043	<1	0.82	0.011	0.47	0.5	2.4	0.19	0.43	13
1884573	Drill Core	0.15	0.29	0.07	3	0.25	0.017	6.7	5.0	0.29	114.1	0.012	<1	0.34	0.005	0.21	0.3	1.0	0.09	<0.02	10
1884574	Drill Core	0.28	0.42	0.37	7	0.58	0.048	12.9	8.8	0.71	159.5	0.038	<1	0.79	0.007	0.46	0.3	1.9	0.16	0.04	<5
1884575	Drill Core	0.32	0.30	0.73	7	0.84	0.052	7.6	7.9	0.83	191.2	0.041	<1	0.85	0.008	0.52	0.3	2.0	0.18	0.19	<5
1884576	Drill Core	0.31	0.60	0.58	5	0.54	0.046	8.6	6.6	0.61	151.7	0.034	<1	0.68	0.007	0.42	0.4	1.5	0.15	0.18	<5
1884577	Drill Core	0.35	0.72	0.31	4	0.81	0.041	9.0	6.2	0.57	156.0	0.020	1	0.61	0.010	0.37	0.3	1.7	0.12	0.25	<5
1884578	Drill Core	0.23	0.59	0.56	4	0.59	0.034	8.3	5.6	0.51	140.3	0.017	<1	0.54	0.006	0.35	0.2	1.2	0.10	0.13	<5
1884579	Drill Core	0.19	0.82	0.15	10	0.52	0.049	10.4	12.2	0.88	135.5	0.060	<1	0.93	0.009	0.55	0.5	2.1	0.19	0.13	11
1884580	Rock	<0.01	0.05	<0.02	1	0.01	0.003	2.0	3.2	0.01	9.8	0.002	<1	0.04	0.002	0.01	<0.1	0.3	<0.02	<0.02	<5
1884581	Drill Core	0.31	0.95	0.08	10	0.68	0.057	13.8	14.2	0.91	132.7	0.069	<1	1.02	0.010	0.37	0.7	2.2	0.12	0.17	<5
1884582	Drill Core	0.03	0.23	<0.02	<1	<0.01	<0.001	<0.5	1.7	0.04	3.3	<0.001	2	0.03	0.001	<0.01	<0.1	0.1	<0.02	<0.02	<5
1884583	Drill Core	0.01	0.09	<0.02	<1	<0.01	0.002	<0.5	2.1	<0.01	1.8	<0.001	3	<0.01	0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
1884584	Drill Core	0.08	0.38	0.06	3	0.11	0.021	8.7	3.8	0.30	110.1	0.006	<1	0.41	0.006	0.20	0.2	1.1	0.06	<0.02	<5
1884585	Drill Core	0.42	0.71	0.05	7	0.78	0.056	10.1	7.4	0.72	183.0	0.042	1	0.80	0.006	0.46	0.5	2.1	0.15	0.24	7
1884586	Drill Core	0.14	0.76	0.02	3	0.14	0.018	6.2	4.6	0.23	150.6	0.008	2	0.36	0.004	0.24	0.3	1.0	0.07	0.24	<5
1884587	Drill Core	0.77	0.84	<0.02	5	1.51	0.041	5.5	5.7	0.67	156.7	0.021	3	0.69	0.008	0.48	0.4	2.0	0.14	0.62	12
1884588	Drill Core	0.29	0.97	0.04	5	1.04	0.043	6.6	4.9	0.59	170.2	0.024	<1	0.63	0.006	0.44	0.4	1.7	0.13	0.66	7
1884589	Drill Core	0.15	1.22	0.05	6	1.03	0.042	6.7	5.8	0.62	148.3	0.031	1	0.72	0.007	0.50	0.4	1.6	0.15	0.31	<5
1884590	Drill Core	0.21	1.44	0.30	9	0.98	0.051	10.3	9.8	0.75	156.4	0.046	3	0.86	0.009	0.58	0.3	2.4	0.20	0.05	<5
1884591	Drill Core	0.19	1.34	0.13	10	0.91	0.057	12.1	10.9	0.75	166.4	0.046	1	0.89	0.016	0.58	0.3	2.9	0.21	0.04	8
1884592	Drill Core	0.19	0.87	0.16	7	1.23	0.079	8.2	7.0	0.55	154.1	0.020	<1	0.57	0.015	0.41	0.3	1.6	0.13	0.43	<5
1884593	Drill Core	0.44	1.21	0.35	8	1.00	0.063	7.4	8.5	0.42	172.5	0.016	1	0.55	0.015	0.43	0.3	1.6	0.19	0.80	16
1884594	Drill Core	0.38	0.85	0.38	8	0.68	0.059	14.8	8.3	0.34	189.7	0.058	<1	0.57	0.015	0.36	0.7	2.2	0.14	0.10	8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000609.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884565	Drill Core	<0.1	0.02	2.4	2.37	<0.1	0.04	0.13	23.3	0.4	<0.05	1.5	6.49	29.8	<0.02	<1	0.3	5.2	<10	<2			
1884566	Drill Core	<0.1	<0.02	4.1	3.09	<0.1	0.04	0.12	31.6	0.5	<0.05	1.5	8.65	35.1	<0.02	<1	0.4	7.2	<10	<2			
1884567	Drill Core	<0.1	<0.02	3.6	3.22	<0.1	0.07	0.10	33.0	0.4	<0.05	2.3	8.42	40.9	<0.02	<1	0.3	7.7	<10	<2			
1884568	Drill Core	0.3	<0.02	3.4	2.39	<0.1	0.09	0.10	25.4	0.4	<0.05	3.2	7.96	31.6	<0.02	2	0.4	8.6	<10	<2			
1884569	Drill Core	0.2	0.02	3.1	2.93	<0.1	0.12	0.06	29.3	0.3	<0.05	4.7	7.63	28.6	<0.02	<1	0.4	10.2	<10	<2			
1884570	Drill Core	0.2	<0.02	2.6	1.93	<0.1	0.05	0.06	23.5	0.3	<0.05	1.6	5.58	29.2	<0.02	<1	0.4	6.8	<10	<2			
1884571	Drill Core	0.4	<0.02	2.4	1.68	<0.1	0.04	0.07	24.7	0.3	<0.05	1.2	5.14	26.0	<0.02	<1	0.3	6.6	<10	<2			
1884572	Drill Core	0.6	0.04	2.5	1.57	<0.1	0.08	0.05	24.3	0.4	<0.05	3.2	6.70	18.6	<0.02	<1	0.3	7.9	<10	<2			
1884573	Drill Core	<0.1	0.03	1.2	0.99	<0.1	0.02	0.03	11.1	0.2	<0.05	1.3	2.73	12.7	<0.02	<1	<0.1	3.8	<10	<2			
1884574	Drill Core	<0.1	0.03	2.2	2.70	<0.1	0.11	0.03	26.9	0.3	<0.05	4.5	5.72	24.9	<0.02	<1	0.2	8.5	<10	<2			
1884575	Drill Core	0.2	0.03	2.3	2.02	<0.1	0.22	0.03	27.4	0.3	<0.05	8.5	5.13	15.2	<0.02	1	0.3	8.4	<10	<2			
1884576	Drill Core	0.2	0.06	1.8	1.97	<0.1	0.33	0.08	21.9	0.2	<0.05	11.9	4.87	16.0	<0.02	<1	0.3	7.9	<10	<2			
1884577	Drill Core	0.3	0.12	1.8	1.36	<0.1	0.35	0.05	18.1	0.2	<0.05	13.9	5.33	16.8	<0.02	<1	0.3	6.3	<10	<2			
1884578	Drill Core	0.2	0.12	1.6	1.08	<0.1	0.35	0.05	16.1	0.2	<0.05	12.7	4.62	15.3	<0.02	<1	0.1	6.5	<10	<2			
1884579	Drill Core	0.2	0.02	2.9	2.05	<0.1	0.34	0.04	28.6	0.3	<0.05	11.0	6.13	19.4	<0.02	<1	0.5	10.4	<10	<2			
1884580	Rock	<0.1	<0.02	0.2	0.09	<0.1	0.10	0.05	0.8	<0.1	<0.05	2.3	0.87	4.1	<0.02	<1	<0.1	1.0	<10	<2			
1884581	Drill Core	<0.1	0.04	3.4	1.05	<0.1	0.26	0.05	18.7	0.3	<0.05	7.8	9.05	26.7	<0.02	<1	0.3	13.9	<10	<2			
1884582	Drill Core	<0.1	<0.02	0.2	0.20	<0.1	<0.02	<0.02	0.4	0.3	<0.05	<0.1	0.41	0.4	<0.02	<1	<0.1	0.7	<10	<2			
1884583	Drill Core	<0.1	0.03	<0.1	0.05	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	<0.1	0.07	0.1	<0.02	<1	<0.1	0.2	<10	<2			
1884584	Drill Core	<0.1	0.12	1.5	0.78	<0.1	0.09	0.02	9.2	0.3	<0.05	3.6	4.43	18.5	<0.02	<1	0.3	6.9	<10	<2			
1884585	Drill Core	0.6	0.05	2.6	1.59	<0.1	0.27	0.06	22.9	0.4	<0.05	9.8	6.55	20.6	<0.02	<1	0.1	10.5	<10	<2			
1884586	Drill Core	0.2	0.05	1.4	0.69	<0.1	0.16	0.04	9.8	<0.1	<0.05	4.9	2.47	12.5	<0.02	<1	0.4	4.0	<10	<2			
1884587	Drill Core	0.5	0.03	2.2	1.24	<0.1	0.18	0.04	20.9	0.1	<0.05	7.1	4.27	11.2	<0.02	<1	0.4	7.1	<10	<2			
1884588	Drill Core	0.6	0.06	2.1	1.35	<0.1	0.31	0.06	19.4	0.2	<0.05	11.0	4.57	13.2	<0.02	<1	0.4	7.4	<10	<2			
1884589	Drill Core	0.5	<0.02	2.2	1.88	<0.1	0.28	0.04	23.3	0.2	<0.05	9.1	4.27	13.3	<0.02	<1	0.3	7.4	<10	<2			
1884590	Drill Core	<0.1	0.03	2.6	2.89	<0.1	0.29	0.04	30.3	0.3	<0.05	10.0	4.78	20.0	<0.02	<1	0.4	9.6	<10	<2			
1884591	Drill Core	<0.1	<0.02	2.5	5.08	<0.1	0.27	<0.02	33.2	0.4	<0.05	10.5	5.06	24.2	<0.02	<1	0.4	9.7	<10	<2			
1884592	Drill Core	0.4	0.04	2.2	1.40	<0.1	0.25	0.04	19.0	0.2	<0.05	7.6	5.47	16.5	<0.02	1	0.4	6.4	<10	<2			
1884593	Drill Core	1.2	0.06	1.9	1.99	<0.1	0.13	0.08	21.8	0.2	<0.05	5.0	4.62	15.0	<0.02	3	0.4	6.1	<10	<2			
1884594	Drill Core	0.4	<0.02	1.8	1.65	<0.1	0.07	0.30	19.2	0.3	<0.05	4.3	8.31	30.7	<0.02	<1	0.8	5.4	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000609.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1884595	Drill Core	3.34	515	<0.005	<0.01	<0.17	40.93	0.36	21.21	10.58	40.6	287	17.9	5.5	274	1.47	32.0	4.3	<0.2	9.9	40.3
1884596	Drill Core	3.56	421	<0.005	<0.01	<0.17	25.83	0.47	15.38	5.84	28.7	179	8.5	5.2	241	1.30	35.5	3.4	<0.2	13.1	44.5
1884597	Drill Core	3.23	491	<0.005	<0.01	<0.17	27.71	0.65	21.72	16.21	55.8	417	19.5	5.4	310	1.79	33.9	2.3	<0.2	7.6	41.7
1884598	Drill Core	3.22	511	<0.005	<0.01	<0.17	34.39	0.52	18.06	6.06	48.1	311	10.8	5.3	270	1.52	13.1	2.9	4.0	9.1	53.5
1884599	Drill Core	3.29	515	<0.005	<0.01	<0.17	41.35	0.95	19.53	8.61	62.8	345	15.7	5.6	330	1.73	6.6	2.0	2.0	7.9	51.3
1884600	Rock Pulp	0.12	95	7.444				8.22	170.23	19.03	71.7	854	11.7	9.9	525	4.38	12.6	0.9	7734.8	2.8	70.5
1884601	Drill Core	3.43	547	0.006	<0.01	<0.17	40.46	0.64	20.83	24.58	72.3	950	15.6	6.3	315	1.94	7.1	2.2	3.6	8.6	34.0
1884602	Drill Core	1.86	394	0.164	0.16	<0.17	34.38	0.70	14.43	10.74	38.7	831	11.9	6.8	291	1.65	9.3	1.9	137.7	9.2	50.8
1884603	Drill Core	2.91	448	0.183	0.18	<0.17	24.92	3.28	15.41	19.44	39.1	1386	11.2	5.6	242	1.73	14.7	2.1	161.4	9.6	21.4
1884604	Drill Core	1.36	401	0.470	0.50	0.94	26.69	0.44	6.84	7.29	24.8	564	9.8	6.6	258	1.54	9.7	1.3	673.6	9.4	29.6
1884605	Drill Core	3.51	433	0.328	0.34	0.47	38.66	1.19	15.12	7.13	63.3	498	14.1	8.6	393	2.24	6.4	2.6	523.8	8.5	72.6
1884606	Drill Core	3.29	509	<0.005	<0.01	<0.17	35.34	2.06	17.78	16.18	72.0	345	20.5	9.4	418	2.36	3.7	2.3	<0.2	7.0	56.4
1884607	Drill Core	3.43	526	<0.005	<0.01	<0.17	31.02	1.32	8.94	14.92	63.5	180	14.1	8.0	441	2.03	2.5	0.9	<0.2	7.7	67.2
1884608	Drill Core	3.32	500	<0.005	<0.01	<0.17	39.95	1.08	9.76	9.65	67.9	175	12.7	8.4	372	2.01	3.6	1.0	<0.2	9.1	50.6
1884609	Drill Core	2.59	426	<0.005	<0.01	<0.17	31.15	1.04	17.94	6.53	66.0	225	10.0	6.9	304	2.06	5.9	1.1	<0.2	9.7	39.9
1884610	Drill Core	1.62	535	0.482	0.55	1.33	40.50	1.49	22.31	10.43	68.7	705	7.8	6.5	311	1.96	10.3	1.3	305.6	10.8	47.1
1884611	Drill Core	1.62	513	0.053	0.06	<0.17	42.30	0.74	11.12	8.85	51.7	275	6.7	6.6	303	1.73	4.4	3.8	93.9	10.3	69.8
1884612	Drill Core	1.66	482	0.115	0.11	<0.17	29.46	1.06	15.35	9.91	58.0	331	11.7	8.1	320	1.97	3.3	2.2	103.4	8.7	67.0
1884613	Drill Core	1.64	546	0.011	0.01	<0.17	40.99	0.69	14.71	22.24	84.8	299	8.8	7.3	350	1.91	1.5	1.7	4.5	9.5	67.8
1884614	Drill Core	3.63	441	<0.005	<0.01	<0.17	39.85	0.62	11.83	9.52	62.6	204	10.7	7.6	317	1.95	2.5	1.4	<0.2	9.8	56.1
1884615	Drill Core	3.41	479	<0.005	<0.01	<0.17	33.65	0.70	12.33	17.69	58.5	250	8.8	5.9	212	1.55	2.0	1.4	2.3	8.7	45.3
1884616	Drill Core	3.21	444	<0.005	<0.01	<0.17	25.96	0.43	12.34	13.08	62.3	296	9.3	6.5	211	1.93	1.3	1.0	1.0	7.5	40.3
1884617	Drill Core	3.17	446	<0.005	<0.01	<0.17	34.48	0.39	13.56	6.02	63.8	192	10.4	8.2	164	1.91	2.3	0.7	1.8	3.7	42.6
1884618	Drill Core	3.26	426	<0.005	<0.01	<0.17	31.39	0.63	15.01	8.26	61.9	197	10.0	7.0	200	1.67	1.8	1.0	2.5	6.8	36.6
1884619	Drill Core	1.92	493	0.005	<0.01	<0.17	35.59	0.44	13.34	21.87	80.6	210	8.8	7.5	295	2.00	0.9	1.2	1.7	10.4	35.5
1884620	Rock Pulp	0.12	94	0.562				6.39	116.47	85.78	131.0	598	11.8	4.9	594	2.54	39.3	0.5	491.6	3.0	34.0
1884621	Drill Core	1.59	439	0.005	<0.01	<0.17	27.83	1.37	13.05	63.44	89.0	280	11.2	7.5	417	2.02	1.2	1.2	2.3	8.2	56.2
1884622	Drill Core	3.10	425	<0.005	<0.01	<0.17	40.42	0.62	12.25	19.45	91.1	223	10.7	7.9	351	2.04	1.3	1.5	0.9	9.9	45.0
1884623	Drill Core	3.74	482	<0.005	<0.01	<0.17	40.08	0.88	15.13	12.15	69.0	278	12.0	8.6	240	1.89	1.4	3.6	1.3	10.6	55.5
1884624	Drill Core	3.14	490	<0.005	<0.01	<0.17	36.73	1.78	34.68	15.03	75.0	661	12.8	9.6	315	2.16	1.2	1.7	1.3	10.8	59.6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000609.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
			0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884595	Drill Core	0.47	1.44	0.25	12	0.90	0.046	12.3	14.2	0.40	163.4	0.043	1	0.58	0.016	0.38	0.5	2.0	0.19	0.31	<5	
1884596	Drill Core	0.31	1.38	0.15	8	0.90	0.040	16.3	7.6	0.36	196.4	0.040	2	0.56	0.021	0.36	0.5	2.0	0.20	0.19	<5	
1884597	Drill Core	0.38	2.08	0.41	17	0.87	0.061	10.3	20.5	0.50	176.4	0.063	<1	0.72	0.017	0.43	0.7	2.6	0.25	0.25	8	
1884598	Drill Core	0.41	1.51	0.20	9	1.20	0.072	15.2	9.8	0.34	248.3	0.072	<1	0.57	0.020	0.40	0.4	2.5	0.21	0.14	<5	
1884599	Drill Core	0.44	1.25	0.23	16	1.08	0.055	14.0	18.1	0.52	191.3	0.090	1	0.69	0.023	0.45	0.4	2.5	0.23	0.32	<5	
1884600	Rock Pulp	0.17	3.74	0.57	108	0.88	0.064	7.5	15.9	0.81	125.8	0.102	2	1.66	0.165	0.21	4.0	3.1	0.07	<0.02	219	
1884601	Drill Core	0.62	1.49	1.17	17	0.64	0.072	12.8	19.2	0.54	178.8	0.070	1	0.72	0.026	0.47	0.4	2.4	0.25	0.37	<5	
1884602	Drill Core	0.28	1.03	0.53	12	0.72	0.049	8.7	13.4	0.52	208.8	0.041	2	0.68	0.026	0.45	0.5	2.5	0.21	0.53	15	
1884603	Drill Core	0.25	1.33	1.08	12	0.26	0.048	14.4	16.5	0.49	188.5	0.053	2	0.64	0.024	0.41	0.6	2.7	0.25	0.11	<5	
1884604	Drill Core	0.18	0.95	0.24	10	0.35	0.071	14.1	14.2	0.42	175.2	0.044	2	0.59	0.035	0.30	0.7	1.9	0.18	0.35	11	
1884605	Drill Core	0.37	0.93	0.13	24	1.04	0.069	8.8	28.2	0.92	143.3	0.071	1	0.95	0.027	0.61	0.7	4.6	0.34	0.47	15	
1884606	Drill Core	0.26	0.80	0.23	27	0.99	0.066	7.4	31.3	1.17	121.5	0.068	<1	1.19	0.020	0.51	0.4	5.0	0.27	0.21	6	
1884607	Drill Core	0.28	1.34	0.18	20	1.41	0.066	11.0	24.5	1.03	138.1	0.075	1	1.07	0.017	0.51	0.6	4.2	0.28	<0.02	<5	
1884608	Drill Core	0.27	1.53	0.12	19	1.00	0.064	13.2	22.0	1.02	143.5	0.076	2	1.14	0.015	0.64	0.8	3.9	0.38	<0.02	10	
1884609	Drill Core	0.30	1.51	0.06	19	0.73	0.064	16.3	22.7	0.92	158.8	0.064	2	1.12	0.022	0.61	0.6	3.5	0.35	<0.02	14	
1884610	Drill Core	0.69	1.39	0.12	12	0.81	0.071	12.4	12.7	0.78	188.7	0.053	2	0.89	0.016	0.60	0.7	2.8	0.32	0.18	19	
1884611	Drill Core	0.33	1.00	0.10	12	1.19	0.070	12.6	13.2	0.85	186.7	0.060	1	1.01	0.012	0.60	0.6	3.0	0.28	0.17	7	
1884612	Drill Core	0.41	0.91	0.11	19	1.01	0.082	14.1	21.2	0.85	164.6	0.081	2	1.15	0.014	0.38	0.8	3.2	0.18	0.13	9	
1884613	Drill Core	0.53	0.75	0.12	19	1.26	0.062	17.1	22.1	0.81	122.1	0.072	2	1.08	0.012	0.23	0.9	3.8	0.11	<0.02	11	
1884614	Drill Core	0.28	0.87	0.06	17	1.08	0.066	19.5	21.1	0.97	143.1	0.069	1	1.35	0.016	0.30	0.4	3.5	0.15	<0.02	<5	
1884615	Drill Core	0.27	0.56	0.10	14	1.07	0.059	15.6	16.7	0.67	141.6	0.075	1	1.02	0.017	0.27	0.5	3.2	0.12	<0.02	<5	
1884616	Drill Core	0.25	0.29	0.10	17	0.98	0.057	12.1	19.8	0.81	130.8	0.075	1	1.05	0.041	0.22	0.3	3.6	0.10	0.07	<5	
1884617	Drill Core	0.08	0.17	0.07	14	0.45	0.060	5.9	21.3	0.81	153.3	0.086	1	1.04	0.038	0.15	<0.1	2.5	0.05	0.10	<5	
1884618	Drill Core	0.13	0.29	0.06	11	0.73	0.060	10.2	16.4	0.74	194.4	0.082	1	1.05	0.027	0.22	0.2	2.8	0.10	0.05	<5	
1884619	Drill Core	0.32	0.52	0.10	12	0.92	0.054	18.4	17.1	0.91	152.6	0.047	1	1.27	0.019	0.21	0.2	3.1	0.10	0.02	<5	
1884620	Rock Pulp	0.58	2.75	0.11	27	0.84	0.036	5.6	23.4	0.50	81.3	0.081	8	1.12	0.093	0.09	4.3	3.4	0.18	0.08	127	
1884621	Drill Core	0.60	0.75	0.27	15	1.24	0.062	13.0	23.0	0.94	159.9	0.083	1	1.34	0.018	0.18	0.2	3.3	0.10	0.03	<5	
1884622	Drill Core	0.45	0.55	0.12	16	0.83	0.063	13.1	21.3	0.98	183.1	0.078	<1	1.32	0.025	0.25	0.2	4.1	0.14	0.04	<5	
1884623	Drill Core	0.28	0.70	0.08	18	0.90	0.070	17.5	25.2	0.96	197.1	0.099	1	1.23	0.022	0.33	0.3	5.0	0.19	0.04	<5	
1884624	Drill Core	0.28	1.11	0.09	21	1.07	0.061	17.6	28.0	1.06	155.3	0.107	1	1.31	0.016	0.34	1.2	4.8	0.22	0.02	11	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000609.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884595	Drill Core																						
1884596	Drill Core																						
1884597	Drill Core																						
1884598	Drill Core																						
1884599	Drill Core																						
1884600	Rock Pulp																						
1884601	Drill Core																						
1884602	Drill Core																						
1884603	Drill Core																						
1884604	Drill Core																						
1884605	Drill Core																						
1884606	Drill Core																						
1884607	Drill Core																						
1884608	Drill Core																						
1884609	Drill Core																						
1884610	Drill Core																						
1884611	Drill Core																						
1884612	Drill Core																						
1884613	Drill Core																						
1884614	Drill Core																						
1884615	Drill Core																						
1884616	Drill Core																						
1884617	Drill Core																						
1884618	Drill Core																						
1884619	Drill Core																						
1884620	Rock Pulp																						
1884621	Drill Core																						
1884622	Drill Core																						
1884623	Drill Core																						
1884624	Drill Core																						



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 4 of 4 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000609.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1884625	Drill Core	3.34	472	<0.005	<0.01	<0.17	41.74	1.11	20.05	19.18	68.6	308	11.0	7.7	283	2.04	0.8	3.4	0.8	43.0
1884626	Drill Core	3.31	394	<0.005	<0.01	<0.17	37.75	1.04	21.92	28.34	72.9	437	11.2	7.6	277	2.00	0.9	1.3	0.9	62.1
1884627	Drill Core	3.31	441	0.009	<0.01	<0.17	32.58	0.82	10.57	9.18	59.5	205	10.2	8.5	535	2.40	2.7	2.5	4.8	154.0
1884628	Drill Core	3.83	412	0.011	0.01	<0.17	35.61	0.69	12.21	12.77	64.4	243	10.3	6.9	466	2.05	1.1	2.0	3.2	74.8
1884629	Drill Core	2.83	417	<0.005	<0.01	<0.17	31.25	0.72	16.39	11.77	68.7	268	10.0	7.3	293	1.91	0.9	1.9	0.6	48.5
1884630	Drill Core	3.42	429	<0.005	<0.01	<0.17	39.13	1.07	15.61	11.97	74.0	224	13.0	8.6	339	2.13	1.5	1.9	<0.2	64.4
1884631	Drill Core	3.27	457	<0.005	<0.01	<0.17	41.29	1.00	17.30	15.83	70.3	231	10.9	7.8	382	2.06	2.1	2.1	<0.2	76.4
1884632	Drill Core	3.68	486	<0.005	<0.01	<0.17	37.97	1.05	23.79	16.24	78.5	342	11.5	7.7	304	2.03	2.8	2.3	<0.2	51.9
1884633	Drill Core	1.92	475	<0.005	<0.01	<0.17	35.88	1.11	15.33	10.83	63.6	180	12.2	8.7	321	2.14	4.5	1.9	0.5	76.7
1884634	Drill Core	1.62	395	<0.005	<0.01	<0.17	33.75	0.73	7.14	86.03	28.6	413	3.6	3.3	299	1.04	1.1	1.1	0.6	68.9
1884635	Drill Core	1.90	450	<0.005	<0.01	<0.17	27.10	0.71	11.31	9.01	43.3	147	4.6	4.2	373	1.31	0.6	1.6	0.6	120.3
1884636	Drill Core	1.55	500	<0.005	<0.01	<0.17	29.77	0.48	10.02	9.78	61.7	186	12.5	8.0	254	1.97	3.1	1.6	<0.2	36.0
1884637	Drill Core	1.90	478	<0.005	<0.01	<0.17	26.00	0.51	3.80	13.26	53.0	170	9.5	7.4	278	1.91	1.9	1.2	1.1	47.4
1884638	Drill Core	2.44	410	<0.005	<0.01	<0.17	35.74	0.46	5.88	12.33	59.5	130	11.6	8.3	270	2.02	2.6	1.5	0.5	71.8
1884639	Drill Core	3.27	418	<0.005	<0.01	<0.17	36.73	0.33	16.03	9.98	68.2	228	12.9	8.6	241	2.17	4.6	3.2	1.9	99.9
1884640	Rock Pulp	0.13	93	<0.005				4.22	22.94	1.04	31.7	17	7.5	4.5	619	2.39	1.5	0.4	8.7	33.3
1884641	Drill Core	2.88	462	<0.005	<0.01	<0.17	32.45	0.32	20.52	6.07	90.9	288	14.6	9.6	230	2.30	5.9	4.3	0.4	32.4
1884642	Drill Core	3.58	395	<0.005	<0.01	<0.17	40.16	0.86	22.03	9.77	64.4	305	12.5	8.3	226	2.04	5.4	2.1	1.4	63.3
1884643	Drill Core	3.32	401	<0.005	<0.01	<0.17	38.99	2.02	17.79	14.26	64.9	251	14.7	8.8	295	2.06	5.7	1.8	1.0	52.5
1884644	Drill Core	1.86	461	<0.005	<0.01	<0.17	38.03	0.65	23.26	7.31	71.3	274	15.5	10.5	218	2.30	5.4	2.2	0.8	44.5
1884645	Drill Core	3.13	370	<0.005	<0.01	<0.17	36.22	0.71	9.54	12.85	38.3	176	5.8	4.4	215	1.18	2.0	1.5	0.9	30.1
1884646	Drill Core	3.03	503	<0.005	<0.01	<0.17	37.98	0.43	6.91	17.90	29.6	162	2.5	2.7	160	0.82	2.1	1.8	1.1	18.2
1884647	Drill Core	2.44	406	<0.005	<0.01	<0.17	28.86	0.37	4.61	13.04	15.1	127	1.1	1.2	80	0.59	1.8	1.5	0.7	9.3
1884648	Drill Core	2.59	438	<0.005	<0.01	<0.17	40.02	0.30	3.76	40.28	21.8	242	0.7	0.6	80	0.53	1.1	1.8	0.9	11.5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000609.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884625	Drill Core	0.25	0.99	0.10	17	0.84	0.061	17.3	24.2	0.88	148.5	0.091	1	1.24	0.021	0.36	1.2	3.8	0.21	0.05	43			
1884626	Drill Core	0.28	0.77	0.18	19	1.26	0.060	14.3	25.0	0.85	134.6	0.084	1	1.13	0.027	0.24	0.9	4.3	0.15	0.06	20			
1884627	Drill Core	0.42	0.81	0.10	18	2.55	0.116	17.8	19.6	1.16	244.0	0.084	2	1.41	0.013	0.65	1.2	5.0	0.42	0.11	9			
1884628	Drill Core	0.47	0.88	0.05	20	1.69	0.064	22.2	23.8	0.78	172.3	0.078	<1	1.19	0.015	0.21	1.7	4.4	0.13	<0.02	13			
1884629	Drill Core	0.36	1.12	0.04	18	0.95	0.061	19.8	23.8	0.86	172.3	0.084	1	1.28	0.019	0.22	0.8	4.6	0.14	<0.02	17			
1884630	Drill Core	0.54	0.76	0.09	21	1.27	0.064	21.7	29.2	0.89	160.1	0.078	<1	1.24	0.023	0.18	0.3	5.1	0.10	0.04	17			
1884631	Drill Core	0.33	1.24	0.09	21	1.65	0.064	19.0	28.4	0.99	156.2	0.103	1	1.26	0.023	0.31	0.4	5.3	0.19	0.02	15			
1884632	Drill Core	0.50	1.13	0.13	19	0.98	0.072	18.6	23.5	1.03	192.4	0.089	<1	1.29	0.015	0.42	0.2	5.2	0.21	0.05	6			
1884633	Drill Core	0.27	0.52	0.08	18	1.49	0.061	27.3	24.5	0.90	226.7	0.018	<1	1.12	0.021	0.20	<0.1	5.0	0.09	<0.02	<5			
1884634	Drill Core	0.35	0.68	0.63	6	1.82	0.028	31.8	7.6	0.33	403.0	0.002	<1	0.59	0.014	0.20	<0.1	2.4	0.07	<0.02	12			
1884635	Drill Core	0.50	0.63	0.03	11	2.06	0.039	42.8	17.7	0.51	331.0	0.009	<1	0.78	0.018	0.23	0.1	3.4	0.10	<0.02	15			
1884636	Drill Core	0.28	0.43	0.06	17	0.63	0.054	27.8	21.8	0.81	450.0	0.065	1	1.01	0.020	0.30	0.3	5.3	0.12	<0.02	<5			
1884637	Drill Core	0.23	0.37	0.10	14	0.79	0.054	20.8	16.2	0.74	364.0	0.054	<1	0.88	0.017	0.22	0.2	4.6	0.09	0.03	<5			
1884638	Drill Core	0.21	0.28	0.10	16	0.89	0.064	18.9	21.7	0.76	335.4	0.048	<1	0.92	0.027	0.37	0.1	5.4	0.14	0.02	<5			
1884639	Drill Core	0.25	0.39	0.07	19	1.03	0.066	20.4	23.4	0.86	315.2	0.078	<1	0.98	0.029	0.56	0.1	7.0	0.24	0.27	<5			
1884640	Rock Pulp	0.02	0.17	<0.02	21	0.77	0.039	6.7	16.0	0.48	60.4	0.083	1	1.01	0.068	0.07	0.2	3.6	<0.02	0.04	<5			
1884641	Drill Core	0.50	0.53	0.03	26	0.44	0.074	18.9	35.0	1.03	251.5	0.100	<1	1.12	0.031	0.59	0.3	6.8	0.25	0.20	<5			
1884642	Drill Core	0.59	0.65	0.07	19	0.77	0.063	14.9	25.0	0.82	216.7	0.079	<1	0.92	0.025	0.50	0.6	5.1	0.18	0.33	8			
1884643	Drill Core	0.58	0.98	0.09	18	1.07	0.063	17.5	21.7	0.89	242.3	0.080	<1	1.01	0.017	0.64	0.7	6.5	0.25	0.15	20			
1884644	Drill Core	0.48	1.01	0.04	22	0.74	0.071	14.5	26.5	0.96	201.8	0.089	<1	1.04	0.020	0.65	0.4	5.6	0.24	0.57	10			
1884645	Drill Core	0.31	0.82	0.10	8	0.56	0.038	22.4	11.1	0.49	288.2	0.054	<1	0.68	0.017	0.40	0.5	3.5	0.14	0.05	27			
1884646	Drill Core	0.32	0.78	0.15	4	0.30	0.027	28.4	9.4	0.28	364.2	0.035	1	0.58	0.018	0.34	0.6	3.5	0.14	<0.02	38			
1884647	Drill Core	0.18	0.55	0.14	2	0.11	0.016	27.7	4.0	0.13	353.4	0.021	<1	0.39	0.024	0.22	0.5	2.5	0.09	<0.02	41			
1884648	Drill Core	0.16	0.42	0.32	<1	0.12	0.010	29.7	2.2	0.16	227.9	0.017	1	0.39	0.030	0.22	0.4	1.8	0.08	<0.02	19			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000609.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884625	Drill Core	0.1	<0.02	5.3	3.50	<0.1	0.05	0.15	24.1	0.5	<0.05	1.2	9.63	34.0	<0.02	1	0.6	19.8	<10	<2
1884626	Drill Core	0.2	<0.02	5.0	2.06	<0.1	0.07	0.14	16.3	0.6	<0.05	1.6	8.51	27.0	<0.02	<1	0.7	15.3	<10	<2
1884627	Drill Core	0.2	<0.02	4.8	6.42	<0.1	0.06	0.13	43.1	0.5	<0.05	1.5	14.09	35.2	<0.02	<1	0.7	24.3	<10	<2
1884628	Drill Core	<0.1	<0.02	6.4	2.29	<0.1	0.07	0.13	16.1	0.6	<0.05	1.4	13.31	42.6	<0.02	<1	0.8	18.0	<10	<2
1884629	Drill Core	<0.1	<0.02	5.7	1.53	<0.1	0.06	0.15	15.5	0.6	<0.05	1.4	11.41	37.1	<0.02	<1	0.6	18.0	<10	<2
1884630	Drill Core	0.3	<0.02	6.1	1.44	<0.1	0.06	0.13	12.7	0.7	<0.05	1.6	12.38	40.3	<0.02	<1	0.6	18.5	<10	<2
1884631	Drill Core	<0.1	<0.02	5.5	3.27	<0.1	0.08	0.16	21.6	0.7	<0.05	1.7	13.09	38.3	0.02	<1	0.6	18.8	<10	<2
1884632	Drill Core	0.2	<0.02	5.0	3.38	<0.1	0.08	0.13	26.8	0.7	<0.05	1.3	12.09	34.2	<0.02	<1	0.5	18.0	<10	<2
1884633	Drill Core	<0.1	<0.02	4.8	1.73	<0.1	0.14	0.02	12.7	0.4	<0.05	4.3	12.27	51.2	0.02	<1	0.4	15.9	<10	<2
1884634	Drill Core	0.3	<0.02	2.0	1.04	<0.1	0.05	<0.02	10.7	0.2	<0.05	1.4	7.83	57.5	<0.02	<1	0.3	7.3	<10	<2
1884635	Drill Core	<0.1	<0.02	3.4	2.05	<0.1	0.05	0.04	14.5	0.3	<0.05	1.4	13.12	77.7	<0.02	<1	0.6	11.2	<10	<2
1884636	Drill Core	<0.1	<0.02	3.9	1.79	<0.1	0.18	0.08	16.5	0.4	<0.05	5.8	13.84	49.4	<0.02	<1	0.4	9.1	<10	<2
1884637	Drill Core	<0.1	0.04	3.7	1.07	<0.1	0.20	0.09	12.6	0.3	<0.05	6.0	11.49	40.0	<0.02	<1	0.3	8.1	<10	<2
1884638	Drill Core	<0.1	<0.02	3.6	1.82	<0.1	0.18	0.05	17.2	0.4	<0.05	5.7	10.43	37.0	<0.02	<1	0.3	9.1	<10	<2
1884639	Drill Core	0.5	<0.02	3.9	2.30	<0.1	0.25	0.11	28.2	0.3	<0.05	7.9	11.73	37.4	<0.02	2	0.4	9.1	<10	<2
1884640	Rock Pulp	<0.1	<0.02	4.1	0.13	0.1	0.13	0.39	2.1	1.9	<0.05	3.2	8.24	12.5	<0.02	<1	0.3	1.2	<10	<2
1884641	Drill Core	0.4	<0.02	5.3	3.28	<0.1	0.25	0.13	33.8	0.4	<0.05	7.1	13.52	37.4	<0.02	2	0.4	9.8	<10	<2
1884642	Drill Core	0.7	<0.02	3.5	2.25	<0.1	0.27	0.14	23.4	0.4	<0.05	7.3	12.62	29.1	<0.02	2	0.3	8.7	<10	<2
1884643	Drill Core	0.5	<0.02	3.6	4.01	<0.1	0.40	0.11	36.7	0.5	<0.05	11.9	13.41	33.6	<0.02	<1	0.5	12.0	<10	<2
1884644	Drill Core	1.0	<0.02	4.0	3.05	<0.1	0.36	0.12	32.8	0.6	<0.05	9.8	11.83	29.1	<0.02	2	0.3	11.9	<10	<2
1884645	Drill Core	0.1	<0.02	2.4	1.29	<0.1	0.24	0.23	18.3	0.4	<0.05	7.5	13.64	42.0	<0.02	<1	0.4	8.5	<10	<2
1884646	Drill Core	0.1	<0.02	2.1	1.01	<0.1	0.19	0.34	19.6	0.4	<0.05	5.6	15.18	52.5	0.02	<1	0.4	6.7	<10	<2
1884647	Drill Core	<0.1	<0.02	1.5	0.77	<0.1	0.16	0.37	11.9	0.4	<0.05	4.9	15.38	52.5	0.02	<1	0.3	3.6	<10	<2
1884648	Drill Core	<0.1	0.02	2.0	0.50	<0.1	0.29	0.45	12.5	0.4	<0.05	8.5	15.57	55.5	0.02	<1	0.4	4.2	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000609.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1884592	Drill Core	2.03	552	0.102	0.11	0.25	40.56	0.38	12.45	9.21	29.2	389	8.5	4.7	350	1.30	8.6	1.9	111.3	10.0	101.3
REP 1884592	QC							0.44	11.75	9.35	27.5	434	8.5	4.3	364	1.29	8.2	1.8	205.0	10.4	96.5
1884604	Drill Core	1.36	401	0.470	0.50	0.94	26.69	0.44	6.84	7.29	24.8	564	9.8	6.6	258	1.54	9.7	1.3	673.6	9.4	29.6
REP 1884604	QC			0.547																	
1884613	Drill Core	1.64	546	0.011	0.01	<0.17	40.99	0.69	14.71	22.24	84.8	299	8.8	7.3	350	1.91	1.5	1.7	4.5	9.5	67.8
REP 1884613	QC			0.017																	
1884626	Drill Core	3.31	394	<0.005	<0.01	<0.17	37.75	1.04	21.92	28.34	72.9	437	11.2	7.6	277	2.00	0.9	1.3	0.9	8.2	62.1
REP 1884626	QC							0.99	22.18	28.51	72.3	433	11.8	7.2	297	2.03	1.3	1.3	1.1	8.1	63.3
Core Reject Duplicates																					
1884590	Drill Core	2.93	427	0.019	0.02	<0.17	29.34	1.05	14.94	39.70	52.8	411	9.1	5.9	453	1.77	6.2	0.8	7.6	7.8	63.5
DUP 1884590	QC		432	0.015	0.01	<0.17	28.84	1.04	14.85	34.51	48.7	359	9.7	6.0	450	1.79	6.1	0.8	4.9	7.9	60.0
1884624	Drill Core	3.14	490	<0.005	<0.01	<0.17	36.73	1.78	34.68	15.03	75.0	661	12.8	9.6	315	2.16	1.2	1.7	1.3	10.8	59.6
DUP 1884624	QC		493	<0.005	<0.01	<0.17	39.42	1.62	33.63	14.62	67.3	633	12.3	9.5	315	2.20	1.3	1.6	1.5	10.1	56.8
Reference Materials																					
STD BVGEO01	Standard							11.29	4370.82	193.73	1765.9	2380	155.5	26.4	731	3.69	117.9	4.1	213.4	14.0	59.3
STD BVGEO01	Standard							10.68	4449.13	186.92	1706.5	2623	160.8	25.3	693	3.65	122.5	3.8	211.9	14.8	57.5
STD DS11	Standard							13.77	140.96	133.12	328.1	1647	73.9	12.5	965	3.02	41.4	2.6	84.3	7.3	67.8
STD OREAS262	Standard							0.70	120.43	58.94	159.8	445	65.9	27.8	542	3.27	35.5	1.3	66.6	10.9	33.3
STD OREAS262	Standard							0.63	121.03	58.94	146.7	461	65.8	27.5	529	3.26	36.2	1.2	64.3	10.0	36.5
STD OREAS262	Standard							0.66	107.23	58.76	146.9	493	59.7	25.5	525	3.12	35.4	1.2	75.5	9.7	35.6
STD OXB130	Standard			0.126																	
STD OXB130	Standard			0.128																	
STD OXI138	Standard			1.869																	
STD OXI138	Standard			1.879																	
STD OXN134	Standard			7.744																	
STD OXN134	Standard			7.540																	
STD OXQ90	Standard					25.37	30.51														
STD OXQ90	Standard					25.11	29.79														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000609.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1884592	Drill Core	0.19	0.87	0.16	7	1.23	0.079	8.2	7.0	0.55	154.1	0.020	<1	0.57	0.015	0.41	0.3	1.6	0.13	0.43	<5
REP 1884592	QC	0.17	0.86	0.17	6	1.22	0.077	8.2	6.8	0.54	155.6	0.019	2	0.56	0.015	0.41	0.2	1.3	0.14	0.42	<5
1884604	Drill Core	0.18	0.95	0.24	10	0.35	0.071	14.1	14.2	0.42	175.2	0.044	2	0.59	0.035	0.30	0.7	1.9	0.18	0.35	11
REP 1884604	QC																				
1884613	Drill Core	0.53	0.75	0.12	19	1.26	0.062	17.1	22.1	0.81	122.1	0.072	2	1.08	0.012	0.23	0.9	3.8	0.11	<0.02	11
REP 1884613	QC																				
1884626	Drill Core	0.28	0.77	0.18	19	1.26	0.060	14.3	25.0	0.85	134.6	0.084	1	1.13	0.027	0.24	0.9	4.3	0.15	0.06	20
REP 1884626	QC	0.29	0.79	0.17	19	1.28	0.064	13.4	26.0	0.86	132.8	0.084	1	1.15	0.027	0.24	0.9	4.3	0.14	0.06	16
Core Reject Duplicates																					
1884590	Drill Core	0.21	1.44	0.30	9	0.98	0.051	10.3	9.8	0.75	156.4	0.046	3	0.86	0.009	0.58	0.3	2.4	0.20	0.05	<5
DUP 1884590	QC	0.20	1.37	0.28	9	0.99	0.047	9.6	9.4	0.77	154.6	0.045	1	0.89	0.010	0.58	0.2	2.5	0.19	0.05	<5
1884624	Drill Core	0.28	1.11	0.09	21	1.07	0.061	17.6	28.0	1.06	155.3	0.107	1	1.31	0.016	0.34	1.2	4.8	0.22	0.02	11
DUP 1884624	QC	0.28	1.06	0.09	21	1.09	0.063	16.4	27.8	1.09	146.3	0.103	<1	1.35	0.016	0.35	1.1	5.1	0.21	0.03	6
Reference Materials																					
STD BVGEO01	Standard	6.27	3.49	25.36	80	1.32	0.073	28.2	193.4	1.30	261.2	0.223	3	2.33	0.197	0.89	5.2	6.4	0.62	0.65	90
STD BVGEO01	Standard	7.23	3.64	25.13	74	1.31	0.074	27.1	187.0	1.31	266.0	0.242	3	2.31	0.188	0.86	5.3	6.1	0.62	0.64	84
STD DS11	Standard	2.23	7.85	11.64	48	1.04	0.069	17.0	56.3	0.82	348.5	0.081	9	1.14	0.073	0.39	2.9	2.8	4.74	0.27	259
STD OREAS262	Standard	0.67	5.60	1.01	21	2.97	0.039	17.9	45.2	1.19	249.7	0.003	4	1.40	0.070	0.30	0.2	3.4	0.45	0.24	140
STD OREAS262	Standard	0.66	5.55	1.04	22	2.99	0.037	17.1	43.4	1.20	245.4	0.003	3	1.39	0.070	0.31	0.2	3.1	0.46	0.26	152
STD OREAS262	Standard	0.64	5.59	1.09	21	2.87	0.038	15.8	40.0	1.11	253.7	0.002	5	1.33	0.067	0.30	0.2	3.0	0.48	0.25	178
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000609.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1884592	Drill Core	0.4	0.04	2.2	1.40	<0.1	0.25	0.04	19.0	0.2	<0.05	7.6	5.47	16.5	<0.02	1	0.4	6.4	<10	<2
REP 1884592	QC	0.4	<0.02	1.8	1.40	<0.1	0.22	0.05	18.4	0.2	<0.05	7.6	5.63	17.3	<0.02	<1	0.2	5.8	<10	<2
1884604	Drill Core	0.5	0.07	2.6	1.70	<0.1	0.24	0.18	18.1	0.6	<0.05	8.6	7.90	27.6	<0.02	<1	0.5	6.3	<10	<2
REP 1884604	QC																			
1884613	Drill Core	0.2	<0.02	5.4	1.02	<0.1	0.09	0.08	12.7	0.5	<0.05	2.5	10.27	34.2	<0.02	<1	0.7	14.9	<10	<2
REP 1884613	QC																			
1884626	Drill Core	0.2	<0.02	5.0	2.06	<0.1	0.07	0.14	16.3	0.6	<0.05	1.6	8.51	27.0	<0.02	<1	0.7	15.3	<10	<2
REP 1884626	QC	0.2	<0.02	4.9	2.03	<0.1	0.07	0.14	15.8	0.5	<0.05	1.6	8.58	26.9	<0.02	<1	0.6	16.4	<10	<2
Core Reject Duplicates																				
1884590	Drill Core	<0.1	0.03	2.6	2.89	<0.1	0.29	0.04	30.3	0.3	<0.05	10.0	4.78	20.0	<0.02	<1	0.4	9.6	<10	<2
DUP 1884590	QC	<0.1	0.05	2.7	2.82	<0.1	0.29	0.03	29.5	0.3	<0.05	9.7	4.66	18.7	<0.02	<1	0.2	9.0	<10	<2
1884624	Drill Core	<0.1	<0.02	5.6	2.93	<0.1	0.10	0.16	23.2	0.7	<0.05	2.0	10.48	32.5	<0.02	<1	0.7	22.7	<10	<2
DUP 1884624	QC	0.1	<0.02	5.4	2.88	<0.1	0.09	0.16	22.5	0.7	<0.05	1.8	9.79	32.5	<0.02	<1	0.6	21.4	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.1	1.07	7.6	7.07	0.2	0.34	0.35	94.1	5.5	<0.05	7.1	14.95	54.2	0.49	6	0.7	19.6	125	165
STD BVGEO01	Standard	4.5	1.04	7.5	7.29	0.2	0.27	0.30	95.8	5.7	<0.05	8.9	14.81	52.8	0.50	5	0.5	21.3	106	170
STD DS11	Standard	2.2	4.63	4.8	2.83	<0.1	0.08	1.35	33.1	1.8	<0.05	2.9	7.60	35.2	0.23	44	0.4	22.1	91	179
STD OREAS262	Standard	0.4	0.23	4.2	2.83	<0.1	0.26	<0.02	17.9	0.5	<0.05	8.9	10.88	35.4	0.03	<1	1.2	18.3	<10	<2
STD OREAS262	Standard	0.3	0.24	4.2	2.81	<0.1	0.25	<0.02	19.4	0.6	<0.05	9.9	10.19	33.3	0.04	<1	1.1	17.4	<10	<2
STD OREAS262	Standard	0.5	0.25	4.0	2.79	<0.1	0.25	<0.02	18.7	0.6	<0.05	9.5	10.75	31.5	0.04	<1	1.0	17.7	<10	<2
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000609.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90	Standard					24.51	30.03														
STD OXQ90	Standard					24.98	30.78														
STD OXQ90	Standard					25.46	30.21														
STD OXQ90	Standard					25.22	30.21														
STD OXQ90	Standard					25.65	29.67														
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		405	<0.005	<0.01	<0.17	38.04	0.77	5.34	0.72	28.5	4	1.5	3.9	525	1.94	0.7	0.4	<0.2	3.0	21.2
ROCK-WHI	Prep Blank		461	<0.005	<0.01	<0.17	37.39	0.74	5.35	0.74	29.2	5	1.8	4.2	502	1.98	0.7	0.4	<0.2	2.3	21.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000609.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.01	<0.02	<0.02	26	0.68	0.037	5.8	3.0	0.52	46.0	0.076	<1	0.89	0.064	0.08	<0.1	2.5	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.01	0.02	<0.02	28	0.66	0.038	6.1	3.4	0.55	44.3	0.075	<1	0.92	0.064	0.06	<0.1	2.6	<0.02	<0.02	8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI19000609.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90 Expected																			
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.10	<0.1	0.12	0.15	1.9	0.2	<0.05	3.0	8.36	11.5	<0.02	<1	<0.1	1.2	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.10	<0.1	0.12	0.12	1.7	0.3	<0.05	3.2	8.44	12.0	<0.02	<1	0.2	1.2	<10