



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 26, 2019
Report Date: October 10, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000610.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-56
P.O. Number
Number of Samples: 84

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	81	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	84	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	84	Analysis sample split/packet			WHI
Split -150	84	Analysis sample split/packet			WHI
EN002	84	Environmental disposal charge-Fire assay lead waste			VAN
FS631	82	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	84	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	84	Per sample shipping charges for branch shipments			VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000610.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1884649	Drill Core	1.81	399	0.011	0.01	<0.17	40.71	1.17	20.42	19.79	57.3	302	10.1	5.9	301	1.65	5.1	1.0	5.7	10.0	29.0
1884650	Drill Core	3.01	405	0.027	0.02	<0.17	34.29	0.74	15.34	13.42	50.4	289	8.0	7.3	348	1.67	4.7	1.0	32.5	11.3	42.4
1884651	Drill Core	3.25	393	0.130	0.13	<0.17	38.21	0.80	17.10	13.30	43.7	416	9.7	6.8	368	1.72	12.0	1.1	77.0	11.8	32.4
1884652	Drill Core	3.59	460	0.175	0.20	0.51	33.49	0.55	14.11	18.85	34.7	418	10.7	6.5	296	1.24	7.7	0.7	166.3	11.5	28.0
1884653	Drill Core	2.73	383	0.749	0.76	0.90	31.13	0.82	20.35	5.79	45.8	895	9.9	7.6	391	1.81	4.9	1.1	647.4	9.3	36.7
1884654	Drill Core	2.96	367	0.054	0.05	<0.17	32.47	1.79	22.69	9.93	52.9	447	10.5	8.0	449	1.90	4.6	1.5	35.6	12.3	35.2
1884655	Drill Core	1.47	423	0.167	0.25	1.15	37.44	1.21	25.06	19.10	53.5	387	9.8	6.8	518	1.60	6.4	1.2	176.6	8.2	33.4
1884656	Drill Core	2.12	358	0.360	0.41	0.96	28.07	2.28	13.27	5.88	36.7	462	11.4	7.4	340	1.59	9.2	1.8	365.8	8.3	42.7
1884657	Drill Core	1.41	358	0.374	0.40	0.67	37.49	1.91	52.00	13.43	41.6	795	10.3	8.1	361	1.79	6.0	2.4	158.2	10.8	42.9
1884658	Drill Core	1.39	417	>10	31.20	213.74	39.97	1.05	18.68	3.68	23.6	7084	6.4	4.9	384	1.25	4.5	1.1	33624.3	6.3	23.5
1884659	Drill Core	1.43	406	0.264	0.29	0.50	36.29	0.73	23.09	6.50	33.7	1016	8.6	7.5	739	1.68	3.6	1.0	368.5	8.5	47.8
1884660	Core DUP		415	0.296	0.31	0.47	38.04	0.70	23.67	6.21	34.1	764	8.4	7.2	676	1.66	3.7	1.0	253.6	8.2	48.6
1884661	Drill Core	3.12	406	0.020	0.02	<0.17	40.29	1.28	14.62	13.72	41.3	209	8.5	6.2	548	1.63	3.6	1.0	12.4	9.6	42.8
1884662	Drill Core	2.41	429	0.142	0.15	0.18	38.81	1.19	15.95	8.10	37.7	168	8.4	6.6	403	1.56	2.8	1.1	55.7	9.5	27.3
1884663	Drill Core	1.53	398	0.602	0.81	2.97	34.30	1.46	21.37	3.85	34.3	479	7.0	5.8	643	1.58	1.7	1.2	478.9	11.4	35.2
1884664	Drill Core	1.45	431	1.558	2.23	9.74	35.54	0.68	26.59	4.76	22.4	660	5.2	5.0	510	1.41	1.9	0.6	1098.7	6.3	50.8
1884665	Drill Core	2.93	387	0.936	1.04	2.21	32.62	0.29	29.50	10.32	41.3	1132	9.2	5.6	445	1.50	3.8	0.9	1767.0	6.3	100.9
1884666	Drill Core	1.50	380	0.921	1.24	4.62	32.66	0.93	8.01	7.64	16.9	764	7.9	4.2	425	1.31	4.3	0.7	1058.6	5.0	27.8
1884667	Drill Core	3.18	516	0.163	0.16	<0.17	41.13	0.61	24.12	7.69	64.4	481	11.3	7.2	377	1.74	6.4	1.1	150.1	9.0	57.7
1884668	Drill Core	3.28	433	0.005	<0.01	<0.17	29.34	1.11	14.62	17.72	46.0	343	11.1	5.3	273	1.52	7.3	1.1	2.1	10.6	54.9
1884669	Drill Core	3.04	479	0.007	<0.01	<0.17	37.15	1.16	25.94	20.68	51.0	762	15.6	5.8	214	1.90	14.5	2.0	5.3	10.3	26.3
1884670	Drill Core	3.14	406	<0.005	<0.01	<0.17	32.86	1.28	17.49	17.80	53.5	442	8.5	5.9	316	1.81	6.6	1.7	<0.2	10.2	40.0
1884671	Drill Core	2.88	464	0.008	<0.01	<0.17	35.86	1.43	21.12	12.13	71.7	307	13.7	8.5	400	2.04	4.7	1.6	2.2	10.0	51.5
1884672	Drill Core	3.35	512	<0.005	<0.01	<0.17	40.24	1.39	21.00	19.62	76.9	334	14.7	8.1	388	1.99	3.7	1.5	<0.2	9.2	51.5
1884673	Drill Core	3.09	443	<0.005	<0.01	<0.17	30.95	0.67	27.63	43.43	82.4	490	11.1	7.7	334	2.01	2.3	1.5	0.9	7.4	68.3
1884674	Drill Core	3.38	531	0.044	0.05	<0.17	43.52	0.48	12.48	11.96	49.2	234	10.3	7.6	284	1.75	2.1	1.8	45.8	9.1	66.2
1884675	Drill Core	1.31	379	0.151	0.16	0.30	33.71	1.29	14.63	17.54	47.0	480	7.5	6.1	352	1.62	5.5	1.6	209.3	7.7	85.6
1884676	Drill Core	2.02	474	0.436	0.48	1.05	35.17	0.47	17.42	10.92	57.6	575	10.1	8.0	258	1.95	9.7	2.4	581.1	12.7	52.4
1884677	Drill Core	1.67	542	0.091	0.10	0.19	41.25	0.66	16.88	38.76	131.2	564	6.4	5.0	267	1.61	2.4	1.1	114.4	8.2	36.2
1884678	Drill Core	3.36	450	0.147	0.15	0.22	41.16	0.84	12.61	12.06	48.6	503	8.0	6.5	215	1.60	5.1	2.9	110.1	11.4	49.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000610.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884649	Drill Core	0.36	0.94	0.15	11	0.41	0.053	18.8	15.9	0.72	206.5	0.052	1	0.96	0.023	0.45	0.7	2.6	0.29	<5
1884650	Drill Core	0.45	0.69	0.08	11	0.55	0.072	22.3	15.9	0.70	237.8	0.052	2	1.02	0.024	0.60	0.5	2.5	0.32	<0.02
1884651	Drill Core	0.45	1.11	0.25	11	0.38	0.058	22.6	15.0	0.79	245.8	0.040	2	1.06	0.015	0.64	0.5	2.4	0.31	<0.02
1884652	Drill Core	0.38	0.75	0.46	7	0.25	0.046	21.9	8.5	0.65	208.8	0.031	2	0.82	0.012	0.50	0.4	1.9	0.21	<0.02
1884653	Drill Core	0.40	0.71	0.04	9	0.29	0.050	18.9	11.3	0.76	219.7	0.045	2	1.01	0.022	0.60	0.5	2.3	0.26	<0.02
1884654	Drill Core	0.40	1.20	0.12	12	0.37	0.059	24.7	14.8	0.83	233.9	0.092	<1	1.19	0.015	0.74	0.9	2.8	0.33	<0.02
1884655	Drill Core	0.39	0.88	0.06	10	0.35	0.039	16.7	12.4	0.83	217.5	0.044	1	0.99	0.012	0.61	0.5	2.3	0.27	<0.02
1884656	Drill Core	0.32	1.32	<0.02	10	0.38	0.045	14.7	15.2	0.69	204.9	0.067	1	0.98	0.013	0.54	0.8	2.4	0.24	<0.02
1884657	Drill Core	0.23	1.16	0.05	12	0.46	0.048	19.0	16.1	0.85	223.5	0.076	1	1.15	0.015	0.67	0.7	2.7	0.28	<0.02
1884658	Drill Core	0.16	0.55	<0.02	6	0.19	0.028	13.0	9.4	0.44	207.6	0.026	2	0.61	0.010	0.39	0.4	1.7	0.16	0.03
1884659	Drill Core	0.24	0.90	0.02	9	0.53	0.042	13.8	10.2	0.84	242.6	0.051	<1	1.00	0.014	0.65	0.5	2.8	0.25	0.18
1884660	Core DUP	0.21	0.86	<0.02	8	0.54	0.044	13.0	10.0	0.83	224.2	0.047	2	0.95	0.012	0.64	0.5	2.5	0.25	0.18
1884661	Drill Core	0.22	0.76	<0.02	10	0.53	0.053	17.1	12.2	0.78	199.5	0.080	2	0.96	0.013	0.58	0.7	2.5	0.19	0.04
1884662	Drill Core	0.21	0.70	0.03	10	0.30	0.046	20.2	13.3	0.70	207.3	0.065	<1	0.90	0.014	0.55	0.9	2.7	0.16	<0.02
1884663	Drill Core	0.29	0.50	<0.02	8	0.38	0.048	21.2	9.3	0.73	266.0	0.046	2	0.92	0.009	0.61	0.6	1.9	0.17	0.08
1884664	Drill Core	0.26	0.40	<0.02	6	0.71	0.032	10.2	8.5	0.53	180.7	0.024	1	0.64	0.011	0.42	0.4	1.5	0.12	0.14
1884665	Drill Core	0.57	0.94	0.17	7	1.35	0.054	8.5	10.6	0.68	216.7	0.027	1	0.73	0.011	0.49	0.4	2.2	0.13	0.44
1884666	Drill Core	0.32	0.86	0.12	4	0.44	0.022	9.4	8.3	0.26	169.9	0.011	<1	0.39	0.010	0.25	0.3	1.5	0.09	0.15
1884667	Drill Core	0.37	1.66	0.11	11	0.65	0.058	12.8	13.8	0.85	200.1	0.071	1	1.01	0.018	0.62	0.6	2.7	0.24	0.21
1884668	Drill Core	0.26	0.96	0.26	11	0.76	0.051	15.3	13.2	0.66	214.8	0.053	1	0.82	0.018	0.50	0.3	2.5	0.19	0.13
1884669	Drill Core	0.38	1.73	0.89	19	0.39	0.059	18.9	21.1	0.47	186.9	0.066	<1	0.78	0.030	0.43	0.4	3.2	0.21	0.24
1884670	Drill Core	0.29	0.77	0.47	18	0.66	0.060	22.2	20.8	0.62	178.3	0.086	1	0.89	0.032	0.42	0.6	4.2	0.23	<0.02
1884671	Drill Core	0.33	0.91	0.10	23	0.85	0.062	18.9	30.0	0.99	142.5	0.093	1	1.25	0.024	0.50	0.6	4.9	0.30	<0.02
1884672	Drill Core	0.43	0.97	0.09	23	1.00	0.062	15.9	29.7	1.01	111.9	0.081	<1	1.10	0.020	0.49	0.8	4.2	0.31	<0.02
1884673	Drill Core	0.40	1.15	0.25	23	1.31	0.061	14.8	29.7	0.91	108.4	0.090	1	1.19	0.021	0.26	0.8	4.1	0.14	<0.02
1884674	Drill Core	0.21	1.10	0.06	16	1.20	0.064	17.6	21.6	0.78	134.1	0.093	2	1.14	0.015	0.25	1.0	3.7	0.12	<0.02
1884675	Drill Core	0.47	0.82	0.05	11	1.35	0.112	18.1	14.4	0.57	149.4	0.057	<1	0.79	0.013	0.23	1.4	3.1	0.11	<0.02
1884676	Drill Core	0.87	0.89	0.07	13	0.87	0.065	22.1	16.0	0.77	209.3	0.075	1	1.09	0.022	0.43	0.8	3.6	0.25	0.33
1884677	Drill Core	1.45	1.39	0.08	12	0.63	0.040	17.2	15.0	0.66	99.8	0.045	1	0.87	0.019	0.24	0.7	2.8	0.15	<0.02
1884678	Drill Core	0.71	1.12	0.09	11	0.92	0.061	17.4	14.0	0.65	193.8	0.068	3	0.97	0.016	0.45	0.6	3.3	0.25	0.14



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000610.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1884649	Drill Core	0.2	<0.02	3.1	3.02	<0.1	0.08	0.13	30.0	0.8	<0.05	3.7	9.40	33.1	<0.02	<1	0.5	7.9	<10	<2
1884650	Drill Core	<0.1	<0.02	3.5	4.80	<0.1	0.05	0.14	41.0	0.5	<0.05	1.7	9.25	41.2	<0.02	1	0.4	8.5	<10	<2
1884651	Drill Core	0.2	0.02	3.1	5.16	<0.1	0.13	0.09	40.9	0.5	<0.05	4.8	7.54	41.1	<0.02	<1	0.5	10.0	<10	<2
1884652	Drill Core	<0.1	0.06	2.5	2.61	<0.1	0.35	0.10	27.1	0.5	<0.05	13.5	7.65	40.0	<0.02	<1	0.3	9.9	<10	<2
1884653	Drill Core	0.1	0.13	3.0	3.79	<0.1	0.26	0.07	33.2	0.4	<0.05	9.3	7.07	36.5	<0.02	<1	0.5	9.4	<10	<2
1884654	Drill Core	0.2	<0.02	3.6	4.95	<0.1	0.27	0.10	46.0	0.6	<0.05	9.7	9.12	46.4	<0.02	<1	0.5	10.5	<10	<2
1884655	Drill Core	<0.1	<0.02	3.2	4.01	<0.1	0.18	0.08	34.8	0.4	<0.05	6.3	7.40	33.1	<0.02	<1	0.6	9.4	<10	<2
1884656	Drill Core	0.2	0.02	3.1	2.23	<0.1	0.16	0.14	29.2	0.7	<0.05	7.4	7.32	27.1	<0.02	1	0.5	8.2	<10	<2
1884657	Drill Core	0.3	<0.02	3.5	2.58	<0.1	0.39	0.12	36.8	0.6	<0.05	10.4	9.20	34.9	<0.02	<1	0.8	9.7	<10	<2
1884658	Drill Core	<0.1	0.09	2.0	1.96	<0.1	0.18	0.08	20.2	0.4	<0.05	7.0	4.88	24.2	<0.02	<1	0.4	6.5	<10	<2
1884659	Drill Core	<0.1	0.02	2.8	2.53	<0.1	0.31	0.07	34.6	0.5	<0.05	11.5	6.68	24.7	<0.02	1	0.4	9.0	<10	<2
1884660	Core DUP	0.1	<0.02	2.9	2.58	<0.1	0.31	0.06	35.0	0.4	<0.05	10.5	6.36	22.8	<0.02	<1	0.3	9.4	<10	<2
1884661	Drill Core	<0.1	<0.02	3.0	2.14	<0.1	0.24	0.13	30.8	0.3	<0.05	8.6	8.56	32.1	<0.02	<1	0.6	8.6	<10	<2
1884662	Drill Core	<0.1	<0.02	2.9	1.78	<0.1	0.27	0.15	26.8	0.4	<0.05	11.3	8.20	37.3	<0.02	1	0.5	8.6	<10	<2
1884663	Drill Core	<0.1	0.03	3.1	1.95	<0.1	0.32	0.14	30.0	0.4	<0.05	12.7	8.60	39.9	<0.02	<1	0.7	9.6	<10	<2
1884664	Drill Core	<0.1	0.04	2.0	1.54	<0.1	0.23	0.07	19.4	0.3	<0.05	8.1	4.11	18.8	<0.02	<1	0.4	6.6	<10	<2
1884665	Drill Core	0.4	0.06	2.4	1.41	<0.1	0.22	0.06	22.5	0.3	<0.05	8.2	5.49	15.8	<0.02	<1	0.2	7.0	<10	<2
1884666	Drill Core	0.1	0.11	1.5	1.03	<0.1	0.11	0.04	10.8	0.3	<0.05	4.9	4.52	17.6	<0.02	<1	0.3	4.0	<10	<2
1884667	Drill Core	0.6	<0.02	2.9	3.26	<0.1	0.25	0.09	34.6	0.4	<0.05	9.2	6.93	24.8	<0.02	3	0.4	10.5	<10	<2
1884668	Drill Core	0.2	0.02	3.0	2.00	<0.1	0.29	0.09	25.0	0.4	<0.05	10.7	6.75	27.7	<0.02	<1	0.6	9.0	<10	<2
1884669	Drill Core	1.0	0.06	3.4	1.87	<0.1	0.23	0.21	22.6	0.5	<0.05	8.7	9.10	35.1	0.02	3	0.5	7.0	<10	<2
1884670	Drill Core	0.1	0.03	4.3	3.21	<0.1	0.17	0.17	25.1	0.6	<0.05	6.4	10.33	39.5	0.02	<1	0.7	8.6	<10	<2
1884671	Drill Core	<0.1	<0.02	5.2	4.44	<0.1	0.07	0.13	32.6	0.7	<0.05	2.4	11.04	34.8	<0.02	<1	0.5	12.5	<10	<2
1884672	Drill Core	<0.1	<0.02	4.8	4.66	<0.1	0.10	0.11	33.3	0.6	<0.05	3.0	9.82	29.0	<0.02	1	0.5	14.3	<10	<2
1884673	Drill Core	<0.1	<0.02	5.3	1.79	<0.1	0.10	0.13	15.0	0.6	<0.05	2.8	8.94	27.5	0.02	<1	0.5	13.3	<10	<2
1884674	Drill Core	<0.1	<0.02	4.8	1.13	<0.1	0.08	0.18	14.3	0.7	<0.05	1.9	9.44	33.9	<0.02	<1	0.5	13.8	<10	<2
1884675	Drill Core	0.1	<0.02	3.7	1.34	<0.1	0.06	0.13	12.6	0.5	<0.05	1.8	14.19	34.3	<0.02	<1	0.7	10.6	<10	<2
1884676	Drill Core	0.6	<0.02	4.4	2.48	<0.1	0.07	0.18	26.6	0.5	<0.05	2.4	12.64	41.4	<0.02	2	0.9	14.8	<10	<2
1884677	Drill Core	<0.1	<0.02	3.9	1.96	0.1	0.07	0.11	15.8	0.6	<0.05	1.9	8.62	31.9	<0.02	<1	0.5	12.6	<10	<2
1884678	Drill Core	0.3	<0.02	3.5	2.79	<0.1	0.09	0.18	28.1	0.5	<0.05	2.2	10.39	32.8	<0.02	<1	0.5	11.6	<10	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000610.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1884679	Drill Core	3.26	474	0.142	0.15	0.20	39.79	1.49	14.44	21.00	43.5	629	7.4	6.5	316	1.81	6.0	1.6	130.5	11.8	68.6
1884680	Rock	0.24	171	<0.005	<0.01	<0.17	37.38	0.46	1.06	1.15	1.6	12	0.9	0.4	67	0.61	0.7	0.2	0.9	1.4	1.5
1884681	Drill Core	3.10	480	0.040	0.04	<0.17	37.85	1.19	20.60	11.14	245.3	2271	11.3	7.8	413	2.03	4.7	1.3	30.7	12.5	71.8
1884682	Drill Core	3.21	407	0.065	0.06	<0.17	39.32	1.47	22.43	21.62	261.6	556	11.2	8.5	426	2.12	3.8	1.4	75.5	10.7	83.4
1884683	Drill Core	3.58	493	0.121	0.12	<0.17	37.09	0.94	28.33	40.03	96.3	676	10.9	7.9	478	2.23	2.9	1.8	120.4	10.2	85.4
1884684	Drill Core	2.03	492	0.023	0.02	<0.17	38.45	1.31	13.59	14.24	72.8	249	12.1	9.2	553	2.24	1.2	1.6	20.0	10.8	109.9
1884685	Drill Core	1.86	441	0.006	<0.01	<0.17	29.66	0.59	8.47	11.39	74.4	176	13.6	9.2	568	2.35	2.6	2.3	4.3	11.7	119.1
1884686	Drill Core	3.42	412	0.007	<0.01	<0.17	38.77	0.29	6.40	18.11	38.2	256	2.6	2.7	287	0.90	2.5	1.7	4.3	12.0	67.6
1884687	Drill Core	3.41	504	0.007	<0.01	<0.17	38.50	0.27	15.22	11.81	54.0	249	9.8	8.2	346	1.83	3.9	1.7	1.3	10.6	115.4
1884688	Drill Core	2.75	478	0.009	<0.01	<0.17	34.31	0.79	27.45	23.48	75.0	606	14.4	10.1	317	2.27	8.0	1.5	4.0	10.7	39.3
1884689	Drill Core	2.85	457	0.008	<0.01	<0.17	36.31	0.72	16.14	12.69	61.1	349	10.4	7.4	322	1.98	11.1	1.9	6.6	11.1	67.2
1884690	Drill Core	1.51	466	0.218	0.23	0.35	36.80	0.95	21.56	14.45	62.9	742	13.8	9.9	203	2.34	12.6	2.7	180.5	10.4	21.1
1884691	Drill Core	2.60	412	0.195	0.20	0.33	24.00	0.93	18.56	13.67	55.2	635	9.6	5.7	115	2.19	18.8	3.1	157.3	9.4	15.6
1884692	Drill Core	3.01	404	0.039	0.04	<0.17	32.17	1.43	27.39	13.91	107.7	410	18.0	12.9	250	2.96	13.8	4.7	29.5	11.4	22.4
1884693	Drill Core	2.83	374	0.558	0.59	0.90	37.71	2.52	21.53	18.69	89.2	843	6.5	3.6	70	2.32	23.4	5.0	460.1	15.1	35.7
1884694	Drill Core	1.73	368	0.238	0.26	0.45	35.30	0.72	12.45	6.38	56.7	497	6.4	3.6	128	1.37	11.7	1.8	271.6	5.7	8.6
1884695	Drill Core	1.17	533	4.069	17.98	183.28	41.38	0.79	6.54	1.67	44.5	2119	5.6	5.0	205	0.86	5.9	0.9	8700.2	2.1	8.2
1884696	Drill Core	2.94	452	0.921	1.08	2.94	36.34	0.96	9.16	17.08	106.2	810	10.1	8.1	367	1.88	11.4	2.4	961.6	9.1	46.2
1884697	Drill Core	2.00	454	0.046	0.04	<0.17	41.12	0.36	7.85	18.66	53.8	277	2.1	2.7	187	0.80	1.7	1.1	80.5	11.5	16.8
1884698	Drill Core	1.55	555	0.040	0.06	0.33	39.04	0.28	4.67	13.71	20.6	214	1.3	1.8	118	0.70	1.2	1.0	39.5	12.4	12.0
1884699	Drill Core	1.11	510	0.032	0.03	<0.17	38.61	0.30	6.10	9.21	7.5	217	1.1	1.5	66	0.58	1.4	0.7	42.3	11.6	4.2
1884700	Rock Pulp	0.12	89	6.958				9.24	194.57	19.88	74.9	846	13.0	10.8	594	4.62	13.4	0.9	7489.3	4.6	65.7
1884701	Drill Core	2.53	475	0.089	0.09	<0.17	40.42	0.39	4.11	4.90	19.5	194	2.0	1.8	234	0.98	1.9	1.0	244.0	10.0	36.4
1884702	Drill Core	1.73	410	2.254	2.53	6.25	27.86	0.92	15.23	7.16	66.0	1116	12.7	9.0	445	2.61	8.9	2.3	2165.1	9.7	33.7
1884703	Drill Core	1.61	493	0.108	0.10	<0.17	41.23	0.50	12.99	10.57	53.7	330	11.0	9.4	454	2.15	10.0	1.7	95.9	11.4	134.1
1884704	Drill Core	1.68	545	1.038	1.66	9.59	39.54	0.37	4.38	7.62	27.1	1243	6.0	5.9	216	1.50	11.5	1.3	7159.5	8.6	29.4
1884705	Drill Core	3.11	535	0.007	<0.01	<0.17	35.43	0.97	21.86	12.00	65.3	296	11.9	8.8	196	1.99	9.0	3.2	3.2	10.6	53.2
1884706	Drill Core	2.87	456	0.007	<0.01	<0.17	27.82	1.02	19.38	10.24	66.7	250	13.1	8.3	299	2.18	7.6	2.8	3.4	10.0	52.6
1884707	Drill Core	2.58	503	0.020	0.02	<0.17	40.61	1.49	21.28	4.88	62.1	304	13.5	9.7	304	2.21	10.6	1.8	14.5	10.6	55.2
1884708	Drill Core	2.22	403	0.220	0.21	<0.17	32.63	0.98	20.85	14.75	89.1	434	11.8	7.6	414	2.27	11.3	1.1	173.5	7.1	109.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000610.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884679	Drill Core	0.34	0.92	0.22	10	1.45	0.063	11.0	11.8	0.79	158.8	0.046	2	0.96	0.009	0.51	0.4	2.7	0.28	0.17	6			
1884680	Rock	<0.01	0.12	0.03	1	0.01	0.002	1.9	3.3	0.01	8.3	0.002	2	0.05	0.003	0.01	<0.1	0.3	<0.02	<0.02	<5			
1884681	Drill Core	1.74	1.31	0.09	17	1.28	0.080	25.5	21.5	0.97	267.5	0.043	1	1.19	0.011	0.37	0.3	3.6	0.20	<0.02	13			
1884682	Drill Core	1.60	0.66	0.09	17	1.35	0.083	24.0	23.0	0.89	134.4	0.014	1	1.17	0.017	0.26	0.2	3.6	0.14	0.02	15			
1884683	Drill Core	0.97	0.46	0.11	19	1.37	0.075	21.7	22.0	0.95	125.7	0.007	<1	1.23	0.013	0.26	0.1	3.6	0.13	0.06	10			
1884684	Drill Core	0.45	0.60	0.10	21	1.86	0.075	23.8	26.7	1.00	123.3	0.022	1	1.33	0.015	0.27	0.2	3.8	0.14	0.05	8			
1884685	Drill Core	0.46	0.43	0.09	22	2.11	0.075	21.4	27.2	1.04	170.1	0.008	<1	1.38	0.015	0.29	<0.1	4.3	0.14	0.07	10			
1884686	Drill Core	0.39	0.57	0.17	5	1.36	0.025	31.2	7.9	0.28	330.0	0.010	<1	0.58	0.014	0.25	<0.1	2.5	0.10	<0.02	8			
1884687	Drill Core	0.31	0.64	0.11	12	1.61	0.071	10.4	13.9	0.73	384.4	0.018	1	0.83	0.010	0.34	<0.1	5.1	0.17	0.32	15			
1884688	Drill Core	0.32	0.41	0.18	21	0.52	0.075	20.5	25.9	0.90	230.4	0.004	<1	1.18	0.020	0.23	<0.1	4.1	0.09	<0.02	24			
1884689	Drill Core	0.37	0.49	0.09	14	1.00	0.071	21.5	17.0	0.77	247.5	0.005	<1	1.03	0.016	0.26	<0.1	4.1	0.10	<0.02	19			
1884690	Drill Core	0.51	0.50	0.14	12	0.25	0.076	19.5	14.6	0.66	190.0	0.002	<1	1.01	0.013	0.24	0.1	3.2	0.08	<0.02	11			
1884691	Drill Core	0.43	0.68	0.28	13	0.22	0.059	16.5	15.4	0.52	163.2	0.001	<1	0.98	0.009	0.23	<0.1	2.5	0.08	<0.02	12			
1884692	Drill Core	0.55	1.62	0.11	25	0.34	0.095	17.6	27.6	0.85	168.9	0.001	<1	1.48	0.011	0.23	<0.1	3.2	0.08	<0.02	10			
1884693	Drill Core	0.72	1.02	0.19	11	0.21	0.066	25.5	14.5	0.25	211.5	<0.001	<1	0.84	0.003	0.29	<0.1	2.0	0.09	<0.02	19			
1884694	Drill Core	0.56	0.36	0.04	7	0.10	0.023	9.4	11.7	0.30	114.6	<0.001	<1	0.55	0.006	0.17	<0.1	1.5	0.07	<0.02	<5			
1884695	Drill Core	0.33	0.24	<0.02	4	0.08	0.022	5.0	6.6	0.21	129.1	<0.001	<1	0.34	0.005	0.12	0.1	1.3	0.05	<0.02	10			
1884696	Drill Core	1.13	0.39	0.15	6	0.60	0.058	16.0	7.2	0.38	342.2	0.002	<1	0.67	0.004	0.26	0.1	3.5	0.08	<0.02	19			
1884697	Drill Core	0.81	0.24	0.17	2	0.30	0.032	28.4	4.1	0.17	379.0	0.001	1	0.42	0.006	0.25	<0.1	1.4	0.06	<0.02	20			
1884698	Drill Core	0.23	0.22	0.18	2	0.15	0.024	32.3	3.8	0.17	300.7	0.001	<1	0.40	0.017	0.23	<0.1	1.2	0.06	<0.02	16			
1884699	Drill Core	0.10	0.20	0.12	1	0.05	0.021	26.5	2.6	0.06	268.4	<0.001	<1	0.27	0.021	0.21	<0.1	0.8	0.05	<0.02	24			
1884700	Rock Pulp	0.21	4.27	0.57	113	0.86	0.064	7.5	17.3	0.85	126.6	0.107	2	1.72	0.168	0.23	3.6	3.6	0.06	<0.02	197			
1884701	Drill Core	0.17	0.11	0.07	3	0.57	0.016	19.9	3.8	0.26	261.2	<0.001	<1	0.47	0.020	0.20	<0.1	1.9	0.05	<0.02	14			
1884702	Drill Core	0.65	0.48	0.08	14	0.42	0.080	14.5	15.3	0.75	241.4	0.010	<1	1.00	0.019	0.42	0.2	3.9	0.18	0.16	14			
1884703	Drill Core	0.62	0.69	0.13	12	1.66	0.070	16.9	13.5	0.84	236.4	0.036	<1	0.94	0.015	0.52	0.4	3.6	0.22	0.54	11			
1884704	Drill Core	0.17	0.38	0.09	6	0.40	0.041	12.8	8.7	0.38	212.2	0.011	<1	0.55	0.013	0.29	0.3	2.1	0.10	0.22	9			
1884705	Drill Core	0.32	1.55	0.06	18	0.78	0.065	9.6	20.4	0.74	180.2	0.066	<1	0.92	0.020	0.59	0.4	4.6	0.32	0.18	<5			
1884706	Drill Core	0.30	1.61	0.05	23	0.80	0.072	10.7	26.0	0.92	163.3	0.087	<1	1.07	0.021	0.52	0.6	5.1	0.26	0.17	8			
1884707	Drill Core	0.23	1.23	0.05	25	0.80	0.078	13.7	30.1	1.01	139.1	0.074	<1	1.14	0.021	0.22	0.7	4.1	0.09	0.17	<5			
1884708	Drill Core	0.98	0.93	0.15	16	1.52	0.095	8.3	14.9	0.92	179.9	0.050	<1	0.97	0.008	0.51	0.8	3.7	0.18	0.73	6			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000610.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1884679	Drill Core	0.2	0.02	3.5	4.60	<0.1	0.04	0.12	31.7	0.5	<0.05	1.1	8.36	22.5	<0.02	1	0.4	15.0	<10	<2
1884680	Rock	<0.1	<0.02	0.3	0.08	<0.1	0.06	0.05	0.6	0.1	<0.05	1.4	0.82	4.1	<0.02	<1	<0.1	0.8	<10	<2
1884681	Drill Core	0.1	<0.02	5.5	2.40	<0.1	0.07	0.06	23.4	0.5	<0.05	2.1	13.62	52.2	<0.02	<1	0.7	24.0	<10	<2
1884682	Drill Core	0.2	<0.02	5.7	2.42	<0.1	0.08	<0.02	16.4	0.3	<0.05	2.1	14.52	47.3	<0.02	<1	0.7	25.2	<10	<2
1884683	Drill Core	0.2	<0.02	6.6	3.82	<0.1	0.06	<0.02	16.6	0.3	<0.05	2.1	14.02	45.8	<0.02	1	0.7	29.3	<10	<2
1884684	Drill Core	<0.1	<0.02	6.4	2.42	<0.1	0.09	0.02	17.0	0.3	<0.05	2.8	15.17	48.0	<0.02	<1	0.9	25.7	<10	<2
1884685	Drill Core	0.2	<0.02	6.0	2.79	<0.1	0.14	<0.02	17.6	0.5	<0.05	5.1	14.91	44.3	<0.02	3	0.6	26.1	<10	<2
1884686	Drill Core	<0.1	<0.02	2.4	1.40	<0.1	0.04	0.08	13.9	0.5	<0.05	1.8	17.95	62.9	<0.02	<1	0.4	9.1	<10	<2
1884687	Drill Core	0.5	0.02	2.9	3.38	<0.1	0.21	0.02	19.8	0.3	<0.05	7.4	8.66	20.4	0.02	2	0.4	16.2	<10	<2
1884688	Drill Core	<0.1	<0.02	5.1	2.13	<0.1	0.17	<0.02	12.3	0.5	<0.05	7.7	11.19	38.8	<0.02	<1	0.5	23.9	<10	<2
1884689	Drill Core	<0.1	<0.02	3.5	2.03	<0.1	0.15	<0.02	13.3	0.3	<0.05	6.3	11.92	43.0	<0.02	<1	0.4	21.5	<10	<2
1884690	Drill Core	0.3	0.02	4.1	1.26	<0.1	0.13	<0.02	12.0	0.3	<0.05	5.3	8.15	37.5	<0.02	<1	0.4	24.3	<10	<2
1884691	Drill Core	0.3	<0.02	4.2	1.38	<0.1	0.10	<0.02	10.6	0.5	<0.05	4.8	4.55	31.3	<0.02	<1	0.3	21.2	<10	<2
1884692	Drill Core	0.6	0.02	7.8	1.84	<0.1	0.10	<0.02	11.1	0.5	<0.05	4.4	7.22	40.3	<0.02	<1	0.5	32.6	<10	<2
1884693	Drill Core	0.9	0.10	4.0	5.76	<0.1	0.09	<0.02	16.5	0.3	<0.05	4.8	6.56	49.5	<0.02	<1	0.6	13.3	<10	<2
1884694	Drill Core	0.2	0.02	3.1	1.39	<0.1	0.08	<0.02	10.5	0.3	<0.05	4.5	3.42	18.6	<0.02	<1	0.3	14.6	<10	<2
1884695	Drill Core	<0.1	0.03	1.2	0.62	<0.1	0.07	<0.02	5.3	0.5	<0.05	3.7	3.08	10.3	<0.02	<1	0.2	8.8	<10	<2
1884696	Drill Core	0.1	0.07	2.1	1.26	<0.1	0.26	<0.02	9.7	0.4	<0.05	11.5	6.29	31.2	<0.02	<1	0.5	12.4	<10	<2
1884697	Drill Core	<0.1	<0.02	1.1	1.24	<0.1	0.14	<0.02	9.9	0.2	<0.05	6.4	6.55	54.4	<0.02	<1	0.2	5.8	<10	<2
1884698	Drill Core	<0.1	<0.02	1.2	0.82	<0.1	0.07	<0.02	9.8	0.2	<0.05	2.9	9.74	61.8	<0.02	<1	0.2	6.5	<10	<2
1884699	Drill Core	<0.1	<0.02	0.7	0.57	<0.1	0.05	<0.02	8.5	0.2	<0.05	2.5	4.33	51.5	<0.02	<1	0.3	3.1	<10	<2
1884700	Rock Pulp	<0.1	0.15	5.2	0.64	<0.1	0.08	0.08	7.8	1.7	<0.05	1.4	4.78	16.2	0.05	<1	0.1	6.9	<10	<2
1884701	Drill Core	0.2	<0.02	1.7	0.69	<0.1	0.07	<0.02	8.7	0.2	<0.05	2.8	5.13	39.0	<0.02	<1	0.3	8.7	<10	<2
1884702	Drill Core	0.3	0.08	4.2	3.04	<0.1	0.05	<0.02	22.7	0.4	<0.05	1.8	10.63	31.1	<0.02	1	0.6	17.3	<10	<2
1884703	Drill Core	0.7	0.03	3.2	3.39	<0.1	0.10	0.05	28.7	0.3	<0.05	3.6	11.14	33.3	<0.02	<1	0.5	15.4	<10	<2
1884704	Drill Core	0.5	0.04	2.0	1.56	<0.1	0.07	0.03	13.8	0.2	<0.05	2.3	6.35	23.3	<0.02	<1	0.4	9.0	<10	<2
1884705	Drill Core	0.4	0.02	3.1	4.64	<0.1	0.19	0.04	33.2	0.5	<0.05	6.8	8.22	19.8	<0.02	5	0.4	10.6	<10	<2
1884706	Drill Core	0.4	<0.02	4.4	3.30	<0.1	0.09	0.08	29.7	0.6	<0.05	2.6	9.55	22.1	<0.02	2	0.4	17.9	<10	<2
1884707	Drill Core	0.3	0.03	5.1	0.78	<0.1	0.12	0.06	10.7	0.9	<0.05	3.8	9.17	27.4	<0.02	3	0.5	19.1	<10	<2
1884708	Drill Core	1.0	0.04	3.5	2.29	<0.1	0.05	0.08	24.8	0.6	<0.05	1.5	9.10	17.3	<0.02	<1	0.6	17.0	<10	<2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000610.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1884709	Drill Core	2.21	460	0.448	0.50	1.16	35.32	0.27	7.71	4.92	35.0	404	12.2	8.0	559	2.29	18.5	1.1	588.6	6.1	200.5
1884710	Drill Core	3.10	447	0.064	0.06	<0.17	33.93	0.68	17.26	18.09	53.1	327	11.1	6.9	363	1.75	20.6	2.1	157.9	10.0	74.1
1884711	Drill Core	2.99	401	<0.005	<0.01	<0.17	39.62	0.73	19.83	21.41	63.1	245	13.3	8.1	338	1.89	12.3	2.0	1.7	10.3	39.9
1884712	Drill Core	3.27	377	<0.005	<0.01	<0.17	32.04	2.34	22.58	12.89	22.2	369	7.7	4.4	167	1.11	10.1	1.9	2.4	17.1	33.9
1884713	Drill Core	1.62	534	0.010	<0.01	<0.17	38.34	1.56	29.21	20.78	28.0	949	13.7	6.0	174	1.31	5.5	2.8	3.6	11.6	24.0
1884714	Drill Core	1.46	387	0.014	0.01	<0.17	40.30	2.36	23.12	16.83	31.8	863	13.0	4.9	196	1.38	6.1	1.8	8.0	9.1	26.5
1884715	Drill Core	3.06	470	0.013	0.01	<0.17	40.80	0.92	9.15	9.09	46.8	329	6.4	3.6	209	1.07	2.4	1.1	6.8	14.2	33.3
1884716	Drill Core	2.81	470	0.086	0.09	<0.17	40.05	0.91	15.08	15.41	64.7	339	11.2	5.2	372	1.65	4.0	1.2	76.6	12.7	59.3
1884717	Drill Core	3.27	474	<0.005	<0.01	<0.17	34.37	1.12	16.59	19.04	51.7	269	9.8	4.9	292	1.56	13.8	2.6	6.1	12.4	51.3
1884718	Drill Core	2.12	445	<0.005	<0.01	<0.17	39.96	0.84	14.59	28.18	38.9	308	8.7	4.7	207	1.38	18.7	2.9	2.5	12.8	45.3
1884719	Drill Core	2.12	423	<0.005	<0.01	<0.17	38.16	0.90	27.86	7.12	55.9	233	24.4	8.4	201	1.68	16.5	1.0	0.8	7.4	24.0
1884720	Rock Pulp	0.12	94	0.580				6.12	109.92	80.31	136.5	643	10.4	4.5	562	2.36	39.4	0.4	516.0	2.7	30.0
1884721	Drill Core	2.59	491	0.005	<0.01	<0.17	40.09	1.44	24.62	8.01	59.1	340	27.3	9.3	258	1.81	9.6	2.3	2.0	5.7	28.3
1884722	Drill Core	2.96	398	<0.005	<0.01	<0.17	31.38	2.60	23.57	11.22	66.8	315	23.9	8.0	249	1.87	6.7	0.9	0.7	7.7	44.2
1884723	Drill Core	3.06	396	<0.005	<0.01	<0.17	39.89	1.01	22.56	12.03	70.9	287	22.4	6.6	257	2.17	9.0	0.8	2.1	6.8	29.5
1884724	Drill Core	3.07	372	<0.005	<0.01	<0.17	36.41	1.71	12.51	10.25	38.6	178	6.4	3.8	133	1.16	7.6	2.7	1.6	13.1	30.5
1884725	Drill Core	3.06	370	0.009	<0.01	<0.17	37.58	1.26	28.22	9.15	55.3	320	21.7	8.0	185	1.69	102.3	2.1	5.7	8.8	24.5
1884726	Drill Core	2.84	527	<0.005	<0.01	<0.17	39.15	0.77	19.80	6.16	74.8	159	23.3	8.2	271	1.99	75.3	0.8	3.5	7.5	31.2
1884727	Drill Core	2.91	436	0.008	<0.01	<0.17	40.21	0.89	27.30	8.80	57.3	263	18.1	8.9	263	1.85	196.7	1.4	4.5	7.1	31.6
1884728	Drill Core	3.07	506	<0.005	<0.01	<0.17	41.01	1.04	18.57	8.62	57.5	178	12.9	8.0	377	1.85	9.0	0.8	1.0	3.2	39.9
1884729	Drill Core	3.14	408	0.005	<0.01	<0.17	40.71	0.90	16.10	10.70	67.4	178	8.9	8.0	496	2.42	13.9	1.1	1.9	4.8	59.0
1884730	Drill Core	3.18	453	<0.005	<0.01	<0.17	36.51	1.76	25.82	11.05	75.7	189	24.5	12.7	534	2.69	36.5	2.4	0.7	7.7	89.0
1884731	Drill Core	2.19	398	0.050	0.04	<0.17	39.16	2.83	28.46	11.88	83.3	227	24.9	13.3	705	2.86	54.8	2.2	27.3	7.7	114.2
1884732	Drill Core	2.15	368	0.007	<0.01	<0.17	27.45	0.63	22.52	5.71	68.1	226	17.5	9.5	510	2.59	39.3	0.5	1.5	6.6	64.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000610.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884709	Drill Core	0.40	0.98	0.04	16	2.20	0.142	6.2	8.6	1.16	185.9	0.051	<1	1.10	0.009	0.64	1.1	4.5	0.23	1.03	<5			
1884710	Drill Core	0.39	1.93	0.07	9	0.87	0.059	7.5	10.9	1.04	159.0	0.031	<1	0.96	0.010	0.67	0.3	2.9	0.30	0.34	<5			
1884711	Drill Core	0.33	1.76	0.12	16	0.60	0.058	10.6	17.5	1.03	128.3	0.036	<1	1.06	0.017	0.40	0.3	3.8	0.17	0.15	<5			
1884712	Drill Core	0.16	0.37	0.23	6	0.50	0.064	38.2	6.7	0.28	252.3	0.004	<1	0.57	0.024	0.29	0.1	1.4	0.09	0.10	<5			
1884713	Drill Core	0.31	0.36	1.18	10	0.41	0.072	26.3	10.2	0.29	178.2	0.027	<1	0.58	0.033	0.21	0.3	2.9	0.07	0.15	<5			
1884714	Drill Core	0.32	0.59	1.27	10	0.50	0.061	18.2	13.0	0.35	157.8	0.032	<1	0.64	0.020	0.24	0.4	2.5	0.08	0.09	<5			
1884715	Drill Core	0.25	1.05	0.38	7	0.64	0.048	33.4	11.2	0.37	140.3	0.009	1	0.60	0.023	0.23	0.2	1.4	0.08	<0.02	7			
1884716	Drill Core	0.54	0.88	0.17	23	0.99	0.070	21.8	33.3	0.74	119.9	0.051	1	0.93	0.020	0.18	1.3	2.8	0.07	<0.02	<5			
1884717	Drill Core	0.37	1.01	0.27	17	1.09	0.059	18.9	18.5	0.44	165.0	0.073	<1	0.65	0.030	0.22	0.9	3.8	0.12	0.15	<5			
1884718	Drill Core	0.28	1.76	0.45	11	0.95	0.051	19.0	11.6	0.53	169.7	0.056	1	0.68	0.028	0.44	0.2	3.3	0.25	0.12	<5			
1884719	Drill Core	0.45	4.65	0.07	14	0.46	0.059	9.4	17.2	0.77	146.6	0.063	<1	0.80	0.013	0.59	0.2	3.4	0.34	0.11	<5			
1884720	Rock Pulp	0.58	2.99	0.10	25	0.75	0.036	4.6	22.6	0.48	76.3	0.056	6	1.02	0.091	0.09	4.4	2.4	0.20	0.08	129			
1884721	Drill Core	0.36	1.13	0.06	17	0.52	0.063	10.0	22.6	0.81	115.2	0.068	<1	0.98	0.016	0.34	0.2	3.3	0.22	0.08	6			
1884722	Drill Core	0.24	0.71	0.06	19	0.95	0.058	13.7	22.3	0.76	132.2	0.056	<1	0.89	0.018	0.33	0.2	3.7	0.21	0.02	<5			
1884723	Drill Core	0.22	1.01	0.11	18	0.68	0.061	11.6	25.2	1.21	105.5	0.048	<1	1.19	0.020	0.43	0.2	3.1	0.25	<0.02	5			
1884724	Drill Core	0.33	1.26	0.09	8	0.63	0.062	24.3	11.2	0.48	158.7	0.037	<1	0.64	0.037	0.36	0.4	2.2	0.19	0.05	<5			
1884725	Drill Core	0.37	4.15	0.09	15	0.44	0.114	14.9	18.5	0.80	164.4	0.044	<1	0.89	0.016	0.63	0.3	2.8	0.28	0.05	<5			
1884726	Drill Core	0.37	3.58	0.03	21	0.56	0.071	11.9	27.5	1.16	128.9	0.067	<1	1.19	0.014	0.70	0.4	3.5	0.30	<0.02	<5			
1884727	Drill Core	0.35	4.33	0.07	18	0.67	0.067	12.5	24.9	0.86	143.3	0.055	<1	0.98	0.017	0.62	0.4	3.3	0.33	0.10	<5			
1884728	Drill Core	0.17	0.89	0.09	12	0.53	0.070	5.1	18.8	0.64	404.1	0.065	<1	0.80	0.023	0.41	0.1	1.7	0.18	0.11	<5			
1884729	Drill Core	0.28	0.44	0.13	20	1.44	0.081	7.9	24.4	0.89	161.1	0.052	<1	1.15	0.024	0.24	0.1	3.7	0.14	0.12	<5			
1884730	Drill Core	0.35	0.74	0.07	51	1.71	0.070	8.4	102.0	1.46	164.6	0.066	<1	1.39	0.023	0.30	<0.1	8.1	0.19	0.16	<5			
1884731	Drill Core	0.65	1.19	0.09	58	2.47	0.070	8.2	127.4	1.62	153.7	0.055	<1	1.60	0.025	0.25	0.2	9.2	0.14	0.12	<5			
1884732	Drill Core	0.16	1.68	0.08	51	1.48	0.078	8.6	118.8	1.56	120.6	0.043	<1	1.56	0.025	0.26	0.3	7.1	0.11	<0.02	<5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000610.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1884709	Drill Core	1.1	0.07	4.2	3.72	<0.1	0.18	0.08	35.0	0.5	<0.05	5.3	10.35	12.6	<0.02	<1	0.7	19.4	<10	<2
1884710	Drill Core	0.7	<0.02	2.9	4.71	<0.1	0.34	0.02	37.8	0.4	<0.05	11.4	6.46	14.9	<0.02	1	0.3	19.7	<10	<2
1884711	Drill Core	0.5	<0.02	4.3	2.12	<0.1	0.19	0.03	20.5	0.5	<0.05	6.7	8.44	22.3	<0.02	<1	0.4	21.2	<10	<2
1884712	Drill Core	0.3	<0.02	2.3	2.06	<0.1	0.13	<0.02	13.7	0.4	<0.05	3.9	18.34	72.2	<0.02	<1	0.3	9.8	<10	<2
1884713	Drill Core	0.8	0.05	2.6	0.87	<0.1	0.17	0.10	10.3	0.3	<0.05	5.7	15.06	48.1	0.02	<1	0.3	10.3	<10	<2
1884714	Drill Core	0.6	0.06	2.4	0.81	<0.1	0.19	0.20	11.8	0.8	<0.05	6.6	12.73	37.2	<0.02	2	0.3	11.5	<10	<2
1884715	Drill Core	<0.1	0.03	2.6	1.75	<0.1	0.31	0.06	11.7	0.5	<0.05	9.6	16.38	65.6	<0.02	<1	0.3	9.7	<10	<2
1884716	Drill Core	0.1	0.03	4.6	1.12	<0.1	0.40	0.16	9.9	0.6	<0.05	13.5	12.73	42.5	<0.02	<1	0.6	18.5	<10	<2
1884717	Drill Core	0.6	<0.02	3.5	1.86	<0.1	0.23	0.30	12.7	0.8	<0.05	7.4	11.24	37.6	0.02	1	0.5	10.6	<10	<2
1884718	Drill Core	0.5	0.02	2.6	4.04	<0.1	0.08	0.21	26.3	0.7	<0.05	2.8	10.92	37.3	<0.02	1	0.4	9.8	<10	<2
1884719	Drill Core	0.5	<0.02	2.4	6.77	<0.1	0.13	0.12	38.0	0.5	<0.05	4.5	7.94	19.5	<0.02	2	0.3	14.7	<10	<2
1884720	Rock Pulp	<0.1	0.04	3.7	0.21	0.1	0.11	0.32	2.3	1.8	<0.05	2.7	6.40	9.6	<0.02	1	0.3	1.3	<10	<2
1884721	Drill Core	0.5	<0.02	3.7	3.25	<0.1	0.04	0.21	21.8	0.5	<0.05	0.8	7.69	19.8	<0.02	3	0.4	14.1	<10	<2
1884722	Drill Core	0.2	<0.02	3.8	3.57	<0.1	0.10	0.17	22.5	0.5	<0.05	2.9	10.04	27.1	<0.02	<1	0.4	12.9	<10	<2
1884723	Drill Core	<0.1	<0.02	4.2	4.80	<0.1	0.04	0.12	29.3	0.4	<0.05	1.0	8.36	23.9	0.02	<1	0.4	16.5	<10	<2
1884724	Drill Core	0.5	<0.02	3.0	2.39	<0.1	0.05	0.17	20.5	0.5	<0.05	1.1	10.44	44.8	<0.02	<1	0.4	8.6	<10	<2
1884725	Drill Core	0.4	0.02	2.8	4.29	<0.1	0.14	0.11	35.1	0.5	<0.05	3.7	11.26	29.1	<0.02	2	0.4	14.2	<10	<2
1884726	Drill Core	0.2	<0.02	3.9	4.48	<0.1	0.21	0.11	39.0	0.7	<0.05	3.9	8.76	24.5	<0.02	1	0.4	19.1	<10	<2
1884727	Drill Core	0.6	<0.02	3.3	4.21	<0.1	0.10	0.10	37.7	0.6	<0.05	3.0	8.53	25.6	<0.02	2	0.4	13.7	<10	<2
1884728	Drill Core	0.3	<0.02	2.8	12.44	<0.1	0.02	0.25	28.8	0.5	<0.05	0.5	3.44	10.5	<0.02	<1	0.2	8.3	<10	<2
1884729	Drill Core	0.5	<0.02	4.6	2.23	<0.1	0.04	0.11	12.8	0.4	<0.05	0.7	6.68	15.9	<0.02	2	0.3	11.1	<10	<2
1884730	Drill Core	0.7	0.02	5.0	2.86	<0.1	0.05	0.08	20.0	0.6	<0.05	1.3	9.60	17.4	0.03	<1	0.4	17.9	<10	<2
1884731	Drill Core	0.8	<0.02	6.1	1.89	<0.1	0.04	0.06	13.6	0.5	<0.05	1.4	9.56	16.3	0.04	2	0.3	21.0	<10	<2
1884732	Drill Core	<0.1	0.02	6.1	1.36	<0.1	0.03	0.04	13.7	0.4	<0.05	1.1	6.21	17.3	<0.02	<1	0.3	17.5	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000610.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1884657	Drill Core	1.41	358	0.374	0.40	0.67	37.49	1.91	52.00	13.43	41.6	795	10.3	8.1	361	1.79	6.0	2.4	158.2	10.8	42.9
REP 1884657	QC							1.85	52.05	13.32	43.3	805	10.5	7.8	344	1.78	6.1	2.3	207.7	10.6	43.5
1884671	Drill Core	2.88	464	0.008	<0.01	<0.17	35.86	1.43	21.12	12.13	71.7	307	13.7	8.5	400	2.04	4.7	1.6	2.2	10.0	51.5
REP 1884671	QC			0.007																	
1884691	Drill Core	2.60	412	0.195	0.20	0.33	24.00	0.93	18.56	13.67	55.2	635	9.6	5.7	115	2.19	18.8	3.1	157.3	9.4	15.6
REP 1884691	QC							0.95	18.14	14.20	60.0	656	9.9	5.9	113	2.19	19.0	3.3	145.4	9.5	16.0
1884720	Rock Pulp	0.12	94	0.580				6.12	109.92	80.31	136.5	643	10.4	4.5	562	2.36	39.4	0.4	516.0	2.7	30.0
REP 1884720	QC							6.21	111.79	82.54	133.7	643	10.4	4.6	555	2.37	42.0	0.4	704.0	2.6	32.0
Core Reject Duplicates																					
1884652	Drill Core	3.59	460	0.175	0.20	0.51	33.49	0.55	14.11	18.85	34.7	418	10.7	6.5	296	1.24	7.7	0.7	166.3	11.5	28.0
DUP 1884652	QC		467	0.098	0.13	0.66	30.33	0.47	12.90	16.31	33.6	414	10.0	5.7	255	1.22	7.2	0.7	106.0	10.4	26.0
1884686	Drill Core	3.42	412	0.007	<0.01	<0.17	38.77	0.29	6.40	18.11	38.2	256	2.6	2.7	287	0.90	2.5	1.7	4.3	12.0	67.6
DUP 1884686	QC		420	0.007	<0.01	<0.17	34.93	0.28	6.49	18.56	39.4	264	2.6	2.8	287	0.93	2.7	1.6	3.4	12.0	67.1
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard							10.93	4308.79	190.45	1702.5	2493	164.1	24.2	757	3.60	118.4	3.8	228.7	16.1	54.5
STD DS11	Standard							13.77	145.84	133.41	331.2	1660	74.0	12.6	980	3.01	42.3	2.5	83.5	8.4	64.1
STD DS11	Standard							15.52	154.64	141.14	360.5	1759	81.3	13.7	1023	3.08	43.1	2.8	109.7	8.9	75.8
STD OREAS262	Standard							0.68	113.71	54.84	142.8	461	60.0	25.7	542	3.12	34.1	1.2	78.5	9.7	35.3
STD OREAS262	Standard							0.63	121.92	57.95	143.2	425	62.3	27.4	536	3.18	34.0	1.3	69.6	9.8	35.8
STD OREAS262	Standard							0.63	119.14	57.00	145.2	443	61.6	25.9	546	3.18	34.8	1.2	54.3	10.5	33.9
STD OXB130	Standard			0.123																	
STD OXB130	Standard			0.132																	
STD OXB130	Standard			0.127																	
STD OXB130	Standard			0.126																	
STD OXI138	Standard			1.822																	
STD OXI138	Standard			1.902																	
STD OXI138	Standard			1.805																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000610.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1884657	Drill Core	0.23	1.16	0.05	12	0.46	0.048	19.0	16.1	0.85	223.5	0.076	1	1.15	0.015	0.67	0.7	2.7	0.28	<0.02	<5
REP 1884657	QC	0.21	1.10	0.05	12	0.46	0.047	18.5	14.8	0.84	222.1	0.073	<1	1.13	0.013	0.67	0.7	2.7	0.27	<0.02	<5
1884671	Drill Core	0.33	0.91	0.10	23	0.85	0.062	18.9	30.0	0.99	142.5	0.093	1	1.25	0.024	0.50	0.6	4.9	0.30	<0.02	8
REP 1884671	QC																				
1884691	Drill Core	0.43	0.68	0.28	13	0.22	0.059	16.5	15.4	0.52	163.2	0.001	<1	0.98	0.009	0.23	<0.1	2.5	0.08	<0.02	12
REP 1884691	QC	0.43	0.73	0.30	13	0.22	0.056	17.8	16.0	0.52	178.3	0.001	<1	0.96	0.010	0.23	<0.1	2.5	0.08	<0.02	7
1884720	Rock Pulp	0.58	2.99	0.10	25	0.75	0.036	4.6	22.6	0.48	76.3	0.056	6	1.02	0.091	0.09	4.4	2.4	0.20	0.08	129
REP 1884720	QC	0.59	3.05	0.10	25	0.76	0.038	4.8	22.8	0.48	79.7	0.061	6	1.04	0.092	0.09	4.5	2.7	0.20	0.07	149
Core Reject Duplicates																					
1884652	Drill Core	0.38	0.75	0.46	7	0.25	0.046	21.9	8.5	0.65	208.8	0.031	2	0.82	0.012	0.50	0.4	1.9	0.21	<0.02	5
DUP 1884652	QC	0.33	0.69	0.43	6	0.25	0.043	19.2	7.8	0.62	185.6	0.027	2	0.79	0.012	0.49	0.3	1.8	0.18	<0.02	<5
1884686	Drill Core	0.39	0.57	0.17	5	1.36	0.025	31.2	7.9	0.28	330.0	0.010	<1	0.58	0.014	0.25	<0.1	2.5	0.10	<0.02	8
DUP 1884686	QC	0.38	0.51	0.19	5	1.38	0.025	31.9	7.6	0.28	325.1	0.009	1	0.58	0.015	0.25	<0.1	2.5	0.10	<0.02	9
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard	6.50	2.96	25.49	75	1.28	0.073	27.0	166.0	1.27	232.7	0.222	4	2.26	0.181	0.87	4.7	6.6	0.63	0.67	82
STD DS11	Standard	2.39	9.26	12.04	46	1.01	0.070	16.9	55.0	0.81	356.0	0.083	6	1.09	0.071	0.38	2.9	3.0	4.82	0.28	246
STD DS11	Standard	2.59	9.41	12.00	49	1.06	0.070	21.2	60.1	0.83	363.6	0.100	7	1.20	0.077	0.41	2.9	3.4	4.94	0.27	258
STD OREAS262	Standard	0.62	6.02	1.02	20	2.86	0.038	14.9	42.0	1.13	236.5	0.002	3	1.21	0.067	0.29	0.2	3.0	0.43	0.26	175
STD OREAS262	Standard	0.70	5.89	0.99	22	2.84	0.037	18.8	45.4	1.14	248.9	0.003	5	1.48	0.066	0.33	0.2	3.3	0.45	0.25	152
STD OREAS262	Standard	0.63	4.25	1.04	22	2.97	0.042	15.6	40.4	1.15	242.9	0.003	4	1.30	0.068	0.29	0.2	3.3	0.43	0.26	159
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000610.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
Pulp Duplicates																					
1884657	Drill Core	0.3	<0.02	3.5	2.58	<0.1	0.39	0.12	36.8	0.6	<0.05	10.4	9.20	34.9	<0.02	<1	0.8	9.7	<10	<2	
REP 1884657	QC	0.2	0.02	3.3	2.56	<0.1	0.29	0.13	37.3	0.7	<0.05	10.2	9.13	34.9	<0.02	<1	0.7	9.6	<10	<2	
1884671	Drill Core	<0.1	<0.02	5.2	4.44	<0.1	0.07	0.13	32.6	0.7	<0.05	2.4	11.04	34.8	<0.02	<1	0.5	12.5	<10	<2	
REP 1884671	QC																				
1884691	Drill Core	0.3	<0.02	4.2	1.38	<0.1	0.10	<0.02	10.6	0.5	<0.05	4.8	4.55	31.3	<0.02	<1	0.3	21.2	<10	<2	
REP 1884691	QC	0.4	0.02	4.4	1.55	<0.1	0.12	<0.02	11.1	0.4	<0.05	4.8	4.74	33.4	<0.02	<1	0.4	22.3	<10	<2	
1884720	Rock Pulp	<0.1	0.04	3.7	0.21	0.1	0.11	0.32	2.3	1.8	<0.05	2.7	6.40	9.6	<0.02	1	0.3	1.3	<10	<2	
REP 1884720	QC	<0.1	0.03	4.0	0.21	<0.1	0.13	0.35	2.6	1.9	<0.05	3.1	6.97	10.1	<0.02	1	0.2	1.4	<10	<2	
Core Reject Duplicates																					
1884652	Drill Core	<0.1	0.06	2.5	2.61	<0.1	0.35	0.10	27.1	0.5	<0.05	13.5	7.65	40.0	<0.02	<1	0.3	9.9	<10	<2	
DUP 1884652	QC	<0.1	0.05	2.1	2.38	<0.1	0.31	0.07	24.1	0.4	<0.05	11.8	6.62	35.2	<0.02	<1	0.3	8.4	<10	<2	
1884686	Drill Core	<0.1	<0.02	2.4	1.40	<0.1	0.04	0.08	13.9	0.5	<0.05	1.8	17.95	62.9	<0.02	<1	0.4	9.1	<10	<2	
DUP 1884686	QC	<0.1	<0.02	2.4	1.38	<0.1	0.05	0.08	13.4	0.4	<0.05	2.4	16.80	61.7	<0.02	<1	0.4	8.2	<10	<2	
Reference Materials																					
STD AGPROOF	Standard																				<0.9
STD BVGEO01	Standard	4.7	0.96	6.6	7.54	0.2	0.31	0.26	95.8	5.8	<0.05	7.6	14.05	55.5	0.48	4	0.8	20.5	119	173	
STD DS11	Standard	2.2	4.51	4.5	2.84	<0.1	0.05	1.43	33.3	1.7	<0.05	2.5	7.57	35.7	0.25	46	0.7	23.0	106	164	
STD DS11	Standard	1.9	4.67	4.8	2.99	<0.1	0.07	1.47	35.9	2.1	<0.05	3.4	8.98	40.5	0.26	46	0.8	23.5	84	172	
STD OREAS262	Standard	0.4	0.23	3.5	2.88	<0.1	0.22	<0.02	18.0	0.6	<0.05	9.4	10.42	30.4	0.03	<1	0.9	16.7	<10	<2	
STD OREAS262	Standard	0.3	0.22	3.9	2.85	<0.1	0.26	<0.02	19.7	0.6	<0.05	9.6	10.84	34.9	0.04	1	1.2	16.4	<10	<2	
STD OREAS262	Standard	0.4	0.21	3.8	2.41	<0.1	0.25	<0.02	16.8	0.5	<0.05	9.3	9.99	32.2	0.03	1	1.3	18.0	<10	<2	
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000610.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXI138	Standard			1.849																	
STD OXN134	Standard			7.602																	
STD OXN134	Standard			7.403																	
STD OXN134	Standard			7.625																	
STD OXN134	Standard			7.793																	
STD OXQ114	Standard																				
STD OXQ90	Standard					24.95	30.18														
STD OXQ90	Standard					24.90	29.48														
STD OXQ90	Standard					25.35	29.90														
STD OXQ90	Standard					25.08	30.10														
STD OXQ90	Standard					25.06	30.41														
STD SP49	Standard																				
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			<0.005																	
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: October 10, 2019

Part: 2 of 3

WHI19000610.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXI138	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	0.04	<0.02	<5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: October 10, 2019

Part: 3 of 3

WHI19000610.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
STD OXI138	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard	35.5																			
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard	18.2																			
STD OXQ90 Expected																					
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172	
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182	
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8			
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000610.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank																				
BLK	Blank							<0.01	0.02	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.03	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		415	<0.005	<0.01	<0.17	38.25	0.94	2.36	1.09	26.5	18	1.0	3.5	489	1.86	0.8	0.4	<0.2	2.1	21.4
ROCK-WHI	Prep Blank		399	<0.005	<0.01	<0.17	39.78	0.80	5.73	1.01	31.6	11	1.4	4.4	540	1.96	0.9	0.5	<0.2	2.4	30.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000610.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.01	0.03	<0.02	22	0.68	0.038	6.2	3.2	0.48	47.0	0.070	2	0.85	0.078	0.09	<0.1	2.5	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.01	0.03	<0.02	27	0.67	0.042	6.6	3.9	0.54	61.2	0.087	2	1.03	0.097	0.09	<0.1	3.1	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 10, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000610.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2	FA530 -Au ppm 0.9
BLK	Blank																				<0.9
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.02	3.2	0.13	<0.1	0.10	0.18	2.2	0.3	<0.05	2.7	8.45	12.3	<0.02	<1	0.3	1.3	<10	<2	
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.13	<0.1	0.12	0.16	2.3	0.4	<0.05	3.2	8.99	13.1	<0.02	<1	0.3	1.4	<10	<2	