



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List

Receiving Lab: Canada-Whitehorse

Received: September 30, 2019

Report Date: October 15, 2019

Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000612.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-57  
P.O. Number  
Number of Samples: 93

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	89	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	93	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	93	Analysis sample split/packet			WHI
Split -150	93	Analysis sample split/packet			WHI
EN002	93	Environmental disposal charge-Fire assay lead waste			VAN
FS631	90	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	93	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	93	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce  
Peter Tallman  
Erika Cayer

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 2 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000612.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1884733	Drill Core	2.05	405	0.015	0.01	<0.17	29.60	0.70	7.28	12.30	28.0	414	4.1	2.0	119	0.90	3.4	1.2	11.5	34.9
1884734	Drill Core	1.93	349	0.033	0.03	<0.17	29.12	0.77	7.17	20.79	25.1	196	3.7	1.7	156	1.11	10.3	1.2	14.8	22.8
1884735	Drill Core	2.63	434	0.016	0.01	<0.17	39.81	0.71	4.38	18.23	22.9	136	2.4	2.0	95	0.88	4.1	1.0	10.5	6.1
1884736	Drill Core	3.29	479	0.045	0.04	<0.17	40.14	0.62	5.45	18.53	20.5	159	2.1	2.5	78	0.82	3.0	1.7	68.7	5.9
1884737	Drill Core	2.88	439	0.020	0.02	<0.17	37.81	0.56	5.11	17.34	29.9	102	2.7	2.8	107	0.78	2.1	1.7	3.0	7.3
1884738	Drill Core	3.15	465	0.022	0.02	<0.17	30.45	1.13	10.37	16.26	44.3	147	5.3	4.7	202	1.37	7.7	2.8	23.2	18.2
1884740	Rock Pulp	0.10	90	0.005				3.91	20.86	0.98	30.9	17	6.9	4.0	601	2.39	1.5	0.4	18.6	32.3
1884741	Drill Core	2.94	418	0.961	1.60	8.97	33.56	0.43	13.17	18.14	32.5	682	3.2	3.3	325	0.98	6.3	1.2	1663.2	10.7
1884742	Drill Core	3.49	556	0.065	0.06	<0.17	35.84	0.24	3.09	28.26	6.4	108	0.5	0.4	84	0.31	2.2	1.5	12.9	3.9
1884743	Drill Core	3.63	563	0.059	0.06	<0.17	37.49	0.22	2.47	20.79	3.9	186	0.4	0.2	30	0.31	2.0	1.2	43.4	22.4
1884744	Drill Core	2.56	402	0.022	0.02	<0.17	35.84	0.21	1.98	18.16	3.9	129	0.4	0.2	32	0.32	2.3	1.0	16.2	4.4
1884745	Drill Core	2.93	437	0.006	<0.01	<0.17	39.88	0.24	3.06	21.34	5.4	125	0.5	0.2	48	0.32	2.6	1.5	6.1	3.3
1884746	Drill Core	2.99	451	0.036	0.03	<0.17	34.93	0.19	3.01	20.47	3.8	165	0.3	0.2	43	0.29	1.4	1.0	17.5	5.6
1884747	Drill Core	3.11	469	0.171	0.16	<0.17	40.09	0.27	5.06	23.94	32.1	231	0.6	0.4	100	0.65	5.2	1.1	186.4	6.5
1884748	Drill Core	2.90	436	0.341	0.31	<0.17	39.88	0.29	8.29	15.91	36.7	445	2.3	1.6	162	0.83	3.6	0.9	224.8	10.9
1884749	Drill Core	3.10	428	0.097	0.09	<0.17	38.12	0.53	13.21	17.19	40.9	1291	5.2	4.1	296	1.10	6.7	1.7	60.0	49.2
1884750	Drill Core	2.48	374	0.079	0.07	<0.17	34.49	0.76	4.61	16.66	28.8	165	2.7	3.1	236	1.10	10.8	1.6	74.0	83.6
1884751	Drill Core	2.84	422	0.005	<0.01	<0.17	33.69	0.36	5.50	31.41	40.4	172	3.9	4.2	300	1.38	1.1	3.6	2.4	92.5
1884752	Drill Core	1.66	534	0.034	0.03	<0.17	38.15	0.59	8.22	26.81	34.6	171	3.6	4.3	314	1.28	1.5	5.0	11.2	89.4
1884753	Drill Core	2.19	477	0.010	<0.01	<0.17	38.89	0.32	6.47	21.19	22.8	127	2.1	2.2	224	0.91	1.5	1.1	6.1	51.2
1884754	Drill Core	2.60	397	0.009	<0.01	<0.17	32.74	0.26	4.37	18.22	20.2	101	1.6	1.8	192	0.80	1.1	1.1	6.0	61.2
1884755	Drill Core	2.32	433	0.006	<0.01	<0.17	34.05	0.32	8.55	14.07	25.8	72	1.8	2.3	159	0.88	0.5	1.5	<0.2	77.0
1884756	Drill Core	3.15	476	0.007	<0.01	<0.17	40.84	0.38	7.79	24.08	35.4	86	2.1	2.6	248	0.93	3.4	1.5	2.6	133.4
1884757	Drill Core	3.03	451	0.011	0.01	<0.17	35.58	0.37	4.60	19.35	35.9	180	2.2	2.4	222	1.01	8.4	2.3	7.9	70.7
1884758	Drill Core	2.78	429	0.008	<0.01	<0.17	39.15	0.65	9.19	23.50	27.6	128	1.9	2.5	294	1.02	2.7	3.0	3.5	142.4
1884759	Drill Core	2.83	431	0.144	0.15	0.24	41.22	0.37	9.58	12.58	30.2	329	2.4	2.8	227	1.10	1.8	1.5	88.5	68.0
1884760	Core DUP		464	0.101	0.09	<0.17	38.27	0.31	9.30	10.74	28.2	267	2.1	2.5	213	1.05	1.9	1.4	63.3	59.8
1884761	Drill Core	2.21	445	0.049	0.05	<0.17	33.68	0.30	5.20	7.83	33.6	65	2.7	3.1	175	1.20	1.6	1.2	37.6	74.1
1884762	Drill Core	2.40	447	0.459	0.45	0.38	41.83	0.76	14.73	14.63	21.2	1068	2.2	2.6	273	1.06	2.6	1.2	318.1	66.4
1884763	Drill Core	2.62	393	0.273	0.26	<0.17	30.58	0.22	5.78	8.59	17.5	262	1.2	2.4	292	1.10	2.8	2.2	216.5	145.0



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 2 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000612.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884733	Drill Core	0.06	0.29	0.13	8	0.06	0.015	19.2	8.5	0.36	951.4	0.010	<1	0.65	0.015	0.18	1.1	1.3	0.06	0.03	11			
1884734	Drill Core	0.06	0.27	0.13	8	0.08	0.026	24.1	9.1	0.33	669.6	0.011	1	0.75	0.014	0.18	0.1	1.5	0.06	0.02	11			
1884735	Drill Core	0.06	0.19	0.24	4	0.04	0.018	25.8	5.1	0.20	201.1	0.005	1	0.47	0.009	0.16	<0.1	1.1	0.05	<0.02	7			
1884736	Drill Core	0.12	0.13	0.15	1	0.03	0.013	29.6	2.3	0.13	259.1	0.002	<1	0.35	0.012	0.16	<0.1	1.1	0.04	<0.02	<5			
1884737	Drill Core	0.16	0.11	0.15	1	0.04	0.011	30.7	2.2	0.20	225.0	0.002	<1	0.48	0.015	0.19	<0.1	1.5	0.04	<0.02	6			
1884738	Drill Core	0.26	0.30	0.05	10	0.10	0.025	29.0	6.0	0.39	297.3	0.020	1	0.83	0.016	0.19	0.1	2.4	0.07	<0.02	<5			
1884740	Rock Pulp	0.02	0.15	<0.02	22	0.79	0.039	6.4	13.9	0.49	58.5	0.076	2	1.13	0.108	0.11	0.2	3.8	<0.02	0.04	<5			
1884741	Drill Core	0.16	0.25	0.08	5	0.08	0.022	27.3	4.4	0.31	254.0	0.006	<1	0.63	0.014	0.20	<0.1	1.6	0.06	<0.02	8			
1884742	Drill Core	0.07	0.31	0.13	<1	<0.01	0.005	39.5	1.5	0.03	134.2	<0.001	1	0.25	0.032	0.17	0.1	0.7	0.04	<0.02	<5			
1884743	Drill Core	0.04	0.24	0.19	<1	<0.01	0.004	25.8	1.2	0.02	824.5	<0.001	1	0.22	0.037	0.17	<0.1	0.6	0.04	<0.02	<5			
1884744	Drill Core	0.02	0.19	0.13	<1	<0.01	0.005	36.4	1.3	0.03	281.7	<0.001	<1	0.26	0.049	0.18	<0.1	0.9	0.04	<0.02	<5			
1884745	Drill Core	0.04	0.20	0.16	<1	<0.01	0.003	32.8	1.5	0.04	169.8	<0.001	<1	0.28	0.032	0.24	<0.1	1.0	0.06	<0.02	<5			
1884746	Drill Core	0.04	0.11	0.14	<1	<0.01	0.003	37.4	1.0	0.04	356.9	<0.001	<1	0.28	0.036	0.22	<0.1	1.0	0.05	<0.02	6			
1884747	Drill Core	0.17	0.20	0.14	<1	0.04	0.004	35.6	1.8	0.34	213.9	<0.001	1	0.56	0.012	0.20	0.2	1.3	0.05	<0.02	7			
1884748	Drill Core	0.20	0.23	0.11	2	0.08	0.019	31.5	3.1	0.51	285.3	0.001	1	0.69	0.014	0.23	1.0	1.5	0.05	<0.02	<5			
1884749	Drill Core	0.33	0.35	0.09	4	0.42	0.034	26.8	7.4	0.59	387.7	0.002	1	0.78	0.015	0.25	3.5	2.7	0.06	<0.02	<5			
1884750	Drill Core	0.12	0.22	0.19	3	0.66	0.026	27.1	3.0	0.43	320.0	0.003	<1	0.65	0.056	0.22	<0.1	2.5	0.08	0.15	<5			
1884751	Drill Core	0.13	0.38	0.24	7	0.71	0.033	40.8	8.3	0.54	497.4	0.008	1	0.73	0.057	0.21	<0.1	4.1	0.14	0.08	6			
1884752	Drill Core	0.16	0.50	0.24	7	0.87	0.035	38.2	10.4	0.51	375.1	0.007	2	0.71	0.044	0.26	<0.1	3.8	0.14	0.10	7			
1884753	Drill Core	0.11	0.17	0.17	3	0.55	0.035	42.9	3.0	0.27	270.6	0.002	2	0.55	0.039	0.25	<0.1	2.2	0.08	<0.02	<5			
1884754	Drill Core	0.15	0.17	0.09	3	0.56	0.041	38.7	2.7	0.22	282.2	0.006	<1	0.55	0.042	0.35	<0.1	2.6	0.09	<0.02	<5			
1884755	Drill Core	0.16	0.16	<0.02	3	0.78	0.042	24.4	2.5	0.33	241.0	0.011	1	0.58	0.026	0.35	<0.1	2.9	0.11	0.02	<5			
1884756	Drill Core	0.26	0.39	0.03	3	1.12	0.048	31.1	2.8	0.39	188.8	0.006	1	0.61	0.016	0.31	<0.1	2.7	0.10	<0.02	<5			
1884757	Drill Core	0.17	0.50	0.06	4	0.68	0.047	31.4	2.9	0.49	158.5	0.005	<1	0.67	0.014	0.30	0.2	2.8	0.08	<0.02	<5			
1884758	Drill Core	0.23	0.30	0.14	3	1.45	0.042	23.3	2.7	0.56	165.3	0.007	2	0.63	0.015	0.32	<0.1	2.8	0.09	0.05	<5			
1884759	Drill Core	0.19	0.25	0.10	4	0.74	0.041	24.8	3.2	0.48	213.0	0.006	1	0.71	0.030	0.36	<0.1	3.1	0.10	0.03	<5			
1884760	Core DUP	0.15	0.23	0.07	3	0.74	0.038	22.5	2.8	0.46	186.4	0.006	2	0.66	0.027	0.33	<0.1	2.9	0.09	0.02	<5			
1884761	Drill Core	0.17	0.26	0.06	4	0.71	0.044	34.8	3.3	0.52	203.2	0.006	1	0.76	0.035	0.34	<0.1	3.2	0.11	<0.02	<5			
1884762	Drill Core	0.20	0.23	0.21	2	0.81	0.042	19.6	3.9	0.39	301.5	0.002	1	0.54	0.016	0.27	2.4	2.2	0.06	0.09	<5			
1884763	Drill Core	0.16	0.11	0.14	2	1.50	0.039	13.3	1.9	0.56	208.4	0.002	<1	0.62	0.017	0.29	0.1	2.0	0.06	0.12	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 2 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000612.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884733	Drill Core	<0.1	<0.02	1.6	0.27	<0.1	0.26	0.43	7.3	0.4	<0.05	8.4	4.16	36.6	<0.02	<1	0.1	6.5	<10	<2			
1884734	Drill Core	<0.1	0.02	2.0	0.25	<0.1	0.40	0.43	8.3	0.3	<0.05	12.2	6.17	45.9	<0.02	<1	0.3	7.0	<10	<2			
1884735	Drill Core	<0.1	<0.02	1.4	0.17	<0.1	0.31	0.13	5.8	0.3	<0.05	11.4	4.68	50.9	<0.02	<1	0.2	4.2	<10	<2			
1884736	Drill Core	<0.1	<0.02	0.7	0.15	<0.1	0.42	0.06	4.7	0.2	<0.05	14.8	6.19	55.0	<0.02	<1	0.2	3.1	<10	<2			
1884737	Drill Core	<0.1	<0.02	1.1	0.17	<0.1	0.35	0.04	5.5	0.3	<0.05	13.5	6.29	60.9	<0.02	<1	0.2	4.8	<10	<2			
1884738	Drill Core	<0.1	<0.02	2.1	0.32	<0.1	0.45	0.07	6.4	0.3	<0.05	13.9	7.81	53.2	<0.02	<1	0.3	9.0	<10	<2			
1884740	Rock Pulp	<0.1	<0.02	4.1	0.12	0.1	0.15	0.27	2.2	1.8	<0.05	5.6	8.08	12.1	<0.02	<1	0.2	1.1	<10	<2			
1884741	Drill Core	<0.1	0.36	1.4	0.39	<0.1	0.39	0.06	6.4	0.2	<0.05	13.7	6.66	52.5	<0.02	<1	0.2	6.9	<10	<2			
1884742	Drill Core	<0.1	<0.02	0.5	0.30	<0.1	0.54	0.12	6.5	0.3	<0.05	19.7	8.10	72.2	<0.02	<1	0.2	1.3	<10	<2			
1884743	Drill Core	<0.1	0.06	0.5	0.24	<0.1	0.44	0.04	7.0	0.2	<0.05	14.7	4.44	48.5	<0.02	<1	0.2	1.1	<10	<2			
1884744	Drill Core	<0.1	0.03	0.6	0.15	<0.1	0.28	0.06	8.0	0.2	<0.05	8.5	5.78	71.9	<0.02	<1	0.2	1.3	<10	<2			
1884745	Drill Core	<0.1	<0.02	0.6	0.22	<0.1	0.37	0.08	10.5	0.2	<0.05	12.2	6.45	79.1	<0.02	<1	0.3	1.7	<10	<2			
1884746	Drill Core	<0.1	<0.02	0.6	0.15	<0.1	0.17	0.06	8.4	0.2	<0.05	6.1	5.84	80.3	<0.02	<1	0.1	1.5	<10	<2			
1884747	Drill Core	<0.1	<0.02	1.3	0.44	<0.1	0.09	0.07	6.6	0.2	<0.05	2.8	7.10	69.4	<0.02	<1	0.2	7.2	<10	<2			
1884748	Drill Core	<0.1	<0.02	1.4	0.37	<0.1	0.12	0.04	6.9	0.2	<0.05	5.2	5.55	59.6	<0.02	<1	0.2	9.9	<10	<2			
1884749	Drill Core	<0.1	<0.02	1.9	0.68	<0.1	0.22	<0.02	9.0	0.2	<0.05	8.0	6.97	49.7	<0.02	<1	0.3	12.0	<10	<2			
1884750	Drill Core	<0.1	0.03	2.0	0.39	<0.1	0.11	<0.02	9.5	0.3	<0.05	4.5	5.77	48.9	<0.02	<1	0.3	6.6	<10	<2			
1884751	Drill Core	<0.1	<0.02	3.1	1.76	<0.1	0.12	0.02	12.2	0.4	<0.05	3.5	10.00	74.5	<0.02	<1	0.4	8.7	<10	<2			
1884752	Drill Core	<0.1	<0.02	2.4	2.39	<0.1	0.16	<0.02	15.4	0.4	<0.05	4.9	10.57	70.8	0.02	<1	0.3	8.9	<10	<2			
1884753	Drill Core	0.2	<0.02	1.9	0.65	<0.1	0.26	<0.02	11.8	0.4	<0.05	10.2	9.88	79.0	<0.02	<1	0.3	4.2	<10	<2			
1884754	Drill Core	<0.1	<0.02	1.4	0.88	<0.1	0.32	0.08	12.5	0.2	<0.05	14.3	7.82	73.5	<0.02	<1	0.3	3.9	<10	<2			
1884755	Drill Core	<0.1	<0.02	1.4	0.85	<0.1	0.35	0.06	11.9	0.2	<0.05	13.9	5.59	46.4	<0.02	<1	0.2	4.2	<10	<2			
1884756	Drill Core	<0.1	<0.02	1.7	0.80	<0.1	0.42	0.05	11.4	0.2	<0.05	14.8	6.73	61.2	<0.02	2	0.2	6.4	<10	<2			
1884757	Drill Core	0.1	<0.02	1.8	0.51	<0.1	0.42	0.03	10.1	0.2	<0.05	14.7	6.64	58.8	<0.02	<1	0.4	7.1	<10	<2			
1884758	Drill Core	<0.1	<0.02	1.7	0.81	<0.1	0.33	<0.02	11.0	0.2	<0.05	10.2	4.86	43.9	<0.02	3	0.3	6.0	<10	<2			
1884759	Drill Core	<0.1	0.13	1.6	0.93	<0.1	0.37	0.02	12.3	0.3	<0.05	14.6	4.37	44.9	<0.02	<1	0.3	5.8	<10	<2			
1884760	Core DUP	<0.1	0.13	1.7	0.87	<0.1	0.33	<0.02	11.0	0.2	<0.05	14.2	3.85	41.5	<0.02	<1	0.3	5.0	<10	<2			
1884761	Drill Core	<0.1	<0.02	1.9	1.43	<0.1	0.28	<0.02	12.8	0.2	<0.05	11.1	4.32	62.1	<0.02	<1	0.4	6.5	<10	<2			
1884762	Drill Core	<0.1	0.19	1.3	0.65	<0.1	0.25	<0.02	9.4	0.5	<0.05	9.2	4.76	35.4	<0.02	<1	0.3	6.0	<10	<2			
1884763	Drill Core	<0.1	0.08	1.1	0.33	<0.1	0.18	<0.02	8.8	0.1	<0.05	6.4	3.88	24.6	<0.02	<1	0.3	7.6	<10	<2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 3 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000612.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1884764	Drill Core	2.12	426	0.725	0.86	2.34	35.02	0.59	10.18	19.64	22.2	526	1.6	2.7	223	1.00	7.5	1.5	374.3	10.4	67.0
1884765	Drill Core	2.84	398	0.008	<0.01	<0.17	32.13	0.66	5.22	25.63	23.5	182	2.0	2.8	238	1.01	7.7	1.3	4.4	12.9	88.6
1884766	Drill Core	3.28	497	0.051	0.05	<0.17	37.31	0.46	5.66	21.28	23.1	382	1.8	3.0	279	0.99	7.6	2.1	43.7	12.3	113.1
1884767	Drill Core	1.48	461	0.183	0.19	0.32	37.59	0.45	7.93	18.02	22.3	456	1.4	2.6	305	1.11	2.5	2.2	180.1	8.1	144.8
1884768	Drill Core	1.37	412	0.166	0.16	<0.17	30.75	0.18	10.23	8.33	15.4	210	1.3	3.0	265	0.93	2.0	2.2	51.2	7.4	116.1
1884769	Drill Core	1.52	473	0.674	0.79	1.95	41.99	0.42	24.57	546.91	52.8	2574	2.3	3.0	216	0.99	2.6	1.5	1332.9	10.2	55.4
1884770	Drill Core	2.34	455	0.591	0.65	1.34	36.64	0.46	22.14	19.97	20.9	915	1.8	2.4	202	0.86	14.2	1.3	561.6	12.2	17.9
1884771	Drill Core	1.51	460	0.876	1.04	2.90	37.22	0.20	12.86	278.78	13.0	3226	1.3	1.5	161	0.79	5.8	1.0	715.1	9.1	55.1
1884772	Drill Core	2.49	461	0.450	0.45	0.48	39.75	0.46	6.35	22.05	23.7	886	1.5	1.4	129	0.85	27.7	1.4	414.4	11.6	69.5
1884773	Drill Core	1.81	440	0.177	0.16	<0.17	30.59	0.57	6.30	162.73	40.2	1116	2.2	2.3	124	0.97	69.8	1.9	170.7	11.6	50.1
1884774	Drill Core	1.71	530	0.159	0.16	0.20	35.73	0.53	12.76	26.07	26.7	1662	1.8	2.3	197	0.86	45.8	2.8	149.3	11.3	60.1
1884775	Drill Core	2.70	400	0.074	0.08	0.21	29.23	0.34	9.13	10.98	29.4	331	3.0	3.1	217	1.07	57.1	1.7	67.9	13.1	24.2
1884776	Drill Core	3.31	508	0.008	<0.01	<0.17	39.61	0.36	5.23	14.33	31.0	134	3.2	3.2	255	1.07	5.6	1.8	5.3	13.8	58.8
1884777	Drill Core	2.41	417	0.243	0.22	<0.17	32.44	0.78	10.23	33.51	42.5	432	3.6	4.5	259	1.42	52.7	2.1	202.1	14.7	29.8
1884778	Drill Core	2.50	440	0.131	0.13	<0.17	37.52	0.51	4.02	15.51	38.8	322	3.3	3.6	214	1.37	96.6	2.6	123.7	16.0	43.6
1884779	Drill Core	2.01	431	0.057	0.05	<0.17	36.65	0.29	5.16	23.95	34.2	312	3.3	2.9	155	1.41	74.1	2.6	54.8	15.6	23.5
1884780	Rock	0.23	166	<0.005	<0.01	<0.17	28.23	0.40	1.30	1.13	2.2	10	1.1	0.5	69	0.65	1.5	0.2	0.8	0.9	1.5
1884781	Drill Core	1.91	390	0.051	0.05	<0.17	33.06	0.67	14.11	14.29	81.9	398	11.7	13.2	652	2.70	37.8	2.0	47.4	12.2	100.0
1884785	Drill Core	2.88	402	0.040	0.04	<0.17	41.85	1.19	7.58	17.46	71.4	434	10.2	10.0	784	1.65	30.1	2.9	36.7	10.6	130.3
1884786	Drill Core	3.19	450	0.008	<0.01	<0.17	38.16	0.45	5.01	13.58	78.3	209	3.9	3.6	224	1.19	6.5	1.5	5.0	16.6	17.7
1884787	Drill Core	1.64	512	0.008	<0.01	<0.17	38.90	0.43	5.44	15.24	102.8	142	5.3	4.2	236	1.34	7.5	1.6	5.3	12.6	21.4
1884790	Drill Core	1.74	379	0.005	<0.01	<0.17	39.58	0.87	5.79	17.67	33.4	256	5.8	6.6	324	1.78	3.7	2.3	2.8	13.8	100.6
1884791	Drill Core	3.20	530	0.005	<0.01	<0.17	30.82	1.83	7.40	24.07	60.6	245	4.9	5.6	280	1.34	4.4	2.2	3.4	14.1	57.4
1884792	Drill Core	2.53	414	<0.005	<0.01	<0.17	34.45	1.11	8.02	14.73	41.9	152	2.9	3.8	168	1.04	1.7	1.5	1.5	14.4	31.3
1884793	Drill Core	2.86	364	<0.005	<0.01	<0.17	33.45	1.19	9.88	18.09	34.2	82	2.5	3.7	236	1.00	1.2	2.8	1.4	13.6	78.1
1884794	Drill Core	3.20	420	0.006	<0.01	<0.17	30.86	1.13	8.77	19.20	24.4	137	2.6	3.7	184	0.98	1.8	3.0	0.4	15.2	75.9
1884795	Drill Core	2.94	444	<0.005	<0.01	<0.17	32.64	0.34	2.77	19.03	26.8	89	2.3	2.5	221	1.02	1.6	3.7	<0.2	14.6	78.5
1884796	Drill Core	3.34	429	<0.005	<0.01	<0.17	39.54	0.29	5.18	21.31	30.8	123	2.3	2.5	266	1.06	0.9	2.6	3.4	14.9	80.7
1884797	Drill Core	2.65	357	0.006	<0.01	<0.17	31.33	0.55	10.08	16.81	41.2	90	4.5	4.4	223	1.40	2.3	3.5	<0.2	11.7	98.1
1884798	Drill Core	2.64	427	0.020	0.02	<0.17	33.94	0.48	13.95	15.41	49.0	132	3.2	3.8	233	1.59	15.2	2.7	12.6	11.2	116.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 3 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000612.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884764	Drill Core	0.21	0.31	0.26	2	0.63	0.040	21.4	2.3	0.36	429.0	0.002	<1	0.59	0.029	0.32	0.1	2.1	0.08	0.11	5			
1884765	Drill Core	0.18	0.43	0.33	2	1.03	0.035	24.3	2.5	0.45	246.3	0.002	<1	0.69	0.024	0.33	0.2	1.9	0.09	0.06	<5			
1884766	Drill Core	0.17	0.41	0.33	2	1.11	0.037	28.0	2.8	0.49	188.6	0.002	<1	0.64	0.023	0.25	0.2	2.0	0.09	0.07	<5			
1884767	Drill Core	0.22	0.19	0.26	2	1.66	0.040	14.1	2.0	0.58	140.0	0.002	1	0.64	0.014	0.23	0.1	2.2	0.05	0.12	<5			
1884768	Drill Core	0.22	0.22	0.19	2	1.20	0.047	13.1	2.1	0.41	187.7	0.002	1	0.54	0.015	0.25	0.1	2.0	0.06	0.13	<5			
1884769	Drill Core	1.32	0.64	0.44	2	0.41	0.043	14.8	2.0	0.33	382.8	0.001	<1	0.48	0.020	0.25	0.2	1.7	0.06	0.37	237			
1884770	Drill Core	0.25	0.46	0.11	2	0.14	0.033	21.5	2.3	0.22	172.9	0.002	1	0.42	0.034	0.23	0.1	1.7	0.06	0.11	6			
1884771	Drill Core	0.22	0.49	0.31	1	0.38	0.025	13.8	2.3	0.18	485.6	0.002	<1	0.32	0.036	0.17	<0.1	1.1	0.04	0.28	5			
1884772	Drill Core	0.23	1.11	0.13	2	0.12	0.023	29.3	2.1	0.15	213.2	0.001	<1	0.34	0.033	0.21	<0.1	1.1	0.07	0.11	9			
1884773	Drill Core	0.49	1.63	0.41	2	0.06	0.027	30.1	2.1	0.17	173.3	0.001	1	0.39	0.028	0.18	0.1	1.1	0.06	0.04	41			
1884774	Drill Core	0.36	0.61	0.12	2	0.07	0.030	29.1	2.1	0.18	157.2	<0.001	1	0.43	0.021	0.19	0.2	0.9	0.07	0.03	<5			
1884775	Drill Core	0.16	0.76	0.14	2	0.19	0.031	22.9	2.7	0.33	186.5	0.002	<1	0.60	0.033	0.21	<0.1	1.3	0.08	0.17	8			
1884776	Drill Core	0.16	0.43	0.14	3	0.49	0.032	30.1	2.9	0.33	215.0	0.003	1	0.61	0.047	0.21	<0.1	2.2	0.08	0.10	<5			
1884777	Drill Core	0.35	1.37	0.17	3	0.30	0.031	24.4	5.4	0.43	202.5	0.003	2	0.67	0.043	0.23	<0.1	2.1	0.09	0.16	5			
1884778	Drill Core	0.25	1.68	0.15	4	0.46	0.033	26.1	3.5	0.37	188.9	0.002	1	0.60	0.033	0.20	<0.1	1.6	0.10	0.46	6			
1884779	Drill Core	0.25	1.06	0.26	4	0.21	0.036	30.0	3.7	0.41	210.8	0.002	<1	0.71	0.039	0.22	<0.1	2.0	0.07	0.31	<5			
1884780	Rock	<0.01	0.04	<0.02	2	0.02	0.003	2.2	2.9	0.01	9.7	0.001	1	0.05	0.004	0.01	<0.1	0.3	<0.02	<0.02	<5			
1884781	Drill Core	0.75	1.07	0.14	34	0.92	0.056	29.1	8.6	1.07	296.4	0.016	1	1.51	0.064	0.22	<0.1	6.1	0.13	0.25	13			
1884785	Drill Core	0.85	1.25	0.10	15	2.46	0.047	27.9	4.8	0.63	203.0	0.003	<1	0.99	0.030	0.23	0.4	2.5	0.11	0.15	8			
1884786	Drill Core	0.27	0.35	0.21	3	0.30	0.036	46.0	3.4	0.38	177.0	0.002	<1	0.73	0.025	0.24	0.3	1.9	0.07	<0.02	<5			
1884787	Drill Core	0.26	0.36	0.36	6	0.35	0.031	36.4	6.5	0.42	87.4	0.002	<1	0.71	0.049	0.12	<0.1	3.0	0.04	<0.02	<5			
1884790	Drill Core	0.21	0.51	0.54	17	1.26	0.043	35.2	5.6	0.73	381.3	0.002	1	0.98	0.025	0.23	<0.1	3.4	0.11	0.11	10			
1884791	Drill Core	0.61	0.42	0.62	9	0.74	0.035	38.8	4.2	0.45	216.2	0.008	1	0.78	0.031	0.24	<0.1	3.0	0.14	0.15	6			
1884792	Drill Core	0.21	0.24	0.35	3	0.43	0.035	41.2	3.6	0.30	224.4	0.002	1	0.64	0.031	0.25	<0.1	2.2	0.10	0.08	<5			
1884793	Drill Core	0.34	0.24	0.28	3	0.96	0.030	40.4	3.2	0.34	272.6	0.002	1	0.58	0.036	0.24	<0.1	2.8	0.09	0.11	<5			
1884794	Drill Core	0.16	0.21	0.38	3	0.78	0.034	42.7	3.2	0.29	253.3	0.003	<1	0.59	0.046	0.27	<0.1	2.9	0.11	0.12	<5			
1884795	Drill Core	0.12	0.38	0.21	3	0.96	0.034	44.1	3.3	0.34	199.0	0.002	1	0.60	0.026	0.25	<0.1	2.7	0.10	0.07	<5			
1884796	Drill Core	0.12	0.16	0.20	3	1.19	0.033	39.2	3.4	0.43	457.3	0.002	1	0.67	0.025	0.25	<0.1	2.1	0.07	0.07	<5			
1884797	Drill Core	0.10	0.30	0.09	5	1.14	0.046	21.1	4.3	0.65	308.9	0.003	1	0.81	0.014	0.26	<0.1	2.8	0.08	0.12	<5			
1884798	Drill Core	0.17	0.42	0.05	5	1.29	0.043	20.4	3.5	0.80	120.9	0.003	<1	0.92	0.017	0.23	<0.1	3.4	0.07	0.18	9			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 3 of 5 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000612.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884764	Drill Core	<0.1	0.22	1.2	0.51	<0.1	0.17	0.04	9.7	0.2	<0.05	6.3	4.83	39.9	<0.02	<1	0.3	5.1	<10	<2
1884765	Drill Core	<0.1	<0.02	1.4	0.49	<0.1	0.06	<0.02	9.9	0.2	<0.05	1.9	4.69	45.4	<0.02	1	0.4	7.9	<10	<2
1884766	Drill Core	<0.1	0.03	1.5	0.41	<0.1	0.11	0.02	9.1	0.3	<0.05	3.9	5.43	51.3	<0.02	<1	0.3	8.4	<10	<2
1884767	Drill Core	<0.1	0.16	1.2	0.33	<0.1	0.31	0.07	7.4	0.4	<0.05	14.4	5.06	27.2	<0.02	<1	0.3	9.6	<10	<2
1884768	Drill Core	<0.1	<0.02	1.3	0.37	<0.1	0.30	<0.02	9.1	0.3	<0.05	10.2	4.23	26.1	<0.02	<1	0.3	7.1	<10	<2
1884769	Drill Core	0.9	0.62	1.2	0.37	<0.1	0.37	<0.02	8.0	0.3	<0.05	13.3	5.74	28.9	0.05	<1	0.2	5.3	<10	<2
1884770	Drill Core	<0.1	0.21	1.2	0.57	<0.1	0.36	0.03	8.4	0.3	<0.05	13.8	5.35	38.9	<0.02	<1	0.3	4.4	13	<2
1884771	Drill Core	0.5	1.53	0.8	0.47	<0.1	0.28	<0.02	7.3	0.3	<0.05	8.4	2.98	26.9	<0.02	<1	0.2	3.4	<10	<2
1884772	Drill Core	<0.1	0.32	0.9	1.08	<0.1	0.33	0.03	9.4	0.4	<0.05	13.0	6.56	52.2	<0.02	<1	0.2	4.0	<10	<2
1884773	Drill Core	0.2	0.48	1.0	1.02	<0.1	0.35	0.03	8.9	0.3	<0.05	12.6	7.54	54.7	<0.02	<1	0.2	4.4	<10	<2
1884774	Drill Core	<0.1	0.68	1.1	1.50	<0.1	0.34	<0.02	9.4	0.2	<0.05	11.9	7.49	52.9	<0.02	<1	0.3	4.6	<10	<2
1884775	Drill Core	<0.1	0.08	1.6	0.79	<0.1	0.30	<0.02	9.5	0.3	<0.05	13.0	6.18	41.6	<0.02	<1	0.2	8.4	<10	<2
1884776	Drill Core	<0.1	<0.02	1.7	0.79	<0.1	0.26	<0.02	10.1	0.3	<0.05	8.1	5.39	54.2	<0.02	<1	0.3	7.5	<10	<2
1884777	Drill Core	0.2	0.06	1.7	0.86	<0.1	0.25	<0.02	10.3	0.4	<0.05	10.6	5.55	45.1	<0.02	<1	0.3	8.4	<10	<2
1884778	Drill Core	<0.1	0.02	2.5	0.83	<0.1	0.23	<0.02	10.0	0.3	<0.05	7.3	6.25	45.8	<0.02	<1	0.4	8.9	<10	<2
1884779	Drill Core	<0.1	<0.02	2.8	0.81	<0.1	0.21	<0.02	10.4	0.3	<0.05	6.9	5.07	51.9	<0.02	<1	0.4	9.7	<10	<2
1884780	Rock	<0.1	<0.02	0.2	0.08	<0.1	0.09	0.05	0.7	<0.1	<0.05	2.4	0.88	4.2	<0.02	<1	<0.1	0.9	<10	<2
1884781	Drill Core	0.1	0.02	5.6	2.36	<0.1	0.17	<0.02	11.8	0.5	<0.05	6.3	11.83	52.0	0.03	<1	0.6	23.4	<10	<2
1884785	Drill Core	<0.1	<0.02	2.8	1.39	<0.1	0.28	<0.02	10.2	0.3	<0.05	10.8	14.73	51.3	0.02	<1	0.6	17.7	<10	<2
1884786	Drill Core	<0.1	<0.02	2.5	0.59	<0.1	0.05	<0.02	10.0	0.4	<0.05	1.1	10.29	84.5	<0.02	<1	0.3	11.7	<10	<2
1884787	Drill Core	<0.1	0.03	4.0	0.67	<0.1	0.05	0.03	5.6	0.6	<0.05	1.2	8.77	67.8	<0.02	<1	0.2	12.1	<10	<2
1884790	Drill Core	<0.1	<0.02	3.3	1.92	<0.1	0.11	<0.02	10.2	0.4	<0.05	3.2	10.55	65.0	0.02	<1	0.4	14.1	<10	<2
1884791	Drill Core	<0.1	<0.02	2.5	2.47	<0.1	0.09	<0.02	11.1	0.5	<0.05	2.7	11.65	70.9	0.03	2	0.3	9.0	<10	<2
1884792	Drill Core	<0.1	<0.02	2.2	1.45	<0.1	0.04	<0.02	10.8	0.4	<0.05	1.2	10.10	73.5	<0.02	<1	0.3	6.4	<10	<2
1884793	Drill Core	<0.1	<0.02	1.8	1.09	<0.1	0.06	0.02	10.3	0.5	<0.05	1.1	13.10	72.5	0.03	<1	0.4	5.4	<10	<2
1884794	Drill Core	<0.1	<0.02	1.7	0.65	<0.1	0.13	0.03	10.4	0.5	<0.05	4.0	14.07	76.1	<0.02	<1	0.3	5.3	<10	<2
1884795	Drill Core	<0.1	<0.02	2.0	0.89	<0.1	0.05	0.02	11.1	0.4	<0.05	0.7	12.98	75.7	<0.02	<1	0.3	7.2	<10	<2
1884796	Drill Core	<0.1	<0.02	2.3	0.73	<0.1	0.03	<0.02	10.9	0.3	<0.05	0.7	8.61	70.7	<0.02	<1	0.2	9.1	<10	<2
1884797	Drill Core	<0.1	<0.02	2.1	1.21	<0.1	0.10	<0.02	9.7	0.2	<0.05	3.8	5.14	39.9	<0.02	<1	0.4	12.9	<10	<2
1884798	Drill Core	<0.1	<0.02	2.5	1.01	<0.1	0.11	<0.02	8.3	0.1	<0.05	4.5	6.03	37.8	<0.02	<1	0.4	15.8	<10	<2





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 4 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000612.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1884799	Drill Core	1.60	484	0.056	0.05	<0.17	32.72	0.49	3.83	10.64	37.3	118	2.9	3.4	262	1.45	37.5	4.4	41.6	11.3	107.7
1884800	Rock Pulp	0.12	89	7.184				8.89	188.27	19.24	78.7	839	13.1	11.4	595	4.66	14.2	0.9	7449.0	2.3	81.6
1884801	Drill Core	1.36	483	0.126	0.21	1.43	32.16	0.32	3.19	20.87	20.7	339	2.2	2.7	276	1.21	28.9	4.0	157.8	8.6	149.3
1884802	Drill Core	1.47	422	0.254	0.27	0.39	38.74	0.51	8.51	14.66	38.8	405	3.1	3.6	319	1.40	40.0	7.5	517.4	14.5	107.4
1884803	Drill Core	1.72	411	0.051	0.05	<0.17	38.59	0.16	5.97	16.58	19.4	251	2.1	2.7	188	0.78	18.1	2.5	37.3	12.9	54.9
1884804	Drill Core	3.13	362	0.020	0.02	<0.17	34.73	0.17	12.99	19.88	9.1	242	1.0	1.2	143	0.58	5.3	2.1	7.1	12.8	65.9
1884805	Drill Core	3.09	470	0.010	<0.01	<0.17	38.54	0.18	2.72	15.59	10.8	90	1.0	1.2	106	0.58	6.9	2.4	7.6	14.5	41.8
1884806	Drill Core	2.89	381	0.019	0.02	<0.17	37.32	0.47	5.62	14.95	16.5	124	1.6	1.8	148	0.79	11.2	1.9	10.6	14.8	52.5
1884807	Drill Core	2.81	469	0.023	0.02	<0.17	37.10	0.66	3.85	13.46	19.0	121	2.0	1.8	170	0.86	9.2	2.2	17.3	14.7	59.2
1884808	Drill Core	3.45	470	0.019	0.02	<0.17	38.11	0.60	2.29	10.47	19.3	145	1.7	1.9	200	0.84	7.3	1.8	172.7	14.1	69.3
1884809	Drill Core	2.18	429	0.015	0.01	<0.17	41.18	0.36	4.33	11.54	19.3	112	1.8	1.5	170	0.92	9.7	2.4	11.3	13.2	60.3
1884810	Drill Core	1.40	547	0.017	0.02	<0.17	31.78	0.26	3.32	15.56	21.3	83	2.0	1.8	215	0.93	11.3	2.4	12.5	14.7	67.6
1884811	Drill Core	1.61	546	0.009	<0.01	<0.17	36.81	0.40	3.23	17.63	29.0	101	2.4	2.2	265	1.11	8.8	2.3	4.8	15.3	122.0
1884812	Drill Core	3.01	419	<0.005	<0.01	<0.17	40.58	0.39	4.86	19.79	22.6	40	2.0	1.8	167	0.89	0.4	2.4	0.5	15.3	86.7
1884813	Drill Core	3.16	489	0.006	<0.01	<0.17	37.90	0.38	5.77	12.92	15.6	110	1.6	1.5	138	0.75	3.8	2.0	2.9	13.8	42.3
1884814	Drill Core	3.00	474	0.103	0.11	0.23	39.14	0.39	8.12	29.97	27.2	218	5.1	4.0	207	1.09	12.6	2.1	76.9	14.6	66.3
1884815	Drill Core	3.24	380	0.021	0.02	<0.17	38.63	0.33	5.64	16.62	20.9	156	2.5	2.7	197	0.96	18.2	2.7	18.4	13.6	45.6
1884816	Drill Core	2.66	405	0.009	<0.01	<0.17	37.14	0.71	5.05	44.44	24.8	270	2.2	3.0	293	1.00	4.2	4.6	5.6	14.2	103.8
1884817	Drill Core	2.68	427	<0.005	<0.01	<0.17	33.07	0.46	6.46	20.74	32.5	166	3.6	3.8	270	1.14	2.6	3.9	1.4	16.5	79.7
1884818	Drill Core	2.73	482	0.013	0.01	<0.17	33.06	0.21	4.77	10.86	25.1	132	2.6	2.9	278	1.05	16.4	3.6	9.4	14.8	107.7
1884819	Drill Core	3.17	469	0.031	0.03	<0.17	37.77	0.65	5.31	12.97	14.5	125	1.5	2.0	250	0.82	3.5	4.3	46.6	15.5	87.1
1884820	Rock Pulp	0.12	93	0.608				6.58	111.66	79.78	137.5	674	11.5	4.8	607	2.51	40.9	0.4	561.0	2.3	33.6
1884821	Drill Core	2.29	401	0.007	<0.01	<0.17	32.16	0.21	7.02	15.00	31.0	123	4.8	3.6	238	1.03	3.3	3.4	1.9	16.3	51.5
1884822	Drill Core	2.74	410	<0.005	<0.01	<0.17	41.36	0.20	8.98	26.48	30.8	197	2.8	3.0	252	1.14	1.1	3.2	<0.2	16.2	66.3
1884823	Drill Core	3.50	443	0.006	<0.01	<0.17	39.56	0.36	12.03	26.74	64.0	228	6.7	6.1	363	1.45	4.4	2.2	4.5	9.4	68.3
1884824	Drill Core	2.81	506	<0.005	<0.01	<0.17	34.30	0.53	6.50	18.56	18.9	117	1.9	2.2	179	0.88	2.5	3.9	1.4	15.8	66.3
1884825	Drill Core	2.57	552	<0.005	<0.01	<0.17	39.58	0.69	7.37	18.95	23.3	84	2.0	2.3	161	0.73	0.8	2.7	<0.2	13.4	72.1
1884826	Drill Core	2.67	412	0.010	<0.01	<0.17	36.05	0.41	8.04	29.02	26.8	209	2.3	2.4	246	0.99	8.2	3.5	7.8	14.4	86.4
1884827	Drill Core	2.89	438	0.040	0.05	0.19	36.19	0.20	5.97	20.68	20.3	310	1.9	2.6	211	0.90	3.7	3.4	1189.7	14.0	68.5
1884828	Drill Core	2.86	416	<0.005	<0.01	<0.17	39.51	0.36	6.18	22.56	26.4	129	2.1	2.7	261	1.02	1.6	4.6	2.2	13.8	98.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 4 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000612.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884799	Drill Core	0.15	0.43	0.06	4	1.01	0.045	23.3	3.5	0.69	142.7	0.002	<1	0.86	0.009	0.27	<0.1	2.3	0.08	<5
1884800	Rock Pulp	0.20	4.43	0.58	118	0.98	0.067	8.5	18.2	0.86	131.6	0.124	3	1.97	0.219	0.26	4.1	5.1	0.07	202
1884801	Drill Core	0.06	0.30	0.18	3	1.24	0.035	18.3	4.0	0.40	132.9	0.002	<1	0.53	0.011	0.20	<0.1	1.5	0.06	<5
1884802	Drill Core	0.25	0.47	0.11	4	0.97	0.041	31.0	4.1	0.58	150.2	0.002	<1	0.76	0.021	0.24	<0.1	2.3	0.07	<5
1884803	Drill Core	0.19	0.31	0.07	3	0.52	0.033	26.3	3.0	0.22	192.3	0.002	<1	0.46	0.049	0.25	<0.1	1.7	0.06	<5
1884804	Drill Core	0.08	0.37	0.18	2	0.49	0.031	28.5	2.9	0.13	204.6	0.002	<1	0.42	0.051	0.29	<0.1	1.5	0.06	<5
1884805	Drill Core	0.04	0.34	0.08	2	0.34	0.041	38.1	2.5	0.17	179.0	0.001	<1	0.41	0.033	0.25	<0.1	1.3	0.07	<5
1884806	Drill Core	0.02	0.72	0.09	3	0.48	0.035	39.9	3.6	0.21	160.1	0.002	<1	0.45	0.038	0.24	<0.1	2.0	0.07	5
1884807	Drill Core	0.11	0.42	0.13	2	0.54	0.036	32.3	3.3	0.27	143.4	0.002	<1	0.50	0.023	0.26	<0.1	2.4	0.08	13
1884808	Drill Core	0.07	0.28	0.08	3	0.73	0.037	33.1	3.4	0.33	124.4	0.002	<1	0.50	0.025	0.21	<0.1	2.1	0.08	7
1884809	Drill Core	0.11	0.41	0.03	3	0.57	0.036	35.3	4.1	0.27	134.7	0.002	<1	0.52	0.031	0.27	<0.1	2.2	0.09	9
1884810	Drill Core	0.08	0.28	0.04	5	0.68	0.035	34.5	3.9	0.28	103.6	0.002	<1	0.49	0.025	0.22	<0.1	2.7	0.06	8
1884811	Drill Core	0.11	0.36	<0.02	6	0.94	0.038	40.5	5.5	0.30	123.6	0.008	<1	0.53	0.037	0.20	<0.1	3.5	0.08	<5
1884812	Drill Core	0.06	0.28	<0.02	4	0.61	0.034	40.8	4.2	0.21	140.2	0.008	<1	0.47	0.034	0.28	<0.1	3.5	0.10	<5
1884813	Drill Core	0.08	0.31	0.03	3	0.37	0.034	36.6	3.8	0.18	132.7	0.002	<1	0.43	0.025	0.26	<0.1	2.2	0.07	<5
1884814	Drill Core	0.14	0.48	<0.02	6	0.54	0.042	33.1	8.0	0.30	118.1	0.003	<1	0.54	0.024	0.25	<0.1	3.8	0.08	7
1884815	Drill Core	0.12	0.46	0.11	3	0.63	0.036	28.6	4.3	0.30	180.5	0.002	<1	0.54	0.032	0.26	<0.1	2.6	0.08	17
1884816	Drill Core	0.20	0.35	0.40	2	1.17	0.045	26.2	3.5	0.47	234.1	0.002	<1	0.66	0.024	0.30	<0.1	3.4	0.11	<5
1884817	Drill Core	0.14	0.31	0.18	4	0.80	0.041	41.4	4.6	0.32	254.6	0.003	<1	0.61	0.041	0.25	<0.1	3.5	0.11	11
1884818	Drill Core	0.11	0.28	0.08	3	0.88	0.037	37.5	4.8	0.29	246.0	0.008	<1	0.53	0.038	0.23	<0.1	3.3	0.09	<5
1884819	Drill Core	0.13	0.33	0.12	2	1.26	0.037	34.7	3.1	0.18	186.9	0.002	<1	0.51	0.025	0.31	<0.1	2.2	0.11	13
1884820	Rock Pulp	0.60	2.82	0.09	28	0.83	0.036	5.3	24.2	0.51	80.3	0.074	7	1.15	0.098	0.10	4.5	5.3	0.20	149
1884821	Drill Core	0.14	0.27	0.15	3	0.61	0.037	42.5	3.9	0.28	217.1	0.003	<1	0.56	0.035	0.24	<0.1	2.9	0.11	7
1884822	Drill Core	0.15	0.16	0.23	4	0.79	0.037	43.4	4.6	0.32	223.6	0.003	<1	0.61	0.048	0.25	<0.1	3.8	0.09	<5
1884823	Drill Core	0.97	0.26	0.23	16	0.99	0.038	24.4	5.8	0.47	142.9	0.027	<1	0.76	0.055	0.18	0.1	4.1	0.10	7
1884824	Drill Core	0.12	0.33	0.14	3	0.82	0.036	41.1	3.3	0.23	226.9	0.002	<1	0.50	0.029	0.28	<0.1	2.8	0.08	<5
1884825	Drill Core	0.15	0.16	0.09	3	0.97	0.039	36.2	2.9	0.26	286.3	0.003	<1	0.56	0.025	0.33	0.1	3.6	0.11	<5
1884826	Drill Core	0.18	0.30	0.20	3	0.99	0.038	32.5	3.8	0.34	214.8	0.002	<1	0.57	0.025	0.27	<0.1	3.0	0.09	13
1884827	Drill Core	0.11	0.28	0.15	2	0.83	0.032	25.7	3.7	0.33	216.1	0.002	<1	0.51	0.029	0.26	<0.1	2.8	0.08	9
1884828	Drill Core	0.13	0.22	0.15	3	1.24	0.042	36.6	4.4	0.36	218.8	0.003	<1	0.58	0.032	0.24	<0.1	3.5	0.07	16



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 4 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000612.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884799	Drill Core	<0.1	<0.02	2.6	0.80	<0.1	0.09	<0.02	9.9	0.2	<0.05	4.4	6.56	43.4	<0.02	<1	0.3	15.5	<10	<2			
1884800	Rock Pulp	<0.1	0.15	5.0	0.69	0.1	0.09	0.12	8.6	1.8	<0.05	2.4	5.43	16.6	0.04	<1	0.2	7.2	<10	<2			
1884801	Drill Core	<0.1	0.10	1.6	0.55	<0.1	0.09	<0.02	7.1	0.2	<0.05	4.3	7.23	34.8	<0.02	<1	0.2	8.9	<10	<2			
1884802	Drill Core	<0.1	0.03	2.4	0.72	<0.1	0.11	<0.02	9.0	0.2	<0.05	4.1	9.10	57.5	<0.02	<1	0.2	12.9	<10	<2			
1884803	Drill Core	<0.1	0.05	1.2	0.58	<0.1	0.17	0.03	8.5	0.2	<0.05	6.1	6.27	48.3	<0.02	<1	0.2	5.4	<10	<2			
1884804	Drill Core	<0.1	<0.02	1.0	0.35	<0.1	0.12	<0.02	9.2	0.2	<0.05	4.5	5.22	52.3	<0.02	<1	0.3	3.3	<10	<2			
1884805	Drill Core	<0.1	<0.02	1.1	1.11	<0.1	0.17	<0.02	9.9	0.2	<0.05	6.4	7.12	67.3	<0.02	<1	0.3	4.0	<10	<2			
1884806	Drill Core	<0.1	<0.02	1.5	0.86	<0.1	0.23	<0.02	9.2	0.3	<0.05	8.8	9.31	72.5	<0.02	<1	0.3	5.6	<10	<2			
1884807	Drill Core	<0.1	<0.02	1.7	0.97	<0.1	0.21	0.03	10.0	0.6	<0.05	7.6	8.56	61.0	<0.02	<1	0.3	6.3	<10	<2			
1884808	Drill Core	<0.1	<0.02	1.9	1.40	<0.1	0.17	<0.02	9.0	0.3	<0.05	6.2	8.57	63.0	<0.02	<1	0.3	7.0	<10	<2			
1884809	Drill Core	<0.1	<0.02	1.9	1.37	<0.1	0.14	<0.02	10.8	0.2	<0.05	5.2	8.62	66.4	<0.02	<1	0.4	5.8	<10	<2			
1884810	Drill Core	<0.1	<0.02	2.4	0.46	<0.1	0.13	<0.02	8.3	0.4	<0.05	4.4	9.90	64.8	<0.02	<1	0.3	5.5	<10	<2			
1884811	Drill Core	<0.1	0.02	3.2	0.92	<0.1	0.17	0.05	9.5	0.4	<0.05	5.3	14.87	72.4	0.02	<1	0.7	6.7	<10	<2			
1884812	Drill Core	<0.1	<0.02	2.2	1.26	<0.1	0.17	0.05	12.6	0.4	<0.05	5.7	13.53	76.5	<0.02	<1	0.4	4.3	<10	<2			
1884813	Drill Core	<0.1	<0.02	1.9	1.83	<0.1	0.18	<0.02	10.5	0.3	<0.05	5.4	8.76	68.9	<0.02	<1	0.3	4.5	<10	<2			
1884814	Drill Core	<0.1	0.03	2.6	0.70	<0.1	0.18	<0.02	10.3	0.3	<0.05	5.9	9.38	63.3	<0.02	<1	0.3	7.5	<10	<2			
1884815	Drill Core	<0.1	<0.02	2.0	1.13	<0.1	0.05	<0.02	11.3	0.3	<0.05	2.3	8.65	55.6	<0.02	<1	0.2	6.4	<10	<2			
1884816	Drill Core	<0.1	<0.02	1.8	0.59	<0.1	0.04	<0.02	13.5	0.2	<0.05	1.3	7.54	50.5	<0.02	2	0.4	7.9	<10	<2			
1884817	Drill Core	<0.1	<0.02	2.7	0.99	<0.1	0.04	0.02	13.7	0.5	<0.05	1.1	14.23	78.3	<0.02	<1	0.5	7.0	<10	<2			
1884818	Drill Core	<0.1	<0.02	2.6	1.02	<0.1	0.03	0.07	12.6	0.5	<0.05	1.0	15.22	71.2	<0.02	<1	0.4	5.8	<10	<2			
1884819	Drill Core	<0.1	0.02	1.8	1.48	<0.1	0.03	<0.02	14.1	0.3	<0.05	0.7	9.68	64.5	<0.02	<1	0.3	4.8	<10	<2			
1884820	Rock Pulp	<0.1	0.05	4.2	0.23	0.2	0.14	0.34	2.6	2.2	<0.05	3.5	7.36	10.5	<0.02	2	0.2	1.2	<10	<2			
1884821	Drill Core	<0.1	<0.02	2.2	1.78	<0.1	0.05	0.03	13.3	0.4	<0.05	1.6	14.17	77.9	0.02	<1	0.6	7.2	<10	<2			
1884822	Drill Core	<0.1	<0.02	2.6	0.89	<0.1	0.03	0.03	12.9	0.5	<0.05	1.0	15.85	79.9	<0.02	<1	0.4	5.9	<10	<2			
1884823	Drill Core	<0.1	<0.02	2.7	1.40	<0.1	0.05	0.03	10.2	0.3	<0.05	1.5	11.51	47.3	<0.02	<1	0.4	10.8	<10	<2			
1884824	Drill Core	<0.1	<0.02	2.1	0.94	<0.1	0.03	0.03	13.0	0.3	<0.05	0.8	13.08	77.4	<0.02	<1	0.4	4.6	<10	<2			
1884825	Drill Core	<0.1	<0.02	1.7	0.76	<0.1	0.05	0.03	12.9	0.3	<0.05	1.7	13.44	72.1	<0.02	<1	0.3	4.8	<10	<2			
1884826	Drill Core	<0.1	<0.02	2.0	1.14	<0.1	0.05	<0.02	11.8	0.3	<0.05	1.6	11.43	62.1	<0.02	<1	0.3	7.3	<10	<2			
1884827	Drill Core	<0.1	0.03	1.8	0.53	<0.1	0.03	0.02	10.5	0.3	<0.05	1.0	7.32	47.3	<0.02	<1	0.2	5.6	<10	<2			
1884828	Drill Core	<0.1	<0.02	2.2	0.85	<0.1	0.03	0.02	10.4	0.3	<0.05	1.0	12.28	68.8	<0.02	<1	0.3	6.6	<10	<2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: October 15, 2019

Page: 5 of 5

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000612.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1884829	Drill Core	3.18	506	0.012	0.01	<0.17	39.65	0.18	5.25	15.72	20.6	161	1.8	2.3	218	0.98	5.5	3.9	7.0	14.6	78.6	
1884830	Drill Core	3.04	514	0.023	0.02	<0.17	38.97	0.18	7.02	14.29	18.4	210	1.7	2.8	249	1.03	19.9	3.4	18.2	14.5	74.1	
1884831	Drill Core	1.75	501	0.006	<0.01	<0.17	38.18	0.16	4.74	19.73	13.4	123	1.3	1.9	220	0.93	3.5	4.9	9.4	15.4	98.2	



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: October 15, 2019

Page: 5 of 5

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000612.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884829	Drill Core	0.11	0.48	0.11	3	0.97	0.035	33.6	3.9	0.30	199.2	0.002	<1	0.52	0.029	0.23	<0.1	2.8	0.07	0.23	18
1884830	Drill Core	0.16	0.68	0.10	3	0.92	0.030	28.3	3.5	0.19	167.2	0.001	<1	0.44	0.028	0.23	<0.1	1.8	0.08	0.43	23
1884831	Drill Core	0.15	0.42	0.12	3	1.08	0.034	39.8	3.0	0.14	170.0	0.002	<1	0.45	0.028	0.24	<0.1	2.5	0.08	0.16	10



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: October 15, 2019

Page: 5 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000612.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1884829	Drill Core	<0.1	<0.02	2.3	0.88	<0.1	<0.02	0.04	9.9	0.4	<0.05	0.7	12.09	63.5	<0.02	<1	0.3	6.8	<10
1884830	Drill Core	<0.1	<0.02	1.8	1.50	<0.1	<0.02	<0.02	10.8	0.3	<0.05	0.7	10.07	52.6	<0.02	<1	0.4	5.4	<10
1884831	Drill Core	<0.1	<0.02	1.8	1.67	<0.1	<0.02	0.03	11.8	0.3	<0.05	0.7	13.30	72.2	<0.02	<1	0.2	4.0	<10



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 1 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000612.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1884737	Drill Core	2.88	439	0.020	0.02	<0.17	37.81	0.56	5.11	17.34	29.9	102	2.7	2.8	107	0.78	2.1	1.7	3.0	11.7	7.3
REP 1884737	QC							0.56	5.11	17.06	29.8	107	2.8	2.8	110	0.76	2.0	1.7	3.2	11.3	7.5
1884771	Drill Core	1.51	460	0.876	1.04	2.90	37.22	0.20	12.86	278.78	13.0	3226	1.3	1.5	161	0.79	5.8	1.0	715.1	9.1	55.1
REP 1884771	QC							0.20	12.70	275.82	13.0	3257	1.2	1.4	156	0.81	5.6	1.1	818.3	7.9	54.2
1884815	Drill Core	3.24	380	0.021	0.02	<0.17	38.63	0.33	5.64	16.62	20.9	156	2.5	2.7	197	0.96	18.2	2.7	18.4	13.6	45.6
REP 1884815	QC			0.025				0.33	6.06	16.49	21.1	151	2.5	2.8	202	0.98	18.7	2.8	16.8	14.1	45.4
Core Reject Duplicates																					
1884755	Drill Core	2.32	433	0.006	<0.01	<0.17	34.05	0.32	8.55	14.07	25.8	72	1.8	2.3	159	0.88	0.5	1.5	<0.2	11.0	77.0
DUP 1884755	QC		471	0.005	<0.01	<0.17	32.46	0.36	8.29	13.92	25.3	72	1.9	2.4	148	0.87	0.9	1.5	0.2	9.9	82.3
1884794	Drill Core	3.20	420	0.006	<0.01	<0.17	30.86	1.13	8.77	19.20	24.4	137	2.6	3.7	184	0.98	1.8	3.0	0.4	15.2	75.9
DUP 1884794	QC		415	0.006	<0.01	<0.17	42.02	1.14	9.01	18.00	25.6	133	2.6	3.5	176	0.97	1.6	3.0	0.5	16.0	72.1
1884828	Drill Core	2.86	416	<0.005	<0.01	<0.17	39.51	0.36	6.18	22.56	26.4	129	2.1	2.7	261	1.02	1.6	4.6	2.2	13.8	98.2
DUP 1884828	QC		417	<0.005	<0.01	<0.17	36.39	0.33	5.55	27.57	27.2	142	2.2	2.7	269	1.02	1.4	4.5	0.9	13.7	102.1
Reference Materials																					
STD BVGEO01	Standard							10.88	4400.18	189.96	1769.4	2590	161.8	24.9	741	3.67	120.6	3.9	218.1	13.1	60.5
STD DS11	Standard							15.36	152.58	142.00	333.8	1681	80.3	13.6	1022	3.14	44.0	2.8	95.3	7.6	72.4
STD DS11	Standard							15.43	153.33	136.40	333.9	1748	82.4	13.7	1070	3.21	44.1	2.5	69.8	7.9	67.5
STD OREAS262	Standard							0.70	116.21	59.29	156.0	459	62.9	27.5	520	3.22	37.3	1.2	66.1	8.2	38.4
STD OREAS262	Standard							0.61	116.05	57.42	149.5	469	63.7	25.7	550	3.23	35.6	1.2	60.4	7.7	37.0
STD OREAS262	Standard							0.67	115.57	53.68	148.8	462	62.5	25.8	526	3.13	36.2	1.1	72.3	8.6	33.9
STD OXB130	Standard			0.132																	
STD OXB130	Standard			0.129																	
STD OXB130	Standard			0.124																	
STD OXB130	Standard			0.128																	
STD OXI138	Standard			1.879																	
STD OXI138	Standard			1.872																	
STD OXI138	Standard			1.815																	
STD OXI138	Standard			1.866																	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 1 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000612.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1884737	Drill Core	0.16	0.11	0.15	1	0.04	0.011	30.7	2.2	0.20	225.0	0.002	<1	0.48	0.015	0.19	<0.1	1.5	0.04	<0.02	6
REP 1884737	QC	0.14	0.10	0.14	1	0.04	0.012	29.4	2.4	0.20	212.1	0.002	<1	0.48	0.015	0.19	<0.1	1.4	0.04	<0.02	<5
1884771	Drill Core	0.22	0.49	0.31	1	0.38	0.025	13.8	2.3	0.18	485.6	0.002	<1	0.32	0.036	0.17	<0.1	1.1	0.04	0.28	5
REP 1884771	QC	0.24	0.47	0.32	1	0.37	0.024	14.6	2.2	0.18	568.1	0.001	<1	0.33	0.038	0.17	<0.1	1.2	0.04	0.28	<5
1884815	Drill Core	0.12	0.46	0.11	3	0.63	0.036	28.6	4.3	0.30	180.5	0.002	<1	0.54	0.032	0.26	<0.1	2.6	0.08	0.20	17
REP 1884815	QC	0.12	0.46	0.11	4	0.64	0.037	31.9	4.2	0.31	186.1	0.002	<1	0.57	0.032	0.27	<0.1	2.7	0.08	0.20	14
Core Reject Duplicates																					
1884755	Drill Core	0.16	0.16	<0.02	3	0.78	0.042	24.4	2.5	0.33	241.0	0.011	1	0.58	0.026	0.35	<0.1	2.9	0.11	0.02	<5
DUP 1884755	QC	0.17	0.15	<0.02	3	0.75	0.040	24.1	2.5	0.32	227.2	0.011	1	0.56	0.024	0.34	<0.1	2.7	0.11	0.02	<5
1884794	Drill Core	0.16	0.21	0.38	3	0.78	0.034	42.7	3.2	0.29	253.3	0.003	<1	0.59	0.046	0.27	<0.1	2.9	0.11	0.12	<5
DUP 1884794	QC	0.14	0.21	0.36	3	0.77	0.031	42.0	3.2	0.29	248.8	0.003	<1	0.54	0.032	0.25	<0.1	2.5	0.10	0.12	<5
1884828	Drill Core	0.13	0.22	0.15	3	1.24	0.042	36.6	4.4	0.36	218.8	0.003	<1	0.58	0.032	0.24	<0.1	3.5	0.07	0.11	16
DUP 1884828	QC	0.15	0.25	0.17	3	1.19	0.038	33.8	4.3	0.36	216.3	0.002	<1	0.56	0.032	0.24	<0.1	3.2	0.07	0.12	17
Reference Materials																					
STD BVGEO01	Standard	6.58	3.45	26.30	73	1.32	0.076	28.3	199.7	1.31	263.8	0.230	4	2.39	0.194	0.88	5.1	7.2	0.62	0.64	90
STD DS11	Standard	2.34	8.25	12.18	48	1.07	0.071	20.3	58.8	0.86	377.7	0.098	7	1.21	0.082	0.42	3.1	3.9	5.05	0.26	282
STD DS11	Standard	2.25	9.19	11.82	49	1.08	0.078	17.8	61.0	0.87	376.7	0.094	7	1.23	0.074	0.41	3.1	3.7	4.87	0.28	266
STD OREAS262	Standard	0.65	4.97	1.08	22	2.95	0.039	18.6	42.0	1.15	262.2	0.003	5	1.40	0.067	0.32	0.2	3.7	0.48	0.25	149
STD OREAS262	Standard	0.61	5.03	1.04	22	2.93	0.041	18.4	42.7	1.16	247.9	0.003	4	1.43	0.069	0.34	0.2	3.5	0.48	0.24	152
STD OREAS262	Standard	0.62	5.69	0.96	21	2.95	0.039	15.1	43.0	1.14	242.1	0.003	4	1.25	0.066	0.30	0.2	3.9	0.44	0.25	147
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 1 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000612.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1884737	Drill Core	<0.1	<0.02	1.1	0.17	<0.1	0.35	0.04	5.5	0.3	<0.05	13.5	6.29	60.9	<0.02	<1	0.2	4.8	<10	<2
REP 1884737	QC	<0.1	<0.02	1.0	0.17	<0.1	0.32	0.05	5.6	0.3	<0.05	13.0	6.20	58.4	<0.02	<1	0.2	4.7	<10	<2
1884771	Drill Core	0.5	1.53	0.8	0.47	<0.1	0.28	<0.02	7.3	0.3	<0.05	8.4	2.98	26.9	<0.02	<1	0.2	3.4	<10	<2
REP 1884771	QC	0.7	1.65	0.9	0.49	<0.1	0.23	<0.02	7.3	0.3	<0.05	8.5	2.85	27.4	<0.02	<1	0.3	3.1	<10	<2
1884815	Drill Core	<0.1	<0.02	2.0	1.13	<0.1	0.05	<0.02	11.3	0.3	<0.05	2.3	8.65	55.6	<0.02	<1	0.2	6.4	<10	<2
REP 1884815	QC	<0.1	<0.02	2.0	1.15	<0.1	0.06	<0.02	11.6	0.3	<0.05	2.3	9.24	59.4	<0.02	<1	0.4	7.0	<10	<2
Core Reject Duplicates																				
1884755	Drill Core	<0.1	<0.02	1.4	0.85	<0.1	0.35	0.06	11.9	0.2	<0.05	13.9	5.59	46.4	<0.02	<1	0.2	4.2	<10	<2
DUP 1884755	QC	<0.1	<0.02	1.4	0.88	<0.1	0.35	0.06	11.1	0.2	<0.05	13.3	5.68	46.3	<0.02	<1	0.2	3.9	<10	<2
1884794	Drill Core	<0.1	<0.02	1.7	0.65	<0.1	0.13	0.03	10.4	0.5	<0.05	4.0	14.07	76.1	<0.02	<1	0.3	5.3	<10	<2
DUP 1884794	QC	<0.1	<0.02	1.6	0.63	<0.1	0.11	0.03	10.0	0.4	<0.05	3.5	13.91	76.3	0.02	<1	0.3	5.2	<10	<2
1884828	Drill Core	<0.1	<0.02	2.2	0.85	<0.1	0.03	0.02	10.4	0.3	<0.05	1.0	12.28	68.8	<0.02	<1	0.3	6.6	<10	<2
DUP 1884828	QC	<0.1	<0.02	2.3	0.80	<0.1	0.07	0.02	10.2	0.3	<0.05	1.0	12.35	65.7	0.03	<1	0.3	6.5	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.4	1.04	7.2	7.68	0.2	0.31	0.34	98.8	6.1	<0.05	10.0	14.64	56.6	0.45	5	0.9	21.5	140	180
STD DS11	Standard	2.6	4.81	4.8	3.05	<0.1	0.09	1.89	35.0	1.7	<0.05	3.0	8.54	41.3	0.25	52	0.7	22.7	108	173
STD DS11	Standard	1.9	4.64	5.2	3.07	<0.1	0.06	1.53	33.7	1.9	<0.05	3.1	7.85	37.9	0.24	53	0.7	22.9	100	168
STD OREAS262	Standard	0.4	0.25	3.9	2.75	<0.1	0.24	<0.02	20.4	0.6	<0.05	10.9	11.40	36.7	0.04	<1	1.2	18.0	<10	<2
STD OREAS262	Standard	0.6	0.25	3.9	2.85	<0.1	0.27	<0.02	21.2	0.5	<0.05	11.5	11.25	37.7	0.03	<1	1.1	17.6	<10	<2
STD OREAS262	Standard	<0.1	0.23	4.0	2.94	<0.1	0.26	<0.02	18.8	0.5	<0.05	9.5	10.04	31.1	0.03	<1	1.1	17.4	<10	<2
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000612.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXN117	Standard			7.785																	
STD OXN117	Standard			7.936																	
STD OXN134	Standard			7.841																	
STD OXN134	Standard			7.848																	
STD OXQ90	Standard					25.18	30.02														
STD OXQ90	Standard					25.09	29.57														
STD OXQ90	Standard					25.03	30.04														
STD OXQ90	Standard					24.79	30.42														
STD OXQ90	Standard					25.31	29.51														
STD OXQ90	Standard					25.20	29.88														
STD OXQ90 Expected						24.88															
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.005																	
BLK	Blank			0.006																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.02	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000612.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000612.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 15, 2019

**Page:** 3 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000612.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Prep Wash																					
ROCK-WHI	Prep Blank		405	<0.005	<0.01	<0.17	33.94	0.97	6.92	0.93	32.0	8	1.2	3.8	604	1.94	0.9	0.5	0.6	1.7	21.2
ROCK-WHI	Prep Blank		403	<0.005	<0.01	<0.17	37.49	0.93	5.26	0.85	33.3	7	1.7	4.3	567	2.00	0.7	0.5	0.6	1.9	26.7



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: October 15, 2019

Page: 3 of 3

Part: 2 of 3

## QUALITY CONTROL REPORT

WHI19000612.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.04	<0.02	23	0.61	0.046	7.1	3.3	0.51	57.0	0.083	2	1.00	0.139	0.11	<0.1	4.3	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.01	0.03	<0.02	26	0.66	0.045	6.8	3.8	0.52	63.0	0.089	2	1.05	0.156	0.12	<0.1	4.7	<0.02	<0.02	6



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: October 15, 2019

Page: 3 of 3

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI19000612.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	4.0	0.13	<0.1	0.13	0.22	2.3	0.4	<0.05	4.7	9.92	14.0	<0.02	<1	0.1	1.6	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	4.2	0.14	<0.1	0.14	0.22	2.5	0.4	<0.05	4.9	9.92	13.4	<0.02	<1	0.2	1.6	<10