



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: October 02, 2019  
Report Date: October 17, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000630.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-58  
P.O. Number  
Number of Samples: 96

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	92	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	96	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	96	Analysis sample split/packet			WHI
Split -150	96	Analysis sample split/packet			WHI
EN002	96	Environmental disposal charge-Fire assay lead waste			VAN
FS631	93	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	96	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	96	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce  
Peter Tallman  
Erika Cayer

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 2 of 5 **Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000630.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1813787	Drill Core	1.87	417	0.007	<0.01	<0.17	41.26	0.66	14.75	8.74	52.7	177	12.8	7.6	318	2.09	7.9	0.7	2.0	10.5	17.3
1813788	Drill Core	1.93	408	0.007	<0.01	<0.17	37.31	1.34	18.51	19.27	57.8	208	11.0	6.4	467	2.07	12.3	0.9	1.8	10.3	16.0
1813789	Drill Core	2.95	361	<0.005	<0.01	<0.17	43.15	0.88	21.63	8.27	60.9	177	11.9	7.0	466	2.18	0.2	1.0	<0.2	11.9	64.1
1813790	Drill Core	2.83	384	<0.005	<0.01	<0.17	42.22	0.98	10.52	2.51	53.5	89	12.9	7.6	366	2.29	1.1	1.1	<0.2	12.7	50.8
1813791	Drill Core	3.13	423	<0.005	<0.01	<0.17	36.89	1.01	17.88	18.43	60.7	168	11.9	7.0	502	2.24	2.1	1.2	<0.2	12.3	65.5
1813792	Drill Core	3.13	440	<0.005	<0.01	<0.17	41.85	1.24	17.47	24.39	87.9	236	13.2	7.6	536	2.30	0.3	1.1	<0.2	11.2	95.6
1813793	Drill Core	3.10	412	0.009	<0.01	<0.17	37.91	1.42	15.36	18.42	51.3	226	12.2	7.2	568	2.16	3.4	1.1	3.7	12.0	57.5
1813794	Drill Core	3.07	479	0.008	<0.01	<0.17	43.62	1.10	25.68	11.28	65.2	347	12.5	8.0	532	2.24	2.4	2.7	4.6	12.4	87.4
1813795	Drill Core	3.07	373	<0.005	<0.01	<0.17	40.68	1.07	25.71	14.90	72.1	480	13.2	7.5	464	2.11	3.5	1.6	0.5	12.7	69.0
1813796	Drill Core	2.58	358	0.008	<0.01	<0.17	39.60	0.80	16.92	13.68	48.8	323	11.3	6.0	372	1.74	8.2	2.4	2.8	12.2	74.5
1813797	Drill Core	2.95	365	<0.005	<0.01	<0.17	42.05	1.02	18.58	14.78	52.2	323	12.2	5.7	396	1.87	2.7	1.9	<0.2	11.4	73.8
1813798	Drill Core	2.97	446	<0.005	<0.01	<0.17	40.10	0.57	20.39	14.21	53.6	322	11.2	6.0	360	1.77	4.0	2.1	<0.2	12.3	54.5
1813799	Drill Core	2.61	485	<0.005	<0.01	<0.17	41.01	1.60	20.02	20.38	57.7	373	13.9	7.0	446	2.03	4.9	2.3	0.4	12.5	68.1
1813800	Rock Pulp	0.12	94	7.280				9.10	192.31	18.92	72.1	756	13.7	10.8	545	4.47	12.5	0.8	6354.1	3.4	65.7
1813801	Drill Core	3.00	377	<0.005	<0.01	<0.17	38.91	0.54	22.42	14.82	63.1	319	9.8	7.9	348	1.97	1.9	2.7	3.5	12.8	75.4
1813802	Drill Core	3.04	515	<0.005	<0.01	<0.17	31.35	0.73	8.64	10.47	83.4	147	13.1	8.4	652	2.42	1.0	1.4	1.9	12.5	116.8
1813803	Drill Core	2.83	383	0.012	0.01	<0.17	38.83	1.02	13.91	29.89	126.4	371	12.2	8.9	508	2.35	4.2	1.1	71.7	8.8	106.9
1813804	Drill Core	3.06	484	<0.005	<0.01	<0.17	31.03	1.02	11.68	12.96	56.6	237	10.3	7.9	335	1.93	2.7	1.2	1.3	6.8	71.9
1813805	Drill Core	3.06	415	<0.005	<0.01	<0.17	32.12	0.67	13.91	8.55	53.4	233	10.9	8.3	260	1.90	4.4	1.0	1.0	6.0	63.3
1813806	Drill Core	2.81	356	0.018	0.02	<0.17	29.30	1.50	13.75	15.19	65.4	342	10.9	7.6	449	2.43	15.2	2.0	15.0	13.6	87.6
1813807	Drill Core	3.42	411	0.006	<0.01	<0.17	28.06	1.01	15.42	8.93	59.7	212	11.2	7.9	266	2.09	8.5	1.3	2.7	9.3	62.1
1813808	Drill Core	1.54	525	<0.005	<0.01	<0.17	33.99	1.26	14.42	12.53	52.6	166	10.9	7.8	336	1.93	6.1	1.3	1.2	6.0	60.5
1813809	Drill Core	3.10	452	<0.005	<0.01	<0.17	28.04	0.53	12.04	10.67	55.7	158	10.4	6.4	188	1.65	6.3	0.9	1.9	5.2	43.3
1813810	Drill Core	2.45	501	0.007	<0.01	<0.17	38.50	0.83	17.31	22.80	80.6	318	12.7	7.9	465	2.33	1.3	1.2	3.7	10.3	98.0
1813811	Drill Core	2.33	454	0.014	0.01	<0.17	29.70	1.01	21.63	14.53	79.9	338	12.8	8.0	379	2.25	1.0	1.7	14.1	10.5	115.4
1813812	Drill Core	1.58	489	0.067	0.06	<0.17	29.01	0.62	5.24	11.05	50.5	254	4.6	3.8	227	1.23	6.2	1.1	95.5	13.4	50.9
1813813	Drill Core	2.07	493	0.208	0.32	2.09	30.68	0.73	17.99	12.38	61.9	427	10.4	7.9	315	1.96	2.9	1.5	272.6	10.5	85.8
1813814	Drill Core	1.60	493	0.422	0.43	0.57	26.44	0.98	25.74	12.29	63.7	770	15.5	10.0	388	2.50	1.8	2.1	1089.6	10.0	108.7
1813815	Drill Core	1.56	446	0.118	0.11	<0.17	39.61	1.11	20.38	17.08	83.1	458	10.0	7.9	413	2.10	2.9	1.8	109.1	13.0	72.4
1813816	Drill Core	3.49	412	0.094	0.09	<0.17	37.12	0.66	16.86	17.50	130.2	479	8.6	6.9	424	2.08	3.0	1.6	63.6	12.5	94.7



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 2 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000630.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813787	Drill Core	0.19	0.28	0.12	14	0.19	0.052	18.8	16.5	0.81	184.5	0.006	<1	1.04	0.016	0.23	0.2	3.3	0.08	<0.02	<5
1813788	Drill Core	0.22	0.33	0.07	11	0.21	0.049	17.1	13.3	0.74	175.1	0.010	1	0.99	0.014	0.24	<0.1	3.0	0.09	0.02	11
1813789	Drill Core	0.24	0.19	0.05	14	0.65	0.051	21.0	16.6	0.96	206.0	0.017	<1	1.18	0.018	0.31	<0.1	3.2	0.13	0.02	<5
1813790	Drill Core	0.11	0.19	<0.02	16	0.50	0.053	19.3	17.7	0.99	231.5	0.063	<1	1.23	0.022	0.48	0.1	3.6	0.22	<0.02	8
1813791	Drill Core	0.22	0.30	0.05	16	0.66	0.057	16.3	19.3	1.02	223.8	0.074	<1	1.16	0.019	0.50	0.3	4.3	0.24	0.07	<5
1813792	Drill Core	0.44	0.26	0.12	19	0.87	0.048	16.6	22.2	1.08	248.9	0.034	<1	1.19	0.021	0.33	<0.1	4.6	0.13	0.06	<5
1813793	Drill Core	0.22	0.22	0.06	16	0.72	0.052	20.6	18.1	0.92	212.5	0.010	<1	1.18	0.017	0.25	<0.1	3.4	0.08	0.02	<5
1813794	Drill Core	0.30	0.43	0.07	17	0.90	0.053	21.4	19.6	1.06	262.0	0.042	<1	1.25	0.019	0.36	0.2	4.2	0.14	0.08	<5
1813795	Drill Core	0.33	0.42	0.14	14	0.82	0.053	20.8	16.8	0.96	247.7	0.022	<1	1.17	0.017	0.33	<0.1	3.6	0.14	0.12	6
1813796	Drill Core	0.24	0.37	0.19	14	1.08	0.066	20.1	17.1	0.72	270.2	0.024	<1	0.98	0.016	0.36	0.2	2.9	0.14	0.15	<5
1813797	Drill Core	0.26	0.40	0.25	17	1.06	0.048	25.0	18.4	0.87	213.8	0.049	<1	1.04	0.022	0.28	0.2	3.9	0.11	0.13	7
1813798	Drill Core	0.32	0.30	0.32	17	0.88	0.049	26.3	18.3	0.61	253.7	0.033	<1	0.85	0.024	0.22	0.3	3.3	0.10	0.24	<5
1813799	Drill Core	0.28	0.35	0.39	23	1.06	0.060	22.7	28.5	0.85	289.3	0.018	<1	1.05	0.021	0.27	0.2	3.9	0.12	0.21	<5
1813800	Rock Pulp	0.19	4.00	0.49	114	0.92	0.057	7.5	17.5	0.83	114.2	0.118	2	1.69	0.173	0.22	3.5	3.4	0.07	<0.02	159
1813801	Drill Core	0.47	0.27	0.21	17	1.37	0.060	30.2	19.1	0.77	314.4	0.020	<1	0.99	0.025	0.31	<0.1	4.4	0.14	0.18	<5
1813802	Drill Core	0.40	0.22	0.05	24	2.35	0.071	32.4	34.1	1.01	158.9	0.012	<1	1.22	0.017	0.21	0.2	4.3	0.10	0.03	<5
1813803	Drill Core	0.49	0.24	0.16	20	1.96	0.061	19.8	25.8	1.06	332.3	0.038	<1	1.30	0.018	0.23	0.1	4.7	0.08	0.07	<5
1813804	Drill Core	0.16	0.28	0.10	13	1.62	0.057	11.4	18.3	0.95	354.1	0.068	<1	1.11	0.018	0.23	0.1	3.0	0.11	0.14	<5
1813805	Drill Core	0.19	0.23	0.07	14	1.24	0.058	10.7	17.1	0.72	306.3	0.086	<1	0.99	0.026	0.25	0.2	3.6	0.09	0.34	<5
1813806	Drill Core	0.28	0.27	0.09	17	1.90	0.060	30.8	22.0	0.84	212.9	0.009	<1	1.23	0.023	0.23	<0.1	4.6	0.08	0.06	<5
1813807	Drill Core	0.19	0.25	0.06	15	1.17	0.059	19.6	20.2	0.74	237.6	0.044	<1	1.11	0.021	0.25	<0.1	4.0	0.09	0.10	<5
1813808	Drill Core	0.19	0.27	0.09	12	1.49	0.059	11.1	16.0	0.75	213.6	0.077	<1	1.04	0.013	0.23	0.1	3.3	0.09	0.15	8
1813809	Drill Core	0.14	0.24	0.06	10	0.96	0.054	10.6	14.5	0.68	248.9	0.065	<1	1.00	0.017	0.22	<0.1	2.7	0.07	0.08	<5
1813810	Drill Core	0.36	0.40	0.15	21	2.14	0.059	23.2	27.2	0.92	317.7	0.015	<1	1.21	0.013	0.25	0.1	3.4	0.11	<0.02	<5
1813811	Drill Core	0.54	0.48	0.14	20	1.86	0.073	23.8	27.3	0.89	322.2	0.013	<1	1.17	0.016	0.27	<0.1	4.1	0.13	<0.02	<5
1813812	Drill Core	0.32	0.24	0.16	6	0.75	0.035	30.5	7.8	0.36	339.4	0.002	<1	0.62	0.008	0.24	<0.1	1.8	0.08	<0.02	<5
1813813	Drill Core	0.35	0.35	0.11	15	1.23	0.054	17.9	21.1	0.80	408.2	0.010	<1	0.97	0.018	0.25	<0.1	4.2	0.11	0.19	<5
1813814	Drill Core	0.33	0.48	0.10	28	1.83	0.071	20.3	32.6	1.11	348.1	0.030	<1	1.22	0.019	0.24	0.2	5.1	0.11	0.25	<5
1813815	Drill Core	0.72	0.48	0.11	12	1.46	0.057	26.9	16.9	0.78	537.8	0.011	<1	1.08	0.011	0.32	0.2	2.8	0.14	0.21	7
1813816	Drill Core	1.93	0.51	0.12	12	1.67	0.055	25.9	15.2	0.89	273.7	0.008	<1	1.19	0.009	0.31	<0.1	2.7	0.13	<0.02	6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 2 of 5 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000630.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813787	Drill Core	<0.1	<0.02	4.4	1.00	<0.1	0.24	<0.02	10.1	0.5	<0.05	9.4	7.26	34.0	<0.02	<1	0.5	21.2	<10	<2			
1813788	Drill Core	<0.1	<0.02	3.8	1.11	<0.1	0.24	<0.02	11.0	0.5	<0.05	9.6	6.43	31.0	0.02	<1	0.3	17.8	<10	<2			
1813789	Drill Core	<0.1	<0.02	5.0	1.41	<0.1	0.27	<0.02	15.6	0.5	<0.05	8.9	8.76	38.9	0.03	<1	0.5	18.8	<10	<2			
1813790	Drill Core	<0.1	<0.02	5.1	2.23	<0.1	0.30	<0.02	25.8	0.5	<0.05	8.6	7.34	33.9	<0.02	<1	0.5	14.6	<10	<2			
1813791	Drill Core	<0.1	<0.02	5.1	2.93	<0.1	0.22	0.04	27.6	0.5	<0.05	7.7	8.47	30.0	0.02	<1	0.4	17.5	<10	<2			
1813792	Drill Core	<0.1	<0.02	5.3	1.85	<0.1	0.25	<0.02	17.0	0.4	<0.05	6.8	10.37	31.3	0.02	<1	0.5	20.5	<10	<2			
1813793	Drill Core	<0.1	<0.02	5.2	1.64	<0.1	0.23	<0.02	11.4	0.5	<0.05	7.2	9.69	38.9	0.02	<1	0.6	20.7	<10	<2			
1813794	Drill Core	<0.1	<0.02	5.5	2.51	<0.1	0.24	0.02	18.6	0.5	<0.05	7.1	12.98	38.8	<0.02	2	0.5	19.8	<10	<2			
1813795	Drill Core	0.1	<0.02	4.4	2.11	<0.1	0.20	<0.02	16.7	0.6	<0.05	5.9	13.11	38.5	<0.02	3	0.5	19.7	<10	<2			
1813796	Drill Core	0.4	<0.02	4.0	1.87	<0.1	0.15	0.03	18.1	0.5	<0.05	5.7	10.90	37.3	<0.02	1	0.4	17.1	<10	<2			
1813797	Drill Core	0.1	<0.02	4.8	1.36	<0.1	0.20	0.06	13.7	0.6	<0.05	5.5	14.07	45.6	<0.02	<1	0.6	19.4	<10	<2			
1813798	Drill Core	0.3	0.02	4.1	0.78	<0.1	0.18	0.05	9.9	0.5	<0.05	5.5	14.36	46.6	0.03	<1	0.5	15.2	<10	<2			
1813799	Drill Core	0.5	0.02	4.9	1.38	<0.1	0.14	<0.02	13.0	0.5	<0.05	4.4	14.53	42.6	0.02	<1	0.6	18.3	<10	<2			
1813800	Rock Pulp	0.2	0.14	4.6	0.61	<0.1	0.08	0.07	7.5	1.5	<0.05	1.4	5.17	14.8	0.05	<1	<0.1	6.3	<10	<2			
1813801	Drill Core	0.4	<0.02	4.3	2.04	<0.1	0.10	0.03	15.5	0.5	<0.05	2.7	16.39	56.2	0.02	<1	0.5	14.2	<10	<2			
1813802	Drill Core	0.1	<0.02	5.9	1.99	<0.1	0.06	<0.02	13.4	0.5	<0.05	1.7	15.95	59.0	<0.02	<1	0.7	16.2	<10	<2			
1813803	Drill Core	0.1	<0.02	5.2	1.11	<0.1	0.05	0.03	11.2	0.4	<0.05	1.6	12.57	37.6	0.02	<1	0.5	19.5	<10	<2			
1813804	Drill Core	<0.1	<0.02	4.1	1.66	<0.1	0.06	0.10	12.5	0.4	<0.05	1.2	7.01	21.1	<0.02	<1	0.5	18.4	<10	<2			
1813805	Drill Core	0.2	<0.02	4.1	1.10	<0.1	0.05	0.15	11.7	0.4	<0.05	1.2	7.35	20.3	<0.02	<1	0.6	13.9	<10	<2			
1813806	Drill Core	0.2	<0.02	6.0	1.78	<0.1	0.04	<0.02	10.8	0.4	<0.05	1.0	16.11	57.4	0.02	<1	0.5	20.3	<10	<2			
1813807	Drill Core	<0.1	<0.02	4.5	1.64	<0.1	0.06	0.05	13.0	0.5	<0.05	1.1	10.73	37.0	0.02	<1	0.7	17.7	<10	<2			
1813808	Drill Core	0.3	<0.02	3.7	1.05	<0.1	0.04	0.13	10.6	0.5	<0.05	1.0	6.78	21.1	<0.02	<1	0.4	16.7	<10	<2			
1813809	Drill Core	0.3	<0.02	3.5	0.68	<0.1	0.03	0.13	9.4	0.4	<0.05	0.8	6.04	20.3	<0.02	<1	0.3	13.1	<10	<2			
1813810	Drill Core	<0.1	<0.02	5.5	3.13	<0.1	0.05	<0.02	16.0	0.3	<0.05	1.7	14.56	45.4	<0.02	<1	0.6	19.0	<10	<2			
1813811	Drill Core	<0.1	<0.02	5.7	3.10	<0.1	0.09	<0.02	17.5	0.4	<0.05	3.0	15.95	45.5	0.02	<1	0.6	21.6	<10	<2			
1813812	Drill Core	<0.1	<0.02	2.4	1.12	<0.1	0.06	<0.02	12.2	0.3	<0.05	2.5	8.85	57.4	<0.02	<1	0.4	12.6	<10	<2			
1813813	Drill Core	0.1	<0.02	4.1	1.69	<0.1	0.10	<0.02	13.8	0.3	<0.05	3.2	11.87	34.6	<0.02	<1	0.5	20.4	<10	<2			
1813814	Drill Core	0.2	<0.02	5.8	2.67	<0.1	0.11	<0.02	14.0	0.3	<0.05	3.3	14.43	38.0	<0.02	2	0.6	21.5	<10	<2			
1813815	Drill Core	0.3	<0.02	4.8	2.45	<0.1	0.08	<0.02	19.4	0.4	<0.05	2.2	16.50	51.6	0.02	<1	0.4	19.1	<10	<2			
1813816	Drill Core	<0.1	<0.02	4.8	2.93	<0.1	0.05	<0.02	18.0	0.3	<0.05	1.8	14.55	47.8	<0.02	<1	0.6	24.2	<10	<2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 3 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000630.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1813817	Drill Core	1.56	389	0.183	0.18	<0.17	38.22	0.84	23.38	83.44	217.3	525	7.3	6.5	423	2.01	5.4	1.5	181.1	14.0	35.7
1813818	Drill Core	2.65	360	0.164	0.20	0.48	39.81	1.09	17.51	12.17	84.9	530	11.8	8.3	346	2.17	8.3	1.7	121.0	12.3	98.1
1813819	Drill Core	2.82	453	0.188	0.19	<0.17	31.22	0.27	8.94	18.35	122.9	337	6.5	4.8	331	1.50	2.3	1.3	245.6	13.3	58.7
1813820	Rock Pulp	0.12	94	0.653				6.50	144.28	84.59	137.9	616	11.5	4.9	561	2.53	40.4	0.4	537.3	2.1	30.1
1813821	Drill Core	2.69	448	0.016	0.01	<0.17	37.27	0.52	47.72	147.30	338.4	556	11.7	9.3	360	2.51	12.7	1.0	12.9	10.9	14.4
1813822	Drill Core	3.68	358	0.012	0.01	<0.17	39.46	0.45	30.46	22.95	170.2	484	13.5	10.1	368	2.48	10.1	1.3	8.4	8.9	29.3
1813823	Drill Core	2.81	429	0.011	<0.01	<0.17	40.86	0.35	7.48	20.07	45.7	317	2.8	2.9	206	0.99	7.1	1.0	6.8	10.9	13.2
1813824	Drill Core	1.94	422	0.013	0.01	<0.17	38.54	0.25	6.53	28.82	36.5	212	0.5	0.5	91	0.55	5.1	0.9	7.6	12.8	4.1
1813825	Drill Core	2.73	382	0.009	<0.01	<0.17	40.11	0.23	5.03	30.71	44.4	211	0.6	0.5	73	0.54	4.7	0.8	4.0	13.7	3.6
1813826	Drill Core	1.48	465	0.077	0.27	2.08	43.81	0.24	4.44	32.22	30.8	241	0.7	0.7	72	0.54	3.1	0.5	36.4	10.6	2.0
1813827	Drill Core	1.36	412	0.025	0.02	<0.17	40.44	0.20	15.63	18.93	32.3	288	0.5	0.5	80	0.56	1.9	0.6	21.0	12.4	4.5
1813828	Drill Core	1.58	440	0.020	0.02	<0.17	40.32	0.30	39.50	137.68	60.4	891	0.4	1.6	112	0.65	5.6	0.8	15.4	13.9	2.7
1813829	Drill Core	1.93	375	0.013	0.01	<0.17	42.41	0.30	37.82	131.43	72.8	842	0.5	1.6	131	0.60	5.0	1.1	6.8	13.7	8.3
1813830	Drill Core	1.54	383	<0.005	<0.01	<0.17	39.82	0.30	16.85	44.77	105.8	281	3.8	3.0	289	1.02	0.3	1.5	<0.2	12.0	52.0
1813831	Drill Core	1.56	367	0.029	0.03	<0.17	42.12	0.80	36.91	146.29	267.6	585	10.4	7.5	557	2.20	0.5	2.6	20.2	10.3	93.2
1813832	Drill Core	1.52	430	0.007	<0.01	<0.17	39.16	0.18	29.80	616.22	181.7	1016	2.8	2.5	414	1.13	<0.1	1.6	1.2	10.6	85.5
1813833	Drill Core	1.51	433	<0.005	<0.01	<0.17	40.96	0.18	16.75	112.03	103.6	352	1.0	1.4	244	0.66	0.1	2.4	<0.2	12.8	67.1
1813834	Drill Core	2.78	517	<0.005	<0.01	<0.17	40.23	0.66	22.20	30.72	167.1	348	13.8	8.7	393	2.35	0.7	1.8	<0.2	9.3	98.8
1813835	Drill Core	2.72	401	<0.005	<0.01	<0.17	37.78	0.90	28.55	50.59	155.4	517	13.6	8.9	625	2.34	1.2	1.4	<0.2	8.4	149.1
1813836	Drill Core	2.93	405	<0.005	<0.01	<0.17	42.73	0.98	18.44	35.96	81.3	367	11.2	6.8	801	2.20	0.7	1.2	<0.2	6.9	149.0
1813837	Drill Core	2.31	469	<0.005	<0.01	<0.17	32.16	0.39	23.74	29.31	115.6	395	13.6	8.4	537	2.56	0.2	1.3	<0.2	8.7	74.7
1813838	Drill Core	2.01	379	0.005	<0.01	<0.17	34.09	0.23	18.42	167.70	240.9	440	9.1	7.3	720	2.40	0.9	1.1	<0.2	10.2	86.8
1813839	Drill Core	4.17	400	0.044	0.04	<0.17	36.70	0.67	58.11	414.32	341.4	1548	14.3	9.1	571	2.49	3.9	0.8	35.2	8.1	67.7
1813840	Rock Pulp	0.12	93	0.008				4.24	23.52	0.94	31.7	19	7.2	4.3	608	2.41	1.3	0.4	0.4	2.0	29.1
1813841	Drill Core	2.64	390	0.019	0.02	<0.17	34.65	0.58	29.98	41.94	278.1	530	19.1	8.8	643	2.49	1.3	1.0	21.3	8.9	134.5
1813842	Drill Core	2.71	410	0.007	<0.01	<0.17	35.19	1.51	79.28	399.38	409.3	1576	25.8	8.3	688	2.62	0.9	0.9	1.3	8.4	95.0
1813843	Drill Core	3.30	367	0.006	<0.01	<0.17	40.58	2.04	32.84	108.44	206.7	718	16.7	5.6	414	1.92	3.5	0.8	0.5	9.6	47.2
1813844	Drill Core	2.64	477	<0.005	<0.01	<0.17	41.36	0.49	16.58	14.53	152.5	447	13.8	7.2	375	2.15	5.9	1.0	<0.2	10.2	50.1
1813845	Drill Core	1.38	446	0.211	0.23	0.38	39.22	1.01	56.66	32.66	124.0	866	19.0	8.8	500	2.31	18.8	1.2	246.4	9.3	24.1
1813846	Drill Core	1.56	452	0.024	0.02	<0.17	41.65	0.97	29.11	20.51	38.1	949	13.6	6.1	229	1.10	5.9	0.7	25.4	9.9	13.6



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 3 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000630.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1813817	Drill Core	4.09	0.38	0.08	8	0.62	0.060	29.1	10.4	0.65	257.5	0.005	<1	0.97	0.011	0.33	0.1	2.6	0.12	<0.02
1813818	Drill Core	1.79	0.57	0.12	15	1.35	0.063	26.1	19.6	0.80	389.4	0.017	<1	1.07	0.014	0.33	0.2	4.3	0.13	0.30
1813819	Drill Core	5.10	0.35	0.12	10	1.07	0.040	35.4	13.9	0.57	365.6	0.005	<1	0.88	0.014	0.30	<0.1	3.0	0.12	<0.02
1813820	Rock Pulp	0.56	2.35	0.15	28	0.84	0.035	5.5	24.0	0.51	89.1	0.072	6	1.13	0.091	0.10	4.4	3.0	0.21	0.09
1813821	Drill Core	3.68	0.46	0.11	23	0.21	0.063	27.6	27.7	1.02	217.5	0.002	<1	1.28	0.021	0.23	0.1	3.7	0.09	<0.02
1813822	Drill Core	3.62	0.33	0.11	25	0.58	0.068	24.1	29.8	0.84	246.3	0.009	<1	1.20	0.029	0.27	<0.1	5.3	0.12	<0.02
1813823	Drill Core	1.29	0.25	0.17	3	0.16	0.023	32.0	6.0	0.16	352.1	0.002	<1	0.46	0.016	0.25	<0.1	1.9	0.10	<0.02
1813824	Drill Core	0.36	0.26	0.20	<1	0.04	0.009	44.9	2.2	0.06	262.6	0.002	<1	0.32	0.029	0.23	<0.1	1.2	0.08	<0.02
1813825	Drill Core	0.32	0.17	0.24	<1	0.03	0.008	35.5	2.2	0.06	191.8	0.001	<1	0.31	0.023	0.25	<0.1	1.2	0.08	<0.02
1813826	Drill Core	0.20	0.13	0.41	<1	0.01	0.005	28.7	3.4	0.06	148.2	<0.001	1	0.26	0.017	0.21	<0.1	0.8	0.07	<0.02
1813827	Drill Core	0.20	0.16	0.10	1	0.03	0.012	36.9	2.3	0.09	188.3	0.001	1	0.32	0.026	0.22	<0.1	0.9	0.07	<0.02
1813828	Drill Core	0.29	0.46	0.27	2	0.02	0.006	37.2	2.5	0.12	176.7	<0.001	<1	0.37	0.019	0.24	<0.1	1.1	0.07	<0.02
1813829	Drill Core	0.38	0.44	0.34	1	0.09	0.007	41.1	2.7	0.10	222.4	<0.001	1	0.35	0.029	0.25	<0.1	1.3	0.08	0.03
1813830	Drill Core	1.76	0.23	0.15	6	0.88	0.025	35.4	9.2	0.33	433.3	0.006	<1	0.66	0.024	0.30	<0.1	2.4	0.13	0.03
1813831	Drill Core	4.59	0.35	0.09	17	1.47	0.067	27.7	22.6	0.96	487.2	0.021	<1	1.33	0.009	0.38	0.1	3.9	0.19	0.22
1813832	Drill Core	1.56	0.43	0.22	5	1.59	0.022	30.0	6.4	0.32	550.3	0.006	<1	0.63	0.020	0.27	0.1	1.9	0.12	0.03
1813833	Drill Core	1.62	0.20	0.15	1	1.10	0.012	40.9	3.2	0.11	523.7	0.003	<1	0.41	0.022	0.29	<0.1	1.6	0.12	0.04
1813834	Drill Core	0.85	0.50	0.04	30	1.29	0.064	22.8	36.4	1.11	326.6	0.061	<1	1.32	0.022	0.34	0.1	6.0	0.21	0.06
1813835	Drill Core	0.91	0.44	0.05	25	2.16	0.067	22.6	29.7	0.88	478.1	0.052	<1	1.21	0.020	0.29	0.3	5.5	0.17	0.02
1813836	Drill Core	0.75	0.47	0.17	22	2.92	0.064	20.2	25.8	0.74	231.6	0.013	<1	1.07	0.016	0.22	0.1	3.5	0.11	<0.02
1813837	Drill Core	0.78	0.19	0.07	26	1.13	0.070	25.8	33.6	0.89	121.1	0.014	<1	1.21	0.032	0.21	<0.1	4.6	0.11	<0.02
1813838	Drill Core	2.07	0.14	0.11	21	1.09	0.058	29.2	25.3	0.95	134.9	0.006	<1	1.28	0.032	0.22	<0.1	4.0	0.09	<0.02
1813839	Drill Core	1.94	0.48	0.16	24	1.09	0.071	17.6	31.4	0.99	164.5	0.019	<1	1.32	0.020	0.37	0.2	4.4	0.22	0.03
1813840	Rock Pulp	0.02	0.14	<0.02	23	0.80	0.038	5.7	16.5	0.49	58.4	0.077	2	1.04	0.066	0.08	0.2	3.0	<0.02	0.05
1813841	Drill Core	4.15	0.40	0.30	23	1.80	0.074	20.3	35.3	1.17	256.3	0.017	<1	1.47	0.009	0.44	0.1	4.8	0.26	0.03
1813842	Drill Core	2.94	0.16	0.40	29	1.15	0.078	25.7	47.6	1.10	180.7	0.005	<1	1.39	0.009	0.26	<0.1	4.0	0.11	0.08
1813843	Drill Core	2.78	0.19	0.45	15	0.67	0.053	23.7	19.2	0.62	207.3	0.003	<1	0.97	0.018	0.30	<0.1	2.5	0.12	0.06
1813844	Drill Core	3.54	0.34	0.14	14	0.75	0.058	26.1	19.4	0.90	166.0	0.008	<1	1.18	0.018	0.32	<0.1	4.8	0.18	<0.02
1813845	Drill Core	3.51	0.47	0.37	17	0.38	0.068	25.9	22.1	0.72	159.2	0.002	<1	1.11	0.009	0.25	0.1	3.1	0.10	<0.02
1813846	Drill Core	1.70	0.27	0.45	7	0.18	0.069	26.2	8.8	0.19	254.6	0.003	<1	0.52	0.023	0.26	<0.1	1.6	0.09	<0.02



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 3 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000630.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813817	Drill Core	0.3	<0.02	4.0	1.65	<0.1	0.04	<0.02	16.6	0.4	<0.05	1.4	13.40	55.3	0.02	<1	0.5	18.8	<10	<2			
1813818	Drill Core	0.5	<0.02	5.0	2.13	<0.1	0.13	<0.02	19.9	0.3	<0.05	4.6	16.00	48.1	<0.02	<1	0.6	20.6	<10	<2			
1813819	Drill Core	0.1	<0.02	3.3	1.46	<0.1	0.13	<0.02	16.6	0.3	<0.05	4.7	17.77	61.6	0.03	<1	0.3	16.5	<10	<2			
1813820	Rock Pulp	<0.1	0.05	4.0	0.21	<0.1	0.16	0.24	2.6	2.0	<0.05	3.8	6.88	11.0	<0.02	<1	0.3	1.4	<10	<2			
1813821	Drill Core	0.2	<0.02	5.9	1.53	<0.1	0.24	<0.02	12.3	0.5	<0.05	7.8	10.60	53.6	0.02	<1	0.4	30.5	<10	<2			
1813822	Drill Core	<0.1	<0.02	5.3	2.06	<0.1	0.18	<0.02	14.8	0.4	<0.05	7.0	10.01	45.3	0.02	<1	0.7	23.8	<10	<2			
1813823	Drill Core	<0.1	<0.02	1.7	1.12	<0.1	0.10	<0.02	13.4	0.3	<0.05	4.3	12.77	69.3	<0.02	<1	0.3	7.2	<10	<2			
1813824	Drill Core	<0.1	<0.02	1.3	0.53	<0.1	0.19	0.04	12.5	0.3	<0.05	7.5	17.75	84.2	<0.02	<1	0.3	4.4	<10	<2			
1813825	Drill Core	<0.1	<0.02	1.6	0.64	<0.1	0.19	0.03	14.1	0.3	<0.05	7.8	13.44	83.6	<0.02	<1	0.3	4.6	<10	<2			
1813826	Drill Core	<0.1	<0.02	1.2	0.59	<0.1	0.13	<0.02	11.2	0.2	<0.05	4.8	5.53	53.9	<0.02	<1	0.2	3.3	<10	<2			
1813827	Drill Core	<0.1	<0.02	1.3	0.46	<0.1	0.17	<0.02	11.1	0.2	<0.05	7.4	7.00	77.9	<0.02	<1	0.2	3.5	<10	<2			
1813828	Drill Core	<0.1	0.07	1.4	0.56	<0.1	0.23	<0.02	12.4	1.3	<0.05	9.1	10.08	80.0	<0.02	<1	0.3	3.8	<10	<2			
1813829	Drill Core	0.1	0.11	1.5	0.65	<0.1	0.19	0.06	13.8	0.8	<0.05	7.8	14.11	89.0	<0.02	<1	0.3	4.1	<10	<2			
1813830	Drill Core	0.2	<0.02	2.8	1.35	<0.1	0.09	0.02	17.9	0.6	<0.05	3.8	18.02	77.2	<0.02	<1	0.4	11.9	<10	<2			
1813831	Drill Core	0.8	<0.02	5.8	2.60	<0.1	0.09	<0.02	23.9	0.6	<0.05	4.0	18.73	55.8	0.02	2	0.6	28.8	<10	<2			
1813832	Drill Core	0.9	0.04	2.9	1.79	<0.1	0.07	<0.02	16.7	0.6	<0.05	2.9	16.52	63.1	0.02	<1	0.7	10.2	<10	<2			
1813833	Drill Core	0.2	<0.02	1.8	0.79	<0.1	0.04	0.03	16.3	0.5	<0.05	1.8	16.18	83.9	<0.02	<1	0.4	5.0	<10	<2			
1813834	Drill Core	0.3	<0.02	6.0	3.18	<0.1	0.15	0.04	24.6	0.8	<0.05	4.7	17.48	45.5	0.02	<1	0.6	27.8	<10	<2			
1813835	Drill Core	<0.1	<0.02	5.5	1.88	<0.1	0.09	0.05	19.3	0.8	<0.05	2.9	15.32	43.8	0.02	<1	0.7	18.2	<10	<2			
1813836	Drill Core	<0.1	<0.02	5.4	2.23	<0.1	0.06	<0.02	14.9	0.6	<0.05	2.5	13.20	39.7	<0.02	<1	0.6	17.3	<10	<2			
1813837	Drill Core	<0.1	<0.02	5.8	1.73	<0.1	0.09	<0.02	14.2	0.5	<0.05	3.6	16.15	50.3	0.02	<1	0.8	21.7	<10	<2			
1813838	Drill Core	<0.1	<0.02	6.1	0.81	<0.1	0.16	<0.02	12.9	0.5	<0.05	5.9	15.76	61.5	0.02	<1	0.4	19.0	<10	<2			
1813839	Drill Core	0.4	<0.02	5.5	2.85	<0.1	0.07	<0.02	25.2	0.5	<0.05	3.0	9.60	33.4	0.03	<1	0.6	20.8	<10	<2			
1813840	Rock Pulp	<0.1	<0.02	4.1	0.13	<0.1	0.15	0.22	2.0	1.8	<0.05	3.9	7.72	11.5	<0.02	<1	0.3	0.9	<10	<2			
1813841	Drill Core	<0.1	<0.02	5.3	2.61	<0.1	0.16	<0.02	28.8	0.4	<0.05	5.7	15.41	39.6	<0.02	<1	0.6	25.1	<10	<2			
1813842	Drill Core	0.5	0.05	6.2	0.60	<0.1	0.10	<0.02	14.6	0.4	<0.05	4.9	14.88	47.7	0.02	<1	0.6	20.9	<10	<2			
1813843	Drill Core	0.3	<0.02	3.9	0.76	<0.1	0.15	<0.02	15.8	0.3	<0.05	5.7	11.41	43.1	0.02	<1	0.3	14.7	<10	<2			
1813844	Drill Core	<0.1	<0.02	4.6	3.18	<0.1	0.44	<0.02	20.6	0.5	<0.05	17.3	13.48	49.3	<0.02	<1	0.8	22.0	<10	<2			
1813845	Drill Core	0.2	0.09	5.3	1.85	<0.1	0.20	<0.02	13.2	0.7	<0.05	10.6	10.82	47.9	0.03	<1	0.3	22.4	<10	<2			
1813846	Drill Core	<0.1	<0.02	2.5	1.03	<0.1	0.28	<0.02	13.8	0.3	<0.05	12.0	10.96	52.0	<0.02	<1	0.5	8.3	<10	<2			





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 4 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000630.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1813847	Drill Core	2.74	470	0.027	0.02	<0.17	38.52	0.78	16.79	19.47	29.7	474	10.3	5.2	250	1.19	6.6	1.2	27.4	8.4	25.6
1813848	Drill Core	3.12	379	0.005	<0.01	<0.17	38.83	1.34	29.53	19.40	42.8	490	21.0	6.8	377	1.73	103.7	1.7	3.1	9.5	100.9
1813849	Drill Core	2.28	430	0.011	<0.01	<0.17	33.69	2.01	34.76	30.18	65.7	900	20.6	9.3	361	2.31	22.3	1.1	5.2	8.8	16.3
1813850	Drill Core	1.92	433	0.007	<0.01	<0.17	37.31	1.28	36.21	7.71	57.4	399	23.7	8.9	271	1.92	98.9	0.9	2.4	6.9	22.5
1813851	Drill Core	1.87	410	0.007	<0.01	<0.17	37.75	1.21	32.93	11.26	68.1	331	23.8	9.0	364	2.33	56.1	0.9	3.6	7.5	35.3
1813852	Drill Core	3.08	498	0.011	<0.01	<0.17	41.98	1.13	30.78	19.09	69.9	438	23.0	7.6	280	2.15	78.6	0.7	7.4	6.8	18.3
1813853	Drill Core	1.64	426	0.007	<0.01	<0.17	40.42	1.01	22.74	17.22	56.8	292	18.8	7.0	255	2.02	86.2	0.6	2.5	5.8	19.7
1813854	Drill Core	3.30	400	0.005	<0.01	<0.17	35.18	0.37	26.69	7.98	85.9	227	25.1	9.1	354	2.67	3.8	0.5	0.5	7.7	10.1
1813855	Drill Core	2.34	518	0.005	<0.01	<0.17	43.20	0.45	29.28	11.74	84.7	258	21.5	8.5	424	2.50	5.8	0.9	2.4	8.0	14.1
1813856	Drill Core	1.97	393	0.021	0.02	<0.17	36.86	1.13	53.24	11.09	106.4	680	16.8	11.3	682	3.26	23.2	1.1	19.4	10.0	12.6
1813857	Drill Core	1.76	503	0.022	0.02	<0.17	44.99	1.57	42.04	10.69	100.6	514	16.3	10.1	869	3.55	19.2	1.3	20.7	8.4	16.3
1813858	Drill Core	3.63	473	0.010	<0.01	<0.17	41.48	0.87	32.64	9.81	111.0	340	20.3	11.7	751	3.79	11.4	1.4	5.8	7.8	39.4
1813859	Drill Core	3.14	467	0.005	<0.01	<0.17	46.00	1.34	13.15	9.41	103.0	245	29.5	16.0	777	3.54	7.1	1.4	2.9	7.1	86.8
1813860	Core DUP		463	<0.005	<0.01	<0.17	40.69	1.23	12.42	8.97	95.8	239	28.0	14.7	765	3.46	6.6	1.3	1.6	6.8	90.4
1813861	Drill Core	3.44	418	<0.005	<0.01	<0.17	38.28	0.97	20.76	9.96	85.2	223	29.1	12.9	588	3.27	9.9	1.1	1.1	6.8	70.3
1813862	Drill Core	2.27	446	<0.005	<0.01	<0.17	47.55	1.10	15.13	12.07	107.2	236	29.7	12.2	739	3.22	12.2	1.0	3.0	7.2	76.5
1813863	Drill Core	2.40	451	0.006	<0.01	<0.17	41.39	1.27	19.95	27.12	99.1	326	17.5	9.3	543	2.81	8.1	0.8	3.0	8.6	25.4
1813864	Drill Core	2.82	394	<0.005	<0.01	<0.17	35.94	0.81	16.42	8.49	84.0	174	21.2	7.8	504	2.98	8.1	0.7	1.5	9.4	16.4
1813865	Drill Core	2.70	412	0.006	<0.01	<0.17	40.58	0.91	5.60	16.16	81.1	157	17.4	8.8	681	2.75	9.0	0.7	6.1	8.8	23.3
1813866	Drill Core	3.14	512	0.010	<0.01	<0.17	43.63	5.07	17.72	29.89	210.0	1100	26.0	14.2	741	3.73	14.7	2.4	5.0	7.5	41.5
1813867	Drill Core	2.75	472	<0.005	<0.01	<0.17	41.13	2.29	70.49	39.91	409.0	849	35.8	19.1	913	3.62	16.8	1.3	0.6	4.0	27.1
1813868	Drill Core	3.12	522	<0.005	<0.01	<0.17	48.24	2.39	40.04	25.53	178.6	520	38.4	15.8	991	3.35	16.9	1.3	<0.2	4.1	55.7
1813869	Drill Core	3.02	491	<0.005	<0.01	<0.17	43.94	2.87	74.37	41.06	246.1	857	36.4	17.4	747	3.49	13.4	0.7	<0.2	4.1	31.8
1813870	Drill Core	2.70	466	<0.005	<0.01	<0.17	41.87	2.29	65.17	14.24	224.0	676	36.1	15.5	666	3.54	14.7	1.0	<0.2	4.1	23.1
1813871	Drill Core	3.76	415	0.005	<0.01	<0.17	48.30	2.43	89.05	36.36	315.7	945	35.7	14.6	806	3.52	32.8	1.0	0.4	4.2	14.7
1813872	Drill Core	2.72	448	<0.005	<0.01	<0.17	47.62	3.99	76.51	33.72	368.7	587	45.4	21.2	1162	3.62	28.1	3.4	0.5	4.3	24.7
1813873	Drill Core	2.53	508	<0.005	<0.01	<0.17	44.07	2.78	76.17	14.36	477.8	430	25.4	9.8	766	3.62	38.9	1.6	0.3	4.5	17.3
1813874	Drill Core	3.25	398	0.006	<0.01	<0.17	40.43	2.22	34.77	17.70	111.3	297	22.2	11.9	676	3.15	9.0	1.3	0.6	4.6	19.9
1813875	Drill Core	3.38	419	0.006	<0.01	<0.17	48.58	2.04	31.80	8.10	66.8	279	33.4	13.6	557	3.06	6.9	0.9	1.2	4.3	22.5
1813876	Drill Core	1.36	408	0.006	<0.01	<0.17	45.70	1.84	20.36	15.44	69.2	205	23.5	10.4	691	2.87	8.3	1.1	0.2	4.0	47.0





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 4 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000630.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813847	Drill Core	0.54	0.38	0.37	9	0.58	0.054	20.8	12.4	0.26	223.6	0.038	<1	0.70	0.016	0.31	0.1	2.5	0.11	<0.02	<5
1813848	Drill Core	0.50	1.46	0.39	16	1.99	0.054	26.0	17.9	0.35	235.8	0.012	<1	0.70	0.016	0.32	<0.1	4.4	0.16	0.03	<5
1813849	Drill Core	0.87	0.30	0.72	20	0.28	0.066	26.1	22.2	0.61	260.2	0.002	<1	1.02	0.023	0.21	<0.1	4.1	0.08	<0.02	<5
1813850	Drill Core	0.77	1.37	0.05	13	0.53	0.065	25.1	14.0	0.50	274.5	0.004	<1	0.87	0.008	0.27	<0.1	5.6	0.08	<0.02	<5
1813851	Drill Core	0.45	0.87	0.07	17	0.94	0.069	25.0	19.5	0.77	233.8	0.005	<1	1.18	0.010	0.20	<0.1	4.9	0.07	<0.02	<5
1813852	Drill Core	0.58	0.88	0.18	17	0.36	0.065	20.9	21.7	0.78	166.1	0.003	<1	1.03	0.015	0.17	<0.1	4.7	0.08	<0.02	<5
1813853	Drill Core	0.35	1.16	0.14	14	0.42	0.047	19.2	19.6	0.73	149.6	0.004	<1	0.96	0.017	0.17	<0.1	3.9	0.07	<0.02	<5
1813854	Drill Core	0.35	0.18	0.05	21	0.22	0.064	23.6	27.8	1.19	175.3	0.011	<1	1.50	0.016	0.21	<0.1	4.7	0.08	<0.02	<5
1813855	Drill Core	0.76	0.29	0.13	25	0.30	0.067	21.4	38.5	0.98	121.1	0.011	<1	1.33	0.009	0.18	<0.1	4.8	0.08	<0.02	<5
1813856	Drill Core	1.35	0.48	0.23	28	0.27	0.079	29.0	45.0	0.95	153.2	0.002	<1	1.29	0.014	0.18	0.2	4.3	0.08	<0.02	<5
1813857	Drill Core	2.12	0.35	0.18	30	0.35	0.096	27.1	43.1	1.06	143.9	0.002	<1	1.52	0.014	0.16	0.2	5.2	0.09	<0.02	<5
1813858	Drill Core	0.74	0.19	0.14	53	0.79	0.089	24.2	141.2	1.68	108.0	0.004	<1	2.03	0.016	0.12	<0.1	9.7	0.05	<0.02	<5
1813859	Drill Core	0.54	0.14	0.09	61	2.04	0.077	24.9	191.3	1.86	107.3	0.003	<1	2.12	0.018	0.11	<0.1	7.5	0.05	<0.02	<5
1813860	Core DUP	0.46	0.13	0.10	59	1.98	0.072	22.0	180.6	1.82	99.4	0.003	<1	2.05	0.016	0.10	<0.1	7.2	0.04	<0.02	<5
1813861	Drill Core	0.26	0.17	0.08	61	1.83	0.073	19.9	173.4	1.85	100.0	0.004	<1	2.00	0.015	0.11	<0.1	7.3	0.05	<0.02	<5
1813862	Drill Core	0.57	0.08	0.13	47	2.42	0.079	18.2	152.8	2.02	95.5	0.003	<1	2.11	0.009	0.10	<0.1	6.4	0.05	<0.02	<5
1813863	Drill Core	0.69	0.17	0.23	25	0.64	0.066	20.1	56.0	1.54	107.8	0.002	<1	1.67	0.008	0.14	<0.1	3.1	0.06	<0.02	<5
1813864	Drill Core	0.21	0.20	<0.02	23	0.39	0.066	19.9	29.6	1.73	103.5	0.003	<1	1.82	0.008	0.13	<0.1	2.2	0.05	<0.02	<5
1813865	Drill Core	0.70	0.14	0.18	19	0.79	0.059	20.4	24.2	1.47	123.5	0.003	<1	1.65	0.008	0.15	<0.1	2.0	0.06	<0.02	<5
1813866	Drill Core	1.21	0.81	0.76	41	0.44	0.086	18.5	43.2	1.99	116.3	0.007	<1	2.07	0.006	0.18	<0.1	3.6	0.11	<0.02	<5
1813867	Drill Core	3.56	0.71	0.55	43	0.64	0.077	6.9	26.9	2.01	89.6	0.035	<1	2.04	0.004	0.28	0.2	3.5	0.19	0.16	<5
1813868	Drill Core	1.34	0.58	0.15	58	1.72	0.081	11.7	35.2	1.98	63.0	0.064	1	2.03	0.004	0.18	0.3	4.6	0.10	0.06	<5
1813869	Drill Core	1.94	0.55	0.30	53	0.75	0.084	8.1	33.3	1.83	72.5	0.039	<1	1.97	0.005	0.20	0.2	3.9	0.14	0.22	<5
1813870	Drill Core	2.07	0.90	0.13	54	0.47	0.080	10.5	32.4	1.78	63.1	0.014	<1	2.02	0.005	0.21	0.1	3.7	0.14	0.02	<5
1813871	Drill Core	2.63	0.79	0.20	48	0.31	0.080	11.0	31.3	1.92	94.3	0.003	<1	2.02	0.004	0.16	<0.1	3.4	0.09	<0.02	<5
1813872	Drill Core	6.88	0.98	0.40	26	1.05	0.080	10.4	19.3	1.41	130.4	0.003	<1	1.49	0.004	0.15	<0.1	2.4	0.09	<0.02	<5
1813873	Drill Core	2.56	0.32	0.40	32	0.31	0.083	10.3	23.2	1.69	123.9	0.003	<1	1.71	0.004	0.14	<0.1	2.4	0.04	<0.02	<5
1813874	Drill Core	0.73	0.76	0.18	23	0.51	0.066	7.6	20.2	1.90	116.3	0.005	<1	1.78	0.004	0.16	<0.1	2.3	0.05	0.14	<5
1813875	Drill Core	0.17	0.33	0.17	42	0.52	0.073	8.3	33.0	1.95	114.7	0.005	<1	1.86	0.005	0.13	<0.1	2.9	0.04	0.04	<5
1813876	Drill Core	0.20	0.68	0.13	32	1.43	0.071	7.1	23.5	1.89	99.1	0.010	<1	1.76	0.004	0.16	<0.1	2.8	0.07	0.19	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 4 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000630.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813847	Drill Core	0.1	0.02	2.9	1.15	<0.1	0.18	0.12	15.9	0.6	<0.05	7.0	11.70	40.4	<0.02	<1	0.5	9.9	<10	<2
1813848	Drill Core	1.4	0.04	2.3	1.80	<0.1	0.31	<0.02	18.1	0.4	<0.05	12.8	10.14	47.1	<0.02	1	0.6	7.7	<10	<2
1813849	Drill Core	0.2	0.06	4.6	1.35	<0.1	0.15	<0.02	9.5	0.6	<0.05	6.3	9.49	48.7	<0.02	<1	0.4	16.3	<10	<2
1813850	Drill Core	0.7	0.02	2.6	1.30	<0.1	0.07	<0.02	10.8	0.6	<0.05	3.5	11.00	46.9	0.02	<1	0.2	11.0	<10	<2
1813851	Drill Core	0.3	0.02	4.4	0.80	<0.1	0.02	<0.02	8.6	0.5	<0.05	1.2	15.37	49.2	0.03	<1	0.2	14.5	<10	<2
1813852	Drill Core	0.1	0.02	4.0	0.82	<0.1	0.08	0.03	7.9	0.4	<0.05	7.3	9.31	41.2	0.02	<1	0.2	13.2	<10	<2
1813853	Drill Core	0.1	0.02	3.6	0.81	<0.1	0.10	<0.02	7.8	0.4	<0.05	3.9	8.66	36.9	<0.02	<1	0.1	12.3	<10	<2
1813854	Drill Core	0.2	<0.02	6.4	0.73	<0.1	0.07	<0.02	9.8	0.3	<0.05	2.6	11.84	46.3	0.02	<1	0.3	16.6	<10	<2
1813855	Drill Core	<0.1	0.03	6.3	1.67	<0.1	0.05	<0.02	11.3	0.5	<0.05	2.2	10.22	42.8	0.04	<1	0.4	19.9	<10	<2
1813856	Drill Core	0.8	0.09	7.9	1.68	<0.1	0.05	<0.02	9.9	0.5	<0.05	2.5	13.04	54.6	0.04	<1	0.6	23.0	<10	<2
1813857	Drill Core	0.9	0.12	8.7	2.74	<0.1	0.05	<0.02	10.2	0.2	<0.05	2.3	12.36	49.9	0.06	<1	0.5	29.4	<10	<2
1813858	Drill Core	0.3	0.02	11.8	2.12	<0.1	0.03	<0.02	7.1	0.5	<0.05	1.7	11.88	47.2	0.05	<1	0.8	36.4	<10	<2
1813859	Drill Core	<0.1	0.02	11.7	2.02	<0.1	0.03	<0.02	6.2	0.4	<0.05	1.6	12.14	46.4	0.03	<1	0.5	39.2	<10	<2
1813860	Core DUP	0.1	0.03	11.2	1.70	<0.1	0.03	<0.02	5.8	0.4	<0.05	1.6	11.84	42.6	0.03	<1	0.5	38.4	<10	<2
1813861	Drill Core	<0.1	0.02	9.3	1.89	<0.1	0.07	<0.02	6.6	0.4	<0.05	2.7	9.51	38.5	0.04	<1	0.6	35.3	<10	<2
1813862	Drill Core	<0.1	<0.02	8.5	0.75	<0.1	0.13	<0.02	5.5	0.2	<0.05	5.6	8.21	35.1	0.03	<1	0.3	25.6	<10	2
1813863	Drill Core	<0.1	<0.02	6.6	0.68	<0.1	0.23	<0.02	6.6	0.2	<0.05	8.8	6.51	38.8	0.02	<1	0.2	20.9	<10	<2
1813864	Drill Core	<0.1	0.03	6.8	0.43	<0.1	0.32	<0.02	6.1	0.2	<0.05	11.8	5.49	38.6	<0.02	<1	0.1	18.9	<10	<2
1813865	Drill Core	<0.1	<0.02	5.8	0.54	<0.1	0.28	<0.02	7.0	0.2	<0.05	11.9	6.89	39.1	<0.02	<1	0.3	19.9	<10	<2
1813866	Drill Core	1.9	0.14	8.1	3.54	<0.1	0.25	<0.02	10.0	0.4	<0.05	12.3	9.88	35.9	0.03	<1	0.4	44.3	<10	<2
1813867	Drill Core	2.2	0.06	4.9	3.83	<0.1	0.26	<0.02	15.8	0.5	<0.05	10.5	7.77	13.2	0.04	10	0.3	30.9	<10	<2
1813868	Drill Core	0.9	<0.02	6.1	2.18	<0.1	0.24	0.04	10.3	0.4	<0.05	9.1	11.90	21.4	0.02	<1	0.4	35.2	<10	<2
1813869	Drill Core	2.0	0.05	5.4	4.83	<0.1	0.23	<0.02	13.1	0.3	<0.05	8.4	9.24	16.2	<0.02	4	0.5	35.0	<10	<2
1813870	Drill Core	1.6	0.03	5.5	5.05	<0.1	0.19	<0.02	13.9	0.3	<0.05	7.9	8.89	20.0	<0.02	<1	0.6	36.9	<10	<2
1813871	Drill Core	1.3	<0.02	5.3	1.89	<0.1	0.14	<0.02	8.8	0.2	<0.05	8.1	7.59	20.7	<0.02	<1	0.4	35.7	<10	<2
1813872	Drill Core	4.4	0.06	3.2	0.95	<0.1	0.13	<0.02	5.5	0.3	<0.05	6.9	6.92	20.1	<0.02	<1	0.1	17.7	<10	<2
1813873	Drill Core	1.5	0.04	4.0	0.91	<0.1	0.12	<0.02	5.0	0.2	<0.05	6.6	4.47	20.0	0.04	<1	<0.1	18.8	<10	<2
1813874	Drill Core	1.6	0.07	4.2	1.60	<0.1	0.21	<0.02	5.9	0.2	<0.05	10.3	4.91	14.9	<0.02	7	0.4	20.1	<10	<2
1813875	Drill Core	1.3	0.06	5.0	0.56	<0.1	0.17	<0.02	4.8	0.2	<0.05	7.2	5.35	16.6	<0.02	2	<0.1	17.6	<10	<2
1813876	Drill Core	1.0	0.03	4.4	2.97	<0.1	0.17	<0.02	7.3	0.2	<0.05	7.4	6.32	13.9	<0.02	1	<0.1	19.4	<10	<2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 5 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000630.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1813877	Drill Core	1.78	416	0.006	<0.01	<0.17	49.00	1.59	29.75	21.77	81.0	367	20.7	11.7	714	2.66	10.7	1.0	3.5	4.6	103.7
1813878	Drill Core	2.64	422	0.006	<0.01	<0.17	45.69	1.89	51.16	40.73	144.4	589	28.4	14.5	857	3.18	22.1	1.0	2.5	4.3	68.7
1813879	Drill Core	2.59	416	0.015	0.04	0.31	41.97	2.26	43.37	8.51	140.8	238	34.3	11.6	480	2.91	17.6	1.2	13.3	4.7	37.4
1813880	Rock	0.23	170	<0.005	<0.01	<0.17	36.03	0.45	1.96	1.27	3.9	11	1.6	0.6	72	0.60	1.5	0.2	0.7	1.1	2.3
1813881	Drill Core	2.83	432	0.005	<0.01	<0.17	44.97	2.31	39.30	14.30	95.0	245	29.9	13.3	576	2.93	31.4	0.8	1.9	5.2	49.1
1813882	Drill Core	2.35	401	<0.005	<0.01	<0.17	41.23	1.79	28.65	13.35	106.4	176	21.2	10.6	479	2.95	22.4	0.5	0.4	6.0	36.5



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 5 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000630.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1813877	Drill Core	0.36	0.08	0.38	24	2.25	0.065	5.5	21.7	1.42	131.2	0.003	<1	1.50	0.006	0.14	<0.1	2.7	0.03	0.28
1813878	Drill Core	1.19	0.36	0.72	36	1.69	0.068	6.2	31.2	1.99	136.4	0.005	<1	1.97	0.005	0.14	<0.1	3.2	0.04	0.15
1813879	Drill Core	1.34	0.71	0.07	28	1.06	0.085	6.8	26.5	1.40	146.8	0.004	<1	1.45	0.003	0.15	<0.1	2.0	0.03	0.30
1813880	Rock	<0.01	0.05	<0.02	2	0.04	0.005	2.1	3.4	0.03	17.6	0.002	<1	0.08	0.002	0.02	<0.1	0.3	<0.02	<0.02
1813881	Drill Core	0.41	0.21	0.11	30	1.27	0.082	5.6	47.3	1.78	111.9	0.007	<1	1.72	0.004	0.16	<0.1	2.8	0.04	0.24
1813882	Drill Core	0.24	0.14	0.13	20	0.81	0.077	5.9	45.9	1.86	101.0	0.006	<1	1.78	0.003	0.14	<0.1	2.1	0.03	0.17



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 5 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000630.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1813877	Drill Core	1.2	0.08	3.8	0.31	<0.1	0.11	<0.02	4.5	0.2	<0.05	4.3	4.64	11.1	<0.02	1	<0.1	11.3	<10
1813878	Drill Core	2.0	0.09	5.0	0.40	<0.1	0.14	<0.02	4.5	0.2	<0.05	6.5	4.80	12.1	<0.02	1	<0.1	15.4	<10
1813879	Drill Core	1.7	0.04	3.9	0.58	<0.1	0.15	<0.02	5.4	0.2	<0.05	5.8	5.66	13.2	<0.02	3	0.2	13.0	<10
1813880	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.09	0.02	1.0	<0.1	<0.05	2.5	0.94	4.4	<0.02	<1	<0.1	1.4	<10
1813881	Drill Core	0.9	0.04	4.4	0.83	<0.1	0.14	<0.02	5.7	0.3	<0.05	5.4	4.00	10.7	<0.02	3	<0.1	13.6	21
1813882	Drill Core	0.7	<0.02	4.7	0.58	<0.1	0.16	<0.02	5.0	0.4	<0.05	7.5	3.75	11.5	<0.02	1	<0.1	15.4	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS  
Report Date: October 17, 2019

Page: 1 of 2

Part: 1 of 3

## QUALITY CONTROL REPORT

WHI19000630.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1813794	Drill Core	3.07	479	0.008	<0.01	<0.17	43.62	1.10	25.68	11.28	65.2	347	12.5	8.0	532	2.24	2.4	2.7	4.6	12.4	87.4
REP 1813794	QC							1.04	24.41	10.86	63.6	340	12.5	7.4	524	2.23	2.1	2.5	26.7	11.5	84.0
REP 1813827	QC							0.20	15.76	20.13	34.3	298	0.5	0.6	86	0.58	1.8	0.6	25.6	13.2	4.6
1813840	Rock Pulp	0.12	93	0.008				4.24	23.52	0.94	31.7	19	7.2	4.3	608	2.41	1.3	0.4	0.4	2.0	29.1
REP 1813840	QC	0.005																			
1813853	Drill Core	1.64	426	0.007	<0.01	<0.17	40.42	1.01	22.74	17.22	56.8	292	18.8	7.0	255	2.02	86.2	0.6	2.5	5.8	19.7
REP 1813853	QC	0.008																			
REP 1813861	QC							1.01	20.36	9.28	87.9	221	30.3	13.8	612	3.33	10.2	1.1	1.6	7.3	70.8
1813880	Rock	0.23	170	<0.005	<0.01	<0.17	36.03	0.45	1.96	1.27	3.9	11	1.6	0.6	72	0.60	1.5	0.2	0.7	1.1	2.3
REP 1813880	QC	<0.005																			
Core Reject Duplicates																					
1813793	Drill Core	3.10	412	0.009	<0.01	<0.17	37.91	1.42	15.36	18.42	51.3	226	12.2	7.2	568	2.16	3.4	1.1	3.7	12.0	57.5
DUP 1813793	QC	416		0.008	<0.01	<0.17	36.64	1.21	14.10	17.83	54.4	204	11.1	7.2	566	2.14	3.3	1.0	3.2	12.0	62.9
1813827	Drill Core	1.36	412	0.025	0.02	<0.17	40.44	0.20	15.63	18.93	32.3	288	0.5	0.5	80	0.56	1.9	0.6	21.0	12.4	4.5
DUP 1813827	QC	418		0.037	0.03	<0.17	38.75	0.22	14.97	19.50	33.8	288	0.5	0.5	83	0.58	1.8	0.6	31.6	13.1	4.5
1813861	Drill Core	3.44	418	<0.005	<0.01	<0.17	38.28	0.97	20.76	9.96	85.2	223	29.1	12.9	588	3.27	9.9	1.1	1.1	6.8	70.3
DUP 1813861	QC	412		<0.005	<0.01	<0.17	48.05	1.00	21.81	9.37	91.9	226	29.3	13.8	621	3.33	10.7	1.2	0.9	7.1	71.4
Reference Materials																					
STD BVGEO01	Standard							10.27	4337.04	178.06	1666.6	2479	155.3	23.4	699	3.58	116.1	3.3	210.8	12.8	53.0
STD DS11	Standard							15.15	162.67	147.95	341.2	1577	82.3	15.1	1048	3.06	41.8	2.7	56.3	8.5	63.0
STD DS11	Standard							16.03	164.59	139.00	346.3	1739	81.3	14.1	1049	3.15	44.0	2.5	106.4	7.8	58.4
STD OREAS262	Standard							0.65	125.50	53.09	148.8	451	67.1	27.6	535	3.20	35.3	1.1	50.2	8.5	32.2
STD OREAS262	Standard							0.71	123.78	59.88	144.0	419	66.8	28.1	527	3.20	33.5	1.2	48.1	11.0	32.9
STD OREAS262	Standard							0.65	128.61	53.76	159.7	460	65.8	28.1	549	3.26	34.2	1.1	49.6	8.4	30.7
STD OXB130	Standard	0.128																			
STD OXB130	Standard	0.119																			
STD OXI138	Standard	1.793																			
STD OXI138	Standard	1.810																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 1 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000630.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1813794	Drill Core	0.30	0.43	0.07	17	0.90	0.053	21.4	19.6	1.06	262.0	0.042	<1	1.25	0.019	0.36	0.2	4.2	0.14	0.08	<5
REP 1813794	QC	0.29	0.42	0.07	17	0.89	0.053	20.3	19.8	1.05	244.1	0.040	<1	1.22	0.019	0.35	0.2	4.3	0.14	0.08	<5
REP 1813827	QC	0.19	0.14	0.10	1	0.03	0.014	38.7	2.5	0.10	206.0	0.001	2	0.35	0.026	0.23	<0.1	1.0	0.07	<0.02	33
1813840	Rock Pulp	0.02	0.14	<0.02	23	0.80	0.038	5.7	16.5	0.49	58.4	0.077	2	1.04	0.066	0.08	0.2	3.0	<0.02	0.05	<5
REP 1813840	QC																				
1813853	Drill Core	0.35	1.16	0.14	14	0.42	0.047	19.2	19.6	0.73	149.6	0.004	<1	0.96	0.017	0.17	<0.1	3.9	0.07	<0.02	<5
REP 1813853	QC																				
REP 1813861	QC	0.28	0.17	0.07	64	1.86	0.071	22.2	182.8	1.89	108.9	0.004	<1	2.05	0.016	0.12	<0.1	7.7	0.05	<0.02	<5
1813880	Rock	<0.01	0.05	<0.02	2	0.04	0.005	2.1	3.4	0.03	17.6	0.002	<1	0.08	0.002	0.02	<0.1	0.3	<0.02	<0.02	<5
REP 1813880	QC																				
Core Reject Duplicates																					
1813793	Drill Core	0.22	0.22	0.06	16	0.72	0.052	20.6	18.1	0.92	212.5	0.010	<1	1.18	0.017	0.25	<0.1	3.4	0.08	0.02	<5
DUP 1813793	QC	0.21	0.25	0.06	16	0.75	0.052	21.1	18.8	0.94	226.0	0.012	<1	1.18	0.018	0.25	<0.1	3.6	0.08	0.03	<5
1813827	Drill Core	0.20	0.16	0.10	1	0.03	0.012	36.9	2.3	0.09	188.3	0.001	1	0.32	0.026	0.22	<0.1	0.9	0.07	<0.02	26
DUP 1813827	QC	0.19	0.14	0.11	1	0.03	0.014	38.3	2.4	0.09	199.0	0.001	<1	0.34	0.026	0.23	<0.1	1.0	0.06	<0.02	30
1813861	Drill Core	0.26	0.17	0.08	61	1.83	0.073	19.9	173.4	1.85	100.0	0.004	<1	2.00	0.015	0.11	<0.1	7.3	0.05	<0.02	<5
DUP 1813861	QC	0.26	0.18	0.06	64	1.86	0.073	21.8	181.3	1.89	106.4	0.004	<1	2.04	0.016	0.12	<0.1	7.4	0.06	<0.02	<5
Reference Materials																					
STD BVGE001	Standard	6.14	2.68	21.94	71	1.27	0.069	25.2	176.6	1.27	231.7	0.209	4	2.30	0.186	0.86	4.6	5.6	0.57	0.65	89
STD DS11	Standard	2.36	6.87	11.60	49	1.05	0.067	19.5	63.9	0.84	359.4	0.096	6	1.15	0.071	0.40	2.9	3.2	4.99	0.28	222
STD DS11	Standard	2.36	7.08	11.08	50	1.07	0.071	18.4	63.7	0.85	364.5	0.090	6	1.20	0.073	0.40	2.8	3.3	4.93	0.28	271
STD OREAS262	Standard	0.62	3.64	0.91	21	2.90	0.039	15.5	44.8	1.17	241.8	0.003	3	1.33	0.068	0.30	0.2	3.3	0.44	0.26	164
STD OREAS262	Standard	0.61	3.49	1.00	22	3.00	0.036	16.0	41.8	1.16	246.0	0.003	3	1.27	0.070	0.31	0.2	3.1	0.42	0.26	149
STD OREAS262	Standard	0.62	3.62	0.89	20	2.92	0.038	14.6	44.9	1.19	245.9	0.003	3	1.32	0.070	0.30	0.2	3.1	0.43	0.27	143
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 1 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000630.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1813794	Drill Core	<0.1	<0.02	5.5	2.51	<0.1	0.24	0.02	18.6	0.5	<0.05	7.1	12.98	38.8	<0.02	2	0.5	19.8	<10	<2
REP 1813794	QC	<0.1	<0.02	5.3	2.36	<0.1	0.17	0.02	17.8	0.5	<0.05	6.0	12.35	37.8	<0.02	1	0.5	19.1	<10	<2
REP 1813827	QC	0.1	<0.02	1.5	0.42	<0.1	0.19	<0.02	11.8	0.2	<0.05	7.7	7.35	79.4	<0.02	<1	0.2	3.6	<10	<2
1813840	Rock Pulp	<0.1	<0.02	4.1	0.13	<0.1	0.15	0.22	2.0	1.8	<0.05	3.9	7.72	11.5	<0.02	<1	0.3	0.9	<10	<2
REP 1813840	QC																			
1813853	Drill Core	0.1	0.02	3.6	0.81	<0.1	0.10	<0.02	7.8	0.4	<0.05	3.9	8.66	36.9	<0.02	<1	0.1	12.3	<10	<2
REP 1813853	QC																			
REP 1813861	QC	<0.1	<0.02	9.2	1.96	<0.1	0.09	<0.02	7.0	0.4	<0.05	2.8	10.13	41.7	0.05	<1	0.6	34.2	<10	<2
1813880	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.09	0.02	1.0	<0.1	<0.05	2.5	0.94	4.4	<0.02	<1	<0.1	1.4	<10	<2
REP 1813880	QC																			
Core Reject Duplicates																				
1813793	Drill Core	<0.1	<0.02	5.2	1.64	<0.1	0.23	<0.02	11.4	0.5	<0.05	7.2	9.69	38.9	0.02	<1	0.6	20.7	<10	<2
DUP 1813793	QC	<0.1	<0.02	5.4	1.65	<0.1	0.23	<0.02	12.4	0.4	<0.05	7.8	9.28	38.8	0.02	<1	0.6	20.6	<10	<2
1813827	Drill Core	<0.1	<0.02	1.3	0.46	<0.1	0.17	<0.02	11.1	0.2	<0.05	7.4	7.00	77.9	<0.02	<1	0.2	3.5	<10	<2
DUP 1813827	QC	<0.1	<0.02	1.4	0.43	<0.1	0.19	<0.02	11.5	0.2	<0.05	7.4	6.81	80.9	<0.02	<1	0.2	3.9	<10	<2
1813861	Drill Core	<0.1	0.02	9.3	1.89	<0.1	0.07	<0.02	6.6	0.4	<0.05	2.7	9.51	38.5	0.04	<1	0.6	35.3	<10	<2
DUP 1813861	QC	0.1	<0.02	9.4	1.93	<0.1	0.06	<0.02	6.9	0.4	<0.05	2.7	10.04	41.1	0.04	<1	0.3	34.7	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.8	0.97	6.8	7.08	0.1	0.36	0.20	91.2	4.8	<0.05	9.7	13.66	50.6	0.36	3	0.4	20.2	113	167
STD DS11	Standard	2.2	4.71	5.0	2.80	<0.1	0.10	1.62	33.4	1.7	<0.05	3.3	7.55	38.5	0.23	45	0.8	24.0	108	160
STD DS11	Standard	2.1	4.59	4.9	2.88	<0.1	0.06	1.62	33.4	1.7	<0.05	3.1	7.66	37.1	0.26	45	1.2	22.5	104	169
STD OREAS262	Standard	0.3	0.19	4.0	2.51	<0.1	0.29	<0.02	18.5	0.5	<0.05	11.3	10.48	31.4	0.03	<1	1.3	16.1	<10	<2
STD OREAS262	Standard	0.2	0.24	3.7	2.38	<0.1	0.24	<0.02	17.4	0.6	<0.05	8.6	10.31	30.7	0.02	<1	1.0	17.1	<10	<2
STD OREAS262	Standard	0.4	0.24	3.8	2.43	<0.1	0.26	<0.02	17.9	0.5	<0.05	11.2	10.03	29.9	0.05	2	1.3	16.0	<10	<2
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 2 of 2

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000630.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXN117	Standard			7.683																	
STD OXN117	Standard			7.639																	
STD OXQ90	Standard					25.21	29.99														
STD OXQ90	Standard					25.22	30.18														
STD OXQ90	Standard					25.00	30.16														
STD OXQ90	Standard					24.51	30.39														
STD OXQ90	Standard					26.76	30.05														
STD OXQ90	Standard					25.34	30.50														
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.5	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		395	<0.005	<0.01	<0.17	36.34	1.05	5.74	6.18	52.9	80	1.5	4.4	558	1.99	0.6	0.4	0.8	2.4	23.0
ROCK-WHI	Prep Blank		430	<0.005	<0.01	<0.17	42.68	0.91	3.34	2.14	36.5	25	1.8	4.4	567	2.03	0.8	0.4	0.6	2.6	19.6



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 2 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000630.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.6	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.09	0.10	0.02	25	0.70	0.041	6.4	4.4	0.52	55.6	0.079	2	0.92	0.074	0.08	<0.1	3.1	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.03	0.06	<0.02	26	0.67	0.041	6.4	5.8	0.58	54.3	0.073	2	0.94	0.072	0.08	<0.1	3.1	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 17, 2019

**Page:** 2 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000630.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.12	<0.1	0.10	0.16	2.0	0.5	<0.05	2.1	8.68	12.4	0.02	<1	0.2	1.3	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	4.1	0.13	<0.1	0.12	0.09	2.0	0.4	<0.05	2.4	8.74	12.2	<0.02	<1	0.2	1.5	<10	<2