



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 03, 2019
Report Date: October 18, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000639.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-59
P.O. Number
Number of Samples: 120

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	115	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	120	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	120	Analysis sample split/packet			WHI
Split -150	120	Analysis sample split/packet			WHI
EN002	120	Environmental disposal charge-Fire assay lead waste			VAN
FS631	116	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	120	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	120	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 18, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000639.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1887291	Drill Core	3.96	381	0.016	0.01	<0.17	25.26	0.51	2.34	21.85	6.4	189	0.4	0.5	35	0.36	2.4	1.2	11.5	12.8	6.9
1887292	Drill Core	4.01	447	0.040	0.04	<0.17	35.93	0.32	2.48	20.24	5.6	211	0.5	0.3	26	0.32	1.8	1.1	14.2	9.7	4.6
1887293	Drill Core	4.35	447	0.012	0.01	<0.17	34.99	0.32	2.47	19.87	4.8	243	0.4	0.3	27	0.31	1.1	1.0	9.4	8.8	7.9
1887294	Drill Core	2.55	472	0.107	0.10	<0.17	33.24	0.50	3.60	52.94	7.6	1808	0.5	0.3	32	0.41	3.4	1.4	70.1	9.9	5.6
1887295	Drill Core	2.16	511	0.013	0.01	<0.17	34.18	0.24	1.96	22.03	4.9	266	0.4	0.3	25	0.30	0.9	1.0	7.2	7.4	4.1
1887296	Drill Core	2.10	441	0.137	0.36	2.69	37.96	0.38	2.28	22.46	6.3	313	0.4	0.2	30	0.33	1.2	1.3	112.6	9.5	5.6
1887297	Drill Core	2.90	459	0.015	0.01	<0.17	38.84	0.24	2.30	11.81	5.0	214	0.4	0.3	28	0.27	0.6	0.8	4.9	8.2	7.7
1887298	Drill Core	2.11	454	0.090	0.08	<0.17	35.61	0.27	2.70	19.51	5.8	285	0.5	0.3	33	0.30	1.0	1.1	43.5	10.4	4.5
1887299	Drill Core	1.89	470	0.017	0.02	<0.17	32.24	0.31	2.93	37.48	4.7	660	0.6	0.4	40	0.35	1.5	1.2	13.5	10.1	28.4
1887300	Rock Pulp	0.12	91	7.334				9.06	185.90	18.76	71.3	821	13.7	10.8	542	4.45	12.3	0.9	7323.1	3.1	69.3
1887301	Drill Core	2.32	464	0.086	0.08	<0.17	40.57	0.55	3.59	37.69	9.3	2009	0.5	0.6	33	0.48	2.4	1.5	62.9	9.5	9.5
1887302	Drill Core	2.82	444	0.015	0.01	<0.17	39.83	0.24	3.91	23.42	5.7	163	0.5	0.7	32	0.30	0.2	1.0	9.0	11.6	5.8
1887303	Drill Core	3.23	446	0.009	<0.01	<0.17	28.07	0.20	1.99	11.32	4.7	177	0.4	0.3	30	0.25	0.7	1.3	5.8	14.4	4.8
1887304	Drill Core	2.67	464	0.022	0.02	<0.17	34.61	0.36	3.78	22.39	6.3	196	0.5	0.2	38	0.37	3.0	1.3	16.5	13.0	2.7
1887305	Drill Core	2.92	441	0.007	<0.01	<0.17	29.54	0.25	2.59	14.56	5.5	178	0.4	0.3	27	0.27	1.7	1.4	4.5	14.2	3.8
1887306	Drill Core	3.56	508	0.008	<0.01	<0.17	40.68	0.34	2.90	15.41	5.5	182	0.7	0.2	32	0.30	1.0	1.5	2.7	14.8	3.8
1887307	Drill Core	2.88	451	0.007	<0.01	<0.17	41.80	0.34	2.02	15.63	7.3	173	0.6	0.4	34	0.34	1.9	1.6	3.2	16.2	3.0
1887308	Drill Core	3.09	409	0.006	<0.01	<0.17	31.79	0.32	2.02	21.98	7.5	145	0.7	0.2	36	0.31	2.4	1.5	4.7	14.9	2.5
1887309	Drill Core	3.23	371	0.010	<0.01	<0.17	40.92	0.55	2.21	27.68	8.2	206	0.5	0.4	43	0.36	1.7	2.0	6.6	19.4	3.1
1887310	Drill Core	2.89	495	0.008	<0.01	<0.17	38.64	0.33	3.05	19.48	6.0	169	0.4	0.4	36	0.32	2.2	1.5	8.1	18.2	3.6
1887311	Drill Core	2.63	506	0.016	0.01	<0.17	40.01	0.34	2.86	14.19	4.7	159	0.4	0.3	34	0.31	1.2	1.8	25.6	16.2	7.1
1887312	Drill Core	3.54	471	0.015	0.01	<0.17	46.28	0.35	1.92	14.56	4.9	160	0.5	0.4	30	0.31	1.2	1.5	4.7	15.5	3.8
1887313	Drill Core	2.65	460	0.013	0.01	<0.17	35.81	0.36	2.87	27.61	6.4	171	0.5	0.2	38	0.38	2.7	1.9	9.4	17.0	4.1
1887314	Drill Core	3.23	443	0.007	<0.01	<0.17	41.05	0.23	2.19	14.98	5.0	178	0.6	0.2	30	0.28	1.1	1.7	5.4	17.3	5.6
1887315	Drill Core	3.53	463	0.007	<0.01	<0.17	46.46	0.23	2.71	23.76	6.2	197	0.5	0.4	35	0.30	1.3	1.5	3.7	14.1	17.3
1887316	Drill Core	2.29	481	0.016	0.01	<0.17	40.62	0.26	4.09	28.89	9.7	226	0.4	0.6	42	0.32	2.3	2.4	13.4	17.9	7.6
1887317	Drill Core	2.63	446	0.012	0.06	0.59	35.52	0.35	3.66	23.40	13.3	222	0.7	0.3	36	0.36	1.8	2.5	6.8	17.6	7.3
1887318	Drill Core	3.38	441	0.016	0.01	<0.17	34.46	0.46	4.41	17.89	21.1	298	0.7	0.3	42	0.42	3.6	1.8	10.4	17.5	8.2
1887319	Drill Core	4.04	403	0.022	0.02	<0.17	47.97	0.28	4.15	16.81	10.7	155	0.5	0.4	51	0.36	1.2	1.4	6.4	17.7	7.2
1887320	Rock Pulp	0.12	95	0.564				6.62	115.74	84.69	145.5	614	11.5	4.9	601	2.45	40.5	0.4	528.0	5.0	36.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 18, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000639.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887291	Drill Core		0.02	0.22	0.06	<1	0.01	0.003	27.3	2.0	0.02	892.1	<0.001	<1	0.19	0.042	0.16	0.2	0.4	0.03	0.02	<5		
1887292	Drill Core		<0.01	0.16	0.05	<1	0.01	0.003	25.7	2.0	0.02	440.2	<0.001	<1	0.19	0.045	0.16	0.2	0.5	0.03	<0.02	<5		
1887293	Drill Core		<0.01	0.14	0.05	<1	0.01	0.003	25.1	2.2	0.02	906.8	<0.001	<1	0.17	0.044	0.14	<0.1	0.4	0.03	0.02	<5		
1887294	Drill Core		0.01	0.56	0.68	<1	0.01	0.003	23.3	2.5	0.02	393.3	<0.001	<1	0.19	0.037	0.16	<0.1	0.4	0.04	<0.02	10		
1887295	Drill Core		<0.01	0.14	0.07	<1	0.01	0.002	21.1	2.0	0.02	313.2	<0.001	<1	0.18	0.031	0.16	<0.1	0.5	0.03	<0.02	<5		
1887296	Drill Core		0.01	0.20	0.07	<1	<0.01	0.003	27.2	2.0	0.02	409.4	<0.001	<1	0.18	0.039	0.16	<0.1	0.4	0.04	<0.02	7		
1887297	Drill Core		<0.01	0.26	0.08	<1	<0.01	0.002	20.8	2.0	0.02	620.0	<0.001	<1	0.20	0.033	0.19	<0.1	0.4	0.04	<0.02	<5		
1887298	Drill Core		0.02	0.59	0.06	<1	0.01	0.003	29.6	2.0	0.02	406.2	<0.001	<1	0.22	0.029	0.20	0.1	0.4	0.04	<0.02	<5		
1887299	Drill Core		<0.01	1.36	0.12	<1	<0.01	0.002	20.1	3.5	0.02	1784.0	<0.001	<1	0.19	0.027	0.18	0.3	0.3	0.04	0.04	7		
1887300	Rock Pulp		0.18	4.55	0.56	108	0.90	0.062	7.5	18.1	0.83	118.2	0.114	2	1.67	0.172	0.22	3.5	4.1	0.07	<0.02	188		
1887301	Drill Core		0.04	0.77	0.43	<1	<0.01	0.002	16.9	2.4	0.02	734.4	<0.001	<1	0.16	0.042	0.12	0.2	0.4	0.03	0.03	7		
1887302	Drill Core		0.04	0.18	0.08	<1	<0.01	0.003	22.6	2.7	0.02	517.0	<0.001	<1	0.20	0.044	0.16	0.1	0.5	0.04	<0.02	<5		
1887303	Drill Core		0.03	0.18	0.12	<1	<0.01	0.002	23.8	2.6	0.02	349.2	<0.001	<1	0.18	0.036	0.16	<0.1	0.4	0.04	<0.02	5		
1887304	Drill Core		0.03	0.38	0.22	<1	<0.01	0.003	28.0	3.1	0.02	160.6	<0.001	<1	0.20	0.018	0.21	<0.1	0.5	0.05	<0.02	<5		
1887305	Drill Core		0.03	0.19	0.14	<1	<0.01	0.002	20.1	2.9	0.02	299.8	<0.001	<1	0.18	0.019	0.19	<0.1	0.4	0.04	<0.02	<5		
1887306	Drill Core		0.02	0.23	0.13	<1	<0.01	0.002	26.8	1.7	0.02	230.6	<0.001	<1	0.18	0.024	0.18	<0.1	0.4	0.04	<0.02	<5		
1887307	Drill Core		0.03	0.25	0.16	<1	<0.01	0.002	23.9	1.6	0.02	165.2	<0.001	<1	0.18	0.030	0.17	<0.1	0.5	0.04	<0.02	<5		
1887308	Drill Core		0.03	0.29	0.16	<1	<0.01	0.003	22.9	2.1	0.02	152.5	<0.001	<1	0.21	0.021	0.21	<0.1	0.5	0.05	<0.02	<5		
1887309	Drill Core		0.05	0.32	0.17	<1	0.01	0.004	34.2	1.7	0.03	193.1	<0.001	<1	0.27	0.025	0.25	0.1	0.6	0.06	<0.02	<5		
1887310	Drill Core		0.03	0.21	0.13	<1	<0.01	0.003	29.2	2.0	0.02	295.2	<0.001	<1	0.19	0.025	0.19	<0.1	0.5	0.04	<0.02	<5		
1887311	Drill Core		0.02	0.18	0.15	<1	<0.01	0.002	25.0	1.6	0.02	599.3	<0.001	<1	0.20	0.028	0.19	<0.1	0.3	0.04	<0.02	<5		
1887312	Drill Core		<0.01	0.18	0.15	<1	<0.01	0.002	22.6	1.3	0.02	261.0	<0.001	<1	0.20	0.040	0.16	<0.1	0.6	0.05	0.02	<5		
1887313	Drill Core		0.03	0.29	0.12	<1	0.01	0.003	23.7	1.7	0.02	259.7	<0.001	<1	0.20	0.033	0.17	<0.1	0.5	0.04	<0.02	<5		
1887314	Drill Core		0.02	0.21	0.13	<1	<0.01	0.003	24.3	2.1	0.02	421.9	<0.001	<1	0.18	0.026	0.17	0.1	0.4	0.04	<0.02	<5		
1887315	Drill Core		0.02	0.52	0.14	<1	<0.01	0.003	24.9	1.8	0.02	1022.1	<0.001	<1	0.21	0.041	0.17	<0.1	0.4	0.04	0.03	<5		
1887316	Drill Core		0.04	0.31	0.13	<1	0.01	0.004	32.0	1.8	0.03	434.2	<0.001	1	0.22	0.030	0.17	<0.1	0.4	0.04	<0.02	<5		
1887317	Drill Core		0.04	0.30	0.12	<1	0.02	0.004	31.3	2.7	0.03	502.0	<0.001	<1	0.23	0.040	0.17	<0.1	0.6	0.03	0.02	<5		
1887318	Drill Core		0.05	0.40	0.13	<1	0.03	0.004	31.7	2.5	0.05	694.8	<0.001	<1	0.27	0.031	0.18	0.2	0.5	0.05	0.03	<5		
1887319	Drill Core		0.02	0.21	0.13	<1	<0.01	0.004	33.4	2.2	0.03	664.9	<0.001	<1	0.25	0.039	0.21	<0.1	0.6	0.05	0.02	<5		
1887320	Rock Pulp		0.56	2.88	0.10	30	0.83	0.032	5.9	24.0	0.49	84.5	0.086	6	1.13	0.091	0.10	4.8	3.2	0.20	0.09	156		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 18, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000639.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1887291	Drill Core	<0.1	0.03	0.7	0.17	<0.1	0.58	0.06	6.7	0.3	<0.05	13.5	3.79	51.8	<0.02	<1	<0.1	1.5	<10
1887292	Drill Core	<0.1	<0.02	0.6	0.22	<0.1	0.58	0.05	7.1	0.2	<0.05	13.8	4.13	54.1	<0.02	<1	0.4	1.6	<10
1887293	Drill Core	<0.1	0.03	0.5	0.19	<0.1	0.47	0.05	5.9	0.3	<0.05	11.1	3.79	48.7	<0.02	<1	0.2	1.4	<10
1887294	Drill Core	<0.1	0.57	0.6	0.23	<0.1	0.46	0.05	6.8	0.3	<0.05	12.8	4.08	47.8	<0.02	<1	<0.1	2.0	<10
1887295	Drill Core	<0.1	0.03	0.6	0.17	<0.1	0.43	0.05	6.4	0.2	<0.05	10.4	3.45	42.3	<0.02	<1	0.4	1.3	<10
1887296	Drill Core	<0.1	0.03	0.6	0.16	<0.1	0.57	0.04	6.9	0.2	<0.05	13.6	4.11	53.1	<0.02	<1	<0.1	1.3	<10
1887297	Drill Core	<0.1	<0.02	0.7	0.16	<0.1	0.45	0.05	7.2	0.2	<0.05	11.1	3.56	41.6	<0.02	<1	0.3	1.1	<10
1887298	Drill Core	<0.1	<0.02	0.8	0.22	<0.1	0.50	0.05	8.4	0.3	<0.05	13.5	4.77	59.6	<0.02	<1	<0.1	1.7	<10
1887299	Drill Core	<0.1	0.07	0.7	0.15	<0.1	0.49	0.06	6.6	0.2	<0.05	13.6	3.47	39.9	<0.02	1	<0.1	0.9	<10
1887300	Rock Pulp	<0.1	0.15	4.4	0.67	<0.1	0.08	0.11	8.2	2.0	<0.05	1.1	5.27	16.0	0.05	<1	0.1	6.6	<10
1887301	Drill Core	<0.1	0.76	0.3	0.14	<0.1	0.39	0.03	5.2	0.2	<0.05	7.9	3.53	34.6	<0.02	<1	0.2	0.9	<10
1887302	Drill Core	<0.1	<0.02	0.6	0.18	<0.1	0.43	0.06	6.9	0.5	<0.05	9.6	4.67	43.6	<0.02	<1	0.2	1.1	<10
1887303	Drill Core	<0.1	<0.02	0.5	0.21	<0.1	0.40	0.14	7.1	0.3	<0.05	10.8	4.34	47.1	<0.02	<1	0.2	0.9	<10
1887304	Drill Core	<0.1	<0.02	0.5	0.26	<0.1	0.55	0.12	8.2	0.4	<0.05	13.4	5.41	56.1	<0.02	<1	0.4	1.1	<10
1887305	Drill Core	<0.1	<0.02	0.5	0.17	<0.1	0.52	0.09	7.5	0.3	<0.05	12.4	3.87	42.5	<0.02	<1	0.2	1.0	<10
1887306	Drill Core	<0.1	<0.02	0.5	0.19	<0.1	0.51	0.14	7.3	0.5	<0.05	12.9	5.70	55.3	<0.02	<1	0.2	1.1	<10
1887307	Drill Core	<0.1	<0.02	0.5	0.18	<0.1	0.54	0.14	7.2	0.2	<0.05	13.4	5.05	49.3	<0.02	<1	0.2	1.3	<10
1887308	Drill Core	<0.1	<0.02	0.7	0.22	<0.1	0.60	0.10	9.4	0.2	<0.05	16.3	4.37	45.4	<0.02	<1	0.3	1.6	<10
1887309	Drill Core	<0.1	<0.02	0.8	0.23	<0.1	0.61	0.03	10.9	0.3	<0.05	17.0	6.62	71.4	<0.02	<1	0.3	1.8	<10
1887310	Drill Core	<0.1	<0.02	0.5	0.28	<0.1	0.47	0.08	9.0	0.3	<0.05	14.2	6.04	58.8	<0.02	<1	0.2	1.4	<10
1887311	Drill Core	<0.1	<0.02	0.5	0.27	<0.1	0.45	0.11	8.1	0.4	<0.05	12.7	5.65	49.4	<0.02	<1	0.2	1.2	<10
1887312	Drill Core	<0.1	<0.02	0.6	0.22	<0.1	0.43	0.14	7.1	0.2	<0.05	12.3	4.98	45.5	<0.02	<1	0.2	1.0	<10
1887313	Drill Core	<0.1	<0.02	0.6	0.26	<0.1	0.45	0.09	7.9	0.2	<0.05	13.0	5.87	51.2	<0.02	<1	0.2	1.3	<10
1887314	Drill Core	<0.1	<0.02	0.5	0.18	<0.1	0.59	0.12	8.0	0.2	<0.05	14.1	5.07	50.3	<0.02	<1	0.3	1.1	<10
1887315	Drill Core	<0.1	<0.02	0.7	0.19	<0.1	0.57	0.07	8.1	0.1	<0.05	14.7	4.26	50.0	<0.02	<1	0.2	0.7	<10
1887316	Drill Core	<0.1	<0.02	0.6	0.57	<0.1	0.58	0.05	7.8	0.2	<0.05	15.1	6.50	61.7	<0.02	<1	0.2	1.1	<10
1887317	Drill Core	<0.1	<0.02	0.6	0.42	<0.1	0.58	0.05	7.6	0.2	<0.05	16.2	6.73	60.2	<0.02	<1	0.3	1.3	<10
1887318	Drill Core	<0.1	<0.02	0.8	1.05	<0.1	0.40	0.03	9.0	0.3	<0.05	13.2	6.20	62.2	<0.02	<1	0.3	1.5	<10
1887319	Drill Core	<0.1	<0.02	0.7	0.33	<0.1	0.50	0.04	10.6	0.3	<0.05	14.4	6.02	65.9	<0.02	<1	0.3	1.4	<10
1887320	Rock Pulp	<0.1	0.03	4.3	0.22	0.1	0.20	0.26	2.7	2.0	<0.05	5.2	8.11	11.9	<0.02	<1	0.2	1.3	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 18, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000639.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1887321	Drill Core	3.03	421	0.010	<0.01	<0.17	33.81	0.22	6.71	25.64	10.3	296	0.5	0.4	43	0.29	1.6	1.7	4.1	11.8
1887322	Drill Core	3.31	469	0.021	0.02	<0.17	43.08	0.49	18.64	150.18	12.0	1383	0.5	0.8	65	0.36	4.3	1.8	21.1	5.6
1887323	Drill Core	3.06	429	0.017	0.01	<0.17	45.54	0.48	19.52	122.46	5.2	726	0.4	0.2	36	0.45	2.0	1.3	13.8	9.3
1887324	Drill Core	2.80	450	0.156	0.14	<0.17	43.65	0.49	10.68	26.70	7.0	283	0.5	0.2	34	0.41	1.9	1.3	21.1	9.2
1887325	Drill Core	3.30	397	0.020	0.02	<0.17	47.90	0.26	6.70	27.29	10.5	329	0.6	0.3	34	0.38	2.6	1.8	8.0	16.7
1887326	Drill Core	3.10	418	0.023	0.02	<0.17	44.98	0.57	5.65	18.81	16.8	235	0.9	1.1	130	0.62	22.0	2.4	21.1	24.8
1887327	Drill Core	2.67	381	0.130	0.12	<0.17	45.20	1.25	10.35	38.78	37.4	714	3.6	4.1	280	1.02	110.1	1.8	118.4	44.3
1887328	Drill Core	3.14	396	0.047	0.04	<0.17	43.22	0.70	11.00	21.85	38.6	350	3.0	3.4	224	0.79	36.2	2.3	42.3	44.5
1887329	Drill Core	3.19	424	0.073	0.07	<0.17	46.41	0.25	8.76	5.44	14.3	284	1.0	1.7	97	0.81	29.9	3.5	65.0	29.9
1887330	Drill Core	2.74	404	0.083	0.08	<0.17	47.18	0.77	20.31	20.51	28.4	408	3.2	3.7	313	0.88	34.1	3.6	74.6	45.3
1887331	Drill Core	2.53	513	0.097	0.09	<0.17	48.94	0.22	9.85	23.54	15.1	359	1.1	2.2	215	0.80	25.6	2.3	47.3	56.3
1887332	Drill Core	2.94	375	0.178	0.16	<0.17	45.51	0.54	10.48	31.20	20.8	494	1.7	2.8	239	1.04	35.4	2.8	144.4	68.7
1887333	Drill Core	2.90	396	0.189	0.20	0.29	48.48	0.22	25.60	24.85	23.3	1129	3.5	4.4	178	0.93	27.6	1.8	190.9	57.5
1887334	Drill Core	3.40	423	0.771	0.73	0.42	47.16	0.44	18.70	96.49	30.3	2439	2.8	2.4	238	1.06	8.3	2.1	511.3	93.5
1887335	Drill Core	3.26	482	0.050	0.05	<0.17	49.55	0.56	5.73	10.08	17.8	106	1.4	2.4	325	1.04	0.6	1.3	72.7	131.3
1887336	Drill Core	3.09	384	0.072	0.06	<0.17	45.99	0.38	6.21	11.75	18.2	153	1.7	2.7	376	1.24	16.7	1.7	81.0	146.3
1887337	Drill Core	2.67	429	0.225	0.24	0.39	45.84	0.35	10.89	9.81	48.8	374	2.7	2.7	254	1.32	129.8	2.4	181.1	45.5
1887338	Drill Core	3.08	415	0.025	0.02	<0.17	46.79	0.22	6.57	22.93	42.2	155	5.2	3.1	302	1.48	8.7	2.5	16.4	108.5
1887339	Drill Core	3.00	423	0.022	0.02	<0.17	45.45	0.57	5.58	19.21	53.5	122	8.1	4.7	342	1.74	6.3	3.3	12.5	102.1
1887340	Rock Pulp	0.12	92	<0.005				4.02	21.79	1.07	31.8	24	7.2	4.2	579	2.43	1.4	0.4	1.1	31.4
1887341	Drill Core	3.48	429	0.109	0.11	<0.17	38.83	1.49	12.08	30.20	38.1	247	7.5	5.1	349	1.74	93.3	3.2	106.2	116.7
1887342	Drill Core	2.98	387	0.240	0.23	<0.17	43.65	1.53	9.16	6.19	22.1	206	2.1	3.3	273	1.21	55.9	3.0	199.8	81.1
1887343	Drill Core	2.94	410	0.056	0.05	<0.17	35.32	0.33	7.47	10.96	30.2	116	3.1	3.3	325	1.39	6.3	2.5	41.3	129.9
1887344	Drill Core	3.02	429	0.248	0.26	0.33	42.09	0.34	13.20	5.73	45.5	409	3.7	4.1	309	1.55	32.9	2.4	261.5	113.8
1887345	Drill Core	3.50	486	0.177	0.17	<0.17	35.05	0.32	17.90	17.91	41.3	410	3.3	3.6	283	1.45	0.7	2.7	195.6	90.3
1887346	Drill Core	3.17	377	0.062	0.06	<0.17	44.82	0.56	15.94	16.57	45.5	139	4.9	4.5	283	1.66	3.2	2.2	72.4	83.8
1887347	Drill Core	3.14	385	0.026	0.02	<0.17	43.87	0.63	7.89	19.15	48.7	165	3.3	3.8	299	1.46	79.5	2.3	24.6	55.9
1887348	Drill Core	3.21	427	0.017	0.02	<0.17	41.61	0.33	28.40	38.71	49.4	319	1.8	2.1	210	0.98	16.0	1.4	12.8	47.1
1887349	Drill Core	2.81	408	0.017	0.01	<0.17	43.79	0.40	7.86	13.58	38.9	126	2.4	2.5	289	0.93	30.1	2.2	19.3	70.6
1887350	Drill Core	2.91	433	0.022	0.03	<0.17	43.03	0.76	22.99	20.62	60.6	297	10.1	9.3	446	1.89	70.2	2.2	28.0	119.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 18, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000639.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887321	Drill Core	0.03	0.29	0.11	<1	0.02	0.005	38.6	2.1	0.02	1233.3	<0.001	<1	0.21	0.030	0.17	<0.1	0.4	0.04	<5
1887322	Drill Core	0.03	2.39	0.15	<1	0.02	0.004	31.6	2.0	0.03	163.3	<0.001	<1	0.21	0.041	0.17	0.1	0.5	0.04	<5
1887323	Drill Core	<0.01	0.82	0.08	<1	0.01	0.003	23.1	2.1	0.02	449.4	<0.001	<1	0.19	0.044	0.16	<0.1	0.4	0.04	<5
1887324	Drill Core	<0.01	0.61	0.10	<1	<0.01	0.004	28.6	2.3	0.03	441.4	<0.001	<1	0.21	0.034	0.19	<0.1	0.5	0.05	<5
1887325	Drill Core	0.02	0.86	0.12	<1	<0.01	0.004	28.6	2.4	0.03	646.6	<0.001	<1	0.24	0.040	0.18	<0.1	0.6	0.04	<5
1887326	Drill Core	0.23	0.66	0.13	<1	0.36	0.009	32.5	3.0	0.18	191.6	<0.001	<1	0.33	0.012	0.25	<0.1	0.8	0.06	<5
1887327	Drill Core	0.35	1.19	0.28	2	0.72	0.025	18.4	3.5	0.23	238.4	<0.001	<1	0.36	0.006	0.25	0.7	1.2	0.07	<5
1887328	Drill Core	0.25	0.66	0.18	2	0.69	0.033	22.1	2.7	0.18	431.8	<0.001	<1	0.42	0.009	0.25	0.2	1.0	0.07	<5
1887329	Drill Core	0.11	0.78	<0.02	1	0.11	0.031	27.7	2.5	0.08	547.5	0.001	<1	0.32	0.035	0.25	<0.1	0.9	0.08	9
1887330	Drill Core	0.26	0.77	0.17	1	0.49	0.031	25.8	2.8	0.19	649.3	<0.001	<1	0.49	0.013	0.30	<0.1	1.1	0.11	<5
1887331	Drill Core	0.13	0.48	0.23	1	0.78	0.033	21.0	2.1	0.27	195.6	<0.001	<1	0.42	0.016	0.25	0.1	1.0	0.08	<5
1887332	Drill Core	0.15	0.45	0.41	2	0.87	0.032	20.8	2.9	0.43	189.8	0.001	<1	0.60	0.025	0.30	0.1	1.2	0.09	<5
1887333	Drill Core	0.13	0.55	0.05	3	0.70	0.036	17.9	6.8	0.27	200.0	0.002	<1	0.39	0.026	0.29	0.2	1.6	0.07	<5
1887334	Drill Core	0.27	0.27	0.34	2	1.11	0.057	18.8	3.6	0.41	220.0	0.001	<1	0.49	0.023	0.27	0.1	1.3	0.06	<5
1887335	Drill Core	0.13	0.10	0.15	2	1.65	0.035	18.9	2.3	0.30	192.1	0.002	3	0.48	0.016	0.27	0.1	1.1	0.07	<5
1887336	Drill Core	0.18	0.68	0.11	3	1.80	0.035	18.2	2.7	0.25	222.3	0.002	2	0.56	0.020	0.33	0.1	1.2	0.09	9
1887337	Drill Core	0.57	2.05	0.17	3	0.80	0.044	19.3	2.9	0.30	160.5	0.001	<1	0.56	0.023	0.23	<0.1	1.0	0.07	12
1887338	Drill Core	0.16	0.41	0.21	3	1.51	0.033	20.8	3.5	0.55	217.1	0.002	<1	0.76	0.015	0.26	<0.1	1.3	0.07	<5
1887339	Drill Core	0.22	0.35	0.16	5	1.40	0.037	19.4	9.0	0.73	191.2	0.002	<1	0.92	0.020	0.23	<0.1	1.9	0.06	<5
1887340	Rock Pulp	0.02	0.20	<0.02	22	0.74	0.040	5.4	14.6	0.50	59.2	0.071	1	1.02	0.068	0.08	0.3	3.1	<0.02	<5
1887341	Drill Core	0.18	1.28	0.26	6	1.27	0.037	14.5	9.3	0.94	217.2	0.002	<1	0.85	0.010	0.27	<0.1	2.0	0.07	8
1887342	Drill Core	0.11	0.77	0.08	2	0.82	0.028	11.7	2.3	0.41	166.7	0.002	<1	0.55	0.018	0.27	<0.1	1.4	0.09	7
1887343	Drill Core	0.18	0.23	0.09	3	1.17	0.033	18.1	3.8	0.45	183.5	0.003	<1	0.59	0.029	0.23	<0.1	1.9	0.06	<5
1887344	Drill Core	0.17	0.45	0.03	5	1.08	0.035	15.1	5.6	0.60	200.6	0.007	<1	0.70	0.022	0.28	<0.1	2.3	0.09	5
1887345	Drill Core	0.12	0.18	0.05	4	0.83	0.040	14.6	3.1	0.56	173.3	0.014	<1	0.66	0.017	0.31	<0.1	2.0	0.12	11
1887346	Drill Core	0.12	0.32	0.04	5	0.80	0.047	14.8	3.8	0.63	158.6	0.014	2	0.78	0.020	0.35	<0.1	2.1	0.13	<5
1887347	Drill Core	0.14	1.05	0.04	5	0.72	0.046	17.4	3.5	0.62	205.6	0.002	<1	0.70	0.026	0.22	<0.1	2.0	0.05	<5
1887348	Drill Core	0.22	0.36	0.52	3	0.65	0.031	17.8	2.3	0.37	187.2	0.002	<1	0.57	0.023	0.30	<0.1	1.1	0.07	10
1887349	Drill Core	0.20	0.63	0.09	3	0.88	0.035	15.8	2.5	0.54	217.4	0.002	<1	0.58	0.014	0.23	<0.1	1.0	0.06	<5
1887350	Drill Core	0.24	0.99	0.13	8	1.31	0.061	12.5	8.0	1.29	421.3	0.002	<1	1.28	0.003	0.28	<0.1	1.9	0.10	8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 18, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000639.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1887321	Drill Core	<0.1	0.02	0.5	0.47	<0.1	0.55	0.03	8.1	0.2	<0.05	14.8	6.70	69.0	<0.02	<1	0.3	1.0	<10
1887322	Drill Core	<0.1	0.32	0.6	0.48	<0.1	0.48	0.07	7.7	0.2	<0.05	13.5	6.03	60.7	<0.02	<1	0.3	1.1	<10
1887323	Drill Core	<0.1	0.08	0.5	0.39	<0.1	0.46	0.03	6.8	0.2	<0.05	12.1	4.33	44.8	<0.02	<1	0.1	0.8	<10
1887324	Drill Core	<0.1	<0.02	0.7	0.44	<0.1	0.29	0.05	8.5	0.4	<0.05	8.7	4.15	54.7	<0.02	<1	0.2	1.1	<10
1887325	Drill Core	<0.1	0.03	0.6	0.27	<0.1	0.22	0.04	7.4	0.3	<0.05	5.7	4.34	53.9	<0.02	<1	0.2	1.2	<10
1887326	Drill Core	<0.1	<0.02	0.8	0.32	<0.1	0.21	0.03	8.2	0.2	<0.05	4.7	6.44	59.8	<0.02	<1	0.1	3.6	<10
1887327	Drill Core	0.1	0.07	0.8	0.77	<0.1	0.34	0.03	8.4	0.3	<0.05	10.7	10.65	35.7	<0.02	1	0.3	4.6	<10
1887328	Drill Core	<0.1	<0.02	0.8	2.35	<0.1	0.28	<0.02	10.0	0.1	<0.05	10.7	11.18	42.9	<0.02	1	0.3	5.5	<10
1887329	Drill Core	<0.1	0.05	1.0	0.81	<0.1	0.18	<0.02	10.0	0.4	<0.05	6.0	6.21	52.2	<0.02	<1	0.3	3.0	<10
1887330	Drill Core	<0.1	0.08	1.1	1.31	<0.1	0.32	<0.02	11.3	1.2	<0.05	10.6	11.84	51.1	<0.02	<1	0.3	4.1	<10
1887331	Drill Core	<0.1	0.05	1.0	0.96	<0.1	0.12	<0.02	10.3	0.4	<0.05	3.7	6.10	40.1	<0.02	<1	0.2	4.6	<10
1887332	Drill Core	<0.1	0.06	1.3	0.68	<0.1	0.05	<0.02	11.4	0.3	<0.05	1.8	6.07	39.9	<0.02	<1	0.3	6.7	<10
1887333	Drill Core	<0.1	0.42	1.1	0.43	<0.1	0.23	<0.02	8.7	0.3	<0.05	6.9	5.26	34.5	<0.02	<1	0.3	4.1	<10
1887334	Drill Core	<0.1	1.04	1.4	0.28	<0.1	0.10	<0.02	9.4	0.3	<0.05	2.6	6.68	35.4	<0.02	<1	0.3	3.8	<10
1887335	Drill Core	<0.1	0.04	1.2	0.28	<0.1	<0.02	0.03	10.3	0.3	<0.05	0.5	5.12	36.8	<0.02	2	<0.1	3.6	<10
1887336	Drill Core	<0.1	<0.02	1.5	0.28	<0.1	<0.02	0.04	11.8	0.3	<0.05	0.5	5.45	35.3	<0.02	<1	<0.1	5.3	<10
1887337	Drill Core	<0.1	0.16	1.7	0.37	<0.1	0.03	<0.02	8.8	0.4	<0.05	0.6	5.82	36.9	<0.02	<1	0.2	5.1	<10
1887338	Drill Core	<0.1	<0.02	1.9	0.41	<0.1	0.03	<0.02	9.4	0.3	<0.05	0.8	5.09	39.8	<0.02	<1	0.2	8.7	<10
1887339	Drill Core	<0.1	<0.02	2.7	0.46	<0.1	<0.02	<0.02	8.0	0.3	<0.05	0.7	5.16	38.9	<0.02	<1	<0.1	13.5	<10
1887340	Rock Pulp	<0.1	<0.02	3.9	0.13	<0.1	0.12	0.36	2.0	2.0	<0.05	3.6	7.73	11.0	<0.02	<1	0.2	1.0	<10
1887341	Drill Core	<0.1	0.07	2.2	0.46	<0.1	0.02	<0.02	9.0	0.4	<0.05	1.2	5.73	28.1	<0.02	1	0.4	9.5	<10
1887342	Drill Core	<0.1	0.11	1.4	0.42	<0.1	0.13	<0.02	9.5	0.3	<0.05	4.9	3.32	23.3	<0.02	2	0.3	5.4	<10
1887343	Drill Core	<0.1	<0.02	2.0	0.32	<0.1	0.12	0.03	8.1	0.3	<0.05	3.8	5.53	36.1	<0.02	<1	0.5	4.7	<10
1887344	Drill Core	<0.1	0.28	2.1	0.48	<0.1	0.09	0.02	10.0	0.3	<0.05	4.2	4.87	30.2	<0.02	<1	0.2	6.7	<10
1887345	Drill Core	<0.1	0.15	2.5	0.81	<0.1	0.19	0.03	13.3	0.2	<0.05	5.9	4.96	28.3	<0.02	1	0.3	7.9	<10
1887346	Drill Core	<0.1	<0.02	2.6	1.08	<0.1	0.19	<0.02	13.7	0.2	<0.05	5.3	4.68	29.2	<0.02	<1	0.7	10.0	<10
1887347	Drill Core	<0.1	<0.02	2.3	0.56	<0.1	0.10	<0.02	7.4	0.3	<0.05	4.2	5.04	33.2	<0.02	1	0.4	10.3	<10
1887348	Drill Core	<0.1	<0.02	1.4	0.49	<0.1	0.21	<0.02	9.1	0.4	<0.05	6.6	3.93	32.9	<0.02	<1	0.5	6.0	<10
1887349	Drill Core	<0.1	<0.02	1.5	0.38	<0.1	0.21	<0.02	7.8	0.4	<0.05	6.6	4.72	30.5	<0.02	1	0.2	7.5	<10
1887350	Drill Core	<0.1	<0.02	3.0	1.21	<0.1	0.13	<0.02	10.8	1.4	<0.05	4.7	4.87	25.2	<0.02	1	0.3	21.0	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 18, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000639.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1887351	Drill Core	2.75	430	0.085	0.08	<0.17	37.27	0.49	10.39	12.29	42.6	249	4.3	4.0	257	1.31	148.1	2.7	83.6	10.8	54.6
1887352	Drill Core	3.02	457	0.074	0.07	<0.17	37.23	0.25	13.18	4.37	64.6	91	6.4	5.8	356	1.42	13.2	3.2	45.2	11.5	68.9
1887353	Drill Core	2.94	386	0.010	<0.01	<0.17	44.51	0.75	14.43	44.21	38.8	230	3.2	1.5	115	0.64	2.5	2.3	4.7	12.9	36.4
1887354	Drill Core	0.81	378	0.006	<0.01	<0.17	35.87	0.90	10.87	17.68	22.8	144	1.0	0.9	142	0.68	1.2	1.5	<0.2	12.1	45.1
1887355	Drill Core	1.12	431	0.010	<0.01	<0.17	46.99	0.88	43.13	8.87	120.4	779	27.4	34.9	1584	6.88	23.4	6.2	6.2	2.4	245.2
1887356	Drill Core	3.72	537	0.005	<0.01	<0.17	42.51	1.27	37.50	7.44	93.2	210	62.6	32.5	993	5.33	12.7	2.5	0.8	2.5	178.6
1887357	Drill Core	3.91	443	0.009	<0.01	<0.17	45.62	1.58	31.26	64.26	37.3	297	4.0	5.2	265	1.29	3.3	1.7	4.4	8.7	46.4
1887358	Drill Core	2.87	424	0.009	<0.01	<0.17	33.58	0.32	17.21	15.12	55.9	107	7.2	6.4	353	1.71	4.5	1.5	6.8	7.8	73.1
1887359	Drill Core	2.18	462	0.011	<0.01	<0.17	44.81	0.38	20.72	4.14	61.2	106	10.4	8.9	629	1.88	3.6	1.5	1.2	6.9	100.6
1887360	Core DUP		540	0.009	<0.01	<0.17	49.53	0.35	20.73	4.15	64.7	111	10.9	8.9	654	1.89	3.8	1.5	<0.2	6.8	106.5
1887361	Drill Core	3.06	389	0.018	0.04	0.18	45.50	0.27	10.81	17.24	28.3	649	2.3	2.2	293	0.86	3.9	0.7	19.1	12.0	62.8
1887362	Drill Core	2.48	553	0.007	<0.01	<0.17	46.03	0.28	7.62	13.30	45.2	189	4.5	4.3	409	1.19	6.8	0.9	1.4	12.4	54.8
1887363	Drill Core	2.03	487	<0.005	<0.01	<0.17	48.34	0.43	5.07	12.78	29.6	137	0.9	0.6	139	0.67	2.8	0.5	<0.2	16.4	4.6
1887364	Drill Core	3.01	413	0.008	<0.01	<0.17	44.90	0.43	5.60	20.39	22.0	260	0.7	0.8	115	0.60	1.7	0.5	0.9	16.3	5.0
1887365	Drill Core	2.90	379	<0.005	<0.01	<0.17	44.17	0.24	2.61	15.01	29.6	107	0.4	0.2	123	0.67	2.5	0.5	<0.2	16.3	10.5
1887366	Drill Core	2.93	403	0.005	<0.01	<0.17	49.36	0.48	2.12	13.45	33.8	149	0.5	0.5	157	0.76	4.6	0.5	<0.2	16.4	18.9
1887367	Drill Core	2.86	464	<0.005	<0.01	<0.17	43.10	0.50	5.96	19.10	45.9	132	4.0	2.2	174	0.97	3.3	0.7	<0.2	15.4	21.4
1887368	Drill Core	3.12	391	0.009	<0.01	<0.17	42.76	1.22	6.47	14.32	35.5	176	2.9	2.2	207	1.03	10.6	1.0	2.4	15.6	25.8
1887369	Drill Core	3.02	448	0.006	<0.01	<0.17	46.46	0.77	3.79	13.36	32.2	169	1.4	1.1	147	0.83	1.8	0.7	0.9	14.2	34.6
1887370	Drill Core	2.81	400	0.006	<0.01	<0.17	44.15	0.70	2.76	9.75	32.0	73	0.8	0.6	116	0.71	5.2	1.0	3.7	13.7	32.5
1887371	Drill Core	1.22	560	0.057	0.06	<0.17	44.49	0.76	7.44	8.43	63.2	112	2.2	1.9	179	1.05	7.0	0.9	27.2	18.0	54.3
1887372	Drill Core	0.67	542	0.168	0.18	0.25	48.75	1.28	2.44	467.25	21.6	2557	0.3	0.3	459	0.62	4.1	0.7	135.0	5.7	141.6
1887373	Drill Core	3.85	465	0.041	0.06	0.22	45.01	0.65	4.34	16.55	47.2	173	1.7	1.2	169	0.83	31.3	1.7	23.3	16.0	37.0
1887374	Drill Core	2.92	514	0.013	0.01	<0.17	49.66	0.27	2.38	11.64	37.1	131	0.4	0.3	98	0.65	6.6	1.0	7.7	18.8	22.1
1887375	Drill Core	2.59	558	0.100	0.09	<0.17	43.15	0.20	1.65	6.53	34.3	105	0.3	0.4	137	0.65	8.2	0.7	25.5	17.7	19.2
1887376	Drill Core	2.39	461	0.118	0.18	0.71	44.90	0.33	3.45	9.51	54.4	276	0.5	0.3	141	0.68	7.7	0.7	39.1	18.1	19.5
1887377	Drill Core	1.12	513	0.371	0.50	2.54	30.67	0.51	41.79	329.86	44.0	3856	0.5	0.5	139	0.59	7.2	0.4	2411.1	11.0	8.0
1887378	Drill Core	3.50	406	0.084	0.08	<0.17	38.30	0.75	13.71	23.53	47.4	531	3.9	3.2	189	0.98	62.1	1.2	90.3	13.3	18.5
1887379	Drill Core	3.15	403	0.234	0.35	1.52	37.41	3.13	2.78	28.90	53.7	427	0.5	0.3	167	0.72	1.1	1.1	252.5	19.5	34.4
1887380	Rock	0.23	162	<0.005	<0.01	<0.17	36.11	0.43	1.34	1.35	2.4	10	1.4	0.4	67	0.63	1.7	0.2	3.4	2.4	1.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 18, 2019

Page: 4 of 5 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000639.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887351	Drill Core	0.15	1.51	0.11	4	0.71	0.047	14.2	3.9	0.69	385.2	0.002	<1	0.78	0.015	0.23	<0.1	1.2	0.09	0.32	<5			
1887352	Drill Core	0.15	0.31	<0.02	3	1.06	0.039	9.6	3.9	0.69	197.6	0.001	<1	0.64	0.008	0.27	<0.1	1.4	0.08	0.51	<5			
1887353	Drill Core	0.07	0.45	0.25	<1	0.28	0.006	16.3	3.1	0.33	472.1	<0.001	<1	0.35	0.014	0.21	<0.1	0.7	0.04	0.11	6			
1887354	Drill Core	0.24	0.10	0.14	<1	0.24	0.003	16.2	1.7	0.18	572.9	<0.001	<1	0.32	0.024	0.20	<0.1	0.6	0.04	0.26	<5			
1887355	Drill Core	0.23	1.11	0.06	139	3.78	0.141	14.2	28.0	3.40	126.9	0.013	<1	3.29	0.014	0.14	0.1	10.7	0.14	1.34	19			
1887356	Drill Core	0.20	1.70	0.03	103	2.24	0.141	17.5	76.5	2.93	261.3	0.135	<1	2.52	0.217	0.21	<0.1	10.3	0.40	0.22	8			
1887357	Drill Core	0.13	0.37	0.20	3	0.45	0.036	7.3	3.6	0.51	190.9	0.002	<1	0.51	0.012	0.22	<0.1	0.8	0.10	0.72	8			
1887358	Drill Core	0.07	0.46	0.04	7	0.61	0.038	7.9	17.9	1.02	203.0	0.004	1	0.81	0.021	0.23	<0.1	1.8	0.12	0.70	11			
1887359	Drill Core	0.13	0.45	0.04	8	1.13	0.051	5.1	17.4	0.97	151.0	0.004	<1	0.83	0.013	0.32	<0.1	2.1	0.14	1.04	<5			
1887360	Core DUP	0.19	0.48	0.04	8	1.16	0.054	4.8	17.0	0.97	143.6	0.004	<1	0.81	0.012	0.29	<0.1	1.9	0.13	1.03	<5			
1887361	Drill Core	0.27	0.10	0.09	2	0.84	0.017	25.9	3.2	0.54	259.0	<0.001	<1	0.66	0.013	0.24	1.7	1.1	0.06	<0.02	<5			
1887362	Drill Core	0.24	0.13	0.04	4	0.79	0.035	26.7	5.0	0.69	426.4	0.001	<1	0.84	0.009	0.25	0.2	1.2	0.06	<0.02	<5			
1887363	Drill Core	0.05	0.11	0.12	<1	0.03	0.005	33.1	1.8	0.48	239.0	<0.001	<1	0.55	0.013	0.18	0.2	0.6	0.04	<0.02	<5			
1887364	Drill Core	0.09	0.08	0.22	<1	0.04	0.001	36.6	1.7	0.28	232.3	<0.001	<1	0.42	0.014	0.18	0.3	0.5	0.04	<0.02	<5			
1887365	Drill Core	0.07	0.10	0.09	<1	0.14	0.001	38.3	1.3	0.58	251.6	<0.001	2	0.69	0.017	0.22	0.1	0.7	0.05	<0.02	<5			
1887366	Drill Core	0.12	0.12	0.07	<1	0.28	0.002	31.7	1.5	0.70	207.1	<0.001	<1	0.73	0.015	0.19	<0.1	0.8	0.04	<0.02	<5			
1887367	Drill Core	0.14	0.13	0.12	3	0.26	0.018	26.9	5.1	0.80	226.9	<0.001	<1	0.86	0.013	0.20	<0.1	1.1	0.05	<0.02	<5			
1887368	Drill Core	0.15	0.19	0.19	2	0.36	0.014	31.4	3.9	0.72	475.6	<0.001	<1	0.80	0.013	0.20	<0.1	1.0	0.05	<0.02	9			
1887369	Drill Core	0.17	0.13	0.15	1	0.56	0.006	24.2	2.3	0.68	189.1	<0.001	1	0.72	0.014	0.20	<0.1	0.9	0.04	0.04	<5			
1887370	Drill Core	0.18	0.21	0.09	<1	0.40	0.002	29.0	2.0	0.73	154.3	<0.001	2	0.74	0.012	0.19	0.1	1.1	0.04	<0.02	<5			
1887371	Drill Core	0.26	0.33	0.04	<1	0.72	0.012	17.8	3.0	0.90	194.9	<0.001	2	0.89	0.014	0.21	0.1	1.4	0.05	0.10	<5			
1887372	Drill Core	0.61	0.70	1.03	<1	2.26	<0.001	6.6	2.1	0.19	432.2	<0.001	2	0.19	0.008	0.06	<0.1	1.0	0.02	0.06	6			
1887373	Drill Core	0.30	0.40	0.10	<1	0.48	0.008	25.4	3.0	0.85	171.7	<0.001	2	0.83	0.012	0.21	0.2	1.2	0.05	0.10	<5			
1887374	Drill Core	0.10	0.21	0.11	<1	0.27	0.001	38.7	1.9	0.79	151.0	<0.001	1	0.76	0.013	0.18	0.6	1.0	0.04	<0.02	<5			
1887375	Drill Core	0.11	0.24	0.06	<1	0.24	0.002	33.0	1.7	0.85	134.7	<0.001	2	0.79	0.011	0.19	0.4	1.0	0.04	<0.02	<5			
1887376	Drill Core	0.46	0.32	0.14	<1	0.20	0.002	28.7	1.9	0.74	186.9	<0.001	1	0.74	0.011	0.19	0.5	0.9	0.04	<0.02	9			
1887377	Drill Core	0.30	1.61	0.45	<1	0.05	0.002	18.7	2.5	0.29	163.5	<0.001	<1	0.39	0.009	0.15	<0.1	0.6	0.04	<0.02	13			
1887378	Drill Core	0.45	1.00	0.08	2	0.07	0.014	28.2	4.6	0.54	328.8	<0.001	<1	0.65	0.008	0.22	0.2	1.0	0.06	<0.02	<5			
1887379	Drill Core	0.13	0.12	0.43	<1	0.41	0.002	25.1	1.9	0.82	160.8	<0.001	<1	0.71	0.013	0.22	0.2	1.1	0.06	0.05	<5			
1887380	Rock	<0.01	0.05	<0.02	<1	0.03	0.002	1.9	3.6	0.01	9.7	0.001	1	0.05	0.003	0.01	<0.1	0.2	<0.02	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 18, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000639.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1887351	Drill Core	<0.1	<0.02	2.2	1.37	<0.1	0.08	<0.02	8.6	0.3	<0.05	3.9	4.61	29.4	<0.02	<1	<0.1	12.7	<10
1887352	Drill Core	<0.1	<0.02	1.5	0.90	<0.1	0.24	<0.02	9.7	0.3	<0.05	7.4	5.85	19.2	<0.02	<1	0.3	9.2	<10
1887353	Drill Core	<0.1	<0.02	0.9	0.20	<0.1	0.42	0.03	7.0	0.3	<0.05	13.1	3.82	31.4	<0.02	<1	<0.1	3.3	11
1887354	Drill Core	<0.1	<0.02	1.2	0.18	<0.1	0.40	0.05	6.4	0.3	<0.05	10.7	4.40	33.4	<0.02	<1	<0.1	2.8	<10
1887355	Drill Core	0.3	<0.02	14.5	1.67	<0.1	0.15	<0.02	6.4	0.5	<0.05	5.7	22.35	34.2	0.06	2	0.8	48.9	<10
1887356	Drill Core	<0.1	<0.02	8.3	13.53	<0.1	0.02	0.06	14.0	1.0	<0.05	6.0	24.44	41.0	0.05	<1	0.5	30.8	<10
1887357	Drill Core	<0.1	<0.02	1.6	0.66	<0.1	0.24	<0.02	9.1	0.4	<0.05	6.7	2.78	14.7	<0.02	<1	<0.1	7.4	<10
1887358	Drill Core	<0.1	<0.02	2.7	1.66	<0.1	0.26	<0.02	11.2	0.5	<0.05	7.9	3.20	15.1	<0.02	<1	0.1	13.5	<10
1887359	Drill Core	0.1	<0.02	2.3	1.34	<0.1	0.32	0.02	14.2	0.5	<0.05	11.2	3.82	10.4	<0.02	<1	0.1	12.7	<10
1887360	Core DUP	0.4	<0.02	2.4	1.33	<0.1	0.32	<0.02	13.3	0.4	<0.05	11.3	3.79	9.5	<0.02	<1	<0.1	11.0	<10
1887361	Drill Core	<0.1	<0.02	1.8	0.22	<0.1	0.19	0.04	7.1	0.3	<0.05	5.7	6.88	48.5	<0.02	<1	0.1	8.5	<10
1887362	Drill Core	<0.1	<0.02	2.4	0.25	<0.1	0.18	<0.02	7.5	0.3	<0.05	7.5	7.76	47.7	<0.02	<1	0.2	10.4	<10
1887363	Drill Core	<0.1	<0.02	1.7	0.31	<0.1	0.15	0.09	5.6	0.3	<0.05	4.2	6.83	67.1	<0.02	<1	0.2	6.5	<10
1887364	Drill Core	<0.1	<0.02	1.4	0.23	<0.1	0.14	0.09	5.4	0.5	<0.05	3.3	6.11	74.5	<0.02	<1	0.2	5.1	<10
1887365	Drill Core	<0.1	<0.02	1.9	0.23	<0.1	0.10	0.06	6.4	0.3	<0.05	3.6	6.48	76.9	<0.02	<1	0.1	8.5	<10
1887366	Drill Core	<0.1	0.03	2.2	0.29	<0.1	0.06	0.06	5.9	0.3	<0.05	2.9	5.79	64.5	<0.02	<1	0.1	9.8	<10
1887367	Drill Core	<0.1	<0.02	2.6	0.23	<0.1	0.23	0.04	6.2	0.3	<0.05	6.0	5.49	55.3	<0.02	<1	0.2	12.9	<10
1887368	Drill Core	<0.1	<0.02	2.2	0.36	<0.1	0.31	0.04	6.4	0.3	<0.05	9.2	6.74	59.9	<0.02	<1	0.6	12.0	<10
1887369	Drill Core	<0.1	<0.02	1.7	0.32	<0.1	0.11	0.07	5.8	0.2	<0.05	3.8	5.69	47.1	<0.02	<1	0.5	8.2	<10
1887370	Drill Core	<0.1	<0.02	1.8	0.53	<0.1	0.06	0.08	6.1	0.4	<0.05	1.0	4.78	56.7	<0.02	<1	0.1	11.6	<10
1887371	Drill Core	<0.1	0.02	2.3	0.72	<0.1	0.09	0.03	6.8	0.5	<0.05	1.8	5.20	35.5	<0.02	<1	0.3	18.8	<10
1887372	Drill Core	0.4	1.13	0.5	0.19	<0.1	0.04	0.02	2.2	0.2	<0.05	0.7	6.29	13.1	<0.02	<1	<0.1	2.7	<10
1887373	Drill Core	<0.1	<0.02	2.0	0.55	<0.1	0.07	0.05	6.6	0.3	<0.05	0.9	7.44	48.8	<0.02	<1	0.2	13.6	<10
1887374	Drill Core	<0.1	<0.02	1.6	0.50	<0.1	0.08	0.12	5.3	0.3	<0.05	1.0	7.65	72.2	<0.02	<1	0.2	13.4	<10
1887375	Drill Core	<0.1	<0.02	1.6	0.55	<0.1	0.05	0.09	5.7	0.2	<0.05	0.9	7.61	66.9	<0.02	<1	0.3	13.1	<10
1887376	Drill Core	<0.1	<0.02	1.5	0.66	<0.1	0.09	0.09	6.1	0.3	<0.05	1.2	7.42	58.4	<0.02	<1	0.3	14.8	<10
1887377	Drill Core	0.2	0.70	0.8	0.52	<0.1	0.10	0.02	5.3	0.4	<0.05	1.2	2.97	37.2	<0.02	<1	0.2	5.9	<10
1887378	Drill Core	<0.1	0.03	1.6	0.79	<0.1	0.09	0.02	7.7	0.3	<0.05	1.5	10.99	52.8	<0.02	<1	0.2	9.7	<10
1887379	Drill Core	<0.1	0.05	2.0	0.44	<0.1	0.24	0.12	7.5	0.3	<0.05	1.7	7.41	49.3	<0.02	<1	0.3	12.6	<10
1887380	Rock	<0.1	<0.02	0.3	0.08	<0.1	0.09	0.05	0.7	0.1	<0.05	0.9	0.81	4.0	<0.02	<1	<0.1	0.9	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 18, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000639.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1887381	Drill Core	1.72	405	0.829	0.92	1.71	42.07	0.74	6.95	55.55	31.3	2414	0.5	0.2	163	0.62	0.3	0.6	722.7	10.1	30.8
1887382	Drill Core	2.88	414	0.158	0.16	0.17	40.39	1.78	3.29	17.77	30.8	178	0.4	0.2	97	0.60	0.3	2.1	86.1	16.1	45.8
1887383	Drill Core	3.19	365	0.386	0.38	0.33	45.67	0.66	4.43	12.34	35.6	243	0.9	0.4	94	0.69	0.6	2.0	377.0	16.5	56.2
1887384	Drill Core	1.27	445	0.998	1.72	11.06	31.84	0.83	2.09	73.47	30.6	2676	1.6	0.5	138	0.74	1.8	1.8	3266.2	15.1	34.9
1887385	Drill Core	1.54	391	0.886	1.16	3.43	41.94	0.56	3.22	20.67	52.6	386	0.4	0.2	86	0.61	<0.1	4.2	757.2	17.4	51.7
1887386	Drill Core	1.37	504	0.034	0.06	0.29	47.68	1.37	6.32	13.91	31.4	162	0.5	0.2	161	0.58	3.8	1.5	22.8	15.9	49.7
1887387	Drill Core	1.39	472	0.308	0.75	5.33	41.12	3.12	4.01	28.85	19.7	1790	0.3	0.3	253	0.58	2.9	1.3	397.8	17.5	81.6
1887388	Drill Core	1.47	397	0.070	0.11	0.41	46.85	1.15	3.94	13.98	8.2	259	0.4	0.2	103	0.47	2.0	0.8	23.3	16.6	14.2
1887389	Drill Core	2.70	414	0.288	0.60	3.22	43.84	0.93	6.09	16.17	27.2	1426	0.5	0.2	128	0.45	1.1	0.7	400.6	16.5	8.5
1887390	Drill Core	2.93	421	0.163	0.24	0.87	44.68	0.98	6.10	20.21	9.5	730	0.4	0.2	217	0.35	1.6	0.7	2465.0	17.1	25.1
1887391	Drill Core	2.90	392	0.015	0.05	0.41	39.21	0.80	3.78	42.59	6.1	342	0.4	0.2	77	0.34	1.3	0.8	14.7	15.1	5.6
1887392	Drill Core	2.30	404	<0.005	<0.01	<0.17	43.08	0.56	2.52	18.83	5.7	162	0.3	0.2	70	0.32	1.9	1.5	2.8	17.1	23.4
1887393	Drill Core	2.44	415	0.006	<0.01	<0.17	47.88	0.45	2.38	10.11	6.1	128	0.3	0.3	77	0.29	2.6	1.0	4.3	18.2	3.8
1887394	Drill Core	2.18	450	<0.005	<0.01	<0.17	49.83	0.26	1.16	9.16	4.3	96	0.3	0.1	66	0.27	1.2	0.7	0.7	15.7	4.9
1887395	Drill Core	2.90	397	0.006	<0.01	<0.17	52.35	0.27	1.81	14.82	4.7	122	0.4	0.2	67	0.32	1.0	0.9	0.9	16.9	10.9
1887396	Drill Core	2.93	378	0.881	2.47	14.63	43.62	0.40	3.46	20.53	4.0	1450	0.5	0.2	60	0.33	1.1	1.1	11849.3	17.3	28.8
1887397	Drill Core	3.28	394	0.038	0.04	<0.17	45.36	0.53	2.51	22.78	8.2	397	0.7	0.3	118	0.42	1.5	1.6	109.8	16.5	70.6
1887398	Drill Core	3.07	368	0.237	0.25	0.31	41.43	0.19	11.87	15.13	25.2	191	7.9	3.8	178	0.63	3.5	1.5	149.5	14.3	83.5
1887399	Drill Core	1.96	417	6.710	26.02	230.60	35.95	0.51	19.90	8.54	19.8	4259	12.9	4.0	396	0.91	2.8	1.8	17712.3	11.5	144.2
1887400	Rock Pulp	0.12	90	7.341				9.21	191.90	19.94	74.4	882	14.1	10.4	547	4.43	13.8	0.9	7112.8	4.2	70.3
1887401	Drill Core	3.63	387	1.976	2.49	7.73	34.43	0.37	39.81	6.80	50.8	1342	3.8	3.2	202	0.96	8.9	3.5	1454.3	12.9	83.6
1887402	Drill Core	2.94	480	0.030	0.03	<0.17	46.28	0.30	4.90	14.02	12.2	167	0.9	1.3	243	0.58	11.2	0.8	18.2	13.6	35.9
1887403	Drill Core	2.84	466	0.015	0.01	<0.17	46.61	0.43	5.81	20.73	9.8	253	1.3	2.0	145	0.67	24.2	0.9	8.2	13.7	38.8
1887404	Drill Core	2.72	410	0.099	0.09	<0.17	34.32	0.62	7.94	11.79	21.5	277	6.2	3.2	266	1.16	37.1	1.2	41.6	12.7	43.0
1887405	Drill Core	3.10	433	0.123	0.12	<0.17	43.93	0.28	4.61	15.12	24.2	211	2.0	2.3	209	1.08	9.3	1.1	137.4	8.9	68.0
1887406	Drill Core	3.20	415	0.007	<0.01	<0.17	38.55	0.50	6.97	13.61	38.6	160	16.9	7.8	408	1.77	8.4	1.5	3.3	6.8	132.7
1887407	Drill Core	2.27	393	0.017	0.02	<0.17	38.14	0.39	9.31	9.99	79.2	129	31.6	14.6	527	3.02	6.3	2.8	3.7	7.9	118.2
1887408	Drill Core	2.40	411	0.020	0.02	<0.17	40.88	0.27	10.01	23.26	33.4	436	4.8	2.7	354	1.43	82.7	0.9	14.6	10.1	44.4
1887409	Drill Core	2.34	410	0.113	0.10	<0.17	33.91	1.23	7.79	11.96	50.9	354	5.4	5.2	433	1.80	552.1	2.5	101.1	11.6	31.8
1887410	Drill Core	2.35	401	0.042	0.04	<0.17	40.92	0.54	7.27	16.16	31.6	439	1.9	2.0	272	1.23	303.0	1.8	33.2	13.0	41.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 18, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000639.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887381	Drill Core	0.44	0.28	0.14	<1	0.68	0.001	13.7	2.2	0.34	134.4	<0.001	<1	0.33	0.013	0.16	<0.1	0.8	0.04	0.03	13			
1887382	Drill Core	0.11	0.15	0.18	<1	0.47	<0.001	26.5	1.8	0.56	188.2	0.001	<1	0.48	0.007	0.20	1.6	0.9	0.05	<0.02	<5			
1887383	Drill Core	0.14	0.14	0.10	<1	0.53	0.001	22.4	1.6	0.62	242.9	0.001	<1	0.56	0.013	0.25	0.5	1.1	0.06	0.12	6			
1887384	Drill Core	0.25	0.22	0.14	<1	0.29	0.001	13.6	2.1	0.32	319.1	<0.001	<1	0.34	0.008	0.19	0.1	0.9	0.06	0.15	<5			
1887385	Drill Core	0.23	0.24	0.23	<1	0.54	0.001	15.6	1.6	0.51	188.0	<0.001	2	0.44	0.012	0.23	0.2	1.0	0.06	0.10	<5			
1887386	Drill Core	0.29	0.36	0.05	<1	0.65	0.002	17.0	1.9	0.38	121.1	<0.001	<1	0.29	0.009	0.17	0.1	1.1	0.05	0.04	<5			
1887387	Drill Core	0.40	0.26	0.10	<1	1.06	0.002	18.9	1.4	0.46	486.8	<0.001	<1	0.31	0.003	0.23	<0.1	1.1	0.06	0.06	<5			
1887388	Drill Core	0.09	0.23	0.12	<1	0.20	0.002	24.0	1.9	0.15	180.3	<0.001	<1	0.32	0.012	0.24	<0.1	0.8	0.06	0.04	<5			
1887389	Drill Core	0.43	0.33	0.07	<1	0.16	0.003	25.6	2.1	0.11	268.4	<0.001	<1	0.29	0.024	0.20	<0.1	0.8	0.04	<0.02	6			
1887390	Drill Core	0.32	0.24	0.11	<1	0.36	0.005	27.2	1.8	0.08	157.1	<0.001	<1	0.24	0.026	0.18	<0.1	0.7	0.04	<0.02	<5			
1887391	Drill Core	0.05	0.26	0.16	<1	0.05	0.003	29.2	2.0	0.06	255.5	<0.001	<1	0.26	0.025	0.22	<0.1	0.6	0.05	<0.02	<5			
1887392	Drill Core	0.07	0.14	0.16	<1	0.19	0.002	27.4	1.9	0.07	339.0	0.001	<1	0.26	0.019	0.22	0.8	0.6	0.04	<0.02	<5			
1887393	Drill Core	0.08	0.16	0.08	<1	0.02	0.002	38.2	2.0	0.05	116.6	<0.001	<1	0.23	0.017	0.21	0.2	0.6	0.04	<0.02	<5			
1887394	Drill Core	0.04	0.12	0.07	<1	0.05	0.003	37.6	2.1	0.06	180.2	<0.001	<1	0.23	0.017	0.20	0.1	0.4	0.04	<0.02	<5			
1887395	Drill Core	0.04	0.23	0.10	<1	0.09	0.002	33.1	2.1	0.06	492.6	<0.001	<1	0.24	0.029	0.21	<0.1	0.6	0.05	<0.02	<5			
1887396	Drill Core	0.02	0.30	0.10	<1	0.04	0.002	23.7	2.5	0.05	780.2	<0.001	1	0.25	0.029	0.22	<0.1	0.5	0.05	0.07	<5			
1887397	Drill Core	0.11	0.13	0.17	<1	0.58	0.002	24.4	1.4	0.24	806.1	0.001	<1	0.33	0.024	0.24	<0.1	1.0	0.06	0.08	<5			
1887398	Drill Core	0.15	0.21	0.11	2	0.92	0.020	19.3	5.9	0.40	160.1	0.002	<1	0.44	0.013	0.26	<0.1	1.8	0.07	0.04	<5			
1887399	Drill Core	0.48	0.53	<0.02	3	2.00	0.004	12.4	5.8	0.41	152.4	0.001	1	0.37	0.009	0.19	<0.1	2.4	0.05	0.15	<5			
1887400	Rock Pulp	0.20	4.98	0.54	105	0.91	0.064	7.8	18.1	0.81	121.4	0.122	1	1.65	0.174	0.21	3.9	3.9	0.07	<0.02	201			
1887401	Drill Core	0.88	0.26	0.04	2	1.01	0.009	11.3	2.8	0.59	164.5	0.001	1	0.47	0.009	0.25	0.2	1.6	0.06	0.44	6			
1887402	Drill Core	0.07	0.18	0.12	1	0.53	0.018	28.0	2.1	0.23	409.2	0.001	<1	0.37	0.024	0.21	<0.1	1.0	0.05	0.04	<5			
1887403	Drill Core	0.06	0.51	0.13	2	0.35	0.032	23.1	2.6	0.19	210.8	0.002	<1	0.38	0.029	0.25	<0.1	1.0	0.06	0.09	<5			
1887404	Drill Core	0.10	0.71	0.10	4	0.62	0.039	20.3	6.4	0.40	183.2	0.002	<1	0.56	0.019	0.25	<0.1	1.9	0.05	0.15	<5			
1887405	Drill Core	0.11	0.55	<0.02	3	0.60	0.038	17.4	2.6	0.33	267.0	0.004	1	0.53	0.023	0.27	<0.1	1.7	0.06	0.13	<5			
1887406	Drill Core	0.19	0.37	0.12	13	1.69	0.036	8.6	24.6	0.83	177.0	0.046	<1	0.81	0.016	0.47	<0.1	3.8	0.23	0.08	7			
1887407	Drill Core	0.22	0.46	0.09	26	2.52	0.050	12.4	45.5	1.46	168.6	0.012	2	1.52	0.015	0.34	<0.1	6.8	0.15	0.12	8			
1887408	Drill Core	0.14	0.42	0.19	4	0.71	0.029	19.1	3.4	0.53	141.9	0.002	<1	0.68	0.014	0.20	<0.1	1.8	0.06	0.10	6			
1887409	Drill Core	0.27	3.26	0.08	4	0.31	0.045	23.0	4.5	0.81	159.1	0.001	<1	1.00	0.015	0.24	0.1	1.8	0.09	0.05	8			
1887410	Drill Core	0.20	1.69	0.19	3	0.35	0.037	23.7	3.1	0.39	142.3	0.001	<1	0.57	0.021	0.22	<0.1	1.2	0.07	0.05	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 18, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000639.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1887381	Drill Core	<0.1	1.27	0.9	0.25	<0.1	0.04	0.02	5.0	0.2	<0.05	0.8	4.56	27.1	<0.02	<1	0.2	3.7	<10	<2
1887382	Drill Core	<0.1	<0.02	1.0	0.26	<0.1	0.13	0.29	6.6	0.3	<0.05	1.5	11.50	51.9	<0.02	<1	0.1	6.9	<10	<2
1887383	Drill Core	<0.1	0.02	1.5	0.24	<0.1	0.05	0.11	8.2	0.3	<0.05	0.9	8.07	42.7	<0.02	<1	0.3	7.2	<10	<2
1887384	Drill Core	<0.1	1.07	0.9	0.16	<0.1	0.09	0.07	6.4	0.2	<0.05	1.0	4.48	27.1	<0.02	<1	0.3	4.5	<10	<2
1887385	Drill Core	<0.1	0.06	1.2	0.21	<0.1	0.12	0.18	8.3	0.3	<0.05	1.8	4.97	30.6	<0.02	<1	0.1	6.5	<10	<2
1887386	Drill Core	<0.1	0.04	0.9	0.39	<0.1	0.09	0.12	6.1	0.3	<0.05	1.5	5.77	33.7	<0.02	<1	0.3	4.1	<10	<2
1887387	Drill Core	<0.1	0.96	1.0	0.25	<0.1	0.14	0.07	7.5	0.3	<0.05	2.4	6.69	37.9	<0.02	<1	0.2	2.8	<10	<2
1887388	Drill Core	<0.1	0.03	0.9	0.19	<0.1	0.08	0.08	8.0	0.3	<0.05	1.2	3.88	45.7	<0.02	<1	0.3	3.0	<10	<2
1887389	Drill Core	<0.1	0.52	0.8	0.17	<0.1	0.18	0.03	7.1	0.3	<0.05	3.1	4.25	49.2	<0.02	<1	0.2	2.4	<10	<2
1887390	Drill Core	<0.1	0.12	0.7	0.17	<0.1	0.14	0.05	6.7	0.2	<0.05	2.5	5.92	54.0	<0.02	<1	0.2	1.6	<10	<2
1887391	Drill Core	<0.1	0.08	0.8	0.19	<0.1	0.35	0.06	7.9	0.2	<0.05	5.7	5.13	58.8	<0.02	<1	0.2	1.7	15	<2
1887392	Drill Core	<0.1	<0.02	0.8	0.14	<0.1	0.49	0.36	8.0	0.2	<0.05	6.7	10.82	52.7	<0.02	<1	0.2	1.4	<10	<2
1887393	Drill Core	<0.1	<0.02	0.6	0.23	<0.1	0.50	0.16	8.0	0.4	<0.05	7.4	9.97	74.7	<0.02	<1	0.2	1.3	<10	<2
1887394	Drill Core	<0.1	<0.02	0.7	0.18	<0.1	0.31	0.09	7.4	0.2	<0.05	5.2	9.05	69.5	<0.02	<1	0.2	1.4	<10	<2
1887395	Drill Core	<0.1	<0.02	0.7	0.20	<0.1	0.49	0.08	8.2	0.2	<0.05	7.3	7.01	64.1	<0.02	<1	0.2	1.5	<10	<2
1887396	Drill Core	<0.1	0.16	0.7	0.13	<0.1	0.50	0.06	7.9	0.2	<0.05	7.1	4.54	45.5	<0.02	<1	<0.1	1.2	<10	<2
1887397	Drill Core	<0.1	0.15	0.9	0.15	<0.1	0.45	0.06	7.6	0.2	<0.05	7.2	5.67	46.2	<0.02	<1	0.2	2.1	<10	<2
1887398	Drill Core	<0.1	0.04	1.3	0.30	<0.1	0.30	<0.02	9.0	0.2	<0.05	6.7	4.08	38.3	<0.02	<1	0.2	4.6	<10	<2
1887399	Drill Core	<0.1	0.92	1.2	0.36	<0.1	0.16	<0.02	6.0	0.2	<0.05	3.1	4.27	23.8	<0.02	<1	0.2	5.0	<10	<2
1887400	Rock Pulp	<0.1	0.16	4.9	0.70	0.1	0.11	0.08	8.2	1.8	<0.05	1.0	5.07	15.7	0.05	<1	0.1	6.7	<10	<2
1887401	Drill Core	<0.1	0.41	1.5	0.47	<0.1	0.22	<0.02	8.6	0.2	<0.05	4.3	4.34	21.9	<0.02	<1	0.2	7.8	<10	<2
1887402	Drill Core	<0.1	<0.02	1.1	0.35	<0.1	0.21	0.03	7.5	0.2	<0.05	3.6	6.07	51.5	<0.02	<1	0.3	4.1	<10	<2
1887403	Drill Core	<0.1	<0.02	1.2	0.33	<0.1	0.18	<0.02	8.1	0.2	<0.05	4.4	5.06	41.2	<0.02	<1	0.2	4.1	<10	<2
1887404	Drill Core	<0.1	<0.02	1.7	0.45	<0.1	0.19	<0.02	8.3	0.1	<0.05	4.2	5.97	37.6	<0.02	<1	0.2	7.3	<10	<2
1887405	Drill Core	<0.1	0.03	1.7	0.27	<0.1	0.17	0.03	10.0	0.3	<0.05	6.8	5.20	34.0	<0.02	<1	0.2	6.6	<10	2
1887406	Drill Core	<0.1	<0.02	2.7	1.92	<0.1	0.27	<0.02	23.7	0.2	<0.05	8.1	4.05	17.1	<0.02	<1	0.3	9.6	<10	<2
1887407	Drill Core	<0.1	<0.02	4.7	2.20	<0.1	0.10	<0.02	15.1	0.1	<0.05	4.0	7.27	23.7	<0.02	<1	0.4	27.6	<10	<2
1887408	Drill Core	<0.1	0.03	2.1	0.55	<0.1	0.03	<0.02	8.4	0.1	<0.05	1.3	5.14	36.6	<0.02	<1	0.3	10.5	<10	<2
1887409	Drill Core	<0.1	<0.02	2.3	0.61	<0.1	0.03	<0.02	7.6	0.1	<0.05	1.3	8.02	45.0	<0.02	<1	0.3	20.3	<10	<2
1887410	Drill Core	<0.1	<0.02	1.6	0.50	<0.1	0.22	<0.02	7.7	<0.1	<0.05	8.6	4.70	44.4	<0.02	<1	0.3	10.1	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 18, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000639.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
1887310	Drill Core	2.89	495	0.008	<0.01	<0.17	38.64	0.33	3.05	19.48	6.0	169	0.4	0.4	36	0.32	2.2	1.5	8.1	18.2	3.6
REP 1887310	QC	0.009																			
1887317	Drill Core	2.63	446	0.012	0.06	0.59	35.52	0.35	3.66	23.40	13.3	222	0.7	0.3	36	0.36	1.8	2.5	6.8	17.6	7.3
REP 1887317	QC							0.33	3.69	22.98	12.9	226	0.7	0.4	36	0.37	1.9	2.4	9.6	17.8	7.2
REP 1887328	QC	0.047																			
1887352	Drill Core	3.02	457	0.074	0.07	<0.17	37.23	0.25	13.18	4.37	64.6	91	6.4	5.8	356	1.42	13.2	3.2	45.2	11.5	68.9
REP 1887352	QC							0.21	12.37	4.05	60.1	84	6.0	5.7	332	1.38	13.0	3.2	37.3	11.0	67.0
1887384	Drill Core	1.27	445	0.998	1.72	11.06	31.84	0.83	2.09	73.47	30.6	2676	1.6	0.5	138	0.74	1.8	1.8	3266.2	15.1	34.9
REP 1887384	QC	0.810																			
1887387	Drill Core	1.39	472	0.308	0.75	5.33	41.12	3.12	4.01	28.85	19.7	1790	0.3	0.3	253	0.58	2.9	1.3	397.8	17.5	81.6
REP 1887387	QC							3.09	4.02	28.32	20.0	2000	0.4	0.3	254	0.58	3.1	1.3	2333.0	17.2	77.2
1887402	Drill Core	2.94	480	0.030	0.03	<0.17	46.28	0.30	4.90	14.02	12.2	167	0.9	1.3	243	0.58	11.2	0.8	18.2	13.6	35.9
REP 1887402	QC	0.025																			
1887406	Drill Core	3.20	415	0.007	<0.01	<0.17	38.55	0.50	6.97	13.61	38.6	160	16.9	7.8	408	1.77	8.4	1.5	3.3	6.8	132.7
REP 1887406	QC							0.48	7.25	14.15	40.6	168	17.2	7.7	417	1.81	8.6	1.5	2.2	6.9	132.9
Core Reject Duplicates																					
1887294	Drill Core	2.55	472	0.107	0.10	<0.17	33.24	0.50	3.60	52.94	7.6	1808	0.5	0.3	32	0.41	3.4	1.4	70.1	9.9	5.6
DUP 1887294	QC	483		0.097	0.09	<0.17	31.96	0.56	3.19	51.03	7.4	1718	0.6	0.3	31	0.39	3.1	1.3	147.7	9.5	5.3
1887328	Drill Core	3.14	396	0.047	0.04	<0.17	43.22	0.70	11.00	21.85	38.6	350	3.0	3.4	224	0.79	36.2	2.3	42.3	13.6	44.5
DUP 1887328	QC	395		0.048	0.04	<0.17	44.74	0.71	10.75	22.07	37.7	315	3.1	3.2	200	0.84	35.8	2.3	41.6	12.8	43.4
1887362	Drill Core	2.48	553	0.007	<0.01	<0.17	46.03	0.28	7.62	13.30	45.2	189	4.5	4.3	409	1.19	6.8	0.9	1.4	12.4	54.8
DUP 1887362	QC	442		0.008	<0.01	<0.17	43.55	0.27	7.24	12.52	42.9	164	5.0	3.9	403	1.15	6.4	0.8	2.1	11.8	53.3
1887396	Drill Core	2.93	378	0.881	2.47	14.63	43.62	0.40	3.46	20.53	4.0	1450	0.5	0.2	60	0.33	1.1	1.1	11849.3	17.3	28.8
DUP 1887396	QC	453		0.049	0.04	<0.17	50.79	0.35	3.16	19.93	4.6	232	0.3	0.1	51	0.31	0.7	1.1	243.4	16.1	27.3
Reference Materials																					
STD BVGEO01	Standard							10.87	4245.71	185.96	1708.3	2490	160.5	24.1	722	3.55	112.1	3.6	209.8	16.8	58.8
STD BVGEO01	Standard							11.12	4347.16	184.91	1782.9	2448	158.7	26.0	701	3.66	116.3	3.8	227.5	14.9	57.0
STD DS11	Standard							14.08	141.87	141.43	331.0	1649	77.2	13.4	1007	3.05	42.3	2.7	71.1	9.3	66.4



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 18, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000639.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1887310	Drill Core	0.03	0.21	0.13	<1	<0.01	0.003	29.2	2.0	0.02	295.2	<0.001	<1	0.19	0.025	0.19	<0.1	0.5	0.04	<0.02	<5
REP 1887310	QC																				
1887317	Drill Core	0.04	0.30	0.12	<1	0.02	0.004	31.3	2.7	0.03	502.0	<0.001	<1	0.23	0.040	0.17	<0.1	0.6	0.03	0.02	<5
REP 1887317	QC	0.06	0.31	0.13	<1	0.02	0.004	32.5	1.8	0.03	503.5	<0.001	<1	0.23	0.040	0.16	<0.1	0.6	0.04	0.02	<5
REP 1887328	QC																				
1887352	Drill Core	0.15	0.31	<0.02	3	1.06	0.039	9.6	3.9	0.69	197.6	0.001	<1	0.64	0.008	0.27	<0.1	1.4	0.08	0.51	<5
REP 1887352	QC	0.17	0.33	<0.02	3	1.05	0.037	8.3	3.5	0.67	197.1	0.001	<1	0.60	0.006	0.25	<0.1	1.3	0.07	0.50	<5
1887384	Drill Core	0.25	0.22	0.14	<1	0.29	0.001	13.6	2.1	0.32	319.1	<0.001	<1	0.34	0.008	0.19	0.1	0.9	0.06	0.15	<5
REP 1887384	QC																				
1887387	Drill Core	0.40	0.26	0.10	<1	1.06	0.002	18.9	1.4	0.46	486.8	<0.001	<1	0.31	0.003	0.23	<0.1	1.1	0.06	0.06	<5
REP 1887387	QC	0.37	0.28	0.09	<1	1.06	0.002	18.5	1.5	0.45	452.4	<0.001	<1	0.30	0.003	0.22	<0.1	1.3	0.06	0.06	<5
1887402	Drill Core	0.07	0.18	0.12	1	0.53	0.018	28.0	2.1	0.23	409.2	0.001	<1	0.37	0.024	0.21	<0.1	1.0	0.05	0.04	<5
REP 1887402	QC																				
1887406	Drill Core	0.19	0.37	0.12	13	1.69	0.036	8.6	24.6	0.83	177.0	0.046	<1	0.81	0.016	0.47	<0.1	3.8	0.23	0.08	7
REP 1887406	QC	0.21	0.44	0.13	14	1.71	0.035	9.4	26.1	0.85	187.0	0.048	1	0.83	0.016	0.48	<0.1	3.8	0.24	0.08	6
Core Reject Duplicates																					
1887294	Drill Core	0.01	0.56	0.68	<1	0.01	0.003	23.3	2.5	0.02	393.3	<0.001	<1	0.19	0.037	0.16	<0.1	0.4	0.04	<0.02	10
DUP 1887294	QC	<0.01	0.56	0.63	<1	0.01	0.003	25.1	2.6	0.02	371.6	<0.001	<1	0.19	0.035	0.16	<0.1	0.3	0.03	<0.02	6
1887328	Drill Core	0.25	0.66	0.18	2	0.69	0.033	22.1	2.7	0.18	431.8	<0.001	<1	0.42	0.009	0.25	0.2	1.0	0.07	0.32	<5
DUP 1887328	QC	0.23	0.61	0.20	2	0.72	0.031	22.1	2.6	0.19	378.6	<0.001	<1	0.45	0.010	0.26	0.2	1.0	0.07	0.34	<5
1887362	Drill Core	0.24	0.13	0.04	4	0.79	0.035	26.7	5.0	0.69	426.4	0.001	<1	0.84	0.009	0.25	0.2	1.2	0.06	<0.02	<5
DUP 1887362	QC	0.30	0.12	0.04	3	0.78	0.036	24.8	5.1	0.66	402.0	0.001	<1	0.79	0.009	0.25	0.1	1.2	0.05	<0.02	<5
1887396	Drill Core	0.02	0.30	0.10	<1	0.04	0.002	23.7	2.5	0.05	780.2	<0.001	1	0.25	0.029	0.22	<0.1	0.5	0.05	0.07	<5
DUP 1887396	QC	0.03	0.26	0.09	<1	0.04	0.002	22.7	1.3	0.05	775.0	<0.001	1	0.23	0.027	0.21	<0.1	0.6	0.05	0.06	<5
Reference Materials																					
STD BVGEO01	Standard	6.04	3.62	23.33	72	1.29	0.069	25.9	194.6	1.29	247.7	0.227	2	2.28	0.191	0.89	5.3	6.4	0.59	0.67	89
STD BVGEO01	Standard	6.26	3.66	24.63	72	1.30	0.071	27.4	178.9	1.30	259.7	0.218	4	2.28	0.188	0.86	5.2	6.0	0.60	0.64	94
STD DS11	Standard	2.39	9.09	11.73	50	1.04	0.068	18.3	59.0	0.83	378.2	0.088	6	1.13	0.071	0.38	3.3	3.2	5.08	0.28	270



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 18, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000639.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1887310	Drill Core	<0.1	<0.02	0.5	0.28	<0.1	0.47	0.08	9.0	0.3	<0.05	14.2	6.04	58.8	<0.02	<1	0.2	1.4	<10	2
REP 1887310	QC																			
1887317	Drill Core	<0.1	<0.02	0.6	0.42	<0.1	0.58	0.05	7.6	0.2	<0.05	16.2	6.73	60.2	<0.02	<1	0.3	1.3	<10	<2
REP 1887317	QC	<0.1	<0.02	0.6	0.45	<0.1	0.55	0.07	7.6	0.3	<0.05	17.2	7.35	61.3	<0.02	<1	0.3	1.3	<10	<2
REP 1887328	QC																			
1887352	Drill Core	<0.1	<0.02	1.5	0.90	<0.1	0.24	<0.02	9.7	0.3	<0.05	7.4	5.85	19.2	<0.02	<1	0.3	9.2	<10	2
REP 1887352	QC	<0.1	<0.02	1.2	1.00	<0.1	0.21	<0.02	9.3	0.2	<0.05	6.9	5.52	16.9	<0.02	<1	0.3	8.6	<10	<2
1887384	Drill Core	<0.1	1.07	0.9	0.16	<0.1	0.09	0.07	6.4	0.2	<0.05	1.0	4.48	27.1	<0.02	<1	0.3	4.5	<10	<2
REP 1887384	QC																			
1887387	Drill Core	<0.1	0.96	1.0	0.25	<0.1	0.14	0.07	7.5	0.3	<0.05	2.4	6.69	37.9	<0.02	<1	0.2	2.8	<10	<2
REP 1887387	QC	<0.1	0.88	0.9	0.27	<0.1	0.15	0.06	7.5	0.3	<0.05	2.4	6.31	36.2	<0.02	<1	0.4	2.5	<10	<2
1887402	Drill Core	<0.1	<0.02	1.1	0.35	<0.1	0.21	0.03	7.5	0.2	<0.05	3.6	6.07	51.5	<0.02	<1	0.3	4.1	<10	<2
REP 1887402	QC																			
1887406	Drill Core	<0.1	<0.02	2.7	1.92	<0.1	0.27	<0.02	23.7	0.2	<0.05	8.1	4.05	17.1	<0.02	<1	0.3	9.6	<10	<2
REP 1887406	QC	<0.1	<0.02	3.0	2.01	<0.1	0.29	<0.02	24.7	0.3	<0.05	9.1	4.39	18.5	<0.02	<1	0.3	8.7	<10	<2
Core Reject Duplicates																				
1887294	Drill Core	<0.1	0.57	0.6	0.23	<0.1	0.46	0.05	6.8	0.3	<0.05	12.8	4.08	47.8	<0.02	<1	<0.1	2.0	<10	<2
DUP 1887294	QC	<0.1	0.59	0.7	0.23	<0.1	0.53	0.05	6.6	0.3	<0.05	12.6	4.10	49.8	<0.02	<1	0.1	1.7	<10	<2
1887328	Drill Core	<0.1	<0.02	0.8	2.35	<0.1	0.28	<0.02	10.0	0.1	<0.05	10.7	11.18	42.9	<0.02	1	0.3	5.5	<10	<2
DUP 1887328	QC	<0.1	<0.02	0.9	2.11	<0.1	0.28	<0.02	9.5	0.2	<0.05	9.8	10.70	41.1	<0.02	<1	0.3	5.3	<10	<2
1887362	Drill Core	<0.1	<0.02	2.4	0.25	<0.1	0.18	<0.02	7.5	0.3	<0.05	7.5	7.76	47.7	<0.02	<1	0.2	10.4	<10	2
DUP 1887362	QC	<0.1	0.02	2.3	0.27	<0.1	0.22	<0.02	7.7	0.3	<0.05	7.5	7.40	45.9	<0.02	<1	0.2	10.2	<10	3
1887396	Drill Core	<0.1	0.16	0.7	0.13	<0.1	0.50	0.06	7.9	0.2	<0.05	7.1	4.54	45.5	<0.02	<1	<0.1	1.2	<10	<2
DUP 1887396	QC	<0.1	0.04	0.8	0.13	<0.1	0.44	0.05	6.9	0.2	<0.05	6.3	4.21	42.2	<0.02	<1	0.3	1.0	10	<2
Reference Materials																				
STD BVGEO01	Standard	4.3	1.03	7.3	7.38	0.2	0.35	0.33	93.8	5.5	<0.05	8.5	15.18	53.8	0.46	4	0.7	19.8	56	173
STD BVGEO01	Standard	5.2	1.07	7.5	7.43	0.2	0.27	0.26	96.3	5.6	<0.05	7.5	14.39	51.9	0.46	5	0.8	20.1	107	187
STD DS11	Standard	2.1	4.79	4.9	3.03	<0.1	0.08	1.49	35.0	1.6	<0.05	3.8	7.88	36.7	0.25	44	0.8	23.0	106	194



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 18, 2019

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000639.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							14.03	147.47	132.69	329.4	1768	79.6	13.3	985	2.98	43.5	2.6	75.0	7.9	69.7
STD DS11	Standard							14.30	148.75	133.76	330.9	1759	79.0	13.3	1003	3.08	40.8	2.6	93.8	7.8	65.4
STD OREAS262	Standard							0.73	115.45	56.63	148.9	446	61.6	26.8	564	3.19	37.1	1.2	69.0	10.0	35.5
STD OREAS262	Standard							0.64	111.45	53.46	143.0	418	59.8	25.2	489	3.07	32.4	1.1	71.0	8.7	32.5
STD OREAS262	Standard							0.64	113.50	55.68	144.5	453	63.4	26.5	527	3.16	34.1	1.2	65.3	9.2	35.0
STD OREAS262	Standard							0.68	116.82	56.03	148.4	469	62.0	26.2	530	3.18	34.7	1.2	73.3	9.3	35.0
STD OREAS262	Standard							0.69	120.98	59.41	153.8	462	64.7	26.3	543	3.27	34.8	1.2	71.7	9.6	36.9
STD OXB130	Standard			0.139																	
STD OXB130	Standard			0.128																	
STD OXB130	Standard			0.127																	
STD OXI138	Standard			1.874																	
STD OXI138	Standard			1.887																	
STD OXI138	Standard			1.861																	
STD OXN117	Standard			7.773																	
STD OXN117	Standard			7.841																	
STD OXN117	Standard			7.787																	
STD OXQ90	Standard					25.13	30.00														
STD OXQ90	Standard					24.88	30.02														
STD OXQ90	Standard					25.30	29.52														
STD OXQ90	Standard					24.55	30.10														
STD OXQ90	Standard					25.27	29.96														
STD OXQ90	Standard					25.05	29.74														
STD OXQ90	Standard					25.23	30.44														
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 18, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000639.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.36	9.03	11.64	49	1.11	0.066	18.4	59.5	0.83	366.4	0.089	8	1.15	0.070	0.40	3.0	3.0	4.91	0.31	251
STD DS11	Standard	2.30	8.75	11.81	49	1.04	0.067	17.5	59.0	0.84	360.9	0.088	6	1.13	0.069	0.39	3.0	2.9	4.91	0.27	253
STD OREAS262	Standard	0.66	6.26	1.01	21	2.91	0.040	15.3	41.1	1.17	249.8	0.002	3	1.26	0.067	0.29	0.2	3.5	0.46	0.27	161
STD OREAS262	Standard	0.56	5.27	0.93	21	2.79	0.035	16.3	40.4	1.13	228.7	0.002	3	1.32	0.067	0.31	0.2	3.3	0.43	0.26	156
STD OREAS262	Standard	0.61	5.82	1.01	22	3.04	0.037	16.3	42.3	1.13	236.7	0.002	3	1.34	0.067	0.32	0.2	3.2	0.45	0.27	196
STD OREAS262	Standard	0.60	5.89	1.05	21	2.97	0.037	14.8	40.9	1.14	238.5	0.002	3	1.19	0.068	0.29	0.2	3.2	0.45	0.25	178
STD OREAS262	Standard	0.66	5.55	1.02	22	3.04	0.038	18.0	45.7	1.18	249.9	0.002	4	1.42	0.069	0.32	0.2	3.5	0.44	0.25	158
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 18, 2019

Page:

2 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000639.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	2.1	4.39	4.9	2.91	0.1	0.06	1.58	34.3	1.9	<0.05	3.1	8.23	38.0	0.25	52	0.8	22.9	98	173
STD DS11	Standard	2.2	4.75	4.9	2.85	<0.1	0.05	1.52	33.5	1.7	<0.05	2.8	8.13	36.9	0.22	43	0.7	22.0	106	165
STD OREAS262	Standard	0.3	0.25	3.9	2.93	<0.1	0.25	<0.02	18.2	0.6	<0.05	9.6	10.82	31.2	0.02	<1	1.0	18.0	<10	2
STD OREAS262	Standard	0.3	0.21	3.7	2.76	<0.1	0.28	<0.02	18.3	0.5	<0.05	9.7	10.47	32.8	0.04	1	1.1	15.9	<10	<2
STD OREAS262	Standard	0.4	0.26	3.7	2.80	<0.1	0.27	<0.02	19.1	0.6	<0.05	11.0	10.87	34.5	0.03	<1	0.9	18.2	<10	<2
STD OREAS262	Standard	0.4	0.25	3.8	2.79	<0.1	0.29	<0.02	18.1	0.5	<0.05	11.6	10.42	31.2	0.03	2	0.7	17.3	<10	<2
STD OREAS262	Standard	0.3	0.26	4.3	2.91	<0.1	0.23	<0.02	20.1	0.5	<0.05	12.5	10.90	36.8	0.03	<1	1.3	17.1	13	<2
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 18, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000639.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	0.03	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.02	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.04	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.02	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		425	<0.005	<0.01	<0.17	35.90	0.95	6.86	0.92	36.7	6	2.2	4.5	568	2.02	0.9	0.4	0.3	2.2	23.7
ROCK-WHI	Prep Blank		400	<0.005	<0.01	<0.17	41.00	0.86	4.19	0.84	29.1	4	1.9	4.1	566	1.98	0.8	0.4	0.4	2.0	23.3



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: October 18, 2019

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000639.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02
Prep Wash																				
ROCK-WHI	Prep Blank	0.03	0.05	<0.02	29	0.76	0.040	6.3	6.5	0.59	52.6	0.077	<1	1.01	0.080	0.08	<0.1	3.2	<0.02	<0.02
ROCK-WHI	Prep Blank	<0.01	0.03	<0.02	28	0.83	0.038	5.9	6.1	0.57	54.0	0.079	<1	1.00	0.087	0.09	<0.1	3.2	<0.02	0.03



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 18, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000639.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.15	<0.1	0.13	0.18	2.1	0.3	<0.05	3.2	8.81	13.5	<0.02	<1	0.1	1.4	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.12	<0.1	0.13	0.18	2.2	0.3	<0.05	3.6	8.82	12.6	<0.02	<1	0.2	1.3	<10