



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 03, 2019
Report Date: October 25, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000640.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-59
P.O. Number
Number of Samples: 104

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	99	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	104	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	104	Analysis sample split/packet			WHI
Split -150	104	Analysis sample split/packet			WHI
EN002	104	Environmental disposal charge-Fire assay lead waste			VAN
FS631	100	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	104	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	104	Per sample shipping charges for branch shipments			VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000640.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1882238	Drill Core	2.99	508	0.430	0.53	1.65	41.80	0.65	15.39	9.39	56.0	510	9.4	6.1	357	1.81	2.3	1.3	551.1	9.4	51.6
1882239	Drill Core	3.10	500	0.199	0.22	0.50	27.98	0.62	14.16	14.10	48.3	589	10.5	5.5	419	1.69	3.6	0.8	315.7	7.3	55.2
1882240	Rock Pulp	0.12	91	0.005				4.20	21.99	1.00	33.2	18	7.2	4.4	605	2.48	1.4	0.4	0.8	2.5	35.0
1882241	Drill Core	1.70	522	0.008	<0.01	<0.17	37.68	0.68	15.51	20.95	57.3	563	14.8	8.6	443	2.10	6.3	0.7	2.2	9.1	31.9
1882242	Drill Core	1.61	529	0.006	<0.01	<0.17	31.79	0.76	12.45	12.04	62.6	257	10.9	7.7	381	2.10	3.3	0.9	2.0	9.6	33.8
1882243	Drill Core	1.40	485	0.985	3.30	36.17	31.99	0.87	20.09	18.46	49.5	1206	9.1	6.5	451	2.02	3.5	0.9	2061.6	10.0	32.7
1882244	Drill Core	1.46	483	1.553	3.51	29.91	33.37	0.90	52.86	7.00	66.4	3503	8.2	6.3	394	1.69	5.1	1.0	2584.5	10.8	28.1
1882245	Drill Core	2.01	467	0.314	0.33	0.45	37.43	0.82	45.49	3.99	46.1	1239	7.1	6.0	553	1.84	4.1	1.0	374.0	11.0	41.0
1882246	Drill Core	2.12	494	0.464	0.50	0.96	39.66	0.86	20.25	3.94	33.5	1170	7.7	5.8	384	1.46	10.1	0.9	478.7	7.9	31.1
1882247	Drill Core	1.73	410	1.666	5.74	52.80	32.65	1.24	37.08	8.33	44.7	2294	9.9	7.1	626	1.85	11.3	1.0	14787.3	11.0	47.5
1882248	Drill Core	1.40	464	1.564	3.09	21.92	34.67	0.51	2.92	1.21	6.7	859	3.2	2.5	140	0.81	2.7	0.3	2055.4	2.8	13.5
1882249	Drill Core	1.71	373	0.746	1.41	7.37	37.19	0.39	1.91	0.34	3.0	352	1.4	0.7	86	0.59	0.8	0.1	1053.5	1.0	5.0
1882250	Drill Core	1.48	511	>10	27.64	217.28	37.97	0.51	5.70	0.62	4.5	4696	1.4	0.8	133	0.58	1.0	<0.1	37973.1	0.9	4.7
1882251	Drill Core	1.81	397	0.901	1.37	6.42	33.94	0.84	10.20	3.24	33.9	585	6.5	4.6	441	1.45	3.3	0.8	909.5	8.4	18.9
1882252	Drill Core	1.90	439	0.547	0.63	1.48	41.30	1.01	18.36	2.77	19.3	907	5.1	3.7	450	1.28	3.8	0.6	618.3	6.2	12.5
1882253	Drill Core	1.07	481	0.971	1.00	1.39	33.12	1.12	8.05	6.97	20.1	739	9.1	7.8	378	1.77	5.5	1.1	949.8	8.3	15.8
1882254	Drill Core	1.99	469	1.403	2.79	19.93	34.98	1.45	12.14	5.28	20.9	956	5.2	3.9	428	1.23	3.7	0.7	1704.7	5.8	9.2
1882255	Drill Core	1.55	513	1.148	1.73	7.41	47.48	1.20	18.34	3.26	21.0	1283	7.5	6.3	345	1.55	6.1	1.0	1272.7	7.7	12.0
1882256	Drill Core	1.49	491	0.376	0.42	0.90	42.04	0.82	6.65	3.26	16.2	607	7.2	4.8	334	1.43	4.9	0.8	1131.3	4.9	28.9
1882257	Drill Core	2.06	474	1.914	2.92	12.99	42.96	0.53	18.98	7.21	30.0	1958	11.1	5.4	355	1.49	10.2	1.0	3070.3	9.1	38.1
1882258	Drill Core	0.69	483	0.934	2.79	21.43	43.68	0.68	8.54	3.22	18.4	747	12.0	5.3	452	1.50	7.3	1.2	1270.7	10.0	23.0
1882259	Drill Core	1.77	476	1.323	1.40	2.67	28.48	0.40	9.72	3.03	27.5	905	6.6	4.0	375	1.27	3.8	0.8	1650.3	3.8	58.4
1882260	Core DUP		451	1.339	1.49	2.99	42.52	0.46	9.95	3.25	26.9	832	7.3	4.2	395	1.38	4.4	0.8	1365.9	4.1	59.1
1882261	Drill Core	2.67	388	1.631	2.64	10.10	46.05	0.37	14.50	5.96	23.7	1564	13.9	6.4	342	1.68	16.9	2.0	4967.9	8.9	43.0
1882262	Drill Core	1.72	432	0.559	0.76	2.40	46.21	0.64	27.13	9.70	42.0	892	12.5	5.8	403	1.73	13.4	6.4	518.5	7.6	70.6
1882263	Drill Core	1.60	540	0.559	0.89	4.50	45.14	2.22	23.89	14.69	34.1	1024	11.9	6.2	293	1.49	15.1	1.1	700.3	6.7	46.3
1882264	Drill Core	1.56	538	0.439	0.43	0.25	39.76	2.58	16.34	10.23	51.7	672	12.4	8.2	387	1.58	6.2	0.9	291.9	7.5	40.4
1882265	Drill Core	1.63	503	1.525	1.82	5.61	36.02	0.19	10.13	4.11	59.1	1328	6.9	8.1	271	1.86	4.6	1.2	2773.7	10.7	39.5
1882266	Drill Core	1.70	429	0.731	0.81	1.59	39.68	0.37	9.06	10.81	56.5	499	8.2	6.6	393	1.89	8.7	1.1	668.4	7.6	42.3
1882267	Drill Core	1.57	511	0.125	0.14	0.34	41.56	0.94	13.59	17.24	70.2	401	10.7	7.8	517	2.27	6.4	1.3	152.6	10.7	69.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000640.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882238	Drill Core	0.33	0.35	0.12	12	0.96	0.057	21.0	15.1	0.69	188.0	0.021	<1	0.99	0.022	0.28	1.4	3.2	0.12	<5
1882239	Drill Core	0.39	0.30	0.35	9	0.80	0.050	13.8	12.7	0.73	200.8	0.010	<1	0.87	0.011	0.34	0.2	2.9	0.12	7
1882240	Rock Pulp	0.01	0.14	<0.02	23	0.80	0.039	6.5	15.3	0.51	59.6	0.083	2	1.05	0.063	0.08	0.3	3.3	<0.02	<5
1882241	Drill Core	0.33	0.46	0.46	13	0.41	0.060	16.4	15.9	0.86	198.7	0.032	1	1.14	0.016	0.44	0.3	3.5	0.14	<5
1882242	Drill Core	0.33	0.53	0.11	13	0.40	0.056	16.6	15.2	0.93	207.5	0.032	<1	1.20	0.015	0.48	0.2	3.7	0.17	6
1882243	Drill Core	0.32	0.54	0.17	9	0.21	0.061	23.6	11.1	0.77	209.1	0.009	<1	1.08	0.011	0.36	<0.1	2.8	0.13	<5
1882244	Drill Core	0.47	1.15	0.08	7	0.20	0.043	23.2	8.7	0.66	237.4	0.013	2	1.00	0.008	0.53	0.2	2.2	0.19	8
1882245	Drill Core	0.33	1.78	0.03	8	0.29	0.055	25.2	9.4	0.76	296.9	0.020	<1	1.20	0.007	0.67	0.4	2.9	0.22	<5
1882246	Drill Core	0.32	1.34	0.02	6	0.16	0.035	16.9	7.7	0.47	228.4	0.020	<1	0.82	0.009	0.48	0.6	2.3	0.17	7
1882247	Drill Core	0.47	1.73	0.07	9	0.25	0.058	25.5	10.7	0.73	273.7	0.030	2	1.18	0.009	0.67	0.6	3.3	0.28	11
1882248	Drill Core	0.07	0.29	<0.02	2	0.07	0.026	6.9	4.2	0.14	87.3	0.002	<1	0.23	0.003	0.12	<0.1	0.5	0.05	<5
1882249	Drill Core	0.02	0.12	<0.02	<1	0.02	0.005	2.3	3.4	0.07	35.8	<0.001	<1	0.11	0.002	0.06	<0.1	0.3	0.02	<5
1882250	Drill Core	0.03	0.15	<0.02	<1	0.02	0.007	1.7	3.4	0.06	31.8	<0.001	<1	0.08	0.002	0.04	<0.1	0.3	<0.02	12
1882251	Drill Core	0.29	0.93	<0.02	5	0.17	0.040	18.4	7.0	0.46	250.7	0.015	1	0.72	0.006	0.42	0.2	2.0	0.11	6
1882252	Drill Core	0.40	0.94	<0.02	3	0.11	0.029	13.1	5.0	0.31	212.1	0.009	<1	0.49	0.008	0.33	0.3	1.8	0.10	<5
1882253	Drill Core	0.15	0.86	0.07	5	0.15	0.046	13.2	5.8	0.42	257.1	0.012	<1	0.67	0.008	0.44	0.3	2.2	0.13	8
1882254	Drill Core	0.31	1.17	0.03	3	0.08	0.018	12.2	4.8	0.28	164.9	0.009	<1	0.40	0.007	0.27	0.3	1.7	0.10	12
1882255	Drill Core	0.15	1.09	0.04	4	0.11	0.029	15.0	6.2	0.36	248.1	0.014	1	0.57	0.010	0.39	0.3	1.8	0.12	<5
1882256	Drill Core	0.22	0.87	0.02	3	0.32	0.028	6.6	4.8	0.30	199.0	0.008	<1	0.45	0.007	0.30	0.3	1.5	0.08	6
1882257	Drill Core	0.45	1.77	0.29	6	0.52	0.047	12.2	8.4	0.50	284.8	0.018	<1	0.71	0.010	0.46	0.4	2.0	0.14	<5
1882258	Drill Core	0.31	0.85	0.04	5	0.22	0.051	13.2	7.3	0.43	270.6	0.018	2	0.61	0.009	0.40	0.4	1.5	0.13	<5
1882259	Drill Core	0.33	0.73	0.05	5	0.70	0.029	6.4	6.2	0.42	197.0	0.014	<1	0.52	0.013	0.32	0.3	1.8	0.10	9
1882260	Core DUP	0.35	0.78	0.06	5	0.75	0.030	6.6	6.4	0.46	206.7	0.015	<1	0.56	0.014	0.35	0.3	1.9	0.10	6
1882261	Drill Core	0.30	0.85	0.13	7	0.62	0.050	11.4	8.7	0.43	209.6	0.018	<1	0.64	0.022	0.42	0.4	1.9	0.15	6
1882262	Drill Core	0.39	1.02	0.45	13	1.03	0.053	10.6	15.6	0.55	176.0	0.051	<1	0.68	0.032	0.46	0.8	2.4	0.18	<5
1882263	Drill Core	0.18	0.93	0.67	8	0.75	0.052	9.0	11.0	0.45	231.0	0.028	<1	0.63	0.014	0.46	0.4	2.0	0.19	<5
1882264	Drill Core	0.38	1.14	0.45	9	0.60	0.065	12.8	13.8	0.57	244.3	0.040	<1	0.77	0.019	0.52	0.6	2.2	0.22	<5
1882265	Drill Core	0.39	1.39	0.08	19	0.57	0.067	15.7	28.0	0.78	246.8	0.077	<1	1.10	0.024	0.59	1.1	3.6	0.29	15
1882266	Drill Core	0.40	1.37	0.14	14	0.70	0.045	12.3	20.6	0.77	152.6	0.057	<1	0.89	0.025	0.48	1.2	3.4	0.23	13
1882267	Drill Core	0.26	1.50	0.24	20	1.37	0.061	16.6	27.0	1.02	167.9	0.075	<1	1.21	0.025	0.67	0.9	4.0	0.34	12



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000640.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1882238	Drill Core	<0.1	0.04	4.0	1.42	<0.1	0.07	0.02	14.3	0.2	<0.05	2.3	9.79	39.9	<0.02	<1	0.4	13.5	<10	<2
1882239	Drill Core	<0.1	0.06	2.7	1.26	<0.1	0.12	<0.02	15.6	<0.1	<0.05	5.2	5.75	26.1	0.02	<1	0.4	11.5	<10	<2
1882240	Rock Pulp	<0.1	<0.02	4.3	0.15	<0.1	0.18	0.25	2.2	2.0	<0.05	3.6	8.75	12.9	<0.02	<1	0.2	1.1	<10	<2
1882241	Drill Core	0.3	0.03	3.5	1.98	<0.1	0.17	<0.02	21.3	0.2	<0.05	6.1	6.47	32.8	<0.02	<1	0.3	13.7	<10	<2
1882242	Drill Core	<0.1	<0.02	4.1	1.64	<0.1	0.30	<0.02	23.1	0.2	<0.05	10.6	7.20	32.6	<0.02	<1	0.5	15.3	<10	<2
1882243	Drill Core	<0.1	0.02	3.6	1.75	<0.1	0.20	<0.02	17.1	0.3	<0.05	7.3	8.00	45.5	<0.02	<1	0.5	17.3	<10	<2
1882244	Drill Core	<0.1	0.03	3.0	1.69	<0.1	0.18	<0.02	26.5	0.3	<0.05	6.4	7.39	45.0	<0.02	<1	0.4	14.6	<10	<2
1882245	Drill Core	<0.1	0.03	3.3	4.45	<0.1	0.24	<0.02	33.2	0.2	<0.05	8.7	8.51	49.7	<0.02	<1	0.8	13.3	<10	<2
1882246	Drill Core	<0.1	0.05	2.3	2.93	<0.1	0.21	0.04	22.6	0.1	<0.05	7.5	5.12	33.1	<0.02	<1	0.6	7.8	<10	<2
1882247	Drill Core	<0.1	0.05	3.0	4.53	<0.1	0.22	0.03	32.2	0.3	<0.05	7.3	9.46	49.6	<0.02	<1	0.6	12.6	<10	<2
1882248	Drill Core	<0.1	0.21	1.0	0.34	<0.1	0.05	<0.02	5.4	0.2	<0.05	2.1	2.45	13.4	<0.02	<1	0.1	3.3	<10	<2
1882249	Drill Core	<0.1	0.03	0.6	0.19	<0.1	<0.02	<0.02	3.1	0.2	<0.05	0.6	0.86	4.6	<0.02	<1	<0.1	1.8	<10	<2
1882250	Drill Core	<0.1	0.09	0.4	0.22	<0.1	<0.02	<0.02	1.8	0.2	<0.05	0.7	0.98	3.3	<0.02	<1	<0.1	1.3	<10	<2 12.4
1882251	Drill Core	<0.1	0.03	2.2	1.14	<0.1	0.19	<0.02	17.9	0.3	<0.05	6.0	5.89	36.2	<0.02	<1	0.5	7.6	<10	<2
1882252	Drill Core	<0.1	0.07	1.6	1.08	<0.1	0.17	<0.02	13.8	0.2	<0.05	6.7	4.29	25.5	<0.02	<1	0.4	4.7	<10	<2
1882253	Drill Core	0.4	0.11	2.1	1.02	<0.1	0.23	<0.02	18.0	<0.1	<0.05	8.7	4.58	26.3	<0.02	<1	0.4	6.1	<10	<2
1882254	Drill Core	<0.1	0.06	1.5	0.86	<0.1	0.17	<0.02	11.7	0.5	<0.05	5.0	3.58	24.0	<0.02	<1	0.2	4.4	<10	<2
1882255	Drill Core	0.2	0.05	2.0	1.15	<0.1	0.18	<0.02	16.9	0.3	<0.05	6.7	3.97	29.5	<0.02	<1	0.6	5.3	<10	<2
1882256	Drill Core	0.3	0.05	1.6	0.76	<0.1	0.14	<0.02	11.9	0.4	<0.05	4.8	2.77	13.2	<0.02	<1	0.4	4.4	<10	<2
1882257	Drill Core	0.6	0.10	2.2	0.98	<0.1	0.23	0.04	19.6	0.3	<0.05	8.2	4.72	23.5	<0.02	<1	0.6	7.2	<10	<2
1882258	Drill Core	0.3	0.12	2.2	1.03	<0.1	0.20	0.06	17.3	0.4	<0.05	6.3	6.29	25.5	<0.02	<1	0.5	6.9	<10	<2
1882259	Drill Core	0.2	0.07	1.8	0.93	<0.1	0.16	0.03	13.5	0.4	<0.05	5.2	3.52	12.6	<0.02	<1	0.3	5.3	<10	<2
1882260	Core DUP	0.3	0.09	1.9	0.94	<0.1	0.15	0.02	14.3	0.4	<0.05	5.6	3.72	13.0	<0.02	<1	0.3	5.5	<10	<2
1882261	Drill Core	1.1	0.09	2.2	1.27	<0.1	0.31	0.04	17.8	0.3	<0.05	9.7	5.47	21.8	<0.02	<1	0.4	6.2	<10	<2
1882262	Drill Core	1.0	0.06	2.8	1.22	<0.1	0.22	0.18	21.1	0.2	<0.05	8.0	6.57	22.8	0.02	3	0.3	7.4	<10	<2
1882263	Drill Core	0.8	0.06	2.0	2.26	<0.1	0.33	0.07	22.7	<0.1	<0.05	11.8	5.04	18.1	<0.02	1	0.4	6.5	<10	<2
1882264	Drill Core	0.5	0.06	2.7	2.45	<0.1	0.35	0.07	26.8	<0.1	<0.05	12.5	6.71	25.2	<0.02	<1	0.6	9.4	<10	<2
1882265	Drill Core	0.4	0.04	4.6	2.84	<0.1	0.12	0.10	31.3	0.5	<0.05	4.2	9.11	31.1	<0.02	<1	0.6	10.2	<10	<2
1882266	Drill Core	0.1	<0.02	3.6	3.80	<0.1	0.11	0.09	28.6	0.4	<0.05	3.8	7.43	24.6	<0.02	<1	0.6	8.9	<10	<2
1882267	Drill Core	<0.1	<0.02	4.8	7.33	<0.1	0.11	0.05	44.2	0.4	<0.05	3.7	11.65	33.3	<0.02	<1	0.7	11.7	<10	<2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000640.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1882268	Drill Core	1.39	452	0.015	0.01	<0.17	42.80	0.51	14.02	14.87	111.6	302	10.4	6.8	319	1.90	3.5	0.8	6.8	8.5	56.1
1882269	Drill Core	2.07	476	0.781	0.76	0.58	41.34	1.75	16.06	7.59	111.9	735	11.3	8.8	291	2.11	8.8	1.8	472.1	11.6	65.3
1882270	Drill Core	1.76	378	0.170	0.17	<0.17	39.57	1.25	11.82	7.62	204.1	1049	6.5	6.6	368	1.67	6.4	1.8	117.5	10.8	68.5
1882271	Drill Core	1.45	491	0.181	0.19	0.25	31.43	0.87	14.24	7.05	510.1	831	13.0	9.4	242	2.01	12.8	1.4	165.8	11.6	49.7
1882272	Drill Core	3.16	478	0.303	0.30	0.19	26.06	1.28	20.77	53.00	180.3	900	10.3	8.9	440	2.04	6.6	1.2	315.0	9.5	41.7
1882273	Drill Core	1.67	410	0.036	0.03	<0.17	34.41	0.86	37.00	156.73	127.6	701	8.0	4.7	302	1.70	5.1	1.2	24.4	10.5	30.4
1882274	Drill Core	1.70	419	0.013	0.01	<0.17	32.70	0.47	31.05	118.34	197.2	452	8.9	5.7	283	1.57	1.9	0.9	27.2	8.3	39.0
1882275	Drill Core	3.30	445	0.008	<0.01	<0.17	39.12	0.61	41.56	181.59	253.0	642	10.6	6.3	303	1.96	1.8	1.1	7.3	10.7	37.4
1882276	Drill Core	1.68	432	0.008	<0.01	<0.17	40.79	0.51	26.37	60.33	146.1	376	9.4	5.3	301	1.62	2.2	1.0	0.4	9.6	41.8
1882277	Drill Core	1.58	388	9.532	19.55	122.39	34.43	0.54	15.77	44.81	99.0	12319	6.4	4.5	150	1.28	5.4	0.7	98386.7	6.0	21.1
1882278	Drill Core	3.30	418	0.065	0.06	<0.17	35.41	0.49	13.47	19.18	68.3	310	8.9	5.4	176	1.48	2.5	1.2	47.7	9.9	40.8
1882279	Drill Core	3.19	368	0.028	0.03	<0.17	30.80	0.64	14.18	13.83	73.2	250	11.2	5.7	243	1.93	2.8	1.3	21.9	7.7	26.2
1882280	Rock	0.23	166	<0.005	<0.01	<0.17	38.21	0.44	0.99	0.92	1.5	9	1.0	0.3	64	0.57	0.7	0.2	1.2	1.2	1.3
1882281	Drill Core	3.42	420	0.006	<0.01	<0.17	36.19	0.95	12.65	15.40	105.3	243	11.3	7.5	275	1.88	1.5	1.3	2.4	8.2	45.0
1882282	Drill Core	2.98	407	<0.005	<0.01	<0.17	35.01	1.08	20.54	34.38	108.3	396	12.0	8.2	293	2.02	2.1	1.1	<0.2	7.4	40.3
1882283	Drill Core	1.67	421	<0.005	<0.01	<0.17	28.00	0.76	14.02	15.28	80.0	208	14.7	8.1	274	2.21	2.2	0.9	<0.2	7.6	42.6
1882284	Drill Core	3.23	411	<0.005	<0.01	<0.17	41.10	0.85	21.10	63.29	139.9	319	12.0	7.8	330	1.89	3.4	1.1	0.5	6.0	30.8
1882285	Drill Core	3.26	437	<0.005	<0.01	<0.17	28.33	4.14	14.65	67.46	140.1	397	13.2	8.2	391	2.05	1.9	0.8	<0.2	3.8	39.9
1882286	Drill Core	2.85	457	<0.005	<0.01	<0.17	39.03	1.19	19.55	16.90	80.7	345	12.4	8.4	319	1.96	2.6	2.7	<0.2	6.9	43.1
1882287	Drill Core	1.71	430	0.164	0.16	<0.17	30.15	0.35	21.19	16.85	56.3	616	11.8	9.0	315	2.12	6.7	2.2	140.1	8.1	150.5
1882288	Drill Core	1.85	447	0.062	0.06	<0.17	28.95	0.23	5.92	14.37	16.4	338	1.9	2.8	140	0.65	1.3	1.0	172.3	10.7	33.0
1882289	Drill Core	3.05	484	0.008	<0.01	<0.17	35.51	0.46	7.08	17.47	33.4	195	4.2	3.9	233	0.99	1.8	2.9	3.8	9.9	43.3
1882290	Drill Core	2.96	353	<0.005	<0.01	<0.17	42.72	0.61	15.30	7.99	71.3	234	14.4	8.4	280	2.24	5.0	3.7	0.8	10.0	67.7
1882291	Drill Core	1.60	453	<0.005	<0.01	<0.17	41.33	0.79	12.81	12.84	61.7	224	13.4	8.1	285	2.16	4.1	1.5	<0.2	7.5	85.4
1882292	Drill Core	1.64	437	0.032	0.03	<0.17	39.70	0.72	21.43	51.95	122.5	355	13.3	9.1	512	2.49	1.9	1.9	24.1	8.5	95.8
1882293	Drill Core	1.61	424	<0.005	<0.01	<0.17	35.08	1.02	23.86	47.36	105.5	399	15.6	8.8	466	2.50	0.8	2.0	1.4	7.7	58.7
1882294	Drill Core	1.61	470	0.179	0.21	0.51	48.89	0.61	9.32	16.59	55.5	361	10.2	7.7	322	1.74	2.6	1.3	181.9	7.0	64.0
1882295	Drill Core	1.67	479	0.006	<0.01	<0.17	41.54	1.00	18.15	14.36	63.5	400	13.0	8.2	300	2.23	8.9	2.1	2.1	7.4	89.0
1882296	Drill Core	1.63	496	0.831	1.02	3.29	38.93	0.32	6.98	41.72	34.3	994	4.1	4.1	216	1.22	2.2	2.5	1016.7	9.4	34.6
1882297	Drill Core	1.51	366	0.079	0.07	<0.17	38.01	0.26	8.94	6.29	31.6	317	3.0	3.2	138	0.92	2.7	1.3	49.9	11.0	16.6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000640.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882268	Drill Core	0.78	1.83	0.12	17	0.85	0.055	14.5	23.7	0.84	123.2	0.076	1	1.06	0.028	0.53	0.9	4.1	0.27	<0.02	<5			
1882269	Drill Core	1.80	1.78	0.06	15	0.87	0.109	13.3	20.5	0.88	240.2	0.072	<1	1.20	0.012	0.74	1.3	3.2	0.36	0.53	23			
1882270	Drill Core	2.39	1.61	0.09	9	1.09	0.054	13.5	10.7	0.74	238.3	0.049	<1	0.95	0.015	0.69	0.8	2.4	0.35	0.39	37			
1882271	Drill Core	5.64	3.01	0.06	17	0.73	0.067	15.2	24.1	0.89	203.2	0.081	<1	1.10	0.021	0.64	1.0	4.2	0.34	0.16	20			
1882272	Drill Core	1.36	1.35	0.09	13	0.75	0.059	13.2	16.7	0.94	157.1	0.068	<1	1.07	0.015	0.70	0.9	3.3	0.45	0.02	26			
1882273	Drill Core	0.60	0.95	0.09	11	0.51	0.054	11.2	14.5	0.74	157.7	0.068	<1	0.96	0.015	0.59	0.9	2.6	0.46	0.16	19			
1882274	Drill Core	0.79	0.90	0.08	13	0.55	0.066	10.9	18.9	0.69	110.5	0.071	<1	0.93	0.019	0.46	0.7	2.8	0.49	<0.02	17			
1882275	Drill Core	0.99	0.99	0.08	17	0.65	0.061	14.1	25.0	0.88	131.8	0.087	<1	1.19	0.022	0.61	0.7	3.8	0.62	0.03	13			
1882276	Drill Core	1.20	0.94	0.09	14	0.71	0.052	14.9	21.8	0.82	127.3	0.075	<1	1.09	0.017	0.59	0.7	3.0	0.50	<0.02	15			
1882277	Drill Core	0.61	0.48	0.04	8	0.44	0.050	11.1	11.9	0.49	175.2	0.041	1	0.73	0.012	0.42	0.7	1.6	0.26	<0.02	54			
1882278	Drill Core	0.40	0.69	0.08	12	0.93	0.055	15.3	15.3	0.66	143.2	0.055	<1	0.99	0.015	0.43	0.7	2.9	0.26	0.02	22			
1882279	Drill Core	0.37	0.78	0.05	17	0.71	0.057	14.3	22.2	0.93	151.6	0.080	<1	1.30	0.022	0.34	0.3	3.6	0.21	<0.02	<5			
1882280	Rock	<0.01	0.02	<0.02	<1	<0.01	0.002	1.6	2.9	<0.01	8.7	0.001	<1	0.04	0.003	0.01	<0.1	0.1	0.02	<0.02	<5			
1882281	Drill Core	0.64	0.63	0.09	16	0.82	0.064	15.0	23.0	0.93	149.8	0.087	<1	1.19	0.022	0.44	0.6	4.0	0.31	<0.02	<5			
1882282	Drill Core	0.59	0.70	0.15	21	0.79	0.062	13.1	27.6	1.10	139.4	0.075	<1	1.18	0.025	0.47	0.5	4.7	0.32	<0.02	6			
1882283	Drill Core	0.44	0.56	0.02	26	0.73	0.060	16.0	35.2	1.06	311.3	0.069	<1	1.16	0.030	0.46	0.4	5.2	0.31	<0.02	<5			
1882284	Drill Core	0.70	0.89	0.11	19	0.73	0.060	9.6	22.7	0.87	143.3	0.081	<1	1.21	0.015	0.42	1.3	3.7	0.29	<0.02	6			
1882285	Drill Core	0.83	0.62	0.18	17	0.68	0.063	6.3	23.5	1.03	153.5	0.076	<1	1.32	0.017	0.33	0.4	2.8	0.24	<0.02	<5			
1882286	Drill Core	0.94	0.89	0.08	20	0.74	0.062	14.7	26.0	0.90	183.5	0.072	<1	1.08	0.016	0.57	0.6	4.3	0.45	0.07	<5			
1882287	Drill Core	0.77	0.96	0.10	15	1.94	0.061	8.3	17.4	0.90	249.7	0.047	<1	0.92	0.017	0.66	0.6	4.9	0.39	0.66	12			
1882288	Drill Core	0.13	0.54	0.12	2	0.67	0.020	16.6	3.9	0.18	430.2	0.008	<1	0.47	0.010	0.36	0.2	1.6	0.15	0.17	47			
1882289	Drill Core	0.40	0.42	0.13	6	0.85	0.032	14.0	9.1	0.41	348.4	0.016	<1	0.58	0.008	0.40	0.3	2.3	0.19	0.13	32			
1882290	Drill Core	0.25	0.81	0.02	24	0.82	0.068	10.3	28.3	1.20	299.5	0.075	<1	1.27	0.026	0.72	0.7	5.4	0.41	0.15	13			
1882291	Drill Core	0.25	0.71	0.04	22	1.09	0.064	8.7	24.9	1.17	148.8	0.056	<1	1.21	0.018	0.60	0.6	5.0	0.39	0.04	7			
1882292	Drill Core	0.59	0.43	0.08	25	1.09	0.052	16.7	26.6	1.22	175.4	0.050	<1	1.37	0.016	0.49	0.6	5.9	0.38	<0.02	11			
1882293	Drill Core	0.40	0.32	0.06	33	0.74	0.066	22.2	36.3	1.16	123.4	0.082	<1	1.30	0.019	0.18	0.7	6.0	0.09	<0.02	10			
1882294	Drill Core	0.43	0.44	0.02	13	0.86	0.057	11.8	14.8	0.75	186.5	0.038	<1	0.84	0.010	0.45	0.5	3.4	0.30	0.11	<5			
1882295	Drill Core	0.28	0.82	0.06	19	1.22	0.062	6.2	19.3	1.10	176.2	0.049	<1	1.11	0.016	0.81	0.4	4.2	0.54	0.25	<5			
1882296	Drill Core	0.32	0.33	0.80	6	0.55	0.028	14.3	9.4	0.48	228.0	0.017	1	0.62	0.015	0.31	0.3	2.1	0.13	0.25	30			
1882297	Drill Core	0.14	0.49	0.08	3	0.24	0.030	21.2	6.1	0.27	283.3	0.012	<1	0.53	0.011	0.31	0.2	1.7	0.13	0.10	23			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 3 of 5 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000640.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1882268	Drill Core	<0.1	<0.02	3.9	3.89	<0.1	0.10	0.08	32.8	0.5	<0.05	3.2	8.36	28.8	<0.02	<1	0.6	10.6	<10	<2
1882269	Drill Core	0.5	0.02	4.3	3.75	<0.1	0.07	0.18	38.3	0.3	<0.05	2.2	10.13	26.6	<0.02	<1	0.8	13.6	<10	<2
1882270	Drill Core	0.3	<0.02	3.3	4.11	<0.1	0.06	0.12	38.8	0.2	<0.05	1.6	7.87	26.7	<0.02	1	0.5	11.8	<10	<2
1882271	Drill Core	0.2	<0.02	4.2	4.25	<0.1	0.15	0.14	38.4	0.4	<0.05	4.5	10.27	31.7	<0.02	<1	0.6	11.8	<10	<2
1882272	Drill Core	<0.1	<0.02	4.1	6.29	<0.1	0.08	0.10	45.0	0.4	<0.05	2.0	7.96	27.1	<0.02	<1	0.6	11.7	<10	<2
1882273	Drill Core	0.3	0.03	3.8	4.84	<0.1	0.07	0.15	38.8	0.5	<0.05	2.0	7.15	21.7	<0.02	<1	0.5	10.7	<10	<2
1882274	Drill Core	<0.1	<0.02	3.8	4.57	<0.1	0.08	0.17	34.4	0.4	<0.05	2.0	6.72	20.4	<0.02	<1	0.4	11.1	<10	<2
1882275	Drill Core	0.1	<0.02	4.6	6.64	<0.1	0.08	0.13	45.5	0.5	<0.05	2.4	8.24	29.7	<0.02	<1	0.4	13.5	<10	<2
1882276	Drill Core	<0.1	<0.02	4.1	5.90	<0.1	0.09	0.15	41.0	0.5	<0.05	2.2	7.03	33.1	<0.02	<1	0.5	10.6	<10	<2
1882277	Drill Core	<0.1	0.02	2.7	2.74	<0.1	0.06	0.12	22.7	0.3	<0.05	1.8	4.77	21.8	<0.02	<1	0.3	6.9	<10	<2
1882278	Drill Core	<0.1	<0.02	4.0	3.19	<0.1	0.07	0.13	25.0	0.4	<0.05	1.8	7.90	32.5	<0.02	<1	0.5	10.1	<10	<2
1882279	Drill Core	<0.1	<0.02	4.9	2.47	<0.1	0.06	0.13	20.6	0.4	<0.05	1.5	8.21	33.1	<0.02	<1	0.4	10.5	<10	<2
1882280	Rock	<0.1	<0.02	0.2	0.08	<0.1	0.09	0.03	0.7	<0.1	<0.05	1.9	0.70	3.5	<0.02	<1	<0.1	0.7	<10	<2
1882281	Drill Core	<0.1	<0.02	4.9	5.55	<0.1	0.07	0.14	30.9	0.4	<0.05	1.8	8.77	33.9	<0.02	<1	0.5	11.0	<10	<2
1882282	Drill Core	<0.1	<0.02	4.8	5.03	<0.1	0.10	0.10	30.3	0.4	<0.05	3.4	8.31	30.9	<0.02	<1	0.5	10.7	<10	<2
1882283	Drill Core	<0.1	<0.02	5.3	6.65	<0.1	0.13	0.10	31.3	0.5	<0.05	4.1	8.73	35.8	<0.02	<1	0.5	10.1	<10	<2
1882284	Drill Core	<0.1	<0.02	4.6	3.58	<0.1	0.06	0.16	27.3	0.5	<0.05	1.3	7.25	21.9	<0.02	<1	0.7	11.8	<10	<2
1882285	Drill Core	<0.1	<0.02	4.4	2.59	<0.1	0.04	0.12	21.1	0.3	<0.05	1.1	4.42	13.6	<0.02	<1	0.4	10.9	<10	<2
1882286	Drill Core	0.7	<0.02	4.2	6.93	<0.1	0.06	0.10	41.0	0.8	<0.05	1.6	9.01	35.0	<0.02	1	0.5	10.4	<10	<2
1882287	Drill Core	1.4	<0.02	3.1	5.57	<0.1	0.18	0.05	37.9	0.3	<0.05	5.3	7.61	16.2	<0.02	<1	0.3	9.9	<10	<2
1882288	Drill Core	0.1	<0.02	1.6	0.95	<0.1	0.04	0.10	16.7	0.2	<0.05	1.3	7.22	38.8	<0.02	<1	0.2	4.6	<10	<2
1882289	Drill Core	0.2	<0.02	1.9	1.97	<0.1	0.08	0.07	19.1	0.3	<0.05	2.9	6.32	28.0	<0.02	<1	0.3	6.4	<10	<2
1882290	Drill Core	0.5	<0.02	4.6	6.06	<0.1	0.30	0.03	40.9	0.5	<0.05	10.4	10.35	22.0	<0.02	<1	0.4	13.4	<10	<2
1882291	Drill Core	0.2	<0.02	4.0	5.96	<0.1	0.29	0.02	35.1	0.5	<0.05	9.8	9.15	18.9	<0.02	<1	0.6	13.3	<10	<2
1882292	Drill Core	0.2	<0.02	6.5	4.59	<0.1	0.33	<0.02	31.9	0.7	<0.05	12.4	14.70	38.9	<0.02	<1	0.7	18.4	<10	<2
1882293	Drill Core	0.2	<0.02	7.0	0.83	<0.1	0.41	0.04	8.2	0.5	<0.05	12.2	16.02	50.7	<0.02	<1	0.5	16.5	<10	<2
1882294	Drill Core	0.2	0.06	3.1	3.83	<0.1	0.36	0.04	27.9	0.4	<0.05	12.4	8.45	23.4	<0.02	<1	0.4	9.0	<10	<2
1882295	Drill Core	0.7	<0.02	3.5	7.57	<0.1	0.29	0.02	51.6	0.4	<0.05	9.6	7.17	12.6	<0.02	3	0.4	9.1	<10	<2
1882296	Drill Core	0.6	0.07	2.4	1.38	<0.1	0.05	0.08	14.7	0.4	<0.05	1.9	8.70	29.4	<0.02	<1	0.5	8.5	<10	<2
1882297	Drill Core	0.2	<0.02	1.6	0.86	<0.1	0.09	0.10	14.2	0.2	<0.05	3.5	11.33	48.2	<0.02	<1	0.4	6.4	<10	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000640.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1882298	Drill Core	1.89	415	0.353	0.59	2.46	46.79	1.01	17.66	5.92	50.3	715	11.8	8.5	421	2.07	10.2	2.0	363.1	8.9	149.9
1882299	Drill Core	2.56	364	0.022	0.02	<0.17	39.10	0.38	8.44	13.66	26.9	283	2.9	3.1	230	0.87	1.2	0.9	8.4	10.0	44.3
1882300	Rock Pulp	0.12	89	7.133				9.63	187.34	18.64	74.6	914	14.0	12.0	584	4.68	13.6	0.8	7950.9	3.4	64.4
1882301	Drill Core	3.16	439	0.041	0.04	<0.17	40.83	0.23	5.39	15.25	21.8	341	1.5	2.1	181	0.76	10.1	1.3	49.8	11.2	37.4
1882302	Drill Core	3.41	466	0.103	0.16	0.74	44.70	0.37	2.23	4.96	8.0	323	1.1	1.4	121	0.63	5.9	1.0	35.2	11.8	18.6
1882303	Drill Core	2.50	362	0.741	1.22	4.42	46.84	1.88	11.80	5.85	53.2	1796	9.0	9.4	353	2.19	26.9	2.3	9836.3	12.5	28.3
1882304	Drill Core	1.79	446	0.187	0.29	1.17	48.67	1.05	2.79	2.74	70.5	371	5.7	3.9	250	1.57	12.8	1.7	943.6	9.5	19.4
1882305	Drill Core	1.21	419	0.778	0.77	0.74	47.47	1.10	6.87	2.29	60.3	683	8.5	8.1	151	2.32	19.3	2.2	1125.9	9.4	17.6
1882306	Drill Core	1.36	464	0.884	0.99	2.40	32.86	1.03	30.01	4.67	55.7	2169	11.7	7.8	222	1.67	8.5	1.6	4139.8	6.1	13.2
1882307	Drill Core	1.39	374	0.873	0.97	2.07	29.48	0.96	15.16	14.50	39.3	1064	8.7	6.1	388	1.73	15.2	1.4	878.3	5.5	26.7
1882308	Drill Core	2.14	383	0.953	1.16	3.13	37.04	0.73	31.52	2.52	65.8	2310	10.4	5.9	484	2.25	14.7	2.0	1386.9	6.4	66.7
1882309	Drill Core	1.58	446	0.847	0.90	1.44	38.98	0.73	17.32	3.65	47.5	904	11.2	8.3	398	2.37	9.2	2.4	588.4	6.8	121.8
1882310	Drill Core	1.49	395	1.138	2.57	18.71	32.29	0.64	25.17	2.95	24.9	1260	5.7	4.8	275	1.34	3.6	1.1	1005.5	5.4	43.1
1882311	Drill Core	1.67	415	0.194	0.25	0.77	37.79	0.84	30.17	5.94	44.8	870	9.1	5.6	498	1.91	7.4	1.1	596.2	4.6	109.9
1882312	Drill Core	2.33	393	0.008	<0.01	<0.17	36.93	1.47	24.26	28.46	55.2	573	13.9	7.7	400	2.03	10.8	1.5	3.5	7.6	87.1
1882313	Drill Core	2.87	392	0.021	0.02	<0.17	30.39	1.45	18.22	23.66	51.6	484	12.3	7.5	411	2.02	15.2	1.4	20.8	7.8	78.8
1882314	Drill Core	3.05	397	0.009	<0.01	<0.17	36.32	0.61	14.31	12.14	55.7	216	13.3	7.3	298	1.96	24.1	1.4	3.4	8.9	35.4
1882315	Drill Core	1.50	482	0.006	<0.01	<0.17	38.81	1.09	16.22	10.02	40.3	260	13.8	7.0	206	1.53	10.8	2.4	0.7	9.3	34.5
1882316	Drill Core	1.46	403	0.007	<0.01	<0.17	41.21	0.47	21.76	23.86	37.8	526	6.2	4.4	164	1.16	11.0	2.3	4.4	14.7	19.3
1882317	Drill Core	2.98	455	<0.005	<0.01	<0.17	40.36	1.49	22.42	32.65	34.8	591	14.4	5.5	193	1.25	40.5	1.6	1.6	10.0	49.9
1882318	Drill Core	3.71	368	0.005	<0.01	<0.17	27.50	0.72	15.88	17.76	26.9	283	11.3	4.3	226	1.13	70.6	2.4	1.5	11.1	71.9
1882319	Drill Core	2.33	470	<0.005	<0.01	<0.17	34.94	0.90	17.12	16.33	52.5	304	17.4	6.4	272	1.98	23.1	1.3	1.6	7.2	55.4
1882320	Rock Pulp	0.12	91	0.631				6.57	113.96	81.26	137.5	627	12.5	5.0	606	2.49	40.2	0.4	568.1	2.1	34.7
1882321	Drill Core	3.48	402	<0.005	<0.01	<0.17	33.43	1.33	25.52	9.51	39.9	208	24.8	7.8	236	1.58	7.7	1.7	<0.2	5.2	64.7
1882322	Drill Core	3.22	399	<0.005	<0.01	<0.17	32.58	1.35	27.73	8.50	43.0	197	28.3	8.7	162	1.60	7.7	0.9	1.5	3.3	22.1
1882323	Drill Core	3.10	396	<0.005	<0.01	<0.17	33.12	2.04	36.50	4.61	53.3	195	37.0	11.5	212	2.02	40.0	1.9	0.8	6.1	21.2
1882324	Drill Core	1.60	530	<0.005	<0.01	<0.17	47.68	2.00	32.32	5.15	77.1	224	32.2	10.5	402	2.78	21.1	4.2	0.7	6.7	69.4
1882325	Drill Core	2.38	533	0.006	<0.01	<0.17	41.78	1.82	37.89	7.84	80.8	334	29.7	9.9	376	2.87	27.6	1.6	1.1	6.8	36.6
1882326	Drill Core	1.91	492	0.006	<0.01	<0.17	37.40	1.26	18.69	16.56	97.6	265	28.3	9.1	502	3.10	23.3	1.0	5.2	6.5	54.7
1882327	Drill Core	3.04	426	<0.005	<0.01	<0.17	32.69	1.23	29.40	4.43	66.6	281	32.4	9.6	267	2.25	24.1	1.6	1.2	6.5	19.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000640.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882298	Drill Core	0.38	0.67	0.04	12	1.95	0.054	13.4	14.5	0.94	178.7	0.021	<1	1.00	0.007	0.40	0.3	4.0	0.18	0.61	9			
1882299	Drill Core	0.26	0.34	0.11	3	0.69	0.027	21.9	6.1	0.24	234.5	0.002	<1	0.45	0.008	0.25	<0.1	1.3	0.11	0.05	7			
1882300	Rock Pulp	0.13	4.13	0.49	107	0.91	0.071	6.9	18.8	0.85	138.9	0.114	2	1.71	0.167	0.22	3.8	3.5	0.07	<0.02	224			
1882301	Drill Core	0.29	0.25	0.15	2	0.76	0.022	35.9	4.6	0.16	236.9	0.002	<1	0.45	0.010	0.29	<0.1	1.5	0.11	<0.02	37			
1882302	Drill Core	0.06	0.19	0.09	1	0.26	0.015	36.7	3.3	0.13	191.4	<0.001	<1	0.37	0.012	0.24	0.6	1.1	0.09	<0.02	28			
1882303	Drill Core	0.34	0.40	0.06	8	0.47	0.049	24.9	8.8	0.51	345.7	0.001	2	0.87	0.007	0.28	0.5	2.9	0.09	<0.02	23			
1882304	Drill Core	0.40	0.49	<0.02	9	0.19	0.051	21.7	10.5	0.55	174.1	<0.001	<1	0.84	0.008	0.25	<0.1	2.4	0.10	<0.02	26			
1882305	Drill Core	0.24	0.31	<0.02	8	0.24	0.067	19.4	10.3	0.53	235.9	0.002	2	0.87	0.010	0.28	<0.1	3.1	0.09	<0.02	9			
1882306	Drill Core	0.39	0.36	0.07	6	0.16	0.047	15.2	9.8	0.31	199.0	0.002	<1	0.60	0.011	0.25	<0.1	2.4	0.07	<0.02	10			
1882307	Drill Core	0.40	0.82	0.13	8	0.34	0.040	14.3	11.4	0.35	216.4	0.003	<1	0.64	0.016	0.27	0.1	3.1	0.08	0.03	<5			
1882308	Drill Core	0.53	0.92	0.03	11	1.09	0.045	13.9	15.0	0.56	192.4	0.006	<1	0.86	0.021	0.28	0.1	4.2	0.09	0.15	9			
1882309	Drill Core	0.28	0.74	0.08	11	1.53	0.071	12.8	11.1	0.70	239.1	0.011	<1	0.95	0.007	0.40	0.2	3.4	0.14	0.45	11			
1882310	Drill Core	0.21	0.61	0.05	7	0.47	0.065	10.6	7.9	0.37	252.4	0.004	<1	0.63	0.007	0.30	0.1	2.0	0.09	0.11	<5			
1882311	Drill Core	0.34	1.03	0.11	12	1.75	0.067	7.9	11.5	0.68	225.4	0.026	<1	0.84	0.007	0.40	0.4	4.4	0.13	0.15	<5			
1882312	Drill Core	0.31	2.61	0.34	16	1.25	0.069	12.1	18.7	0.80	236.3	0.046	<1	1.03	0.010	0.59	0.3	4.1	0.23	0.11	<5			
1882313	Drill Core	0.35	1.78	0.19	13	1.15	0.057	10.0	13.6	0.92	194.3	0.050	<1	1.03	0.012	0.54	0.4	3.8	0.25	0.15	<5			
1882314	Drill Core	0.15	3.11	0.06	14	0.49	0.055	11.1	15.7	0.98	174.9	0.064	<1	1.12	0.013	0.57	0.3	3.9	0.24	0.15	<5			
1882315	Drill Core	0.38	2.92	0.16	11	0.45	0.056	12.6	11.0	0.65	172.3	0.067	<1	0.85	0.012	0.48	0.3	3.4	0.26	0.05	<5			
1882316	Drill Core	0.65	1.69	0.43	7	0.35	0.050	27.9	6.9	0.24	228.9	0.051	<1	0.53	0.030	0.31	0.4	1.6	0.15	0.04	<5			
1882317	Drill Core	0.63	2.18	0.71	10	0.81	0.066	26.1	10.4	0.22	210.3	0.045	<1	0.48	0.015	0.32	0.3	2.6	0.17	<0.02	<5			
1882318	Drill Core	0.23	2.95	0.30	9	1.37	0.043	27.3	8.8	0.23	234.5	0.033	<1	0.50	0.021	0.37	0.3	2.7	0.18	0.03	<5			
1882319	Drill Core	0.30	1.09	0.20	19	1.04	0.061	18.6	16.5	0.71	186.1	0.057	<1	0.88	0.016	0.43	0.1	7.0	0.23	0.03	<5			
1882320	Rock Pulp	0.50	2.32	0.10	28	0.84	0.034	5.9	23.9	0.51	77.4	0.082	7	1.18	0.098	0.10	4.4	2.8	0.22	0.09	156			
1882321	Drill Core	0.27	0.53	0.11	12	0.98	0.056	13.1	11.0	0.47	304.7	0.070	<1	0.63	0.013	0.32	<0.1	3.6	0.15	0.21	<5			
1882322	Drill Core	0.29	0.22	0.08	9	0.45	0.060	6.7	11.6	0.44	222.1	0.083	<1	0.70	0.015	0.23	0.1	1.7	0.08	0.28	<5			
1882323	Drill Core	0.29	0.43	0.04	14	0.48	0.071	13.0	16.8	0.64	242.9	0.094	<1	0.93	0.015	0.31	0.1	2.5	0.12	0.32	<5			
1882324	Drill Core	0.32	0.41	0.04	23	1.60	0.060	15.3	24.5	1.14	137.7	0.071	<1	1.28	0.013	0.26	0.1	5.2	0.12	0.16	<5			
1882325	Drill Core	0.30	1.11	0.08	30	0.85	0.065	17.0	30.4	1.24	136.1	0.089	<1	1.40	0.015	0.34	0.4	6.3	0.15	0.08	<5			
1882326	Drill Core	0.28	1.58	0.11	33	1.56	0.076	16.7	34.7	1.52	88.7	0.084	<1	1.78	0.013	0.24	0.4	5.7	0.10	<0.02	<5			
1882327	Drill Core	0.25	1.80	0.04	24	0.49	0.068	15.6	25.3	1.03	143.3	0.104	<1	1.24	0.015	0.38	0.5	5.0	0.19	0.04	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 25, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000640.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1882298	Drill Core	0.8	<0.02	3.7	2.06	<0.1	0.36	<0.02	20.7	0.3	<0.05	12.9	11.96	27.3	<0.02	4	0.4	16.9	<10	<2
1882299	Drill Core	<0.1	<0.02	1.4	0.97	<0.1	0.19	<0.02	12.2	0.2	<0.05	7.5	9.67	47.1	<0.02	<1	0.3	7.1	<10	<2
1882300	Rock Pulp	0.1	0.17	5.2	0.69	<0.1	0.08	0.05	7.8	1.6	<0.05	1.4	5.40	15.8	0.02	<1	0.1	6.7	<10	<2
1882301	Drill Core	0.2	<0.02	1.6	1.56	<0.1	0.04	<0.02	16.3	0.1	<0.05	1.8	12.89	72.2	<0.02	<1	0.3	6.0	<10	<2
1882302	Drill Core	<0.1	<0.02	1.2	1.26	<0.1	0.16	<0.02	13.3	<0.1	<0.05	6.0	10.43	81.5	<0.02	<1	0.3	3.9	<10	<2
1882303	Drill Core	0.7	0.03	3.3	2.33	<0.1	0.10	<0.02	13.1	0.2	<0.05	3.8	8.77	48.1	<0.02	<1	0.6	20.6	<10	<2
1882304	Drill Core	0.1	<0.02	3.4	2.39	<0.1	0.06	<0.02	12.1	0.1	<0.05	2.7	7.16	50.1	<0.02	<1	0.4	16.9	<10	<2
1882305	Drill Core	1.0	<0.02	2.9	1.53	<0.1	0.06	<0.02	12.1	0.3	<0.05	3.0	6.65	38.5	<0.02	<1	0.4	16.6	<10	<2
1882306	Drill Core	0.4	0.03	2.1	1.14	<0.1	0.12	<0.02	10.0	0.5	<0.05	5.4	5.62	29.5	<0.02	<1	0.3	9.2	<10	<2
1882307	Drill Core	0.4	0.03	2.5	1.22	<0.1	0.11	<0.02	10.3	0.4	<0.05	4.4	5.85	28.4	<0.02	<1	0.4	9.4	<10	<2
1882308	Drill Core	0.5	0.02	3.5	1.34	<0.1	0.09	<0.02	11.4	0.4	<0.05	3.5	8.42	27.5	<0.02	<1	0.4	13.3	<10	<2
1882309	Drill Core	0.7	0.03	3.7	1.40	<0.1	0.04	<0.02	17.4	0.3	<0.05	1.2	9.50	26.4	<0.02	1	0.5	12.7	<10	<2
1882310	Drill Core	0.2	0.03	2.4	0.51	<0.1	0.03	<0.02	11.6	0.3	<0.05	1.2	5.61	21.3	<0.02	<1	0.3	8.0	<10	<2
1882311	Drill Core	0.5	0.04	2.9	1.54	<0.1	0.04	<0.02	16.5	0.3	<0.05	1.5	6.84	15.4	<0.02	<1	0.3	9.2	<10	<2
1882312	Drill Core	0.8	0.04	3.5	2.57	<0.1	0.07	<0.02	27.3	0.4	<0.05	2.6	8.11	23.9	<0.02	<1	0.4	12.1	<10	<2
1882313	Drill Core	0.9	0.03	3.4	2.21	<0.1	0.26	<0.02	26.7	0.5	<0.05	8.4	7.92	19.6	<0.02	<1	0.4	15.2	<10	<2
1882314	Drill Core	0.7	<0.02	4.1	2.23	<0.1	0.46	0.02	28.7	0.4	<0.05	15.2	9.64	21.9	<0.02	<1	0.5	16.5	<10	<2
1882315	Drill Core	1.0	<0.02	3.1	1.98	<0.1	0.47	0.07	24.6	0.4	<0.05	15.3	8.77	24.9	<0.02	2	0.4	11.9	<10	<2
1882316	Drill Core	1.3	0.03	2.9	1.35	<0.1	0.24	0.22	14.6	0.6	<0.05	7.2	11.30	53.6	<0.02	<1	0.4	5.1	<10	<2
1882317	Drill Core	1.1	0.06	2.4	1.32	<0.1	0.30	0.16	15.7	0.5	<0.05	10.6	13.09	49.5	<0.02	<1	0.3	4.5	<10	<2
1882318	Drill Core	0.7	0.04	2.2	2.38	<0.1	0.40	0.11	18.1	0.5	<0.05	13.3	12.48	52.3	<0.02	3	0.3	4.4	<10	<2
1882319	Drill Core	0.6	0.04	3.4	4.07	<0.1	0.12	0.06	22.5	0.5	<0.05	3.9	12.31	35.8	<0.02	1	0.3	8.6	<10	<2
1882320	Rock Pulp	<0.1	0.05	4.6	0.21	<0.1	0.18	0.15	2.5	1.9	<0.05	4.6	7.55	11.5	<0.02	1	0.3	1.3	<10	<2
1882321	Drill Core	0.8	0.05	2.4	3.18	<0.1	0.05	0.16	13.6	0.4	<0.05	1.5	9.22	26.5	<0.02	2	0.2	6.3	<10	<2
1882322	Drill Core	0.8	0.03	2.6	0.47	<0.1	0.04	0.21	8.1	0.3	<0.05	0.9	5.18	13.6	<0.02	2	0.2	5.6	<10	<2
1882323	Drill Core	1.1	0.02	3.6	0.74	<0.1	0.06	0.18	11.2	0.4	<0.05	1.9	8.21	26.0	<0.02	2	0.3	8.1	<10	<2
1882324	Drill Core	1.0	0.03	5.1	1.16	<0.1	0.04	0.10	10.5	0.5	<0.05	1.1	10.92	30.8	0.03	4	0.3	11.0	<10	<2
1882325	Drill Core	0.9	0.02	5.9	2.20	<0.1	0.05	0.09	15.2	0.6	<0.05	1.5	12.16	33.9	0.02	1	0.5	13.8	<10	<2
1882326	Drill Core	0.3	0.03	7.6	1.03	<0.1	0.07	0.06	10.4	0.5	<0.05	1.9	10.25	33.5	0.03	<1	0.6	18.4	<10	<2
1882327	Drill Core	0.6	<0.02	4.8	1.55	<0.1	0.14	0.09	18.6	0.5	<0.05	4.6	10.67	31.1	<0.02	1	0.4	14.6	<10	<2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000640.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1882328	Drill Core	2.96	368	0.009	<0.01	<0.17	40.57	1.39	32.96	6.36	84.3	406	28.2	9.6	269	2.19	37.9	1.1	4.9	6.1	27.2
1882329	Drill Core	3.70	503	0.005	<0.01	<0.17	49.50	1.56	15.83	22.95	94.7	361	28.0	10.3	357	2.26	36.7	1.1	2.3	8.1	39.2
1882330	Drill Core	2.64	555	0.029	0.03	<0.17	40.81	2.28	16.30	5.37	61.8	185	17.2	11.8	351	2.29	12.1	3.6	4.1	7.0	28.3
1882331	Drill Core	2.90	393	0.006	<0.01	<0.17	46.14	1.42	17.86	8.54	75.0	231	17.1	9.0	414	2.45	12.7	2.3	3.9	7.0	42.9
1882332	Drill Core	1.53	468	0.140	0.14	<0.17	40.35	0.89	27.43	4.74	78.3	261	12.4	10.8	436	2.76	7.7	1.7	85.0	4.6	41.7
1882333	Drill Core	1.56	494	<0.005	0.15	1.46	49.41	1.47	21.01	12.65	91.4	588	21.0	11.5	697	2.78	11.3	1.2	975.7	4.9	196.5
1882334	Drill Core	1.65	488	0.679	0.69	0.83	40.91	1.21	24.05	5.93	127.3	407	34.5	16.8	899	3.80	25.5	2.0	629.7	6.2	255.9
1882335	Drill Core	1.53	527	0.037	0.03	<0.17	42.79	1.28	26.85	6.20	99.9	203	29.0	14.6	638	3.03	17.4	1.0	31.0	5.4	105.7
1882336	Drill Core	3.15	440	0.014	0.01	<0.17	27.95	1.22	17.53	7.10	67.7	121	29.1	14.8	832	3.22	19.6	1.5	8.3	5.6	202.6
1882337	Drill Core	3.24	402	0.021	0.02	<0.17	27.66	1.18	19.14	11.74	69.3	193	31.2	14.6	712	3.35	58.1	2.0	17.0	6.1	159.5
1882338	Drill Core	3.05	424	0.005	<0.01	<0.17	47.96	1.29	21.33	11.98	80.7	260	23.6	8.9	504	3.06	71.1	0.6	1.1	5.7	44.6
1882339	Drill Core	3.34	417	0.007	<0.01	<0.17	29.88	1.95	27.68	15.10	90.6	336	27.1	13.8	536	3.02	86.9	1.6	2.0	6.7	72.0
1882340	Rock Pulp	0.12	89	0.006				4.17	22.77	0.99	33.3	15	8.2	4.4	628	2.57	1.4	0.4	<0.2	2.1	32.9
1882341	Drill Core	1.95	418	<0.005	<0.01	<0.17	39.65	0.51	19.43	19.33	110.8	304	13.3	6.9	328	2.10	3.5	1.2	0.7	7.3	28.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000640.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1882328	Drill Core	0.38	1.20	0.07	22	0.51	0.064	11.7	24.5	1.05	158.7	0.115	1	1.24	0.010	0.66	1.3	3.9	0.34	<0.02
1882329	Drill Core	0.47	1.01	0.13	34	0.71	0.074	13.4	50.5	1.24	130.5	0.118	1	1.43	0.012	0.73	1.4	3.9	0.40	<0.02
1882330	Drill Core	0.64	0.92	0.04	25	0.58	0.065	12.6	30.6	0.89	128.4	0.098	1	1.22	0.013	0.44	0.9	4.1	0.30	0.11
1882331	Drill Core	0.32	0.59	0.08	25	1.07	0.069	14.1	27.8	0.93	178.7	0.076	<1	1.21	0.017	0.45	0.5	4.5	0.22	0.25
1882332	Drill Core	0.35	0.64	0.03	26	0.87	0.082	12.5	31.1	1.23	116.4	0.113	<1	1.42	0.013	0.49	0.9	4.2	0.22	0.36
1882333	Drill Core	0.73	0.62	0.05	25	3.25	0.054	5.7	71.3	1.34	135.5	0.081	<1	1.13	0.010	0.56	1.4	3.9	0.26	0.99
1882334	Drill Core	1.18	0.79	0.08	44	4.31	0.054	8.0	112.8	2.13	124.7	0.092	<1	1.77	0.011	0.67	1.3	6.5	0.37	1.05
1882335	Drill Core	0.38	0.98	0.05	55	1.87	0.065	8.3	134.8	1.80	113.5	0.104	<1	1.64	0.011	0.59	1.0	5.6	0.23	0.21
1882336	Drill Core	0.23	0.79	0.03	54	3.58	0.068	7.7	151.5	2.30	128.2	0.112	<1	1.87	0.013	1.01	0.8	5.7	0.35	0.27
1882337	Drill Core	0.22	0.84	0.05	46	2.75	0.069	6.1	121.6	2.00	139.3	0.082	<1	1.77	0.013	0.84	0.6	5.4	0.32	0.48
1882338	Drill Core	0.19	0.58	0.07	59	1.09	0.063	9.0	145.3	2.10	91.6	0.057	<1	1.95	0.014	0.44	0.3	6.3	0.14	0.02
1882339	Drill Core	1.13	0.70	0.29	32	1.77	0.073	6.4	75.6	1.77	140.2	0.045	<1	1.68	0.010	0.51	0.2	4.7	0.18	0.26
1882340	Rock Pulp	0.02	0.13	0.02	25	0.82	0.039	6.0	15.9	0.53	55.9	0.086	2	1.11	0.074	0.09	0.2	2.7	<0.02	0.05
1882341	Drill Core	0.58	0.87	0.06	21	0.73	0.064	14.9	28.6	1.00	138.2	0.106	<1	1.33	0.015	0.40	0.9	3.4	0.28	<0.02



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000640.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1882328	Drill Core	0.4	0.03	4.4	5.70	<0.1	0.12	0.07	39.0	0.5	<0.05	3.5	8.89	24.5	<0.02	<1	0.6	13.8	<10	<2	
1882329	Drill Core	0.4	0.05	5.7	3.24	<0.1	0.09	0.05	44.9	0.6	<0.05	2.6	9.71	26.8	<0.02	<1	0.6	14.9	<10	<2	
1882330	Drill Core	1.4	0.02	5.9	2.05	<0.1	0.07	0.08	27.1	0.7	<0.05	1.9	8.97	25.5	<0.02	5	0.5	13.3	<10	<2	
1882331	Drill Core	0.7	0.02	5.3	1.89	<0.1	0.06	0.06	23.6	0.5	<0.05	1.7	8.94	28.2	<0.02	1	0.4	10.5	<10	<2	
1882332	Drill Core	0.8	0.02	5.9	1.47	<0.1	0.08	0.05	24.3	0.5	<0.05	2.3	8.21	25.0	<0.02	2	0.4	13.7	<10	<2	
1882333	Drill Core	1.2	0.11	4.6	2.83	<0.1	0.06	0.04	29.3	0.4	<0.05	1.7	8.84	11.8	<0.02	<1	0.5	12.7	<10	<2	
1882334	Drill Core	1.5	0.08	6.5	2.90	<0.1	0.09	<0.02	32.1	0.5	<0.05	2.7	9.18	16.7	0.02	1	0.6	17.3	<10	<2	
1882335	Drill Core	0.5	0.03	6.7	2.69	<0.1	0.08	<0.02	27.6	0.6	<0.05	2.4	9.42	17.6	<0.02	<1	0.8	17.6	<10	<2	
1882336	Drill Core	0.6	0.05	6.7	3.80	<0.1	0.08	<0.02	45.9	0.5	<0.05	2.2	9.35	16.0	<0.02	2	0.6	17.1	<10	<2	
1882337	Drill Core	0.9	0.04	6.4	3.83	<0.1	0.07	<0.02	38.8	0.4	<0.05	2.3	8.35	12.4	<0.02	2	0.5	15.7	<10	<2	
1882338	Drill Core	0.4	0.02	7.0	1.82	<0.1	0.11	<0.02	16.9	0.3	<0.05	3.8	6.46	18.1	<0.02	<1	0.4	15.0	<10	<2	
1882339	Drill Core	1.0	0.04	5.3	2.39	<0.1	0.19	<0.02	20.0	0.3	<0.05	6.6	5.38	12.1	<0.02	3	0.3	13.8	<10	<2	
1882340	Rock Pulp	<0.1	<0.02	4.7	0.13	<0.1	0.18	0.19	1.9	1.8	<0.05	4.5	7.87	11.3	<0.02	<1	0.2	1.0	<10	<2	
1882341	Drill Core	<0.1	<0.02	5.6	3.23	<0.1	0.07	0.10	26.4	0.6	<0.05	1.8	9.22	27.9	<0.02	<1	0.6	11.0	<10	<2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 25, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000640.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1882247	Drill Core	1.73	410	1.666	5.74	52.80	32.65	1.24	37.08	8.33	44.7	2294	9.9	7.1	626	1.85	11.3	1.0	14787.3	11.0	47.5
REP 1882247	QC	1.441																			
REP 1882271	QC							0.87	14.78	7.00	514.3	830	13.5	9.3	244	2.01	13.1	1.4	178.8	11.6	49.5
1882297	Drill Core	1.51	366	0.079	0.07	<0.17	38.01	0.26	8.94	6.29	31.6	317	3.0	3.2	138	0.92	2.7	1.3	49.9	11.0	16.6
REP 1882297	QC	0.079																			
1882320	Rock Pulp	0.12	91	0.631				6.57	113.96	81.26	137.5	627	12.5	5.0	606	2.49	40.2	0.4	568.1	2.1	34.7
REP 1882320	QC	0.598																			
1882327	Drill Core	3.04	426	<0.005	<0.01	<0.17	32.69	1.23	29.40	4.43	66.6	281	32.4	9.6	267	2.25	24.1	1.6	1.2	6.5	19.5
REP 1882327	QC							1.25	29.79	4.40	67.9	279	32.7	9.7	266	2.26	24.5	1.6	1.3	6.4	19.1
Core Reject Duplicates																					
1882271	Drill Core	1.45	491	0.181	0.19	0.25	31.43	0.87	14.24	7.05	510.1	831	13.0	9.4	242	2.01	12.8	1.4	165.8	11.6	49.7
DUP 1882271	QC		482	0.195	0.22	0.47	35.96	0.84	14.75	7.30	574.4	848	13.8	8.9	234	1.97	12.9	1.3	164.0	10.0	47.5
1882305	Drill Core	1.21	419	0.778	0.77	0.74	47.47	1.10	6.87	2.29	60.3	683	8.5	8.1	151	2.32	19.3	2.2	1125.9	9.4	17.6
DUP 1882305	QC		417	0.818	0.81	0.69	27.73	1.03	6.27	2.17	55.0	452	8.2	6.8	164	2.23	18.9	2.0	647.5	9.0	17.5
1882339	Drill Core	3.34	417	0.007	<0.01	<0.17	29.88	1.95	27.68	15.10	90.6	336	27.1	13.8	536	3.02	86.9	1.6	2.0	6.7	72.0
DUP 1882339	QC		418	0.006	<0.01	<0.17	37.65	1.84	25.38	18.25	89.0	349	25.3	12.5	525	2.89	91.0	1.6	1.1	6.1	72.5
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard							10.51	4562.27	181.53	1790.9	2385	164.8	24.8	734	3.78	111.5	3.5	212.2	13.0	57.1
STD BVGEO01	Standard							10.30	4468.59	193.52	1737.4	2513	161.7	21.7	724	3.76	110.7	3.5	207.5	12.6	54.7
STD DS11	Standard							14.59	143.47	128.37	323.0	1646	82.4	13.3	994	3.05	41.6	2.5	64.3	7.3	65.2
STD DS11	Standard							15.01	137.33	143.61	334.7	1770	76.9	13.8	1012	3.10	42.1	2.6	78.7	8.8	71.5
STD OREAS262	Standard							0.66	117.07	54.76	147.1	436	68.3	27.4	551	3.37	35.0	1.2	48.3	9.1	35.3
STD OREAS262	Standard							0.65	112.63	52.23	140.4	426	65.8	26.2	522	3.16	34.3	1.2	50.1	8.7	34.1
STD OREAS262	Standard							0.65	121.63	54.42	149.7	480	67.6	25.8	588	3.37	35.1	1.2	52.7	8.4	35.1
STD OREAS262	Standard							0.67	110.66	59.00	150.9	493	63.8	27.8	539	3.37	36.2	1.3	53.6	10.2	37.5
STD OXB130	Standard	0.125																			
STD OXB130	Standard	0.129																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000640.1

Method Analyte Unit MDL	AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
Pulp Duplicates																				
1882247 Drill Core	0.47	1.73	0.07	9	0.25	0.058	25.5	10.7	0.73	273.7	0.030	2	1.18	0.009	0.67	0.6	3.3	0.28	<0.02	11
REP 1882247 QC																				
REP 1882271 QC	5.52	3.12	0.06	17	0.72	0.066	15.5	23.6	0.89	202.2	0.080	<1	1.09	0.021	0.64	1.0	4.0	0.34	0.15	25
1882297 Drill Core	0.14	0.49	0.08	3	0.24	0.030	21.2	6.1	0.27	283.3	0.012	<1	0.53	0.011	0.31	0.2	1.7	0.13	0.10	23
REP 1882297 QC																				
1882320 Rock Pulp	0.50	2.32	0.10	28	0.84	0.034	5.9	23.9	0.51	77.4	0.082	7	1.18	0.098	0.10	4.4	2.8	0.22	0.09	156
REP 1882320 QC																				
1882327 Drill Core	0.25	1.80	0.04	24	0.49	0.068	15.6	25.3	1.03	143.3	0.104	<1	1.24	0.015	0.38	0.5	5.0	0.19	0.04	<5
REP 1882327 QC	0.25	1.90	0.03	23	0.48	0.068	15.0	25.5	1.03	138.5	0.099	<1	1.24	0.015	0.38	0.5	4.9	0.19	0.05	<5
Core Reject Duplicates																				
1882271 Drill Core	5.64	3.01	0.06	17	0.73	0.067	15.2	24.1	0.89	203.2	0.081	<1	1.10	0.021	0.64	1.0	4.2	0.34	0.16	20
DUP 1882271 QC	5.42	2.78	0.07	16	0.65	0.066	13.4	21.1	0.90	192.8	0.072	<1	1.02	0.020	0.62	1.1	3.7	0.33	0.16	20
1882305 Drill Core	0.24	0.31	<0.02	8	0.24	0.067	19.4	10.3	0.53	235.9	0.002	2	0.87	0.010	0.28	<0.1	3.1	0.09	<0.02	9
DUP 1882305 QC	0.27	0.31	<0.02	8	0.23	0.065	17.6	9.9	0.52	218.8	0.002	<1	0.86	0.007	0.28	<0.1	3.1	0.08	<0.02	7
1882339 Drill Core	1.13	0.70	0.29	32	1.77	0.073	6.4	75.6	1.77	140.2	0.045	<1	1.68	0.010	0.51	0.2	4.7	0.18	0.26	<5
DUP 1882339 QC	1.34	0.56	0.36	31	1.79	0.067	5.9	70.7	1.67	130.1	0.042	<1	1.59	0.010	0.47	0.2	4.5	0.16	0.25	<5
Reference Materials																				
STD AGPROOF Standard																				
STD BVGE001 Standard	5.54	2.29	23.19	77	1.40	0.071	25.9	193.1	1.29	227.6	0.239	3	2.37	0.204	0.92	4.4	6.0	0.65	0.67	94
STD BVGE001 Standard	5.57	2.47	23.13	73	1.32	0.066	23.3	186.5	1.30	225.1	0.224	3	2.34	0.189	0.91	4.5	5.6	0.58	0.66	88
STD DS11 Standard	2.05	6.81	10.00	48	1.03	0.065	17.7	57.7	0.84	351.6	0.091	7	1.19	0.072	0.39	2.8	3.2	4.94	0.27	281
STD DS11 Standard	2.30	7.88	11.99	51	1.04	0.068	19.6	59.5	0.85	382.7	0.091	7	1.21	0.070	0.39	3.0	3.6	5.16	0.28	298
STD OREAS262 Standard	0.58	3.23	0.93	24	3.00	0.038	16.2	44.7	1.21	251.2	0.003	4	1.40	0.071	0.33	0.2	3.3	0.49	0.26	172
STD OREAS262 Standard	0.58	3.27	0.90	22	2.89	0.036	15.7	43.6	1.15	238.5	0.003	4	1.48	0.066	0.31	0.1	3.2	0.47	0.25	174
STD OREAS262 Standard	0.58	3.40	0.97	22	3.02	0.042	14.2	40.2	1.19	285.7	0.003	4	1.35	0.070	0.30	0.1	3.5	0.43	0.26	166
STD OREAS262 Standard	0.65	3.71	1.05	22	3.01	0.043	18.3	45.5	1.18	280.1	0.003	5	1.48	0.070	0.34	0.2	3.8	0.48	0.26	183
STD OXB130 Standard																				
STD OXB130 Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000640.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
Pulp Duplicates																					
1882247	Drill Core	<0.1	0.05	3.0	4.53	<0.1	0.22	0.03	32.2	0.3	<0.05	7.3	9.46	49.6	<0.02	<1	0.6	12.6	<10	<2	
REP 1882247	QC																				
REP 1882271	QC	0.2	0.02	4.4	4.28	<0.1	0.16	0.14	38.5	0.4	<0.05	4.5	10.24	31.6	<0.02	<1	0.6	12.1	13	<2	
1882297	Drill Core	0.2	<0.02	1.6	0.86	<0.1	0.09	0.10	14.2	0.2	<0.05	3.5	11.33	48.2	<0.02	<1	0.4	6.4	<10	<2	
REP 1882297	QC																				
1882320	Rock Pulp	<0.1	0.05	4.6	0.21	<0.1	0.18	0.15	2.5	1.9	<0.05	4.6	7.55	11.5	<0.02	1	0.3	1.3	<10	<2	
REP 1882320	QC																				
1882327	Drill Core	0.6	<0.02	4.8	1.55	<0.1	0.14	0.09	18.6	0.5	<0.05	4.6	10.67	31.1	<0.02	1	0.4	14.6	<10	<2	
REP 1882327	QC	0.7	<0.02	4.8	1.60	<0.1	0.13	0.09	18.6	0.4	<0.05	4.5	10.20	30.1	<0.02	2	0.4	14.7	<10	<2	
Core Reject Duplicates																					
1882271	Drill Core	0.2	<0.02	4.2	4.25	<0.1	0.15	0.14	38.4	0.4	<0.05	4.5	10.27	31.7	<0.02	<1	0.6	11.8	<10	<2	
DUP 1882271	QC	0.2	0.02	4.0	3.99	<0.1	0.14	0.11	36.9	0.4	<0.05	4.6	9.21	27.4	<0.02	<1	0.6	11.8	16	<2	
1882305	Drill Core	1.0	<0.02	2.9	1.53	<0.1	0.06	<0.02	12.1	0.3	<0.05	3.0	6.65	38.5	<0.02	<1	0.4	16.6	<10	<2	
DUP 1882305	QC	0.7	<0.02	3.0	1.37	<0.1	0.08	<0.02	11.4	0.2	<0.05	3.1	5.86	40.2	<0.02	<1	0.3	16.4	<10	<2	
1882339	Drill Core	1.0	0.04	5.3	2.39	<0.1	0.19	<0.02	20.0	0.3	<0.05	6.6	5.38	12.1	<0.02	3	0.3	13.8	<10	<2	
DUP 1882339	QC	1.0	0.06	5.1	2.04	<0.1	0.17	<0.02	18.2	0.3	<0.05	5.8	5.06	11.3	<0.02	3	0.3	12.8	<10	<2	
Reference Materials																					
STD AGPROOF	Standard																				<0.9
STD BVGE001	Standard	4.6	0.98	8.0	7.08	0.1	0.39	0.13	95.9	5.1	<0.05	10.3	14.53	52.7	0.41	4	0.7	18.9	171	180	
STD BVGE001	Standard	4.7	0.96	7.2	6.46	0.1	0.34	0.16	89.1	5.0	<0.05	8.5	12.36	49.6	0.40	5	0.7	18.4	163	177	
STD DS11	Standard	2.3	4.49	5.4	2.81	<0.1	0.08	1.51	32.7	1.7	<0.05	3.1	7.70	36.6	0.22	47	0.7	21.8	106	172	
STD DS11	Standard	2.1	4.72	5.1	3.15	<0.1	0.07	1.59	34.3	1.8	<0.05	3.4	8.13	40.0	0.26	45	0.7	23.4	112	174	
STD OREAS262	Standard	0.6	0.24	4.5	2.34	<0.1	0.33	0.05	17.9	0.5	<0.05	12.3	10.67	33.3	0.03	<1	1.2	16.6	<10	<2	
STD OREAS262	Standard	0.6	0.21	4.4	2.49	<0.1	0.28	<0.02	17.9	0.5	<0.05	11.1	10.31	32.7	0.03	<1	1.1	16.3	<10	<2	
STD OREAS262	Standard	0.4	0.22	3.9	2.30	<0.1	0.28	<0.02	17.2	0.5	<0.05	10.2	10.14	31.9	0.02	<1	1.0	17.8	<10	<2	
STD OREAS262	Standard	0.4	0.22	4.2	2.98	<0.1	0.26	<0.02	20.6	0.6	<0.05	9.5	11.07	37.9	0.03	1	1.3	18.4	<10	<2	
STD OXB130	Standard																				
STD OXB130	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000640.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXI138	Standard			1.809																	
STD OXI138	Standard			1.870																	
STD OXN117	Standard			7.679																	
STD OXN117	Standard			7.759																	
STD OXQ114	Standard																				
STD OXQ90	Standard					25.13	29.77														
STD OXQ90	Standard					24.05	30.10														
STD OXQ90	Standard					24.94	29.79														
STD OXQ90	Standard					25.18	28.55														
STD OXQ90	Standard					25.09	29.53														
STD OXQ90	Standard					24.93	30.32														
STD SP49	Standard																				
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			<0.005																	
BLK	Blank			0.005																	
BLK	Blank																				
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: October 25, 2019

Part: 2 of 3

WHI19000640.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXQ114	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				
STD OXQ90 Expected																					
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank									</											

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000640.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2	FA530 -Au ppm 0.9
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXQ114	Standard																				35.4
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				17.9
STD OXQ90 Expected																					
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182	
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172	
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8			
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<0.9
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000640.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		461	<0.005	<0.01	<0.17	38.61	0.85	4.45	1.13	32.1	11	1.0	4.2	558	1.95	1.3	0.4	<0.2	2.4	25.8
ROCK-WHI	Prep Blank		444	0.008	<0.01	<0.17	39.51	0.75	4.94	0.90	30.8	7	1.0	3.9	559	1.93	1.9	0.4	0.4	2.4	21.0



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000640.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.04	0.02	25	0.67	0.043	6.1	2.5	0.53	55.2	0.082	<1	0.93	0.068	0.08	<0.1	3.1	0.03	0.02	<5
ROCK-WHI	Prep Blank	0.01	0.04	<0.02	26	0.66	0.045	6.4	2.6	0.51	51.3	0.080	<1	0.88	0.071	0.08	<0.1	3.2	0.02	<0.02	5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000640.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.12	<0.1	0.13	0.19	2.2	0.2	<0.05	3.0	8.78	12.9	0.02	<1	0.2	1.3	<10	<2	
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.14	<0.1	0.14	0.17	2.0	0.2	<0.05	3.3	8.60	13.0	<0.02	<1	0.1	1.3	<10	<2	