



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 03, 2019
Report Date: October 29, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000641.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-59
P.O. Number
Number of Samples: 85

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	82	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	85	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	85	Analysis sample split/packet			WHI
Split -150	85	Analysis sample split/packet			WHI
EN002	85	Environmental disposal charge-Fire assay lead waste			VAN
FS631	83	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	85	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	85	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 29, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000641.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1882342	Drill Core	2.69	417	0.008	<0.01	<0.17	28.71	0.74	14.39	8.47	55.0	193	9.0	6.1	332	1.85	4.6	1.3	3.2	11.1	34.8
1882343	Drill Core	1.53	402	0.045	0.04	<0.17	47.57	0.66	17.65	13.49	21.6	437	5.6	3.1	210	1.06	4.1	0.5	42.3	5.0	10.4
1882344	Drill Core	3.74	418	0.009	<0.01	<0.17	39.93	0.79	10.69	27.95	66.4	257	8.7	6.6	286	1.94	3.8	1.0	6.8	12.0	33.8
1882345	Drill Core	2.74	387	<0.005	<0.01	<0.17	45.04	1.01	13.54	10.36	61.0	175	9.4	7.1	375	2.25	4.6	1.7	1.4	13.7	68.7
1882346	Drill Core	3.00	378	0.009	<0.01	<0.17	46.46	2.13	7.26	6.77	56.8	116	8.4	6.1	331	2.05	4.5	1.3	<0.2	12.7	57.9
1882347	Drill Core	3.29	422	0.007	<0.01	<0.17	35.02	1.06	8.16	8.96	46.9	173	7.4	5.7	301	1.81	5.5	1.4	1.0	12.9	58.6
1882348	Drill Core	3.39	456	<0.005	<0.01	<0.17	37.28	0.76	23.18	21.98	49.9	512	11.0	6.1	358	1.66	7.6	1.0	<0.2	11.5	54.1
1882349	Drill Core	2.86	380	0.014	0.01	<0.17	31.21	1.04	16.89	19.24	55.6	365	10.1	6.9	416	1.92	6.3	1.2	10.4	9.8	68.4
1882350	Drill Core	1.60	382	0.013	0.01	<0.17	40.37	0.61	8.71	12.68	57.1	253	9.8	7.7	436	1.92	6.2	1.5	9.5	8.9	86.1
1882351	Drill Core	1.58	440	4.431	4.06	<0.17	36.87	0.76	128.01	2.33	25.5	4650	5.2	3.8	253	1.19	3.7	0.6	9117.3	5.0	24.8
1882352	Drill Core	1.46	397	0.324	0.29	<0.17	41.62	0.77	42.60	2.86	48.3	903	7.7	6.4	383	1.80	1.9	1.2	436.1	10.2	45.2
1882353	Drill Core	1.73	408	0.603	0.80	2.55	42.38	0.88	27.95	4.01	46.9	1095	6.4	5.9	460	1.70	3.2	0.9	630.9	7.8	58.6
1882354	Drill Core	2.90	426	0.142	0.13	<0.17	42.96	1.15	14.92	10.19	37.5	502	6.9	6.3	494	1.64	4.6	2.1	158.7	7.9	100.1
1882355	Drill Core	1.85	463	<0.005	<0.01	<0.17	31.49	0.53	13.78	4.42	42.0	139	8.9	6.7	477	1.77	3.8	1.3	3.0	9.8	79.1
1882356	Drill Core	2.03	467	0.095	0.09	<0.17	33.53	1.25	12.91	9.77	32.7	211	7.8	6.4	456	1.49	4.3	2.3	33.8	9.3	83.3
1882357	Drill Core	1.92	449	0.944	1.35	5.36	41.20	1.40	6.03	4.13	18.8	595	9.1	7.8	410	1.85	3.6	1.3	2029.7	10.0	20.2
1882358	Drill Core	2.02	506	2.582	4.10	22.27	39.06	1.05	5.89	3.53	20.3	2158	7.9	6.1	487	1.79	2.5	0.9	20320.2	7.8	36.9
1882359	Drill Core	1.66	396	0.739	0.81	1.80	25.49	0.66	16.49	6.68	29.7	756	6.3	6.0	522	1.66	3.4	0.9	1053.2	8.9	61.6
1882360	Core DUP		379	0.929	0.97	1.50	28.75	0.68	17.01	6.96	30.0	678	6.4	5.8	527	1.64	3.0	0.9	724.3	9.7	63.4
1882361	Drill Core	3.36	438	0.883	1.49	8.26	35.83	0.80	12.38	5.07	36.8	1550	9.9	7.7	532	1.88	4.7	3.1	13252.6	8.9	94.8
1882362	Drill Core	1.60	385	0.020	0.02	<0.17	26.78	2.94	13.00	6.85	45.9	126	10.7	6.7	437	2.04	4.9	2.2	15.4	8.8	41.2
1882363	Drill Core	1.67	400	0.007	<0.01	<0.17	34.17	1.45	16.06	16.31	56.6	177	11.8	7.5	399	2.09	8.9	1.6	<0.2	8.9	51.4
1882364	Drill Core	2.55	405	<0.005	<0.01	<0.17	38.86	1.68	15.57	16.31	45.0	175	10.9	7.1	463	1.96	4.8	2.2	2.4	10.2	66.3
1882365	Drill Core	2.76	382	<0.005	<0.01	<0.17	33.60	1.99	12.78	15.53	44.7	154	10.8	6.7	479	2.09	4.1	2.1	2.2	10.8	44.6
1882366	Drill Core	2.66	407	<0.005	<0.01	<0.17	26.19	0.91	13.11	6.78	46.1	127	10.7	6.6	386	2.10	8.6	1.8	1.5	10.0	21.2
1882367	Drill Core	2.44	416	<0.005	<0.01	<0.17	32.07	1.46	23.49	19.27	61.9	352	20.1	7.1	346	1.87	26.5	3.7	0.5	10.4	32.5
1882368	Drill Core	3.59	402	<0.005	0.02	<0.17	31.71	1.42	23.59	20.11	54.5	458	19.6	5.9	356	1.89	125.4	1.1	2.3	9.4	26.2
1882369	Drill Core	2.99	377	<0.005	<0.01	<0.17	28.91	1.02	17.52	17.36	51.8	355	17.4	6.0	388	1.73	80.6	0.8	1.3	7.6	26.7
1882370	Drill Core	2.87	423	<0.005	<0.01	<0.17	34.32	0.97	17.28	25.43	68.0	181	12.0	7.0	409	1.98	19.0	0.9	0.4	10.1	24.1
1882371	Drill Core	2.92	399	<0.005	<0.01	<0.17	42.22	1.41	20.91	17.15	69.8	199	12.8	7.3	372	2.08	11.5	1.6	0.5	10.1	22.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 29, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000641.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882342	Drill Core	0.28	0.48	0.09	11	0.69	0.055	21.8	15.3	0.65	186.0	0.014	2	1.00	0.018	0.31	0.1	3.1	0.11	0.05	7			
1882343	Drill Core	0.23	0.27	0.24	5	0.14	0.034	9.6	6.6	0.36	166.7	0.011	2	0.51	0.006	0.30	0.3	1.8	0.10	0.02	10			
1882344	Drill Core	0.29	0.63	0.26	11	0.56	0.057	20.2	15.6	0.86	173.3	0.024	1	1.12	0.016	0.34	0.2	3.3	0.13	<0.02	<5			
1882345	Drill Core	0.28	0.54	0.08	12	1.48	0.062	25.5	16.0	0.92	225.2	0.011	2	1.25	0.016	0.32	<0.1	3.8	0.10	<0.02	8			
1882346	Drill Core	0.21	0.63	0.11	11	1.12	0.059	24.5	15.2	0.89	190.3	0.026	1	1.16	0.014	0.36	<0.1	2.9	0.12	<0.02	<5			
1882347	Drill Core	0.20	0.63	0.20	10	0.90	0.061	23.1	12.6	0.80	187.9	0.029	2	1.06	0.013	0.40	0.2	2.9	0.13	<0.02	<5			
1882348	Drill Core	0.25	0.56	0.57	10	0.55	0.057	19.0	12.8	0.74	189.4	0.021	1	0.97	0.010	0.40	0.2	2.6	0.14	0.04	<5			
1882349	Drill Core	0.30	0.84	0.37	10	0.83	0.054	15.4	11.6	0.87	175.4	0.012	2	1.07	0.010	0.42	0.1	2.9	0.13	0.09	8			
1882350	Drill Core	0.55	0.85	0.16	8	1.30	0.054	11.4	9.9	0.84	169.2	0.011	1	0.97	0.009	0.39	0.1	2.9	0.11	0.32	<5			
1882351	Drill Core	0.16	2.06	0.02	3	0.28	0.023	9.6	4.7	0.27	142.1	0.002	1	0.44	0.006	0.24	0.1	1.3	0.07	0.14	10			
1882352	Drill Core	0.32	1.40	<0.02	6	0.47	0.048	22.0	8.2	0.61	192.6	0.012	1	0.96	0.008	0.41	<0.1	1.9	0.11	0.03	<5			
1882353	Drill Core	0.58	2.64	0.03	5	0.70	0.043	11.9	6.0	0.51	213.2	0.016	1	0.72	0.009	0.45	0.2	2.0	0.12	0.42	<5			
1882354	Drill Core	0.24	1.53	0.05	7	1.10	0.046	10.5	8.0	0.73	184.3	0.031	1	0.86	0.010	0.47	0.4	2.5	0.13	0.29	<5			
1882355	Drill Core	0.14	1.20	<0.02	9	0.79	0.056	16.2	10.8	0.81	183.1	0.053	<1	0.99	0.010	0.46	0.4	2.8	0.14	0.10	9			
1882356	Drill Core	0.22	1.25	0.03	7	0.92	0.051	12.2	7.6	0.69	184.3	0.041	1	0.86	0.008	0.46	0.5	2.1	0.13	0.27	12			
1882357	Drill Core	0.07	0.82	<0.02	5	0.15	0.031	13.3	5.8	0.54	192.3	0.017	1	0.70	0.006	0.39	0.3	1.8	0.13	0.35	6			
1882358	Drill Core	0.18	0.83	<0.02	5	0.42	0.043	9.5	5.7	0.52	196.6	0.013	1	0.68	0.008	0.39	0.3	2.0	0.12	0.43	30			
1882359	Drill Core	0.28	1.54	0.03	5	0.84	0.056	9.5	5.3	0.56	198.1	0.019	<1	0.74	0.007	0.46	0.4	1.9	0.14	0.49	6			
1882360	Core DUP	0.27	1.51	0.03	5	0.79	0.051	10.5	5.4	0.56	211.1	0.019	<1	0.74	0.007	0.46	0.5	2.0	0.13	0.44	<5			
1882361	Drill Core	0.23	1.31	<0.02	7	1.18	0.053	7.7	7.8	0.72	196.9	0.038	<1	0.83	0.009	0.57	0.5	2.6	0.22	0.67	10			
1882362	Drill Core	0.18	1.27	0.02	14	0.54	0.052	12.8	15.8	0.89	169.5	0.081	1	1.02	0.013	0.57	0.8	3.6	0.26	0.14	<5			
1882363	Drill Core	0.34	1.48	0.05	16	0.67	0.052	14.0	18.9	0.88	142.4	0.096	<1	1.04	0.011	0.38	1.5	4.2	0.17	0.12	10			
1882364	Drill Core	0.20	1.43	0.04	11	0.96	0.054	11.8	12.9	0.81	193.0	0.071	<1	0.93	0.010	0.58	0.8	3.2	0.27	0.12	5			
1882365	Drill Core	0.15	0.76	0.05	15	0.63	0.052	14.2	16.4	1.01	162.5	0.081	<1	1.09	0.013	0.61	0.4	3.7	0.26	0.04	<5			
1882366	Drill Core	0.13	1.14	<0.02	14	0.30	0.056	12.5	15.9	0.91	154.4	0.075	1	1.06	0.013	0.51	0.3	3.1	0.22	0.07	<5			
1882367	Drill Core	0.68	1.44	0.42	14	0.62	0.060	11.9	17.3	0.82	176.5	0.052	1	0.96	0.010	0.50	0.2	2.7	0.25	0.13	<5			
1882368	Drill Core	0.26	2.41	0.70	22	0.51	0.055	18.1	26.2	0.78	159.6	0.069	1	1.01	0.017	0.45	0.4	3.3	0.19	<0.02	<5			
1882369	Drill Core	0.23	1.86	0.55	17	0.56	0.058	15.2	20.7	0.77	173.9	0.058	<1	0.98	0.011	0.45	0.4	2.7	0.15	<0.02	<5			
1882370	Drill Core	0.23	1.23	0.12	18	0.38	0.058	16.7	19.9	0.93	157.2	0.094	1	1.10	0.017	0.52	0.4	3.9	0.19	<0.02	<5			
1882371	Drill Core	0.31	0.88	0.09	18	0.35	0.058	12.5	19.7	1.00	165.8	0.099	<1	1.11	0.016	0.59	0.6	4.2	0.27	0.05	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 29, 2019

Page: 2 of 4 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000641.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1882342	Drill Core	<0.1	<0.02	3.4	1.67	<0.1	0.04	0.03	14.7	0.9	<0.05	1.4	9.23	40.7	<0.02	<1	0.4	14.8	<10	<2
1882343	Drill Core	0.1	<0.02	1.6	1.60	<0.1	0.06	0.06	13.4	0.3	<0.05	2.8	4.61	18.7	<0.02	<1	0.3	4.5	<10	<2
1882344	Drill Core	<0.1	0.02	3.7	2.08	<0.1	0.09	0.02	15.3	0.4	<0.05	2.8	7.60	39.1	<0.02	<1	0.4	13.0	<10	<2
1882345	Drill Core	<0.1	<0.02	4.9	1.38	<0.1	0.03	<0.02	13.9	0.5	<0.05	0.8	10.20	50.5	0.02	<1	0.4	14.1	<10	<2
1882346	Drill Core	<0.1	<0.02	3.8	1.45	<0.1	0.07	0.02	15.8	0.4	<0.05	2.1	9.63	48.5	<0.02	<1	0.3	13.7	<10	<2
1882347	Drill Core	<0.1	<0.02	3.4	1.56	<0.1	0.09	0.03	18.1	0.4	<0.05	2.8	8.62	46.2	<0.02	<1	0.4	11.9	<10	<2
1882348	Drill Core	0.1	0.03	3.0	2.25	<0.1	0.15	0.03	20.2	0.4	<0.05	5.1	8.42	36.5	<0.02	<1	0.3	10.9	<10	<2
1882349	Drill Core	<0.1	<0.02	3.4	1.50	<0.1	0.24	<0.02	19.9	0.5	<0.05	8.4	7.49	30.0	<0.02	<1	0.4	13.1	<10	<2
1882350	Drill Core	0.2	<0.02	3.0	1.13	<0.1	0.26	<0.02	17.6	0.4	<0.05	9.5	6.91	22.4	<0.02	<1	0.3	10.9	<10	<2
1882351	Drill Core	0.1	0.14	1.3	0.93	<0.1	0.12	<0.02	8.9	0.3	<0.05	4.9	3.01	18.6	<0.02	<1	0.2	4.3	<10	<2
1882352	Drill Core	<0.1	<0.02	2.6	1.76	<0.1	0.19	<0.02	18.6	0.7	<0.05	7.3	7.29	44.8	<0.02	<1	0.3	11.1	<10	<2
1882353	Drill Core	0.1	0.03	2.0	1.18	<0.1	0.19	<0.02	19.1	0.6	<0.05	7.4	5.16	23.7	<0.02	<1	0.3	5.3	<10	<2
1882354	Drill Core	0.2	<0.02	2.5	0.96	<0.1	0.16	0.05	19.2	0.4	<0.05	5.4	4.92	20.8	<0.02	1	0.2	5.6	<10	<2
1882355	Drill Core	<0.1	<0.02	3.1	1.22	<0.1	0.22	0.06	21.3	0.6	<0.05	7.5	6.92	32.0	<0.02	<1	0.3	8.4	<10	<2
1882356	Drill Core	0.3	<0.02	2.4	1.14	<0.1	0.19	0.09	20.7	0.3	<0.05	5.9	6.12	24.2	<0.02	<1	0.3	7.1	<10	<2
1882357	Drill Core	0.3	0.07	2.6	1.30	<0.1	0.28	0.05	17.8	0.7	<0.05	9.4	5.39	26.8	<0.02	<1	0.4	6.9	<10	<2
1882358	Drill Core	0.5	0.06	2.3	1.05	<0.1	0.23	0.03	16.9	0.3	<0.05	8.6	4.57	18.8	<0.02	<1	0.4	5.9	<10	<2
1882359	Drill Core	0.3	0.03	2.3	1.51	<0.1	0.31	0.07	20.7	0.3	<0.05	10.0	5.62	19.2	<0.02	<1	0.3	5.2	<10	<2
1882360	Core DUP	0.3	0.03	2.4	1.54	<0.1	0.33	0.06	21.1	0.3	<0.05	11.0	5.68	21.0	<0.02	<1	0.4	5.3	<10	<2
1882361	Drill Core	0.6	0.03	2.6	2.32	<0.1	0.28	0.08	27.8	0.3	<0.05	8.4	5.26	15.8	<0.02	1	0.3	6.8	<10	<2
1882362	Drill Core	0.3	<0.02	3.7	2.61	<0.1	0.19	0.07	30.3	0.5	<0.05	5.2	6.99	26.0	<0.02	1	0.5	9.9	<10	<2
1882363	Drill Core	0.5	<0.02	4.2	1.28	<0.1	0.20	0.09	17.9	0.5	<0.05	5.3	9.59	28.1	<0.02	2	0.5	10.2	<10	<2
1882364	Drill Core	0.3	<0.02	3.1	3.35	<0.1	0.21	0.11	29.7	0.4	<0.05	7.4	6.64	23.2	<0.02	1	0.4	8.8	<10	<2
1882365	Drill Core	<0.1	<0.02	4.1	3.32	<0.1	0.21	0.06	31.6	0.5	<0.05	6.3	7.59	27.7	<0.02	1	0.3	10.9	<10	<2
1882366	Drill Core	0.1	<0.02	4.0	2.56	<0.1	0.22	0.08	25.6	0.4	<0.05	6.7	7.46	25.1	<0.02	<1	0.3	12.2	<10	<2
1882367	Drill Core	0.8	0.03	3.3	2.43	<0.1	0.20	0.09	25.7	0.4	<0.05	6.5	7.57	23.1	<0.02	2	0.3	11.5	<10	<2
1882368	Drill Core	0.2	0.08	4.2	1.70	<0.1	0.13	0.10	24.0	0.6	<0.05	4.5	9.37	34.7	0.03	<1	0.4	10.8	<10	<2
1882369	Drill Core	<0.1	0.04	3.2	1.81	<0.1	0.11	0.11	23.6	0.4	<0.05	3.6	9.09	29.9	<0.02	<1	0.4	10.9	<10	<2
1882370	Drill Core	<0.1	<0.02	4.4	3.06	<0.1	0.27	0.09	28.1	0.6	<0.05	7.7	9.82	32.4	<0.02	<1	0.4	15.2	<10	<2
1882371	Drill Core	0.1	<0.02	4.2	4.34	<0.1	0.25	0.11	34.2	0.5	<0.05	7.5	8.57	24.9	<0.02	<1	0.4	15.5	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 29, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000641.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1882372	Drill Core	2.93	406	<0.005	<0.01	<0.17	31.62	0.82	20.07	19.94	52.1	316	12.0	5.9	333	1.63	5.9	2.6	1.0	11.0	45.6
1882373	Drill Core	3.04	415	<0.005	<0.01	<0.17	32.00	1.51	25.41	146.86	89.9	685	15.6	5.6	458	1.89	6.5	1.4	0.7	9.1	41.0
1882374	Drill Core	2.95	433	<0.005	<0.01	<0.17	38.76	1.66	23.04	14.13	63.7	431	10.5	6.7	373	1.93	5.5	1.3	0.4	11.6	54.3
1882375	Drill Core	3.39	431	0.053	0.05	<0.17	31.93	6.18	71.42	410.88	252.6	2179	11.3	8.0	674	2.73	6.3	1.2	18.0	9.5	47.1
1882376	Drill Core	2.57	391	0.166	0.16	<0.17	30.58	1.58	21.41	54.11	135.9	601	13.8	7.8	506	2.13	2.3	1.4	141.0	8.6	68.3
1882377	Drill Core	3.20	380	0.007	<0.01	<0.17	32.63	0.80	15.86	6.41	59.3	217	9.1	6.5	328	1.79	3.2	1.5	2.4	8.1	61.2
1882378	Drill Core	2.82	426	0.005	<0.01	<0.17	46.36	0.74	16.20	19.00	82.1	323	11.1	7.4	331	1.86	1.4	1.3	<0.2	9.3	52.4
1882379	Drill Core	2.85	395	<0.005	<0.01	<0.17	32.20	0.74	10.72	7.52	55.6	217	10.9	7.2	298	1.82	2.3	1.0	<0.2	6.2	46.2
1882380	Rock	0.23	165	<0.005	<0.01	<0.17	47.78	0.36	1.01	1.70	2.5	6	1.0	0.4	61	0.50	1.2	0.2	<0.2	1.1	1.4
1882381	Drill Core	2.99	407	<0.005	<0.01	<0.17	45.53	0.65	10.21	8.06	54.8	203	10.6	6.9	348	2.01	1.1	1.2	<0.2	9.4	71.7
1882382	Drill Core	2.52	393	0.010	<0.01	<0.17	32.15	1.65	13.31	8.87	54.2	334	10.5	7.8	381	2.49	9.2	2.2	6.7	11.1	87.4
1882383	Drill Core	3.61	459	0.013	0.01	<0.17	41.30	1.36	10.51	16.89	49.5	328	9.4	7.1	572	1.95	7.3	2.2	17.2	8.9	157.6
1882384	Drill Core	2.80	416	<0.005	<0.01	<0.17	46.58	0.57	12.46	6.43	55.5	229	10.5	7.3	216	1.82	1.1	1.3	<0.2	8.8	48.9
1882385	Drill Core	2.91	384	<0.005	<0.01	<0.17	47.17	0.77	12.02	8.39	65.4	231	10.4	7.2	235	1.93	2.0	1.2	1.0	6.9	55.3
1882386	Drill Core	2.71	393	<0.005	<0.01	<0.17	43.33	0.63	8.75	16.29	62.3	169	10.7	7.1	252	1.87	1.8	1.9	<0.2	7.9	71.5
1882387	Drill Core	2.06	388	<0.005	<0.01	<0.17	45.95	0.54	14.05	7.81	55.6	175	10.1	6.5	221	1.79	2.4	0.9	<0.2	5.3	37.5
1882388	Drill Core	2.21	484	<0.005	<0.01	<0.17	46.28	0.75	18.17	12.46	63.6	234	10.1	7.5	235	1.63	6.7	1.1	<0.2	3.9	48.6
1882389	Drill Core	1.49	389	<0.005	<0.01	<0.17	47.08	0.55	16.87	11.01	54.5	246	9.1	5.1	180	1.53	7.8	0.8	<0.2	2.8	27.1
1882390	Drill Core	2.48	396	<0.005	<0.01	<0.17	31.20	0.87	12.58	9.52	54.4	199	9.2	5.3	180	1.48	6.4	0.7	0.9	3.1	27.0
1882391	Drill Core	1.57	376	<0.005	<0.01	<0.17	46.04	1.51	15.28	10.63	73.6	218	14.6	8.8	311	2.28	6.3	1.5	<0.2	6.2	50.4
1882392	Drill Core	1.54	508	0.010	<0.01	<0.17	27.26	1.01	10.64	6.12	43.8	154	12.1	7.8	214	1.90	6.6	1.4	8.1	7.3	48.5
1882393	Drill Core	1.58	503	0.189	0.21	0.41	39.04	1.06	14.72	5.45	38.2	208	8.5	6.5	237	1.67	4.8	1.4	155.1	6.2	62.7
1882394	Drill Core	1.67	474	0.153	0.16	0.22	45.35	0.84	15.68	7.38	39.3	285	13.8	8.9	240	2.06	6.8	1.4	163.0	6.9	75.1
1882395	Drill Core	1.87	425	2.087	2.33	4.68	39.56	0.70	14.75	12.00	40.0	1199	14.8	10.2	291	2.28	19.0	1.9	1891.0	7.9	124.0
1882396	Drill Core	2.00	478	0.242	0.25	0.31	44.89	0.68	26.11	5.03	48.5	460	13.0	8.1	304	2.15	7.9	1.4	205.2	7.1	84.3
1882397	Drill Core	2.05	504	0.006	<0.01	<0.17	32.98	0.84	17.97	12.91	62.9	292	15.1	11.3	338	2.13	7.6	1.6	1.8	5.3	83.5
1882398	Drill Core	2.32	503	0.005	<0.01	<0.17	39.76	1.58	10.98	8.02	54.0	196	8.5	5.9	234	1.53	4.7	0.9	1.9	4.1	31.7
1882399	Drill Core	3.07	553	<0.005	<0.01	<0.17	34.78	1.17	10.68	14.73	53.0	210	7.8	4.5	174	1.26	5.4	0.5	0.7	2.3	24.6
1882400	Rock Pulp	0.12	89	7.014				9.20	182.63	18.28	73.1	859	13.7	10.9	554	4.60	13.8	0.8	6875.3	2.6	71.1
1882401	Drill Core	2.86	490	0.019	0.02	<0.17	32.66	1.04	16.46	8.32	60.0	282	11.1	7.2	296	1.91	5.0	0.7	12.4	3.4	37.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 29, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000641.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882372	Drill Core	0.35	0.59	0.33	15	0.82	0.049	12.4	17.1	0.65	189.8	0.069	1	0.80	0.019	0.44	0.4	3.4	0.24	<5
1882373	Drill Core	0.51	0.60	0.73	22	0.82	0.059	14.8	26.1	0.72	136.0	0.066	<1	0.91	0.016	0.25	0.5	4.1	0.16	<5
1882374	Drill Core	0.41	0.48	0.44	14	0.99	0.059	13.3	15.8	0.65	208.9	0.043	<1	0.93	0.013	0.42	0.2	3.9	0.25	<5
1882375	Drill Core	1.61	0.64	0.29	27	0.80	0.062	20.7	28.6	1.05	86.4	0.005	<1	1.37	0.016	0.18	0.1	3.5	0.11	23
1882376	Drill Core	1.45	0.61	0.12	21	0.99	0.072	22.9	25.3	0.81	127.0	0.030	1	1.13	0.016	0.26	0.3	4.1	0.17	<0.02
1882377	Drill Core	0.36	0.59	0.04	14	1.27	0.053	13.5	16.2	0.71	129.2	0.036	<1	0.88	0.014	0.30	0.3	3.3	0.18	5
1882378	Drill Core	0.39	0.64	0.12	17	1.09	0.056	22.0	21.3	0.82	142.3	0.046	1	1.15	0.013	0.21	0.4	3.7	0.10	<0.02
1882379	Drill Core	0.24	0.45	0.04	14	0.94	0.056	13.3	18.3	0.80	138.6	0.040	<1	1.18	0.012	0.18	0.1	2.4	0.08	<0.02
1882380	Rock	<0.01	0.04	<0.02	1	0.04	0.002	1.9	2.5	0.01	16.3	0.001	<1	0.05	0.002	<0.01	<0.1	0.1	<0.02	<0.02
1882381	Drill Core	0.27	0.84	0.05	16	1.69	0.056	24.7	21.2	0.79	108.8	0.019	<1	1.22	0.014	0.24	<0.1	3.3	0.12	<0.02
1882382	Drill Core	0.27	0.41	0.09	19	1.70	0.060	27.5	24.9	0.77	108.7	0.002	<1	1.16	0.011	0.23	<0.1	3.1	0.10	<0.02
1882383	Drill Core	0.44	0.51	0.13	12	4.34	0.056	17.1	15.9	0.51	164.8	0.008	<1	0.96	0.008	0.25	0.1	2.8	0.10	7
1882384	Drill Core	0.22	0.61	0.05	15	1.14	0.054	21.1	20.6	0.79	210.0	0.027	<1	1.14	0.013	0.19	0.1	2.8	0.08	<5
1882385	Drill Core	0.18	0.38	0.05	14	1.10	0.057	16.7	20.3	0.83	252.5	0.033	<1	1.11	0.016	0.20	<0.1	2.6	0.07	<0.02
1882386	Drill Core	0.21	0.72	0.06	16	1.41	0.058	21.2	20.9	0.77	333.7	0.020	<1	1.18	0.015	0.22	0.1	2.9	0.09	<5
1882387	Drill Core	0.12	0.32	0.03	12	0.94	0.053	10.5	17.5	0.72	199.5	0.049	<1	1.07	0.024	0.17	<0.1	2.1	0.06	<5
1882388	Drill Core	0.23	0.46	0.07	11	1.17	0.049	6.6	15.4	0.69	158.2	0.077	<1	1.05	0.019	0.22	0.1	1.9	0.11	<5
1882389	Drill Core	0.09	0.49	0.07	9	0.54	0.053	5.1	13.0	0.65	187.0	0.065	<1	1.04	0.015	0.25	0.1	1.6	0.09	<0.02
1882390	Drill Core	0.10	0.36	0.07	9	0.48	0.051	6.1	12.4	0.65	168.6	0.065	<1	0.99	0.018	0.26	0.1	1.5	0.10	<0.02
1882391	Drill Core	0.17	0.97	0.07	25	0.97	0.066	17.2	29.3	1.17	162.3	0.083	1	1.57	0.014	0.54	0.3	4.3	0.29	<0.02
1882392	Drill Core	0.11	1.46	0.06	19	0.79	0.057	14.0	22.9	0.88	143.3	0.075	1	1.19	0.018	0.56	0.7	3.4	0.28	6
1882393	Drill Core	0.14	1.18	0.06	14	1.35	0.048	11.3	16.8	0.68	147.9	0.054	<1	0.84	0.025	0.46	0.6	2.9	0.26	9
1882394	Drill Core	0.12	1.64	0.10	23	1.18	0.057	10.4	25.2	0.94	170.6	0.065	<1	1.04	0.019	0.62	0.5	3.9	0.34	<5
1882395	Drill Core	0.17	1.42	0.16	18	1.91	0.058	7.3	22.6	1.00	192.1	0.063	<1	1.04	0.021	0.66	0.9	4.3	0.30	9
1882396	Drill Core	0.12	1.12	0.07	23	1.48	0.064	11.2	27.7	0.95	174.9	0.075	<1	1.07	0.025	0.66	1.0	4.5	0.39	<5
1882397	Drill Core	0.19	1.69	0.09	26	1.44	0.068	15.1	30.3	0.99	138.6	0.096	1	1.37	0.016	0.46	0.7	4.3	0.29	6
1882398	Drill Core	0.31	0.31	0.06	10	0.57	0.047	8.1	13.7	0.69	159.2	0.076	<1	1.03	0.023	0.23	0.1	1.8	0.12	<5
1882399	Drill Core	0.09	0.22	0.08	7	0.46	0.048	4.4	9.9	0.58	178.6	0.061	<1	0.85	0.021	0.23	<0.1	1.2	0.09	<5
1882400	Rock Pulp	0.17	4.73	0.49	112	0.95	0.058	7.5	17.4	0.82	115.1	0.118	2	1.76	0.178	0.22	3.9	3.3	0.06	208
1882401	Drill Core	0.08	0.23	0.09	14	0.79	0.064	6.6	18.3	0.94	132.6	0.075	<1	1.17	0.021	0.27	0.1	2.1	0.12	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 29, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000641.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1882372	Drill Core	0.6	0.03	3.3	3.36	<0.1	0.23	0.17	24.3	0.5	<0.05	6.7	8.20	24.6	<0.02	1	0.5	9.9	<10	<2			
1882373	Drill Core	0.6	0.05	4.4	1.93	<0.1	0.24	0.18	14.3	0.7	<0.05	7.5	10.31	29.7	0.03	<1	0.5	10.4	<10	<2			
1882374	Drill Core	0.5	0.03	3.4	3.74	<0.1	0.27	0.11	25.0	0.4	<0.05	8.1	7.98	26.2	<0.02	<1	0.3	10.6	<10	<2			
1882375	Drill Core	0.5	0.08	8.4	1.61	<0.1	0.06	<0.02	12.2	0.3	<0.05	2.5	10.85	41.0	0.03	<1	0.5	22.7	<10	<2			
1882376	Drill Core	0.3	0.03	6.5	2.39	<0.1	0.07	0.05	17.7	0.5	<0.05	2.3	13.96	45.3	0.02	<1	0.7	20.1	<10	<2			
1882377	Drill Core	0.6	<0.02	4.0	2.31	<0.1	0.08	0.09	18.1	0.4	<0.05	2.4	8.63	27.1	<0.02	<1	0.5	12.2	<10	<2			
1882378	Drill Core	0.2	<0.02	5.3	1.03	<0.1	0.07	0.07	11.7	0.6	<0.05	2.0	11.78	43.1	<0.02	<1	0.6	14.9	<10	<2			
1882379	Drill Core	0.2	<0.02	4.6	0.86	<0.1	0.04	0.07	10.0	0.6	<0.05	1.1	8.55	26.0	<0.02	<1	0.4	12.1	<10	<2			
1882380	Rock	<0.1	<0.02	0.2	0.07	<0.1	0.08	0.04	0.6	<0.1	<0.05	1.8	0.72	3.8	<0.02	<1	<0.1	0.7	<10	<2			
1882381	Drill Core	0.2	0.02	5.7	2.08	<0.1	0.05	<0.02	15.3	0.5	<0.05	1.8	15.99	48.2	<0.02	<1	0.5	15.1	<10	<2			
1882382	Drill Core	0.6	0.04	6.8	2.93	<0.1	0.03	<0.02	13.1	0.6	<0.05	1.5	14.52	54.0	0.02	<1	0.4	21.3	<10	<2			
1882383	Drill Core	0.7	0.04	4.5	2.64	<0.1	0.04	<0.02	14.1	0.3	<0.05	1.7	16.24	33.3	<0.02	<1	0.4	15.1	<10	<2			
1882384	Drill Core	0.3	<0.02	5.4	1.00	<0.1	0.05	0.03	10.4	0.5	<0.05	1.5	11.81	42.1	<0.02	<1	0.5	13.7	<10	<2			
1882385	Drill Core	0.2	<0.02	4.9	1.34	<0.1	0.03	0.05	10.1	0.4	<0.05	1.0	9.87	32.9	<0.02	<1	0.3	13.5	<10	<2			
1882386	Drill Core	0.4	<0.02	5.6	1.71	<0.1	0.04	<0.02	12.2	0.5	<0.05	1.3	12.86	41.5	<0.02	<1	0.5	14.9	<10	<2			
1882387	Drill Core	0.3	<0.02	4.0	0.70	<0.1	0.03	0.08	8.6	0.5	<0.05	0.8	6.66	19.8	<0.02	<1	0.3	10.5	<10	<2			
1882388	Drill Core	0.4	<0.02	3.9	1.19	<0.1	0.05	0.17	11.5	0.5	<0.05	1.2	4.41	12.4	<0.02	<1	0.5	13.3	<10	<2			
1882389	Drill Core	<0.1	<0.02	3.4	0.85	<0.1	0.04	0.15	11.9	0.4	<0.05	1.0	3.48	9.8	<0.02	<1	0.4	11.9	<10	<2			
1882390	Drill Core	0.1	<0.02	3.2	1.05	<0.1	0.03	0.17	12.8	0.4	<0.05	0.9	3.61	11.5	<0.02	<1	0.4	9.3	<10	<2			
1882391	Drill Core	0.2	<0.02	6.3	4.16	<0.1	0.07	0.07	35.8	0.7	<0.05	1.9	9.26	34.8	<0.02	<1	0.6	17.7	<10	<2			
1882392	Drill Core	0.3	<0.02	5.1	2.76	<0.1	0.07	0.12	33.3	0.6	<0.05	1.9	7.24	27.7	<0.02	<1	0.6	12.9	<10	<2			
1882393	Drill Core	0.4	<0.02	4.0	2.43	<0.1	0.04	0.10	27.8	0.6	<0.05	1.1	5.51	21.3	<0.02	<1	0.5	10.3	<10	<2			
1882394	Drill Core	0.7	0.02	4.5	4.02	<0.1	0.19	0.07	38.7	0.6	<0.05	6.3	7.14	20.0	<0.02	<1	0.6	13.6	<10	<2			
1882395	Drill Core	0.8	0.06	3.8	3.35	<0.1	0.16	0.10	36.2	0.4	<0.05	5.5	7.84	14.6	<0.02	1	0.5	13.6	<10	<2			
1882396	Drill Core	0.4	0.03	4.7	5.19	<0.1	0.12	0.06	42.3	0.5	<0.05	4.0	8.76	21.6	<0.02	<1	0.6	13.8	<10	<2			
1882397	Drill Core	0.3	0.02	6.5	3.00	<0.1	0.08	0.14	31.3	0.8	<0.05	2.0	8.88	29.7	<0.02	<1	1.1	15.6	<10	<2			
1882398	Drill Core	0.4	<0.02	4.0	0.72	<0.1	0.04	0.17	12.7	0.5	<0.05	1.0	4.62	15.9	<0.02	<1	0.4	8.6	<10	<2			
1882399	Drill Core	0.1	<0.02	2.9	0.59	<0.1	0.03	0.22	11.4	0.3	<0.05	0.7	2.83	8.5	<0.02	<1	0.3	7.5	<10	<2			
1882400	Rock Pulp	0.2	0.17	5.4	0.68	<0.1	0.10	0.04	7.5	1.6	<0.05	1.8	5.08	15.1	0.04	<1	0.2	6.4	<10	<2			
1882401	Drill Core	0.2	<0.02	4.3	1.25	<0.1	0.03	0.14	14.6	0.4	<0.05	0.7	4.52	13.2	<0.02	<1	0.4	10.7	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 29, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000641.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1882402	Drill Core	2.81	506	<0.005	<0.01	<0.17	48.76	0.97	12.62	9.19	41.8	158	7.7	5.3	300	1.35	3.0	0.6	2.9	47.7
1882403	Drill Core	2.95	491	<0.005	<0.01	<0.17	46.74	1.34	15.65	9.21	40.2	204	8.2	6.4	222	1.37	3.8	0.6	2.5	55.8
1882404	Drill Core	3.49	418	0.014	0.01	<0.17	42.06	0.62	10.36	11.48	39.1	194	7.7	7.7	155	1.33	4.2	1.1	8.5	34.5
1882405	Drill Core	3.33	372	<0.005	<0.01	<0.17	33.57	0.39	8.63	9.05	28.3	138	3.8	4.2	227	1.06	1.3	1.4	0.7	65.1
1882406	Drill Core	3.26	483	0.005	<0.01	<0.17	48.40	0.35	4.84	11.57	40.1	151	7.8	7.4	347	1.54	2.6	1.6	1.4	109.2
1882407	Drill Core	1.50	509	0.005	<0.01	<0.17	30.10	0.21	8.45	20.28	19.3	235	3.9	3.2	236	0.78	1.3	1.4	1.1	80.9
1882408	Drill Core	1.60	525	0.005	<0.01	<0.17	40.56	0.22	18.17	14.20	35.0	242	9.1	6.9	148	1.29	3.3	1.4	0.4	50.8
1882409	Drill Core	2.96	514	<0.005	<0.01	<0.17	39.82	0.20	16.85	12.30	47.0	212	10.8	8.1	166	1.64	5.1	2.7	0.5	39.9
1882410	Drill Core	3.44	417	<0.005	<0.01	<0.17	40.20	1.07	16.10	8.10	61.6	213	12.4	7.8	253	2.10	2.9	2.9	0.6	67.2
1882411	Drill Core	2.83	490	<0.005	<0.01	<0.17	39.31	0.32	9.89	9.79	79.5	168	13.5	8.9	364	2.47	3.8	1.7	0.5	76.6
1882412	Drill Core	1.67	484	<0.005	<0.01	<0.17	27.77	0.57	22.58	8.23	64.0	330	13.7	8.7	190	2.10	3.8	6.3	0.3	43.8
1882413	Drill Core	3.02	490	0.005	<0.01	<0.17	34.63	0.35	7.88	14.13	36.7	182	2.9	2.9	251	1.00	1.3	2.0	0.5	70.5
1882414	Drill Core	3.54	334	<0.005	<0.01	<0.17	36.00	0.28	6.19	16.50	35.9	207	2.4	2.3	214	0.92	1.1	1.7	0.7	73.1
1882415	Drill Core	3.06	409	<0.005	<0.01	<0.17	32.78	0.31	6.47	16.40	35.9	210	2.5	2.3	224	0.97	1.0	1.7	0.8	73.5
1882416	Drill Core	3.24	472	0.006	<0.01	<0.17	35.40	0.20	14.37	11.32	51.9	277	11.0	8.0	244	1.82	3.3	1.7	1.4	97.8
1882417	Drill Core	3.39	425	0.010	<0.01	<0.17	36.51	0.32	11.63	16.38	36.2	247	4.4	4.0	249	1.13	4.7	1.6	3.1	78.1
1882418	Drill Core	2.29	554	0.005	<0.01	<0.17	39.74	0.16	4.21	17.75	25.3	170	0.6	0.6	118	0.55	1.3	1.5	0.9	28.8
1882419	Drill Core	1.45	491	0.014	0.01	<0.17	39.24	0.13	8.55	50.65	50.8	315	0.7	0.8	137	0.64	0.9	3.2	0.8	30.3
1882420	Rock Pulp	0.12	91	0.612				6.63	114.18	82.04	138.4	651	12.5	5.0	605	2.52	41.7	0.4	551.9	2.1
1882421	Drill Core	1.54	468	0.007	<0.01	<0.17	37.49	0.13	4.89	15.51	30.5	219	1.0	1.3	120	0.66	1.7	2.8	2.2	28.1
1882422	Drill Core	3.66	409	0.023	0.02	<0.17	30.48	0.27	7.80	23.16	47.8	279	0.9	0.8	147	0.73	5.0	1.2	17.7	22.8
1882423	Drill Core	2.88	505	0.006	<0.01	<0.17	37.53	0.15	3.53	18.59	20.4	183	0.4	0.3	104	0.47	0.7	1.1	1.6	21.4
1882424	Drill Core	3.10	537	0.009	<0.01	<0.17	32.82	0.26	3.06	23.98	12.5	333	0.4	0.4	69	0.43	2.4	0.9	4.4	9.4
1882425	Drill Core	3.24	490	<0.005	<0.01	<0.17	38.58	0.22	4.18	21.70	20.4	186	0.4	0.6	97	0.49	2.3	1.5	1.3	19.0
1882426	Drill Core	2.55	539	0.006	<0.01	<0.17	40.79	0.52	6.39	15.85	46.4	191	4.4	3.2	237	1.15	3.0	2.1	1.1	56.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 29, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000641.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882402	Drill Core	0.16	0.18	0.09	8	1.03	0.051	4.3	10.1	0.49	212.5	0.071	<1	0.81	0.016	0.21	<0.1	1.4	0.07	0.04	<5
1882403	Drill Core	0.12	0.17	0.09	9	1.17	0.059	4.7	10.9	0.41	228.5	0.066	<1	0.69	0.018	0.21	<0.1	1.6	0.06	0.06	<5
1882404	Drill Core	0.24	0.25	0.08	11	0.46	0.054	9.7	14.1	0.40	358.6	0.073	<1	0.72	0.025	0.30	0.1	2.4	0.10	0.06	<5
1882405	Drill Core	0.22	0.26	0.07	7	1.06	0.026	19.2	8.5	0.31	369.5	0.028	<1	0.56	0.020	0.35	0.1	2.4	0.12	0.06	<5
1882406	Drill Core	0.33	0.28	0.12	8	1.92	0.049	20.1	8.0	0.49	372.3	0.023	<1	0.71	0.012	0.33	<0.1	3.2	0.10	0.31	<5
1882407	Drill Core	0.31	0.16	0.21	4	1.75	0.027	17.6	4.1	0.25	333.0	0.053	<1	0.42	0.007	0.28	<0.1	1.5	0.08	0.23	<5
1882408	Drill Core	0.17	0.20	0.09	12	0.67	0.057	21.1	13.7	0.47	307.1	0.057	<1	0.62	0.022	0.36	<0.1	2.7	0.14	0.23	<5
1882409	Drill Core	0.18	0.25	0.09	18	0.66	0.060	18.3	17.3	0.68	244.2	0.069	<1	0.77	0.027	0.41	<0.1	3.0	0.18	0.34	<5
1882410	Drill Core	0.17	0.36	0.06	24	0.95	0.058	22.0	25.1	1.10	282.0	0.083	<1	1.19	0.020	0.48	0.1	5.4	0.23	0.19	<5
1882411	Drill Core	0.43	0.40	0.07	27	1.42	0.059	20.6	29.5	1.22	162.7	0.060	<1	1.31	0.023	0.40	0.2	5.1	0.18	0.16	6
1882412	Drill Core	0.15	0.37	0.08	23	0.71	0.066	23.4	24.8	0.90	221.8	0.082	<1	1.12	0.025	0.44	0.1	5.8	0.21	0.24	<5
1882413	Drill Core	0.38	0.28	0.14	7	1.30	0.024	31.3	9.3	0.32	309.3	0.021	<1	0.58	0.020	0.33	<0.1	3.2	0.14	0.08	<5
1882414	Drill Core	0.28	0.28	0.17	5	0.87	0.019	33.4	7.1	0.28	332.7	0.010	<1	0.57	0.029	0.29	<0.1	2.6	0.11	0.05	<5
1882415	Drill Core	0.31	0.28	0.17	5	0.92	0.020	33.5	7.6	0.28	322.6	0.013	<1	0.56	0.026	0.28	<0.1	2.6	0.12	0.05	<5
1882416	Drill Core	0.33	0.30	0.07	16	1.24	0.058	25.9	17.1	0.64	308.9	0.027	<1	0.83	0.027	0.38	<0.1	6.5	0.17	0.41	7
1882417	Drill Core	0.36	0.21	0.13	6	1.34	0.033	31.1	7.6	0.29	318.9	0.002	<1	0.59	0.013	0.27	<0.1	3.0	0.10	0.03	<5
1882418	Drill Core	0.18	0.16	0.17	1	0.41	0.007	42.9	1.4	0.13	214.6	0.001	<1	0.41	0.030	0.24	<0.1	1.3	0.10	<0.02	14
1882419	Drill Core	0.84	0.54	0.19	2	0.50	0.011	39.4	2.1	0.14	260.8	0.019	<1	0.46	0.030	0.25	0.2	2.3	0.10	0.06	13
1882420	Rock Pulp	0.51	2.33	0.09	28	0.82	0.034	5.8	23.8	0.51	78.5	0.080	7	1.17	0.093	0.10	4.5	2.7	0.22	0.09	137
1882421	Drill Core	0.25	0.53	0.13	2	0.50	0.012	34.7	1.9	0.14	187.9	0.013	2	0.43	0.030	0.20	0.4	2.2	0.11	0.07	17
1882422	Drill Core	0.48	0.27	0.16	3	0.36	0.009	39.6	1.7	0.16	158.5	<0.001	<1	0.41	0.036	0.19	0.1	1.7	0.07	<0.02	15
1882423	Drill Core	0.29	0.17	0.17	1	0.30	0.005	40.1	1.0	0.09	171.4	0.003	<1	0.33	0.030	0.22	0.3	1.5	0.08	<0.02	8
1882424	Drill Core	0.18	0.19	0.46	<1	0.15	0.005	29.9	1.3	0.05	198.2	0.002	<1	0.25	0.028	0.20	<0.1	0.9	0.06	<0.02	6
1882425	Drill Core	0.32	0.35	0.18	<1	0.23	0.007	36.0	1.2	0.08	272.6	0.022	<1	0.35	0.026	0.22	0.3	2.2	0.07	<0.02	<5
1882426	Drill Core	0.72	0.54	0.15	7	0.80	0.023	34.3	7.9	0.39	313.0	0.048	<1	0.71	0.022	0.40	0.2	4.1	0.21	<0.02	7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 29, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000641.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1882402	Drill Core	0.1	<0.02	2.8	0.49	<0.1	0.02	0.23	8.6	0.5	<0.05	0.6	3.23	8.3	<0.02	<1	0.3	5.5	<10
1882403	Drill Core	0.2	0.02	2.7	0.64	<0.1	0.02	0.25	8.4	0.3	<0.05	0.5	4.12	8.6	<0.02	<1	0.2	5.0	<10
1882404	Drill Core	0.4	0.02	3.1	1.10	<0.1	0.06	0.31	12.4	0.4	<0.05	1.8	6.63	18.2	<0.02	<1	0.3	5.8	<10
1882405	Drill Core	0.4	<0.02	2.7	1.30	<0.1	0.04	0.19	14.7	0.4	<0.05	1.2	12.11	36.9	<0.02	<1	0.3	6.2	<10
1882406	Drill Core	0.6	0.04	2.7	1.38	<0.1	0.14	0.07	12.4	0.4	<0.05	5.2	12.15	39.1	<0.02	<1	0.3	8.0	<10
1882407	Drill Core	0.4	0.02	1.6	0.65	<0.1	0.09	0.31	9.7	0.3	<0.05	3.3	8.86	34.4	<0.02	1	0.2	3.5	<10
1882408	Drill Core	0.4	<0.02	2.6	1.37	<0.1	0.23	0.16	15.5	0.5	<0.05	8.6	10.53	40.9	<0.02	<1	0.2	5.4	<10
1882409	Drill Core	0.6	<0.02	3.5	1.84	<0.1	0.30	0.12	19.2	0.5	<0.05	9.7	10.09	35.6	<0.02	<1	0.3	6.4	<10
1882410	Drill Core	0.3	<0.02	5.4	1.81	<0.1	0.28	0.09	27.0	0.7	<0.05	9.0	13.67	43.4	0.02	1	0.5	14.6	<10
1882411	Drill Core	0.4	0.02	6.3	1.91	<0.1	0.19	0.06	21.6	0.6	<0.05	6.2	16.15	40.8	0.02	<1	0.5	19.5	<10
1882412	Drill Core	0.5	<0.02	5.2	2.08	<0.1	0.25	0.10	24.2	0.6	<0.05	8.6	16.16	46.0	<0.02	<1	0.4	14.2	<10
1882413	Drill Core	0.2	<0.02	3.1	1.17	<0.1	0.05	0.10	15.5	0.5	<0.05	1.8	17.84	62.1	0.03	<1	0.3	6.7	<10
1882414	Drill Core	0.2	<0.02	3.1	1.28	<0.1	0.05	0.06	14.9	0.4	<0.05	1.8	18.06	65.6	0.02	<1	0.4	7.5	<10
1882415	Drill Core	0.3	0.02	3.1	1.21	<0.1	0.06	0.07	14.7	0.4	<0.05	1.8	18.21	66.0	0.02	<1	0.4	7.3	<10
1882416	Drill Core	0.5	0.02	3.3	1.86	<0.1	0.38	0.03	18.7	0.5	<0.05	13.3	15.89	50.8	0.02	<1	0.4	14.3	<10
1882417	Drill Core	0.2	<0.02	2.5	1.91	<0.1	0.15	<0.02	12.3	0.5	<0.05	6.9	12.83	60.7	<0.02	<1	0.3	9.5	<10
1882418	Drill Core	0.1	<0.02	2.5	1.41	<0.1	0.25	<0.02	12.9	0.3	<0.05	9.7	18.06	84.5	<0.02	<1	0.4	5.2	<10
1882419	Drill Core	0.7	0.02	2.8	1.12	<0.1	0.21	0.17	13.4	0.5	<0.05	7.2	20.93	77.9	0.02	<1	0.4	5.3	<10
1882420	Rock Pulp	0.1	0.05	4.6	0.21	<0.1	0.19	0.16	2.5	1.9	<0.05	4.6	7.51	10.9	<0.02	<1	0.3	1.3	<10
1882421	Drill Core	0.4	<0.02	2.2	1.35	<0.1	0.14	0.30	11.7	0.5	<0.05	5.1	16.97	66.0	0.02	<1	0.3	4.2	<10
1882422	Drill Core	0.2	<0.02	2.1	1.95	<0.1	0.21	0.04	10.4	0.3	<0.05	8.0	17.48	77.1	<0.02	<1	0.4	4.0	<10
1882423	Drill Core	<0.1	<0.02	1.8	0.94	<0.1	0.21	0.12	10.8	0.3	<0.05	8.6	15.23	74.1	<0.02	<1	0.3	3.3	<10
1882424	Drill Core	0.1	<0.02	1.4	0.52	<0.1	0.17	0.03	9.1	0.2	<0.05	6.3	9.84	58.5	<0.02	<1	0.2	2.4	<10
1882425	Drill Core	0.2	<0.02	2.1	0.68	<0.1	0.22	0.32	10.2	0.6	<0.05	7.5	21.53	71.1	0.03	<1	0.3	3.2	<10
1882426	Drill Core	0.4	<0.02	3.1	2.17	<0.1	0.11	0.16	23.0	0.6	<0.05	3.4	21.29	67.1	0.03	<1	0.4	7.7	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 29, 2019

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000641.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1882347	Drill Core	3.29	422	0.007	<0.01	<0.17	35.02	1.06	8.16	8.96	46.9	173	7.4	5.7	301	1.81	5.5	1.4	1.0	12.9	58.6
REP 1882347	QC	0.006																			
1882348	Drill Core	3.39	456	<0.005	<0.01	<0.17	37.28	0.76	23.18	21.98	49.9	512	11.0	6.1	358	1.66	7.6	1.0	<0.2	11.5	54.1
REP 1882348	QC							0.69	22.11	21.00	47.8	482	10.0	5.9	345	1.63	7.2	1.0	<0.2	10.8	52.0
1882355	Drill Core	1.85	463	<0.005	<0.01	<0.17	31.49	0.53	13.78	4.42	42.0	139	8.9	6.7	477	1.77	3.8	1.3	3.0	9.8	79.1
REP 1882355	QC	<0.005																			
1882382	Drill Core	2.52	393	0.010	<0.01	<0.17	32.15	1.65	13.31	8.87	54.2	334	10.5	7.8	381	2.49	9.2	2.2	6.7	11.1	87.4
REP 1882382	QC							1.59	12.81	8.54	52.5	327	10.1	7.5	371	2.46	8.9	2.2	7.9	10.5	85.6
1882417	Drill Core	3.39	425	0.010	<0.01	<0.17	36.51	0.32	11.63	16.38	36.2	247	4.4	4.0	249	1.13	4.7	1.6	3.1	10.0	78.1
REP 1882417	QC	0.008						0.31	11.38	16.31	36.2	250	4.3	3.9	246	1.10	4.7	1.6	3.1	9.9	76.9
Core Reject Duplicates																					
1882354	Drill Core	2.90	426	0.142	0.13	<0.17	42.96	1.15	14.92	10.19	37.5	502	6.9	6.3	494	1.64	4.6	2.1	158.7	7.9	100.1
DUP 1882354	QC	411		0.113	0.10	<0.17	39.31	1.29	15.35	8.55	38.9	498	7.3	6.5	516	1.69	4.7	2.3	159.2	8.3	103.3
1882388	Drill Core	2.21	484	<0.005	<0.01	<0.17	46.28	0.75	18.17	12.46	63.6	234	10.1	7.5	235	1.63	6.7	1.1	<0.2	3.9	48.6
DUP 1882388	QC	398		<0.005	<0.01	<0.17	39.30	0.74	17.59	11.57	59.8	225	9.5	7.1	220	1.56	6.6	1.0	<0.2	3.4	44.2
1882422	Drill Core	3.66	409	0.023	0.02	<0.17	30.48	0.27	7.80	23.16	47.8	279	0.9	0.8	147	0.73	5.0	1.2	17.7	12.3	22.8
DUP 1882422	QC	504		0.025	0.02	<0.17	36.40	0.33	8.00	22.86	46.0	276	0.7	0.6	153	0.80	4.9	1.3	18.8	12.7	23.3
Reference Materials																					
STD BVGEO01	Standard							11.03	4483.29	180.90	1753.2	2548	160.0	24.3	717	3.65	115.2	3.7	224.7	13.6	53.3
STD DS11	Standard							15.94	153.95	142.64	346.1	1725	82.0	14.2	1025	3.26	44.3	2.9	87.3	9.5	74.1
STD DS11	Standard							14.59	143.47	128.37	323.0	1646	82.4	13.3	994	3.05	41.6	2.5	64.3	7.3	65.2
STD DS11	Standard							13.59	126.67	115.57	295.8	1544	74.1	11.7	929	2.89	37.2	2.1	59.3	7.5	60.3
STD OREAS262	Standard							0.67	116.72	56.47	147.3	464	64.7	27.3	543	3.32	34.6	1.3	65.5	10.8	35.1
STD OREAS262	Standard							0.70	108.50	51.33	138.4	423	62.8	25.5	506	3.04	33.9	1.1	64.8	8.4	32.6
STD OREAS262	Standard							0.65	112.63	52.23	140.4	426	65.8	26.2	522	3.16	34.3	1.2	50.1	8.7	34.1
STD OREAS262	Standard							0.63	104.28	49.59	140.4	441	62.2	25.1	530	2.99	33.0	1.1	68.8	9.1	31.8
STD OXB130	Standard	0.123																			
STD OXB130	Standard	0.127																			



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 29, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000641.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1882347	Drill Core	0.20	0.63	0.20	10	0.90	0.061	23.1	12.6	0.80	187.9	0.029	2	1.06	0.013	0.40	0.2	2.9	0.13	<0.02	<5
REP 1882347	QC																				
1882348	Drill Core	0.25	0.56	0.57	10	0.55	0.057	19.0	12.8	0.74	189.4	0.021	1	0.97	0.010	0.40	0.2	2.6	0.14	0.04	<5
REP 1882348	QC	0.24	0.53	0.55	10	0.59	0.055	17.3	12.3	0.72	175.8	0.020	1	0.94	0.010	0.39	0.2	2.5	0.13	0.04	6
1882355	Drill Core	0.14	1.20	<0.02	9	0.79	0.056	16.2	10.8	0.81	183.1	0.053	<1	0.99	0.010	0.46	0.4	2.8	0.14	0.10	9
REP 1882355	QC																				
1882382	Drill Core	0.27	0.41	0.09	19	1.70	0.060	27.5	24.9	0.77	108.7	0.002	<1	1.16	0.011	0.23	<0.1	3.1	0.10	<0.02	6
REP 1882382	QC	0.26	0.38	0.09	18	1.67	0.058	25.9	23.5	0.75	100.5	0.002	<1	1.09	0.011	0.22	<0.1	3.0	0.09	<0.02	<5
1882417	Drill Core	0.36	0.21	0.13	6	1.34	0.033	31.1	7.6	0.29	318.9	0.002	<1	0.59	0.013	0.27	<0.1	3.0	0.10	0.03	<5
REP 1882417	QC	0.38	0.21	0.13	6	1.32	0.033	30.4	7.6	0.28	312.1	0.001	<1	0.58	0.012	0.27	<0.1	2.9	0.10	0.03	<5
Core Reject Duplicates																					
1882354	Drill Core	0.24	1.53	0.05	7	1.10	0.046	10.5	8.0	0.73	184.3	0.031	1	0.86	0.010	0.47	0.4	2.5	0.13	0.29	<5
DUP 1882354	QC	0.26	1.56	0.04	7	1.19	0.051	10.9	8.3	0.74	193.8	0.033	<1	0.87	0.010	0.47	0.4	2.7	0.14	0.29	<5
1882388	Drill Core	0.23	0.46	0.07	11	1.17	0.049	6.6	15.4	0.69	158.2	0.077	<1	1.05	0.019	0.22	0.1	1.9	0.11	0.06	<5
DUP 1882388	QC	0.21	0.46	0.07	10	1.07	0.047	5.6	14.2	0.65	148.4	0.069	<1	0.97	0.020	0.21	0.1	1.6	0.10	0.06	<5
1882422	Drill Core	0.48	0.27	0.16	3	0.36	0.009	39.6	1.7	0.16	158.5	<0.001	<1	0.41	0.036	0.19	0.1	1.7	0.07	<0.02	15
DUP 1882422	QC	0.49	0.30	0.14	3	0.36	0.009	39.3	1.7	0.14	274.2	0.001	<1	0.54	0.061	0.29	0.2	1.9	0.12	<0.02	6
Reference Materials																					
STD BVGEO01	Standard	5.92	3.63	23.10	74	1.30	0.070	24.9	180.0	1.30	245.6	0.220	4	2.32	0.189	0.88	5.3	5.8	0.65	0.68	104
STD DS11	Standard	2.39	8.94	11.97	52	1.11	0.074	20.6	62.2	0.87	392.7	0.101	8	1.24	0.074	0.41	3.2	3.5	5.20	0.27	278
STD DS11	Standard	2.05	6.81	10.00	48	1.03	0.065	17.7	57.7	0.84	351.6	0.091	7	1.19	0.072	0.39	2.8	3.2	4.94	0.27	281
STD DS11	Standard	1.92	7.55	9.58	49	0.99	0.060	15.4	53.3	0.79	335.0	0.075	8	1.14	0.068	0.37	3.2	3.0	4.66	0.25	241
STD OREAS262	Standard	0.62	4.65	1.02	23	3.00	0.040	17.9	44.5	1.16	253.8	0.003	4	1.45	0.068	0.34	0.2	3.5	0.46	0.24	162
STD OREAS262	Standard	0.57	5.36	0.89	21	2.76	0.035	14.0	40.8	1.10	227.6	0.002	3	1.34	0.063	0.29	0.2	3.0	0.46	0.24	148
STD OREAS262	Standard	0.58	3.27	0.90	22	2.89	0.036	15.7	43.6	1.15	238.5	0.003	4	1.48	0.066	0.31	0.1	3.2	0.47	0.25	174
STD OREAS262	Standard	0.53	4.85	0.90	24	2.73	0.034	14.7	44.3	1.11	218.0	0.002	4	1.41	0.065	0.31	0.2	3.5	0.48	0.22	165
STD OXB130	Standard																				
STD OXB130	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 29, 2019

Page:

1 of 2

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000641.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1882347	Drill Core	<0.1	<0.02	3.4	1.56	<0.1	0.09	0.03	18.1	0.4	<0.05	2.8	8.62	46.2	<0.02	<1	0.4	11.9	<10	<2
REP 1882347	QC																			
1882348	Drill Core	0.1	0.03	3.0	2.25	<0.1	0.15	0.03	20.2	0.4	<0.05	5.1	8.42	36.5	<0.02	<1	0.3	10.9	<10	<2
REP 1882348	QC	0.2	0.02	2.9	2.10	<0.1	0.15	0.02	19.3	0.4	<0.05	5.0	8.10	33.2	<0.02	<1	0.3	10.2	<10	<2
1882355	Drill Core	<0.1	<0.02	3.1	1.22	<0.1	0.22	0.06	21.3	0.6	<0.05	7.5	6.92	32.0	<0.02	<1	0.3	8.4	<10	<2
REP 1882355	QC																			
1882382	Drill Core	0.6	0.04	6.8	2.93	<0.1	0.03	<0.02	13.1	0.6	<0.05	1.5	14.52	54.0	0.02	<1	0.4	21.3	<10	<2
REP 1882382	QC	0.7	0.03	6.6	2.77	<0.1	0.03	<0.02	12.3	0.6	<0.05	1.4	14.05	50.6	<0.02	<1	0.4	20.9	<10	<2
1882417	Drill Core	0.2	<0.02	2.5	1.91	<0.1	0.15	<0.02	12.3	0.5	<0.05	6.9	12.83	60.7	<0.02	<1	0.3	9.5	<10	<2
REP 1882417	QC	0.2	<0.02	2.5	1.96	<0.1	0.16	<0.02	12.2	0.5	<0.05	6.8	12.31	59.7	<0.02	<1	0.3	9.8	<10	<2
Core Reject Duplicates																				
1882354	Drill Core	0.2	<0.02	2.5	0.96	<0.1	0.16	0.05	19.2	0.4	<0.05	5.4	4.92	20.8	<0.02	1	0.2	5.6	<10	<2
DUP 1882354	QC	0.2	<0.02	2.5	1.03	<0.1	0.17	0.04	20.4	0.4	<0.05	5.2	5.14	21.7	<0.02	<1	0.3	6.0	<10	<2
1882388	Drill Core	0.4	<0.02	3.9	1.19	<0.1	0.05	0.17	11.5	0.5	<0.05	1.2	4.41	12.4	<0.02	<1	0.5	13.3	<10	<2
DUP 1882388	QC	0.4	<0.02	3.6	1.17	<0.1	0.04	0.20	11.1	0.5	<0.05	1.1	3.91	10.6	<0.02	<1	0.5	12.6	<10	<2
1882422	Drill Core	0.2	<0.02	2.1	1.95	<0.1	0.21	0.04	10.4	0.3	<0.05	8.0	17.48	77.1	<0.02	<1	0.4	4.0	<10	<2
DUP 1882422	QC	0.2	<0.02	2.5	1.78	<0.1	0.22	0.05	14.7	0.4	<0.05	8.4	17.34	75.7	<0.02	<1	0.4	4.7	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.8	0.98	7.6	7.33	0.1	0.31	0.27	95.1	5.3	<0.05	9.1	14.34	51.4	0.43	3	0.7	20.1	163	187
STD DS11	Standard	2.2	4.78	5.3	3.13	<0.1	0.07	1.77	36.3	2.0	<0.05	2.9	8.75	43.1	0.26	50	0.6	22.6	110	175
STD DS11	Standard	2.3	4.49	5.4	2.81	<0.1	0.08	1.51	32.7	1.7	<0.05	3.1	7.70	36.6	0.22	47	0.7	21.8	106	172
STD DS11	Standard	2.1	4.19	4.9	2.54	<0.1	0.08	1.60	29.9	1.6	<0.05	3.0	6.71	30.8	0.22	47	0.6	19.4	101	156
STD OREAS262	Standard	0.3	0.21	4.2	2.95	<0.1	0.24	<0.02	20.8	0.6	<0.05	8.9	10.74	37.0	0.04	1	1.2	16.6	<10	<2
STD OREAS262	Standard	0.5	0.22	4.1	2.78	<0.1	0.28	<0.02	17.3	0.5	<0.05	11.7	9.93	29.0	0.03	<1	1.1	16.1	<10	<2
STD OREAS262	Standard	0.6	0.21	4.4	2.49	<0.1	0.28	<0.02	17.9	0.5	<0.05	11.1	10.31	32.7	0.03	<1	1.1	16.3	<10	<2
STD OREAS262	Standard	0.5	0.22	4.1	2.86	<0.1	0.22	<0.02	18.9	0.4	<0.05	8.6	10.24	30.1	0.03	1	1.1	16.1	<10	<2
STD OXB130	Standard																			
STD OXB130	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 29, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000641.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXI138	Standard			1.909																	
STD OXI138	Standard			1.902																	
STD OXN117	Standard			7.852																	
STD OXN117	Standard			7.936																	
STD OXQ90	Standard					25.16	30.09														
STD OXQ90	Standard					25.34	30.03														
STD OXQ90	Standard					25.12	30.57														
STD OXQ90	Standard					25.16	29.93														
STD OXQ90	Standard					25.22	30.02														
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.3	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.4	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		460	<0.005	<0.01	<0.17	49.07	0.79	8.30	0.77	31.4	7	2.0	4.8	532	2.04	0.8	0.4	1.0	2.0	23.8
ROCK-WHI	Prep Blank		462	<0.005	<0.01	<0.17	49.73	0.87	9.27	0.87	31.5	11	1.3	6.2	506	1.95	0.9	0.5	1.3	2.4	22.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 29, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000641.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.03	0.02	34	0.75	0.041	5.5	3.7	0.58	52.4	0.081	2	1.01	0.071	0.07	<0.1	3.0	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.05	0.04	0.04	28	0.71	0.041	6.2	2.9	0.51	52.1	0.084	2	0.94	0.070	0.08	<0.1	2.9	<0.02	0.05	6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 29, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000641.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90 Expected																			
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.12	<0.1	0.10	0.14	1.9	0.5	<0.05	2.4	8.02	11.6	<0.02	<1	0.2	1.4	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.13	<0.1	0.13	0.19	2.1	0.5	<0.05	2.8	8.84	12.7	<0.02	<1	0.2	1.2	<10