



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 04, 2019
Report Date: October 25, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000658.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-60
P.O. Number
Number of Samples: 52

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	50	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	52	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	52	Analysis sample split/packet			WHI
Split -150	52	Analysis sample split/packet			WHI
EN002	52	Environmental disposal charge-Fire assay lead waste			VAN
FS631	51	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	52	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	52	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 25, 2019

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000658.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1882427	Drill Core	2.68	465	<0.005	<0.01	<0.17	41.54	0.68	14.35	17.01	49.1	203	7.7	6.1	335	1.87	3.8	1.3	3.0	10.9	88.7
1882428	Drill Core	3.12	541	0.315	0.37	1.06	39.77	0.59	13.02	10.35	46.2	563	6.3	6.5	330	1.63	3.9	1.2	366.5	10.7	106.9
1882429	Drill Core	1.43	490	2.052	7.23	61.32	42.76	0.47	13.17	6.11	23.9	1831	4.4	5.4	646	1.60	8.4	1.1	16810.2	5.4	126.0
1882430	Drill Core	2.86	484	0.844	0.93	1.86	39.86	0.45	20.33	8.80	43.3	1156	9.9	6.8	413	1.79	8.5	1.2	1185.5	8.4	45.9
1882431	Drill Core	1.71	407	0.146	0.13	<0.17	36.39	0.56	14.25	14.70	20.2	719	7.3	4.8	343	1.08	7.9	1.4	90.2	10.3	48.1
1882432	Drill Core	1.53	539	1.409	1.41	1.47	43.52	0.72	19.84	16.48	18.1	1762	4.8	3.3	284	1.07	3.6	0.8	4730.6	4.9	14.3
1882433	Drill Core	1.83	422	1.934	2.76	9.84	44.20	1.20	29.31	7.95	33.8	2522	8.6	7.0	337	1.62	7.0	1.3	3226.8	8.5	35.7
1882434	Drill Core	1.62	519	1.121	1.70	7.98	43.47	0.67	7.21	2.65	11.3	494	4.2	3.0	226	1.00	5.3	0.5	878.5	3.5	6.6
1882435	Drill Core	1.82	428	0.505	0.57	1.10	44.59	0.76	17.06	5.35	22.2	1197	8.1	5.1	269	1.13	11.8	0.8	751.4	8.2	12.0
1882436	Drill Core	2.22	500	2.068	2.22	3.99	39.81	0.87	28.82	9.83	51.2	2396	10.3	7.7	374	1.80	15.7	1.0	2732.8	11.2	17.6
1882437	Drill Core	1.40	459	2.106	2.42	5.48	42.53	0.53	5.74	1.73	13.1	1301	7.7	3.8	250	1.13	9.7	0.5	13012.8	5.2	9.9
1882438	Drill Core	1.78	424	2.568	2.65	3.40	43.28	0.71	32.39	6.01	23.5	2092	10.6	6.3	191	1.75	16.8	1.5	2507.7	11.6	13.7
1882439	Drill Core	1.36	428	0.062	0.06	<0.17	42.85	0.52	5.12	1.64	7.1	108	1.6	0.7	230	0.47	5.3	<0.1	13.3	0.8	2.0
1882440	Rock Pulp	0.12	92	0.005				4.07	22.84	0.91	31.4	18	7.2	4.3	580	2.42	1.4	0.4	28.3	2.5	28.0
1882441	Drill Core	3.29	398	0.142	0.14	<0.17	41.45	1.28	15.68	11.65	36.8	391	10.2	6.5	373	1.65	13.2	1.1	160.5	8.1	47.0
1882442	Drill Core	3.07	566	0.104	0.11	<0.17	45.85	1.85	19.81	11.80	42.9	397	10.7	6.9	425	1.69	11.0	1.1	97.8	8.7	46.4
1882443	Drill Core	2.88	488	0.044	0.04	<0.17	37.13	0.59	20.59	18.32	38.0	715	9.5	5.4	434	1.59	9.4	0.9	17.4	9.5	53.6
1882444	Drill Core	2.99	523	0.021	0.02	<0.17	49.17	0.68	21.57	14.17	42.5	580	7.4	6.0	499	1.56	6.6	0.7	26.9	9.9	23.3
1882445	Drill Core	1.67	513	0.225	0.24	0.35	46.00	0.71	15.80	8.01	29.7	882	7.6	6.8	589	1.53	9.5	0.7	459.2	9.1	19.0
1882446	Drill Core	1.83	448	1.112	1.22	2.74	29.51	0.59	8.61	2.26	15.5	411	3.0	1.8	321	0.97	3.2	0.4	714.5	2.9	8.3
1882447	Drill Core	1.86	451	2.252	2.79	7.58	45.28	0.59	12.90	6.71	32.4	1060	7.8	6.5	386	1.36	9.5	1.0	2711.7	7.5	18.2
1882448	Drill Core	1.61	439	0.285	0.38	1.52	34.23	0.43	16.09	15.49	47.9	515	7.8	6.5	457	1.52	7.5	1.2	295.7	9.3	59.8
1882449	Drill Core	1.72	388	1.525	3.81	27.96	33.48	0.36	7.23	5.30	16.9	632	5.4	4.0	136	0.90	3.5	1.3	1666.0	14.8	20.6
1882450	Drill Core	1.44	498	1.812	4.05	31.12	38.02	0.52	7.68	11.43	26.6	1347	11.4	4.9	202	1.16	6.5	1.8	5683.4	11.0	19.6
1882451	Drill Core	1.42	483	0.143	0.17	0.48	41.74	0.99	10.96	25.04	50.5	285	17.0	5.6	396	1.43	8.0	1.5	66.3	5.4	29.1
1882452	Drill Core	3.29	412	0.343	0.40	0.84	45.28	0.63	23.99	15.34	38.0	925	16.1	6.5	273	1.65	13.8	1.7	447.2	11.1	18.0
1882453	Drill Core	1.57	545	0.076	0.07	<0.17	39.71	0.17	21.23	8.51	59.5	1034	4.6	5.7	382	1.80	6.6	1.5	69.0	11.1	41.6
1882454	Drill Core	1.80	401	0.086	0.09	<0.17	38.72	0.27	26.11	8.46	39.4	1985	3.2	4.7	506	1.84	5.9	1.6	69.3	13.0	95.8
1882455	Drill Core	1.68	474	0.016	0.01	<0.17	48.97	0.20	17.60	8.41	54.5	439	4.3	5.8	318	1.91	7.8	2.0	20.9	12.4	38.4
1882456	Drill Core	1.56	529	0.006	<0.01	<0.17	49.63	0.37	16.81	9.80	57.9	291	12.3	8.7	414	2.50	7.9	1.8	9.0	12.4	63.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000658.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882427	Drill Core	0.27	0.89	0.11	11	1.43	0.061	17.2	14.9	0.76	163.6	0.029	1	0.93	0.015	0.33	0.4	3.2	0.10	<0.02	23			
1882428	Drill Core	0.43	0.94	0.18	7	1.44	0.063	12.9	9.1	0.68	193.0	0.018	1	0.76	0.012	0.34	0.4	3.1	0.11	0.07	24			
1882429	Drill Core	0.64	1.89	0.05	5	2.34	0.055	7.4	5.7	0.54	195.0	0.007	1	0.57	0.009	0.22	0.2	3.1	0.09	0.10	44			
1882430	Drill Core	0.45	1.89	0.19	6	0.89	0.054	13.7	7.4	0.58	193.5	0.008	<1	0.71	0.015	0.35	0.2	2.9	0.11	0.06	10			
1882431	Drill Core	0.30	0.98	0.32	3	1.01	0.050	18.7	4.2	0.41	200.4	0.002	<1	0.54	0.010	0.25	0.1	1.8	0.06	<0.02	28			
1882432	Drill Core	0.22	1.47	0.39	2	0.26	0.021	10.3	3.5	0.15	127.1	0.002	<1	0.27	0.009	0.16	0.1	1.2	0.05	<0.02	12			
1882433	Drill Core	0.43	2.23	0.08	4	0.69	0.056	14.0	4.3	0.36	196.4	0.002	<1	0.58	0.010	0.27	0.2	2.7	0.07	0.07	17			
1882434	Drill Core	0.19	0.41	0.04	1	0.07	0.017	8.6	3.1	0.11	98.2	<0.001	<1	0.25	0.007	0.12	0.1	0.9	0.05	<0.02	8			
1882435	Drill Core	0.34	1.10	0.11	2	0.12	0.047	16.8	3.5	0.14	156.9	<0.001	1	0.33	0.009	0.19	0.1	1.1	0.07	<0.02	13			
1882436	Drill Core	0.49	1.62	0.23	3	0.18	0.057	21.7	4.8	0.31	181.2	0.001	<1	0.54	0.014	0.24	0.1	2.2	0.08	<0.02	13			
1882437	Drill Core	0.20	0.57	0.03	2	0.07	0.019	11.9	3.4	0.17	111.1	<0.001	<1	0.31	0.006	0.16	<0.1	1.0	0.06	<0.02	8			
1882438	Drill Core	0.24	1.55	0.14	3	0.14	0.053	22.3	4.3	0.24	188.2	<0.001	1	0.48	0.009	0.25	0.1	1.3	0.07	<0.02	10			
1882439	Drill Core	0.12	0.33	<0.02	<1	0.02	0.003	1.0	1.8	0.04	35.9	<0.001	<1	0.06	0.002	0.03	<0.1	0.5	0.02	<0.02	<5			
1882440	Rock Pulp	0.02	0.16	<0.02	21	0.73	0.041	5.0	14.9	0.50	55.1	0.064	2	0.98	0.063	0.07	0.3	2.5	<0.02	0.05	<5			
1882441	Drill Core	0.31	1.06	0.15	5	0.98	0.057	12.5	6.0	0.44	195.3	0.006	<1	0.65	0.009	0.29	0.2	2.1	0.08	0.04	11			
1882442	Drill Core	0.39	1.50	0.19	6	0.98	0.054	12.1	7.2	0.56	173.3	0.017	<1	0.69	0.009	0.34	0.3	2.3	0.10	0.04	5			
1882443	Drill Core	0.31	1.65	0.42	8	0.93	0.050	11.4	8.9	0.65	144.8	0.025	<1	0.76	0.010	0.33	0.3	2.3	0.10	0.03	7			
1882444	Drill Core	0.27	1.98	0.16	6	0.35	0.057	14.2	7.2	0.68	161.3	0.037	<1	0.81	0.010	0.42	0.5	1.9	0.14	<0.02	11			
1882445	Drill Core	0.32	1.30	0.06	5	0.22	0.058	16.6	5.6	0.57	165.5	0.019	<1	0.67	0.008	0.40	0.4	2.1	0.14	<0.02	8			
1882446	Drill Core	0.18	0.58	<0.02	2	0.09	0.009	5.5	4.0	0.32	85.6	0.009	<1	0.30	0.005	0.14	0.2	1.0	0.06	<0.02	<5			
1882447	Drill Core	0.36	0.98	0.08	5	0.21	0.034	13.7	6.6	0.52	146.3	0.020	1	0.58	0.007	0.30	0.5	1.9	0.11	<0.02	11			
1882448	Drill Core	0.39	0.79	0.16	5	0.95	0.058	16.1	6.3	0.58	177.5	0.021	<1	0.71	0.012	0.30	0.4	2.4	0.08	<0.02	13			
1882449	Drill Core	0.15	0.54	0.07	3	0.22	0.061	24.9	3.8	0.19	205.4	0.009	<1	0.41	0.014	0.24	0.3	1.0	0.06	<0.02	24			
1882450	Drill Core	0.21	0.75	0.11	6	0.28	0.049	16.1	8.8	0.31	180.4	0.020	<1	0.56	0.011	0.24	0.4	1.3	0.08	<0.02	25			
1882451	Drill Core	0.31	1.04	0.11	13	0.41	0.047	11.0	18.4	0.62	102.9	0.030	<1	0.74	0.005	0.17	0.5	1.8	0.05	<0.02	13			
1882452	Drill Core	0.24	0.83	0.62	10	0.28	0.061	19.0	12.4	0.44	198.8	0.025	<1	0.69	0.017	0.28	0.4	2.0	0.08	<0.02	9			
1882453	Drill Core	0.41	1.54	0.21	16	0.67	0.066	17.7	20.5	0.72	121.1	0.044	<1	0.94	0.020	0.20	0.7	3.1	0.07	<0.02	13			
1882454	Drill Core	0.33	1.88	0.14	12	1.47	0.063	18.8	14.7	0.73	161.3	0.045	<1	0.97	0.019	0.44	0.9	3.3	0.17	<0.02	14			
1882455	Drill Core	0.30	1.59	0.07	15	0.75	0.065	20.6	17.4	0.76	142.6	0.054	<1	1.00	0.014	0.28	0.7	3.3	0.10	<0.02	13			
1882456	Drill Core	0.21	1.60	0.10	28	1.06	0.061	21.2	22.0	1.15	192.1	0.062	<1	1.59	0.045	0.34	0.8	5.4	0.16	<0.02	15			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 3 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000658.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1882427	Drill Core	<0.1	<0.02	3.0	1.58	<0.1	0.04	0.03	14.9	0.5	<0.05	0.9	7.54	33.9	<0.02	<1	0.3	8.5	<10	<2			
1882428	Drill Core	<0.1	0.06	2.4	1.24	<0.1	0.10	0.02	15.4	0.3	<0.05	3.1	5.58	25.4	<0.02	<1	0.3	6.9	<10	<2			
1882429	Drill Core	0.4	0.24	1.8	0.86	<0.1	0.03	<0.02	9.2	0.8	<0.05	0.8	5.72	14.7	<0.02	<1	0.3	5.4	<10	<2			
1882430	Drill Core	0.2	0.05	1.8	1.55	<0.1	0.08	<0.02	16.0	0.2	<0.05	2.3	4.90	26.8	<0.02	<1	0.2	6.1	<10	<2			
1882431	Drill Core	<0.1	0.03	1.7	0.71	<0.1	0.06	<0.02	10.6	0.2	<0.05	2.3	6.19	36.7	<0.02	<1	0.3	5.9	<10	<2			
1882432	Drill Core	<0.1	0.06	0.7	1.02	<0.1	0.07	<0.02	6.7	0.1	<0.05	2.4	2.82	20.5	<0.02	<1	0.2	3.5	<10	<2			
1882433	Drill Core	0.2	0.06	1.6	1.32	<0.1	0.15	<0.02	11.4	0.2	<0.05	5.3	5.43	27.5	<0.02	<1	0.3	7.1	<10	<2			
1882434	Drill Core	<0.1	0.03	0.6	1.08	<0.1	0.06	<0.02	5.4	<0.1	<0.05	1.9	2.25	16.9	<0.02	<1	0.1	3.3	<10	<2			
1882435	Drill Core	0.3	0.07	0.8	1.53	<0.1	0.11	<0.02	8.5	0.2	<0.05	3.6	4.38	32.5	<0.02	<1	0.2	4.2	<10	<2			
1882436	Drill Core	0.3	0.06	1.4	2.10	<0.1	0.11	<0.02	10.3	0.1	<0.05	3.1	6.18	42.4	<0.02	<1	0.3	8.2	<10	<2			
1882437	Drill Core	<0.1	0.10	0.9	1.22	<0.1	0.06	<0.02	6.2	0.2	<0.05	2.0	2.97	23.0	<0.02	<1	0.2	3.8	<10	<2			
1882438	Drill Core	0.5	0.13	1.3	1.84	<0.1	0.08	<0.02	10.0	0.1	<0.05	2.7	5.34	43.8	<0.02	<1	0.3	6.1	<10	<2			
1882439	Drill Core	<0.1	<0.02	0.2	0.24	<0.1	0.02	<0.02	1.3	0.2	<0.05	0.8	1.00	1.9	<0.02	<1	<0.1	1.1	<10	<2			
1882440	Rock Pulp	<0.1	<0.02	3.9	0.13	<0.1	0.13	0.32	1.9	1.7	<0.05	2.7	7.03	10.2	<0.02	<1	0.2	1.0	<10	<2			
1882441	Drill Core	0.4	0.03	1.6	2.00	<0.1	0.14	<0.02	12.7	0.2	<0.05	4.7	4.49	24.3	<0.02	<1	0.3	7.9	<10	<2			
1882442	Drill Core	0.4	0.03	1.7	2.21	<0.1	0.15	<0.02	17.1	0.3	<0.05	4.9	5.19	23.3	<0.02	<1	0.3	7.5	<10	<2			
1882443	Drill Core	0.3	0.03	2.1	1.69	<0.1	0.26	<0.02	14.9	0.3	<0.05	8.6	5.37	22.5	<0.02	<1	0.2	8.0	<10	<2			
1882444	Drill Core	<0.1	<0.02	2.2	5.14	<0.1	0.28	0.04	23.3	0.3	<0.05	9.3	6.36	28.5	<0.02	<1	0.3	12.9	<10	<2			
1882445	Drill Core	<0.1	0.03	1.9	4.52	<0.1	0.23	0.03	19.5	0.2	<0.05	7.2	6.02	31.9	<0.02	<1	0.3	11.6	<10	<2			
1882446	Drill Core	<0.1	0.02	1.0	1.34	<0.1	0.11	<0.02	7.2	0.4	<0.05	3.2	2.95	10.8	<0.02	<1	0.2	6.1	<10	<2			
1882447	Drill Core	0.2	0.05	1.9	2.11	<0.1	0.22	0.03	13.9	0.7	<0.05	7.2	5.77	26.8	<0.02	<1	0.4	10.0	<10	<2			
1882448	Drill Core	<0.1	<0.02	2.0	1.83	<0.1	0.26	<0.02	13.0	0.4	<0.05	8.2	6.99	29.9	<0.02	<1	0.3	12.7	<10	<2			
1882449	Drill Core	0.2	0.05	1.4	1.36	<0.1	0.10	0.06	9.8	0.3	<0.05	2.8	7.47	47.1	<0.02	<1	0.3	6.3	<10	<2			
1882450	Drill Core	0.2	0.07	2.1	1.09	<0.1	0.06	0.07	10.9	0.4	<0.05	2.0	6.80	32.6	<0.02	<1	0.4	8.1	<10	<2			
1882451	Drill Core	0.2	0.02	2.7	0.95	<0.1	0.07	0.05	8.7	0.4	<0.05	2.3	6.92	20.4	<0.02	<1	0.5	12.4	<10	<2			
1882452	Drill Core	0.4	0.08	2.3	1.41	<0.1	0.13	0.04	13.1	0.4	<0.05	4.0	7.89	35.3	<0.02	<1	0.4	12.1	<10	<2			
1882453	Drill Core	<0.1	0.02	4.1	1.33	<0.1	0.06	0.03	10.4	0.5	<0.05	1.9	8.67	34.8	0.02	<1	0.5	15.1	<10	<2			
1882454	Drill Core	<0.1	0.02	3.7	3.67	<0.1	0.07	0.06	24.2	0.5	<0.05	2.2	10.02	36.4	<0.02	<1	0.5	14.8	<10	<2			
1882455	Drill Core	<0.1	<0.02	4.3	2.61	<0.1	0.07	0.04	14.7	0.5	<0.05	1.8	12.90	40.4	<0.02	<1	0.5	15.8	<10	<2			
1882456	Drill Core	<0.1	<0.02	6.1	5.58	<0.1	0.09	0.02	18.5	1.2	<0.05	2.0	12.77	42.8	0.03	<1	0.5	22.4	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000658.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1882459	Drill Core	2.06	482	0.024	0.02	<0.17	45.09	0.84	24.34	13.51	74.5	751	13.7	8.7	458	2.75	19.2	0.8	22.8	8.9	19.9
1882460	Core DUP		485	0.024	0.02	<0.17	44.00	0.83	25.49	13.80	75.9	839	14.2	9.6	466	2.77	19.6	0.8	19.3	8.4	20.7
1882468	Drill Core	4.17	502	0.009	<0.01	<0.17	44.03	0.31	35.09	31.55	140.8	439	18.9	8.7	586	2.99	3.6	0.6	7.9	7.4	30.5
1882469	Drill Core	3.13	519	<0.005	<0.01	<0.17	48.27	0.50	26.73	32.08	84.8	598	33.3	8.8	446	2.27	4.3	0.8	3.3	7.9	38.9
1882470	Drill Core	2.58	382	0.016	0.01	<0.17	44.03	0.55	12.14	39.37	92.8	408	12.7	7.7	511	2.52	6.0	1.1	13.5	9.3	77.3
1882471	Drill Core	3.57	409	0.010	<0.01	<0.17	43.40	0.37	4.39	17.47	8.8	223	0.4	0.4	79	0.38	5.0	1.1	7.5	14.4	12.2
1882472	Drill Core	3.09	539	0.010	<0.01	<0.17	42.75	0.40	6.60	21.55	11.7	229	0.3	0.2	77	0.34	2.9	1.1	5.4	15.8	19.7
1882473	Drill Core	2.88	501	0.005	<0.01	<0.17	48.36	2.35	7.62	25.81	10.4	229	0.4	0.7	89	0.33	1.9	0.8	2.2	11.8	38.7
1882474	Drill Core	3.38	451	<0.005	<0.01	<0.17	37.63	0.32	3.13	21.21	5.9	36	0.3	0.1	52	0.27	0.9	1.1	0.7	15.9	15.3
1882475	Drill Core	3.18	539	0.006	<0.01	<0.17	40.73	0.25	5.75	19.38	6.8	171	0.3	0.4	48	0.24	2.3	1.0	2.8	15.5	10.9
1882476	Drill Core	3.37	474	0.015	0.01	<0.17	45.79	0.51	3.54	18.86	12.3	230	0.4	0.4	88	0.38	7.2	1.3	13.3	13.1	9.4
1882477	Drill Core	3.54	394	<0.005	<0.01	<0.17	39.18	0.40	5.78	38.99	20.4	342	0.7	0.6	105	0.50	1.8	1.2	1.7	12.6	29.1
1882478	Drill Core	3.23	483	0.016	0.02	<0.17	35.67	0.41	5.39	20.48	31.9	292	0.8	0.9	132	0.63	6.3	1.0	11.2	12.9	9.6
1882479	Drill Core	3.08	510	0.009	<0.01	<0.17	40.38	0.76	17.59	7.81	85.0	270	14.6	8.7	379	2.18	7.8	1.4	4.1	9.7	46.3
1882480	Rock	0.23	169	<0.005	<0.01	<0.17	33.42	0.50	1.10	1.14	2.9	6	1.3	0.5	69	0.63	1.5	0.2	<0.2	1.0	1.7
1882481	Drill Core	3.09	532	0.005	<0.01	<0.17	47.71	0.61	16.36	12.08	62.9	431	12.0	7.2	314	1.90	8.2	1.5	3.6	9.5	23.4
1882482	Drill Core	3.05	500	0.008	<0.01	<0.17	43.67	0.92	15.84	13.80	83.5	289	10.5	6.9	468	2.00	7.2	1.6	4.7	10.1	44.9
1882483	Drill Core	1.66	420	<0.005	<0.01	<0.17	42.84	0.84	21.29	5.91	54.8	191	9.4	6.5	340	2.08	11.5	2.0	8.3	9.1	47.3
1882484	Drill Core	2.64	410	0.010	<0.01	<0.17	31.95	1.38	18.21	21.17	75.5	222	11.4	6.6	447	2.54	35.1	2.1	5.6	9.4	55.6
1882485	Drill Core	3.20	435	0.013	0.02	<0.17	42.36	0.35	5.56	15.87	45.5	160	1.1	1.2	116	0.57	28.7	1.2	9.7	11.6	6.3
1882486	Drill Core	1.88	431	0.008	<0.01	<0.17	40.04	0.35	3.93	14.92	34.5	259	0.7	0.8	114	0.67	14.6	1.2	3.9	12.2	13.4
1882487	Drill Core	3.02	455	0.008	<0.01	<0.17	49.75	0.34	3.67	22.12	24.8	247	0.9	0.8	167	0.62	13.6	1.1	6.2	12.0	36.4



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000658.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882459	Drill Core	0.31	1.02	0.11	31	0.42	0.058	22.8	38.8	1.25	72.2	0.002	<1	1.56	0.014	0.15	0.2	3.1	0.07	<0.02	<5
1882460	Core DUP	0.32	1.00	0.12	32	0.43	0.060	22.7	41.3	1.27	73.5	0.002	<1	1.60	0.014	0.15	0.2	3.2	0.06	<0.02	7
1882468	Drill Core	0.57	0.25	0.24	31	1.16	0.067	20.2	29.5	1.72	99.5	<0.001	<1	1.99	0.007	0.18	0.1	2.8	0.07	<0.02	7
1882469	Drill Core	0.77	0.36	0.52	25	0.82	0.054	23.5	31.2	0.97	164.5	0.001	1	1.26	0.013	0.23	0.2	3.0	0.10	<0.02	29
1882470	Drill Core	0.67	0.66	0.17	18	1.71	0.051	23.9	24.5	1.27	215.5	0.001	<1	1.56	0.009	0.28	0.2	2.7	0.13	<0.02	15
1882471	Drill Core	0.23	0.45	0.25	<1	0.27	0.005	39.3	0.8	0.06	197.9	<0.001	<1	0.27	0.016	0.24	<0.1	0.6	0.07	<0.02	63
1882472	Drill Core	0.21	0.40	0.37	<1	0.31	0.005	38.7	0.8	0.08	570.9	<0.001	<1	0.28	0.009	0.24	0.1	0.6	0.06	<0.02	55
1882473	Drill Core	0.23	0.47	0.28	<1	0.45	0.006	26.7	0.8	0.09	1029.9	<0.001	<1	0.28	0.004	0.24	<0.1	0.7	0.06	0.07	18
1882474	Drill Core	0.05	0.27	0.05	<1	0.19	0.005	38.9	0.8	0.06	348.9	<0.001	<1	0.22	0.021	0.20	<0.1	0.7	0.05	<0.02	17
1882475	Drill Core	0.09	0.38	0.23	<1	0.18	0.004	39.3	0.6	0.07	253.4	<0.001	<1	0.26	0.008	0.24	<0.1	0.4	0.06	<0.02	21
1882476	Drill Core	0.27	0.58	0.19	<1	0.25	0.006	41.4	0.9	0.04	170.5	<0.001	<1	0.24	0.022	0.23	0.1	0.7	0.08	<0.02	51
1882477	Drill Core	0.31	0.49	0.33	<1	0.44	0.006	33.0	1.2	0.17	532.4	<0.001	<1	0.39	0.016	0.25	<0.1	1.0	0.08	0.03	52
1882478	Drill Core	0.86	0.54	0.25	<1	0.12	0.009	39.2	1.6	0.11	287.8	<0.001	<1	0.37	0.009	0.25	0.1	1.0	0.09	<0.02	64
1882479	Drill Core	2.48	1.04	0.11	20	0.63	0.063	23.6	21.1	0.87	309.2	0.016	<1	1.18	0.018	0.36	0.1	5.6	0.19	<0.02	20
1882480	Rock	<0.01	0.08	<0.02	<1	0.03	0.002	1.7	2.9	0.01	9.3	0.002	<1	0.05	0.003	0.01	<0.1	0.1	<0.02	<0.02	<5
1882481	Drill Core	2.63	1.47	0.26	11	0.44	0.059	27.6	12.6	0.63	190.4	0.002	<1	0.99	0.014	0.25	0.1	3.0	0.10	<0.02	19
1882482	Drill Core	3.39	0.83	0.11	12	0.93	0.053	27.8	13.4	0.76	262.7	0.005	<1	1.09	0.017	0.33	0.1	4.3	0.16	<0.02	27
1882483	Drill Core	1.06	1.81	0.08	16	0.87	0.061	25.6	18.9	0.79	165.2	0.012	<1	1.15	0.019	0.31	0.2	4.5	0.19	0.08	12
1882484	Drill Core	1.52	1.68	0.14	21	1.09	0.054	27.7	24.6	0.94	135.5	0.004	<1	1.46	0.015	0.24	0.3	3.6	0.14	<0.02	21
1882485	Drill Core	0.97	0.68	0.17	<1	0.07	0.012	34.2	1.4	0.13	261.3	<0.001	<1	0.41	0.010	0.24	0.2	0.8	0.10	<0.02	28
1882486	Drill Core	1.55	0.58	0.16	<1	0.27	0.011	40.4	1.4	0.10	278.1	0.001	<1	0.39	0.018	0.26	<0.1	1.4	0.10	<0.02	9
1882487	Drill Core	0.47	0.65	0.18	<1	0.82	0.014	38.4	1.4	0.13	372.0	<0.001	<1	0.40	0.015	0.27	0.1	1.1	0.11	0.10	15



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000658.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1882459	Drill Core	<0.1	0.21	6.7	3.21	<0.1	0.16	<0.02	9.6	0.4	<0.05	5.1	7.18	44.9	0.02	<1	0.4	21.7	<10
1882460	Core DUP	<0.1	0.23	6.9	3.29	<0.1	0.16	<0.02	9.5	0.4	<0.05	5.6	7.48	46.3	<0.02	<1	0.4	22.8	<10
1882468	Drill Core	<0.1	0.02	6.3	8.79	<0.1	0.17	<0.02	12.2	0.2	<0.05	6.4	9.01	39.3	0.02	<1	0.8	40.0	<10
1882469	Drill Core	0.2	0.05	4.8	4.52	<0.1	0.09	<0.02	13.4	0.3	<0.05	3.9	12.56	44.9	0.04	<1	0.5	22.4	<10
1882470	Drill Core	0.3	0.02	6.3	6.94	<0.1	0.06	<0.02	18.3	0.3	<0.05	2.7	15.11	47.2	0.02	<1	0.7	30.9	<10
1882471	Drill Core	0.2	<0.02	1.5	2.25	<0.1	0.22	0.02	10.6	0.3	<0.05	7.8	10.61	79.0	<0.02	<1	0.3	2.1	<10
1882472	Drill Core	0.1	<0.02	1.5	2.23	<0.1	0.46	<0.02	9.2	0.3	<0.05	14.8	8.62	77.7	<0.02	<1	0.3	2.4	<10
1882473	Drill Core	<0.1	<0.02	1.2	1.71	<0.1	0.49	<0.02	8.1	0.5	<0.05	17.2	5.59	52.2	<0.02	<1	0.2	2.7	<10
1882474	Drill Core	0.1	<0.02	1.5	0.95	<0.1	0.67	0.03	8.5	0.2	<0.05	19.4	9.75	78.6	<0.02	<1	0.3	1.5	<10
1882475	Drill Core	<0.1	<0.02	1.4	2.46	<0.1	0.54	<0.02	9.4	0.2	<0.05	16.9	9.10	78.0	<0.02	<1	0.3	1.9	<10
1882476	Drill Core	<0.1	<0.02	1.5	2.35	<0.1	0.23	<0.02	11.1	0.3	<0.05	9.1	10.67	80.7	<0.02	<1	0.3	1.7	<10
1882477	Drill Core	0.3	<0.02	1.8	2.08	<0.1	0.33	<0.02	10.9	0.3	<0.05	11.8	11.62	64.3	<0.02	<1	0.3	6.0	<10
1882478	Drill Core	0.2	<0.02	1.9	3.69	<0.1	0.14	<0.02	12.2	0.4	<0.05	5.3	11.71	75.8	<0.02	<1	0.3	4.5	<10
1882479	Drill Core	0.3	0.02	5.1	7.26	<0.1	0.17	<0.02	21.3	0.5	<0.05	6.0	12.24	46.0	0.03	<1	0.6	19.8	<10
1882480	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.09	0.02	0.7	<0.1	<0.05	2.0	0.71	3.5	<0.02	<1	<0.1	0.9	<10
1882481	Drill Core	0.4	0.02	4.2	5.47	<0.1	0.17	<0.02	12.9	0.3	<0.05	7.1	11.20	53.8	<0.02	<1	0.4	18.4	<10
1882482	Drill Core	0.3	<0.02	4.7	6.37	<0.1	0.14	<0.02	18.3	0.4	<0.05	5.5	13.14	54.9	0.02	<1	0.5	18.6	<10
1882483	Drill Core	0.7	<0.02	5.3	5.30	<0.1	0.05	<0.02	17.5	0.6	<0.05	1.6	15.68	50.1	0.03	<1	0.5	20.2	<10
1882484	Drill Core	0.8	<0.02	7.2	6.89	<0.1	0.05	<0.02	14.7	0.6	<0.05	2.0	15.95	52.4	0.03	<1	0.7	30.8	<10
1882485	Drill Core	0.2	<0.02	2.0	2.96	<0.1	0.07	<0.02	12.9	0.4	<0.05	2.9	13.69	74.8	<0.02	<1	0.3	5.3	<10
1882486	Drill Core	0.3	<0.02	2.4	3.08	<0.1	0.05	<0.02	14.5	0.3	<0.05	1.7	18.85	80.0	<0.02	<1	0.3	4.9	<10
1882487	Drill Core	0.6	<0.02	2.2	3.17	<0.1	0.05	<0.02	16.7	0.2	<0.05	2.0	19.00	74.0	<0.02	<1	0.3	5.5	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000658.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1882447	Drill Core	1.86	451	2.252	2.79	7.58	45.28	0.59	12.90	6.71	32.4	1060	7.8	6.5	386	1.36	9.5	1.0	2711.7	7.5	18.2
REP 1882447	QC							0.60	12.97	6.71	33.1	917	8.0	6.7	385	1.35	9.3	1.0	1932.8	7.8	18.2
1882456	Drill Core	1.56	529	0.006	<0.01	<0.17	49.63	0.37	16.81	9.80	57.9	291	12.3	8.7	414	2.50	7.9	1.8	9.0	12.4	63.2
REP 1882456	QC			0.014																	
Core Reject Duplicates																					
1882459	Drill Core	2.06	482	0.024	0.02	<0.17	45.09	0.84	24.34	13.51	74.5	751	13.7	8.7	458	2.75	19.2	0.8	22.8	8.9	19.9
DUP 1882459	QC		447	0.025	0.02	<0.17	45.71	0.85	24.81	13.73	73.6	832	14.0	9.1	459	2.75	19.1	0.8	19.9	8.5	19.4
Reference Materials																					
STD BVGEO01	Standard							11.06	4476.70	184.26	1830.3	2569	159.7	24.6	725	3.75	121.2	3.7	231.5	13.7	53.9
STD DS11	Standard							14.15	146.47	139.79	322.8	1780	81.5	13.7	1017	3.15	41.8	2.6	107.3	9.1	63.5
STD OREAS262	Standard							0.71	117.46	55.78	149.6	455	64.7	28.4	537	3.30	35.6	1.2	75.6	10.3	35.4
STD OREAS262	Standard							0.71	115.40	54.32	149.0	451	67.7	26.8	533	3.25	36.8	1.2	75.4	8.8	34.2
STD OXB130	Standard			0.125																	
STD OXI138	Standard			1.904																	
STD OXQ90	Standard					25.14	29.63														
STD OXQ90	Standard					24.95	30.50														
STD OXQ90	Standard					24.89	30.05														
STD OXQ90	Standard					24.86	29.45														
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000658.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1882447	Drill Core	0.36	0.98	0.08	5	0.21	0.034	13.7	6.6	0.52	146.3	0.020	1	0.58	0.007	0.30	0.5	1.9	0.11	<0.02	11
REP 1882447	QC	0.36	0.97	0.08	5	0.21	0.035	13.5	6.4	0.52	150.7	0.020	<1	0.58	0.008	0.30	0.5	1.9	0.11	<0.02	10
1882456	Drill Core	0.21	1.60	0.10	28	1.06	0.061	21.2	22.0	1.15	192.1	0.062	<1	1.59	0.045	0.34	0.8	5.4	0.16	<0.02	15
REP 1882456	QC																				
Core Reject Duplicates																					
1882459	Drill Core	0.31	1.02	0.11	31	0.42	0.058	22.8	38.8	1.25	72.2	0.002	<1	1.56	0.014	0.15	0.2	3.1	0.07	<0.02	<5
DUP 1882459	QC	0.31	1.04	0.11	32	0.41	0.059	22.7	41.4	1.23	77.6	0.002	<1	1.57	0.017	0.16	0.2	3.1	0.07	<0.02	9
Reference Materials																					
STD BVGEO01	Standard	5.93	3.37	23.37	74	1.37	0.071	25.4	183.9	1.27	273.1	0.227	4	2.29	0.197	0.92	5.3	6.0	0.66	0.74	106
STD DS11	Standard	2.29	8.83	11.75	48	1.05	0.076	16.7	59.0	0.84	363.7	0.083	7	1.11	0.067	0.39	3.2	3.1	5.07	0.28	283
STD OREAS262	Standard	0.60	5.41	1.01	21	2.94	0.040	14.9	41.0	1.18	241.8	0.003	3	1.23	0.069	0.28	0.2	3.2	0.44	0.26	169
STD OREAS262	Standard	0.60	5.87	0.95	22	3.04	0.038	15.4	42.3	1.17	239.7	0.002	4	1.30	0.068	0.32	0.3	3.2	0.49	0.27	183
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000658.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1882447	Drill Core	0.2	0.05	1.9	2.11	<0.1	0.22	0.03	13.9	0.7	<0.05	7.2	5.77	26.8	<0.02	<1	0.4	10.0	<10	<2
REP 1882447	QC	0.1	0.04	1.9	2.03	<0.1	0.23	0.03	14.0	0.6	<0.05	7.5	5.97	26.4	<0.02	<1	0.4	10.6	<10	<2
1882456	Drill Core	<0.1	<0.02	6.1	5.58	<0.1	0.09	0.02	18.5	1.2	<0.05	2.0	12.77	42.8	0.03	<1	0.5	22.4	<10	<2
REP 1882456	QC																			
Core Reject Duplicates																				
1882459	Drill Core	<0.1	0.21	6.7	3.21	<0.1	0.16	<0.02	9.6	0.4	<0.05	5.1	7.18	44.9	0.02	<1	0.4	21.7	<10	<2
DUP 1882459	QC	<0.1	0.22	6.9	3.06	<0.1	0.17	<0.02	10.1	0.4	<0.05	5.4	7.24	46.3	<0.02	<1	0.4	21.7	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.2	1.04	8.0	7.43	0.2	0.36	0.24	94.5	5.3	<0.05	9.7	14.32	51.8	0.43	4	0.7	20.2	178	194
STD DS11	Standard	2.1	4.70	4.6	2.94	<0.1	0.06	1.40	33.0	1.7	<0.05	2.4	7.38	34.5	0.24	47	0.7	22.0	105	172
STD OREAS262	Standard	0.3	0.24	3.7	2.82	<0.1	0.25	<0.02	17.8	0.5	<0.05	8.0	10.30	30.5	0.03	1	1.0	16.6	<10	<2
STD OREAS262	Standard	0.6	0.25	4.4	3.05	<0.1	0.32	<0.02	18.7	0.5	<0.05	13.1	10.35	31.5	0.03	1	1.1	16.7	<10	<2
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000658.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		443	<0.005	<0.01	<0.17	43.30	0.85	2.57	0.78	29.3	8	1.1	3.6	511	1.77	0.8	0.3	3.1	2.1	16.5
ROCK-WHI	Prep Blank		456	0.010	<0.01	<0.17	35.67	0.83	5.87	0.78	31.1	8	1.5	4.4	563	2.01	0.5	0.3	2.4	2.3	18.9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000658.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.06	0.03	20	0.52	0.042	5.1	2.7	0.50	46.3	0.049	2	0.73	0.051	0.06	<0.1	2.1	<0.02	0.02	<5
ROCK-WHI	Prep Blank	0.02	0.02	<0.02	24	0.61	0.045	5.2	3.8	0.55	41.1	0.056	2	0.87	0.063	0.06	<0.1	2.5	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000658.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.2	0.12	<0.1	0.08	0.10	1.6	0.4	<0.05	1.6	7.08	10.8	<0.02	<1	<0.1	1.2	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.12	<0.1	0.10	0.11	1.6	0.3	<0.05	1.7	7.57	11.1	<0.02	<1	0.1	1.2	<10	<2