



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 04, 2019
Report Date: October 25, 2019
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000659.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-60
P.O. Number
Number of Samples: 9

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	9	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	0	Sort, label and box pulps			WHI
FS631	9	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	9	Analysis sample split/packet			WHI
Split -150	9	Analysis sample split/packet			WHI
EN002	9	Environmental disposal charge-Fire assay lead waste			VAN
FS631	9	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	9	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	9	Per sample shipping charges for branch shipments			VAN
MDRU-LITH17	9	XRF Whole Rock & ICP-MS Trace Elements	0.2	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000659.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1882457	Drill Core	2.99	409	<0.005	<0.01	<0.17	33.73	0.78	23.93	1.76	69.4	212	39.8	33.5	1095	5.92	18.3	0.4	1.5	0.7	170.3
1882458	Drill Core	1.98	498	<0.005	<0.01	<0.17	34.10	0.77	12.32	0.62	67.0	80	38.5	31.9	1077	5.67	5.2	0.2	0.4	0.6	161.7
1882461	Drill Core	3.14	393	0.011	0.01	<0.17	40.53	1.89	37.47	7.47	92.9	470	39.7	31.1	676	6.16	16.1	3.4	6.3	2.8	36.0
1882462	Drill Core	3.44	376	0.019	0.02	<0.17	38.78	2.96	38.01	5.21	104.9	515	36.9	32.8	858	6.52	27.6	2.0	13.9	1.7	61.0
1882463	Drill Core	3.29	417	0.019	0.02	<0.17	40.37	2.06	35.49	6.00	108.5	274	46.9	28.5	1206	5.81	31.5	2.1	12.1	1.9	109.9
1882464	Drill Core	3.07	399	<0.005	<0.01	<0.17	45.62	1.13	22.70	2.72	67.1	85	54.3	25.9	652	5.39	15.6	2.2	1.8	3.0	89.8
1882465	Drill Core	2.99	412	<0.005	<0.01	<0.17	38.61	1.08	19.66	2.38	62.7	113	52.3	26.9	942	5.27	17.7	0.4	1.8	3.0	188.2
1882466	Drill Core	3.76	479	<0.005	<0.01	<0.17	46.38	1.03	25.31	6.43	109.9	221	49.0	26.6	525	5.82	33.7	1.0	1.4	2.0	67.7
1882467	Drill Core	2.65	401	0.006	<0.01	<0.17	40.52	0.89	26.72	4.60	75.6	274	66.7	30.6	905	6.17	77.3	0.7	4.3	1.4	117.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 2 of 6

CERTIFICATE OF ANALYSIS

WHI19000659.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882457	Drill Core	0.03	1.57	<0.02	128	4.40	0.101	10.3	29.8	3.13	142.5	0.329	<1	3.83	0.187	0.35	0.2	14.3	0.36	0.11	8
1882458	Drill Core	0.03	0.70	<0.02	118	3.93	0.103	10.7	29.0	2.95	99.3	0.239	<1	3.75	0.203	0.22	0.2	13.7	0.17	<0.02	<5
1882461	Drill Core	0.42	1.35	0.05	103	1.05	0.103	17.7	31.9	2.85	51.4	0.002	<1	3.65	0.011	0.22	<0.1	6.6	0.10	<0.02	<5
1882462	Drill Core	0.25	0.96	0.06	122	1.86	0.105	14.0	32.2	3.12	41.2	0.003	<1	3.67	0.015	0.13	0.1	7.9	0.07	<0.02	<5
1882463	Drill Core	0.33	1.93	0.08	106	4.05	0.143	18.3	71.1	2.63	32.6	0.002	<1	3.64	0.009	0.15	0.2	10.9	0.09	<0.02	16
1882464	Drill Core	0.11	2.33	0.03	97	3.30	0.163	25.1	84.1	2.09	34.3	0.014	<1	3.35	0.008	0.15	0.1	14.7	0.13	<0.02	19
1882465	Drill Core	0.09	1.83	0.02	102	4.85	0.153	23.9	87.7	2.48	81.5	0.067	<1	3.10	0.109	0.11	<0.1	14.4	0.19	0.12	32
1882466	Drill Core	0.52	1.21	0.10	109	2.02	0.141	15.6	86.6	3.56	54.5	0.009	<1	3.68	0.010	0.14	<0.1	10.8	0.12	0.16	16
1882467	Drill Core	0.36	2.10	0.03	122	3.96	0.197	21.0	85.0	3.00	247.2	0.035	<1	3.78	0.014	0.13	<0.1	13.3	0.13	0.19	45



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 3 of 6

CERTIFICATE OF ANALYSIS

WHI19000659.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	XF700
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	LOI
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	-5.11
1882457	Drill Core	0.5	0.03	11.3	12.47	0.2	0.38	<0.02	23.9	0.8	<0.05	9.6	19.35	24.9	0.05	<1	0.6	47.5	<10	<2	6.69
1882458	Drill Core	0.3	<0.02	11.1	8.48	0.2	0.35	<0.02	14.6	0.6	<0.05	9.0	19.69	25.7	0.04	<1	0.5	28.2	<10	<2	6.24
1882461	Drill Core	0.8	0.02	13.2	8.33	<0.1	0.05	<0.02	15.0	0.4	<0.05	2.2	19.43	38.9	0.04	<1	0.8	59.0	<10	<2	5.51
1882462	Drill Core	0.8	0.05	14.5	4.77	<0.1	0.06	<0.02	8.6	0.5	<0.05	2.5	18.50	32.4	0.05	<1	0.7	64.8	<10	<2	6.28
1882463	Drill Core	0.6	0.03	12.7	5.97	<0.1	0.07	<0.02	9.9	0.7	<0.05	3.3	21.83	41.4	0.06	<1	1.1	78.5	<10	<2	9.12
1882464	Drill Core	0.7	<0.02	10.3	11.96	<0.1	0.12	<0.02	13.6	0.8	<0.05	5.5	27.88	57.0	0.05	<1	1.2	91.4	<10	<2	8.86
1882465	Drill Core	0.5	0.03	8.4	12.21	0.1	0.21	<0.02	10.3	0.9	<0.05	6.4	27.12	55.5	0.05	<1	0.8	58.7	<10	<2	8.04
1882466	Drill Core	0.6	<0.02	10.6	9.36	<0.1	0.12	<0.02	9.2	0.7	<0.05	5.0	19.20	35.7	0.06	<1	1.0	101.1	<10	<2	6.59
1882467	Drill Core	0.8	0.03	11.6	17.71	<0.1	0.11	<0.02	12.5	0.9	<0.05	4.4	26.30	48.5	0.06	<1	1.3	96.6	<10	<2	8.91



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 4 of 6

CERTIFICATE OF ANALYSIS

WHI19000659.1

	Method	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	TC000	TC000	LF100	LF100	LF100	LF100	LF100
	Analyte	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	MnO	TiO2	P2O5	Cr2O3	SO3	Sr	TOT/C	TOT/S	Ba	Be	Co	Cs	Ga
	Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	0.002	0.02	0.02	1	1	0.2	0.1	0.5
1882457	Drill Core	44.58	15.37	10.76	9.58	6.27	1.83	1.49	0.18	1.77	0.28	<0.01	0.305	0.035	1.03	0.16	685	<1	39.5	14.4	16.8
1882458	Drill Core	45.85	15.61	10.94	10.21	6.27	1.94	0.62	0.19	1.84	0.29	<0.01	0.052	0.040	0.95	0.04	327	1	38.4	9.3	16.9
1882461	Drill Core	52.47	17.09	10.32	1.66	5.63	1.55	3.21	0.10	1.70	0.28	<0.01	0.004	0.010	0.22	<0.02	977	5	35.2	16.5	19.7
1882462	Drill Core	50.91	16.04	10.99	3.00	6.03	2.31	2.58	0.13	1.86	0.29	<0.01	0.004	0.020	0.51	<0.02	915	<1	36.4	7.4	18.0
1882463	Drill Core	49.11	14.59	10.20	6.44	5.29	1.09	2.44	0.16	1.88	0.40	0.02	0.002	0.017	1.17	<0.02	830	4	32.4	9.7	15.6
1882464	Drill Core	50.54	15.14	10.04	5.82	4.38	0.60	1.90	0.11	2.03	0.47	0.02	0.009	0.010	0.89	<0.02	498	2	29.8	20.1	15.1
1882465	Drill Core	48.01	13.66	9.98	9.27	4.74	1.69	1.40	0.17	1.81	0.42	0.02	0.327	0.036	1.41	0.14	589	2	30.5	15.1	14.5
1882466	Drill Core	53.71	13.72	10.28	3.60	7.14	0.61	2.03	0.08	1.67	0.40	0.02	0.428	0.009	0.55	0.21	846	2	31.3	14.6	15.2
1882467	Drill Core	46.64	14.27	11.29	6.77	6.02	0.64	1.50	0.17	2.17	0.56	0.02	0.506	0.014	1.12	0.23	1015	1	35.2	29.1	15.1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 5 of 6

CERTIFICATE OF ANALYSIS

WHI19000659.1

	Method Analyte Unit MDL	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100
		Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02	0.3	0.05	0.02	0.05	0.01
1882457	Drill Core	4.1	8.2	60.3	2	369.6	0.5	2.1	0.9	193	3.5	174.3	34.5	16.3	35.6	5.06	22.9	5.41	1.74	6.16	0.99
1882458	Drill Core	4.3	8.6	26.0	2	399.4	0.5	2.1	0.7	191	1.6	177.8	33.1	16.5	36.7	5.16	23.6	5.69	2.00	6.25	1.01
1882461	Drill Core	4.6	10.5	159.6	2	120.1	0.6	5.0	5.0	185	13.7	196.5	35.2	23.0	48.4	6.47	26.9	6.21	1.69	6.31	1.03
1882462	Drill Core	4.8	9.0	101.6	2	183.1	0.6	3.4	3.3	187	27.3	186.0	33.4	20.0	42.6	5.65	24.1	5.79	1.64	6.21	1.02
1882463	Drill Core	5.1	13.1	85.3	2	164.0	0.7	3.9	3.2	170	17.6	205.2	35.4	25.2	51.8	6.82	30.0	6.59	1.75	6.51	1.04
1882464	Drill Core	6.0	17.2	67.5	2	132.4	0.9	6.8	3.2	177	11.4	242.1	38.5	33.9	68.6	8.91	36.1	7.36	1.84	7.56	1.17
1882465	Drill Core	5.2	16.0	41.0	2	369.7	0.9	6.8	1.4	156	0.8	229.8	35.7	31.3	67.9	8.47	34.1	7.12	1.82	7.24	1.09
1882466	Drill Core	4.7	13.6	71.6	1	117.7	0.9	4.3	1.9	164	6.3	197.8	31.2	24.6	52.2	6.74	28.3	6.00	1.65	6.02	0.96
1882467	Drill Core	5.5	17.1	60.9	2	193.7	0.9	3.5	1.6	186	22.1	244.3	39.6	28.7	62.5	7.98	35.3	7.48	2.12	7.65	1.19



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 6 of 6

CERTIFICATE OF ANALYSIS

WHI19000659.1

	Method Analyte Unit MDL	LF100	LF100	LF100	LF100	LF100	LF100	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
		Dy	Ho	Er	Tm	Yb	Lu	Mo	Cu	Pb	Zn	Ag	Ni	As	Cd	Sb	Bi	Sc	Se	Tl
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.1	1	0.1	0.1	0.1	1	1	0.5
1882457	Drill Core	5.89	1.23	3.47	0.49	3.08	0.48	0.9	26.1	2.4	81	0.2	38.3	18	<0.1	4.9	<0.1	23	<1	0.9
1882458	Drill Core	6.08	1.25	3.72	0.49	3.23	0.47	0.8	13.4	1.2	88	0.1	39.8	6	<0.1	3.8	<0.1	24	<1	<0.5
1882461	Drill Core	6.28	1.36	3.82	0.53	3.55	0.52	2.3	39.6	9.6	108	0.6	39.4	25	0.7	5.1	<0.1	17	1	1.4
1882462	Drill Core	5.98	1.29	3.78	0.52	3.22	0.49	3.4	45.9	8.0	120	0.7	36.7	41	0.3	3.6	<0.1	20	<1	1.2
1882463	Drill Core	6.30	1.34	3.56	0.55	3.49	0.49	2.4	41.0	8.7	131	0.3	48.2	46	0.4	5.0	<0.1	20	1	0.8
1882464	Drill Core	6.93	1.49	4.12	0.57	3.61	0.54	1.5	27.0	6.6	89	<0.1	58.3	32	<0.1	5.8	<0.1	23	1	0.6
1882465	Drill Core	6.57	1.35	3.83	0.51	3.50	0.51	1.4	21.9	6.5	79	0.1	51.8	17	<0.1	3.9	<0.1	21	1	<0.5
1882466	Drill Core	5.61	1.15	3.31	0.47	2.95	0.45	1.2	30.5	9.9	141	0.3	50.2	33	0.4	3.1	<0.1	20	<1	0.7
1882467	Drill Core	7.09	1.42	4.01	0.57	3.66	0.53	1.0	31.0	7.1	106	0.3	66.2	86	0.3	4.8	<0.1	23	<1	0.6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 1 of 2

Part: 1 of 6

QUALITY CONTROL REPORT

WHI19000659.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1882467	Drill Core	2.65	401	0.006	<0.01	<0.17	40.52	0.89	26.72	4.60	75.6	274	66.7	30.6	905	6.17	77.3	0.7	4.3	1.4	117.6
Pulp Duplicates																					
1882458	Drill Core	1.98	498	<0.005	<0.01	<0.17	34.10	0.77	12.32	0.62	67.0	80	38.5	31.9	1077	5.67	5.2	0.2	0.4	0.6	161.7
REP 1882458	QC																				
REP 1882462	QC																				
1882464	Drill Core	3.07	399	<0.005	<0.01	<0.17	45.62	1.13	22.70	2.72	67.1	85	54.3	25.9	652	5.39	15.6	2.2	1.8	3.0	89.8
REP 1882464	QC																				
Core Reject Duplicates																					
1882462	Drill Core	3.44	376	0.019	0.02	<0.17	38.78	2.96	38.01	5.21	104.9	515	36.9	32.8	858	6.52	27.6	2.0	13.9	1.7	61.0
DUP 1882462	QC		375	0.019	0.02	<0.17	40.14	2.91	37.89	5.20	106.1	519	37.5	32.9	865	6.50	27.0	2.0	13.0	1.8	60.9
Reference Materials																					
STD BVGEO01	Standard							10.66	4286.60	172.39	1677.4	2438	153.5	23.6	702	3.58	112.0	3.5	211.1	12.8	52.1
STD GS311-1	Standard																				
STD GS910-4	Standard																				
STD OREAS184	Standard																				
STD OREAS25A-4A	Standard																				
STD OREAS262	Standard							0.69	110.41	52.81	142.9	434	65.0	25.7	515	3.10	35.0	1.2	67.9	8.7	32.9
STD OREAS45E	Standard																				
STD OXB130	Standard			0.118																	
STD OXI138	Standard			1.845																	
STD OXN117	Standard			7.762																	
STD OXQ90	Standard					25.01	28.87														
STD SO-19	Standard																				
STD SO-19	Standard																				
STD SY-4(D)	Standard																				
STD OREAS25A-4A Expected																					
STD OREAS45E Expected																					
STD GS311-1 Expected																					
STD GS910-4 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 1 of 2

Part: 2 of 6

QUALITY CONTROL REPORT

WHI19000659.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882467	Drill Core	0.36	2.10	0.03	122	3.96	0.197	21.0	85.0	3.00	247.2	0.035	<1	3.78	0.014	0.13	<0.1	13.3	0.13	0.19	45
Pulp Duplicates																					
1882458	Drill Core	0.03	0.70	<0.02	118	3.93	0.103	10.7	29.0	2.95	99.3	0.239	<1	3.75	0.203	0.22	0.2	13.7	0.17	<0.02	<5
REP 1882458	QC																				
REP 1882462	QC																				
1882464	Drill Core	0.11	2.33	0.03	97	3.30	0.163	25.1	84.1	2.09	34.3	0.014	<1	3.35	0.008	0.15	0.1	14.7	0.13	<0.02	19
REP 1882464	QC																				
Core Reject Duplicates																					
1882462	Drill Core	0.25	0.96	0.06	122	1.86	0.105	14.0	32.2	3.12	41.2	0.003	<1	3.67	0.015	0.13	0.1	7.9	0.07	<0.02	<5
DUP 1882462	QC	0.24	0.86	0.06	121	1.82	0.106	14.4	32.4	3.18	41.6	0.003	<1	3.72	0.017	0.13	<0.1	7.9	0.07	<0.02	<5
Reference Materials																					
STD BVGE001	Standard	5.61	3.41	22.09	68	1.28	0.068	24.6	181.8	1.26	242.9	0.222	3	2.30	0.184	0.86	4.9	5.8	0.61	0.66	90
STD GS311-1	Standard																				
STD GS910-4	Standard																				
STD OREAS184	Standard																				
STD OREAS25A-4A	Standard																				
STD OREAS262	Standard	0.59	5.49	0.92	20	2.78	0.036	15.2	41.7	1.11	236.6	0.002	3	1.38	0.064	0.30	0.2	3.1	0.47	0.24	164
STD OREAS45E	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXQ90	Standard																				
STD SO-19	Standard																				
STD SO-19	Standard																				
STD SY-4(D)	Standard																				
STD OREAS25A-4A Expected																					
STD OREAS45E Expected																					
STD GS311-1 Expected																					
STD GS910-4 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 1 of 2

Part: 3 of 6

QUALITY CONTROL REPORT

WHI19000659.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	XF700
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	LOI
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	-5.11
1882467	Drill Core	0.8	0.03	11.6	17.71	<0.1	0.11	<0.02	12.5	0.9	<0.05	4.4	26.30	48.5	0.06	<1	1.3	96.6	<10	<2	8.91
Pulp Duplicates																					
1882458	Drill Core	0.3	<0.02	11.1	8.48	0.2	0.35	<0.02	14.6	0.6	<0.05	9.0	19.69	25.7	0.04	<1	0.5	28.2	<10	<2	6.24
REP 1882458	QC																				
REP 1882462	QC																				6.08
1882464	Drill Core	0.7	<0.02	10.3	11.96	<0.1	0.12	<0.02	13.6	0.8	<0.05	5.5	27.88	57.0	0.05	<1	1.2	91.4	<10	<2	8.86
REP 1882464	QC																				
Core Reject Duplicates																					
1882462	Drill Core	0.8	0.05	14.5	4.77	<0.1	0.06	<0.02	8.6	0.5	<0.05	2.5	18.50	32.4	0.05	<1	0.7	64.8	<10	<2	6.28
DUP 1882462	QC	0.7	0.05	14.6	4.71	<0.1	0.06	<0.02	8.4	0.5	<0.05	2.6	18.89	33.1	0.05	<1	0.7	67.3	<10	<2	6.28
Reference Materials																					
STD BVGE001	Standard	4.7	0.89	7.5	7.08	0.1	0.34	0.22	91.2	5.1	<0.05	9.6	13.83	50.2	0.41	4	0.7	18.9	160	177	
STD GS311-1	Standard																				
STD GS910-4	Standard																				
STD OREAS184	Standard																				6.24
STD OREAS25A-4A	Standard																				
STD OREAS262	Standard	0.6	0.23	4.3	2.89	<0.1	0.30	<0.02	18.3	0.5	<0.05	12.4	10.03	31.3	0.03	<1	1.1	15.8	<10	<2	
STD OREAS45E	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXQ90	Standard																				
STD SO-19	Standard																				
STD SO-19	Standard																				
STD SY-4(D)	Standard																				4.56
STD OREAS25A-4A Expected																					
STD OREAS45E Expected																					
STD GS311-1 Expected																					
STD GS910-4 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 1 of 2

Part: 4 of 6

QUALITY CONTROL REPORT

WHI19000659.1

	Method	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	TC000	TC000	LF100	LF100	LF100	LF100	LF100	
	Analyte	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	MnO	TiO2	P2O5	Cr2O3	SO3	Sr	TOT/C	TOT/S	Ba	Be	Co	Cs	Ga	
	Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	
	MDL	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	0.002	0.02	0.02	1	1	0.2	0.1	0.5
1882467	Drill Core	46.64	14.27	11.29	6.77	6.02	0.64	1.50	0.17	2.17	0.56	0.02	0.506	0.014	1.12	0.23	1015	1	35.2	29.1	15.1	
Pulp Duplicates																						
1882458	Drill Core	45.85	15.61	10.94	10.21	6.27	1.94	0.62	0.19	1.84	0.29	<0.01	0.052	0.040	0.95	0.04	327	1	38.4	9.3	16.9	
REP 1882458	QC																					
REP 1882462	QC	51.05	16.11	11.00	2.94	6.04	2.31	2.64	0.12	1.86	0.29	<0.01	0.003	0.018								
1882464	Drill Core	50.54	15.14	10.04	5.82	4.38	0.60	1.90	0.11	2.03	0.47	0.02	0.009	0.010	0.89	<0.02	498	2	29.8	20.1	15.1	
REP 1882464	QC																	497	5	29.3	20.2	14.9
Core Reject Duplicates																						
1882462	Drill Core	50.91	16.04	10.99	3.00	6.03	2.31	2.58	0.13	1.86	0.29	<0.01	0.004	0.020	0.51	<0.02	915	<1	36.4	7.4	18.0	
DUP 1882462	QC	50.87	16.07	10.93	2.94	6.03	2.31	2.63	0.12	1.85	0.29	<0.01	0.004	0.018	0.49	<0.02	978	3	37.1	7.5	18.5	
Reference Materials																						
STD BVGEO01	Standard																					
STD GS311-1	Standard															0.97	2.40					
STD GS910-4	Standard															2.62	7.98					
STD OREAS184	Standard	42.24	4.64	39.05	0.21	3.07	<0.01	<0.01	0.66	0.06	0.02	1.71	0.020	<0.002								
STD OREAS25A-4A	Standard																					
STD OREAS262	Standard																					
STD OREAS45E	Standard																					
STD OXB130	Standard																					
STD OXI138	Standard																					
STD OXN117	Standard																					
STD OXQ90	Standard																					
STD SO-19	Standard																	482	20	24.1	4.5	16.3
STD SO-19	Standard																	488	27	24.0	4.4	16.0
STD SY-4(D)	Standard	49.90	20.70	6.24	8.02	0.53	7.11	1.67	0.11	0.29	0.13	<0.01	0.060	0.123								
STD OREAS25A-4A Expected																						
STD OREAS45E Expected																						
STD GS311-1 Expected																1.02	2.35					
STD GS910-4 Expected																2.65	8.27					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 1 of 2

Part: 5 of 6

QUALITY CONTROL REPORT

WHI19000659.1

	Method Analyte Unit MDL	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100	LF100
		Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02	0.3	0.05	0.02	0.05	0.01
1882467	Drill Core	5.5	17.1	60.9	2	193.7	0.9	3.5	1.6	186	22.1	244.3	39.6	28.7	62.5	7.98	35.3	7.48	2.12	7.65	1.19
Pulp Duplicates																					
1882458	Drill Core	4.3	8.6	26.0	2	399.4	0.5	2.1	0.7	191	1.6	177.8	33.1	16.5	36.7	5.16	23.6	5.69	2.00	6.25	1.01
REP 1882458	QC																				
REP 1882462	QC																				
1882464	Drill Core	6.0	17.2	67.5	2	132.4	0.9	6.8	3.2	177	11.4	242.1	38.5	33.9	68.6	8.91	36.1	7.36	1.84	7.56	1.17
REP 1882464	QC	5.8	17.0	68.2	2	137.5	1.0	7.2	3.0	171	11.1	244.2	38.5	33.5	68.7	8.81	35.3	7.41	1.86	7.51	1.18
Core Reject Duplicates																					
1882462	Drill Core	4.8	9.0	101.6	2	183.1	0.6	3.4	3.3	187	27.3	186.0	33.4	20.0	42.6	5.65	24.1	5.79	1.64	6.21	1.02
DUP 1882462	QC	4.5	9.7	105.7	2	186.6	0.6	3.9	3.1	186	22.2	186.4	32.5	21.4	42.9	5.78	24.7	5.58	1.62	6.07	1.00
Reference Materials																					
STD BVGEO01	Standard																				
STD GS311-1	Standard																				
STD GS910-4	Standard																				
STD OREAS184	Standard																				
STD OREAS25A-4A	Standard																				
STD OREAS262	Standard																				
STD OREAS45E	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXQ90	Standard																				
STD SO-19	Standard	3.0	69.9	19.4	18	302.2	4.8	13.3	18.5	170	9.3	114.1	36.7	72.2	158.8	19.71	77.2	13.48	3.67	10.14	1.38
STD SO-19	Standard	3.2	71.9	19.5	18	306.9	4.7	13.2	19.2	172	9.3	114.3	37.4	72.9	157.2	19.93	77.5	13.30	3.67	10.63	1.40
STD SY-4(D)	Standard																				
STD OREAS25A-4A Expected																					
STD OREAS45E Expected																					
STD GS311-1 Expected																					
STD GS910-4 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 1 of 2

Part: 6 of 6

QUALITY CONTROL REPORT

WHI19000659.1

Method	LF100	LF100	LF100	LF100	LF100	LF100	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
Analyte	Dy	Ho	Er	Tm	Yb	Lu	Mo	Cu	Pb	Zn	Ag	Ni	As	Cd	Sb	Bi	Sc	Se	Tl
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.1	1	0.1	0.1	0.1	1	1	0.5
1882467 Drill Core	7.09	1.42	4.01	0.57	3.66	0.53	1.0	31.0	7.1	106	0.3	66.2	86	0.3	4.8	<0.1	23	<1	0.6
Pulp Duplicates																			
1882458 Drill Core	6.08	1.25	3.72	0.49	3.23	0.47	0.8	13.4	1.2	88	0.1	39.8	6	<0.1	3.8	<0.1	24	<1	<0.5
REP 1882458 QC							0.9	14.4	1.4	85	0.1	38.4	5	<0.1	3.9	<0.1	23	<1	<0.5
REP 1882462 QC																			
1882464 Drill Core	6.93	1.49	4.12	0.57	3.61	0.54	1.5	27.0	6.6	89	<0.1	58.3	32	<0.1	5.8	<0.1	23	1	0.6
REP 1882464 QC	6.91	1.40	3.90	0.55	3.63	0.55													
Core Reject Duplicates																			
1882462 Drill Core	5.98	1.29	3.78	0.52	3.22	0.49	3.4	45.9	8.0	120	0.7	36.7	41	0.3	3.6	<0.1	20	<1	1.2
DUP 1882462 QC	6.23	1.29	3.57	0.52	3.37	0.50	3.5	43.4	7.7	118	0.7	37.2	39	0.3	3.6	<0.1	21	2	1.2
Reference Materials																			
STD BVGEO01 Standard																			
STD GS311-1 Standard																			
STD GS910-4 Standard																			
STD OREAS184 Standard																			
STD OREAS25A-4A Standard							2.4	32.9	24.8	41	<0.1	44.9	10	<0.1	0.7	0.4	12	2	<0.5
STD OREAS262 Standard																			
STD OREAS45E Standard							2.7	776.0	18.8	45	0.3	455.2	17	<0.1	0.9	0.5	94	3	<0.5
STD OXB130 Standard																			
STD OXI138 Standard																			
STD OXN117 Standard																			
STD OXQ90 Standard																			
STD SO-19 Standard	7.39	1.38	3.79	0.55	3.50	0.51													
STD SO-19 Standard	7.55	1.41	3.75	0.53	3.33	0.52													
STD SY-4(D) Standard																			
STD OREAS25A-4A Expected							2.41	33.9	25.2	44.4		45.8	9.94		0.65	0.37	13.7	2.4	0.35
STD OREAS45E Expected							2.4	780	18.2	46.7	0.311	454	16.3	0.06	1	0.28	93	2.97	0.15
STD GS311-1 Expected																			
STD GS910-4 Expected																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 1 of 6

QUALITY CONTROL REPORT

WHI19000659.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD SO-19 Expected																					
STD OREAS184 Expected																					
STD SY-4(D) Expected																					
STD OXQ90 Expected		24.88																			
STD BVGE001 Expected		11.2 4415 187 1741 2530 163 25 733 3.7 121 3.77 219 14.4 55																			
STD OREAS262 Expected		0.68 118 56 154 450 62 26.9 530 3.284 35.8 1.22 65 9.33 36																			
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
SI BLK	Blank																				
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.01 0.02 <0.01 <0.1 <2 <0.1 <0.1 <1 <0.01 <0.1 <0.1 <0.2 <0.1 <0.5																			
Prep Wash																					
ROCK-WHI	Prep Blank	441	<0.005	<0.01	<0.17	39.23	0.94	5.54	1.23	36.1	8	4.1	4.6	559	1.99	1.4	0.4	0.2	2.0	25.2	



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 2 of 6

QUALITY CONTROL REPORT

WHI19000659.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Tl ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD SO-19 Expected																					
STD OREAS184 Expected																					
STD SY-4(D) Expected																					
STD OXQ90 Expected																					
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
SI BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.07	<0.02	27	0.72	0.039	6.0	5.6	0.56	56.4	0.077	1	1.02	0.079	0.08	<0.1	3.0	<0.02	<0.02	6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 3 of 6

QUALITY CONTROL REPORT

WHI19000659.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	XF700	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	LOI
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	-5.11
STD SO-19 Expected																					
STD OREAS184 Expected																					6.24
STD SY-4(D) Expected																					4.56
STD OXQ90 Expected																					
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182	
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8			
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
SI BLK	Blank																				0.00
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.02	4.2	0.16	<0.1	0.15	0.14	2.2	0.3	<0.05	3.8	8.27	11.6	<0.02	<1	0.2	1.8	<10	<2	1.09



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 4 of 6

QUALITY CONTROL REPORT

WHI19000659.1

	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	XF700	TC000	TC000	LF100	LF100	LF100	LF100	LF100
	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	MnO	TiO2	P2O5	Cr2O3	SO3	Sr	TOT/C	TOT/S	Ba	Be	Co	Cs	Ga
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	0.002	0.02	0.02	1	1	0.2	0.1	0.5
STD SO-19 Expected																486	20	24	4.5	17.5
STD OREAS184 Expected	42.25	4.62	39.3	0.216	3.05			0.676	0.06	0.017	1.75									
STD SY-4(D) Expected	49.9	20.69	6.18	8.05	0.54	7.1	1.66	0.108	0.287	0.131			0.1203							
STD OXQ90 Expected																				
STD BVGEO01 Expected																				
STD OREAS262 Expected																				
BLK Blank																				
BLK Blank														<0.02	<0.02					
BLK Blank																<1	<1	<0.2	<0.1	<0.5
SI BLK Blank	98.92	0.33	0.03	0.01	0.03	0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.002	<0.002							
BLK Blank																				
BLK Blank																				
BLK Blank																				
BLK Blank																				
Prep Wash																				
ROCK-WHI Prep Blank	71.19	14.09	3.55	2.41	1.17	4.65	1.78	0.10	0.39	0.10	<0.01	0.062	0.019	0.13	0.02	748	1	4.9	0.3	13.9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 5 of 6

QUALITY CONTROL REPORT

WHI19000659.1

		LF100 Hf ppm 0.1	LF100 Nb ppm 0.1	LF100 Rb ppm 0.1	LF100 Sn ppm 1	LF100 Sr ppm 0.5	LF100 Ta ppm 0.1	LF100 Th ppm 0.2	LF100 U ppm 0.1	LF100 V ppm 8	LF100 W ppm 0.5	LF100 Zr ppm 0.1	LF100 Y ppm 0.1	LF100 La ppm 0.1	LF100 Ce ppm 0.1	LF100 Pr ppm 0.02	LF100 Nd ppm 0.3	LF100 Sm ppm 0.05	LF100 Eu ppm 0.02	LF100 Gd ppm 0.05	LF100 Tb ppm 0.01
STD SO-19 Expected		3.1	68.5	19.5	19	317.1	4.9	13	19.4	165	9.8	112	35.5	71.3	161	19.4	75.7	13.7	3.81	10.53	1.41
STD OREAS184 Expected																					
STD SY-4(D) Expected																					
STD OXQ90 Expected																					
STD BVGEO01 Expected																					
STD OREAS262 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	0.5	<0.1	<0.1	<0.1	<0.02	<0.3	<0.05	<0.02	<0.05	<0.01
SI BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	3.3	6.4	29.7	<1	208.0	0.4	2.9	1.5	59	0.6	134.8	18.5	15.6	27.2	3.36	13.2	2.93	0.77	2.76	0.46



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 25, 2019

Page: 2 of 2

Part: 6 of 6

QUALITY CONTROL REPORT

WHI19000659.1

		LF100 Dy ppm 0.05	LF100 Ho ppm 0.02	LF100 Er ppm 0.03	LF100 Tm ppm 0.01	LF100 Yb ppm 0.05	LF100 Lu ppm 0.01	MA200 Mo ppm 0.1	MA200 Cu ppm 0.1	MA200 Pb ppm 0.1	MA200 Zn ppm 1	MA200 Ag ppm 0.1	MA200 Ni ppm 0.1	MA200 As ppm 1	MA200 Cd ppm 0.1	MA200 Sb ppm 0.1	MA200 Bi ppm 0.1	MA200 Sc ppm 1	MA200 Se ppm 1	MA200 Tl ppm 0.5
STD SO-19 Expected		7.5	1.39	3.78	0.55	3.55	0.53													
STD OREAS184 Expected																				
STD SY-4(D) Expected																				
STD OXQ90 Expected																				
STD BVGEO01 Expected																				
STD OREAS262 Expected																				
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<1	<0.5
BLK	Blank																			
BLK	Blank	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01													
SI BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	2.98	0.63	1.99	0.32	2.09	0.35	1.0	5.9	2.8	42	<0.1	4.0	3	<0.1	0.2	<0.1	8	<1	<0.5