



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: October 04, 2019  
Report Date: October 25, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000660.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-60  
P.O. Number  
Number of Samples: 84

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	81	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	84	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	84	Analysis sample split/packet			WHI
Split -150	84	Analysis sample split/packet			WHI
EN002	84	Environmental disposal charge-Fire assay lead waste			VAN
FS631	82	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	84	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	84	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce  
Peter Tallman  
Erika Cayer

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 2 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000660.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1887411	Drill Core	3.91	440	0.030	0.03	<0.17	46.67	0.56	19.90	21.16	63.9	419	13.6	8.1	325	2.02	6.2	0.8	38.6	8.7	29.4
1887412	Drill Core	3.50	489	0.261	0.39	1.70	44.16	0.52	21.05	22.75	39.0	560	6.4	5.3	259	1.32	4.0	0.7	1240.0	10.1	57.9
1887413	Drill Core	2.80	536	0.058	0.08	0.30	46.75	0.65	63.98	13.10	53.6	638	9.8	7.0	361	1.94	6.6	0.9	46.0	10.2	53.2
1887414	Drill Core	2.82	397	<0.005	<0.01	<0.17	44.06	1.14	15.62	15.24	53.4	196	13.6	8.1	328	2.00	7.0	1.4	1.9	11.0	63.9
1887415	Drill Core	3.27	376	0.006	<0.01	<0.17	33.73	1.03	13.39	14.61	33.3	239	10.4	5.9	364	1.50	11.6	1.1	2.6	10.6	61.1
1887416	Drill Core	2.92	379	0.009	<0.01	<0.17	26.61	1.19	12.46	14.31	37.6	261	11.2	5.5	347	1.61	11.1	1.1	0.9	11.1	76.2
1887417	Drill Core	3.45	442	<0.005	<0.01	<0.17	37.71	1.05	17.95	15.10	30.5	273	10.4	4.5	241	1.36	12.3	1.1	1.5	11.8	24.5
1887418	Drill Core	3.95	410	<0.005	<0.01	<0.17	47.03	0.92	20.79	12.61	51.2	156	13.3	8.1	425	2.17	9.1	1.6	1.0	9.7	70.3
1887419	Drill Core	1.60	448	<0.005	<0.01	<0.17	46.32	1.02	16.02	9.83	47.4	117	11.0	6.5	307	1.88	4.5	1.5	1.3	10.2	60.3
1887420	Rock Pulp	0.12	95	0.421				6.54	117.76	80.64	135.7	623	12.4	4.8	580	2.48	41.7	0.4	544.5	2.0	31.6
1887421	Drill Core	3.96	440	0.007	<0.01	<0.17	41.50	0.64	18.12	14.68	57.8	183	11.9	6.9	325	2.22	8.6	1.0	5.9	10.0	40.6
1887422	Drill Core	3.04	438	<0.005	<0.01	<0.17	37.38	1.31	18.14	41.53	52.1	387	10.6	6.4	395	1.56	6.9	1.1	2.5	9.1	46.3
1887423	Drill Core	3.02	402	0.006	<0.01	<0.17	38.06	1.28	28.93	23.27	52.6	542	13.5	7.4	388	1.79	12.1	1.1	5.0	8.3	52.4
1887424	Drill Core	2.56	411	0.268	0.37	1.24	45.16	1.17	23.34	5.62	48.9	479	11.6	6.9	357	1.76	6.9	1.0	608.5	6.4	26.0
1887425	Drill Core	1.46	439	0.037	0.03	<0.17	47.14	1.59	18.96	20.16	68.0	303	12.9	8.0	414	2.12	12.1	1.6	39.4	9.0	35.4
1887426	Drill Core	2.41	499	0.057	0.05	<0.17	38.19	0.75	21.42	46.42	45.1	499	9.3	5.9	386	1.57	7.4	1.0	67.2	9.9	68.6
1887427	Drill Core	2.33	367	0.008	<0.01	<0.17	37.83	0.54	24.33	18.25	64.2	322	11.4	7.6	346	2.12	12.7	1.0	5.6	11.6	23.5
1887428	Drill Core	3.06	390	<0.005	<0.01	<0.17	28.65	0.73	18.19	17.59	48.4	296	11.3	6.2	319	1.73	4.0	0.9	2.2	9.8	24.1
1887429	Drill Core	3.03	535	0.098	0.09	<0.17	38.72	1.12	20.11	14.92	51.8	370	11.9	7.4	349	1.86	3.3	1.3	119.2	9.0	63.3
1887430	Drill Core	3.10	357	0.724	0.75	1.04	29.94	1.06	18.93	6.09	58.5	306	11.1	7.5	395	2.08	2.7	1.3	602.3	9.1	64.7
1887431	Drill Core	3.19	352	<0.005	<0.01	<0.17	29.15	1.41	14.63	7.31	58.3	156	11.5	7.6	368	2.03	2.6	2.5	1.5	9.4	66.0
1887432	Drill Core	2.79	402	<0.005	<0.01	<0.17	36.96	1.13	12.69	10.46	44.6	108	9.4	6.2	493	1.94	0.9	1.2	1.0	9.6	70.4
1887433	Drill Core	2.70	480	<0.005	<0.01	<0.17	27.39	1.15	9.21	16.35	41.6	81	9.4	5.7	530	1.95	1.0	1.5	0.6	9.3	76.6
1887434	Drill Core	3.00	463	<0.005	<0.01	<0.17	38.60	0.82	15.16	14.14	44.2	110	10.0	6.2	545	2.10	1.2	1.4	0.7	9.8	74.9
1887435	Drill Core	3.47	431	<0.005	<0.01	<0.17	36.81	2.01	16.69	20.27	42.2	111	8.9	6.5	530	1.94	2.1	1.3	1.7	10.0	69.5
1887436	Drill Core	2.63	416	<0.005	<0.01	<0.17	29.26	1.65	19.96	11.79	53.1	143	9.3	6.9	542	2.01	1.6	1.5	1.6	10.1	76.4
1887437	Drill Core	3.16	398	0.007	<0.01	<0.17	38.54	0.90	29.38	24.86	79.8	301	10.6	7.6	383	1.98	1.7	1.5	6.9	10.7	50.2
1887438	Drill Core	2.98	528	<0.005	<0.01	<0.17	39.08	2.21	11.14	18.52	42.1	145	9.0	6.2	590	1.76	2.6	1.4	1.7	9.1	61.7
1887439	Drill Core	2.92	356	<0.005	<0.01	<0.17	41.91	2.41	11.09	24.45	45.2	134	10.0	6.3	545	1.94	1.8	1.5	0.8	9.3	74.3
1887440	Rock Pulp	0.12	92	0.009				4.24	21.67	1.00	32.2	15	7.7	4.3	579	2.37	1.6	0.4	1.4	2.1	30.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 2 of 4 **Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000660.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887411	Drill Core	0.37	1.25	0.15	16	0.63	0.063	18.9	20.1	0.77	205.6	0.053	<1	0.98	0.027	0.52	1.1	3.6	0.29	<0.02	39			
1887412	Drill Core	0.27	2.21	0.29	7	0.91	0.054	21.0	8.3	0.59	214.1	0.018	<1	0.78	0.017	0.47	0.3	2.4	0.19	<0.02	21			
1887413	Drill Core	0.32	6.09	0.13	12	0.88	0.061	17.7	14.1	0.82	221.1	0.032	1	1.07	0.013	0.50	0.4	3.1	0.20	<0.02	19			
1887414	Drill Core	0.23	2.97	0.14	10	1.18	0.058	22.1	12.5	0.69	238.5	0.034	1	0.96	0.019	0.52	0.5	3.4	0.24	<0.02	13			
1887415	Drill Core	0.24	2.87	0.22	7	1.12	0.048	22.8	8.8	0.50	231.1	0.026	<1	0.74	0.019	0.45	0.4	2.6	0.16	<0.02	10			
1887416	Drill Core	0.26	2.14	0.30	7	1.27	0.049	18.7	7.9	0.72	188.5	0.024	<1	0.87	0.012	0.50	0.3	2.7	0.18	<0.02	14			
1887417	Drill Core	0.21	2.99	0.36	7	0.42	0.047	28.4	8.0	0.42	236.5	0.033	<1	0.75	0.025	0.44	0.4	2.5	0.16	<0.02	28			
1887418	Drill Core	0.26	1.88	0.07	12	1.15	0.057	23.7	13.1	0.56	235.0	0.047	<1	0.91	0.034	0.45	0.7	4.9	0.18	<0.02	15			
1887419	Drill Core	0.23	1.43	<0.02	13	0.76	0.060	25.9	15.0	0.54	228.7	0.023	<1	0.95	0.026	0.32	0.3	3.3	0.10	<0.02	17			
1887420	Rock Pulp	0.50	2.81	0.09	28	0.77	0.033	5.3	23.5	0.50	72.7	0.073	7	1.11	0.092	0.10	4.6	2.5	0.22	0.10	158			
1887421	Drill Core	0.22	0.97	0.07	14	0.64	0.055	24.9	15.8	0.85	161.5	0.006	<1	1.23	0.033	0.31	0.1	3.4	0.11	<0.02	18			
1887422	Drill Core	0.42	0.94	0.44	9	0.75	0.050	22.2	11.2	0.59	190.1	0.010	<1	0.86	0.018	0.31	0.2	2.3	0.11	<0.02	18			
1887423	Drill Core	0.30	1.18	0.51	12	0.90	0.059	17.8	15.6	0.76	201.5	0.044	1	0.98	0.012	0.36	0.6	2.5	0.13	0.05	27			
1887424	Drill Core	0.23	1.20	0.12	10	0.52	0.038	13.5	12.9	0.60	192.4	0.042	1	0.84	0.023	0.42	0.5	2.6	0.16	0.04	12			
1887425	Drill Core	0.45	1.52	0.19	16	0.57	0.053	15.5	18.0	0.85	199.7	0.073	1	1.04	0.022	0.47	0.8	4.0	0.18	0.05	33			
1887426	Drill Core	0.39	1.24	0.42	7	1.21	0.052	17.0	9.1	0.65	191.7	0.036	1	0.82	0.011	0.43	0.5	2.4	0.17	<0.02	8			
1887427	Drill Core	0.64	1.48	0.16	14	0.28	0.059	21.6	16.0	0.82	221.2	0.049	2	1.15	0.020	0.59	0.6	3.8	0.26	<0.02	14			
1887428	Drill Core	0.28	1.05	0.33	10	0.31	0.049	20.5	11.3	0.65	153.4	0.039	1	0.89	0.015	0.36	0.3	2.9	0.14	<0.02	20			
1887429	Drill Core	0.22	0.84	0.37	10	0.76	0.053	19.1	10.6	0.75	151.4	0.020	1	0.93	0.012	0.34	0.1	3.1	0.13	<0.02	18			
1887430	Drill Core	0.30	1.16	0.06	14	0.82	0.038	18.0	14.9	0.92	169.1	0.026	1	1.09	0.018	0.35	0.2	3.7	0.13	0.06	31			
1887431	Drill Core	0.22	0.99	0.04	13	0.81	0.051	15.8	13.8	0.88	157.5	0.030	<1	1.05	0.016	0.35	0.3	3.6	0.13	0.23	15			
1887432	Drill Core	0.21	1.08	0.02	10	1.00	0.052	16.9	9.3	0.74	154.6	0.037	<1	0.96	0.011	0.45	0.6	2.9	0.18	0.03	11			
1887433	Drill Core	0.17	1.01	0.04	10	1.07	0.050	18.0	9.3	0.76	150.5	0.032	1	0.95	0.014	0.39	0.3	3.3	0.15	<0.02	8			
1887434	Drill Core	0.16	0.99	0.02	11	1.07	0.050	19.7	11.2	0.86	154.8	0.029	<1	1.04	0.013	0.33	0.2	3.4	0.12	0.05	7			
1887435	Drill Core	0.15	1.25	0.04	8	1.08	0.052	18.0	8.5	0.69	192.4	0.032	<1	0.89	0.010	0.43	0.3	3.4	0.16	0.03	7			
1887436	Drill Core	0.18	1.06	0.07	10	1.14	0.052	21.2	10.3	0.86	154.7	0.013	<1	1.01	0.012	0.30	0.2	3.2	0.10	0.04	10			
1887437	Drill Core	0.27	0.87	0.15	11	0.65	0.053	26.2	12.6	0.87	166.6	0.007	<1	1.06	0.013	0.28	<0.1	3.0	0.09	0.05	22			
1887438	Drill Core	0.22	1.04	0.04	9	1.09	0.049	22.1	9.6	0.68	135.3	0.008	<1	0.90	0.009	0.26	0.1	2.7	0.09	<0.02	9			
1887439	Drill Core	0.15	1.24	0.04	13	0.99	0.051	19.4	13.0	0.86	141.2	0.022	<1	1.07	0.012	0.31	0.2	3.4	0.12	<0.02	18			
1887440	Rock Pulp	0.01	0.17	<0.02	23	0.75	0.036	5.7	14.9	0.48	53.3	0.079	2	1.03	0.072	0.09	0.2	2.7	<0.02	0.05	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 2 of 4

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000660.1

	Method	Analyte	Unit																		MDL	
			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd		Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb		ppb
			0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
1887411	Drill Core		0.3	0.04	3.8	8.20	<0.1	0.13	0.05	44.3	0.3	<0.05	4.5	8.88	36.6	<0.02	<1	0.4	10.0	<10	<2	
1887412	Drill Core		0.2	0.04	2.5	3.87	<0.1	0.08	<0.02	24.5	0.3	<0.05	2.6	5.35	41.1	<0.02	<1	0.3	7.8	<10	<2	
1887413	Drill Core		0.3	0.04	3.6	4.36	<0.1	0.13	<0.02	25.0	0.4	<0.05	4.5	6.76	34.7	<0.02	<1	0.4	9.7	<10	<2	
1887414	Drill Core		0.4	0.03	3.5	2.91	<0.1	0.08	<0.02	24.1	0.4	<0.05	2.6	6.65	43.7	<0.02	<1	0.3	7.5	<10	<2	
1887415	Drill Core		0.3	0.03	2.8	1.69	<0.1	0.13	<0.02	19.4	0.4	<0.05	4.7	6.43	44.2	<0.02	<1	0.3	5.7	<10	<2	
1887416	Drill Core		0.3	0.04	3.1	2.17	<0.1	0.18	<0.02	22.5	0.3	<0.05	6.9	6.97	36.3	<0.02	<1	0.3	7.0	<10	<2	
1887417	Drill Core		0.3	0.03	3.2	2.22	<0.1	0.06	0.08	20.3	0.5	<0.05	2.2	9.43	54.8	0.02	<1	0.3	5.8	<10	<2	
1887418	Drill Core		0.3	0.02	3.7	3.32	<0.1	0.13	0.05	21.2	0.9	<0.05	5.0	8.68	46.3	0.03	<1	0.4	6.4	<10	<2	
1887419	Drill Core		0.2	<0.02	4.5	1.36	<0.1	0.09	<0.02	14.2	0.6	<0.05	3.6	9.43	51.0	<0.02	<1	0.4	9.8	<10	<2	
1887420	Rock Pulp		0.2	0.05	4.4	0.22	<0.1	0.16	0.27	2.5	1.8	<0.05	4.0	6.93	9.9	<0.02	1	0.2	1.3	<10	<2	
1887421	Drill Core		0.2	<0.02	5.0	1.66	<0.1	0.21	<0.02	13.0	0.7	<0.05	8.4	8.84	48.1	<0.02	<1	0.5	15.4	<10	<2	
1887422	Drill Core		0.3	0.05	3.5	1.82	<0.1	0.07	<0.02	13.0	0.7	<0.05	2.7	8.42	43.4	<0.02	<1	0.4	9.1	<10	<2	
1887423	Drill Core		0.6	0.05	3.5	1.88	<0.1	0.28	0.02	16.1	0.7	<0.05	10.7	9.40	33.8	<0.02	<1	0.4	9.3	<10	<2	
1887424	Drill Core		0.4	0.07	3.0	2.18	<0.1	0.25	<0.02	17.8	0.9	<0.05	8.5	4.93	25.9	<0.02	<1	0.4	7.1	<10	<2	
1887425	Drill Core		0.6	0.04	3.9	1.94	<0.1	0.14	0.08	20.8	0.8	<0.05	4.8	8.47	30.5	0.03	<1	0.4	8.3	<10	<2	
1887426	Drill Core		0.3	0.04	2.8	2.47	<0.1	0.18	0.06	20.0	0.7	<0.05	6.3	7.73	33.3	<0.02	<1	0.4	6.7	<10	<2	
1887427	Drill Core		0.3	0.02	4.1	5.45	<0.1	0.21	0.05	31.4	0.6	<0.05	7.5	9.63	43.0	<0.02	<1	0.4	10.4	<10	<2	
1887428	Drill Core		0.3	0.03	3.7	2.80	<0.1	0.29	0.04	17.2	0.6	<0.05	10.7	7.78	40.6	<0.02	<1	0.4	9.0	<10	<2	
1887429	Drill Core		0.3	0.04	3.5	2.36	<0.1	0.32	<0.02	15.3	0.6	<0.05	12.8	5.86	37.6	<0.02	<1	0.3	9.3	<10	<2	
1887430	Drill Core		0.3	0.03	4.6	2.45	<0.1	0.30	<0.02	16.6	0.5	<0.05	10.7	7.78	35.5	<0.02	<1	0.4	10.7	<10	<2	
1887431	Drill Core		0.5	<0.02	4.5	2.04	<0.1	0.29	<0.02	16.6	0.4	<0.05	10.4	7.75	31.1	<0.02	2	0.4	10.2	<10	<2	
1887432	Drill Core		0.2	<0.02	3.7	3.85	<0.1	0.26	<0.02	22.0	0.5	<0.05	9.7	6.06	33.5	<0.02	<1	0.4	8.0	<10	<2	
1887433	Drill Core		0.2	<0.02	3.5	3.54	<0.1	0.21	<0.02	18.3	0.4	<0.05	7.6	5.65	35.2	<0.02	<1	0.3	7.7	<10	<2	
1887434	Drill Core		0.3	0.02	4.3	2.43	<0.1	0.21	<0.02	15.3	0.6	<0.05	8.1	7.56	39.1	<0.02	<1	0.4	8.6	<10	<2	
1887435	Drill Core		0.2	<0.02	3.0	3.37	<0.1	0.27	<0.02	19.8	0.5	<0.05	10.2	5.31	35.4	<0.02	<1	0.3	5.9	<10	<2	
1887436	Drill Core		0.2	0.02	3.8	2.05	<0.1	0.24	<0.02	13.9	0.5	<0.05	9.3	7.07	41.4	<0.02	<1	0.3	8.9	<10	<2	
1887437	Drill Core		0.2	0.02	4.6	1.56	<0.1	0.30	<0.02	13.6	0.4	<0.05	11.2	8.88	51.2	<0.02	<1	0.4	11.1	<10	<2	
1887438	Drill Core		0.1	<0.02	3.5	1.68	<0.1	0.22	<0.02	11.8	0.3	<0.05	8.8	6.72	42.7	<0.02	<1	0.3	9.7	<10	<2	
1887439	Drill Core		0.3	<0.02	4.6	2.22	<0.1	0.29	<0.02	15.1	0.4	<0.05	10.9	8.03	38.3	<0.02	<1	0.4	12.0	<10	<2	
1887440	Rock Pulp		<0.1	<0.02	4.3	0.13	<0.1	0.16	0.25	2.0	1.7	<0.05	4.2	7.58	10.8	<0.02	<1	0.2	1.0	<10	<2	



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 3 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000660.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1887441	Drill Core	3.08	557	<0.005	<0.01	<0.17	38.64	2.28	14.94	11.42	47.8	137	11.5	7.4	529	2.07	4.2	1.6	0.8	50.3
1887442	Drill Core	1.58	472	0.022	0.02	<0.17	38.07	1.40	12.04	23.06	34.9	132	7.8	5.3	700	1.72	8.1	1.2	7.1	80.3
1887443	Drill Core	1.23	387	<0.005	<0.01	<0.17	30.09	1.06	13.23	13.81	40.6	142	9.1	5.8	397	1.73	7.7	1.3	0.6	32.9
1887444	Drill Core	2.97	523	0.115	0.13	0.31	35.41	1.55	19.42	8.89	41.1	256	10.6	7.4	598	1.95	7.6	2.0	153.5	54.3
1887445	Drill Core	3.16	450	<0.005	<0.01	<0.17	28.73	1.35	13.33	16.59	49.3	129	10.6	7.0	452	2.02	7.0	2.1	<0.2	39.7
1887446	Drill Core	2.99	407	<0.005	<0.01	<0.17	30.23	1.09	17.04	7.04	44.7	193	11.9	6.4	406	2.01	3.3	1.9	2.1	52.3
1887447	Drill Core	3.19	430	0.005	<0.01	<0.17	44.14	1.63	21.12	7.52	58.5	261	12.2	7.7	371	1.97	9.6	1.7	3.4	32.5
1887448	Drill Core	3.04	445	<0.005	<0.01	<0.17	42.27	0.71	11.34	9.04	51.0	144	12.3	6.7	475	2.05	2.2	1.5	0.4	72.8
1887449	Drill Core	2.97	448	<0.005	<0.01	<0.17	39.36	0.64	17.54	23.24	55.7	337	9.8	5.5	312	1.60	2.8	1.4	0.8	43.3
1887450	Drill Core	3.10	478	<0.005	<0.01	<0.17	40.85	0.37	11.50	27.03	22.3	206	4.6	2.4	238	0.73	2.6	1.4	9.5	47.1
1887451	Drill Core	3.22	489	0.050	0.05	<0.17	45.62	1.12	23.64	13.43	47.4	451	17.2	5.4	288	1.59	38.1	1.7	56.8	37.5
1887452	Drill Core	3.11	419	0.010	<0.01	<0.17	40.15	0.62	20.03	16.71	81.0	511	10.8	5.9	335	1.87	20.0	1.6	7.4	38.6
1887453	Drill Core	1.52	370	0.702	0.75	1.18	39.81	1.11	41.11	5.69	104.0	728	4.6	4.9	481	1.88	18.7	1.6	680.7	66.2
1887454	Drill Core	1.57	516	0.012	0.01	<0.17	40.45	0.73	14.12	7.40	86.5	221	3.6	4.6	629	2.04	12.4	1.7	9.2	132.9
1887455	Drill Core	3.23	487	<0.005	<0.01	<0.17	40.12	1.86	24.85	17.05	57.9	230	11.6	6.1	382	1.95	7.3	1.9	1.4	70.8
1887456	Drill Core	3.00	385	<0.005	<0.01	<0.17	42.82	0.41	12.99	11.96	54.1	132	4.9	5.3	417	2.08	1.5	1.7	0.8	90.6
1887457	Drill Core	3.02	385	<0.005	<0.01	<0.17	39.72	0.69	21.16	15.00	55.4	255	5.6	6.1	340	2.12	3.1	1.9	0.5	43.4
1887458	Drill Core	3.37	374	<0.005	<0.01	<0.17	35.33	1.26	13.27	15.15	60.4	230	11.1	7.1	290	1.72	2.4	1.7	0.9	51.0
1887459	Drill Core	2.97	415	0.005	<0.01	<0.17	38.50	0.68	21.68	22.81	100.9	343	10.6	7.6	329	1.95	3.2	1.5	3.1	53.8
1887460	Core DUP		414	0.005	<0.01	<0.17	40.19	0.59	19.77	21.60	94.6	305	8.9	8.0	316	1.88	2.6	1.2	4.3	48.0
1887461	Drill Core	2.94	486	<0.005	<0.01	<0.17	40.00	0.49	18.39	29.15	123.1	259	10.1	7.1	327	2.11	2.8	1.2	2.4	45.6
1887462	Drill Core	3.36	458	<0.005	<0.01	<0.17	36.68	0.37	16.26	18.32	89.6	205	11.5	6.9	343	2.06	1.9	1.0	1.2	35.6
1887463	Drill Core	3.24	437	<0.005	<0.01	<0.17	40.60	0.62	15.09	20.89	77.3	222	10.4	7.5	251	2.14	2.3	1.2	0.7	34.9
1887464	Drill Core	3.27	363	<0.005	<0.01	<0.17	25.82	0.45	11.98	16.15	76.4	195	10.3	7.0	232	1.88	3.5	1.0	1.1	28.9
1887465	Drill Core	3.20	408	<0.005	<0.01	<0.17	35.36	0.96	72.37	328.50	111.1	1181	9.4	5.6	286	1.81	2.7	0.8	<0.2	29.6
1887466	Drill Core	2.85	443	<0.005	<0.01	<0.17	32.74	0.49	32.16	37.06	126.1	329	12.9	9.4	290	1.89	2.2	1.1	<0.2	40.7
1887467	Drill Core	2.89	431	<0.005	<0.01	<0.17	32.58	0.66	15.79	9.83	83.1	271	11.9	8.0	219	2.01	2.6	1.3	<0.2	40.0
1887468	Drill Core	2.94	414	<0.005	<0.01	<0.17	35.68	1.30	14.01	17.89	64.5	194	9.1	6.9	332	2.07	2.3	1.7	1.3	62.8
1887469	Drill Core	3.14	462	<0.005	<0.01	<0.17	33.07	0.95	13.80	18.91	58.2	269	10.1	7.8	270	2.04	3.4	1.5	1.5	64.0
1887470	Drill Core	3.31	394	<0.005	<0.01	<0.17	28.92	1.10	14.31	14.55	60.0	235	11.1	7.3	301	2.27	4.3	2.0	0.4	42.8



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 3 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000660.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887441	Drill Core	0.16	1.35	0.02	13	0.77	0.051	18.5	13.5	0.88	141.8	0.031	<1	1.13	0.013	0.35	0.3	3.3	0.16	<0.02	24			
1887442	Drill Core	0.13	1.63	0.05	9	1.58	0.037	13.1	10.2	0.71	136.4	0.023	<1	0.88	0.015	0.36	0.3	2.6	0.20	<0.02	15			
1887443	Drill Core	0.10	1.45	0.02	9	0.53	0.049	18.7	9.2	0.68	153.4	0.038	<1	0.92	0.011	0.45	0.3	2.5	0.23	<0.02	22			
1887444	Drill Core	0.21	1.00	<0.02	9	0.87	0.056	21.3	10.3	0.71	171.1	0.012	<1	0.96	0.014	0.33	0.2	2.9	0.14	<0.02	15			
1887445	Drill Core	0.13	1.07	<0.02	14	0.54	0.051	20.3	16.2	0.86	112.2	0.006	<1	1.10	0.013	0.27	0.1	2.7	0.11	<0.02	17			
1887446	Drill Core	0.14	0.93	0.04	15	0.68	0.054	23.3	18.1	0.85	126.3	0.008	<1	1.11	0.015	0.28	<0.1	3.2	0.12	<0.02	10			
1887447	Drill Core	0.27	1.04	0.06	13	0.47	0.054	19.8	15.6	0.76	133.4	0.010	<1	1.01	0.013	0.30	0.1	3.2	0.16	0.07	23			
1887448	Drill Core	0.18	0.82	0.09	18	1.04	0.054	24.1	20.9	0.89	132.5	0.009	<1	1.14	0.017	0.27	0.1	4.0	0.11	<0.02	27			
1887449	Drill Core	0.24	0.68	0.31	14	0.67	0.047	27.6	16.0	0.63	144.5	0.006	<1	0.88	0.022	0.25	0.1	2.9	0.10	<0.02	33			
1887450	Drill Core	0.18	0.44	0.14	4	1.37	0.035	35.9	4.4	0.15	152.5	0.002	<1	0.52	0.016	0.31	0.2	0.8	0.10	<0.02	49			
1887451	Drill Core	0.61	0.81	0.38	9	1.05	0.068	28.2	10.0	0.25	181.8	0.002	<1	0.66	0.014	0.26	0.1	2.5	0.08	<0.02	27			
1887452	Drill Core	1.26	0.79	0.56	10	0.94	0.055	26.2	10.8	0.44	176.9	0.003	<1	0.87	0.018	0.25	<0.1	3.7	0.08	<0.02	8			
1887453	Drill Core	2.25	1.05	0.08	9	1.34	0.066	22.6	9.0	0.44	207.2	0.003	<1	0.89	0.011	0.31	0.2	3.0	0.09	<0.02	20			
1887454	Drill Core	1.55	0.63	0.07	10	2.67	0.060	21.2	10.4	0.59	163.4	0.006	<1	0.98	0.009	0.29	0.2	3.8	0.09	<0.02	19			
1887455	Drill Core	0.40	0.92	0.15	13	1.60	0.053	16.6	15.6	0.64	148.6	0.014	<1	0.96	0.011	0.33	0.1	3.5	0.13	0.04	7			
1887456	Drill Core	0.23	0.55	0.10	13	1.96	0.058	21.4	14.3	0.62	163.4	0.007	<1	1.03	0.010	0.29	<0.1	3.5	0.10	<0.02	10			
1887457	Drill Core	0.23	0.76	0.11	16	1.08	0.056	24.4	16.3	0.66	183.8	0.053	<1	1.03	0.015	0.37	0.5	4.7	0.20	<0.02	8			
1887458	Drill Core	0.29	0.90	0.15	17	1.29	0.055	20.6	20.8	0.84	148.9	0.059	<1	1.16	0.016	0.29	0.6	3.9	0.13	<0.02	6			
1887459	Drill Core	0.76	0.61	0.13	14	1.70	0.059	26.0	16.9	0.74	186.8	0.042	<1	1.12	0.022	0.24	0.4	4.2	0.08	<0.02	7			
1887460	Core DUP	0.73	0.53	0.14	12	1.59	0.059	21.2	15.9	0.72	172.8	0.034	5	1.03	0.017	0.21	0.4	3.6	0.06	<0.02	14			
1887461	Drill Core	0.69	0.64	0.12	12	1.48	0.062	27.0	18.0	0.81	105.8	0.005	5	1.11	0.009	0.21	0.3	3.0	0.09	<0.02	11			
1887462	Drill Core	0.51	0.62	0.08	16	1.00	0.060	27.0	22.0	0.88	125.0	0.018	4	1.21	0.018	0.19	0.2	3.2	0.09	<0.02	<5			
1887463	Drill Core	0.41	0.55	0.05	18	0.75	0.063	16.3	24.7	1.06	132.9	0.067	4	1.31	0.024	0.20	0.3	3.6	0.11	<0.02	<5			
1887464	Drill Core	0.30	0.39	0.08	14	0.54	0.057	8.6	20.0	0.99	173.3	0.068	4	1.27	0.020	0.36	0.2	2.6	0.19	<0.02	6			
1887465	Drill Core	0.84	0.42	0.21	12	0.63	0.060	8.6	18.5	1.04	144.4	0.059	3	1.22	0.019	0.22	0.2	2.1	0.10	<0.02	<5			
1887466	Drill Core	0.79	0.91	0.13	19	0.73	0.079	14.9	27.2	0.97	139.4	0.073	3	1.28	0.014	0.29	0.7	3.2	0.20	<0.02	<5			
1887467	Drill Core	0.40	0.62	0.06	19	0.60	0.068	16.7	25.5	0.94	140.1	0.074	2	1.22	0.018	0.41	0.4	3.6	0.26	<0.02	<5			
1887468	Drill Core	0.43	0.58	0.11	15	1.55	0.058	20.6	15.4	0.79	185.6	0.040	3	1.07	0.013	0.29	0.2	5.2	0.12	0.02	<5			
1887469	Drill Core	0.22	0.62	0.25	18	1.32	0.058	15.7	18.1	0.72	146.8	0.021	4	0.93	0.018	0.30	<0.1	6.3	0.12	0.14	<5			
1887470	Drill Core	0.23	1.03	0.14	19	1.23	0.060	20.5	20.9	0.83	170.6	0.053	3	1.19	0.019	0.33	0.3	5.3	0.17	0.03	25			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 3 of 4

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000660.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1887441	Drill Core	0.2	<0.02	4.5	2.81	<0.1	0.28	<0.02	17.6	0.4	<0.05	10.1	6.21	36.7	<0.02	<1	0.4	14.0	<10	<2			
1887442	Drill Core	0.3	0.03	3.3	3.30	<0.1	0.21	<0.02	18.5	0.5	<0.05	7.4	5.32	25.4	<0.02	<1	0.4	11.2	<10	<2			
1887443	Drill Core	0.2	<0.02	3.4	3.71	<0.1	0.29	<0.02	23.7	0.5	<0.05	10.6	6.36	36.7	<0.02	<1	0.4	11.5	<10	<2			
1887444	Drill Core	0.3	0.05	3.7	2.21	<0.1	0.33	<0.02	15.4	0.6	<0.05	12.0	8.04	41.9	<0.02	<1	0.4	13.3	<10	<2			
1887445	Drill Core	0.3	<0.02	5.0	2.59	<0.1	0.27	<0.02	13.6	0.4	<0.05	10.1	8.34	40.1	<0.02	<1	0.5	15.3	<10	<2			
1887446	Drill Core	0.2	<0.02	5.4	2.63	<0.1	0.27	<0.02	14.6	0.6	<0.05	10.7	10.13	45.9	<0.02	<1	0.5	14.0	<10	<2			
1887447	Drill Core	0.6	<0.02	4.6	2.95	<0.1	0.27	<0.02	15.6	0.5	<0.05	9.7	8.70	39.3	<0.02	12	0.4	13.9	<10	<2			
1887448	Drill Core	0.3	<0.02	5.9	2.38	<0.1	0.27	<0.02	13.7	0.5	<0.05	10.1	12.11	47.2	<0.02	<1	0.5	16.2	<10	<2			
1887449	Drill Core	0.2	0.02	4.9	1.73	<0.1	0.17	<0.02	12.3	0.5	<0.05	6.3	12.43	53.6	<0.02	<1	0.4	11.4	<10	<2			
1887450	Drill Core	0.3	<0.02	2.7	1.47	<0.1	0.03	<0.02	14.9	0.4	<0.05	1.2	14.71	67.9	<0.02	<1	0.3	4.6	<10	<2			
1887451	Drill Core	0.8	0.04	2.7	3.32	<0.1	0.05	<0.02	11.7	0.4	<0.05	2.0	9.37	52.8	0.03	<1	0.4	9.5	<10	<2			
1887452	Drill Core	0.6	0.04	3.4	1.90	<0.1	0.15	<0.02	10.6	0.6	<0.05	6.3	7.33	50.9	0.04	<1	0.4	13.1	<10	<2			
1887453	Drill Core	0.4	0.05	3.3	1.41	<0.1	0.04	<0.02	12.5	0.7	<0.05	1.7	7.05	44.0	0.02	<1	0.3	13.5	11	<2			
1887454	Drill Core	0.3	0.03	3.6	2.32	<0.1	0.03	<0.02	13.8	0.5	<0.05	1.3	8.85	40.7	0.02	<1	0.4	16.1	<10	<2			
1887455	Drill Core	0.6	0.03	3.8	2.56	<0.1	0.07	<0.02	15.1	0.5	<0.05	2.4	8.86	31.7	0.02	<1	0.3	11.9	<10	<2			
1887456	Drill Core	0.2	0.02	4.4	2.42	<0.1	0.04	<0.02	13.2	0.3	<0.05	1.5	9.83	41.4	0.02	<1	0.3	13.1	<10	<2			
1887457	Drill Core	0.5	<0.02	4.6	3.52	<0.1	0.07	0.05	21.2	0.8	<0.05	1.9	13.07	47.5	0.02	<1	0.4	10.2	<10	<2			
1887458	Drill Core	0.2	<0.02	5.5	1.39	<0.1	0.08	0.07	14.7	0.7	<0.05	2.2	11.72	40.7	<0.02	<1	0.5	11.8	<10	<2			
1887459	Drill Core	0.4	0.02	5.1	0.77	<0.1	0.07	0.03	9.7	0.7	<0.05	1.8	12.49	49.6	<0.02	<1	0.4	9.6	<10	<2			
1887460	Core DUP	0.4	0.03	4.2	0.76	<0.1	0.06	0.09	8.3	0.8	<0.05	1.1	11.38	44.9	0.03	<1	0.3	9.9	<10	<2			
1887461	Drill Core	0.3	<0.02	4.3	2.07	<0.1	0.04	<0.02	12.4	0.6	<0.05	1.5	13.17	55.1	<0.02	<1	0.4	13.9	<10	<2			
1887462	Drill Core	0.2	<0.02	5.0	1.57	<0.1	0.04	0.04	10.9	0.5	<0.05	1.4	14.25	53.5	<0.02	<1	0.5	14.5	<10	<2			
1887463	Drill Core	0.2	<0.02	5.1	1.60	<0.1	0.06	0.15	12.2	0.9	<0.05	1.4	9.53	35.6	<0.02	1	0.5	14.7	<10	<2			
1887464	Drill Core	0.1	<0.02	3.9	1.92	<0.1	0.04	0.13	20.4	0.4	<0.05	1.0	6.06	18.3	<0.02	<1	0.5	13.6	<10	<2			
1887465	Drill Core	1.5	0.06	4.1	0.91	<0.1	0.04	0.16	11.7	0.5	<0.05	0.9	5.25	18.6	<0.02	<1	0.4	12.7	<10	<2			
1887466	Drill Core	<0.1	<0.02	4.8	2.94	<0.1	0.06	0.17	20.6	0.7	<0.05	1.6	9.47	32.2	<0.02	1	0.5	13.5	<10	<2			
1887467	Drill Core	0.2	<0.02	4.2	4.37	<0.1	0.07	0.18	28.2	0.7	<0.05	1.4	9.96	33.1	<0.02	<1	0.5	13.8	<10	<2			
1887468	Drill Core	0.4	<0.02	4.7	3.04	<0.1	0.05	0.08	15.7	0.7	<0.05	0.9	13.21	38.3	0.03	1	0.4	12.9	<10	<2			
1887469	Drill Core	0.7	0.02	3.6	3.51	<0.1	0.05	0.03	14.4	0.6	<0.05	1.9	11.24	32.8	0.02	3	0.3	11.3	<10	<2			
1887470	Drill Core	0.2	0.02	5.0	3.91	<0.1	0.06	0.09	18.9	0.8	<0.05	1.8	13.71	44.3	0.02	<1	0.5	15.1	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 4 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000660.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1887471	Drill Core	3.08	479	<0.005	<0.01	<0.17	26.69	1.03	12.57	7.85	64.9	281	10.8	7.2	338	2.20	6.8	1.8	1.7	8.7	51.5
1887472	Drill Core	3.01	412	0.014	0.01	<0.17	31.59	1.50	10.43	13.57	84.4	430	13.7	8.8	408	2.77	18.2	1.7	11.8	8.2	53.8
1887473	Drill Core	1.60	462	<0.005	<0.01	<0.17	38.22	1.01	12.59	18.91	51.9	219	11.1	7.1	287	1.99	2.1	1.5	0.3	8.5	56.4
1887474	Drill Core	1.64	497	<0.005	<0.01	<0.17	40.29	0.90	20.49	37.19	55.8	287	10.7	8.9	264	1.96	4.4	1.9	0.9	9.4	60.6
1887475	Drill Core	1.55	529	<0.005	<0.01	<0.17	39.37	1.13	27.30	13.46	60.8	277	11.0	7.2	301	2.15	1.0	1.8	<0.2	8.2	57.3
1887476	Drill Core	1.26	426	<0.005	<0.01	<0.17	28.06	0.94	18.04	12.51	59.9	169	11.2	8.3	266	1.81	6.0	2.0	<0.2	10.5	50.0
1887477	Drill Core	3.56	497	<0.005	<0.01	<0.17	38.34	1.00	15.52	14.37	61.8	223	10.3	8.2	326	2.04	1.8	1.9	<0.2	7.2	63.0
1887478	Drill Core	3.43	478	<0.005	<0.01	<0.17	43.55	0.71	18.56	11.21	62.1	251	13.3	8.9	252	2.08	7.2	1.8	1.0	8.0	53.2
1887479	Drill Core	3.10	532	<0.005	<0.01	<0.17	46.58	0.44	7.74	14.51	28.1	179	3.4	2.5	196	0.92	2.0	1.5	1.3	9.8	25.8
1887480	Rock	0.22	167	<0.005	<0.01	<0.17	44.95	0.45	0.88	0.84	1.5	7	1.3	0.6	71	0.66	0.5	0.2	0.3	1.2	1.7
1887481	Drill Core	3.36	512	<0.005	0.01	<0.17	44.82	0.87	14.03	19.25	48.3	314	8.1	5.1	252	1.43	3.9	2.0	0.6	9.9	34.7
1887482	Drill Core	2.59	447	<0.005	<0.01	<0.17	33.99	1.64	21.76	6.03	72.9	355	18.4	9.8	407	2.71	4.3	2.2	2.0	7.4	44.4
1887483	Drill Core	3.08	460	<0.005	<0.01	<0.17	45.59	1.49	18.11	11.84	58.7	320	12.3	9.4	535	2.26	4.2	1.8	0.6	8.5	72.8
1887484	Drill Core	3.80	478	<0.005	<0.01	<0.17	27.29	1.11	19.47	14.05	64.6	264	13.9	8.6	307	2.44	4.5	1.5	1.5	8.8	56.3
1887485	Drill Core	3.43	424	<0.005	<0.01	<0.17	42.92	0.91	18.11	8.05	78.7	248	15.7	10.1	262	2.62	3.0	1.7	1.5	10.0	64.4
1887486	Drill Core	3.14	393	0.054	0.05	<0.17	32.60	1.10	15.26	10.04	64.3	252	13.3	9.1	246	2.17	19.3	1.7	51.1	7.8	58.0
1887487	Drill Core	2.29	520	<0.005	<0.01	<0.17	39.79	0.77	12.07	35.60	86.1	225	13.0	8.2	533	2.29	1.6	1.5	2.6	7.1	147.8
1887488	Drill Core	2.34	493	0.008	<0.01	<0.17	28.27	0.85	31.93	370.31	116.2	1305	7.6	5.6	278	1.52	2.2	0.9	5.0	5.9	63.9
1887489	Drill Core	2.58	549	0.013	0.01	<0.17	38.77	0.72	31.58	244.77	112.9	1480	11.0	8.2	433	2.18	0.4	1.1	8.5	8.9	79.1
1887490	Drill Core	1.34	407	<0.005	<0.01	<0.17	30.77	1.26	19.50	15.48	89.0	268	12.1	8.6	468	2.39	1.3	1.4	2.6	10.6	72.4
1887491	Drill Core	3.39	468	0.013	0.01	<0.17	43.76	4.14	21.14	36.32	84.9	394	15.3	6.4	475	2.11	3.9	1.2	12.0	6.6	66.0
1887492	Drill Core	2.96	459	0.041	0.04	<0.17	39.31	1.81	19.92	50.87	82.8	623	14.5	6.4	466	2.11	20.3	1.5	33.4	8.7	82.9
1887493	Drill Core	3.40	462	0.007	<0.01	<0.17	48.20	0.59	8.84	11.11	22.9	197	5.4	3.6	190	0.92	4.7	0.9	3.2	14.0	28.7
1887494	Drill Core	4.14	522	0.007	<0.01	<0.17	43.72	0.94	26.29	12.64	32.9	621	12.2	4.8	199	1.50	10.8	0.8	4.6	11.4	27.3





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 4 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000660.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887471	Drill Core	0.27	1.06	0.08	19	1.18	0.059	22.3	22.1	0.91	131.4	0.024	3	1.31	0.013	0.29	0.2	3.3	0.17	<0.02	33
1887472	Drill Core	0.35	1.29	0.14	27	1.20	0.072	18.6	33.2	1.15	135.5	0.013	2	1.59	0.009	0.24	0.2	3.7	0.11	<0.02	29
1887473	Drill Core	0.20	1.20	0.18	20	1.19	0.062	22.3	26.2	0.80	192.1	0.033	1	1.18	0.017	0.27	0.3	4.5	0.13	<0.02	21
1887474	Drill Core	0.32	0.66	0.15	19	1.38	0.066	25.3	19.3	0.61	214.7	0.044	2	0.90	0.021	0.29	0.3	6.7	0.14	<0.02	13
1887475	Drill Core	0.27	0.72	0.09	20	1.19	0.073	26.2	24.6	0.85	157.3	0.024	1	1.13	0.019	0.25	0.2	4.7	0.13	<0.02	5
1887476	Drill Core	0.39	0.80	0.04	19	1.06	0.071	21.9	19.2	0.57	174.2	0.063	1	0.88	0.023	0.36	0.8	6.8	0.21	<0.02	15
1887477	Drill Core	0.24	0.86	0.06	20	1.18	0.062	21.4	27.9	0.84	274.3	0.031	1	1.08	0.024	0.20	0.4	4.4	0.10	<0.02	9
1887478	Drill Core	0.34	1.06	<0.02	22	1.20	0.069	17.5	21.0	0.76	190.4	0.065	2	0.96	0.015	0.45	1.1	6.1	0.24	<0.02	8
1887479	Drill Core	0.32	0.53	0.18	4	0.62	0.023	25.2	5.1	0.31	296.6	0.019	2	0.51	0.007	0.27	0.4	2.8	0.11	<0.02	24
1887480	Rock	<0.01	0.02	<0.02	1	0.01	0.002	1.5	4.3	0.01	40.7	0.002	2	0.06	0.003	0.01	<0.1	0.3	<0.02	<0.02	<5
1887481	Drill Core	0.43	0.70	0.23	11	0.77	0.046	29.4	13.6	0.50	272.8	0.049	<1	0.77	0.008	0.30	1.0	3.8	0.15	0.02	17
1887482	Drill Core	0.34	1.35	0.06	35	0.93	0.073	20.3	38.8	0.89	176.9	0.068	<1	1.36	0.018	0.27	0.9	5.2	0.14	0.06	39
1887483	Drill Core	0.29	0.86	0.17	21	1.69	0.073	22.5	21.9	0.82	190.8	0.030	<1	1.13	0.013	0.45	0.4	5.3	0.27	0.10	12
1887484	Drill Core	0.20	0.70	0.09	26	0.91	0.070	23.7	28.2	0.81	138.2	0.012	<1	1.15	0.024	0.31	0.2	5.3	0.15	0.09	11
1887485	Drill Core	0.28	0.97	<0.02	27	0.95	0.070	17.0	31.8	1.01	177.0	0.025	2	1.30	0.019	0.31	0.3	5.1	0.13	0.07	8
1887486	Drill Core	0.23	1.07	0.05	22	0.92	0.063	13.8	24.3	0.82	236.9	0.059	<1	1.06	0.020	0.39	0.7	4.8	0.17	0.10	7
1887487	Drill Core	0.64	1.49	0.05	29	2.10	0.072	19.5	34.9	1.13	609.7	0.047	<1	1.28	0.014	0.25	1.1	4.2	0.12	0.02	<5
1887488	Drill Core	0.96	0.90	0.59	13	0.91	0.032	15.0	16.4	0.59	522.7	0.008	<1	0.77	0.005	0.25	1.4	2.3	0.11	<0.02	13
1887489	Drill Core	0.53	1.16	1.28	16	1.40	0.053	22.1	17.5	1.04	247.8	0.007	<1	1.26	0.004	0.34	0.7	3.1	0.18	<0.02	<5
1887490	Drill Core	0.46	1.18	0.04	22	1.13	0.067	23.5	27.4	1.11	159.1	0.019	<1	1.49	0.008	0.44	0.9	4.3	0.27	<0.02	<5
1887491	Drill Core	0.34	0.87	0.24	23	1.15	0.074	19.7	24.7	1.05	96.3	0.006	<1	1.45	0.005	0.44	0.5	3.2	0.24	<0.02	21
1887492	Drill Core	0.56	0.62	0.34	15	1.74	0.071	29.3	21.3	1.00	93.6	0.001	<1	1.32	0.006	0.31	0.3	2.4	0.15	<0.02	10
1887493	Drill Core	0.15	0.26	0.18	5	0.58	0.055	31.6	7.3	0.32	140.9	<0.001	<1	0.60	0.014	0.25	0.1	1.0	0.09	<0.02	<5
1887494	Drill Core	0.23	0.39	0.57	11	0.52	0.060	26.6	14.0	0.34	135.3	0.001	<1	0.74	0.020	0.25	0.2	2.2	0.08	<0.02	<5



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 4 of 4

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000660.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1887471	Drill Core	0.3	<0.02	6.1	4.60	<0.1	0.05	0.03	20.3	0.6	<0.05	1.6	14.98	44.9	<0.02	<1	0.5	20.8	<10
1887472	Drill Core	0.2	<0.02	6.9	4.25	<0.1	0.04	<0.02	15.1	0.6	<0.05	1.6	12.65	40.5	<0.02	1	0.5	26.8	<10
1887473	Drill Core	0.2	<0.02	5.1	3.14	<0.1	0.04	0.04	16.3	0.9	<0.05	1.4	14.64	44.1	0.02	<1	0.5	14.7	<10
1887474	Drill Core	0.3	0.04	3.5	3.30	<0.1	0.05	0.08	15.7	1.0	<0.05	1.6	17.51	54.6	0.03	<1	0.5	10.1	<10
1887475	Drill Core	0.2	<0.02	5.0	2.87	<0.1	0.07	0.05	14.4	0.7	<0.05	1.8	17.66	53.1	<0.02	<1	0.6	17.5	<10
1887476	Drill Core	0.4	<0.02	3.5	4.95	<0.1	0.12	0.16	22.3	1.2	<0.05	3.1	16.13	49.2	0.02	<1	0.4	12.0	<10
1887477	Drill Core	0.2	<0.02	4.9	2.01	<0.1	0.07	0.04	12.0	0.6	<0.05	1.9	15.46	44.8	<0.02	3	0.7	17.3	<10
1887478	Drill Core	0.3	<0.02	3.7	5.28	<0.1	0.29	0.17	27.1	0.7	<0.05	8.6	14.86	38.2	<0.02	1	0.5	13.0	<10
1887479	Drill Core	0.3	<0.02	1.7	1.75	<0.1	0.08	0.14	12.1	0.5	<0.05	2.3	15.85	55.4	<0.02	<1	0.2	6.9	<10
1887480	Rock	<0.1	<0.02	0.2	0.08	<0.1	0.10	0.05	0.7	<0.1	<0.05	1.9	0.89	3.9	<0.02	<1	<0.1	0.7	<10
1887481	Drill Core	0.3	0.03	2.9	2.69	<0.1	0.09	0.20	17.6	0.7	<0.05	2.4	18.29	58.7	<0.02	<1	0.3	11.2	<10
1887482	Drill Core	0.4	<0.02	6.4	3.10	<0.1	0.05	0.09	15.3	0.7	<0.05	1.3	16.07	46.2	0.02	<1	0.5	20.7	<10
1887483	Drill Core	0.5	<0.02	4.3	6.21	<0.1	0.05	0.02	28.5	0.6	<0.05	1.5	16.38	49.5	0.03	1	0.5	14.7	<10
1887484	Drill Core	0.4	0.02	5.0	4.27	<0.1	0.15	<0.02	16.8	0.5	<0.05	5.2	14.94	49.2	<0.02	<1	0.6	14.7	<10
1887485	Drill Core	0.3	<0.02	6.0	3.93	<0.1	0.14	<0.02	16.5	0.4	<0.05	4.5	13.69	37.3	<0.02	1	0.6	20.4	<10
1887486	Drill Core	0.5	<0.02	4.2	3.74	<0.1	0.16	0.04	20.2	0.5	<0.05	6.0	11.72	32.3	<0.02	2	0.5	13.1	<10
1887487	Drill Core	0.2	<0.02	6.6	3.35	<0.1	0.09	0.04	15.3	0.6	<0.05	2.9	14.54	40.4	<0.02	<1	0.8	23.9	<10
1887488	Drill Core	1.0	0.09	3.4	2.89	<0.1	0.12	<0.02	13.5	0.5	<0.05	4.5	8.78	32.5	<0.02	1	0.4	11.9	<10
1887489	Drill Core	0.5	0.13	5.5	4.47	<0.1	0.24	<0.02	20.5	0.8	<0.05	8.5	15.96	48.5	<0.02	<1	0.4	20.0	<10
1887490	Drill Core	<0.1	<0.02	6.0	7.27	<0.1	0.28	<0.02	30.0	0.7	<0.05	9.4	16.91	46.1	<0.02	<1	0.7	22.8	<10
1887491	Drill Core	0.2	0.04	5.3	7.83	<0.1	0.08	<0.02	29.7	0.7	<0.05	3.4	13.72	40.3	<0.02	<1	0.8	23.6	<10
1887492	Drill Core	0.2	0.04	4.9	6.43	<0.1	0.11	<0.02	19.1	0.7	<0.05	4.4	18.21	60.2	<0.02	<1	0.8	26.1	<10
1887493	Drill Core	0.1	<0.02	2.4	2.92	<0.1	0.15	<0.02	13.1	0.4	<0.05	4.0	12.35	75.5	<0.02	1	0.3	6.7	<10
1887494	Drill Core	0.2	0.03	3.1	2.64	<0.1	0.24	<0.02	12.7	0.3	<0.05	8.4	14.31	64.6	<0.02	1	0.3	7.7	<10



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 25, 2019

Page:

1 of 3

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI19000660.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1887412	Drill Core	3.50	489	0.261	0.39	1.70	44.16	0.52	21.05	22.75	39.0	560	6.4	5.3	259	1.32	4.0	0.7	1240.0	10.1	57.9
REP 1887412	QC							0.51	21.10	23.04	38.6	372	6.3	5.3	256	1.33	4.2	0.7	150.7	10.2	57.7
1887414	Drill Core	2.82	397	<0.005	<0.01	<0.17	44.06	1.14	15.62	15.24	53.4	196	13.6	8.1	328	2.00	7.0	1.4	1.9	11.0	63.9
REP 1887414	QC			<0.005																	
REP 1887418	QC			<0.005																	
1887446	Drill Core	2.99	407	<0.005	<0.01	<0.17	30.23	1.09	17.04	7.04	44.7	193	11.9	6.4	406	2.01	3.3	1.9	2.1	9.5	52.3
REP 1887446	QC							1.07	16.83	6.95	43.8	188	11.9	6.3	405	1.99	3.1	1.9	1.9	9.5	52.1
1887457	Drill Core	3.02	385	<0.005	<0.01	<0.17	39.72	0.69	21.16	15.00	55.4	255	5.6	6.1	340	2.12	3.1	1.9	0.5	10.5	43.4
REP 1887457	QC			<0.005																	
1887481	Drill Core	3.36	512	<0.005	0.01	<0.17	44.82	0.87	14.03	19.25	48.3	314	8.1	5.1	252	1.43	3.9	2.0	0.6	9.9	34.7
REP 1887481	QC							0.88	13.17	18.16	47.6	293	8.1	4.6	252	1.42	3.8	1.7	2.5	9.8	33.6
1887487	Drill Core	2.29	520	<0.005	<0.01	<0.17	39.79	0.77	12.07	35.60	86.1	225	13.0	8.2	533	2.29	1.6	1.5	2.6	7.1	147.8
REP 1887487	QC			<0.005																	
Core Reject Duplicates																					
1887418	Drill Core	3.95	410	<0.005	<0.01	<0.17	47.03	0.92	20.79	12.61	51.2	156	13.3	8.1	425	2.17	9.1	1.6	1.0	9.7	70.3
DUP 1887418	QC		409	<0.005	<0.01	<0.17	32.62	0.87	19.58	12.23	49.7	154	13.0	7.7	399	2.10	8.8	1.6	2.1	9.4	65.4
1887452	Drill Core	3.11	419	0.010	<0.01	<0.17	40.15	0.62	20.03	16.71	81.0	511	10.8	5.9	335	1.87	20.0	1.6	7.4	10.5	38.6
DUP 1887452	QC		418	0.010	<0.01	<0.17	40.20	0.62	20.21	16.75	80.8	481	10.5	6.0	340	1.88	18.5	1.6	8.0	10.7	39.7
1887486	Drill Core	3.14	393	0.054	0.05	<0.17	32.60	1.10	15.26	10.04	64.3	252	13.3	9.1	246	2.17	19.3	1.7	51.1	7.8	58.0
DUP 1887486	QC		392	0.054	0.05	<0.17	46.20	1.14	17.00	9.63	66.4	262	14.3	9.1	268	2.14	20.0	1.9	51.5	8.3	59.2
Reference Materials																					
STD BVGEO01	Standard							11.23	4515.81	196.23	1778.7	2556	161.4	24.8	726	3.71	116.4	3.5	219.6	14.6	54.3
STD BVGEO01	Standard							11.06	4476.70	184.26	1830.3	2569	159.7	24.6	725	3.75	121.2	3.7	231.5	13.7	53.9
STD DS11	Standard							15.45	145.36	131.29	324.2	1891	83.9	13.6	987	3.08	45.0	2.6	89.5	7.6	63.8
STD OREAS262	Standard							0.68	109.49	53.99	150.3	480	66.2	28.1	524	3.24	35.9	1.2	69.7	9.2	33.0
STD OREAS262	Standard							0.71	115.40	54.32	149.0	451	67.7	26.8	533	3.25	36.8	1.2	75.4	8.8	34.2
STD OREAS262	Standard							0.74	113.65	54.18	146.8	474	67.4	26.4	521	3.23	37.7	1.2	70.1	8.9	33.6
STD OXB130	Standard			0.125																	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 25, 2019

Page:

1 of 3

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI19000660.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1887412	Drill Core	0.27	2.21	0.29	7	0.91	0.054	21.0	8.3	0.59	214.1	0.018	<1	0.78	0.017	0.47	0.3	2.4	0.19	<0.02	21
REP 1887412	QC	0.28	2.21	0.29	7	0.99	0.054	20.2	8.0	0.59	209.2	0.017	<1	0.76	0.017	0.46	0.3	2.3	0.19	<0.02	18
1887414	Drill Core	0.23	2.97	0.14	10	1.18	0.058	22.1	12.5	0.69	238.5	0.034	1	0.96	0.019	0.52	0.5	3.4	0.24	<0.02	13
REP 1887414	QC																				
REP 1887418	QC																				
1887446	Drill Core	0.14	0.93	0.04	15	0.68	0.054	23.3	18.1	0.85	126.3	0.008	<1	1.11	0.015	0.28	<0.1	3.2	0.12	<0.02	10
REP 1887446	QC	0.13	0.93	0.04	15	0.67	0.053	23.3	17.6	0.84	125.7	0.008	<1	1.11	0.014	0.28	<0.1	3.1	0.12	<0.02	13
1887457	Drill Core	0.23	0.76	0.11	16	1.08	0.056	24.4	16.3	0.66	183.8	0.053	<1	1.03	0.015	0.37	0.5	4.7	0.20	<0.02	8
REP 1887457	QC																				
1887481	Drill Core	0.43	0.70	0.23	11	0.77	0.046	29.4	13.6	0.50	272.8	0.049	<1	0.77	0.008	0.30	1.0	3.8	0.15	0.02	17
REP 1887481	QC	0.38	0.64	0.21	11	0.74	0.043	28.1	13.4	0.49	258.0	0.046	1	0.76	0.008	0.30	1.1	3.8	0.14	0.02	17
1887487	Drill Core	0.64	1.49	0.05	29	2.10	0.072	19.5	34.9	1.13	609.7	0.047	<1	1.28	0.014	0.25	1.1	4.2	0.12	0.02	<5
REP 1887487	QC																				
Core Reject Duplicates																					
1887418	Drill Core	0.26	1.88	0.07	12	1.15	0.057	23.7	13.1	0.56	235.0	0.047	<1	0.91	0.034	0.45	0.7	4.9	0.18	<0.02	15
DUP 1887418	QC	0.25	1.97	0.07	13	1.08	0.054	23.1	12.7	0.54	224.9	0.049	<1	0.88	0.034	0.45	0.7	4.9	0.18	<0.02	13
1887452	Drill Core	1.26	0.79	0.56	10	0.94	0.055	26.2	10.8	0.44	176.9	0.003	<1	0.87	0.018	0.25	<0.1	3.7	0.08	<0.02	8
DUP 1887452	QC	1.26	0.80	0.51	10	0.92	0.057	26.1	10.8	0.44	182.5	0.003	<1	0.89	0.018	0.25	<0.1	3.7	0.08	<0.02	14
1887486	Drill Core	0.23	1.07	0.05	22	0.92	0.063	13.8	24.3	0.82	236.9	0.059	<1	1.06	0.020	0.39	0.7	4.8	0.17	0.10	7
DUP 1887486	QC	0.25	1.13	0.04	21	0.87	0.075	15.1	26.9	0.81	235.9	0.060	<1	1.04	0.017	0.39	0.8	4.9	0.18	0.10	<5
Reference Materials																					
STD BVGEO01	Standard	5.98	3.47	23.75	76	1.35	0.074	22.5	194.4	1.26	290.4	0.214	4	2.28	0.192	0.90	5.5	5.7	0.63	0.66	94
STD BVGEO01	Standard	5.93	3.37	23.37	74	1.37	0.071	25.4	183.9	1.27	273.1	0.227	4	2.29	0.197	0.92	5.3	6.0	0.66	0.74	106
STD DS11	Standard	2.11	8.03	10.19	51	1.03	0.066	17.8	58.4	0.84	358.3	0.090	6	1.17	0.072	0.41	3.0	3.3	5.06	0.28	287
STD OREAS262	Standard	0.58	5.69	0.91	22	2.93	0.039	15.6	45.9	1.16	264.8	0.002	3	1.29	0.067	0.31	0.2	3.1	0.47	0.24	155
STD OREAS262	Standard	0.60	5.87	0.95	22	3.04	0.038	15.4	42.3	1.17	239.7	0.002	4	1.30	0.068	0.32	0.3	3.2	0.49	0.27	183
STD OREAS262	Standard	0.60	5.43	0.93	23	2.88	0.037	15.5	42.5	1.15	240.9	0.002	3	1.34	0.068	0.33	0.2	3.3	0.49	0.26	197
STD OXB130	Standard																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 1 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000660.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1887412	Drill Core	0.2	0.04	2.5	3.87	<0.1	0.08	<0.02	24.5	0.3	<0.05	2.6	5.35	41.1	<0.02	<1	0.3	7.8	<10	<2
REP 1887412	QC	0.2	0.03	2.5	3.96	<0.1	0.08	<0.02	24.5	0.3	<0.05	2.6	5.20	39.5	<0.02	<1	0.3	7.6	<10	<2
1887414	Drill Core	0.4	0.03	3.5	2.91	<0.1	0.08	<0.02	24.1	0.4	<0.05	2.6	6.65	43.7	<0.02	<1	0.3	7.5	<10	<2
REP 1887414	QC																			
REP 1887418	QC																			
1887446	Drill Core	0.2	<0.02	5.4	2.63	<0.1	0.27	<0.02	14.6	0.6	<0.05	10.7	10.13	45.9	<0.02	<1	0.5	14.0	<10	<2
REP 1887446	QC	0.2	<0.02	5.3	2.63	<0.1	0.28	<0.02	14.5	0.6	<0.05	10.9	10.02	46.0	<0.02	<1	0.5	13.8	<10	<2
1887457	Drill Core	0.5	<0.02	4.6	3.52	<0.1	0.07	0.05	21.2	0.8	<0.05	1.9	13.07	47.5	0.02	<1	0.4	10.2	<10	<2
REP 1887457	QC																			
1887481	Drill Core	0.3	0.03	2.9	2.69	<0.1	0.09	0.20	17.6	0.7	<0.05	2.4	18.29	58.7	<0.02	<1	0.3	11.2	<10	<2
REP 1887481	QC	0.3	<0.02	2.6	2.44	<0.1	0.06	0.17	16.1	0.6	<0.05	2.0	17.33	56.3	<0.02	<1	0.4	11.1	<10	<2
1887487	Drill Core	0.2	<0.02	6.6	3.35	<0.1	0.09	0.04	15.3	0.6	<0.05	2.9	14.54	40.4	<0.02	<1	0.8	23.9	<10	<2
REP 1887487	QC																			
Core Reject Duplicates																				
1887418	Drill Core	0.3	0.02	3.7	3.32	<0.1	0.13	0.05	21.2	0.9	<0.05	5.0	8.68	46.3	0.03	<1	0.4	6.4	<10	<2
DUP 1887418	QC	0.3	0.03	3.6	3.35	<0.1	0.13	0.05	20.9	0.8	<0.05	5.0	8.24	45.2	0.03	<1	0.4	6.0	<10	<2
1887452	Drill Core	0.6	0.04	3.4	1.90	<0.1	0.15	<0.02	10.6	0.6	<0.05	6.3	7.33	50.9	0.04	<1	0.4	13.1	<10	<2
DUP 1887452	QC	0.7	0.03	3.4	1.91	<0.1	0.16	<0.02	10.9	0.7	<0.05	6.5	7.42	50.5	0.03	<1	0.4	13.3	<10	<2
1887486	Drill Core	0.5	<0.02	4.2	3.74	<0.1	0.16	0.04	20.2	0.5	<0.05	6.0	11.72	32.3	<0.02	2	0.5	13.1	<10	<2
DUP 1887486	QC	0.5	<0.02	4.1	4.12	<0.1	0.18	0.05	22.0	0.5	<0.05	6.1	12.63	34.3	<0.02	2	0.4	13.3	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.8	1.10	7.7	7.64	0.1	0.30	0.27	94.6	5.8	<0.05	7.3	13.57	52.2	0.43	4	0.7	20.9	154	185
STD BVGEO01	Standard	5.2	1.04	8.0	7.43	0.2	0.36	0.24	94.5	5.3	<0.05	9.7	14.32	51.8	0.43	4	0.7	20.2	178	194
STD DS11	Standard	2.4	4.71	5.4	2.95	<0.1	0.07	1.50	32.9	1.7	<0.05	2.9	7.64	36.6	0.22	49	0.7	21.2	117	188
STD OREAS262	Standard	0.6	0.24	3.9	3.01	<0.1	0.28	<0.02	18.6	0.5	<0.05	9.6	10.98	32.3	0.03	2	1.3	18.7	<10	<2
STD OREAS262	Standard	0.6	0.25	4.4	3.05	<0.1	0.32	<0.02	18.7	0.5	<0.05	13.1	10.35	31.5	0.03	1	1.1	16.7	<10	<2
STD OREAS262	Standard	0.6	0.22	4.5	2.99	<0.1	0.31	<0.02	18.5	0.5	<0.05	12.7	10.33	31.8	0.03	1	1.1	15.8	<10	<2
STD OXB130	Standard																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000660.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXB130	Standard			0.117																	
STD OXB130	Standard			0.126																	
STD OXI138	Standard			1.904																	
STD OXI138	Standard			1.880																	
STD OXI138	Standard			1.863																	
STD OXN117	Standard			4.949																	
STD OXN117	Standard			7.427																	
STD OXN117	Standard			7.625																	
STD OXQ90	Standard					25.30	30.00														
STD OXQ90	Standard					25.00	30.28														
STD OXQ90	Standard					24.99	30.41														
STD OXQ90	Standard					24.89	29.33														
STD OXQ90	Standard					24.89	30.05														
STD OXQ90	Standard					24.86	29.45														
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.005															
BLK	Blank					<0.005															
BLK	Blank					<0.005															
BLK	Blank					<0.005															
BLK	Blank					0.005															



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000660.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000660.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OXB130	Standard																		
STD OXB130	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXI138	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90 Expected																			
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 3 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000660.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank			<0.005																	
BLK	Blank							<0.01	0.03	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		412	<0.005	<0.01	<0.17	38.74	0.91	4.19	0.81	37.1	5	1.1	3.6	514	1.89	0.6	0.4	<0.2	2.0	19.3
ROCK-WHI	Prep Blank		423	<0.005	<0.01	<0.17	47.22	0.97	5.20	0.85	33.6	5	1.8	4.5	591	2.10	0.7	0.4	<0.2	2.1	25.0



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000660.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.07	0.02	<0.02	22	0.65	0.037	5.6	3.4	0.47	43.2	0.062	1	0.83	0.077	0.09	<0.1	2.3	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	30	0.74	0.041	6.3	5.0	0.57	55.3	0.082	1	1.05	0.102	0.10	<0.1	3.2	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 25, 2019

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000660.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.11	<0.1	0.13	0.14	1.9	0.3	<0.05	3.1	7.60	10.9	<0.02	<1	0.2	1.0	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	4.4	0.14	<0.1	0.15	0.12	2.1	0.3	<0.05	3.7	8.67	12.1	<0.02	<1	0.2	1.3	<10	<2