



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 04, 2019
Report Date: October 28, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000661.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-60
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	132	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	134	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1884832	Drill Core	2.11	420	0.014	0.01	<0.17	48.44	0.61	11.61	28.65	70.4	225	10.2	5.8	315	1.81	2.4	0.7	5.0	7.9	36.3
1884833	Drill Core	3.03	391	<0.005	<0.01	<0.17	36.36	1.26	17.35	20.38	46.2	361	12.5	5.6	384	1.63	6.4	2.3	0.6	9.9	39.2
1884834	Drill Core	1.75	426	<0.005	<0.01	<0.17	44.92	0.43	26.94	21.82	46.7	361	9.6	4.9	244	1.31	3.8	1.0	1.0	10.7	20.7
1884835	Drill Core	1.92	506	<0.005	<0.01	<0.17	39.53	0.32	19.22	4.14	75.4	263	16.4	9.7	406	2.30	2.8	2.2	1.0	13.7	46.7
1884836	Drill Core	2.71	489	<0.005	<0.01	<0.17	39.35	0.93	5.20	20.34	44.3	185	9.2	6.1	270	1.19	2.5	1.8	1.3	13.2	29.3
1884837	Drill Core	1.48	497	0.009	<0.01	<0.17	30.32	0.36	10.69	32.40	51.4	293	8.7	4.5	274	1.23	0.9	1.0	3.7	14.9	13.9
1884838	Drill Core	2.94	387	0.015	0.01	<0.17	39.31	0.35	22.34	19.26	77.9	401	13.1	8.0	487	2.08	2.8	0.9	13.5	10.7	14.6
1884839	Drill Core	1.53	411	0.015	0.01	<0.17	36.77	0.25	71.21	207.40	383.2	369	15.9	9.1	624	2.66	2.0	1.0	10.8	9.3	20.8
1884840	Rock Pulp	0.12	89	<0.005				3.82	18.85	0.81	29.8	15	6.8	4.2	562	2.28	1.3	0.3	1.1	2.3	27.7
1884841	Drill Core	3.26	438	0.016	0.01	<0.17	41.59	0.29	42.68	180.93	243.4	481	12.5	9.3	535	2.14	1.7	1.1	14.0	9.6	22.6
1884842	Drill Core	3.01	385	0.010	<0.01	<0.17	35.83	0.23	13.40	34.58	86.4	353	9.9	7.8	403	2.01	3.0	1.0	7.0	9.9	29.5
1884843	Drill Core	3.42	452	0.013	0.01	<0.17	32.65	0.28	24.63	19.64	72.8	535	9.9	7.2	306	2.13	3.8	1.1	12.6	10.4	15.7
1884844	Drill Core	2.78	384	0.009	<0.01	<0.17	27.94	0.18	16.51	11.14	72.3	383	11.0	7.5	293	2.26	2.9	1.3	7.4	11.0	17.3
1884845	Drill Core	2.99	418	0.007	<0.01	<0.17	35.24	0.20	16.32	9.89	70.2	366	11.5	8.8	296	2.27	1.6	1.2	4.2	11.5	20.4
1884846	Drill Core	3.29	397	0.010	<0.01	<0.17	39.99	0.21	11.67	11.30	52.1	369	10.9	7.0	286	2.07	6.8	1.0	8.2	10.4	17.2
1884847	Drill Core	3.42	417	0.009	<0.01	<0.17	40.26	0.22	14.66	22.48	72.3	350	11.7	7.3	307	2.10	5.9	0.9	5.0	7.4	18.0
1884848	Drill Core	3.71	435	0.008	<0.01	<0.17	38.91	0.27	15.76	9.35	59.1	356	9.9	6.9	265	1.79	7.3	0.9	4.8	9.1	19.3
1884849	Drill Core	3.05	431	0.007	<0.01	<0.17	38.36	0.31	15.62	16.52	70.6	299	9.2	7.0	270	1.92	8.8	0.8	3.9	9.6	12.7
1884850	Drill Core	4.01	415	0.008	<0.01	<0.17	38.27	0.32	20.79	14.79	73.8	499	13.9	8.3	338	2.29	5.3	1.0	6.1	9.0	22.9
1884851	Drill Core	3.01	443	<0.005	<0.01	<0.17	34.49	0.25	5.92	6.40	51.7	131	8.7	6.2	358	2.05	4.2	0.8	3.1	9.6	43.7
1884852	Drill Core	2.62	410	0.012	0.01	<0.17	38.64	0.95	28.04	7.98	71.6	463	14.9	9.5	462	2.67	12.9	0.9	9.6	10.3	23.5
1884853	Drill Core	4.13	464	0.011	<0.01	<0.17	33.11	0.75	3.81	6.97	49.5	194	8.1	6.1	406	2.00	16.0	1.1	7.8	10.3	76.4
1884854	Drill Core	3.15	383	<0.005	<0.01	<0.17	32.92	0.39	8.42	7.74	57.6	229	8.8	6.1	323	1.89	4.4	0.8	1.6	6.8	47.8
1884855	Drill Core	2.60	450	<0.005	<0.01	<0.17	31.83	0.45	12.86	15.22	86.1	240	9.2	7.3	320	2.04	1.3	1.0	1.4	10.1	46.2
1884856	Drill Core	2.90	379	0.006	<0.01	<0.17	34.79	0.67	14.52	15.33	62.6	309	11.6	7.7	291	2.19	4.3	1.9	3.1	8.7	50.9
1884857	Drill Core	3.10	433	<0.005	<0.01	<0.17	39.05	0.24	9.35	14.01	47.4	250	8.6	5.7	272	1.58	1.0	1.4	0.7	10.1	75.1
1884858	Drill Core	2.97	425	0.129	0.13	0.18	37.86	0.45	5.68	12.34	21.2	202	2.5	3.4	221	0.72	4.7	0.9	33.3	10.1	27.6
1884859	Drill Core	2.86	407	0.018	0.02	<0.17	31.40	0.65	15.49	21.43	67.1	324	10.5	7.1	325	1.86	2.8	1.3	20.0	9.0	79.8
1884860	Core DUP		383	0.017	0.02	<0.17	35.63	0.58	16.47	19.92	70.5	339	10.1	7.0	337	1.76	2.6	1.3	6.7	9.0	81.7
1884861	Drill Core	2.43	420	<0.005	<0.01	<0.17	30.45	1.17	18.17	20.68	84.5	295	14.4	9.0	326	2.21	3.6	1.7	1.3	8.2	81.1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884832	Drill Core																							
1884833	Drill Core																							
1884834	Drill Core																							
1884835	Drill Core																							
1884836	Drill Core																							
1884837	Drill Core																							
1884838	Drill Core																							
1884839	Drill Core																							
1884840	Rock Pulp																							
1884841	Drill Core																							
1884842	Drill Core																							
1884843	Drill Core																							
1884844	Drill Core																							
1884845	Drill Core																							
1884846	Drill Core																							
1884847	Drill Core																							
1884848	Drill Core																							
1884849	Drill Core																							
1884850	Drill Core																							
1884851	Drill Core																							
1884852	Drill Core																							
1884853	Drill Core																							
1884854	Drill Core																							
1884855	Drill Core																							
1884856	Drill Core																							
1884857	Drill Core																							
1884858	Drill Core																							
1884859	Drill Core																							
1884860	Core DUP																							
1884861	Drill Core																							



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 2 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884832	Drill Core		0.2	0.03	4.4	1.36	<0.1	0.13	0.06	12.1	0.4	<0.05	4.2	8.97	26.8	<0.02	<1	0.5	15.6	<10	<2		
1884833	Drill Core		0.8	0.03	3.3	1.73	<0.1	0.12	0.15	16.5	0.4	<0.05	3.3	10.05	30.9	<0.02	2	0.4	9.6	<10	<2		
1884834	Drill Core		0.1	0.03	2.6	2.51	<0.1	0.15	0.13	20.9	0.3	<0.05	4.7	9.83	28.1	<0.02	<1	0.3	9.0	<10	<2		
1884835	Drill Core		0.3	<0.02	6.0	4.05	<0.1	0.25	0.10	35.8	0.7	<0.05	6.3	12.30	26.3	<0.02	1	0.6	18.9	<10	<2		
1884836	Drill Core		0.3	0.02	2.8	1.80	<0.1	0.19	0.11	16.3	0.3	<0.05	5.3	12.47	37.0	<0.02	<1	0.4	10.8	<10	<2		
1884837	Drill Core		<0.1	<0.02	3.7	2.26	<0.1	0.04	<0.02	10.5	0.3	<0.05	1.8	14.44	76.6	<0.02	<1	0.4	8.8	<10	<2		
1884838	Drill Core		0.3	0.03	5.9	1.97	<0.1	0.14	<0.02	14.6	0.3	<0.05	4.9	16.19	66.7	<0.02	<1	0.6	21.6	<10	<2		
1884839	Drill Core		0.2	0.03	8.0	2.84	<0.1	0.11	<0.02	13.1	0.5	<0.05	3.1	17.26	49.7	<0.02	<1	1.0	23.2	<10	<2		
1884840	Rock Pulp		<0.1	<0.02	3.9	0.13	<0.1	0.11	0.29	1.8	1.5	<0.05	2.4	7.02	10.4	<0.02	<1	0.2	1.0	<10	<2		
1884841	Drill Core		0.1	0.02	5.9	2.28	<0.1	0.11	<0.02	15.8	0.4	<0.05	3.5	15.10	48.7	<0.02	<1	0.6	21.4	<10	<2		
1884842	Drill Core		0.1	<0.02	5.8	2.41	<0.1	0.10	0.12	17.9	0.5	<0.05	2.6	12.09	46.8	<0.02	<1	0.7	26.3	<10	<2		
1884843	Drill Core		0.3	0.02	5.9	3.63	<0.1	0.05	<0.02	12.6	0.5	<0.05	1.7	13.53	51.3	<0.02	<1	0.5	16.8	<10	<2		
1884844	Drill Core		0.1	<0.02	6.6	3.65	<0.1	0.05	<0.02	15.9	0.4	<0.05	1.5	12.54	58.6	<0.02	<1	0.5	20.1	<10	<2		
1884845	Drill Core		0.1	<0.02	6.3	2.02	<0.1	0.08	0.03	11.5	0.6	<0.05	1.8	15.20	59.8	<0.02	<1	0.7	19.7	<10	<2		
1884846	Drill Core		0.2	0.02	6.6	3.51	<0.1	0.05	<0.02	16.4	0.4	<0.05	1.5	14.39	58.5	<0.02	<1	0.6	18.9	<10	<2		
1884847	Drill Core		0.1	<0.02	4.9	4.19	<0.1	0.04	<0.02	17.4	0.4	<0.05	1.9	13.11	36.2	<0.02	<1	0.7	19.1	<10	<2		
1884848	Drill Core		0.2	<0.02	4.5	2.65	<0.1	0.10	0.07	15.3	0.6	<0.05	2.4	14.02	41.7	<0.02	<1	0.5	14.3	<10	<2		
1884849	Drill Core		0.2	<0.02	4.9	2.29	<0.1	0.07	<0.02	12.6	0.4	<0.05	2.9	13.22	54.0	<0.02	<1	0.4	17.4	<10	<2		
1884850	Drill Core		0.2	<0.02	6.4	3.42	<0.1	0.10	<0.02	15.7	0.4	<0.05	3.2	14.14	46.8	<0.02	<1	0.6	19.4	<10	<2		
1884851	Drill Core		<0.1	<0.02	5.2	1.38	<0.1	0.03	0.03	10.6	0.3	<0.05	1.1	11.15	42.8	<0.02	<1	0.4	14.2	<10	<2		
1884852	Drill Core		0.5	0.02	7.9	3.26	<0.1	0.07	<0.02	10.2	0.3	<0.05	2.3	12.98	50.8	0.02	<1	0.5	25.9	<10	<2		
1884853	Drill Core		0.3	0.02	5.2	2.09	<0.1	0.02	<0.02	10.6	0.2	<0.05	1.1	12.05	47.5	<0.02	<1	0.4	15.0	<10	<2		
1884854	Drill Core		<0.1	<0.02	4.4	1.80	<0.1	0.03	0.05	11.8	0.2	<0.05	0.9	9.25	30.9	<0.02	<1	0.3	13.9	<10	<2		
1884855	Drill Core		0.1	<0.02	5.2	2.70	<0.1	0.04	0.03	12.8	0.4	<0.05	0.9	12.20	47.7	<0.02	<1	0.6	15.5	<10	<2		
1884856	Drill Core		0.4	<0.02	4.7	4.12	<0.1	0.14	<0.02	18.2	0.3	<0.05	4.5	14.23	41.0	<0.02	2	0.5	21.6	<10	<2		
1884857	Drill Core		0.2	<0.02	3.7	2.21	<0.1	0.10	0.03	15.3	0.3	<0.05	3.4	11.86	40.4	<0.02	<1	0.4	13.3	<10	<2		
1884858	Drill Core		0.1	<0.02	1.2	1.35	<0.1	0.07	<0.02	10.2	0.1	<0.05	3.1	7.07	47.4	<0.02	<1	0.3	5.4	<10	<2		
1884859	Drill Core		0.4	<0.02	3.7	2.33	<0.1	0.20	<0.02	15.5	0.2	<0.05	6.2	9.14	26.7	<0.02	<1	0.4	16.7	<10	<2		
1884860	Core DUP		0.4	<0.02	3.4	2.41	<0.1	0.17	<0.02	15.1	0.2	<0.05	6.1	9.61	23.3	<0.02	<1	0.4	15.9	<10	<2		
1884861	Drill Core		0.6	<0.02	5.2	3.56	<0.1	0.18	0.03	22.1	0.5	<0.05	6.3	11.46	27.9	<0.02	1	0.6	18.2	<10	<2		



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1884862	Drill Core	2.48	410	<0.005	<0.01	<0.17	41.74	0.27	16.04	13.45	73.1	314	11.6	7.6	273	1.89	6.9	1.6	1.9	8.5	82.4
1884863	Drill Core	1.68	389	0.020	0.08	0.73	33.05	0.26	15.31	59.30	37.6	499	0.9	1.4	133	0.56	1.5	0.7	7.6	10.8	15.0
1884864	Drill Core	1.55	409	0.088	0.08	<0.17	39.83	0.12	4.28	15.77	17.7	253	0.3	0.3	35	0.33	1.5	0.6	293.0	10.8	3.1
1884865	Drill Core	1.36	426	0.054	0.05	<0.17	34.16	0.12	5.26	10.07	17.3	199	0.2	0.4	39	0.26	0.7	0.7	38.1	10.1	3.6
1884866	Drill Core	2.92	481	0.012	0.01	<0.17	40.34	0.11	3.29	16.98	19.8	217	0.4	0.5	53	0.34	0.7	1.2	6.2	13.8	4.1
1884867	Drill Core	1.56	501	0.019	0.02	<0.17	34.95	0.08	5.22	27.05	31.2	351	0.3	0.4	63	0.38	0.5	0.8	5.2	13.1	5.8
1884868	Drill Core	1.46	541	0.015	0.01	<0.17	36.87	0.13	5.95	13.14	22.9	244	0.3	0.3	44	0.38	1.4	0.9	22.6	13.1	3.0
1884869	Drill Core	1.61	476	0.011	<0.01	<0.17	37.50	0.14	19.40	10.47	29.2	318	0.4	0.5	46	0.33	2.6	0.7	6.7	13.5	6.5
1884870	Drill Core	1.44	504	0.033	0.03	<0.17	39.44	0.15	14.16	26.88	30.4	371	0.3	0.5	48	0.37	2.2	0.6	13.2	14.5	6.5
1884871	Drill Core	1.42	481	0.008	<0.01	<0.17	41.25	0.20	8.78	28.50	25.5	270	0.3	0.4	58	0.31	1.6	0.7	5.2	13.0	2.0
1884872	Drill Core	1.41	474	0.019	0.02	<0.17	40.81	0.31	18.18	37.56	38.6	297	0.4	0.4	42	0.50	2.6	0.8	23.8	15.2	3.1
1884873	Drill Core	1.36	485	0.013	0.01	<0.17	39.30	0.23	21.82	59.90	47.6	362	0.5	0.4	43	0.44	3.5	0.7	10.9	13.5	3.0
1884874	Drill Core	1.48	508	0.052	0.05	<0.17	42.88	0.26	20.50	94.50	58.5	1029	0.4	0.4	37	0.44	4.2	0.8	13.8	12.2	3.5
1884875	Drill Core	3.00	521	0.043	0.04	<0.17	36.06	0.41	3.99	12.60	91.5	280	4.1	3.6	200	1.15	4.3	1.2	64.0	12.5	33.9
1884876	Drill Core	2.44	423	0.017	0.02	<0.17	39.80	0.52	4.13	11.13	15.5	248	1.9	1.9	111	0.71	4.1	0.4	29.4	7.9	11.1
1884877	Drill Core	3.65	435	0.048	0.04	<0.17	34.95	0.77	20.07	12.30	73.7	423	13.5	8.9	368	2.39	5.6	1.2	41.2	9.4	37.4
1884878	Drill Core	3.00	497	0.038	0.03	<0.17	38.97	0.55	14.15	9.31	60.1	497	9.4	6.9	410	2.04	2.5	1.4	37.9	10.4	74.1
1884879	Drill Core	3.13	541	0.390	0.42	0.73	42.23	1.65	16.37	10.25	46.4	962	10.8	7.9	450	1.95	11.5	1.5	507.2	9.9	76.4
1884880	Rock	0.23	166	<0.005	<0.01	<0.17	33.04	0.30	0.90	1.15	3.4	9	1.1	0.5	49	0.43	0.5	0.1	<0.2	1.3	1.5
1884881	Drill Core	3.69	398	0.011	<0.01	<0.17	37.83	0.87	23.05	11.95	103.3	526	18.4	7.0	433	2.36	10.9	1.4	7.0	9.9	77.9
1884882	Drill Core	3.18	498	<0.005	<0.01	<0.17	39.40	0.71	20.77	29.45	83.8	361	17.6	8.5	391	2.17	5.8	1.4	1.8	9.6	40.5
1884883	Drill Core	2.96	466	0.015	0.01	<0.17	34.93	1.56	13.46	19.32	51.6	314	15.8	7.1	331	1.89	7.2	1.2	6.6	7.2	52.9
1884884	Drill Core	2.95	495	<0.005	<0.01	<0.17	44.87	0.84	13.37	18.14	52.7	278	13.4	6.2	281	1.69	8.9	3.2	1.4	10.5	57.2
1884885	Drill Core	3.17	535	<0.005	<0.01	<0.17	37.25	0.54	10.07	10.49	54.1	139	12.9	6.9	357	2.01	11.8	1.5	0.4	10.0	45.6
1884886	Drill Core	3.28	478	<0.005	<0.01	<0.17	42.45	1.02	15.96	17.20	53.9	314	13.6	6.8	294	1.82	16.7	1.3	0.9	9.1	43.0
1884887	Drill Core	3.12	542	<0.005	<0.01	<0.17	37.28	1.80	19.67	16.42	40.2	561	15.9	6.5	243	1.50	21.6	1.9	0.4	10.7	37.0
1884888	Drill Core	3.64	439	0.009	<0.01	<0.17	36.87	0.87	15.10	14.99	26.5	510	14.3	4.6	223	1.17	20.5	1.2	5.0	9.9	34.5
1884889	Drill Core	3.52	418	<0.005	<0.01	<0.17	37.60	0.56	14.48	17.85	36.7	320	12.0	5.2	334	1.29	10.3	1.4	1.1	9.6	91.7
1884890	Drill Core	2.50	440	0.009	<0.01	<0.17	45.01	0.48	34.02	192.47	143.4	965	9.9	5.4	491	1.71	12.7	1.0	6.7	9.7	95.7
1884891	Drill Core	3.08	532	<0.005	<0.01	<0.17	41.98	1.16	27.96	42.14	115.5	546	17.3	7.6	432	1.98	8.4	1.5	2.7	9.1	73.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884862	Drill Core	0.42	0.64	0.05	20	1.01	0.060	11.4	25.0	0.83	234.8	0.061	1	0.94	0.019	0.40	0.3	5.1	0.22	0.06	7			
1884863	Drill Core	0.30	0.18	0.19	1	0.19	0.023	27.6	2.5	0.10	365.3	0.001	<1	0.36	0.025	0.23	<0.1	0.7	0.07	0.02	16			
1884864	Drill Core	0.13	0.16	0.18	<1	0.02	0.009	25.9	1.0	0.03	221.5	<0.001	2	0.20	0.023	0.17	<0.1	0.4	0.05	<0.02	8			
1884865	Drill Core	0.17	0.16	0.07	<1	0.02	0.010	36.2	0.6	0.04	248.5	<0.001	8	0.24	0.027	0.20	<0.1	0.6	0.06	<0.02	18			
1884866	Drill Core	0.31	0.10	0.19	<1	0.03	0.008	35.4	0.7	0.06	231.8	0.002	5	0.28	0.037	0.21	<0.1	0.8	0.06	<0.02	27			
1884867	Drill Core	0.23	0.13	0.20	<1	0.06	0.007	30.2	0.7	0.11	129.8	0.001	5	0.30	0.022	0.21	<0.1	0.8	0.06	<0.02	11			
1884868	Drill Core	0.21	0.11	0.17	<1	0.02	0.010	38.1	1.0	0.06	164.7	<0.001	5	0.27	0.024	0.23	<0.1	0.8	0.06	<0.02	8			
1884869	Drill Core	0.27	0.24	0.09	1	0.05	0.025	37.6	0.8	0.07	196.0	<0.001	4	0.28	0.021	0.22	<0.1	0.6	0.07	<0.02	18			
1884870	Drill Core	0.20	0.17	0.19	<1	0.04	0.022	37.3	0.9	0.05	190.1	<0.001	4	0.31	0.031	0.24	<0.1	0.7	0.06	<0.02	<5			
1884871	Drill Core	0.25	0.14	0.28	<1	0.02	0.006	36.7	0.7	0.05	140.9	<0.001	4	0.23	0.021	0.20	<0.1	0.5	0.06	<0.02	8			
1884872	Drill Core	0.25	0.59	0.09	1	0.03	0.008	30.8	1.1	0.07	185.9	<0.001	5	0.31	0.032	0.21	<0.1	0.7	0.05	<0.02	15			
1884873	Drill Core	0.15	0.55	0.07	1	0.03	0.009	29.9	0.9	0.08	126.2	<0.001	3	0.26	0.016	0.18	<0.1	0.5	0.05	<0.02	6			
1884874	Drill Core	0.20	0.35	0.22	1	0.03	0.010	29.5	0.8	0.06	178.6	<0.001	4	0.26	0.028	0.18	<0.1	0.6	0.04	<0.02	<5			
1884875	Drill Core	1.11	0.29	0.14	6	0.46	0.043	31.2	6.5	0.38	308.4	0.003	3	0.70	0.025	0.33	0.1	2.2	0.13	<0.02	19			
1884876	Drill Core	0.17	0.18	0.12	3	0.09	0.038	18.5	5.1	0.14	147.1	<0.001	2	0.32	0.020	0.15	<0.1	0.9	0.04	<0.02	<5			
1884877	Drill Core	0.46	0.52	0.10	25	0.47	0.064	22.6	30.3	0.84	163.6	0.009	3	1.30	0.033	0.28	0.1	4.3	0.11	<0.02	12			
1884878	Drill Core	0.30	0.74	0.05	19	1.06	0.057	21.5	23.3	0.82	152.1	0.024	3	1.17	0.031	0.31	0.2	3.6	0.12	<0.02	<5			
1884879	Drill Core	0.45	0.90	0.09	12	1.14	0.065	15.5	14.1	0.63	192.9	0.015	2	0.89	0.020	0.38	0.3	3.8	0.14	0.06	6			
1884880	Rock	<0.01	0.05	<0.02	1	0.02	0.002	1.9	2.6	0.03	7.8	0.002	2	0.07	0.003	0.01	<0.1	0.2	<0.02	<0.02	<5			
1884881	Drill Core	0.84	0.54	0.16	19	1.04	0.077	15.7	26.7	0.84	172.9	0.006	3	1.24	0.006	0.38	0.2	4.1	0.16	<0.02	<5			
1884882	Drill Core	0.56	0.32	0.15	19	0.52	0.053	22.3	27.7	0.77	131.9	0.003	2	1.08	0.009	0.19	<0.1	3.5	0.08	<0.02	<5			
1884883	Drill Core	0.27	0.38	0.28	20	0.72	0.055	14.5	33.7	0.76	130.0	0.008	2	1.03	0.013	0.23	<0.1	3.7	0.09	<0.02	8			
1884884	Drill Core	0.29	1.18	0.24	16	0.93	0.051	14.2	18.6	0.76	156.3	0.047	2	0.98	0.015	0.37	0.2	3.9	0.17	0.10	<5			
1884885	Drill Core	0.16	1.77	0.05	19	0.68	0.050	12.3	21.1	1.10	132.8	0.072	2	1.19	0.020	0.41	0.4	5.1	0.20	0.06	<5			
1884886	Drill Core	0.27	1.79	0.27	15	0.55	0.060	14.7	15.9	0.79	156.2	0.056	3	0.96	0.016	0.35	0.2	4.1	0.15	0.04	<5			
1884887	Drill Core	0.45	1.30	0.76	17	0.68	0.059	23.7	16.5	0.38	193.5	0.055	2	0.68	0.033	0.28	0.2	3.7	0.15	0.14	<5			
1884888	Drill Core	0.36	0.79	0.39	11	0.89	0.050	23.9	12.1	0.24	167.4	0.018	2	0.62	0.012	0.28	0.1	3.2	0.10	<0.02	6			
1884889	Drill Core	0.38	1.16	0.22	17	2.22	0.055	23.4	17.4	0.36	181.2	0.055	2	0.76	0.016	0.27	0.2	3.8	0.13	0.02	<5			
1884890	Drill Core	0.72	0.56	0.32	20	2.18	0.062	25.1	20.4	0.50	133.6	0.023	2	0.88	0.021	0.25	0.1	3.6	0.14	<0.02	15			
1884891	Drill Core	0.85	0.52	0.13	18	1.52	0.071	22.3	19.7	0.59	189.2	0.025	2	0.92	0.010	0.31	0.1	6.4	0.14	<0.02	<5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884862	Drill Core	0.3	<0.02	3.9	3.84	<0.1	0.23	0.04	23.4	0.4	<0.05	7.3	9.05	23.3	<0.02	<1	0.4	15.6	<10	<2			
1884863	Drill Core	<0.1	<0.02	1.3	0.60	<0.1	0.09	0.03	10.0	0.2	<0.05	3.1	6.89	67.0	<0.02	<1	0.2	3.7	<10	<2			
1884864	Drill Core	<0.1	<0.02	0.6	0.35	<0.1	0.17	0.03	7.8	0.1	<0.05	5.4	4.22	55.9	<0.02	<1	0.2	1.5	<10	<2			
1884865	Drill Core	<0.1	<0.02	0.9	0.43	<0.1	0.16	0.07	9.3	0.3	<0.05	5.0	5.55	78.9	<0.02	<1	0.2	1.8	<10	<2			
1884866	Drill Core	<0.1	<0.02	0.8	0.41	<0.1	0.24	0.07	9.7	0.2	<0.05	8.4	7.22	79.9	<0.02	<1	0.2	2.2	<10	<2			
1884867	Drill Core	<0.1	<0.02	1.2	0.38	<0.1	0.28	0.04	9.5	0.2	<0.05	10.0	6.80	69.4	<0.02	<1	0.2	3.1	<10	<2			
1884868	Drill Core	<0.1	<0.02	1.0	0.56	<0.1	0.18	0.04	10.2	0.2	<0.05	6.0	6.93	85.4	<0.02	<1	0.2	3.3	<10	<2			
1884869	Drill Core	<0.1	<0.02	1.0	0.75	<0.1	0.07	0.02	9.9	0.2	<0.05	3.1	8.75	74.3	<0.02	<1	0.2	2.6	<10	<2			
1884870	Drill Core	<0.1	<0.02	1.1	0.50	<0.1	0.11	<0.02	10.8	0.2	<0.05	3.9	7.30	81.6	<0.02	<1	0.3	2.5	<10	<2			
1884871	Drill Core	<0.1	<0.02	0.8	0.66	<0.1	0.19	0.03	9.5	0.2	<0.05	5.1	9.19	73.1	<0.02	<1	0.3	2.5	<10	<2			
1884872	Drill Core	<0.1	0.02	1.1	0.74	<0.1	0.15	0.02	9.7	0.2	<0.05	5.9	5.08	74.2	<0.02	<1	0.2	2.8	<10	<2			
1884873	Drill Core	<0.1	<0.02	1.1	0.93	<0.1	0.14	<0.02	8.8	0.2	<0.05	5.1	5.41	69.0	<0.02	<1	0.3	2.6	<10	<2			
1884874	Drill Core	<0.1	0.20	0.9	0.82	<0.1	0.16	<0.02	8.1	0.2	<0.05	5.0	4.24	64.9	<0.02	<1	0.2	2.3	<10	<2			
1884875	Drill Core	0.2	0.02	2.8	1.77	<0.1	0.11	<0.02	16.3	0.3	<0.05	4.6	9.26	69.6	<0.02	<1	0.3	13.4	<10	<2			
1884876	Drill Core	0.2	0.02	1.4	1.09	<0.1	0.05	<0.02	6.9	0.2	<0.05	1.8	4.84	34.3	<0.02	<1	0.2	5.0	<10	<2			
1884877	Drill Core	0.2	<0.02	6.1	3.23	<0.1	0.10	<0.02	15.0	0.3	<0.05	3.6	12.58	45.0	0.02	<1	0.6	20.7	<10	<2			
1884878	Drill Core	<0.1	<0.02	5.5	2.54	<0.1	0.09	0.02	16.7	0.4	<0.05	2.5	12.28	46.2	<0.02	<1	0.6	18.3	<10	<2			
1884879	Drill Core	0.5	0.02	3.5	2.87	<0.1	0.11	<0.02	19.6	0.3	<0.05	3.3	9.20	30.6	<0.02	<1	0.5	14.2	<10	<2			
1884880	Rock	<0.1	<0.02	0.3	0.08	<0.1	0.08	0.04	0.8	<0.1	<0.05	1.6	0.88	4.4	<0.02	<1	<0.1	1.1	<10	<2			
1884881	Drill Core	0.4	0.04	4.7	3.02	<0.1	0.09	<0.02	21.1	0.3	<0.05	2.5	9.52	33.1	<0.02	<1	0.4	22.1	<10	<2			
1884882	Drill Core	0.2	<0.02	5.0	1.77	<0.1	0.05	<0.02	10.5	0.3	<0.05	2.0	11.97	46.3	<0.02	<1	0.5	21.4	<10	<2			
1884883	Drill Core	0.2	0.03	3.9	2.05	<0.1	0.06	<0.02	12.9	0.3	<0.05	2.0	10.25	31.6	<0.02	<1	0.5	23.5	<10	<2			
1884884	Drill Core	0.9	<0.02	3.5	2.00	<0.1	0.20	0.09	18.0	0.4	<0.05	5.4	11.17	29.3	<0.02	3	0.5	16.6	<10	<2			
1884885	Drill Core	0.4	<0.02	5.0	2.24	<0.1	0.40	0.08	21.2	0.5	<0.05	10.6	10.66	24.9	<0.02	<1	0.5	22.8	<10	<2			
1884886	Drill Core	0.9	0.03	4.4	1.63	<0.1	0.45	0.09	16.8	0.5	<0.05	13.0	11.42	30.0	<0.02	<1	0.5	16.9	<10	<2			
1884887	Drill Core	1.6	0.07	3.4	1.39	<0.1	0.37	0.28	16.3	0.6	<0.05	11.2	15.06	55.0	<0.02	2	0.5	11.9	<10	<2			
1884888	Drill Core	0.5	0.04	2.6	1.66	<0.1	0.13	0.10	15.3	0.4	<0.05	4.4	12.59	49.7	<0.02	<1	0.4	8.5	<10	<2			
1884889	Drill Core	0.6	0.02	3.5	1.47	<0.1	0.23	0.28	14.9	0.6	<0.05	7.5	12.21	47.7	<0.02	1	0.6	9.1	<10	<2			
1884890	Drill Core	0.6	0.06	4.0	2.75	<0.1	0.23	0.04	16.0	0.4	<0.05	6.7	13.61	55.5	<0.02	<1	0.6	10.6	<10	<2			
1884891	Drill Core	0.4	0.02	3.6	1.78	<0.1	0.08	0.05	15.7	0.3	<0.05	2.3	14.08	46.1	<0.02	<1	0.4	14.9	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1884892	Drill Core	2.81	476	<0.005	<0.01	<0.17	39.46	0.70	25.79	9.20	60.7	319	26.9	7.6	268	2.04	11.9	0.8	2.9	7.3	42.1
1884893	Drill Core	4.74	515	0.009	<0.01	<0.17	44.76	0.57	26.17	6.75	79.5	283	26.3	8.5	370	1.97	6.6	0.5	5.5	6.9	10.8
1884894	Drill Core	3.33	468	<0.005	<0.01	<0.17	47.72	0.92	26.72	11.08	69.1	360	23.6	7.4	310	2.07	25.1	0.7	1.8	7.4	38.1
1884895	Drill Core	3.45	374	0.006	<0.01	<0.17	42.53	0.83	14.91	20.68	72.5	425	23.0	7.1	330	2.26	14.3	0.9	1.9	6.5	41.2
1884896	Drill Core	2.39	385	0.010	<0.01	<0.17	37.36	0.58	21.88	7.80	56.7	319	19.8	6.2	239	2.02	9.1	0.7	4.9	5.6	11.1
1884897	Drill Core	2.42	383	0.007	<0.01	<0.17	28.35	0.63	22.43	11.54	72.0	394	23.2	8.2	342	2.30	7.3	0.8	2.9	6.4	32.7
1884898	Drill Core	3.34	514	<0.005	<0.01	<0.17	42.32	1.12	18.05	12.26	84.0	332	17.7	8.8	510	2.43	3.8	1.5	1.1	6.5	70.2
1884899	Drill Core	3.10	488	0.005	<0.01	<0.17	42.39	0.63	10.60	3.55	57.3	174	12.9	8.3	483	2.43	4.4	1.3	2.7	6.1	51.5
1884900	Rock Pulp	0.12	91	7.101				9.87	188.13	19.84	79.1	984	14.5	11.7	574	4.70	14.8	0.9	7523.5	2.8	74.0
1884901	Drill Core	3.33	392	0.013	0.01	<0.17	41.57	0.75	15.35	10.87	96.3	299	13.5	9.8	764	3.27	16.0	1.3	12.3	7.0	94.4
1884902	Drill Core	2.86	406	<0.005	<0.01	<0.17	41.68	1.33	25.30	7.30	77.7	373	27.2	13.1	689	2.94	23.7	2.0	1.3	6.0	155.8
1884903	Drill Core	1.30	394	0.446	0.45	0.52	38.20	1.66	32.34	11.20	104.3	734	31.6	14.6	663	2.85	44.1	3.7	481.7	6.6	190.8
1884904	Drill Core	1.58	418	0.169	0.15	<0.17	36.44	1.00	11.66	11.27	81.4	340	13.4	7.0	333	1.72	12.1	0.9	117.8	2.8	43.7
1884905	Drill Core	3.24	431	0.009	<0.01	<0.17	41.76	0.99	23.69	8.48	129.1	327	30.2	13.9	845	3.03	45.3	1.2	6.3	6.3	144.5
1884906	Drill Core	2.59	388	0.007	<0.01	<0.17	30.68	0.75	26.36	21.54	98.6	387	26.2	9.7	613	3.12	155.7	1.2	4.1	6.5	103.3
1884907	Drill Core	3.00	409	0.006	<0.01	<0.17	40.63	1.39	25.17	22.52	98.2	313	34.0	16.6	607	3.14	65.3	1.8	2.2	7.0	83.5
1884908	Drill Core	2.88	402	0.021	0.02	<0.17	40.59	1.35	15.39	11.66	79.6	181	23.4	11.5	435	2.40	52.1	1.8	11.5	7.4	55.4
1884909	Drill Core	2.41	375	0.016	0.01	<0.17	38.94	0.62	9.25	16.09	76.3	142	14.1	6.1	415	2.54	424.0	0.9	21.4	8.9	19.0
1884910	Drill Core	2.87	432	0.013	0.01	<0.17	42.59	0.82	19.04	19.13	83.3	196	18.3	7.7	522	2.64	239.7	0.9	9.1	8.2	29.9
1884911	Drill Core	3.03	403	0.008	<0.01	<0.17	35.38	2.36	29.59	10.28	83.8	303	24.0	9.9	459	2.66	95.2	1.1	4.7	7.4	24.6
1884912	Drill Core	4.22	527	1.064	1.05	0.90	41.04	1.92	32.48	37.67	206.4	1258	19.6	10.3	486	2.64	41.9	2.2	1141.7	5.3	48.2
1884913	Drill Core	1.87	420	0.007	<0.01	<0.17	30.08	2.57	54.94	36.55	258.0	709	39.9	14.3	747	3.15	243.5	1.2	2.6	3.5	29.8
1884914	Drill Core	1.43	411	0.033	0.03	<0.17	36.83	2.90	57.07	93.93	270.9	1242	35.1	15.5	753	3.60	207.3	1.8	58.2	3.9	31.7
1884915	Drill Core	2.94	383	0.014	0.01	<0.17	37.58	2.73	49.63	15.16	112.4	514	34.1	14.1	663	3.30	172.2	2.7	8.4	4.1	41.3
1884916	Drill Core	3.53	463	0.374	0.38	0.40	42.14	3.07	51.09	34.10	188.1	1022	34.8	16.2	668	3.69	91.4	2.9	647.1	3.9	48.7
1884917	Drill Core	3.69	441	0.008	<0.01	<0.17	38.22	2.67	60.74	26.45	118.4	693	30.8	13.3	779	3.69	188.5	2.3	2.8	3.4	43.2
1884918	Drill Core	3.18	434	0.006	<0.01	<0.17	49.77	2.45	33.62	23.81	118.6	429	32.7	15.7	1126	3.66	116.3	0.6	1.4	3.1	64.4
1884919	Drill Core	3.61	464	0.006	<0.01	<0.17	41.25	2.40	33.36	26.06	118.0	505	34.1	15.7	1171	3.57	79.3	0.7	2.4	3.1	44.6
1884920	Rock Pulp	0.12	88	0.540				7.47	120.82	86.45	150.6	762	13.4	5.5	633	2.59	45.0	0.5	587.0	2.4	37.6
1884921	Drill Core	3.06	394	0.231	0.23	0.17	40.11	2.33	29.97	12.21	71.1	532	37.4	15.8	1462	4.03	59.1	0.5	221.9	3.1	252.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884892	Drill Core	0.31	0.37	0.03	20	0.68	0.060	19.6	20.3	0.84	147.2	0.004	<1	1.10	0.011	0.21	<0.1	5.4	0.07	<0.02	6			
1884893	Drill Core	0.36	0.27	0.03	16	0.20	0.063	19.8	18.6	0.68	156.5	0.001	<1	1.05	0.009	0.22	0.2	3.7	0.08	<0.02	<5			
1884894	Drill Core	0.35	0.50	0.09	16	0.75	0.060	13.7	18.7	0.85	156.1	0.004	2	1.12	0.014	0.18	<0.1	4.5	0.06	<0.02	<5			
1884895	Drill Core	0.36	0.67	0.16	16	0.85	0.063	18.3	18.6	1.04	155.5	0.004	1	1.38	0.014	0.26	<0.1	3.9	0.10	<0.02	7			
1884896	Drill Core	0.37	0.34	0.06	14	0.21	0.046	16.3	17.7	0.78	115.9	0.001	1	1.15	0.013	0.18	<0.1	2.7	0.06	<0.02	<5			
1884897	Drill Core	0.31	0.31	0.13	18	0.81	0.059	17.5	24.1	1.11	117.3	0.002	2	1.37	0.012	0.18	<0.1	3.4	0.06	<0.02	8			
1884898	Drill Core	0.31	0.78	0.08	30	1.43	0.068	18.1	40.2	1.02	139.0	0.043	<1	1.38	0.015	0.20	0.3	5.0	0.10	<0.02	10			
1884899	Drill Core	0.24	0.98	<0.02	27	1.14	0.072	14.4	30.2	0.97	116.3	0.081	2	1.40	0.020	0.22	1.0	4.6	0.10	<0.02	<5			
1884900	Rock Pulp	0.19	4.66	0.55	116	0.99	0.059	8.0	18.6	0.85	119.2	0.119	3	1.89	0.202	0.23	3.9	3.6	0.07	<0.02	226			
1884901	Drill Core	0.55	0.63	0.07	36	2.25	0.085	20.8	63.2	1.38	114.0	0.023	<1	1.93	0.015	0.23	0.2	6.0	0.10	<0.02	5			
1884902	Drill Core	0.29	0.73	0.09	54	2.47	0.061	10.4	134.0	1.71	111.2	0.044	<1	1.73	0.026	0.27	0.2	7.5	0.14	0.12	<5			
1884903	Drill Core	0.81	1.17	0.05	49	2.64	0.060	12.7	121.9	1.69	191.6	0.063	1	1.65	0.014	0.31	0.5	7.5	0.13	0.15	<5			
1884904	Drill Core	0.85	0.29	0.10	17	0.85	0.028	9.0	44.1	0.58	122.3	0.002	<1	0.74	0.014	0.11	<0.1	3.0	0.04	<0.02	6			
1884905	Drill Core	0.54	1.29	0.04	53	4.12	0.062	14.6	130.9	1.68	106.4	0.004	<1	1.85	0.010	0.15	<0.1	6.7	0.06	<0.02	<5			
1884906	Drill Core	0.53	4.35	0.07	69	2.02	0.063	14.8	160.6	1.99	117.6	0.029	<1	2.09	0.033	0.15	0.2	8.5	0.04	0.04	5			
1884907	Drill Core	0.52	4.47	0.07	65	1.92	0.068	12.1	150.2	2.15	111.2	0.057	<1	2.13	0.025	0.16	0.5	8.9	0.05	0.12	<5			
1884908	Drill Core	0.37	2.31	0.07	23	1.16	0.059	8.3	42.5	1.42	129.2	0.024	<1	1.51	0.009	0.21	0.2	3.5	0.06	0.11	<5			
1884909	Drill Core	0.15	8.03	0.04	21	0.32	0.053	13.4	23.5	1.45	139.7	0.032	<1	1.70	0.023	0.27	0.3	2.7	0.08	<0.02	<5			
1884910	Drill Core	0.19	5.78	0.04	23	0.84	0.054	10.1	24.7	1.56	135.0	0.031	<1	1.66	0.015	0.36	0.2	2.7	0.11	0.02	<5			
1884911	Drill Core	0.28	3.59	0.04	22	0.52	0.057	7.2	23.0	1.55	165.9	0.029	1	1.61	0.016	0.42	0.2	2.4	0.16	0.16	<5			
1884912	Drill Core	1.48	1.95	0.70	21	0.25	0.052	9.3	13.4	1.12	197.9	0.041	1	1.14	0.004	0.39	0.6	2.4	0.15	0.04	6			
1884913	Drill Core	1.86	3.40	0.34	36	0.68	0.075	5.6	23.2	1.63	137.9	0.033	1	1.66	0.004	0.49	0.2	2.9	0.19	0.18	<5			
1884914	Drill Core	1.45	5.25	0.46	39	0.37	0.072	6.1	25.0	1.79	136.0	0.043	<1	1.89	0.003	0.42	0.3	3.1	0.19	0.10	<5			
1884915	Drill Core	0.71	5.01	0.09	35	0.61	0.073	8.5	21.7	1.33	143.6	0.046	<1	1.50	0.006	0.40	0.2	3.2	0.17	0.02	<5			
1884916	Drill Core	2.51	2.25	0.30	29	0.32	0.077	8.8	17.2	1.27	143.2	0.028	<1	1.40	0.005	0.32	0.3	2.6	0.11	0.21	<5			
1884917	Drill Core	0.77	2.09	0.25	47	0.93	0.075	4.9	24.6	2.03	94.7	0.029	<1	2.02	0.006	0.18	0.2	3.3	0.07	0.49	<5			
1884918	Drill Core	0.54	1.29	0.14	48	2.13	0.071	3.9	25.9	2.62	80.2	0.038	<1	2.33	0.004	0.24	0.2	3.6	0.08	0.87	<5			
1884919	Drill Core	0.76	1.08	0.15	42	1.45	0.073	4.7	23.6	2.53	75.4	0.024	<1	2.24	0.003	0.28	0.1	3.1	0.10	0.32	<5			
1884920	Rock Pulp	0.53	2.46	0.10	31	0.89	0.035	6.9	26.0	0.52	88.3	0.090	7	1.33	0.143	0.14	4.8	3.2	0.23	0.09	177			
1884921	Drill Core	0.69	0.95	0.09	37	3.85	0.072	3.4	20.1	2.06	97.8	0.044	<1	1.61	0.005	0.49	0.4	3.5	0.19	2.10	6			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884892	Drill Core	0.3	<0.02	4.1	1.20	<0.1	0.11	<0.02	10.0	0.2	<0.05	4.0	12.12	39.9	<0.02	<1	0.4	19.0	<10	<2			
1884893	Drill Core	<0.1	<0.02	3.9	1.34	<0.1	0.04	<0.02	10.2	0.3	<0.05	2.3	6.90	38.5	<0.02	<1	0.3	14.9	<10	<2			
1884894	Drill Core	0.4	0.02	4.0	1.02	<0.1	0.06	<0.02	7.3	0.2	<0.05	1.8	8.51	31.2	<0.02	<1	0.3	15.4	<10	<2			
1884895	Drill Core	<0.1	0.03	4.9	3.73	<0.1	0.04	<0.02	12.9	0.3	<0.05	1.6	10.17	37.4	<0.02	<1	0.3	21.8	<10	<2			
1884896	Drill Core	0.2	<0.02	3.9	2.20	<0.1	0.03	<0.02	8.6	0.4	<0.05	1.2	6.92	33.0	<0.02	<1	0.3	19.0	<10	<2			
1884897	Drill Core	0.1	<0.02	5.4	1.58	<0.1	0.02	<0.02	9.4	0.2	<0.05	1.0	8.43	36.0	<0.02	<1	0.3	20.9	<10	<2			
1884898	Drill Core	0.3	<0.02	6.2	2.80	<0.1	0.08	0.03	12.3	0.5	<0.05	1.8	12.78	36.1	<0.02	<1	0.7	23.9	<10	<2			
1884899	Drill Core	<0.1	<0.02	6.0	2.31	<0.1	0.06	0.10	12.8	0.5	<0.05	1.4	10.93	30.6	<0.02	<1	0.5	19.7	<10	<2			
1884900	Rock Pulp	0.2	0.18	5.6	0.74	0.1	0.10	0.10	8.2	1.7	<0.05	1.9	5.41	15.5	0.06	<1	0.2	6.7	<10	<2			
1884901	Drill Core	0.4	0.03	8.0	3.16	<0.1	0.06	<0.02	12.2	0.3	<0.05	2.2	13.65	41.2	0.03	<1	0.6	23.1	<10	<2			
1884902	Drill Core	0.9	0.05	7.3	3.32	<0.1	0.05	<0.02	14.3	0.3	<0.05	1.4	10.50	20.4	0.03	4	0.5	22.7	<10	<2			
1884903	Drill Core	1.0	0.08	6.5	3.17	<0.1	0.07	0.03	15.8	0.5	<0.05	2.0	12.12	24.2	0.03	4	0.7	26.6	<10	<2			
1884904	Drill Core	0.3	0.04	2.9	1.49	<0.1	<0.02	<0.02	5.0	0.2	<0.05	0.6	4.98	16.4	<0.02	<1	0.4	13.1	<10	<2			
1884905	Drill Core	0.7	0.04	7.9	1.95	<0.1	0.02	<0.02	7.5	0.3	<0.05	0.9	13.12	28.6	0.03	<1	0.5	27.4	<10	<2			
1884906	Drill Core	0.6	0.04	9.3	0.75	<0.1	0.06	<0.02	5.7	0.3	<0.05	2.1	12.21	29.4	0.03	<1	0.5	22.7	<10	<2			
1884907	Drill Core	0.9	0.04	8.6	0.63	<0.1	0.10	<0.02	5.9	0.4	<0.05	3.2	10.20	22.8	0.03	8	0.4	23.5	<10	<2			
1884908	Drill Core	0.4	0.03	5.2	0.67	<0.1	0.15	<0.02	7.9	0.2	<0.05	5.8	5.29	15.6	<0.02	6	0.3	13.5	<10	<2			
1884909	Drill Core	0.2	0.05	6.1	0.77	<0.1	0.29	<0.02	10.2	0.3	<0.05	10.1	6.14	26.4	<0.02	<1	0.3	17.2	<10	<2			
1884910	Drill Core	0.2	<0.02	5.9	1.49	<0.1	0.37	<0.02	15.1	0.2	<0.05	12.9	5.25	19.0	<0.02	<1	0.3	16.7	<10	<2			
1884911	Drill Core	0.5	<0.02	5.0	3.90	<0.1	0.36	<0.02	18.2	0.2	<0.05	12.2	4.79	13.5	<0.02	2	0.3	18.6	<10	<2			
1884912	Drill Core	1.2	0.12	3.7	4.53	<0.1	0.33	<0.02	17.3	0.4	<0.05	12.4	7.74	17.1	0.03	<1	0.4	14.9	<10	<2			
1884913	Drill Core	1.8	0.06	4.0	6.30	<0.1	0.27	<0.02	20.9	0.3	<0.05	11.0	7.64	10.2	<0.02	1	0.2	15.7	<10	<2			
1884914	Drill Core	1.8	0.11	4.4	4.83	<0.1	0.25	<0.02	18.2	0.3	<0.05	10.4	7.46	11.1	0.03	3	0.2	21.3	<10	<2			
1884915	Drill Core	1.2	0.05	3.9	3.71	<0.1	0.20	<0.02	16.9	0.2	<0.05	8.1	7.14	15.9	<0.02	<1	0.3	17.8	<10	<2			
1884916	Drill Core	1.9	0.09	3.9	3.69	<0.1	0.24	<0.02	13.5	0.2	<0.05	9.8	6.79	16.3	<0.02	<1	0.3	16.9	<10	<2			
1884917	Drill Core	1.8	0.08	5.6	1.43	<0.1	0.20	<0.02	7.0	0.4	<0.05	7.6	5.95	9.0	<0.02	2	0.2	26.1	<10	<2			
1884918	Drill Core	1.7	0.05	5.9	1.44	<0.1	0.22	<0.02	8.8	0.2	<0.05	8.4	5.91	7.2	<0.02	2	0.2	23.5	<10	<2			
1884919	Drill Core	1.2	0.05	5.4	1.76	<0.1	0.24	<0.02	10.5	0.2	<0.05	10.0	5.72	8.6	<0.02	<1	0.2	22.7	<10	<2			
1884920	Rock Pulp	0.2	0.05	5.0	0.24	<0.1	0.21	0.16	2.9	2.0	<0.05	5.4	8.32	12.4	<0.02	1	0.3	1.4	<10	<2			
1884921	Drill Core	2.6	0.11	4.9	3.68	<0.1	0.26	<0.02	22.1	0.3	<0.05	10.0	8.92	6.7	<0.02	<1	0.5	13.7	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1884922	Drill Core	3.23	421	0.047	0.04	<0.17	40.37	2.80	41.73	29.74	143.5	535	44.0	18.6	776	3.68	179.4	0.6	30.4	43.4
1884923	Drill Core	1.66	416	0.007	<0.01	<0.17	41.61	3.10	60.46	35.46	149.9	496	42.1	17.0	582	3.49	187.2	0.5	3.5	20.8
1884924	Drill Core	1.56	395	0.006	<0.01	<0.17	31.44	2.62	49.64	28.08	133.6	581	36.5	15.0	721	3.05	97.0	0.5	3.1	47.1
1884925	Drill Core	3.18	436	<0.005	<0.01	<0.17	40.99	2.48	45.67	22.60	184.1	495	35.6	14.3	875	3.13	93.8	0.7	0.9	52.9
1884926	Drill Core	3.18	413	0.005	<0.01	<0.17	43.42	2.77	47.08	18.95	156.2	501	41.6	13.9	965	3.01	198.3	1.0	1.5	33.0
1884927	Drill Core	2.85	406	0.008	<0.01	<0.17	41.33	2.80	55.73	22.03	243.3	743	44.3	14.5	676	3.00	345.5	1.4	3.7	30.1
1884928	Drill Core	2.81	391	0.006	<0.01	<0.17	37.45	2.92	53.18	38.77	254.0	900	37.3	14.5	1146	3.64	54.6	1.1	1.7	57.9
1884929	Drill Core	3.68	428	0.226	0.23	0.22	44.94	2.92	72.68	8.85	209.2	1252	39.1	16.0	658	3.73	45.7	1.3	201.9	37.1
1884930	Drill Core	1.27	543	0.492	0.49	0.52	42.42	0.92	44.63	10.12	273.1	958	30.1	14.1	534	3.07	28.5	1.2	730.8	64.8
1884931	Drill Core	3.43	464	0.134	0.13	<0.17	42.11	1.90	28.08	10.84	114.5	547	21.3	11.8	500	3.20	19.7	0.8	103.9	29.0
1884932	Drill Core	2.28	482	<0.005	<0.01	<0.17	40.58	1.84	31.80	10.65	90.3	469	26.5	13.9	511	2.94	20.6	1.3	2.9	31.4
1884933	Drill Core	1.74	452	0.032	0.03	<0.17	38.20	0.94	10.95	4.77	33.9	204	9.9	5.0	331	1.41	5.2	0.3	47.7	65.7
1884934	Drill Core	3.18	404	0.035	0.03	<0.17	36.16	2.07	31.02	7.63	94.3	430	25.5	13.1	592	3.01	15.1	1.0	21.9	78.3
1884935	Drill Core	1.28	409	0.158	0.14	<0.17	38.55	1.02	42.06	7.90	139.3	678	22.4	11.5	303	2.50	12.0	1.5	108.6	46.2
1884936	Drill Core	1.74	417	0.858	0.83	0.61	40.96	0.38	5.34	2.50	44.9	286	12.9	7.0	535	1.85	4.6	0.5	645.6	235.5
1884937	Drill Core	3.45	440	0.343	0.35	0.39	38.96	1.61	24.59	4.12	84.8	443	24.1	11.7	696	3.04	15.5	1.3	397.0	161.7
1884938	Drill Core	2.08	524	0.465	0.45	0.21	37.96	0.69	15.28	3.55	64.6	320	18.8	7.9	532	2.05	14.4	0.6	412.8	210.7
1884939	Drill Core	2.60	458	0.185	0.19	0.25	32.42	1.06	22.68	7.07	83.7	394	30.0	13.1	717	2.95	24.5	1.2	172.3	242.1
1884940	Rock Pulp	0.12	86	<0.005				3.84	21.61	0.95	31.4	19	7.0	4.2	576	2.34	1.5	0.4	12.9	29.9
1884941	Drill Core	2.86	423	0.010	<0.01	<0.17	32.50	1.82	39.50	14.91	77.2	466	27.4	12.6	480	2.92	32.6	0.7	11.0	47.3
1884942	Drill Core	3.04	391	0.139	0.14	<0.17	40.46	1.79	40.87	5.90	133.2	402	29.9	10.5	497	2.68	24.8	0.8	148.0	90.3
1884943	Drill Core	3.04	392	0.008	<0.01	<0.17	39.21	1.86	33.33	16.72	104.5	374	24.7	11.4	514	2.76	47.3	0.8	5.3	71.8
1884944	Drill Core	3.15	408	0.007	<0.01	<0.17	36.72	1.72	29.50	17.50	66.1	364	24.6	9.9	496	2.59	148.1	0.8	5.3	60.6
1884945	Drill Core	3.01	414	0.005	<0.01	<0.17	34.38	1.74	30.68	18.32	103.1	430	28.0	11.3	703	2.88	39.6	0.8	3.3	88.7
1884946	Drill Core	3.17	384	<0.005	<0.01	<0.17	36.45	1.87	30.23	7.49	125.4	212	30.2	11.4	606	2.81	34.4	0.9	1.2	97.4
1884947	Drill Core	3.07	409	<0.005	<0.01	<0.17	38.30	1.73	24.60	16.91	82.2	227	22.3	10.7	613	2.73	125.4	0.8	8.8	93.7
1884948	Drill Core	3.18	406	<0.005	<0.01	<0.17	35.76	1.55	23.04	32.14	71.8	423	16.4	7.8	389	2.42	100.3	0.4	1.9	63.8
1884949	Drill Core	3.08	399	<0.005	<0.01	<0.17	31.94	1.25	21.07	16.30	81.1	242	17.7	7.7	363	2.72	60.1	0.4	1.0	60.3
1884950	Drill Core	3.04	410	0.009	<0.01	<0.17	37.90	1.78	25.10	13.88	72.2	248	22.7	10.9	454	2.55	65.9	0.9	<0.2	81.8
1884951	Drill Core	3.93	418	0.006	<0.01	<0.17	39.66	1.65	25.40	10.38	74.2	286	24.6	10.7	492	2.86	173.9	1.0	1.7	48.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884922	Drill Core	1.11	1.24	0.12	33	1.19	0.079	3.4	19.4	1.69	71.7	0.043	<1	1.56	0.004	0.44	0.3	2.3	0.16	1.83	<5			
1884923	Drill Core	1.46	0.66	0.14	25	0.83	0.076	3.0	15.8	1.33	64.2	0.020	<1	1.34	0.004	0.38	0.1	1.8	0.15	1.59	<5			
1884924	Drill Core	0.90	1.38	0.13	28	1.30	0.069	3.5	17.0	1.44	91.2	0.032	<1	1.35	0.004	0.46	0.2	2.2	0.18	1.21	<5			
1884925	Drill Core	1.53	1.17	0.23	32	1.71	0.075	3.4	22.5	1.85	92.3	0.035	<1	1.57	0.004	0.45	0.3	2.5	0.18	1.07	<5			
1884926	Drill Core	0.72	1.78	0.31	38	1.14	0.074	4.7	27.6	2.01	104.2	0.036	1	1.76	0.004	0.43	0.4	2.7	0.20	0.53	<5			
1884927	Drill Core	1.39	2.76	0.27	40	0.43	0.078	5.7	29.2	1.92	109.5	0.050	<1	1.71	0.004	0.56	0.4	2.6	0.30	0.40	<5			
1884928	Drill Core	1.97	2.46	0.40	59	1.30	0.076	7.7	30.7	2.44	131.3	0.059	<1	2.25	0.006	0.51	0.4	4.6	0.28	0.16	<5			
1884929	Drill Core	1.81	1.42	0.14	45	0.48	0.085	8.5	26.3	1.61	156.7	0.065	1	1.86	0.004	0.49	0.5	3.6	0.25	0.58	6			
1884930	Drill Core	5.34	0.62	0.11	22	0.83	0.046	4.1	14.5	1.05	82.0	0.047	<1	1.11	0.008	0.52	0.6	2.1	0.27	1.43	18			
1884931	Drill Core	0.31	0.97	0.16	32	0.46	0.068	7.1	24.8	1.89	129.4	0.046	<1	1.88	0.012	0.43	0.5	3.2	0.22	0.47	<5			
1884932	Drill Core	0.36	1.22	0.13	34	0.55	0.068	6.7	25.2	1.76	125.5	0.049	<1	1.72	0.008	0.52	0.3	3.0	0.28	0.35	<5			
1884933	Drill Core	0.20	0.55	0.06	18	0.73	0.022	3.6	15.4	0.77	85.7	0.028	<1	0.73	0.006	0.34	0.4	1.8	0.17	0.15	<5			
1884934	Drill Core	0.32	0.61	0.07	34	0.93	0.069	6.3	40.1	2.06	124.9	0.057	1	1.87	0.008	0.75	0.4	2.9	0.39	0.31	<5			
1884935	Drill Core	1.09	0.81	0.10	24	0.53	0.074	6.7	38.3	1.32	134.1	0.050	1	1.17	0.007	0.61	0.5	2.1	0.30	1.15	7			
1884936	Drill Core	0.67	0.43	0.02	14	2.07	0.038	2.2	16.5	1.03	132.8	0.021	1	0.73	0.009	0.48	0.3	2.5	0.21	0.89	9			
1884937	Drill Core	0.61	1.68	0.07	32	1.73	0.086	4.0	33.3	1.74	129.9	0.044	<1	1.47	0.006	0.72	0.3	3.1	0.33	0.95	<5			
1884938	Drill Core	0.67	0.90	0.05	17	2.00	0.049	3.7	15.4	0.96	116.6	0.020	<1	0.79	0.005	0.34	0.3	2.1	0.13	0.89	<5			
1884939	Drill Core	0.55	0.85	0.07	26	2.21	0.063	3.5	19.7	1.58	139.5	0.028	<1	1.32	0.006	0.51	0.3	2.9	0.19	1.38	<5			
1884940	Rock Pulp	0.02	0.16	<0.02	23	0.75	0.041	5.8	15.4	0.48	58.2	0.071	2	1.00	0.072	0.08	0.3	3.3	<0.02	0.05	<5			
1884941	Drill Core	0.16	1.36	0.13	35	0.78	0.074	4.3	22.4	1.84	116.0	0.020	<1	1.71	0.006	0.31	0.1	2.4	0.10	0.39	<5			
1884942	Drill Core	0.88	1.24	0.07	30	1.20	0.083	4.6	23.2	1.50	141.0	0.027	<1	1.39	0.005	0.36	0.3	2.3	0.14	0.51	<5			
1884943	Drill Core	0.45	0.99	0.18	26	1.07	0.080	3.9	23.6	1.57	135.5	0.015	<1	1.50	0.005	0.34	<0.1	2.4	0.12	0.36	<5			
1884944	Drill Core	0.23	1.12	0.24	27	0.92	0.077	4.9	16.8	1.53	136.3	0.011	<1	1.48	0.004	0.23	<0.1	2.1	0.07	0.22	<5			
1884945	Drill Core	1.15	0.73	0.36	32	1.40	0.076	4.5	24.0	1.74	147.5	0.008	<1	1.68	0.006	0.22	<0.1	3.0	0.06	0.23	<5			
1884946	Drill Core	1.08	1.14	0.13	28	1.38	0.083	4.5	20.7	1.50	158.9	0.010	<1	1.44	0.005	0.22	<0.1	2.3	0.06	0.41	<5			
1884947	Drill Core	0.42	2.81	0.15	29	1.33	0.076	4.9	38.9	1.84	124.9	0.009	<1	1.67	0.006	0.22	<0.1	3.0	0.06	0.29	<5			
1884948	Drill Core	0.37	0.81	0.38	22	0.86	0.069	4.5	33.3	1.73	98.6	0.004	<1	1.51	0.004	0.16	<0.1	2.4	0.04	0.18	<5			
1884949	Drill Core	0.22	0.86	0.14	27	0.81	0.074	5.9	44.3	1.93	96.1	0.004	<1	1.75	0.007	0.16	<0.1	3.2	0.05	0.19	<5			
1884950	Drill Core	0.29	1.29	0.19	28	1.10	0.077	5.0	36.4	1.68	102.0	0.003	<1	1.50	0.007	0.15	<0.1	3.0	0.04	0.32	<5			
1884951	Drill Core	0.17	2.05	0.13	29	0.78	0.078	5.2	25.5	1.70	106.0	0.002	<1	1.59	0.006	0.17	<0.1	2.4	0.08	0.42	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 28, 2019

Page: 5 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884922	Drill Core	2.2	0.08	3.8	2.84	<0.1	0.22	0.02	18.4	0.2	<0.05	7.6	5.59	6.5	<0.02	3	0.3	15.6	<10
1884923	Drill Core	2.3	0.07	3.1	2.21	<0.1	0.12	<0.02	15.5	0.1	<0.05	4.5	3.67	5.6	<0.02	3	0.2	13.3	10
1884924	Drill Core	1.6	0.04	3.3	2.20	<0.1	0.12	<0.02	18.4	0.2	<0.05	4.4	4.49	6.4	<0.02	3	0.2	13.2	<10
1884925	Drill Core	1.8	0.05	3.8	3.70	<0.1	0.16	<0.02	19.8	0.2	<0.05	5.9	5.44	6.4	<0.02	4	0.2	14.3	<10
1884926	Drill Core	1.8	0.04	4.3	6.46	<0.1	0.27	<0.02	19.2	0.3	<0.05	10.0	6.02	8.5	<0.02	2	0.2	16.1	<10
1884927	Drill Core	2.1	0.08	4.1	7.75	<0.1	0.23	<0.02	27.6	0.3	<0.05	8.9	6.60	10.6	<0.02	5	0.2	15.7	<10
1884928	Drill Core	2.4	0.05	6.0	5.15	<0.1	0.24	<0.02	23.9	0.5	<0.05	9.7	9.39	14.4	<0.02	2	0.4	24.0	<10
1884929	Drill Core	2.9	0.05	5.7	5.56	<0.1	0.32	<0.02	24.8	0.4	<0.05	12.8	8.43	16.7	<0.02	<1	0.5	21.6	<10
1884930	Drill Core	3.1	0.08	3.7	5.54	<0.1	0.32	0.02	27.9	0.4	<0.05	11.1	5.67	7.9	0.03	<1	0.5	9.2	13
1884931	Drill Core	1.6	0.04	5.6	5.94	<0.1	0.40	<0.02	22.1	0.3	<0.05	14.6	7.13	13.6	<0.02	<1	0.3	18.7	<10
1884932	Drill Core	1.3	0.03	4.9	6.31	<0.1	0.26	<0.02	27.1	0.3	<0.05	9.1	6.32	12.3	<0.02	3	0.3	17.5	<10
1884933	Drill Core	0.3	0.03	2.5	3.39	<0.1	0.13	<0.02	17.1	0.2	<0.05	4.6	3.31	6.7	<0.02	<1	0.3	7.3	<10
1884934	Drill Core	0.9	0.02	5.8	9.70	<0.1	0.36	<0.02	41.1	0.3	<0.05	13.0	7.77	12.1	<0.02	2	0.5	24.6	<10
1884935	Drill Core	0.8	0.03	4.4	6.40	<0.1	0.39	0.09	35.0	0.5	<0.05	13.0	6.60	14.5	0.04	1	0.7	16.3	<10
1884936	Drill Core	0.5	0.05	2.6	4.77	<0.1	0.17	0.03	25.7	0.4	<0.05	6.3	4.94	4.7	0.03	<1	0.4	8.6	<10
1884937	Drill Core	0.9	0.03	5.0	9.10	<0.1	0.30	0.05	38.6	0.3	<0.05	10.8	6.63	8.7	<0.02	3	0.4	17.3	<10
1884938	Drill Core	1.1	0.03	2.7	3.40	<0.1	0.16	0.03	17.4	0.2	<0.05	6.5	5.38	7.8	<0.02	<1	0.4	10.7	<10
1884939	Drill Core	1.7	0.05	4.3	4.67	<0.1	0.24	0.03	24.3	0.3	<0.05	9.0	6.28	7.3	<0.02	<1	0.3	14.8	<10
1884940	Rock Pulp	<0.1	<0.02	3.9	0.14	0.1	0.14	0.33	2.0	1.8	<0.05	3.2	7.83	11.4	<0.02	<1	0.2	1.0	<10
1884941	Drill Core	1.3	0.03	3.9	1.61	<0.1	0.11	<0.02	12.5	0.1	<0.05	4.4	3.40	8.6	<0.02	2	0.2	17.4	<10
1884942	Drill Core	1.4	0.03	3.8	2.19	<0.1	0.12	0.03	16.4	0.1	<0.05	4.0	4.87	9.8	<0.02	2	0.2	14.0	<10
1884943	Drill Core	1.2	0.04	4.0	3.23	<0.1	0.12	0.05	15.4	<0.1	<0.05	4.2	3.50	7.9	<0.02	2	0.2	15.3	<10
1884944	Drill Core	1.1	0.04	3.8	1.49	<0.1	0.10	<0.02	9.3	0.1	<0.05	4.2	3.83	9.7	<0.02	<1	0.2	17.1	<10
1884945	Drill Core	1.4	0.07	4.5	1.10	<0.1	0.14	<0.02	8.2	0.1	<0.05	4.3	4.00	9.1	<0.02	3	0.2	18.0	<10
1884946	Drill Core	1.8	0.04	3.9	0.95	<0.1	0.08	<0.02	8.1	0.2	<0.05	3.0	4.22	8.9	<0.02	2	0.2	15.3	<10
1884947	Drill Core	0.8	0.04	4.5	1.64	<0.1	0.13	<0.02	8.4	0.2	<0.05	5.3	3.70	9.8	<0.02	<1	0.2	19.1	<10
1884948	Drill Core	1.0	0.05	4.5	1.50	<0.1	0.18	<0.02	7.0	0.1	<0.05	6.8	3.34	9.2	<0.02	2	0.2	18.2	<10
1884949	Drill Core	0.8	0.02	5.6	2.28	<0.1	0.24	<0.02	6.8	0.2	<0.05	9.8	3.57	11.9	<0.02	1	0.2	25.6	<10
1884950	Drill Core	0.9	0.03	4.5	2.15	<0.1	0.14	<0.02	6.2	0.1	<0.05	5.4	3.93	10.0	<0.02	2	0.2	20.4	<10
1884951	Drill Core	1.1	0.04	4.3	4.59	<0.1	0.15	<0.02	8.6	0.1	<0.05	6.1	5.07	10.5	<0.02	2	0.3	32.5	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1884952	Drill Core	2.77	428	0.051	0.05	<0.17	45.05	1.45	22.97	14.15	94.0	658	17.2	7.5	392	2.17	88.5	1.0	39.0	6.9	39.6
1884953	Drill Core	3.08	387	0.157	0.15	<0.17	39.76	1.15	60.93	86.21	206.8	897	20.9	6.7	413	1.81	35.1	1.0	108.0	10.1	34.2
1884954	Drill Core	3.19	406	0.019	0.02	<0.17	30.44	5.76	107.42	130.77	168.7	4429	18.8	6.8	594	2.16	21.0	1.3	16.0	11.0	92.3
1884955	Drill Core	2.83	423	0.006	<0.01	<0.17	44.74	1.56	9.12	17.12	114.1	275	8.1	5.0	377	1.49	3.1	2.0	3.3	9.9	106.1
1884956	Drill Core	3.58	432	0.036	0.03	<0.17	39.71	0.27	6.23	19.29	15.8	394	0.4	0.4	97	0.39	6.1	1.1	35.2	13.6	31.7
1884957	Drill Core	3.55	458	0.011	0.01	<0.17	33.07	0.20	5.02	9.22	13.3	391	0.4	0.3	55	0.26	1.5	0.6	5.4	10.7	2.3
1884958	Drill Core	1.79	435	0.008	<0.01	<0.17	40.21	0.25	4.55	13.89	18.4	278	0.3	0.3	50	0.28	2.2	0.7	6.2	15.4	2.4
1884959	Drill Core	1.49	520	0.037	0.03	<0.17	37.81	0.27	2.94	8.61	9.2	152	0.2	0.2	46	0.24	1.2	0.8	7.8	16.0	4.9
1884960	Core DUP		473	0.015	0.01	<0.17	41.68	0.29	3.37	8.55	9.2	149	0.3	0.2	47	0.26	1.4	0.8	7.7	16.7	5.2
1884961	Drill Core	3.22	419	0.013	0.01	<0.17	41.95	1.70	4.70	12.28	11.1	263	0.4	0.4	110	0.39	2.9	2.1	6.8	15.5	23.0
1884962	Drill Core	3.26	416	<0.005	<0.01	<0.17	41.18	0.26	4.30	17.35	26.5	220	0.8	1.0	151	0.59	0.7	2.6	3.7	12.1	54.9
1884963	Drill Core	3.09	387	0.005	<0.01	<0.17	36.06	0.50	4.12	20.64	20.3	262	0.6	0.6	116	0.47	0.2	2.8	0.7	12.6	48.2
1884964	Drill Core	3.35	464	<0.005	<0.01	<0.17	42.15	0.34	4.80	9.90	22.3	181	1.0	0.8	118	0.60	0.8	1.8	0.8	9.7	33.5
1884965	Drill Core	2.77	410	0.005	<0.01	<0.17	38.24	0.21	5.47	35.41	25.9	485	1.5	0.7	162	0.65	0.2	2.4	1.8	11.4	78.7
1884966	Drill Core	2.60	405	<0.005	<0.01	<0.17	43.32	0.22	4.39	14.81	18.1	188	0.8	0.7	115	0.50	0.2	2.4	<0.2	13.1	66.1
1884967	Drill Core	2.79	445	<0.005	<0.01	<0.17	37.73	0.51	5.68	19.43	9.6	159	0.4	0.5	90	0.31	0.7	2.2	<0.2	12.6	67.3
1884968	Drill Core	3.24	428	<0.005	<0.01	<0.17	43.29	0.94	4.31	40.55	4.7	312	0.3	0.3	82	0.30	0.3	2.0	0.6	13.8	70.4
1884969	Drill Core	1.50	388	0.011	<0.01	<0.17	46.40	0.15	2.21	6.81	4.8	154	0.3	0.4	84	0.42	2.7	1.0	7.3	10.5	66.5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884952	Drill Core	0.92	1.31	0.09	16	0.68	0.063	15.6	17.7	0.69	114.5	0.001	<1	0.94	0.009	0.19	0.1	2.2	0.08	0.34	<5
1884953	Drill Core	1.98	0.87	0.20	17	0.60	0.072	26.6	22.9	0.65	142.8	0.002	<1	0.88	0.012	0.20	0.1	2.4	0.10	0.08	<5
1884954	Drill Core	3.54	0.93	3.68	19	1.80	0.065	27.4	23.0	0.69	151.6	0.001	<1	1.00	0.008	0.22	0.2	2.6	0.09	0.36	<5
1884955	Drill Core	0.55	0.37	0.22	11	1.75	0.040	18.5	13.2	0.73	284.9	0.003	<1	0.91	0.007	0.24	0.1	2.6	0.10	0.10	5
1884956	Drill Core	0.25	0.27	0.29	<1	0.44	0.005	34.4	1.0	0.08	348.8	<0.001	<1	0.27	0.012	0.23	<0.1	0.8	0.06	0.07	<5
1884957	Drill Core	0.12	0.30	0.06	<1	0.02	0.003	27.0	0.7	0.06	82.1	<0.001	<1	0.23	0.009	0.21	<0.1	0.4	0.05	<0.02	<5
1884958	Drill Core	0.13	0.28	0.09	<1	0.02	0.004	34.1	1.3	0.06	81.2	<0.001	<1	0.21	0.008	0.18	<0.1	0.4	0.05	<0.02	<5
1884959	Drill Core	0.08	0.18	0.03	<1	0.07	0.004	34.1	1.3	0.09	226.8	<0.001	<1	0.24	0.008	0.18	<0.1	0.4	0.05	<0.02	<5
1884960	Core DUP	0.07	0.19	0.03	<1	0.07	0.004	31.7	1.5	0.09	220.9	<0.001	<1	0.24	0.009	0.19	<0.1	0.4	0.05	<0.02	<5
1884961	Drill Core	0.35	0.28	0.21	<1	0.43	0.005	22.3	1.7	0.10	744.5	<0.001	<1	0.27	0.011	0.21	<0.1	0.7	0.05	0.12	<5
1884962	Drill Core	0.43	0.37	0.26	<1	0.74	0.006	12.6	1.4	0.26	681.0	<0.001	<1	0.31	0.006	0.20	<0.1	1.2	0.06	0.17	<5
1884963	Drill Core	0.35	0.40	0.27	<1	0.50	0.004	14.9	1.2	0.26	636.8	<0.001	<1	0.31	0.005	0.21	<0.1	1.0	0.06	0.09	<5
1884964	Drill Core	0.31	0.23	0.12	<1	0.47	0.005	16.4	1.6	0.22	753.2	<0.001	<1	0.30	0.008	0.16	<0.1	0.9	0.05	0.15	<5
1884965	Drill Core	0.37	0.40	0.50	<1	0.58	0.005	16.1	1.8	0.31	690.3	0.001	<1	0.37	0.007	0.20	<0.1	1.1	0.06	0.19	<5
1884966	Drill Core	0.25	0.12	0.20	<1	0.47	0.006	19.5	1.5	0.21	739.2	0.001	<1	0.31	0.006	0.21	<0.1	1.0	0.05	0.11	<5
1884967	Drill Core	0.21	0.19	0.16	<1	0.64	0.010	15.4	1.1	0.13	676.3	<0.001	<1	0.27	0.004	0.23	<0.1	0.8	0.05	0.08	<5
1884968	Drill Core	0.19	0.17	0.44	<1	0.46	0.004	20.2	1.1	0.08	1003.4	<0.001	<1	0.23	0.012	0.20	<0.1	0.5	0.04	0.07	<5
1884969	Drill Core	0.17	0.15	0.07	<1	0.47	0.005	19.5	0.9	0.05	511.4	<0.001	<1	0.22	0.032	0.19	<0.1	0.6	0.04	0.19	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000661.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1884952	Drill Core	0.9	0.02	3.6	3.57	<0.1	0.15	<0.02	10.9	0.5	<0.05	5.4	8.74	29.9	<0.02	<1	0.4	18.6	<10
1884953	Drill Core	0.7	<0.02	3.7	3.12	<0.1	0.10	<0.02	12.5	0.3	<0.05	4.3	11.57	49.0	<0.02	<1	0.5	21.1	<10
1884954	Drill Core	1.6	0.17	4.5	4.73	<0.1	0.11	<0.02	14.6	0.3	<0.05	4.6	13.96	50.9	0.06	2	0.4	19.1	<10
1884955	Drill Core	0.1	<0.02	3.2	3.71	<0.1	0.22	<0.02	13.2	0.2	<0.05	7.0	10.58	36.4	<0.02	2	0.4	19.6	<10
1884956	Drill Core	<0.1	<0.02	0.7	1.35	<0.1	0.24	0.03	10.6	0.2	<0.05	7.2	7.52	68.1	<0.02	<1	0.2	3.0	<10
1884957	Drill Core	<0.1	<0.02	0.6	0.74	<0.1	0.31	0.03	7.7	0.1	<0.05	7.7	3.95	53.4	<0.02	<1	0.2	1.9	<10
1884958	Drill Core	<0.1	<0.02	0.7	1.02	<0.1	0.52	0.04	9.1	0.2	<0.05	11.9	4.52	67.3	<0.02	<1	0.3	2.2	<10
1884959	Drill Core	<0.1	<0.02	0.8	1.42	<0.1	0.47	0.03	9.2	0.2	<0.05	11.7	5.28	68.2	<0.02	<1	0.3	2.5	<10
1884960	Core DUP	<0.1	<0.02	0.8	1.36	<0.1	0.49	0.03	9.8	0.2	<0.05	12.9	5.55	67.2	<0.02	<1	0.3	2.6	<10
1884961	Drill Core	<0.1	<0.02	0.7	1.25	<0.1	0.29	0.05	9.0	0.2	<0.05	8.4	4.88	44.0	<0.02	1	0.2	4.3	<10
1884962	Drill Core	<0.1	<0.02	0.7	0.78	<0.1	0.15	0.03	8.9	0.1	<0.05	4.7	4.34	24.5	<0.02	<1	0.1	4.4	<10
1884963	Drill Core	<0.1	<0.02	0.7	0.58	<0.1	0.13	0.04	8.9	0.1	<0.05	4.1	3.54	29.8	<0.02	<1	0.2	4.8	<10
1884964	Drill Core	<0.1	<0.02	0.8	0.76	<0.1	0.08	0.03	7.3	0.3	<0.05	2.4	3.26	32.4	<0.02	<1	0.2	4.5	<10
1884965	Drill Core	0.1	<0.02	1.0	0.50	<0.1	0.15	0.03	8.7	0.2	<0.05	4.6	3.64	30.5	<0.02	<1	0.2	5.4	<10
1884966	Drill Core	<0.1	<0.02	0.8	0.40	<0.1	0.33	0.04	8.2	0.2	<0.05	9.8	4.75	36.7	<0.02	<1	0.1	4.1	<10
1884967	Drill Core	<0.1	<0.02	0.7	0.30	<0.1	0.31	0.03	7.8	0.2	<0.05	9.8	4.14	31.0	<0.02	<1	0.2	3.0	<10
1884968	Drill Core	<0.1	<0.02	0.6	0.27	<0.1	0.34	0.04	6.8	0.2	<0.05	9.2	4.52	39.2	<0.02	<1	0.1	2.1	<10
1884969	Drill Core	<0.1	<0.02	0.7	0.32	<0.1	0.18	0.03	8.4	0.3	<0.05	5.7	4.15	36.6	<0.02	<1	0.2	1.6	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 28, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000661.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
	Drill Core	1884844	2.78	384	0.009	<0.01	<0.17	27.94	0.18	16.51	11.14	72.3	383	11.0	7.5	293	2.26	2.9	1.3	7.4	11.0	17.3
	QC	REP 1884844							0.19	16.29	10.87	74.0	371	10.9	7.6	300	2.30	2.8	1.2	9.4	10.7	16.6
	Drill Core	1884875	3.00	521	0.043	0.04	<0.17	36.06	0.41	3.99	12.60	91.5	280	4.1	3.6	200	1.15	4.3	1.2	64.0	12.5	33.9
	QC	REP 1884875			0.050																	
	Drill Core	1884878	3.00	497	0.038	0.03	<0.17	38.97	0.55	14.15	9.31	60.1	497	9.4	6.9	410	2.04	2.5	1.4	37.9	10.4	74.1
	QC	REP 1884878							0.53	13.35	9.28	62.0	489	9.3	6.6	376	2.05	2.4	1.3	30.8	10.9	74.1
	Drill Core	1884882	3.18	498	<0.005	<0.01	<0.17	39.40	0.71	20.77	29.45	83.8	361	17.6	8.5	391	2.17	5.8	1.4	1.8	9.6	40.5
	QC	REP 1884882			0.006																	
	Drill Core	1884913	1.87	420	0.007	<0.01	<0.17	30.08	2.57	54.94	36.55	258.0	709	39.9	14.3	747	3.15	243.5	1.2	2.6	3.5	29.8
	QC	REP 1884913							2.52	53.56	35.66	255.3	695	39.0	14.0	725	3.14	238.2	1.2	2.5	3.4	29.0
	Drill Core	1884948	3.18	406	<0.005	<0.01	<0.17	35.76	1.55	23.04	32.14	71.8	423	16.4	7.8	389	2.42	100.3	0.4	1.9	3.8	63.8
	QC	REP 1884948							1.59	24.10	33.41	76.4	433	17.0	8.3	390	2.44	103.2	0.5	2.2	3.9	65.3
	Drill Core	1884949	3.08	399	<0.005	<0.01	<0.17	31.94	1.25	21.07	16.30	81.1	242	17.7	7.7	363	2.72	60.1	0.4	1.0	4.5	60.3
	QC	REP 1884949			<0.005																	
	Drill Core	1884957	3.55	458	0.011	0.01	<0.17	33.07	0.20	5.02	9.22	13.3	391	0.4	0.3	55	0.26	1.5	0.6	5.4	10.7	2.3
	QC	REP 1884957			0.009																	
Core Reject Duplicates																						
	Drill Core	1884837	1.48	497	0.009	<0.01	<0.17	30.32	0.36	10.69	32.40	51.4	293	8.7	4.5	274	1.23	0.9	1.0	3.7	14.9	13.9
	QC	DUP 1884837		497	0.012	0.01	<0.17	41.72	0.32	10.63	31.31	48.2	281	8.0	4.0	275	1.16	0.7	0.9	4.3	11.2	13.4
	Drill Core	1884871	1.42	481	0.008	<0.01	<0.17	41.25	0.20	8.78	28.50	25.5	270	0.3	0.4	58	0.31	1.6	0.7	5.2	13.0	2.0
	QC	DUP 1884871		507	0.006	<0.01	<0.17	38.82	0.24	9.61	29.26	28.2	267	0.4	0.4	62	0.36	1.6	0.7	4.0	12.9	2.3
	Drill Core	1884905	3.24	431	0.009	<0.01	<0.17	41.76	0.99	23.69	8.48	129.1	327	30.2	13.9	845	3.03	45.3	1.2	6.3	6.3	144.5
	QC	DUP 1884905		452	0.010	<0.01	<0.17	42.87	1.00	23.95	8.58	131.7	322	30.8	14.0	858	3.06	44.4	1.3	6.3	6.4	143.2
	Drill Core	1884939	2.60	458	0.185	0.19	0.25	32.42	1.06	22.68	7.07	83.7	394	30.0	13.1	717	2.95	24.5	1.2	172.3	3.6	242.1
	QC	DUP 1884939		558	0.170	0.17	<0.17	37.08	0.98	22.72	6.77	80.2	376	28.9	13.6	710	2.96	24.7	1.1	119.1	3.5	240.5
Reference Materials																						
	Standard	STD BVGEO01							10.43	4255.77	179.70	1689.6	2579	155.0	22.9	676	3.50	120.6	3.6	226.9	14.8	57.7
	Standard	STD BVGEO01							10.60	4248.19	180.00	1658.2	2425	154.1	24.0	713	3.56	109.2	3.3	216.6	14.2	50.5



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 28, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000661.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
	Drill Core	0.57	0.44	0.10	18	0.28	0.064	23.8	24.5	0.85	135.1	0.012	<1	1.23	0.019	0.24	0.1	3.7	0.13	<0.02	10
	QC	0.54	0.48	0.09	19	0.29	0.062	22.6	24.7	0.87	146.4	0.012	<1	1.24	0.019	0.25	<0.1	3.9	0.14	<0.02	5
	Drill Core	1.11	0.29	0.14	6	0.46	0.043	31.2	6.5	0.38	308.4	0.003	3	0.70	0.025	0.33	0.1	2.2	0.13	<0.02	19
	QC																				
	Drill Core	0.30	0.74	0.05	19	1.06	0.057	21.5	23.3	0.82	152.1	0.024	3	1.17	0.031	0.31	0.2	3.6	0.12	<0.02	<5
	QC	0.33	0.72	0.05	19	1.06	0.056	21.1	21.9	0.82	153.4	0.024	4	1.17	0.032	0.31	0.2	3.7	0.11	<0.02	7
	Drill Core	0.56	0.32	0.15	19	0.52	0.053	22.3	27.7	0.77	131.9	0.003	2	1.08	0.009	0.19	<0.1	3.5	0.08	<0.02	<5
	QC																				
	Drill Core	1.86	3.40	0.34	36	0.68	0.075	5.6	23.2	1.63	137.9	0.033	1	1.66	0.004	0.49	0.2	2.9	0.19	0.18	<5
	QC	1.85	3.44	0.33	34	0.66	0.074	5.3	22.5	1.61	131.0	0.031	1	1.60	0.004	0.49	0.2	2.8	0.18	0.17	<5
	Drill Core	0.37	0.81	0.38	22	0.86	0.069	4.5	33.3	1.73	98.6	0.004	<1	1.51	0.004	0.16	<0.1	2.4	0.04	0.18	<5
	QC	0.34	0.85	0.39	23	0.86	0.073	4.8	34.9	1.73	101.9	0.004	<1	1.52	0.004	0.17	<0.1	2.6	0.05	0.18	<5
	Drill Core	0.22	0.86	0.14	27	0.81	0.074	5.9	44.3	1.93	96.1	0.004	<1	1.75	0.007	0.16	<0.1	3.2	0.05	0.19	<5
	QC																				
	Drill Core	0.12	0.30	0.06	<1	0.02	0.003	27.0	0.7	0.06	82.1	<0.001	<1	0.23	0.009	0.21	<0.1	0.4	0.05	<0.02	<5
	QC																				
Core Reject Duplicates																					
	Drill Core	0.53	0.29	0.18	9	0.17	0.056	34.0	10.9	0.33	150.5	0.003	<1	0.62	0.024	0.18	0.1	1.3	0.08	<0.02	19
	QC	0.48	0.30	0.17	9	0.16	0.059	31.2	9.2	0.32	124.4	0.002	<1	0.56	0.017	0.17	0.1	1.2	0.07	<0.02	19
	Drill Core	0.25	0.14	0.28	<1	0.02	0.006	36.7	0.7	0.05	140.9	<0.001	4	0.23	0.021	0.20	<0.1	0.5	0.06	<0.02	8
	QC	0.25	0.14	0.27	<1	0.02	0.007	36.1	1.1	0.05	160.5	<0.001	4	0.26	0.027	0.22	<0.1	0.7	0.06	<0.02	<5
	Drill Core	0.54	1.29	0.04	53	4.12	0.062	14.6	130.9	1.68	106.4	0.004	<1	1.85	0.010	0.15	<0.1	6.7	0.06	<0.02	<5
	QC	0.58	1.26	0.04	54	4.18	0.062	15.2	132.1	1.69	107.1	0.005	<1	1.88	0.010	0.15	<0.1	6.8	0.06	<0.02	5
	Drill Core	0.55	0.85	0.07	26	2.21	0.063	3.5	19.7	1.58	139.5	0.028	<1	1.32	0.006	0.51	0.3	2.9	0.19	1.38	<5
	QC	0.49	0.88	0.07	26	2.21	0.064	3.3	19.1	1.55	139.6	0.028	<1	1.28	0.005	0.50	0.3	2.7	0.19	1.45	<5
Reference Materials																					
	Standard	6.76	4.16	25.75	72	1.26	0.079	26.4	172.7	1.26	293.7	0.208	3	2.19	0.187	0.86	5.4	6.0	0.64	0.65	96
	Standard	5.60	3.26	21.75	69	1.29	0.073	22.9	197.7	1.29	293.0	0.223	4	2.29	0.188	0.87	4.8	5.3	0.58	0.67	89



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000661.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1884844	Drill Core	0.1	<0.02	6.6	3.65	<0.1	0.05	<0.02	15.9	0.4	<0.05	1.5	12.54	58.6	<0.02	<1	0.5	20.1	<10	<2
REP 1884844	QC	<0.1	<0.02	6.6	3.64	<0.1	0.05	<0.02	15.8	0.4	<0.05	1.5	12.61	52.9	<0.02	<1	0.5	19.4	<10	<2
1884875	Drill Core	0.2	0.02	2.8	1.77	<0.1	0.11	<0.02	16.3	0.3	<0.05	4.6	9.26	69.6	<0.02	<1	0.3	13.4	<10	<2
REP 1884875	QC																			
1884878	Drill Core	<0.1	<0.02	5.5	2.54	<0.1	0.09	0.02	16.7	0.4	<0.05	2.5	12.28	46.2	<0.02	<1	0.6	18.3	<10	<2
REP 1884878	QC	<0.1	<0.02	5.5	2.49	<0.1	0.08	0.02	16.6	0.4	<0.05	2.3	12.49	44.7	<0.02	<1	0.6	18.3	<10	<2
1884882	Drill Core	0.2	<0.02	5.0	1.77	<0.1	0.05	<0.02	10.5	0.3	<0.05	2.0	11.97	46.3	<0.02	<1	0.5	21.4	<10	<2
REP 1884882	QC																			
1884913	Drill Core	1.8	0.06	4.0	6.30	<0.1	0.27	<0.02	20.9	0.3	<0.05	11.0	7.64	10.2	<0.02	1	0.2	15.7	<10	<2
REP 1884913	QC	1.7	0.06	3.9	6.12	<0.1	0.26	<0.02	20.5	0.2	<0.05	10.7	7.29	9.5	<0.02	2	0.1	15.4	<10	<2
1884948	Drill Core	1.0	0.05	4.5	1.50	<0.1	0.18	<0.02	7.0	0.1	<0.05	6.8	3.34	9.2	<0.02	2	0.2	18.2	<10	<2
REP 1884948	QC	1.2	0.05	4.6	1.53	<0.1	0.20	<0.02	7.2	0.1	<0.05	7.3	3.50	10.0	<0.02	1	0.2	18.4	<10	<2
1884949	Drill Core	0.8	0.02	5.6	2.28	<0.1	0.24	<0.02	6.8	0.2	<0.05	9.8	3.57	11.9	<0.02	1	0.2	25.6	<10	<2
REP 1884949	QC																			
1884957	Drill Core	<0.1	<0.02	0.6	0.74	<0.1	0.31	0.03	7.7	0.1	<0.05	7.7	3.95	53.4	<0.02	<1	0.2	1.9	<10	<2
REP 1884957	QC																			
Core Reject Duplicates																				
1884837	Drill Core	<0.1	<0.02	3.7	2.26	<0.1	0.04	<0.02	10.5	0.3	<0.05	1.8	14.44	76.6	<0.02	<1	0.4	8.8	<10	<2
DUP 1884837	QC	0.2	<0.02	3.5	2.25	<0.1	0.04	<0.02	9.9	0.2	<0.05	1.6	13.75	70.4	<0.02	<1	0.3	8.5	<10	<2
1884871	Drill Core	<0.1	<0.02	0.8	0.66	<0.1	0.19	0.03	9.5	0.2	<0.05	5.1	9.19	73.1	<0.02	<1	0.3	2.5	<10	<2
DUP 1884871	QC	<0.1	<0.02	1.0	0.63	<0.1	0.17	0.03	10.3	0.2	<0.05	5.8	10.30	80.4	<0.02	<1	0.2	2.7	<10	<2
1884905	Drill Core	0.7	0.04	7.9	1.95	<0.1	0.02	<0.02	7.5	0.3	<0.05	0.9	13.12	28.6	0.03	<1	0.5	27.4	<10	<2
DUP 1884905	QC	0.7	0.03	8.0	2.06	<0.1	0.02	<0.02	7.6	0.3	<0.05	1.0	13.35	29.8	0.03	<1	0.5	27.6	<10	<2
1884939	Drill Core	1.7	0.05	4.3	4.67	<0.1	0.24	0.03	24.3	0.3	<0.05	9.0	6.28	7.3	<0.02	<1	0.3	14.8	<10	<2
DUP 1884939	QC	1.9	0.06	4.0	4.62	<0.1	0.26	0.02	24.3	0.2	<0.05	9.1	6.20	7.3	<0.02	<1	0.4	14.5	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.1	1.08	7.2	7.56	0.1	0.30	0.38	98.6	5.9	<0.05	8.4	14.36	54.6	0.46	3	0.6	21.7	118	186
STD BVGEO01	Standard	4.5	1.01	6.9	7.34	0.2	0.31	0.29	93.9	5.3	<0.05	7.2	13.30	49.8	0.41	5	0.7	18.5	155	182



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000661.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							14.75	141.31	136.85	332.7	1707	79.1	13.9	975	3.01	41.3	2.3	81.3	7.1	61.3
STD DS11	Standard							16.06	149.56	130.63	332.4	1853	85.6	14.0	1044	3.12	43.6	2.7	100.8	7.9	66.7
STD OREAS262	Standard							0.63	109.75	53.88	149.1	454	61.4	25.2	538	3.13	35.5	1.2	68.0	9.6	35.7
STD OREAS262	Standard							0.65	113.45	52.09	140.3	445	61.1	27.2	477	3.06	33.2	1.1	68.6	9.4	31.9
STD OREAS262	Standard							0.67	117.24	52.37	151.6	444	61.2	27.7	546	3.08	33.8	1.0	71.4	9.8	32.1
STD OREAS262	Standard							0.73	116.42	55.95	151.3	489	69.5	27.2	541	3.27	37.6	1.3	52.3	9.6	34.8
STD OXB130	Standard			0.124																	
STD OXB130	Standard			0.123																	
STD OXB130	Standard			0.123																	
STD OXI138	Standard			1.855																	
STD OXI138	Standard			1.820																	
STD OXI138	Standard			1.837																	
STD OXN117	Standard			7.687																	
STD OXN117	Standard			7.361																	
STD OXN117	Standard			7.507																	
STD OXQ90	Standard					25.05	28.54														
STD OXQ90	Standard					25.14	29.71														
STD OXQ90	Standard					25.30	28.69														
STD OXQ90	Standard					25.14	29.83														
STD OXQ90	Standard					25.34	29.40														
STD OXQ90	Standard					25.28	29.59														
STD OXQ90	Standard					25.17	28.53														
STD OXQ90	Standard					25.03	29.13														
STD OXQ90 Expected						24.88															
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000661.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.15	8.03	10.60	46	1.01	0.075	15.4	60.7	0.81	358.4	0.083	9	1.11	0.070	0.39	3.4	3.1	4.84	0.27	242
STD DS11	Standard	2.13	7.63	10.29	50	1.08	0.067	18.4	60.3	0.85	359.2	0.094	7	1.24	0.076	0.41	3.0	3.4	5.08	0.28	250
STD OREAS262	Standard	0.70	5.95	1.05	23	2.88	0.041	15.8	40.8	1.15	257.5	0.002	3	1.31	0.070	0.30	0.2	3.2	0.47	0.25	165
STD OREAS262	Standard	0.53	5.34	0.89	21	2.77	0.041	15.4	42.4	1.13	229.8	0.002	4	1.34	0.063	0.30	0.2	2.8	0.48	0.25	169
STD OREAS262	Standard	0.54	4.93	0.87	20	2.79	0.040	14.9	42.6	1.13	238.7	0.002	3	1.40	0.063	0.31	0.2	3.2	0.46	0.23	173
STD OREAS262	Standard	0.60	3.79	0.95	24	3.03	0.037	17.0	45.5	1.18	250.9	0.003	4	1.47	0.068	0.33	0.2	3.5	0.50	0.26	166
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI19000661.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	2.2	4.75	5.0	3.01	<0.1	0.07	1.53	32.8	1.7	<0.05	2.7	7.62	36.8	0.20	48	0.6	21.7	109	175
STD DS11	Standard	2.3	4.60	5.7	3.07	<0.1	0.08	1.55	33.7	1.7	<0.05	3.2	8.04	38.5	0.23	47	0.7	21.0	110	179
STD OREAS262	Standard	0.4	0.25	4.0	2.94	<0.1	0.25	<0.02	19.8	0.5	<0.05	8.9	10.60	32.3	0.04	<1	1.1	17.7	<10	<2
STD OREAS262	Standard	0.5	0.24	3.7	3.04	<0.1	0.23	<0.02	18.0	0.5	<0.05	9.9	10.08	33.2	0.02	<1	1.0	16.4	<10	<2
STD OREAS262	Standard	0.5	0.24	3.3	2.92	<0.1	0.24	<0.02	18.2	0.6	<0.05	10.2	9.98	31.0	<0.02	1	1.1	16.8	<10	<2
STD OREAS262	Standard	0.7	0.21	4.8	2.71	<0.1	0.32	<0.02	19.6	0.6	<0.05	12.5	10.76	34.9	0.03	<1	1.1	16.3	<10	<2
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000661.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.050																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		455	<0.005	<0.01	<0.17	40.84	0.87	2.95	0.73	28.5	6	1.3	3.9	450	1.80	0.6	0.3	1.3	1.6	15.8
ROCK-WHI	Prep Blank		455	<0.005	<0.01	<0.17	43.35	0.87	5.72	0.73	31.5	7	2.0	4.5	613	2.00	0.7	0.3	0.3	1.7	21.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000661.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.01	<0.02	<0.02	22	0.61	0.039	4.3	2.4	0.49	40.8	0.052	<1	0.83	0.061	0.06	<0.1	2.1	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	<0.01	<0.02	<0.02	26	0.71	0.041	4.4	4.4	0.57	51.1	0.063	2	1.00	0.071	0.08	<0.1	3.1	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 28, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000661.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		<2
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.4	0.14	<0.1	0.08	0.13	1.6	0.2	<0.05	1.4	7.33	10.3	<0.02	<1	0.1	1.4	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	4.1	0.13	<0.1	0.10	0.21	1.8	0.3	<0.05	2.0	7.92	11.2	<0.02	<1	0.2	1.4	<10