



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: October 09, 2019  
Report Date: October 28, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000668.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-61  
P.O. Number  
Number of Samples: 97

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	92	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	97	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	97	Analysis sample split/packet			WHI
Split -150	97	Analysis sample split/packet			WHI
EN002	97	Environmental disposal charge-Fire assay lead waste			VAN
FS631	93	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	97	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	97	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce  
Peter Tallman  
Erika Cayer

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 2 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000668.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1813883	Drill Core	2.95	523	1.013	1.15	2.47	49.02	0.94	13.56	8.47	38.5	642	11.4	7.5	578	2.05	19.6	1.2	649.8	7.8	71.7
1813884	Drill Core	1.65	439	0.243	0.25	0.31	44.79	1.30	16.02	4.59	55.5	440	16.2	9.8	488	2.37	9.0	1.0	174.7	9.2	87.6
1813885	Drill Core	1.38	447	0.062	0.06	<0.17	44.74	0.37	16.01	2.58	47.2	349	11.8	8.4	341	2.29	4.0	1.2	56.0	10.5	67.4
1813886	Drill Core	1.84	455	0.276	0.32	0.74	46.06	1.27	7.29	4.89	43.9	493	13.3	10.3	499	2.27	4.6	1.5	136.0	11.2	100.7
1813887	Drill Core	1.56	450	1.765	3.32	17.41	44.69	0.72	38.77	4.30	31.0	1379	8.0	7.9	370	1.80	5.2	0.9	2867.7	9.5	37.2
1813888	Drill Core	2.60	405	1.820	1.86	2.17	45.08	1.00	17.02	5.60	47.2	918	10.3	8.4	330	1.84	6.8	0.9	2952.6	9.4	36.4
1813889	Drill Core	1.93	447	0.642	0.65	0.74	45.67	0.93	11.34	4.77	46.1	447	10.3	8.8	405	2.04	8.1	1.0	569.3	10.6	46.1
1813890	Drill Core	1.60	464	0.191	0.21	0.34	46.48	0.57	10.69	8.60	51.5	286	9.3	7.0	269	1.78	4.7	1.1	225.5	11.5	39.2
1813891	Drill Core	1.49	409	0.117	0.14	0.31	45.58	0.39	4.70	3.56	22.0	136	5.2	4.3	169	1.10	3.3	0.6	147.0	6.3	20.8
1813892	Drill Core	1.56	494	0.113	0.12	<0.17	42.88	0.70	18.21	20.28	49.1	467	11.4	8.3	224	1.80	6.3	1.1	134.3	11.6	33.4
1813893	Drill Core	1.66	540	<0.005	<0.01	<0.17	45.89	0.37	13.11	35.11	76.6	213	7.3	4.0	198	1.10	1.3	0.8	<0.2	7.4	34.1
1813894	Drill Core	1.47	407	<0.005	<0.01	<0.17	44.80	0.81	18.42	26.50	44.0	375	6.9	4.1	207	1.28	9.7	1.2	0.2	9.5	51.9
1813895	Drill Core	2.95	446	<0.005	<0.01	<0.17	46.16	0.52	12.05	9.07	64.2	195	12.1	7.9	276	1.97	2.1	1.3	<0.2	9.8	42.7
1813896	Drill Core	2.91	464	<0.005	<0.01	<0.17	45.16	0.42	18.05	12.79	66.4	298	14.2	8.8	263	2.06	3.7	1.1	<0.2	9.4	45.2
1813897	Drill Core	3.27	416	<0.005	<0.01	<0.17	47.66	0.70	10.41	11.60	73.6	178	13.8	9.2	291	2.08	3.2	1.0	8.3	9.4	38.0
1813898	Drill Core	3.06	511	<0.005	<0.01	<0.17	45.98	0.63	16.85	6.82	70.0	247	14.6	9.6	263	2.18	3.6	1.0	<0.2	7.7	26.6
1813899	Drill Core	3.21	516	<0.005	<0.01	<0.17	45.77	0.69	15.89	10.67	64.2	243	9.9	6.0	262	1.70	6.0	0.5	<0.2	2.8	25.0
1813900	Rock Pulp	0.12	90	6.877				9.09	176.36	18.74	73.0	887	13.0	10.7	568	4.42	13.6	0.8	8413.4	3.1	60.2
1813901	Drill Core	3.01	463	<0.005	<0.01	<0.17	46.68	0.62	13.45	8.37	53.2	176	9.7	6.2	228	1.62	8.6	0.4	0.8	2.2	14.6
1813902	Drill Core	3.16	448	<0.005	<0.01	<0.17	47.31	1.80	14.00	8.75	48.9	241	8.6	7.4	230	1.49	4.9	0.4	1.1	2.0	18.1
1813903	Drill Core	3.01	428	<0.005	<0.01	<0.17	47.54	1.11	17.32	10.32	53.8	370	8.0	7.1	278	1.60	2.4	1.3	1.3	9.6	58.4
1813904	Drill Core	3.20	484	<0.005	<0.01	<0.17	49.34	0.17	3.93	10.80	24.3	184	1.1	1.3	95	0.56	0.5	2.0	1.1	6.1	26.0
1813905	Drill Core	3.09	426	<0.005	<0.01	<0.17	45.38	0.28	3.12	14.11	25.7	146	1.0	1.1	142	0.52	0.9	3.6	0.8	11.7	52.7
1813906	Drill Core	3.20	534	<0.005	<0.01	<0.17	45.55	0.34	6.98	15.67	30.4	197	2.9	2.8	228	0.86	2.0	3.0	2.5	11.4	58.5
1813907	Drill Core	3.06	450	<0.005	<0.01	<0.17	49.46	0.51	13.39	8.49	56.4	321	9.0	5.7	312	1.81	2.8	1.5	3.5	9.1	99.6
1813908	Drill Core	2.79	432	<0.005	<0.01	<0.17	41.14	0.29	6.78	14.48	29.7	242	2.9	2.3	200	0.84	1.3	1.3	3.3	12.5	59.4
1813909	Drill Core	1.81	503	<0.005	<0.01	<0.17	49.77	0.14	4.51	22.16	16.6	257	0.8	1.2	108	0.48	2.0	1.2	3.4	13.4	23.6
1813910	Drill Core	1.65	545	<0.005	<0.01	<0.17	45.76	0.16	2.79	18.16	11.4	157	0.3	0.4	66	0.33	1.6	1.1	3.1	14.4	6.1
1813911	Drill Core	1.53	427	<0.005	<0.01	<0.17	42.16	0.16	3.65	12.43	18.2	164	1.0	1.2	111	0.63	2.5	0.9	13.3	14.4	12.0
1813912	Drill Core	2.98	449	0.006	<0.01	<0.17	45.42	0.15	4.11	14.13	11.9	212	0.4	0.5	65	0.41	1.8	1.1	4.2	14.4	4.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 2 of 5 **Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000668.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813883	Drill Core	0.59	0.69	0.18	7	1.50	0.077	7.9	9.6	0.61	196.9	0.008	<1	0.67	0.012	0.25	0.4	3.4	0.10	<5
1813884	Drill Core	0.42	0.37	0.08	19	1.43	0.071	11.5	25.3	0.96	177.1	0.040	<1	0.97	0.016	0.35	0.6	4.7	0.12	<5
1813885	Drill Core	0.30	0.45	0.03	24	1.02	0.069	19.9	33.7	1.00	100.1	0.065	<1	1.03	0.023	0.14	0.9	4.6	0.06	5
1813886	Drill Core	0.29	0.34	0.07	15	1.76	0.078	12.1	22.3	1.15	196.5	0.045	<1	1.06	0.019	0.44	0.8	4.0	0.15	8
1813887	Drill Core	0.23	0.41	0.06	9	0.73	0.072	12.4	12.7	0.70	222.9	0.034	<1	0.83	0.007	0.58	0.6	1.9	0.25	8
1813888	Drill Core	0.30	0.52	0.09	12	0.75	0.069	14.1	17.1	0.79	220.8	0.038	<1	0.92	0.010	0.57	0.5	2.5	0.25	<5
1813889	Drill Core	0.35	0.44	0.05	10	0.86	0.092	12.7	14.2	0.82	221.3	0.037	<1	0.95	0.009	0.60	0.6	2.5	0.28	<5
1813890	Drill Core	0.26	0.42	0.07	12	1.16	0.060	14.2	18.8	0.79	158.5	0.050	<1	0.97	0.016	0.53	0.5	2.7	0.24	<5
1813891	Drill Core	0.13	0.25	<0.02	6	0.39	0.032	10.0	10.1	0.37	135.6	0.024	<1	0.50	0.011	0.27	0.4	1.5	0.12	<5
1813892	Drill Core	0.40	0.47	0.15	13	0.71	0.063	16.3	19.3	0.64	167.4	0.048	<1	0.90	0.013	0.38	0.5	2.5	0.17	<5
1813893	Drill Core	0.22	0.48	0.20	9	0.63	0.035	10.7	14.5	0.55	99.8	0.046	1	0.74	0.009	0.30	0.4	2.0	0.16	<5
1813894	Drill Core	0.33	0.66	0.32	8	1.52	0.048	10.6	13.5	0.60	171.7	0.033	1	0.72	0.013	0.37	0.6	2.0	0.20	<5
1813895	Drill Core	0.33	0.49	0.05	19	0.70	0.063	13.5	28.8	1.08	126.3	0.060	<1	1.16	0.017	0.56	0.4	3.7	0.35	<5
1813896	Drill Core	0.36	0.44	0.10	23	0.98	0.067	17.1	32.4	0.96	266.9	0.063	<1	1.01	0.023	0.59	0.2	4.6	0.38	<5
1813897	Drill Core	0.18	0.46	0.09	22	0.66	0.074	20.5	31.9	1.14	156.2	0.069	<1	1.20	0.016	0.51	0.3	4.7	0.29	<5
1813898	Drill Core	0.18	0.33	0.06	23	0.49	0.077	15.0	31.2	1.11	244.3	0.064	<1	1.18	0.016	0.32	0.2	4.4	0.16	<5
1813899	Drill Core	0.15	0.26	0.05	9	0.49	0.060	4.3	16.1	0.87	176.1	0.070	1	1.11	0.017	0.26	0.1	1.6	0.13	<5
1813900	Rock Pulp	0.21	4.42	0.53	94	0.80	0.066	6.9	17.9	0.81	121.8	0.102	1	1.55	0.153	0.19	3.8	3.6	0.09	228
1813901	Drill Core	0.13	0.22	0.07	8	0.37	0.061	3.3	13.7	0.76	176.5	0.058	<1	1.00	0.014	0.19	<0.1	1.3	0.08	<5
1813902	Drill Core	0.14	0.16	0.08	9	0.37	0.072	2.8	15.4	0.63	193.3	0.057	1	0.80	0.022	0.17	<0.1	1.3	0.09	<5
1813903	Drill Core	0.51	0.29	0.05	13	1.30	0.062	21.9	20.1	0.68	309.2	0.047	<1	0.83	0.017	0.21	0.4	3.4	0.12	<5
1813904	Drill Core	0.20	0.21	0.14	2	0.46	0.014	12.0	3.9	0.20	255.3	0.015	<1	0.43	0.019	0.22	<0.1	1.5	0.09	<5
1813905	Drill Core	0.52	0.47	0.14	2	1.10	0.013	25.7	3.9	0.19	288.2	0.012	<1	0.44	0.008	0.22	0.2	2.4	0.08	<5
1813906	Drill Core	0.37	0.52	0.14	5	1.34	0.028	27.1	8.3	0.30	292.3	0.021	<1	0.55	0.009	0.29	0.3	3.1	0.12	14
1813907	Drill Core	0.30	0.27	0.06	17	1.41	0.050	17.9	23.3	0.88	270.2	0.003	<1	0.98	0.013	0.18	0.1	3.2	0.08	26
1813908	Drill Core	0.25	0.18	0.17	3	0.94	0.024	23.3	6.0	0.31	277.8	0.002	1	0.50	0.008	0.24	<0.1	1.6	0.08	9
1813909	Drill Core	0.26	0.22	0.15	1	0.37	0.013	39.9	2.6	0.11	235.6	0.002	<1	0.33	0.018	0.20	<0.1	1.6	0.07	17
1813910	Drill Core	0.16	0.14	0.19	<1	0.03	0.008	41.5	1.3	0.05	227.5	0.002	<1	0.25	0.025	0.20	0.1	1.1	0.07	23
1813911	Drill Core	0.35	0.15	0.10	1	0.10	0.035	34.1	2.4	0.18	227.2	0.001	1	0.40	0.021	0.20	0.1	1.4	0.07	37
1813912	Drill Core	0.27	0.14	0.16	<1	0.03	0.009	40.7	1.5	0.06	203.8	0.001	<1	0.28	0.027	0.21	<0.1	1.0	0.06	14



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 2 of 5 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000668.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813883	Drill Core	0.7	0.11	2.7	1.30	<0.1	0.17	<0.02	13.1	0.3	<0.05	6.7	8.69	15.5	0.02	<1	0.4	10.5	<10	<2			
1813884	Drill Core	0.6	0.10	4.6	1.19	<0.1	0.11	0.05	17.6	0.4	<0.05	3.8	8.84	24.0	0.02	1	0.6	12.1	<10	<2			
1813885	Drill Core	0.2	0.06	6.5	0.52	<0.1	0.10	0.06	7.9	0.5	<0.05	3.0	11.71	39.8	0.03	<1	0.7	16.8	<10	<2			
1813886	Drill Core	0.6	0.19	4.7	1.55	<0.1	0.12	0.07	21.5	0.4	<0.05	4.6	8.87	24.3	<0.02	<1	0.4	13.5	<10	<2			
1813887	Drill Core	0.2	0.04	2.6	3.03	<0.1	0.06	0.08	33.9	0.3	<0.05	1.9	6.96	26.4	<0.02	<1	0.5	10.5	<10	<2			
1813888	Drill Core	0.2	0.03	3.2	3.10	<0.1	0.07	0.09	33.1	0.3	<0.05	2.2	7.44	28.8	<0.02	<1	0.4	11.4	<10	<2			
1813889	Drill Core	0.3	0.07	3.3	4.30	<0.1	0.05	0.08	37.1	0.3	<0.05	1.9	7.54	25.2	<0.02	<1	0.4	13.1	<10	<2			
1813890	Drill Core	<0.1	<0.02	3.8	3.79	<0.1	0.04	0.09	33.4	0.3	<0.05	1.2	7.24	28.6	<0.02	<1	0.4	12.2	<10	<2			
1813891	Drill Core	<0.1	<0.02	1.9	1.53	<0.1	0.03	0.07	15.0	0.3	<0.05	0.7	4.66	20.7	<0.02	<1	0.3	6.6	<10	<2			
1813892	Drill Core	0.2	0.05	4.2	2.10	<0.1	0.04	0.14	22.7	0.4	<0.05	1.2	7.95	32.5	<0.02	<1	0.5	11.0	<10	<2			
1813893	Drill Core	<0.1	<0.02	2.8	1.79	<0.1	0.02	0.15	19.0	0.4	<0.05	0.8	5.49	22.5	<0.02	<1	0.3	8.4	<10	<2			
1813894	Drill Core	0.4	<0.02	2.6	2.03	<0.1	0.02	0.13	22.5	0.3	<0.05	0.8	6.42	21.4	<0.02	<1	0.6	8.5	<10	<2			
1813895	Drill Core	<0.1	<0.02	4.7	5.85	<0.1	0.06	0.08	41.4	0.4	<0.05	1.3	7.41	28.7	<0.02	<1	0.5	14.6	<10	<2			
1813896	Drill Core	<0.1	<0.02	4.4	7.78	<0.1	0.10	0.10	42.7	0.5	<0.05	2.5	9.51	35.9	<0.02	<1	0.5	13.0	<10	<2			
1813897	Drill Core	<0.1	0.02	4.5	5.41	<0.1	0.15	0.10	34.0	0.5	<0.05	5.0	11.45	47.1	<0.02	<1	0.9	13.3	<10	<2			
1813898	Drill Core	<0.1	<0.02	4.9	3.36	<0.1	0.12	0.11	19.9	0.5	<0.05	2.7	9.64	34.9	<0.02	<1	0.5	13.4	<10	<2			
1813899	Drill Core	<0.1	<0.02	3.4	1.52	<0.1	0.04	0.23	15.7	0.3	<0.05	0.8	2.99	9.1	<0.02	<1	0.5	12.0	<10	<2			
1813900	Rock Pulp	<0.1	0.16	5.0	0.73	0.1	0.06	0.10	8.6	1.8	<0.05	1.2	5.01	14.8	0.05	<1	0.1	6.8	<10	<2			
1813901	Drill Core	<0.1	<0.02	2.7	0.74	<0.1	0.02	0.22	10.0	0.2	<0.05	0.5	2.44	7.3	<0.02	<1	0.3	9.1	<10	<2			
1813902	Drill Core	0.3	<0.02	2.6	0.81	<0.1	<0.02	0.24	9.2	0.3	<0.05	0.4	2.44	6.1	<0.02	<1	0.2	6.9	<10	<2			
1813903	Drill Core	0.3	<0.02	3.8	1.81	<0.1	0.11	0.13	13.7	0.5	<0.05	2.8	12.11	43.4	<0.02	1	0.5	15.1	<10	<2			
1813904	Drill Core	<0.1	<0.02	1.6	0.91	<0.1	0.09	0.33	13.6	0.3	<0.05	0.7	7.79	24.3	<0.02	<1	0.3	5.2	<10	<2			
1813905	Drill Core	<0.1	<0.02	1.6	0.74	<0.1	0.04	0.30	11.6	0.4	<0.05	0.8	16.21	53.2	<0.02	<1	0.2	6.6	<10	<2			
1813906	Drill Core	0.1	<0.02	1.9	1.57	<0.1	0.11	0.20	16.5	0.4	<0.05	2.0	17.00	56.7	<0.02	<1	0.3	7.3	<10	<2			
1813907	Drill Core	<0.1	<0.02	4.6	1.87	<0.1	0.13	<0.02	11.6	0.2	<0.05	4.8	10.82	35.3	<0.02	<1	0.3	18.0	<10	<2			
1813908	Drill Core	<0.1	<0.02	1.8	0.77	<0.1	0.08	<0.02	11.8	0.2	<0.05	3.5	9.22	46.4	<0.02	<1	0.2	7.6	<10	<2			
1813909	Drill Core	<0.1	<0.02	1.3	1.34	<0.1	0.09	0.04	11.7	0.3	<0.05	3.0	17.60	80.7	<0.02	<1	0.3	4.3	<10	<2			
1813910	Drill Core	<0.1	<0.02	0.9	0.98	<0.1	0.18	0.08	12.0	0.2	<0.05	6.4	13.76	85.1	<0.02	<1	0.2	2.9	<10	<2			
1813911	Drill Core	<0.1	<0.02	1.6	1.32	<0.1	0.14	0.03	11.1	0.3	<0.05	5.6	9.63	68.8	<0.02	<1	0.4	6.8	<10	<2			
1813912	Drill Core	<0.1	<0.02	1.1	0.88	<0.1	0.17	0.04	11.8	0.2	<0.05	6.0	13.01	82.1	<0.02	<1	0.3	3.0	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 3 of 5 **Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000668.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1813913	Drill Core	1.56	502	<0.005	<0.01	<0.17	47.88	0.16	2.39	5.62	35.1	115	0.3	0.4	102	0.36	1.2	0.6	3.4	13.6	2.5
1813914	Drill Core	1.46	527	0.006	<0.01	<0.17	46.05	0.24	4.86	12.94	85.8	199	0.5	0.5	130	0.44	1.9	0.6	9.5	14.1	2.9
1813915	Drill Core	1.95	421	0.015	0.01	<0.17	51.11	0.15	17.56	33.58	873.8	647	0.4	0.6	89	0.33	1.1	0.6	14.4	13.6	2.3
1813916	Drill Core	1.34	479	<0.005	<0.01	<0.17	42.78	0.11	7.30	27.04	474.2	186	0.3	0.3	54	0.26	0.4	0.7	2.3	14.1	2.0
1813917	Drill Core	1.52	408	0.043	0.04	<0.17	45.15	0.30	11.99	24.70	195.7	415	3.3	3.0	178	1.02	4.4	1.1	39.0	14.7	6.2
1813918	Drill Core	2.37	526	0.012	0.01	<0.17	45.64	0.25	6.17	12.07	132.5	276	3.1	2.7	165	0.88	7.2	1.1	11.6	12.9	7.4
1813919	Drill Core	2.30	425	0.376	0.39	0.47	47.23	0.90	15.75	8.42	53.5	1561	8.0	7.1	371	1.91	11.4	1.5	340.8	8.7	59.6
1813920	Rock Pulp	0.12	91	0.550				6.77	115.72	82.22	145.1	650	12.2	5.1	599	2.52	41.8	0.4	537.7	2.1	31.8
1813921	Drill Core	2.50	414	0.139	0.12	<0.17	44.30	0.26	3.44	5.95	16.0	202	0.9	0.9	66	0.54	3.2	0.9	198.6	12.9	8.5
1813922	Drill Core	2.24	431	0.054	0.05	<0.17	48.83	0.65	14.54	5.30	46.1	472	14.6	10.0	268	1.96	14.1	1.7	62.6	11.0	38.1
1813923	Drill Core	3.11	515	0.008	<0.01	<0.17	47.07	0.96	16.53	10.29	64.5	299	14.3	9.1	231	2.20	11.9	1.8	4.9	9.3	46.8
1813924	Drill Core	1.93	417	<0.005	<0.01	<0.17	46.25	0.54	13.17	21.60	62.8	205	11.5	7.0	255	1.88	10.0	1.3	1.7	7.0	34.7
1813925	Drill Core	2.07	387	<0.005	<0.01	<0.17	45.05	0.66	14.09	14.65	62.9	212	11.5	7.5	284	1.94	8.3	1.6	0.6	7.8	69.0
1813926	Drill Core	2.83	376	<0.005	<0.01	<0.17	49.86	0.70	11.26	11.03	54.3	127	10.3	6.7	359	1.94	5.3	1.7	0.6	8.9	106.8
1813927	Drill Core	2.52	446	<0.005	<0.01	<0.17	43.59	2.34	27.54	20.76	71.5	369	20.1	11.5	359	2.44	13.3	1.7	2.0	7.8	67.6
1813928	Drill Core	3.32	399	<0.005	<0.01	<0.17	44.67	2.65	24.97	10.33	81.8	349	19.2	11.6	344	2.29	10.1	1.6	1.2	7.3	56.1
1813929	Drill Core	3.15	406	<0.005	<0.01	<0.17	43.46	1.57	30.33	48.48	84.2	646	13.6	9.0	341	2.21	13.3	1.4	1.9	4.9	73.9
1813930	Drill Core	1.64	424	<0.005	<0.01	<0.17	44.98	0.84	17.08	40.62	102.0	327	10.6	6.9	445	2.10	6.1	1.3	0.9	6.5	129.5
1813931	Drill Core	2.82	410	<0.005	<0.01	<0.17	45.51	1.38	24.27	21.89	68.2	410	12.3	7.3	294	2.00	8.7	1.7	0.8	8.2	67.3
1813932	Drill Core	1.36	454	0.051	0.05	<0.17	50.75	1.29	11.19	54.57	22.0	752	10.2	8.9	336	1.65	20.7	1.3	31.7	8.9	34.0
1813933	Drill Core	1.94	440	0.083	0.09	<0.17	46.79	1.45	15.25	15.74	45.3	470	17.6	11.1	586	2.54	28.7	2.3	72.9	7.7	127.4
1813934	Drill Core	1.51	477	0.171	0.18	0.24	50.64	1.48	7.99	12.01	62.3	310	19.7	9.5	984	3.44	33.2	2.5	158.0	10.4	354.3
1813935	Drill Core	2.83	439	0.090	0.09	<0.17	49.57	1.24	13.52	8.63	67.0	514	23.6	10.4	1066	3.48	38.3	2.3	78.0	9.7	216.7
1813936	Drill Core	2.83	477	0.044	0.04	<0.17	48.95	0.38	13.29	12.31	51.1	326	12.3	7.1	382	1.78	19.3	1.0	41.8	9.9	39.8
1813937	Drill Core	3.08	467	0.030	0.03	<0.17	44.49	0.80	17.90	17.37	59.7	408	15.0	7.5	448	1.79	22.7	0.9	26.9	9.7	17.5
1813938	Drill Core	2.93	475	0.035	0.05	0.18	45.03	1.38	16.78	31.80	69.2	445	16.6	6.4	260	1.53	16.2	1.3	35.3	15.4	13.8
1813939	Drill Core	3.02	453	0.046	0.05	<0.17	44.31	0.57	21.20	20.95	54.5	523	16.4	6.2	443	1.83	9.7	1.1	38.4	8.7	130.0
1813940	Rock Pulp	0.12	90	<0.005				4.04	22.11	0.94	32.4	15	7.6	4.3	581	2.37	1.4	0.4	0.5	2.0	29.8
1813941	Drill Core	3.25	395	0.183	0.20	0.33	42.10	0.52	27.14	24.30	54.1	784	17.5	6.2	298	1.80	14.0	1.0	207.8	9.1	20.0
1813942	Drill Core	1.59	490	0.017	0.02	<0.17	41.32	0.66	29.97	34.42	68.2	644	12.9	7.1	483	2.08	8.4	0.8	472.8	4.3	20.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 3 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000668.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813913	Drill Core	0.31	0.17	0.08	<1	0.02	0.006	37.9	1.4	0.10	130.3	<0.001	<1	0.27	0.013	0.19	<0.1	0.8	0.06	<0.02	13			
1813914	Drill Core	0.45	0.22	0.07	<1	0.02	0.007	40.1	1.7	0.10	130.0	<0.001	<1	0.29	0.019	0.19	0.1	0.7	0.07	<0.02	22			
1813915	Drill Core	1.38	0.23	0.16	<1	0.02	0.007	34.4	1.6	0.08	139.7	<0.001	<1	0.25	0.018	0.18	<0.1	0.6	0.06	<0.02	199			
1813916	Drill Core	0.63	0.11	0.07	<1	0.01	0.006	38.9	1.2	0.05	148.2	<0.001	1	0.23	0.017	0.21	<0.1	0.5	0.07	<0.02	28			
1813917	Drill Core	1.33	0.31	0.17	6	0.08	0.027	40.5	7.2	0.32	242.4	0.003	1	0.58	0.024	0.27	0.1	1.6	0.10	<0.02	29			
1813918	Drill Core	1.02	0.40	0.17	6	0.10	0.025	38.0	6.1	0.30	226.8	0.003	1	0.56	0.016	0.26	0.1	1.5	0.11	<0.02	32			
1813919	Drill Core	0.76	1.31	0.10	13	1.05	0.060	10.7	10.5	0.66	229.0	0.027	1	0.85	0.012	0.46	0.3	3.6	0.20	0.25	17			
1813920	Rock Pulp	0.54	2.59	0.10	30	0.82	0.034	5.4	24.9	0.52	80.3	0.072	7	1.18	0.114	0.11	4.6	2.5	0.21	0.08	155			
1813921	Drill Core	0.16	0.27	0.08	2	0.09	0.019	29.1	2.5	0.11	261.0	0.009	1	0.37	0.030	0.24	0.3	1.0	0.07	<0.02	48			
1813922	Drill Core	0.50	0.73	0.03	24	0.43	0.062	21.0	32.0	0.74	192.1	0.073	<1	1.06	0.016	0.26	0.9	4.8	0.10	<0.02	14			
1813923	Drill Core	0.35	0.84	0.04	29	0.56	0.069	15.0	29.5	0.86	176.7	0.092	<1	1.15	0.030	0.41	0.8	5.4	0.26	0.03	10			
1813924	Drill Core	0.19	0.87	0.09	25	0.51	0.056	12.4	24.6	0.75	134.7	0.075	<1	1.00	0.025	0.40	0.5	4.1	0.25	<0.02	7			
1813925	Drill Core	0.22	0.85	0.09	22	1.05	0.067	15.3	25.1	0.83	148.5	0.089	1	1.09	0.036	0.37	0.6	4.4	0.22	<0.02	7			
1813926	Drill Core	0.46	0.59	0.05	18	1.35	0.057	14.1	16.4	0.71	268.8	0.052	<1	0.90	0.021	0.49	0.2	5.3	0.34	0.07	<5			
1813927	Drill Core	0.38	1.97	0.21	26	1.03	0.082	10.5	27.1	0.98	216.1	0.055	<1	1.14	0.022	0.53	0.2	5.5	0.38	0.10	5			
1813928	Drill Core	0.35	0.97	0.07	28	0.91	0.083	12.6	28.9	1.14	131.8	0.087	<1	1.31	0.014	0.49	0.7	4.6	0.31	0.08	13			
1813929	Drill Core	0.63	0.90	0.45	24	0.94	0.082	9.6	23.0	0.95	150.5	0.076	<1	1.20	0.013	0.44	0.5	5.3	0.31	0.11	11			
1813930	Drill Core	0.38	0.86	0.07	27	1.77	0.079	11.0	28.7	0.99	143.8	0.101	1	1.16	0.016	0.31	1.1	5.1	0.21	<0.02	20			
1813931	Drill Core	0.40	0.68	0.11	23	0.88	0.076	14.7	22.1	0.82	175.3	0.096	<1	1.06	0.023	0.42	0.7	5.2	0.26	<0.02	9			
1813932	Drill Core	0.31	0.35	0.72	9	0.65	0.043	13.3	10.4	0.37	136.7	0.022	<1	0.50	0.016	0.19	0.4	2.9	0.09	0.03	12			
1813933	Drill Core	0.29	0.77	0.15	28	1.64	0.070	14.8	31.7	1.16	106.0	0.096	<1	1.14	0.010	0.29	1.0	6.9	0.15	0.05	8			
1813934	Drill Core	0.22	0.78	0.17	41	4.24	0.087	19.9	43.7	2.27	119.9	0.120	<1	2.12	0.011	0.56	1.2	9.6	0.28	0.42	20			
1813935	Drill Core	0.55	0.76	0.14	45	3.25	0.093	24.0	56.6	2.17	115.2	0.071	<1	2.18	0.008	0.38	0.6	9.1	0.18	<0.02	18			
1813936	Drill Core	0.63	0.40	0.06	13	0.58	0.052	20.7	12.4	0.74	133.5	0.004	<1	1.01	0.012	0.26	<0.1	2.7	0.12	<0.02	8			
1813937	Drill Core	0.80	0.48	0.28	14	0.20	0.061	24.4	12.7	0.62	156.2	0.002	<1	0.94	0.012	0.24	0.1	2.2	0.11	<0.02	10			
1813938	Drill Core	0.64	0.55	0.35	12	0.23	0.071	43.4	13.7	0.37	153.7	<0.001	<1	0.70	0.013	0.26	0.2	1.5	0.10	<0.02	6			
1813939	Drill Core	0.36	0.37	0.32	23	2.85	0.059	23.7	25.4	0.54	136.8	0.003	<1	0.95	0.010	0.24	0.1	2.8	0.10	<0.02	7			
1813940	Rock Pulp	0.01	0.15	<0.02	24	0.73	0.037	5.3	15.4	0.49	56.2	0.070	2	1.07	0.088	0.09	0.2	2.4	<0.02	0.04	<5			
1813941	Drill Core	0.46	0.40	0.42	15	0.31	0.065	25.6	13.8	0.35	181.9	0.003	<1	0.76	0.017	0.26	0.1	2.2	0.10	<0.02	6			
1813942	Drill Core	0.52	0.35	0.11	19	0.24	0.070	14.3	17.2	0.64	123.7	0.002	<1	0.97	0.007	0.22	0.1	2.6	0.10	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 3 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000668.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813913	Drill Core	<0.1	<0.02	1.0	0.74	<0.1	0.19	<0.02	10.2	0.2	<0.05	7.0	12.59	73.7	<0.02	<1	0.2	3.1	<10	<2			
1813914	Drill Core	<0.1	0.03	1.2	0.63	<0.1	0.19	<0.02	10.7	0.2	<0.05	6.1	10.64	78.6	<0.02	<1	0.3	3.1	<10	<2			
1813915	Drill Core	<0.1	0.03	0.9	0.47	<0.1	0.13	0.02	10.1	0.2	<0.05	4.9	6.93	66.9	0.04	<1	0.2	2.7	<10	<2			
1813916	Drill Core	<0.1	<0.02	1.3	0.43	<0.1	0.14	0.03	9.5	0.2	<0.05	5.1	9.34	76.0	<0.02	<1	0.2	2.0	<10	<2			
1813917	Drill Core	0.1	<0.02	3.1	0.79	<0.1	0.13	0.04	14.0	0.3	<0.05	5.4	14.05	79.4	<0.02	<1	0.4	10.3	<10	<2			
1813918	Drill Core	0.1	<0.02	2.9	1.26	<0.1	0.11	0.04	14.0	0.2	<0.05	4.5	14.60	71.8	<0.02	<1	0.4	9.4	<10	<2			
1813919	Drill Core	0.5	0.03	3.0	3.81	<0.1	0.06	0.07	24.5	0.4	<0.05	2.2	8.81	20.3	<0.02	<1	0.4	11.0	<10	<2			
1813920	Rock Pulp	<0.1	0.06	4.4	0.21	<0.1	0.15	0.25	2.5	1.9	<0.05	4.2	7.37	10.6	<0.02	1	0.3	1.3	<10	<2			
1813921	Drill Core	<0.1	<0.02	1.8	0.91	<0.1	0.10	0.19	10.4	0.3	<0.05	3.5	10.55	58.0	<0.02	<1	0.3	3.1	<10	<2			
1813922	Drill Core	0.3	0.06	5.9	1.78	<0.1	0.22	0.13	12.2	0.6	<0.05	7.6	13.94	42.1	0.02	<1	0.6	14.6	<10	<2			
1813923	Drill Core	0.4	<0.02	5.2	2.53	<0.1	0.20	0.11	22.5	0.5	<0.05	7.3	10.81	30.1	<0.02	2	0.6	15.9	<10	<2			
1813924	Drill Core	0.2	<0.02	4.3	3.53	<0.1	0.09	0.08	25.4	0.5	<0.05	3.1	8.19	25.1	<0.02	<1	0.5	14.3	<10	<2			
1813925	Drill Core	0.2	0.02	4.8	2.56	<0.1	0.06	0.14	21.8	0.6	<0.05	1.7	9.92	30.4	<0.02	<1	0.6	15.6	<10	<2			
1813926	Drill Core	0.3	0.03	3.7	6.68	<0.1	0.09	0.07	31.9	0.4	<0.05	3.1	8.22	27.8	0.02	<1	0.3	12.5	<10	<2			
1813927	Drill Core	0.7	0.03	3.7	5.75	<0.1	0.06	0.07	31.8	0.4	<0.05	2.1	7.78	20.4	<0.02	3	0.4	16.0	<10	<2			
1813928	Drill Core	0.5	0.02	5.1	4.02	<0.1	0.06	0.09	29.9	0.5	<0.05	1.7	10.40	24.9	<0.02	1	0.5	23.3	<10	<2			
1813929	Drill Core	1.2	0.04	4.2	4.11	<0.1	0.06	0.09	27.7	0.4	<0.05	1.8	11.01	18.2	<0.02	<1	0.4	20.1	<10	<2			
1813930	Drill Core	0.2	0.03	5.1	2.44	<0.1	0.12	0.10	19.7	0.5	<0.05	3.8	9.52	21.2	<0.02	<1	0.9	16.7	<10	<2			
1813931	Drill Core	0.4	0.03	4.2	3.12	<0.1	0.10	0.12	25.7	0.5	<0.05	2.9	11.06	28.8	<0.02	<1	0.5	16.7	<10	<2			
1813932	Drill Core	0.8	0.09	2.3	1.08	<0.1	0.10	0.08	8.9	0.3	<0.05	3.5	8.51	24.5	<0.02	<1	0.4	7.7	<10	<2			
1813933	Drill Core	0.8	0.05	6.0	1.77	<0.1	0.12	0.11	15.8	1.3	<0.05	3.8	13.01	28.8	0.04	<1	0.8	19.0	<10	<2			
1813934	Drill Core	1.2	0.08	9.8	3.99	<0.1	0.31	0.12	32.4	0.9	<0.05	10.4	17.18	39.2	0.07	2	1.0	29.5	<10	<2			
1813935	Drill Core	0.5	0.05	10.4	2.51	<0.1	0.31	0.05	21.0	0.7	<0.05	11.5	18.92	45.2	0.06	<1	1.0	38.3	<10	<2			
1813936	Drill Core	0.2	<0.02	4.1	1.96	<0.1	0.36	<0.02	14.0	0.2	<0.05	15.2	12.21	40.9	<0.02	<1	0.5	19.2	<10	<2			
1813937	Drill Core	0.3	0.02	4.3	1.65	<0.1	0.29	<0.02	12.3	0.2	<0.05	13.4	12.15	47.7	<0.02	<1	0.5	18.5	<10	<2			
1813938	Drill Core	0.5	0.05	3.9	2.27	<0.1	0.13	<0.02	13.6	0.4	<0.05	6.4	12.84	84.1	<0.02	<1	0.4	11.4	<10	<2			
1813939	Drill Core	0.4	0.04	4.3	2.15	<0.1	0.27	<0.02	14.1	0.2	<0.05	11.6	12.46	47.2	<0.02	<1	0.5	18.1	<10	<2			
1813940	Rock Pulp	<0.1	<0.02	4.2	0.12	<0.1	0.15	0.29	2.0	1.7	<0.05	3.8	7.46	10.6	<0.02	<1	0.2	1.0	<10	<2			
1813941	Drill Core	0.4	0.04	3.5	2.23	<0.1	0.21	<0.02	15.1	0.2	<0.05	8.9	12.32	48.7	<0.02	<1	0.4	12.5	<10	<2			
1813942	Drill Core	<0.1	<0.02	5.5	1.94	<0.1	0.03	<0.02	12.3	0.3	<0.05	1.2	9.89	27.3	<0.02	<1	0.4	18.4	<10	<2			





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 4 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000668.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1813943	Drill Core	1.43	497	0.048	0.06	<0.17	49.99	0.65	27.88	32.39	86.9	779	29.7	11.0	527	2.65	21.5	1.2	50.6	6.6	24.5
1813944	Drill Core	1.95	539	0.248	0.26	0.37	48.50	0.98	27.92	5.66	46.6	2482	22.2	8.5	357	1.97	22.1	1.2	238.7	6.0	15.1
1813945	Drill Core	1.93	524	0.241	0.26	0.42	47.59	1.27	20.74	4.11	43.8	1584	24.2	9.6	296	1.95	17.3	1.5	377.6	8.1	28.9
1813946	Drill Core	1.44	517	0.281	0.29	0.33	48.11	1.19	7.20	3.63	34.1	413	39.7	15.8	576	2.98	50.0	2.5	221.0	6.7	67.5
1813947	Drill Core	3.23	460	0.298	0.30	0.27	47.99	1.19	18.57	10.34	62.4	1283	22.9	9.4	405	2.34	23.1	1.9	239.5	7.6	104.0
1813948	Drill Core	3.12	423	0.667	0.84	2.35	43.91	1.17	23.55	6.25	45.8	2357	23.2	8.7	355	2.35	21.6	2.0	546.5	6.3	85.1
1813949	Drill Core	3.10	415	0.850	0.89	1.24	42.80	1.18	21.94	8.83	52.2	1540	14.5	8.2	442	2.20	16.5	1.8	629.7	7.5	77.1
1813950	Drill Core	2.03	518	0.037	0.04	<0.17	43.83	1.31	16.46	7.73	65.1	341	13.1	8.6	560	2.47	5.8	2.4	27.1	8.2	83.8
1813951	Drill Core	2.12	452	0.011	0.01	<0.17	34.75	1.07	13.98	6.02	50.6	361	14.9	8.2	650	2.49	13.7	1.6	7.8	8.0	78.3
1813952	Drill Core	1.93	394	0.012	0.01	<0.17	39.64	1.33	16.48	3.93	56.9	327	9.9	9.6	793	3.45	13.3	1.8	7.9	8.1	66.2
1813953	Drill Core	3.10	530	<0.005	<0.01	<0.17	41.81	0.50	20.33	7.95	79.8	313	18.7	11.1	625	3.19	10.5	1.3	<0.2	6.7	94.7
1813954	Drill Core	3.20	519	0.011	0.01	<0.17	36.91	0.89	22.24	10.06	84.0	417	26.3	12.7	746	3.39	20.0	1.5	1.1	7.5	130.6
1813955	Drill Core	3.11	388	<0.005	<0.01	<0.17	43.29	0.28	18.45	17.47	83.2	286	25.1	11.6	677	2.91	7.7	0.7	<0.2	6.7	87.3
1813956	Drill Core	2.69	463	0.007	<0.01	<0.17	44.44	0.55	20.19	12.88	86.8	263	27.0	11.2	595	3.18	11.5	0.9	0.8	7.5	63.7
1813957	Drill Core	3.23	534	0.008	<0.01	<0.17	46.28	1.07	18.83	9.34	81.8	240	25.7	12.7	613	3.02	12.8	1.0	1.9	8.5	46.9
1813958	Drill Core	2.87	433	0.007	<0.01	<0.17	46.85	1.03	19.00	23.61	100.1	356	19.1	7.5	497	2.86	11.6	1.0	0.5	9.2	24.4
1813959	Drill Core	3.03	416	0.008	<0.01	<0.17	46.50	1.49	11.91	27.51	126.2	320	19.3	10.7	753	3.27	17.1	1.7	0.3	12.4	34.1
1813960	Core DUP		420	0.006	<0.01	<0.17	45.77	1.39	12.38	24.68	117.4	295	19.0	10.5	695	3.20	17.1	1.7	3.0	12.4	31.4
1813961	Drill Core	2.98	409	0.035	0.03	<0.17	44.38	1.73	22.25	39.34	274.7	535	20.4	10.8	857	4.10	28.1	2.4	11.1	13.9	86.1
1813962	Drill Core	3.28	464	0.007	<0.01	<0.17	45.55	1.28	44.47	46.10	280.6	1074	13.5	9.3	654	3.33	42.7	1.4	1.5	5.5	25.9
1813963	Drill Core	3.06	408	0.008	<0.01	<0.17	45.39	1.53	44.88	143.18	524.9	1772	20.6	10.8	922	3.83	137.6	1.1	2.4	6.3	41.4
1813964	Drill Core	3.50	378	0.214	0.22	0.23	47.38	1.80	66.31	96.44	499.5	3749	24.2	11.6	1042	3.56	320.7	1.1	192.2	4.9	58.7
1813965	Drill Core	2.99	423	1.947	1.87	1.26	48.27	2.96	84.76	16.14	733.0	14466	24.0	15.1	1482	3.70	62.2	1.4	1967.8	6.0	338.7
1813966	Drill Core	3.20	510	1.926	1.88	1.45	49.73	2.82	37.84	14.37	301.0	3256	34.5	16.2	1155	3.72	53.0	1.3	1856.0	5.0	307.2
1813967	Drill Core	1.71	543	2.274	2.27	2.18	47.30	2.60	41.30	13.80	248.3	1876	45.9	23.5	1677	5.76	105.8	1.5	2412.0	4.6	362.3
1813968	Drill Core	1.30	519	0.034	0.03	<0.17	48.90	2.19	58.35	22.20	234.0	820	33.1	15.3	1125	3.57	441.9	1.1	24.0	4.8	54.1
1813969	Drill Core	3.12	369	0.008	<0.01	<0.17	45.55	3.16	67.19	33.03	281.6	687	38.4	13.2	879	3.41	134.6	1.0	2.5	5.3	28.8
1813970	Drill Core	3.30	360	<0.005	<0.01	<0.17	47.66	2.88	57.17	45.01	354.3	657	33.2	15.1	925	3.50	87.4	1.5	1.1	4.2	48.6
1813971	Drill Core	3.20	462	<0.005	<0.01	<0.17	51.18	3.57	55.71	32.57	338.0	566	32.5	14.5	1014	3.59	76.8	0.6	0.8	4.6	59.5
1813972	Drill Core	1.54	442	0.006	<0.01	<0.17	49.69	2.50	61.30	15.10	353.0	558	33.3	15.2	797	3.72	71.9	0.5	1.6	4.6	22.3





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 4 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000668.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813943	Drill Core	0.58	0.58	0.12	24	0.27	0.066	18.2	23.2	1.15	108.3	0.001	<1	1.47	0.005	0.22	0.1	2.9	0.10	<0.02	8
1813944	Drill Core	0.46	0.68	0.08	11	0.21	0.053	15.8	10.9	0.53	172.8	0.002	<1	0.84	0.006	0.24	0.2	2.4	0.08	<0.02	10
1813945	Drill Core	0.42	0.60	0.06	14	0.32	0.058	18.3	13.9	0.64	153.1	0.003	<1	0.92	0.012	0.26	0.1	2.6	0.11	<0.02	6
1813946	Drill Core	0.31	0.44	0.05	15	0.90	0.053	13.1	11.7	0.65	204.3	0.003	<1	0.96	0.014	0.27	0.3	5.1	0.10	0.07	<5
1813947	Drill Core	0.39	0.71	0.12	16	1.55	0.057	13.1	15.6	0.89	166.2	0.006	<1	1.08	0.009	0.26	0.1	3.6	0.09	0.03	12
1813948	Drill Core	0.37	0.91	0.11	14	1.15	0.046	11.9	14.1	0.83	174.7	0.005	<1	0.99	0.009	0.27	0.1	3.3	0.09	0.20	8
1813949	Drill Core	0.49	0.82	0.13	17	1.18	0.073	11.8	18.5	0.64	172.7	0.007	<1	0.90	0.015	0.26	0.1	3.0	0.09	0.29	17
1813950	Drill Core	0.31	0.49	0.08	27	1.47	0.064	15.2	27.3	0.94	131.5	0.036	<1	1.24	0.020	0.26	0.2	5.0	0.12	0.14	<5
1813951	Drill Core	0.28	0.53	0.08	26	1.57	0.062	19.1	32.6	0.88	121.6	0.004	2	1.31	0.015	0.22	0.2	3.8	0.10	<0.02	12
1813952	Drill Core	0.20	0.64	0.08	28	1.48	0.089	24.2	30.8	1.20	153.9	0.007	<1	1.90	0.019	0.33	0.2	5.1	0.17	<0.02	11
1813953	Drill Core	0.24	0.49	0.10	52	1.58	0.076	18.7	115.7	1.58	72.9	0.016	<1	1.79	0.024	0.12	0.2	6.8	0.06	<0.02	10
1813954	Drill Core	0.57	0.42	0.07	66	2.36	0.072	19.5	162.3	1.89	137.6	0.005	<1	1.97	0.021	0.13	<0.1	8.1	0.05	0.06	<5
1813955	Drill Core	0.43	0.25	0.10	55	2.19	0.065	19.3	145.3	1.71	92.6	0.003	<1	1.82	0.022	0.11	0.1	5.9	0.04	<0.02	<5
1813956	Drill Core	0.42	0.27	0.07	60	1.82	0.069	17.4	163.9	1.78	94.3	0.002	<1	1.96	0.018	0.12	<0.1	6.3	0.04	<0.02	<5
1813957	Drill Core	0.39	0.54	0.04	37	1.31	0.067	16.2	86.2	1.76	97.4	0.002	<1	1.95	0.008	0.13	<0.1	3.9	0.05	<0.02	<5
1813958	Drill Core	0.34	0.53	0.08	25	0.37	0.064	18.7	33.9	1.63	104.8	0.002	<1	1.76	0.010	0.16	<0.1	2.9	0.06	<0.02	<5
1813959	Drill Core	0.87	0.57	0.19	25	0.57	0.078	20.7	28.4	1.67	110.9	0.002	<1	1.90	0.010	0.17	<0.1	2.5	0.06	<0.02	<5
1813960	Core DUP	0.72	0.63	0.17	25	0.47	0.073	22.5	28.9	1.61	129.0	0.002	<1	1.89	0.013	0.19	<0.1	2.5	0.06	<0.02	<5
1813961	Drill Core	1.97	0.73	0.46	32	0.99	0.104	22.3	33.5	2.32	106.7	0.002	<1	2.49	0.006	0.18	0.1	3.5	0.06	<0.02	<5
1813962	Drill Core	1.86	0.89	0.68	21	0.44	0.065	10.0	12.1	1.58	141.8	0.002	<1	1.68	0.003	0.20	<0.1	2.5	0.06	<0.02	5
1813963	Drill Core	3.73	1.16	1.01	32	0.36	0.082	12.6	25.6	2.30	146.6	0.003	<1	2.25	0.003	0.21	<0.1	3.2	0.06	<0.02	21
1813964	Drill Core	6.92	3.37	1.28	34	1.29	0.071	6.9	18.1	1.69	129.3	0.003	<1	1.60	0.004	0.21	<0.1	3.6	0.07	0.12	8
1813965	Drill Core	9.45	12.85	0.45	30	3.66	0.025	5.1	14.8	1.84	189.8	0.007	<1	1.55	0.004	0.40	0.1	5.4	0.14	0.51	28
1813966	Drill Core	3.19	2.70	0.28	31	3.36	0.037	4.3	16.6	1.70	153.4	0.010	<1	1.46	0.004	0.44	0.1	5.4	0.15	1.03	23
1813967	Drill Core	3.65	2.37	0.17	31	3.85	0.045	2.9	15.7	2.04	122.1	0.006	<1	1.69	0.004	0.34	0.4	6.7	0.14	2.44	29
1813968	Drill Core	2.55	2.25	0.32	35	1.66	0.082	6.0	20.9	1.70	98.7	0.003	<1	1.69	0.003	0.18	0.1	3.6	0.05	0.15	<5
1813969	Drill Core	2.90	1.59	0.36	39	0.65	0.085	7.9	30.5	1.77	120.6	0.002	<1	1.85	0.005	0.18	<0.1	3.0	0.05	0.05	<5
1813970	Drill Core	3.91	1.29	0.43	33	1.27	0.086	4.1	20.3	1.90	127.6	0.003	1	1.92	0.006	0.16	<0.1	3.3	0.05	0.42	5
1813971	Drill Core	2.49	0.88	0.43	37	1.65	0.083	3.4	22.4	1.89	136.4	0.003	<1	1.91	0.007	0.16	<0.1	3.3	0.04	0.73	<5
1813972	Drill Core	2.85	0.51	0.23	36	0.60	0.084	4.1	22.3	2.01	124.3	0.003	1	2.10	0.007	0.14	<0.1	2.8	0.04	0.29	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 4 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000668.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813943	Drill Core	0.4	0.03	7.6	1.95	<0.1	0.03	<0.02	12.5	0.3	<0.05	1.4	13.14	36.0	<0.02	<1	0.7	35.7	<10	<2			
1813944	Drill Core	0.4	0.02	3.2	1.32	<0.1	0.03	<0.02	10.5	0.2	<0.05	1.0	9.35	31.5	<0.02	<1	0.5	18.5	<10	<2			
1813945	Drill Core	0.4	0.03	3.9	2.01	<0.1	0.13	<0.02	13.7	0.2	<0.05	6.2	11.63	37.2	<0.02	<1	0.5	19.1	<10	<2			
1813946	Drill Core	1.0	0.06	3.9	2.32	<0.1	0.06	<0.02	12.1	0.3	<0.05	2.5	10.80	26.5	0.02	<1	0.7	21.4	<10	<2			
1813947	Drill Core	0.5	0.03	4.1	1.95	<0.1	0.05	<0.02	11.7	0.2	<0.05	1.6	11.46	26.6	<0.02	<1	0.5	23.0	<10	<2			
1813948	Drill Core	0.6	0.04	3.9	1.73	<0.1	0.05	<0.02	11.8	0.2	<0.05	1.7	10.03	23.9	<0.02	<1	0.4	19.0	<10	<2			
1813949	Drill Core	0.7	0.04	3.6	1.76	<0.1	0.04	<0.02	12.0	0.2	<0.05	1.6	10.35	23.2	<0.02	<1	0.4	16.7	<10	<2			
1813950	Drill Core	0.6	0.02	5.9	2.38	<0.1	0.08	0.04	13.9	0.3	<0.05	2.6	13.12	30.5	0.02	5	0.5	21.0	<10	<2			
1813951	Drill Core	0.2	<0.02	6.9	3.21	<0.1	0.05	<0.02	14.9	0.5	<0.05	1.9	11.01	37.5	0.02	<1	0.6	27.8	<10	<2			
1813952	Drill Core	0.1	<0.02	8.8	4.15	<0.1	0.04	0.03	23.6	0.5	<0.05	1.3	14.95	50.6	0.02	<1	0.5	35.3	<10	<2			
1813953	Drill Core	<0.1	<0.02	7.9	3.41	<0.1	0.04	<0.02	9.6	0.3	<0.05	1.2	12.68	37.9	0.03	<1	0.5	31.7	<10	<2			
1813954	Drill Core	1.2	<0.02	8.4	1.57	<0.1	0.02	0.02	7.3	0.3	<0.05	0.7	12.75	38.8	0.03	<1	0.6	30.0	14	<2			
1813955	Drill Core	<0.1	<0.02	7.6	1.25	<0.1	0.03	<0.02	6.8	0.2	<0.05	0.8	10.44	39.0	<0.02	<1	0.3	27.4	<10	<2			
1813956	Drill Core	<0.1	<0.02	8.9	1.65	<0.1	0.05	<0.02	6.8	0.3	<0.05	1.6	8.40	35.2	0.03	<1	0.3	38.4	<10	<2			
1813957	Drill Core	<0.1	<0.02	8.4	1.77	<0.1	0.14	<0.02	7.4	0.3	<0.05	4.8	7.24	33.3	<0.02	<1	0.3	47.8	<10	<2			
1813958	Drill Core	0.4	0.03	6.6	1.51	<0.1	0.22	<0.02	8.8	0.1	<0.05	7.5	5.96	37.6	<0.02	<1	0.3	36.8	<10	<2			
1813959	Drill Core	1.2	0.02	7.6	1.63	<0.1	0.23	<0.02	9.1	0.2	<0.05	8.5	8.66	42.1	0.02	<1	0.4	46.5	<10	<2			
1813960	Core DUP	1.3	0.03	7.1	1.62	<0.1	0.29	<0.02	10.2	0.2	<0.05	8.9	8.15	45.2	<0.02	<1	0.5	45.1	<10	<2			
1813961	Drill Core	1.6	0.06	9.1	2.26	<0.1	0.20	<0.02	9.7	0.3	<0.05	8.3	10.63	44.0	0.03	<1	0.6	53.3	<10	<2			
1813962	Drill Core	2.2	0.06	4.1	1.18	<0.1	0.23	<0.02	9.1	<0.1	<0.05	8.3	5.68	20.1	<0.02	<1	0.2	30.8	<10	<2			
1813963	Drill Core	1.8	0.14	5.1	1.92	<0.1	0.12	<0.02	8.2	0.2	<0.05	5.5	7.52	26.0	0.10	<1	0.3	34.7	<10	<2			
1813964	Drill Core	2.3	0.14	4.4	1.34	<0.1	0.21	<0.02	9.0	0.2	<0.05	8.7	8.41	13.8	0.21	<1	0.3	27.4	<10	<2			
1813965	Drill Core	2.4	0.10	5.1	3.06	<0.1	0.40	<0.02	17.7	0.4	<0.05	14.6	8.61	10.7	0.12	<1	0.5	24.9	<10	<2			
1813966	Drill Core	2.3	0.09	4.5	3.72	<0.1	0.26	<0.02	20.6	0.2	<0.05	10.6	7.09	9.1	0.05	2	0.6	21.3	<10	<2			
1813967	Drill Core	4.7	0.11	5.3	3.44	<0.1	0.36	<0.02	15.9	0.2	<0.05	12.2	9.64	6.4	0.05	<1	0.4	30.4	<10	<2			
1813968	Drill Core	2.1	0.06	4.4	1.45	<0.1	0.15	<0.02	8.1	0.2	<0.05	6.8	6.62	12.1	<0.02	<1	0.5	32.3	<10	<2			
1813969	Drill Core	2.0	0.03	5.4	0.87	<0.1	0.16	<0.02	7.2	0.2	<0.05	8.1	6.74	15.9	0.02	<1	0.3	33.0	<10	<2			
1813970	Drill Core	2.2	0.06	4.1	0.49	<0.1	0.19	<0.02	5.4	0.2	<0.05	7.1	4.95	8.4	0.03	7	0.1	23.9	<10	<2			
1813971	Drill Core	2.0	0.06	5.4	0.45	<0.1	0.18	<0.02	6.0	0.2	<0.05	6.8	5.74	7.2	0.03	2	0.2	25.5	<10	<2			
1813972	Drill Core	1.2	0.02	5.5	0.47	<0.1	0.18	<0.02	5.3	0.2	<0.05	6.7	4.35	8.7	0.03	<1	0.2	28.7	<10	<2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 5 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000668.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1813973	Drill Core	1.96	553	0.007	<0.01	<0.17	47.17	2.41	63.50	13.96	189.8	568	30.6	14.4	908	3.38	86.9	1.1	2.2	4.6	25.8
1887495	Drill Core	5.54	508	0.056	0.11	0.62	48.14	0.62	10.30	11.60	40.4	247	6.6	6.2	430	1.82	4.3	1.1	49.2	10.2	107.0
1887496	Drill Core	4.85	368	2.254	5.61	29.22	45.72	0.59	18.27	13.48	49.4	981	11.3	7.0	396	1.89	7.0	1.5	3925.5	11.0	71.4
1887497	Drill Core	4.68	417	0.010	<0.01	<0.17	50.47	0.99	18.89	12.68	44.6	456	9.7	6.1	377	1.71	6.1	1.4	7.1	10.8	54.4
1887498	Drill Core	4.52	505	0.099	0.14	0.51	46.73	1.23	21.24	15.63	50.1	673	9.5	6.0	365	1.74	11.3	1.0	83.3	10.0	31.9
1887499	Drill Core	4.62	501	0.295	0.32	0.59	49.26	0.52	14.74	10.33	30.2	537	7.5	4.2	292	1.25	8.8	0.7	287.7	7.8	17.8
1887500	Rock Pulp	0.12	89	7.183				9.23	187.55	18.92	76.4	888	14.1	11.8	590	4.82	14.6	0.9	8692.7	3.7	68.0



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 5 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000668.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813973	Drill Core	1.22	0.92	0.18	34	0.75	0.087	7.1	21.1	1.65	131.3	0.003	1	1.79	0.006	0.15	<0.1	3.1	0.04	0.03	<5
1887495	Drill Core	0.27	0.85	0.12	11	1.81	0.059	16.1	14.7	0.84	202.9	0.029	<1	1.00	0.015	0.33	0.5	3.5	0.11	0.03	18
1887496	Drill Core	0.31	1.05	0.19	9	1.19	0.055	18.3	13.2	0.75	208.8	0.024	1	0.93	0.016	0.36	0.3	3.6	0.13	0.06	13
1887497	Drill Core	0.34	1.12	0.18	8	0.88	0.053	23.0	10.0	0.59	185.4	0.007	1	0.91	0.016	0.30	0.1	2.7	0.09	<0.02	20
1887498	Drill Core	0.37	1.54	0.34	7	0.47	0.056	21.4	10.2	0.65	153.3	0.002	<1	0.92	0.012	0.25	0.1	1.9	0.08	<0.02	13
1887499	Drill Core	0.31	0.96	0.13	6	0.16	0.041	18.1	8.8	0.48	153.6	0.003	<1	0.64	0.005	0.23	0.2	1.8	0.08	<0.02	<5
1887500	Rock Pulp	0.18	4.46	0.56	104	0.92	0.061	7.6	19.3	0.86	137.5	0.116	<1	1.80	0.182	0.24	4.0	4.4	0.09	<0.02	241



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 5 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000668.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1813973	Drill Core	0.8	0.02	4.3	0.55	<0.1	0.10	<0.02	5.5	0.2	<0.05	5.3	5.96	14.2	<0.02	1	0.2	25.9	<10
1887495	Drill Core	<0.1	0.02	3.3	1.32	<0.1	0.09	0.04	16.2	0.2	<0.05	2.9	7.76	32.3	<0.02	<1	0.3	9.4	<10
1887496	Drill Core	0.3	0.04	3.1	1.32	<0.1	0.12	0.03	16.5	0.3	<0.05	4.1	7.97	37.0	<0.02	<1	0.3	9.2	<10
1887497	Drill Core	0.2	0.02	2.8	1.77	<0.1	0.12	<0.02	14.5	0.2	<0.05	4.0	9.47	46.4	<0.02	<1	0.4	12.7	<10
1887498	Drill Core	0.2	0.04	3.1	1.69	<0.1	0.15	<0.02	13.1	0.2	<0.05	5.5	7.77	42.4	0.02	<1	0.3	16.9	<10
1887499	Drill Core	<0.1	0.03	2.4	1.36	<0.1	0.12	<0.02	11.7	0.1	<0.05	4.2	7.68	35.3	<0.02	<1	0.4	11.7	<10
1887500	Rock Pulp	0.2	0.18	5.4	0.75	0.1	0.08	0.14	9.8	1.7	<0.05	1.4	5.25	16.2	0.05	1	0.2	7.5	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS  
Report Date: October 28, 2019

Page: 1 of 3

Part: 1 of 3

## QUALITY CONTROL REPORT

WHI19000668.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1813904	Drill Core	3.20	484	<0.005	<0.01	<0.17	49.34	0.17	3.93	10.80	24.3	184	1.1	1.3	95	0.56	0.5	2.0	1.1	6.1	26.0
REP 1813904	QC							0.17	3.80	10.76	24.5	188	1.1	1.3	99	0.58	0.7	2.0	0.9	6.4	27.6
1813939	Drill Core	3.02	453	0.046	0.05	<0.17	44.31	0.57	21.20	20.95	54.5	523	16.4	6.2	443	1.83	9.7	1.1	38.4	8.7	130.0
REP 1813939	QC							0.56	21.27	21.02	54.4	520	16.5	6.2	446	1.84	9.9	1.1	48.7	8.8	130.2
1813943	Drill Core	1.43	497	0.048	0.06	<0.17	49.99	0.65	27.88	32.39	86.9	779	29.7	11.0	527	2.65	21.5	1.2	50.6	6.6	24.5
REP 1813943	QC			0.055																	
1813952	Drill Core	1.93	394	0.012	0.01	<0.17	39.64	1.33	16.48	3.93	56.9	327	9.9	9.6	793	3.45	13.3	1.8	7.9	8.1	66.2
REP 1813952	QC			0.011																	
1813970	Drill Core	3.30	360	<0.005	<0.01	<0.17	47.66	2.88	57.17	45.01	354.3	657	33.2	15.1	925	3.50	87.4	1.5	1.1	4.2	48.6
REP 1813970	QC							3.08	59.46	47.07	363.2	646	35.3	15.4	928	3.49	89.8	1.6	1.7	4.3	51.3
Core Reject Duplicates																					
1813897	Drill Core	3.27	416	<0.005	<0.01	<0.17	47.66	0.70	10.41	11.60	73.6	178	13.8	9.2	291	2.08	3.2	1.0	8.3	9.4	38.0
DUP 1813897	QC		419	<0.005	<0.01	<0.17	43.91	0.64	9.69	11.97	73.0	171	14.6	9.5	286	2.06	3.0	0.9	4.4	9.1	32.2
1813931	Drill Core	2.82	410	<0.005	<0.01	<0.17	45.51	1.38	24.27	21.89	68.2	410	12.3	7.3	294	2.00	8.7	1.7	0.8	8.2	67.3
DUP 1813931	QC		412	<0.005	<0.01	<0.17	46.76	1.38	24.49	24.27	71.7	403	12.7	7.4	308	2.02	8.6	1.7	0.9	7.5	71.3
1813965	Drill Core	2.99	423	1.947	1.87	1.26	48.27	2.96	84.76	16.14	733.0	14466	24.0	15.1	1482	3.70	62.2	1.4	1967.8	6.0	338.7
DUP 1813965	QC		423	1.940	1.84	1.04	49.07	2.99	83.20	16.80	713.4	14285	24.0	15.1	1496	3.83	64.3	1.5	1862.6	5.6	340.8
Reference Materials																					
STD BVGEO01	Standard							10.59	4301.76	179.19	1769.0	2491	152.8	24.6	707	3.60	115.2	3.6	218.5	13.8	52.4
STD DS11	Standard							14.46	142.19	137.16	334.5	1814	79.2	13.2	1032	3.17	44.5	2.5	97.4	8.8	66.4
STD DS11	Standard							14.26	141.60	132.20	336.7	1724	77.1	13.4	996	3.15	43.1	2.5	79.7	8.7	62.6
STD OREAS262	Standard							0.67	112.54	53.44	145.4	435	64.3	26.3	518	3.15	34.7	1.1	60.9	8.7	33.1
STD OREAS262	Standard							0.66	106.27	55.92	146.8	481	64.1	26.4	520	3.32	36.9	1.2	73.2	10.4	35.1
STD OREAS262	Standard							0.66	110.82	54.62	149.2	455	63.2	27.4	544	3.32	36.6	1.2	70.2	10.7	35.2
STD OXB130	Standard			0.126																	
STD OXB130	Standard			0.120																	
STD OXB130	Standard			0.120																	
STD OXI138	Standard			1.878																	



**BUREAU**  
**VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 1 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000668.1

Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																				
1813904 Drill Core	0.20	0.21	0.14	2	0.46	0.014	12.0	3.9	0.20	255.3	0.015	<1	0.43	0.019	0.22	<0.1	1.5	0.09	0.06	<5
REP 1813904 QC	0.20	0.21	0.15	2	0.47	0.013	13.4	4.0	0.19	262.8	0.017	<1	0.47	0.020	0.23	<0.1	1.6	0.09	0.06	<5
1813939 Drill Core	0.36	0.37	0.32	23	2.85	0.059	23.7	25.4	0.54	136.8	0.003	<1	0.95	0.010	0.24	0.1	2.8	0.10	<0.02	7
REP 1813939 QC	0.36	0.37	0.32	22	2.89	0.059	24.3	25.6	0.54	140.5	0.003	<1	0.96	0.011	0.25	0.1	2.9	0.10	<0.02	<5
1813943 Drill Core	0.58	0.58	0.12	24	0.27	0.066	18.2	23.2	1.15	108.3	0.001	<1	1.47	0.005	0.22	0.1	2.9	0.10	<0.02	8
REP 1813943 QC																				
1813952 Drill Core	0.20	0.64	0.08	28	1.48	0.089	24.2	30.8	1.20	153.9	0.007	<1	1.90	0.019	0.33	0.2	5.1	0.17	<0.02	11
REP 1813952 QC																				
1813970 Drill Core	3.91	1.29	0.43	33	1.27	0.086	4.1	20.3	1.90	127.6	0.003	1	1.92	0.006	0.16	<0.1	3.3	0.05	0.42	5
REP 1813970 QC	4.06	1.39	0.47	33	1.26	0.089	4.2	20.7	1.92	134.8	0.003	1	1.93	0.006	0.16	<0.1	3.2	0.06	0.42	<5
Core Reject Duplicates																				
1813897 Drill Core	0.18	0.46	0.09	22	0.66	0.074	20.5	31.9	1.14	156.2	0.069	<1	1.20	0.016	0.51	0.3	4.7	0.29	<0.02	<5
DUP 1813897 QC	0.20	0.40	0.09	21	0.59	0.074	19.7	31.1	1.18	153.2	0.061	<1	1.19	0.014	0.53	0.3	4.3	0.28	<0.02	<5
1813931 Drill Core	0.40	0.68	0.11	23	0.88	0.076	14.7	22.1	0.82	175.3	0.096	<1	1.06	0.023	0.42	0.7	5.2	0.26	<0.02	9
DUP 1813931 QC	0.42	0.71	0.12	23	0.93	0.078	13.7	22.6	0.85	172.7	0.096	<1	1.09	0.021	0.44	0.7	5.3	0.27	<0.02	12
1813965 Drill Core	9.45	12.85	0.45	30	3.66	0.025	5.1	14.8	1.84	189.8	0.007	<1	1.55	0.004	0.40	0.1	5.4	0.14	0.51	28
DUP 1813965 QC	8.80	13.14	0.48	31	3.88	0.027	5.0	15.0	1.85	181.5	0.007	<1	1.53	0.004	0.40	0.2	5.3	0.14	0.54	33
Reference Materials																				
STD BVGE001 Standard	5.90	3.06	23.02	73	1.27	0.069	24.7	177.9	1.29	265.3	0.226	3	2.32	0.188	0.86	5.0	5.9	0.63	0.66	105
STD DS11 Standard	2.61	8.81	11.50	47	1.05	0.074	18.2	62.0	0.86	386.0	0.085	7	1.19	0.071	0.39	3.0	3.4	5.06	0.27	293
STD DS11 Standard	2.39	8.54	11.36	46	1.05	0.071	17.8	59.2	0.83	388.3	0.083	6	1.14	0.071	0.39	2.9	3.3	5.19	0.27	261
STD OREAS262 Standard	0.57	4.42	0.92	25	2.85	0.037	14.6	41.3	1.13	235.9	0.003	4	1.32	0.066	0.29	0.2	3.1	0.45	0.24	172
STD OREAS262 Standard	0.64	5.72	1.01	20	2.98	0.041	15.3	42.7	1.17	252.0	0.002	4	1.30	0.068	0.29	0.2	3.3	0.47	0.25	178
STD OREAS262 Standard	0.63	5.38	1.00	20	2.99	0.042	15.4	44.4	1.18	261.5	0.002	3	1.35	0.068	0.30	0.2	3.4	0.45	0.25	153
STD OXB130 Standard																				
STD OXB130 Standard																				
STD OXB130 Standard																				
STD OXI138 Standard																				





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Page:** 1 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000668.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1813904	Drill Core	<0.1	<0.02	1.6	0.91	<0.1	0.09	0.33	13.6	0.3	<0.05	0.7	7.79	24.3	<0.02	<1	0.3	5.2	<10	<2
REP 1813904	QC	<0.1	<0.02	1.8	0.86	<0.1	0.03	0.30	13.4	0.4	<0.05	0.9	8.02	25.9	<0.02	<1	0.2	5.1	<10	<2
1813939	Drill Core	0.4	0.04	4.3	2.15	<0.1	0.27	<0.02	14.1	0.2	<0.05	11.6	12.46	47.2	<0.02	<1	0.5	18.1	<10	<2
REP 1813939	QC	0.3	0.05	4.4	2.10	<0.1	0.28	<0.02	14.3	0.2	<0.05	12.4	12.52	48.0	<0.02	<1	0.5	18.1	<10	<2
1813943	Drill Core	0.4	0.03	7.6	1.95	<0.1	0.03	<0.02	12.5	0.3	<0.05	1.4	13.14	36.0	<0.02	<1	0.7	35.7	<10	<2
REP 1813943	QC																			
1813952	Drill Core	0.1	<0.02	8.8	4.15	<0.1	0.04	0.03	23.6	0.5	<0.05	1.3	14.95	50.6	0.02	<1	0.5	35.3	<10	<2
REP 1813952	QC																			
1813970	Drill Core	2.2	0.06	4.1	0.49	<0.1	0.19	<0.02	5.4	0.2	<0.05	7.1	4.95	8.4	0.03	7	0.1	23.9	<10	<2
REP 1813970	QC	2.2	0.05	4.4	0.49	<0.1	0.16	<0.02	5.7	0.2	<0.05	7.2	5.41	8.6	0.03	7	0.2	25.1	<10	<2
Core Reject Duplicates																				
1813897	Drill Core	<0.1	0.02	4.5	5.41	<0.1	0.15	0.10	34.0	0.5	<0.05	5.0	11.45	47.1	<0.02	<1	0.9	13.3	<10	<2
DUP 1813897	QC	<0.1	<0.02	4.5	5.78	<0.1	0.16	0.09	33.8	0.6	<0.05	5.5	10.48	44.1	<0.02	<1	0.7	14.4	<10	<2
1813931	Drill Core	0.4	0.03	4.2	3.12	<0.1	0.10	0.12	25.7	0.5	<0.05	2.9	11.06	28.8	<0.02	<1	0.5	16.7	<10	<2
DUP 1813931	QC	0.3	0.02	4.2	3.28	<0.1	0.08	0.12	26.0	0.5	<0.05	2.6	10.58	26.7	<0.02	<1	0.5	17.0	<10	<2
1813965	Drill Core	2.4	0.10	5.1	3.06	<0.1	0.40	<0.02	17.7	0.4	<0.05	14.6	8.61	10.7	0.12	<1	0.5	24.9	<10	<2
DUP 1813965	QC	2.6	0.12	5.1	3.16	<0.1	0.38	<0.02	18.0	0.3	<0.05	14.6	8.53	10.4	0.11	<1	0.5	23.8	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.7	0.99	7.4	7.09	0.2	0.34	0.25	93.9	5.2	<0.05	9.8	14.09	50.9	0.43	4	0.7	19.7	168	183
STD DS11	Standard	2.2	4.94	5.3	3.06	<0.1	0.07	1.42	36.3	1.9	<0.05	2.4	8.00	38.4	0.24	47	0.7	23.7	104	186
STD DS11	Standard	2.2	4.73	4.9	3.04	<0.1	0.07	1.51	35.5	1.7	<0.05	2.9	7.65	38.8	0.25	51	0.6	24.7	106	169
STD OREAS262	Standard	0.6	0.22	4.0	2.53	<0.1	0.27	<0.02	17.7	0.5	<0.05	11.9	10.46	30.4	0.03	1	1.1	15.3	<10	<2
STD OREAS262	Standard	0.4	0.23	4.0	2.97	<0.1	0.22	<0.02	19.7	0.5	<0.05	10.0	10.54	32.6	0.03	1	1.1	18.9	<10	<2
STD OREAS262	Standard	0.4	0.23	3.9	2.91	<0.1	0.30	<0.02	20.8	0.5	<0.05	9.6	10.74	33.5	0.05	1	1.0	18.1	<10	<2
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000668.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXI138	Standard			1.789																	
STD OXI138	Standard			1.843																	
STD OXN117	Standard			7.902																	
STD OXN117	Standard			7.413																	
STD OXN117	Standard			8.100																	
STD OXQ90	Standard					25.40	30.51														
STD OXQ90	Standard					24.54	30.28														
STD OXQ90	Standard					25.48	29.71														
STD OXQ90	Standard					25.50	29.72														
STD OXQ90	Standard					25.27	29.44														
STD OXQ90	Standard					25.29	29.81														
STD OXQ90 Expected						24.88															
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000668.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000668.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: October 28, 2019

Page: 3 of 3

Part: 1 of 3

## QUALITY CONTROL REPORT

WHI19000668.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Prep Wash																					
ROCK-WHI	Prep Blank		367	<0.005	<0.01	<0.17	44.90	0.67	4.61	0.75	30.6	8	1.6	4.0	515	1.87	0.7	0.3	0.3	1.7	19.4
ROCK-WHI	Prep Blank		426	<0.005	<0.01	<0.17	42.73	0.80	2.84	0.66	29.9	4	2.0	4.1	510	1.92	1.1	0.3	0.4	2.1	15.5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000668.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.04	<0.02	23	0.66	0.040	4.9	3.5	0.56	52.1	0.055	1	0.93	0.069	0.08	<0.1	2.5	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	<0.02	<0.02	23	0.61	0.043	4.9	4.7	0.55	43.8	0.052	1	0.84	0.066	0.06	<0.1	3.0	<0.02	0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** October 28, 2019

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000668.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.14	<0.1	0.09	0.13	2.0	0.3	<0.05	1.7	7.09	10.2	<0.02	<1	<0.1	1.1	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.4	0.11	<0.1	0.09	0.15	1.8	0.3	<0.05	1.9	7.23	10.5	<0.02	<1	0.1	1.3	<10