



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 09, 2019
Report Date: October 26, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000669.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-61
P.O. Number
Number of Samples: 104

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	100	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	104	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	104	Analysis sample split/packet			WHI
Split -150	104	Analysis sample split/packet			WHI
EN002	104	Environmental disposal charge-Fire assay lead waste			VAN
FS631	101	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	104	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	104	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000669.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1884974	Drill Core	2.74	463	<0.005	<0.01	<0.17	46.99	0.65	11.11	17.57	77.6	216	12.5	6.6	405	2.23	3.7	1.0	<0.2	10.0	16.9	
1884975	Drill Core	3.21	485	<0.005	<0.01	<0.17	49.28	0.38	15.60	17.17	61.6	210	12.9	6.5	277	1.68	5.7	0.8	0.5	10.3	18.9	
1884976	Drill Core	2.92	493	<0.005	<0.01	<0.17	50.38	0.54	24.68	18.53	44.1	201	15.1	5.8	260	1.43	10.1	1.0	0.5	10.7	15.9	
1884977	Drill Core	2.95	511	<0.005	<0.01	<0.17	44.16	0.85	15.65	21.22	44.8	265	11.9	5.3	316	1.54	12.2	1.0	0.2	10.3	30.8	
1884978	Drill Core	4.03	464	<0.005	<0.01	<0.17	46.78	0.46	18.13	26.52	52.5	303	11.0	5.7	320	1.63	5.0	0.8	0.3	11.0	23.0	
1884979	Drill Core	3.60	421	0.006	<0.01	<0.17	44.89	0.81	17.04	16.33	56.2	226	11.3	7.5	424	1.98	4.2	0.9	0.8	10.0	34.7	
1884980	Rock	0.23	160	<0.005	<0.01	<0.17	44.76	0.31	1.06	0.97	1.9	7	1.0	0.4	47	0.47	0.5	0.2	<0.2	1.3	1.0	
1884981	Drill Core	3.23	419	<0.005	<0.01	<0.17	46.20	0.71	13.98	12.20	48.5	161	9.6	6.3	549	1.91	1.7	0.9	<0.2	10.5	44.4	
1884982	Drill Core	3.08	526	<0.005	<0.01	<0.17	48.60	0.62	29.18	9.32	58.9	458	10.9	7.7	449	1.86	2.2	0.8	<0.2	11.5	23.3	
1884983	Drill Core	1.42	496	0.019	0.02	<0.17	47.13	1.08	21.30	107.58	108.9	447	9.9	6.4	408	1.76	1.3	0.6	0.8	10.4	29.6	
1884984	Drill Core	1.41	495	<0.005	<0.01	<0.17	44.95	0.60	44.93	99.29	138.4	590	9.4	6.5	502	1.78	1.1	0.9	<0.2	10.5	22.8	
1884985	Drill Core	1.54	514	<0.005	<0.01	<0.17	48.89	0.48	10.86	16.07	63.9	149	9.9	5.8	553	1.87	0.4	0.9	<0.2	10.6	29.2	
1884986	Drill Core	3.33	500	<0.005	<0.01	<0.17	47.22	0.67	13.33	16.42	53.9	176	11.0	6.7	440	1.79	1.1	0.9	<0.2	9.9	39.8	
1884987	Drill Core	3.20	524	<0.005	<0.01	<0.17	49.32	0.58	13.37	5.46	49.7	129	11.1	6.4	421	2.00	1.4	1.1	<0.2	10.3	35.4	
1884988	Drill Core	3.63	425	<0.005	<0.01	<0.17	50.58	0.89	10.16	11.66	42.8	63	9.9	5.8	491	1.80	1.0	1.2	0.2	10.5	69.0	
1884989	Drill Core	3.51	438	<0.005	<0.01	<0.17	45.90	0.98	12.93	7.64	47.0	69	10.8	7.0	413	1.93	1.6	1.6	<0.2	10.7	41.7	
1884990	Drill Core	2.95	565	<0.005	<0.01	<0.17	50.55	0.92	11.49	15.05	43.5	108	10.1	6.6	474	1.78	1.6	0.9	<0.2	10.0	62.8	
1884991	Drill Core	3.14	527	<0.005	<0.01	<0.17	50.32	0.47	7.91	9.82	49.7	100	10.8	6.6	435	1.93	1.4	0.8	<0.2	9.7	25.9	
1884992	Drill Core	3.42	464	<0.005	<0.01	<0.17	45.43	0.39	15.76	12.05	46.6	160	10.2	6.4	413	1.87	1.7	0.6	<0.2	9.1	22.1	
1884993	Drill Core	2.92	514	<0.005	<0.01	<0.17	47.82	0.57	14.08	10.03	50.0	215	13.2	7.5	346	2.08	2.4	0.9	0.3	9.6	18.8	
1884994	Drill Core	3.38	414	0.006	<0.01	<0.17	46.65	1.51	17.55	17.83	62.2	205	11.6	6.5	431	2.04	2.8	1.0	<0.2	9.3	38.4	
1884995	Drill Core	3.28	505	<0.005	<0.01	<0.17	49.65	0.95	17.52	29.22	101.4	370	11.8	7.3	357	1.93	2.8	1.8	<0.2	8.3	51.1	
1884996	Drill Core	2.20	467	<0.005	<0.01	<0.17	44.14	0.89	16.42	15.16	66.1	291	13.3	7.7	351	2.04	5.0	1.7	0.8	8.4	54.5	
1884997	Drill Core	1.83	416	0.518	0.66	1.78	45.43	0.27	13.45	18.06	44.6	674	10.2	6.6	378	1.50	4.5	2.2	1596.2	6.4	85.3	
1884998	Drill Core	1.83	410	1.905	2.79	9.03	50.70	1.39	7.27	4.35	22.0	1418	14.3	8.2	529	2.07	7.6	1.6	2553.5	7.8	19.8	
1884999	Drill Core	1.36	501	4.491	6.51	26.15	46.70	1.57	14.02	6.50	26.8	2500	14.0	9.2	471	1.86	7.3	1.4	6275.0	7.9	17.2	
1885000	Rock Pulp	0.12	92	7.325				9.30	190.43	19.26	76.1	875	14.0	11.1	561	4.47	13.7	0.9	7349.9	2.7	65.9	
1885001	Drill Core	2.10	454	3.558	5.34	19.87	49.57	0.74	18.47	6.76	32.9	1444	12.3	7.7	404	1.65	9.9	1.5	3701.3	6.8	53.6	
1885002	Drill Core	1.70	380	8.569	10.76	26.71	45.93	1.57	18.49	6.17	33.7	4592	18.1	10.9	559	2.42	5.3	2.4	7642.6	10.8	18.5	
1885003	Drill Core	1.22	554	5.984	6.21	8.61	47.62	0.73	16.99	7.09	24.5	3975	14.7	8.7	469	1.79	4.1	1.5	7505.6	6.9	77.3	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000669.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884974	Drill Core	0.32	0.37	0.15	22	0.35	0.055	20.7	29.0	1.03	96.5	0.064	<1	1.22	0.034	0.21	0.5	4.2	0.13	<0.02	<5			
1884975	Drill Core	0.33	0.57	0.14	14	0.38	0.060	20.2	17.0	0.89	149.6	0.070	<1	1.01	0.013	0.47	0.2	3.3	0.27	<0.02	<5			
1884976	Drill Core	0.27	1.43	0.29	11	0.32	0.062	21.8	11.2	0.68	161.4	0.060	<1	0.78	0.008	0.41	0.3	3.3	0.25	<0.02	<5			
1884977	Drill Core	0.26	0.92	0.35	13	0.55	0.060	22.7	14.5	0.70	166.7	0.035	1	0.79	0.010	0.46	0.1	3.3	0.40	0.05	<5			
1884978	Drill Core	0.23	0.34	0.25	11	0.37	0.053	24.5	11.9	0.80	132.8	0.034	<1	0.89	0.014	0.42	0.2	3.1	0.24	<0.02	<5			
1884979	Drill Core	0.28	0.24	0.14	13	0.36	0.052	22.5	13.8	0.91	164.2	0.043	<1	1.03	0.022	0.41	0.1	3.8	0.20	<0.02	5			
1884980	Rock	<0.01	0.04	<0.02	1	0.01	0.001	1.6	2.3	0.01	9.2	0.002	<1	0.05	0.003	0.01	<0.1	0.1	<0.02	<0.02	<5			
1884981	Drill Core	0.33	0.28	0.06	9	0.60	0.053	24.8	11.2	0.72	509.4	0.042	<1	0.82	0.018	0.45	0.1	4.1	0.23	0.04	<5			
1884982	Drill Core	0.87	0.28	0.02	13	0.31	0.054	23.9	13.4	0.84	231.6	0.066	<1	0.97	0.015	0.56	0.2	3.8	0.40	<0.02	<5			
1884983	Drill Core	1.57	0.34	0.34	13	0.33	0.055	20.0	13.0	0.81	155.2	0.066	<1	0.95	0.020	0.48	0.2	3.1	0.38	<0.02	<5			
1884984	Drill Core	1.09	0.38	0.13	11	0.29	0.057	23.6	12.3	0.77	191.0	0.079	<1	0.91	0.014	0.54	0.3	3.6	0.45	<0.02	<5			
1884985	Drill Core	0.96	0.37	0.08	11	0.36	0.055	24.2	12.7	0.82	600.7	0.081	<1	0.92	0.016	0.60	0.2	4.1	0.45	<0.02	<5			
1884986	Drill Core	0.34	0.28	0.04	15	0.32	0.054	20.2	17.2	0.98	224.9	0.080	<1	1.02	0.019	0.61	0.2	3.8	0.39	<0.02	<5			
1884987	Drill Core	0.14	0.25	<0.02	15	0.47	0.054	21.1	14.3	0.94	263.3	0.111	<1	1.07	0.020	0.85	0.1	4.9	0.42	0.04	<5			
1884988	Drill Core	0.15	0.25	0.03	11	0.87	0.051	21.9	9.3	0.79	290.1	0.102	<1	0.92	0.015	0.77	<0.1	4.3	0.37	0.06	<5			
1884989	Drill Core	0.10	0.37	<0.02	14	0.50	0.053	14.9	13.0	0.93	272.2	0.120	<1	1.05	0.022	0.84	<0.1	4.9	0.40	0.11	<5			
1884990	Drill Core	0.08	0.36	0.03	12	0.67	0.051	12.2	12.1	0.87	257.4	0.108	<1	0.98	0.015	0.69	<0.1	3.2	0.32	0.08	<5			
1884991	Drill Core	0.05	0.29	<0.02	13	0.48	0.053	12.5	15.7	1.02	168.5	0.094	<1	1.07	0.019	0.65	0.1	2.8	0.29	<0.02	<5			
1884992	Drill Core	0.16	0.48	0.03	12	0.41	0.050	13.2	12.8	0.88	191.8	0.087	<1	1.01	0.019	0.65	0.2	2.7	0.30	<0.02	<5			
1884993	Drill Core	0.19	0.85	0.11	17	0.30	0.056	11.2	18.9	1.09	152.6	0.101	<1	1.15	0.018	0.53	0.3	3.7	0.24	0.03	<5			
1884994	Drill Core	0.42	0.42	0.10	15	0.59	0.052	10.6	14.3	0.95	221.1	0.098	<1	1.04	0.028	0.80	0.1	4.5	0.39	0.11	<5			
1884995	Drill Core	0.54	0.56	0.19	17	0.71	0.052	10.8	19.8	1.09	139.1	0.103	<1	1.05	0.021	0.51	0.6	3.7	0.22	0.07	<5			
1884996	Drill Core	0.25	0.70	0.17	18	0.77	0.054	12.4	19.9	1.14	178.4	0.091	<1	1.14	0.023	0.57	0.6	3.8	0.22	0.12	<5			
1884997	Drill Core	0.39	0.73	0.17	7	1.35	0.044	5.8	8.6	0.71	169.5	0.029	<1	0.72	0.014	0.49	0.3	2.6	0.17	0.50	9			
1884998	Drill Core	0.28	0.78	0.05	5	0.24	0.024	11.9	7.0	0.57	199.9	0.014	<1	0.67	0.014	0.41	0.3	2.4	0.14	0.09	6			
1884999	Drill Core	0.40	1.11	0.07	5	0.14	0.040	13.5	6.0	0.44	200.8	0.011	<1	0.56	0.009	0.33	0.2	2.2	0.11	0.02	13			
1885000	Rock Pulp	0.18	4.09	0.51	108	0.89	0.059	7.3	18.1	0.83	117.8	0.115	2	1.73	0.182	0.24	3.8	3.3	0.06	<0.02	242			
1885001	Drill Core	0.57	0.80	0.05	5	0.76	0.039	9.0	6.2	0.52	201.9	0.012	<1	0.64	0.009	0.37	0.2	2.5	0.11	0.31	12			
1885002	Drill Core	0.47	1.06	0.10	6	0.18	0.036	19.2	9.1	0.64	230.1	0.004	<1	0.85	0.018	0.32	0.1	2.8	0.09	0.06	19			
1885003	Drill Core	0.41	1.35	0.08	5	1.05	0.042	8.2	5.5	0.51	178.3	0.003	<1	0.66	0.009	0.27	0.1	2.2	0.07	0.35	31			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 2 of 5 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000669.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884974	Drill Core	0.2	<0.02	5.9	1.70	<0.1	0.10	0.14	11.9	0.7	<0.05	3.1	13.28	41.5	<0.02	<1	0.4	11.7	<10	<2			
1884975	Drill Core	0.2	<0.02	4.0	3.00	<0.1	0.19	0.14	26.2	0.5	<0.05	7.3	14.15	39.5	<0.02	<1	0.4	13.8	<10	<2			
1884976	Drill Core	0.3	0.02	3.0	3.57	<0.1	0.22	0.14	22.2	0.4	<0.05	8.6	14.25	43.6	<0.02	<1	0.4	11.4	<10	<2			
1884977	Drill Core	0.3	0.03	2.9	4.58	<0.1	0.28	0.06	26.4	0.4	<0.05	10.9	10.99	44.8	<0.02	<1	0.3	10.1	<10	<2			
1884978	Drill Core	0.2	<0.02	3.7	3.88	<0.1	0.32	0.06	26.2	0.3	<0.05	12.8	9.49	48.3	<0.02	<1	0.4	10.1	<10	<2			
1884979	Drill Core	0.2	<0.02	4.2	3.11	<0.1	0.33	0.07	23.3	0.3	<0.05	12.5	9.92	43.9	<0.02	<1	0.4	10.8	<10	<2			
1884980	Rock	<0.1	<0.02	0.2	0.10	<0.1	0.08	0.03	0.8	<0.1	<0.05	1.9	0.60	3.4	<0.02	<1	<0.1	0.8	<10	<2			
1884981	Drill Core	0.2	<0.02	3.3	7.16	<0.1	0.24	0.06	26.9	0.3	<0.05	9.1	10.97	48.4	<0.02	<1	0.4	8.8	<10	<2			
1884982	Drill Core	<0.1	<0.02	4.0	7.87	<0.1	0.27	0.10	40.2	0.3	<0.05	9.8	10.26	47.5	<0.02	<1	0.5	11.5	<10	<2			
1884983	Drill Core	0.2	0.04	3.9	5.73	<0.1	0.21	0.09	35.4	0.3	<0.05	7.7	9.11	38.9	<0.02	<1	0.4	11.4	<10	<2			
1884984	Drill Core	0.1	<0.02	3.8	6.61	<0.1	0.24	0.11	40.0	0.4	<0.05	8.6	9.43	46.6	<0.02	<1	0.4	11.1	<10	<2			
1884985	Drill Core	0.1	<0.02	3.6	8.47	<0.1	0.26	0.10	41.5	0.4	<0.05	9.6	10.09	48.2	<0.02	<1	0.4	9.6	<10	<2			
1884986	Drill Core	0.1	<0.02	4.2	6.09	<0.1	0.27	0.09	40.3	0.4	<0.05	9.7	8.62	39.9	<0.02	<1	0.4	11.5	<10	<2			
1884987	Drill Core	0.2	<0.02	4.2	4.22	<0.1	0.31	0.09	49.8	0.4	<0.05	11.6	10.15	41.2	<0.02	<1	0.4	11.0	<10	<2			
1884988	Drill Core	0.3	<0.02	3.6	3.17	<0.1	0.32	0.08	44.4	0.3	<0.05	11.7	10.00	43.0	<0.02	<1	0.3	9.6	<10	<2			
1884989	Drill Core	0.7	<0.02	4.1	3.48	<0.1	0.30	0.07	48.1	0.4	<0.05	10.6	8.41	29.4	<0.02	3	0.4	10.5	<10	<2			
1884990	Drill Core	0.3	<0.02	3.6	3.25	<0.1	0.33	0.07	39.1	0.3	<0.05	11.9	7.76	23.7	<0.02	<1	0.3	10.1	<10	<2			
1884991	Drill Core	0.1	<0.02	4.0	3.42	<0.1	0.31	0.06	36.8	0.3	<0.05	11.6	6.89	24.3	<0.02	<1	0.3	11.0	<10	<2			
1884992	Drill Core	<0.1	<0.02	3.8	3.86	<0.1	0.32	0.06	36.2	0.3	<0.05	11.5	5.93	25.4	<0.02	<1	0.4	11.4	<10	<2			
1884993	Drill Core	0.1	<0.02	4.7	2.92	<0.1	0.33	0.07	29.4	0.4	<0.05	12.4	7.56	22.1	<0.02	<1	0.4	12.9	<10	<2			
1884994	Drill Core	0.7	<0.02	3.9	4.89	<0.1	0.23	0.04	46.8	0.4	<0.05	8.0	5.43	20.5	<0.02	1	0.4	11.0	<10	<2			
1884995	Drill Core	0.5	0.03	4.4	2.73	<0.1	0.27	0.06	27.6	0.4	<0.05	9.8	8.39	21.1	<0.02	1	0.6	11.6	<10	<2			
1884996	Drill Core	0.6	0.03	4.6	3.04	<0.1	0.37	0.05	29.0	0.4	<0.05	12.8	8.07	23.8	<0.02	<1	0.6	13.3	<10	<2			
1884997	Drill Core	1.2	0.05	2.4	2.44	<0.1	0.26	0.03	22.7	0.2	<0.05	9.2	4.49	11.4	<0.02	1	0.3	7.6	<10	<2			
1884998	Drill Core	0.5	0.34	2.5	2.90	<0.1	0.39	0.03	17.1	0.3	<0.05	15.5	5.78	22.7	<0.02	<1	0.5	7.3	<10	<2			
1884999	Drill Core	0.6	0.23	2.0	2.18	<0.1	0.35	0.02	13.3	0.2	<0.05	14.2	5.58	26.0	<0.02	<1	0.4	5.7	<10	<2			
1885000	Rock Pulp	0.2	0.15	5.2	0.68	<0.1	0.09	0.09	7.9	1.7	<0.05	1.7	5.04	14.7	0.05	<1	0.1	6.7	<10	<2			
1885001	Drill Core	0.9	0.13	2.1	1.75	<0.1	0.32	<0.02	14.2	0.2	<0.05	12.5	4.98	17.3	<0.02	<1	0.4	5.4	<10	<2			
1885002	Drill Core	0.5	0.86	3.4	0.99	<0.1	0.33	<0.02	12.1	0.2	<0.05	14.6	6.65	38.3	<0.02	<1	0.5	12.5	<10	<2			
1885003	Drill Core	0.7	0.70	2.3	0.89	<0.1	0.32	<0.02	10.2	0.1	<0.05	13.4	5.41	15.9	<0.02	<1	0.4	9.9	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000669.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1885004	Drill Core	1.41	518	0.735	1.21	6.29	44.69	0.50	9.54	4.02	41.8	364	10.1	6.3	392	1.65	3.0	1.2	433.7	7.9	60.9
1885005	Drill Core	1.58	408	0.264	0.23	<0.17	49.23	0.15	11.43	5.63	62.4	182	11.2	7.7	283	1.86	4.9	1.7	14.2	7.9	53.3
1885006	Drill Core	3.07	536	1.209	1.56	5.42	44.99	0.49	17.65	8.50	34.3	966	18.5	8.6	418	2.00	13.0	2.1	1206.7	9.9	60.9
1885007	Drill Core	3.20	392	0.005	<0.01	<0.17	48.74	1.08	21.25	22.46	52.8	666	16.6	6.6	317	1.87	14.0	2.1	9.0	10.1	19.3
1885008	Drill Core	2.64	413	0.008	<0.01	<0.17	46.23	0.24	14.31	15.53	48.2	385	10.4	5.6	344	1.75	6.0	1.6	1.7	9.9	45.6
1885009	Drill Core	2.70	408	0.007	<0.01	<0.17	49.47	0.23	14.86	15.45	60.5	267	4.6	6.3	421	2.27	8.2	2.0	1.6	10.5	42.9
1885010	Drill Core	2.28	542	0.032	0.03	<0.17	47.24	0.36	18.47	12.26	62.8	306	5.1	6.1	441	2.36	10.3	1.7	12.5	9.5	25.2
1885011	Drill Core	1.68	436	<0.005	<0.01	<0.17	40.88	0.52	13.58	13.53	55.3	212	8.0	5.7	436	1.67	2.6	1.3	0.6	9.0	46.7
1885012	Drill Core	3.32	354	<0.005	<0.01	<0.17	25.49	0.28	21.58	20.56	75.8	357	9.9	7.6	489	2.20	1.5	1.3	0.9	10.2	48.3
1885013	Drill Core	3.16	506	0.006	<0.01	<0.17	36.73	0.25	22.33	12.58	73.4	410	7.8	6.8	394	2.16	2.9	1.7	1.5	8.7	38.7
1885014	Drill Core	3.14	351	<0.005	<0.01	<0.17	35.34	0.55	11.99	13.85	67.8	239	9.0	6.2	351	2.06	1.9	1.4	0.5	8.1	32.4
1885015	Drill Core	3.12	520	<0.005	<0.01	<0.17	39.21	0.45	9.62	13.93	70.8	266	7.9	6.5	349	2.03	2.3	1.3	0.6	6.9	40.8
1885016	Drill Core	3.24	494	0.005	<0.01	<0.17	37.77	0.30	18.63	10.15	59.8	332	6.3	5.9	285	1.95	4.6	1.6	0.6	9.5	62.2
1885017	Drill Core	2.62	460	0.123	0.11	<0.17	39.64	0.18	15.09	12.10	48.6	274	5.8	5.1	224	1.39	3.3	2.3	0.4	9.9	47.6
1885018	Drill Core	3.61	378	<0.005	<0.01	<0.17	36.99	0.85	17.81	12.47	62.4	329	14.1	7.3	314	1.95	2.9	2.0	0.4	10.8	53.5
1885019	Drill Core	3.20	503	<0.005	<0.01	<0.17	37.52	1.21	16.49	11.21	69.3	364	12.2	8.9	308	1.76	4.9	4.4	2.4	10.3	57.8
1885020	Rock Pulp	0.12	92	0.595				6.67	115.53	83.91	142.5	691	12.5	5.0	608	2.54	42.7	0.4	575.9	2.2	34.1
1885021	Drill Core	3.28	405	0.005	<0.01	<0.17	40.44	0.69	15.18	11.47	93.2	407	9.6	7.1	249	1.74	3.9	2.8	2.2	10.0	47.8
1885022	Drill Core	1.38	461	0.945	1.00	1.69	36.75	0.90	34.61	28.11	913.0	2295	8.9	6.9	346	1.79	7.5	1.1	912.0	7.0	85.5
1885023	Drill Core	2.22	448	0.021	0.02	<0.17	30.65	0.84	13.21	11.79	187.5	481	11.8	7.4	377	2.00	3.8	1.6	13.6	8.6	82.9
1885024	Drill Core	1.47	510	0.140	0.13	<0.17	35.68	1.20	37.50	20.59	80.4	1234	10.3	7.3	340	1.85	6.5	1.9	230.0	8.3	51.9
1885025	Drill Core	1.55	510	0.029	0.03	<0.17	35.76	0.70	7.95	14.56	72.0	179	11.1	7.0	383	1.91	2.9	1.5	17.7	6.4	93.0
1885026	Drill Core	2.41	478	<0.005	<0.01	<0.17	35.97	0.29	7.05	9.86	58.0	183	9.9	6.2	198	1.58	5.2	1.2	0.8	7.1	44.9
1885027	Drill Core	2.93	365	<0.005	<0.01	<0.17	41.36	0.93	16.13	21.75	71.0	340	11.9	7.2	251	1.84	4.2	1.4	0.3	9.2	35.8
1885028	Drill Core	3.29	404	<0.005	<0.01	<0.17	40.98	0.56	12.34	8.79	59.6	246	11.0	7.5	198	1.82	3.4	1.2	0.2	6.6	37.2
1885029	Drill Core	3.36	374	<0.005	<0.01	<0.17	34.67	0.51	12.83	14.09	64.3	220	11.4	6.6	179	1.75	3.7	1.4	0.4	8.3	55.6
1885030	Drill Core	2.71	446	<0.005	<0.01	<0.17	36.20	0.62	15.81	11.72	66.8	218	11.5	8.1	212	2.06	4.2	1.1	0.6	6.9	36.0
1885031	Drill Core	3.66	408	<0.005	<0.01	<0.17	30.38	0.99	18.98	13.58	69.3	185	12.2	8.2	324	2.15	8.6	1.1	1.1	5.6	45.0
1885032	Drill Core	3.33	404	0.007	<0.01	<0.17	31.47	1.39	16.48	10.46	75.0	274	13.7	8.7	381	2.50	10.3	1.3	3.5	8.6	43.9
1885033	Drill Core	3.07	467	0.010	<0.01	<0.17	35.52	2.09	19.00	13.57	72.0	344	14.4	10.2	468	2.58	11.4	1.5	9.8	9.5	74.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000669.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1885004	Drill Core		0.20	0.88	0.05	9	0.83	0.045	14.5	10.4	0.69	173.7	0.007	<1	0.88	0.009	0.32	0.1	1.9	0.10	0.09	7		
1885005	Drill Core		0.24	0.97	0.10	10	0.72	0.058	10.3	11.6	0.82	195.9	0.028	<1	1.02	0.019	0.47	0.2	2.9	0.16	0.21	12		
1885006	Drill Core		0.37	0.86	0.17	8	0.82	0.065	14.6	9.0	0.49	244.8	0.016	<1	0.76	0.012	0.40	0.3	2.4	0.13	0.38	9		
1885007	Drill Core		0.38	2.34	1.04	15	0.32	0.058	23.5	16.7	0.40	178.5	0.048	<1	0.78	0.032	0.31	0.6	3.8	0.26	0.09	6		
1885008	Drill Core		0.23	1.38	0.60	16	0.90	0.054	23.8	18.6	0.56	156.5	0.045	1	0.89	0.038	0.24	0.7	3.9	0.11	0.14	33		
1885009	Drill Core		0.29	0.97	0.19	20	1.02	0.064	26.8	20.5	0.70	177.6	0.068	<1	1.10	0.022	0.23	0.7	4.9	0.10	0.03	27		
1885010	Drill Core		0.64	0.83	0.09	20	0.62	0.065	21.7	20.7	0.70	155.9	0.067	<1	1.10	0.028	0.29	0.6	5.1	0.15	<0.02	32		
1885011	Drill Core		0.35	0.85	0.10	12	1.51	0.059	20.0	13.8	0.64	165.7	0.058	<1	0.91	0.013	0.23	0.3	3.7	0.09	<0.02	8		
1885012	Drill Core		0.29	0.70	0.14	20	1.07	0.068	23.3	26.2	0.89	169.9	0.074	<1	1.38	0.042	0.27	0.3	4.2	0.09	<0.02	<5		
1885013	Drill Core		0.35	0.70	0.13	27	0.82	0.060	16.9	33.3	0.90	65.1	0.075	<1	1.16	0.050	0.16	0.4	4.5	0.08	<0.02	<5		
1885014	Drill Core		0.18	0.81	0.15	21	0.68	0.058	14.8	31.7	1.24	151.2	0.088	<1	1.33	0.022	0.51	0.6	4.4	0.27	<0.02	<5		
1885015	Drill Core		0.36	0.85	0.18	21	0.90	0.059	13.6	28.3	1.21	133.2	0.079	<1	1.25	0.016	0.42	0.6	4.1	0.23	<0.02	11		
1885016	Drill Core		0.25	0.80	0.11	17	0.99	0.057	15.8	20.6	0.92	157.5	0.061	<1	1.10	0.032	0.44	0.4	4.5	0.22	0.04	9		
1885017	Drill Core		0.33	0.64	0.14	10	0.68	0.047	14.9	10.9	0.56	263.9	0.054	<1	0.71	0.022	0.45	0.1	3.8	0.25	0.06	<5		
1885018	Drill Core		0.26	0.44	0.09	15	0.86	0.056	21.5	19.8	0.88	166.4	0.075	<1	1.08	0.034	0.31	0.3	4.2	0.20	0.05	<5		
1885019	Drill Core		0.42	1.03	0.08	15	1.24	0.059	18.3	21.2	0.93	122.3	0.075	<1	1.08	0.020	0.40	0.4	3.6	0.24	0.07	8		
1885020	Rock Pulp		0.54	2.60	0.10	29	0.85	0.035	5.8	25.0	0.51	80.1	0.080	7	1.15	0.097	0.11	4.5	2.8	0.21	0.10	158		
1885021	Drill Core		0.73	1.67	0.11	15	0.92	0.055	19.6	20.8	0.98	127.3	0.080	<1	1.10	0.033	0.38	0.6	3.4	0.18	0.06	12		
1885022	Drill Core		7.79	3.88	0.19	13	1.57	0.059	9.5	15.3	0.89	99.5	0.061	<1	0.91	0.014	0.40	0.9	2.6	0.21	0.18	49		
1885023	Drill Core		2.76	4.39	0.09	19	1.58	0.064	17.8	26.5	1.10	102.6	0.091	1	1.34	0.020	0.33	0.6	3.5	0.14	0.07	12		
1885024	Drill Core		0.45	4.07	0.17	15	1.03	0.066	16.7	19.6	0.93	126.3	0.080	<1	1.09	0.009	0.29	0.9	2.8	0.12	0.12	15		
1885025	Drill Core		0.40	4.18	0.05	19	1.78	0.061	13.4	26.1	1.07	60.6	0.093	<1	1.33	0.018	0.23	0.9	3.3	0.11	<0.02	19		
1885026	Drill Core		0.20	1.71	0.07	13	0.98	0.054	14.0	17.8	0.81	120.0	0.070	<1	1.14	0.015	0.24	0.3	2.6	0.10	<0.02	7		
1885027	Drill Core		0.29	0.89	0.14	16	0.88	0.058	22.9	21.0	0.87	164.9	0.070	<1	1.25	0.029	0.25	0.4	3.8	0.09	0.02	<5		
1885028	Drill Core		0.13	0.39	0.08	15	0.83	0.054	13.4	20.0	0.81	168.5	0.067	<1	1.15	0.034	0.20	0.2	3.2	0.08	<0.02	<5		
1885029	Drill Core		0.25	0.54	0.09	13	1.32	0.059	16.7	17.7	0.73	172.3	0.064	<1	1.18	0.024	0.27	0.4	3.1	0.09	<0.02	<5		
1885030	Drill Core		0.24	0.25	0.10	16	0.89	0.059	12.9	20.7	0.83	168.3	0.061	<1	1.20	0.044	0.19	0.2	3.2	0.07	0.09	<5		
1885031	Drill Core		0.23	0.26	0.12	13	1.42	0.060	12.5	15.9	0.99	355.5	0.049	<1	1.31	0.020	0.19	<0.1	3.0	0.08	0.07	<5		
1885032	Drill Core		0.22	0.39	0.12	15	1.39	0.067	23.3	21.6	1.14	152.2	0.016	<1	1.48	0.014	0.22	<0.1	2.9	0.11	0.03	8		
1885033	Drill Core		0.29	0.58	0.14	17	1.77	0.070	27.6	23.6	1.04	126.2	0.011	<1	1.41	0.017	0.26	<0.1	3.5	0.15	<0.02	<5		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000669.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1885004	Drill Core		0.2	0.06	3.6	1.19	<0.1	0.23	<0.02	14.2	0.2	<0.05	9.7	7.19	29.4	<0.02	<1	0.4	11.6	<10	<2		
1885005	Drill Core		0.4	<0.02	3.1	2.03	<0.1	0.34	<0.02	20.9	0.2	<0.05	13.1	5.57	20.1	<0.02	<1	0.4	10.0	<10	<2		
1885006	Drill Core		0.8	0.20	2.6	2.29	<0.1	0.17	0.04	17.4	0.3	<0.05	6.3	8.00	27.6	<0.02	<1	0.4	7.3	<10	<2		
1885007	Drill Core		1.5	0.06	3.5	2.77	<0.1	0.22	0.13	19.2	0.6	<0.05	7.8	10.99	45.7	0.06	11	0.4	8.3	<10	<2		
1885008	Drill Core		0.5	0.04	4.3	2.06	<0.1	0.18	0.10	12.0	0.5	<0.05	6.9	14.69	46.6	0.04	<1	0.5	11.1	<10	<2		
1885009	Drill Core		0.3	<0.02	5.7	2.27	<0.1	0.06	0.08	11.2	0.6	<0.05	2.0	16.64	53.0	0.03	<1	0.5	14.9	<10	<2		
1885010	Drill Core		0.2	<0.02	5.3	3.09	<0.1	0.05	0.10	14.9	0.7	<0.05	1.6	14.55	42.4	0.03	<1	0.6	15.1	<10	<2		
1885011	Drill Core		0.2	<0.02	3.9	1.01	<0.1	0.05	0.10	10.8	0.4	<0.05	1.3	11.30	39.1	<0.02	<1	0.4	10.6	<10	<2		
1885012	Drill Core		0.1	<0.02	6.1	0.54	<0.1	0.07	0.14	10.7	0.5	<0.05	2.4	12.62	46.0	<0.02	<1	0.5	10.5	<10	<2		
1885013	Drill Core		0.3	<0.02	5.4	1.36	<0.1	0.07	0.08	8.8	0.5	<0.05	2.1	9.35	33.6	<0.02	<1	0.5	11.8	<10	<2		
1885014	Drill Core		0.2	<0.02	4.7	3.85	<0.1	0.10	0.08	30.9	0.5	<0.05	3.5	10.48	29.2	<0.02	<1	0.6	13.7	<10	<2		
1885015	Drill Core		0.2	<0.02	4.7	3.24	<0.1	0.08	0.06	25.8	0.4	<0.05	2.3	9.67	26.6	<0.02	<1	0.6	15.9	<10	<2		
1885016	Drill Core		0.4	0.02	4.4	3.19	<0.1	0.07	0.07	25.7	0.5	<0.05	1.9	9.93	31.0	<0.02	<1	0.5	12.1	<10	<2		
1885017	Drill Core		0.7	<0.02	3.1	3.52	<0.1	0.04	0.11	27.1	0.5	<0.05	1.2	8.98	28.7	<0.02	<1	0.4	7.5	<10	<2		
1885018	Drill Core		0.3	<0.02	5.1	2.04	<0.1	0.05	0.12	18.6	0.6	<0.05	1.5	10.94	42.1	<0.02	<1	0.5	7.6	<10	<2		
1885019	Drill Core		0.8	<0.02	4.7	3.14	<0.1	0.06	0.10	24.9	0.5	<0.05	1.6	9.54	36.2	<0.02	3	0.5	10.0	<10	<2		
1885020	Rock Pulp		0.1	0.05	4.5	0.21	<0.1	0.17	0.20	2.5	1.9	<0.05	4.5	7.61	11.1	<0.02	1	0.3	1.3	<10	<2		
1885021	Drill Core		0.6	<0.02	5.3	1.37	<0.1	0.07	0.13	19.4	0.6	<0.05	2.0	8.35	38.2	<0.02	1	0.6	11.5	<10	<2		
1885022	Drill Core		0.4	0.05	4.3	2.49	<0.1	0.05	0.10	24.3	0.4	<0.05	1.4	8.61	19.4	<0.02	<1	0.6	10.7	28	<2		
1885023	Drill Core		0.3	0.03	6.0	1.49	<0.1	0.12	0.11	17.3	0.5	<0.05	3.5	12.48	35.7	<0.02	<1	0.8	17.4	<10	<2		
1885024	Drill Core		0.4	0.02	5.4	1.27	<0.1	0.09	0.10	15.6	0.5	<0.05	2.6	11.55	33.3	<0.02	<1	0.6	16.2	<10	<2		
1885025	Drill Core		0.2	0.03	6.3	1.74	<0.1	0.10	0.10	13.3	0.5	<0.05	2.9	9.51	27.7	<0.02	<1	1.0	19.2	<10	<2		
1885026	Drill Core		<0.1	<0.02	4.9	0.90	<0.1	0.06	0.12	12.9	0.5	<0.05	1.6	6.60	27.8	<0.02	<1	0.5	12.5	<10	<2		
1885027	Drill Core		0.2	<0.02	5.5	0.78	<0.1	0.07	0.15	11.2	0.5	<0.05	1.5	11.99	45.5	<0.02	<1	0.6	11.9	<10	<2		
1885028	Drill Core		<0.1	<0.02	4.9	0.80	<0.1	0.05	0.13	9.7	0.5	<0.05	1.5	7.43	26.4	<0.02	<1	0.5	10.9	<10	<2		
1885029	Drill Core		0.1	<0.02	4.7	0.74	<0.1	0.06	0.14	11.7	0.4	<0.05	1.8	8.81	32.9	<0.02	<1	0.4	11.2	<10	<2		
1885030	Drill Core		0.5	<0.02	5.0	0.65	<0.1	0.04	0.13	8.0	0.7	<0.05	1.1	7.53	25.2	<0.02	<1	0.4	10.2	<10	<2		
1885031	Drill Core		0.3	0.02	4.1	1.23	<0.1	0.03	0.11	7.4	0.6	<0.05	0.7	7.95	25.2	<0.02	<1	0.2	12.8	<10	<2		
1885032	Drill Core		0.3	<0.02	5.1	3.65	<0.1	0.03	0.03	12.3	0.6	<0.05	0.9	14.37	46.1	<0.02	<1	0.3	14.9	<10	<2		
1885033	Drill Core		0.4	0.02	5.7	3.49	<0.1	0.03	<0.02	13.9	0.5	<0.05	1.1	16.06	55.7	<0.02	<1	0.4	14.0	<10	<2		



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000669.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1885034	Drill Core	2.61	465	0.005	<0.01	<0.17	38.09	1.20	14.13	14.75	76.6	214	14.0	8.6	389	2.44	2.8	1.5	0.8	97.5
1885035	Drill Core	3.63	379	0.085	0.08	<0.17	33.18	1.15	19.28	11.35	57.3	306	12.4	9.3	325	2.29	11.0	2.9	95.5	114.8
1885036	Drill Core	1.64	566	0.104	0.10	<0.17	35.58	0.99	19.35	8.44	60.2	779	11.1	7.4	347	2.12	10.6	1.6	80.0	143.5
1885037	Drill Core	1.32	393	0.671	0.68	0.80	31.38	1.49	12.05	9.46	78.6	551	9.0	8.1	388	2.18	13.2	1.6	481.8	77.6
1885038	Drill Core	1.57	449	0.211	0.21	<0.17	36.95	2.24	19.24	14.37	58.2	634	11.9	9.9	439	2.29	9.1	2.9	91.0	159.9
1885039	Drill Core	1.52	507	0.386	0.41	0.75	34.54	1.23	19.56	6.94	40.1	1259	9.3	9.5	395	2.01	17.8	2.3	406.9	109.2
1885040	Rock Pulp	0.12	86	<0.005				4.05	21.67	0.95	32.2	14	7.7	4.3	594	2.41	1.8	0.4	0.2	30.9
1885041	Drill Core	1.63	463	0.457	0.44	0.29	41.85	1.04	32.86	8.11	54.4	992	8.9	7.9	438	2.10	13.8	5.2	308.5	172.4
1885042	Drill Core	1.21	486	0.031	0.03	<0.17	47.95	1.59	21.22	5.70	51.6	380	9.5	8.5	424	1.96	13.4	2.9	24.5	157.4
1885043	Drill Core	1.67	351	0.284	0.28	0.22	44.59	1.54	22.94	8.21	48.4	731	11.4	8.8	471	2.39	9.9	1.5	227.0	147.6
1885044	Drill Core	1.55	405	0.012	0.01	<0.17	48.02	1.79	32.11	14.04	56.0	363	10.6	8.1	390	2.07	10.6	3.9	16.5	124.5
1885045	Drill Core	1.50	376	0.260	0.34	0.85	49.70	1.54	15.37	13.88	45.8	644	8.6	6.5	278	1.80	5.3	3.5	140.7	106.2
1885046	Drill Core	1.41	558	0.304	0.31	0.42	49.48	1.18	15.38	9.65	42.9	937	8.7	7.8	327	1.67	13.5	3.7	332.9	186.9
1885047	Drill Core	3.35	520	0.016	0.01	<0.17	45.98	1.75	18.33	12.91	51.4	223	10.2	9.3	345	1.91	9.9	2.1	5.3	157.4
1885048	Drill Core	2.92	427	0.007	<0.01	<0.17	47.32	0.57	20.78	16.14	75.4	390	12.0	8.3	275	2.22	3.3	2.0	2.0	106.8
1885049	Drill Core	1.48	412	0.310	0.28	<0.17	44.96	1.23	16.88	8.43	53.1	718	12.9	9.7	339	2.08	22.2	1.4	259.5	185.8
1885050	Drill Core	1.44	391	0.190	0.18	<0.17	48.07	0.47	6.46	10.35	40.1	371	2.6	3.1	229	1.00	2.0	1.6	76.8	52.9
1885051	Drill Core	1.90	519	0.527	0.56	0.95	46.14	0.32	7.92	6.80	28.7	458	3.2	3.3	139	1.08	1.5	1.5	529.6	24.1
1885052	Drill Core	1.14	453	2.055	4.43	24.07	48.90	0.40	10.33	4.80	23.0	1247	6.0	4.4	347	1.23	4.1	1.2	14113.6	62.0
1885053	Drill Core	1.46	513	0.949	0.96	1.03	44.74	0.47	25.72	7.87	49.5	695	11.4	8.7	283	2.17	9.3	1.7	977.4	99.4
1885054	Drill Core	1.66	356	0.623	0.54	<0.17	46.62	0.73	20.90	5.02	50.1	505	9.7	7.7	324	1.70	11.6	1.2	748.7	135.0
1885055	Drill Core	3.10	487	0.009	<0.01	<0.17	46.86	1.11	18.69	10.55	59.6	336	11.8	9.7	318	2.16	13.5	1.6	4.5	92.1
1885056	Drill Core	1.49	515	0.063	0.06	<0.17	51.04	1.46	22.24	14.55	71.6	765	11.3	9.6	365	2.57	24.4	2.2	48.6	22.6
1885057	Drill Core	1.41	489	1.258	2.16	10.52	47.81	1.25	17.62	7.75	64.3	1134	12.2	9.3	406	2.34	13.2	1.7	1283.0	23.0
1885058	Drill Core	2.28	500	0.005	<0.01	<0.17	47.93	1.85	14.26	17.78	55.1	277	10.5	7.7	255	1.95	6.9	2.0	0.3	57.7
1885059	Drill Core	1.60	478	<0.005	<0.01	<0.17	48.92	1.01	3.20	10.47	60.1	98	12.1	8.3	326	1.99	5.9	2.2	0.8	59.2
1885060	Core DUP		499	<0.005	<0.01	<0.17	44.84	1.06	3.40	10.46	61.4	107	12.4	8.6	332	2.07	5.9	2.2	5.0	59.5
1885061	Drill Core	2.93	517	0.374	0.37	0.29	47.49	1.30	11.51	8.17	50.5	424	12.7	7.7	421	2.00	16.2	1.9	226.7	57.1
1885062	Drill Core	1.72	361	0.151	0.15	<0.17	47.04	0.78	22.60	12.70	56.4	439	8.4	6.6	433	1.76	8.6	1.3	163.8	74.5
1885063	Drill Core	1.57	557	0.011	0.01	<0.17	47.19	0.69	20.47	10.16	71.8	366	17.8	10.9	510	2.37	10.7	1.5	7.0	109.1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000669.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1885034	Drill Core	0.49	0.68	0.13	20	1.82	0.063	17.2	27.2	1.13	178.8	0.022	<1	1.42	0.022	0.22	<0.1	4.0	0.10	0.09	6
1885035	Drill Core	0.28	1.30	0.14	16	1.77	0.069	12.0	18.8	0.85	190.4	0.043	<1	1.08	0.024	0.50	0.3	4.8	0.24	0.23	6
1885036	Drill Core	0.38	1.41	0.16	11	1.83	0.063	7.2	12.1	0.84	168.3	0.019	<1	0.92	0.008	0.38	0.1	4.7	0.15	0.47	6
1885037	Drill Core	1.00	0.60	0.08	10	1.34	0.069	9.8	11.1	0.71	221.4	0.003	<1	0.91	0.015	0.27	0.1	3.1	0.08	0.15	20
1885038	Drill Core	0.42	0.78	0.19	12	2.10	0.073	9.3	14.7	0.86	201.3	0.011	<1	1.07	0.008	0.31	0.1	4.0	0.10	0.49	12
1885039	Drill Core	0.31	2.17	0.08	8	1.45	0.104	10.1	8.9	0.58	236.5	0.014	1	0.80	0.019	0.43	0.3	2.9	0.15	0.33	28
1885040	Rock Pulp	0.01	0.15	<0.02	23	0.79	0.037	5.4	15.1	0.49	54.7	0.075	2	1.08	0.090	0.09	0.2	2.6	<0.02	0.05	<5
1885041	Drill Core	0.38	2.65	0.09	9	2.38	0.078	7.1	9.6	0.73	193.4	0.018	<1	0.85	0.012	0.47	0.4	3.1	0.21	0.69	15
1885042	Drill Core	0.32	2.41	0.05	11	2.39	0.069	12.9	9.9	0.68	233.8	0.022	1	0.90	0.008	0.52	0.3	3.1	0.21	0.38	7
1885043	Drill Core	0.35	2.07	0.07	19	2.10	0.076	12.2	18.7	0.82	242.7	0.015	1	1.09	0.010	0.36	0.2	3.6	0.11	0.35	5
1885044	Drill Core	0.33	2.01	0.15	14	2.12	0.065	13.6	13.0	0.83	208.5	0.030	1	0.99	0.008	0.47	0.1	3.9	0.18	0.26	7
1885045	Drill Core	0.29	2.34	0.18	15	1.30	0.060	11.9	15.1	0.76	202.4	0.029	1	0.96	0.017	0.37	0.2	3.3	0.13	0.22	8
1885046	Drill Core	0.37	2.19	0.09	10	2.04	0.066	7.0	8.4	0.63	195.0	0.024	1	0.66	0.007	0.44	0.3	3.7	0.14	0.69	7
1885047	Drill Core	0.31	1.53	0.07	14	2.09	0.069	10.4	13.3	0.80	236.8	0.038	1	0.93	0.009	0.56	0.1	4.9	0.23	0.23	5
1885048	Drill Core	0.47	0.95	0.09	27	1.24	0.065	18.9	30.2	1.00	255.6	0.018	<1	1.12	0.022	0.19	<0.1	4.2	0.07	0.17	12
1885049	Drill Core	0.51	1.46	0.08	13	2.17	0.065	8.1	11.3	0.65	192.7	0.018	1	0.83	0.016	0.46	0.2	4.7	0.14	0.89	13
1885050	Drill Core	0.22	0.84	0.10	5	0.80	0.032	22.9	5.8	0.33	286.0	0.005	1	0.61	0.016	0.36	0.1	2.1	0.09	0.16	32
1885051	Drill Core	0.20	0.63	0.09	6	0.34	0.035	27.3	5.8	0.27	313.4	0.004	1	0.62	0.010	0.33	0.1	1.4	0.08	<0.02	36
1885052	Drill Core	0.30	0.78	0.08	6	1.02	0.028	7.8	5.5	0.35	177.6	0.005	<1	0.42	0.006	0.21	0.2	2.7	0.08	0.10	10
1885053	Drill Core	0.26	1.55	0.10	14	1.14	0.065	8.7	12.1	0.65	293.3	0.015	<1	0.86	0.016	0.40	0.3	3.8	0.12	0.49	10
1885054	Drill Core	0.25	1.42	0.02	12	1.55	0.057	7.3	9.6	0.69	213.9	0.016	<1	0.72	0.012	0.48	0.2	3.7	0.15	0.40	6
1885055	Drill Core	0.26	0.79	0.17	15	1.38	0.068	12.3	13.7	0.68	233.3	0.009	<1	0.97	0.019	0.37	0.1	4.4	0.11	0.24	<5
1885056	Drill Core	0.24	1.31	0.68	16	0.29	0.069	15.7	12.4	0.75	223.6	0.003	<1	1.22	0.010	0.29	<0.1	3.7	0.09	0.03	<5
1885057	Drill Core	0.27	2.67	0.15	13	0.33	0.058	11.5	10.5	0.47	272.9	0.002	<1	0.88	0.011	0.31	0.1	3.4	0.09	0.11	7
1885058	Drill Core	0.23	0.89	0.15	13	1.01	0.059	12.1	12.9	0.59	190.6	0.003	<1	0.96	0.013	0.25	<0.1	3.6	0.07	0.11	5
1885059	Drill Core	0.24	0.51	0.05	15	1.09	0.057	13.5	13.6	0.62	178.7	0.003	<1	1.00	0.010	0.25	<0.1	3.6	0.07	0.03	8
1885060	Core DUP	0.25	0.53	0.04	15	1.09	0.057	13.5	14.4	0.63	192.3	0.003	<1	1.03	0.014	0.28	<0.1	3.7	0.08	0.03	10
1885061	Drill Core	0.26	1.93	0.04	13	1.00	0.057	11.3	11.0	0.60	183.3	0.002	<1	0.89	0.007	0.25	0.2	2.8	0.07	0.03	6
1885062	Drill Core	0.23	2.20	0.07	11	1.62	0.051	14.8	9.7	0.48	210.5	0.002	<1	0.79	0.011	0.27	<0.1	2.4	0.08	0.03	6
1885063	Drill Core	0.22	0.61	0.05	26	2.34	0.060	14.1	25.8	0.86	160.5	0.002	<1	1.26	0.009	0.21	<0.1	3.5	0.06	<0.02	5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000669.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1885034	Drill Core	0.7	0.02	6.0	1.83	<0.1	0.05	0.03	11.1	0.5	<0.05	1.5	11.42	34.5	<0.02	1	0.4	12.9	<10
1885035	Drill Core	0.8	0.03	3.9	3.41	<0.1	0.07	0.05	24.3	0.6	<0.05	2.3	10.10	24.5	<0.02	5	0.4	10.3	<10
1885036	Drill Core	0.6	0.05	2.7	2.13	<0.1	0.15	<0.02	15.7	0.4	<0.05	5.8	6.02	14.1	<0.02	1	0.3	9.1	<10
1885037	Drill Core	0.4	0.03	3.5	0.86	<0.1	0.04	<0.02	9.8	0.4	<0.05	1.5	6.28	19.5	<0.02	<1	0.3	11.1	<10
1885038	Drill Core	0.6	0.03	3.6	1.13	<0.1	0.10	<0.02	12.4	0.4	<0.05	3.9	7.39	18.7	<0.02	1	0.3	12.5	<10
1885039	Drill Core	0.8	0.05	2.8	2.20	<0.1	0.02	<0.02	17.0	0.5	<0.05	0.8	7.40	20.6	<0.02	<1	0.3	7.2	<10
1885040	Rock Pulp	<0.1	<0.02	4.3	0.12	<0.1	0.15	0.24	1.9	1.7	<0.05	4.0	7.60	10.6	<0.02	<1	0.2	1.0	<10
1885041	Drill Core	1.0	0.04	2.8	2.49	<0.1	0.03	0.02	18.1	0.3	<0.05	1.0	6.33	14.6	<0.02	1	0.3	6.5	<10
1885042	Drill Core	0.7	0.03	2.3	2.81	<0.1	0.03	0.04	20.4	0.5	<0.05	0.8	7.09	25.8	<0.02	1	0.3	5.9	<10
1885043	Drill Core	0.5	0.04	4.4	1.47	<0.1	0.05	0.03	13.5	0.4	<0.05	2.0	11.20	24.1	<0.02	<1	0.4	15.3	<10
1885044	Drill Core	0.7	0.02	3.4	2.65	<0.1	0.05	0.04	19.8	0.4	<0.05	1.7	9.42	27.5	0.02	2	0.3	10.7	<10
1885045	Drill Core	0.4	0.03	3.7	1.81	<0.1	0.07	0.06	16.0	0.4	<0.05	2.4	8.41	23.7	<0.02	2	0.4	13.2	<10
1885046	Drill Core	0.7	0.05	2.2	1.76	<0.1	0.04	0.04	18.2	0.4	<0.05	1.5	7.11	14.2	<0.02	2	0.3	5.5	<10
1885047	Drill Core	0.4	0.04	2.9	2.95	<0.1	0.05	0.05	25.4	0.4	<0.05	1.3	8.31	21.0	0.02	1	0.3	7.0	<10
1885048	Drill Core	0.3	0.02	6.3	0.95	<0.1	0.06	0.02	9.1	0.4	<0.05	1.9	12.92	37.2	0.02	1	0.4	15.0	<10
1885049	Drill Core	0.8	0.04	2.4	1.62	<0.1	0.16	0.04	18.6	0.3	<0.05	5.6	7.49	16.2	<0.02	1	0.4	8.1	<10
1885050	Drill Core	0.2	<0.02	2.3	1.00	<0.1	0.03	0.04	13.2	0.4	<0.05	1.2	7.64	42.7	<0.02	<1	0.3	5.9	<10
1885051	Drill Core	0.2	0.03	2.3	1.01	<0.1	0.03	0.05	12.5	0.3	<0.05	1.2	8.23	53.0	<0.02	<1	0.3	6.1	<10
1885052	Drill Core	0.3	0.10	1.4	1.24	<0.1	0.07	<0.02	8.4	0.3	<0.05	1.7	3.74	14.8	<0.02	<1	0.2	3.2	<10
1885053	Drill Core	0.5	0.04	2.7	2.38	<0.1	0.14	0.03	16.1	0.4	<0.05	5.0	5.10	17.4	<0.02	<1	0.3	6.9	<10
1885054	Drill Core	0.4	0.04	2.0	2.23	<0.1	0.16	<0.02	19.1	0.2	<0.05	5.8	3.62	14.6	<0.02	1	0.2	4.8	<10
1885055	Drill Core	0.6	0.03	2.9	2.06	<0.1	0.15	<0.02	14.4	0.3	<0.05	6.6	6.52	24.0	<0.02	1	0.4	11.8	<10
1885056	Drill Core	0.2	0.05	4.3	3.25	<0.1	0.15	<0.02	11.8	0.4	<0.05	6.4	6.61	31.0	0.02	<1	0.4	21.2	<10
1885057	Drill Core	0.4	0.07	2.8	1.98	<0.1	0.12	<0.02	11.6	0.4	<0.05	5.4	5.73	22.8	<0.02	<1	0.4	11.4	<10
1885058	Drill Core	0.3	0.02	2.8	1.91	<0.1	0.18	<0.02	10.2	0.3	<0.05	8.4	7.11	23.7	<0.02	<1	0.4	13.7	<10
1885059	Drill Core	0.2	<0.02	3.2	2.35	<0.1	0.24	<0.02	11.0	0.2	<0.05	10.8	7.17	26.7	<0.02	<1	0.4	15.2	<10
1885060	Core DUP	0.3	<0.02	3.3	2.32	<0.1	0.22	<0.02	11.5	0.3	<0.05	10.3	7.20	26.7	<0.02	<1	0.4	15.4	<10
1885061	Drill Core	0.2	0.02	2.9	1.97	<0.1	0.19	<0.02	9.7	0.2	<0.05	9.5	6.61	22.2	<0.02	<1	0.4	12.6	<10
1885062	Drill Core	0.3	<0.02	2.7	1.39	<0.1	0.17	<0.02	10.4	0.3	<0.05	7.9	6.80	29.0	<0.02	<1	0.3	11.1	<10
1885063	Drill Core	0.3	0.03	4.9	1.74	<0.1	0.17	<0.02	8.6	0.5	<0.05	7.7	8.27	27.6	<0.02	<1	0.3	15.9	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000669.1

Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
1885064	Drill Core	3.23	536	0.009	<0.01	<0.17	46.80	1.35	11.03	14.45	72.6	253	15.0	9.5	498	2.61	11.5	1.7	6.4	8.1	84.5
1885065	Drill Core	3.38	446	0.009	<0.01	<0.17	49.33	0.87	19.96	13.67	63.3	318	12.1	9.3	408	2.24	7.3	1.8	3.4	8.4	72.5
1885066	Drill Core	3.01	541	0.013	0.01	<0.17	43.32	1.15	29.25	38.49	59.0	776	11.6	10.1	375	2.20	8.0	1.8	23.1	9.0	91.8
1885067	Drill Core	2.35	421	0.014	0.01	<0.17	47.45	0.22	7.77	11.50	42.7	254	7.1	9.5	305	1.63	7.5	1.6	39.8	8.2	44.3
1885068	Drill Core	1.29	558	0.006	<0.01	<0.17	38.41	0.28	1.82	11.69	13.8	95	1.5	2.3	110	0.74	1.5	0.6	2.8	8.9	7.4
1885069	Drill Core	3.15	488	0.005	<0.01	<0.17	40.39	0.19	3.73	18.02	36.1	143	4.1	3.5	214	1.10	3.7	1.4	2.1	10.8	61.3
1885070	Drill Core	2.90	542	<0.005	<0.01	<0.17	36.83	0.23	6.35	19.33	63.0	180	11.6	7.7	345	2.28	9.6	1.7	0.9	7.7	97.9
1885071	Drill Core	2.75	469	<0.005	<0.01	<0.17	41.99	0.52	13.08	9.89	63.9	196	14.0	10.4	246	2.35	15.9	2.0	1.8	8.9	70.1
1885072	Drill Core	3.25	569	<0.005	<0.01	<0.17	36.61	0.67	19.90	20.38	60.7	194	11.6	7.2	208	2.18	2.7	1.3	0.5	8.0	81.9
1885073	Drill Core	3.00	519	<0.005	<0.01	<0.17	35.52	0.82	20.11	8.91	58.8	193	13.5	8.6	255	2.24	4.8	1.5	0.9	9.0	119.9
1885074	Drill Core	3.00	499	<0.005	<0.01	<0.17	41.47	0.52	17.19	22.76	66.8	509	13.3	8.6	212	2.26	4.3	1.8	1.0	8.6	104.2
1885075	Drill Core	3.43	520	<0.005	<0.01	<0.17	36.59	0.71	23.28	11.05	67.4	218	17.3	9.6	271	2.57	4.5	1.7	0.8	9.8	111.4
1885076	Drill Core	3.35	541	<0.005	<0.01	<0.17	38.19	0.29	15.69	10.14	70.6	209	14.8	6.8	429	2.76	6.1	2.4	0.7	11.4	116.8
1885077	Drill Core	1.37	437	0.005	<0.01	<0.17	41.06	0.48	32.42	7.77	74.0	293	14.9	8.5	328	2.41	12.2	2.7	4.1	10.8	57.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000669.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1885064	Drill Core	0.28	0.73	0.09	28	1.25	0.055	18.0	26.4	1.09	189.7	0.003	<1	1.37	0.013	0.24	0.1	4.2	0.09	<0.02	6
1885065	Drill Core	0.21	1.30	<0.02	20	1.18	0.059	14.8	17.2	0.75	205.0	0.003	<1	1.09	0.014	0.24	<0.1	4.0	0.08	0.03	<5
1885066	Drill Core	0.35	2.23	0.16	15	1.60	0.066	8.8	11.7	0.67	294.4	0.003	<1	0.93	0.014	0.26	<0.1	4.8	0.08	0.46	<5
1885067	Drill Core	0.24	1.68	0.06	7	1.37	0.056	9.6	5.9	0.29	372.5	0.002	<1	0.56	0.006	0.24	0.1	2.9	0.08	0.28	<5
1885068	Drill Core	0.07	0.32	0.05	3	0.13	0.017	22.6	3.3	0.10	334.6	<0.001	<1	0.35	0.007	0.23	<0.1	0.8	0.07	<0.02	<5
1885069	Drill Core	0.22	0.49	0.11	7	0.80	0.034	22.4	6.3	0.30	350.9	0.003	<1	0.59	0.014	0.26	<0.1	2.6	0.08	0.06	9
1885070	Drill Core	0.40	0.86	0.13	23	1.28	0.063	11.7	25.5	0.85	172.1	0.008	<1	1.06	0.027	0.21	<0.1	5.4	0.09	0.23	6
1885071	Drill Core	0.31	1.00	0.06	23	1.07	0.062	11.9	20.8	0.63	203.6	0.011	<1	1.02	0.020	0.26	0.1	6.2	0.12	0.26	6
1885072	Drill Core	0.29	0.99	0.05	25	1.11	0.070	20.3	20.1	0.77	197.5	0.061	<1	0.93	0.040	0.50	0.2	7.3	0.36	0.11	<5
1885073	Drill Core	0.26	0.62	0.02	25	1.34	0.067	21.1	20.2	0.81	285.9	0.047	<1	0.94	0.025	0.51	<0.1	6.7	0.37	0.27	<5
1885074	Drill Core	0.28	0.57	0.07	30	1.28	0.064	21.8	25.1	0.83	268.4	0.045	<1	0.94	0.035	0.38	0.4	7.3	0.26	0.27	<5
1885075	Drill Core	0.26	0.47	0.05	30	1.28	0.071	25.1	24.9	0.90	346.5	0.039	<1	1.13	0.023	0.47	<0.1	8.4	0.30	0.19	<5
1885076	Drill Core	0.30	0.80	0.06	33	1.67	0.071	30.9	25.2	0.99	218.5	0.052	<1	1.40	0.028	0.50	0.2	8.0	0.28	<0.02	9
1885077	Drill Core	0.46	0.58	0.06	20	1.23	0.062	29.0	18.8	0.63	192.5	0.005	2	1.11	0.018	0.24	0.2	5.4	0.09	<0.02	8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000669.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1885064	Drill Core	0.2	<0.02	5.9	2.75	<0.1	0.19	<0.02	12.0	0.3	<0.05	9.2	8.19	35.6	<0.02	<1	0.4	20.3	<10
1885065	Drill Core	0.3	<0.02	4.4	2.38	<0.1	0.25	<0.02	10.9	0.3	<0.05	12.0	7.73	29.2	<0.02	<1	0.4	15.4	<10
1885066	Drill Core	0.7	0.03	3.0	1.68	<0.1	0.34	<0.02	11.0	0.3	<0.05	14.6	8.04	17.2	<0.02	1	0.4	14.4	<10
1885067	Drill Core	0.4	0.02	1.8	1.64	<0.1	0.25	<0.02	10.1	0.2	<0.05	10.8	6.86	18.8	<0.02	<1	0.3	6.7	<10
1885068	Drill Core	<0.1	<0.02	1.3	1.29	<0.1	0.05	0.03	8.6	0.2	<0.05	2.4	2.72	44.8	<0.02	<1	0.2	2.7	<10
1885069	Drill Core	0.2	<0.02	2.3	1.51	<0.1	0.07	<0.02	10.8	0.3	<0.05	3.0	6.91	44.0	<0.02	<1	0.3	7.1	<10
1885070	Drill Core	0.6	0.02	4.3	2.04	<0.1	0.11	<0.02	10.7	0.4	<0.05	4.0	9.64	23.2	0.02	<1	0.4	14.7	<10
1885071	Drill Core	0.7	<0.02	3.9	2.86	<0.1	0.15	<0.02	13.1	0.5	<0.05	5.9	8.36	23.4	0.03	<1	0.5	14.8	<10
1885072	Drill Core	0.3	0.03	3.7	5.87	<0.1	0.18	0.09	34.5	0.6	<0.05	6.1	9.78	40.2	0.03	1	0.4	6.8	<10
1885073	Drill Core	0.5	0.02	3.7	5.86	<0.1	0.13	0.06	35.4	0.6	<0.05	4.7	10.76	41.7	0.03	1	0.4	7.2	<10
1885074	Drill Core	0.6	0.03	4.6	5.48	<0.1	0.14	0.06	25.1	0.6	<0.05	4.6	11.17	42.5	0.03	2	0.4	6.8	<10
1885075	Drill Core	0.5	0.03	4.5	5.48	<0.1	0.17	0.04	31.2	0.5	<0.05	6.0	10.15	49.4	0.03	1	0.5	10.4	<10
1885076	Drill Core	0.4	0.02	6.0	5.62	<0.1	0.08	0.04	30.1	0.7	<0.05	2.8	14.57	61.1	0.04	<1	0.5	14.6	<10
1885077	Drill Core	0.2	<0.02	3.7	3.48	<0.1	0.02	0.03	15.0	0.8	<0.05	1.0	9.25	53.2	0.05	<1	0.3	18.1	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000669.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
1884998	Drill Core	1.83	410	1.905	2.79	9.03	50.70	1.39	7.27	4.35	22.0	1418	14.3	8.2	529	2.07	7.6	1.6	2553.5	7.8	19.8
REP 1884998	QC							1.40	7.35	4.43	22.2	1464	14.4	8.2	531	2.07	7.9	1.6	2680.6	7.8	19.8
1885002	Drill Core	1.70	380	8.569	10.76	26.71	45.93	1.57	18.49	6.17	33.7	4592	18.1	10.9	559	2.42	5.3	2.4	7642.6	10.8	18.5
REP 1885002	QC			7.971																	
1885031	Drill Core	3.66	408	<0.005	<0.01	<0.17	30.38	0.99	18.98	13.58	69.3	185	12.2	8.2	324	2.15	8.6	1.1	1.1	5.6	45.0
REP 1885031	QC			0.005																	
1885032	Drill Core	3.33	404	0.007	<0.01	<0.17	31.47	1.39	16.48	10.46	75.0	274	13.7	8.7	381	2.50	10.3	1.3	3.5	8.6	43.9
REP 1885032	QC							1.38	16.06	10.43	74.9	269	13.7	8.7	384	2.51	10.2	1.3	3.5	8.6	43.9
REP 1885058	QC			<0.005																	
1885067	Drill Core	2.35	421	0.014	0.01	<0.17	47.45	0.22	7.77	11.50	42.7	254	7.1	9.5	305	1.63	7.5	1.6	39.8	8.2	44.3
REP 1885067	QC							0.22	7.68	11.36	42.4	230	7.1	9.5	305	1.63	7.5	1.6	11.3	8.2	43.7
1885077	Drill Core	1.37	437	0.005	<0.01	<0.17	41.06	0.48	32.42	7.77	74.0	293	14.9	8.5	328	2.41	12.2	2.7	4.1	10.8	57.9
REP 1885077	QC							0.45	32.96	7.87	72.7	289	15.0	8.5	318	2.39	12.6	2.7	2.3	10.3	58.4
Core Reject Duplicates																					
1884990	Drill Core	2.95	565	<0.005	<0.01	<0.17	50.55	0.92	11.49	15.05	43.5	108	10.1	6.6	474	1.78	1.6	0.9	<0.2	10.0	62.8
DUP 1884990	QC		484	0.011	<0.01	<0.17	48.41	1.03	11.59	14.75	44.1	101	10.3	6.6	495	1.86	1.7	0.9	<0.2	10.0	66.4
1885024	Drill Core	1.47	510	0.140	0.13	<0.17	35.68	1.20	37.50	20.59	80.4	1234	10.3	7.3	340	1.85	6.5	1.9	230.0	8.3	51.9
DUP 1885024	QC		519	0.048	0.04	<0.17	33.62	1.26	36.73	20.42	80.3	1184	10.4	7.3	345	1.91	6.5	1.9	53.3	8.4	51.6
1885058	Drill Core	2.28	500	0.005	<0.01	<0.17	47.93	1.85	14.26	17.78	55.1	277	10.5	7.7	255	1.95	6.9	2.0	0.3	7.8	57.7
DUP 1885058	QC		524	0.006	<0.01	<0.17	43.72	1.87	14.25	18.29	52.9	271	10.3	7.8	253	1.92	6.9	2.0	3.6	7.8	59.1
Reference Materials																					
STD BVGEO01	Standard							11.08	4379.80	183.85	1690.8	2567	155.6	24.8	719	3.66	117.7	3.9	216.4	14.6	56.1
STD BVGEO01	Standard							10.44	4212.10	173.27	1695.5	2412	161.6	23.9	698	3.57	113.9	3.5	207.7	13.2	53.7
STD DS11	Standard							14.36	147.14	132.58	332.0	1667	81.8	13.4	1030	3.08	42.5	2.5	84.5	7.5	65.3
STD DS11	Standard							14.92	149.75	132.59	335.7	1761	82.9	13.9	1025	3.11	42.9	2.6	65.6	7.7	65.0
STD OREAS262	Standard							0.71	123.48	58.49	146.4	452	64.2	27.3	521	3.13	34.7	1.3	61.8	9.3	36.0
STD OREAS262	Standard							0.67	113.50	53.32	140.7	427	64.9	26.5	522	3.13	34.9	1.2	57.4	8.7	33.8
STD OREAS262	Standard							0.69	115.27	54.49	149.8	442	66.4	27.1	531	3.20	35.9	1.2	58.6	9.1	34.0



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 26, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000669.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1884998	Drill Core	0.28	0.78	0.05	5	0.24	0.024	11.9	7.0	0.57	199.9	0.014	<1	0.67	0.014	0.41	0.3	2.4	0.14	0.09	6
REP 1884998	QC	0.28	0.78	0.05	5	0.24	0.024	11.8	7.1	0.57	200.7	0.014	<1	0.67	0.014	0.41	0.3	2.5	0.14	0.09	6
1885002	Drill Core	0.47	1.06	0.10	6	0.18	0.036	19.2	9.1	0.64	230.1	0.004	<1	0.85	0.018	0.32	0.1	2.8	0.09	0.06	19
REP 1885002	QC																				
1885031	Drill Core	0.23	0.26	0.12	13	1.42	0.060	12.5	15.9	0.99	355.5	0.049	<1	1.31	0.020	0.19	<0.1	3.0	0.08	0.07	<5
REP 1885031	QC																				
1885032	Drill Core	0.22	0.39	0.12	15	1.39	0.067	23.3	21.6	1.14	152.2	0.016	<1	1.48	0.014	0.22	<0.1	2.9	0.11	0.03	8
REP 1885032	QC	0.21	0.39	0.12	15	1.38	0.067	23.3	21.7	1.15	152.8	0.018	<1	1.50	0.014	0.23	<0.1	3.0	0.11	0.03	<5
REP 1885058	QC																				
1885067	Drill Core	0.24	1.68	0.06	7	1.37	0.056	9.6	5.9	0.29	372.5	0.002	<1	0.56	0.006	0.24	0.1	2.9	0.08	0.28	<5
REP 1885067	QC	0.25	1.66	0.06	7	1.37	0.055	9.6	5.8	0.29	378.3	0.002	<1	0.57	0.006	0.24	0.1	2.9	0.08	0.28	<5
1885077	Drill Core	0.46	0.58	0.06	20	1.23	0.062	29.0	18.8	0.63	192.5	0.005	2	1.11	0.018	0.24	0.2	5.4	0.09	<0.02	8
REP 1885077	QC	0.47	0.58	0.06	20	1.21	0.066	29.1	18.9	0.63	187.6	0.005	1	1.08	0.017	0.24	0.1	5.5	0.09	<0.02	5
Core Reject Duplicates																					
1884990	Drill Core	0.08	0.36	0.03	12	0.67	0.051	12.2	12.1	0.87	257.4	0.108	<1	0.98	0.015	0.69	<0.1	3.2	0.32	0.08	<5
DUP 1884990	QC	0.09	0.37	0.03	12	0.70	0.051	13.3	12.7	0.88	273.4	0.113	<1	1.01	0.019	0.72	0.1	3.3	0.32	0.08	<5
1885024	Drill Core	0.45	4.07	0.17	15	1.03	0.066	16.7	19.6	0.93	126.3	0.080	<1	1.09	0.009	0.29	0.9	2.8	0.12	0.12	15
DUP 1885024	QC	0.46	4.15	0.16	16	1.02	0.066	16.9	20.0	0.92	132.9	0.081	<1	1.10	0.010	0.30	0.9	2.8	0.13	0.11	15
1885058	Drill Core	0.23	0.89	0.15	13	1.01	0.059	12.1	12.9	0.59	190.6	0.003	<1	0.96	0.013	0.25	<0.1	3.6	0.07	0.11	5
DUP 1885058	QC	0.22	0.88	0.15	13	1.04	0.057	11.6	12.4	0.58	180.9	0.003	<1	0.90	0.013	0.24	<0.1	3.5	0.07	0.12	<5
Reference Materials																					
STD BVGE001	Standard	6.80	3.84	25.88	70	1.28	0.070	28.0	182.7	1.29	312.3	0.244	3	2.34	0.198	0.86	5.3	6.6	0.58	0.66	92
STD BVGE001	Standard	5.73	3.02	21.93	71	1.29	0.068	23.9	183.5	1.28	245.0	0.224	3	2.30	0.194	0.89	4.6	5.9	0.60	0.67	101
STD DS11	Standard	2.17	7.66	10.57	51	1.05	0.066	17.8	59.1	0.84	359.5	0.090	7	1.20	0.074	0.40	2.9	3.2	4.91	0.27	258
STD DS11	Standard	2.23	8.08	10.94	49	1.06	0.068	17.2	58.9	0.85	369.6	0.091	7	1.18	0.077	0.40	3.0	3.3	4.91	0.29	256
STD OREAS262	Standard	0.67	5.26	1.06	20	2.88	0.037	15.4	43.0	1.14	244.2	0.003	4	1.35	0.065	0.29	0.2	3.1	0.45	0.23	159
STD OREAS262	Standard	0.57	4.39	0.89	26	2.89	0.036	15.6	43.4	1.16	239.4	0.002	4	1.43	0.065	0.31	0.2	3.2	0.45	0.25	164
STD OREAS262	Standard	0.59	4.62	0.94	22	2.91	0.038	15.9	43.0	1.19	242.3	0.003	4	1.35	0.069	0.31	0.2	3.3	0.45	0.27	170



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000669.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1884998	Drill Core	0.5	0.34	2.5	2.90	<0.1	0.39	0.03	17.1	0.3	<0.05	15.5	5.78	22.7	<0.02	<1	0.5	7.3	<10	<2
REP 1884998	QC	0.5	0.35	2.5	2.96	<0.1	0.39	0.07	17.3	0.3	<0.05	15.5	5.79	22.4	<0.02	<1	0.5	7.4	<10	<2
1885002	Drill Core	0.5	0.86	3.4	0.99	<0.1	0.33	<0.02	12.1	0.2	<0.05	14.6	6.65	38.3	<0.02	<1	0.5	12.5	<10	<2
REP 1885002	QC																			
1885031	Drill Core	0.3	0.02	4.1	1.23	<0.1	0.03	0.11	7.4	0.6	<0.05	0.7	7.95	25.2	<0.02	<1	0.2	12.8	<10	<2
REP 1885031	QC																			
1885032	Drill Core	0.3	<0.02	5.1	3.65	<0.1	0.03	0.03	12.3	0.6	<0.05	0.9	14.37	46.1	<0.02	<1	0.3	14.9	<10	<2
REP 1885032	QC	0.3	<0.02	5.1	3.61	<0.1	0.03	0.06	12.4	0.5	<0.05	0.8	14.31	46.3	<0.02	<1	0.3	14.9	<10	<2
REP 1885058	QC																			
1885067	Drill Core	0.4	0.02	1.8	1.64	<0.1	0.25	<0.02	10.1	0.2	<0.05	10.8	6.86	18.8	<0.02	<1	0.3	6.7	<10	<2
REP 1885067	QC	0.4	0.02	1.8	1.61	<0.1	0.26	<0.02	10.0	0.2	<0.05	11.3	6.83	18.7	<0.02	<1	0.3	6.7	<10	<2
1885077	Drill Core	0.2	<0.02	3.7	3.48	<0.1	0.02	0.03	15.0	0.8	<0.05	1.0	9.25	53.2	0.05	<1	0.3	18.1	<10	<2
REP 1885077	QC	0.1	0.02	3.9	3.51	<0.1	0.04	0.04	15.2	0.7	<0.05	1.0	9.15	54.5	0.04	<1	0.3	18.6	18	<2
Core Reject Duplicates																				
1884990	Drill Core	0.3	<0.02	3.6	3.25	<0.1	0.33	0.07	39.1	0.3	<0.05	11.9	7.76	23.7	<0.02	<1	0.3	10.1	<10	<2
DUP 1884990	QC	0.3	<0.02	3.8	3.23	<0.1	0.34	0.08	39.9	0.3	<0.05	12.4	8.26	25.7	<0.02	<1	0.3	10.3	<10	<2
1885024	Drill Core	0.4	0.02	5.4	1.27	<0.1	0.09	0.10	15.6	0.5	<0.05	2.6	11.55	33.3	<0.02	<1	0.6	16.2	<10	<2
DUP 1885024	QC	0.5	0.02	5.5	1.24	<0.1	0.09	0.11	15.8	0.5	<0.05	2.6	11.66	33.4	<0.02	<1	0.6	16.4	<10	<2
1885058	Drill Core	0.3	0.02	2.8	1.91	<0.1	0.18	<0.02	10.2	0.3	<0.05	8.4	7.11	23.7	<0.02	<1	0.4	13.7	<10	<2
DUP 1885058	QC	0.4	0.02	2.7	1.88	<0.1	0.18	<0.02	9.7	0.2	<0.05	8.3	7.01	22.7	<0.02	<1	0.3	13.3	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.3	1.00	7.2	7.07	0.2	0.37	0.33	90.0	5.8	<0.05	9.5	14.36	53.4	0.45	4	0.6	20.2	156	188
STD BVGE001	Standard	4.7	0.96	7.5	6.80	0.2	0.34	0.23	91.2	5.2	<0.05	9.9	14.01	49.2	0.41	4	0.7	19.5	169	178
STD DS11	Standard	2.4	4.63	5.3	2.82	<0.1	0.07	1.43	33.3	1.7	<0.05	2.9	7.85	36.9	0.22	47	0.7	21.6	111	173
STD DS11	Standard	2.3	4.63	5.2	2.86	<0.1	0.07	1.58	33.2	1.7	<0.05	3.0	7.88	35.7	0.23	48	0.7	23.0	109	175
STD OREAS262	Standard	0.3	0.23	3.7	2.50	<0.1	0.31	<0.02	17.7	0.5	<0.05	11.5	10.49	30.6	0.04	<1	1.1	17.1	<10	<2
STD OREAS262	Standard	0.5	0.23	4.2	2.54	<0.1	0.27	<0.02	18.3	0.5	<0.05	11.6	10.49	32.2	0.03	<1	1.1	16.0	<10	<2
STD OREAS262	Standard	0.7	0.22	4.2	2.65	<0.1	0.30	<0.02	18.4	0.5	<0.05	12.5	10.69	32.5	0.03	<1	1.2	16.8	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 26, 2019

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000669.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.68	112.09	52.95	144.0	430	64.1	26.1	517	3.13	35.4	1.2	57.2	8.5	33.5
STD OXB130	Standard			0.120																	
STD OXB130	Standard			0.124																	
STD OXB130	Standard			0.120																	
STD OXI138	Standard			1.853																	
STD OXI138	Standard			1.854																	
STD OXI138	Standard			1.843																	
STD OXN117	Standard			7.683																	
STD OXN117	Standard			7.725																	
STD OXN117	Standard			8.100																	
STD OXQ90	Standard					25.28	29.79														
STD OXQ90	Standard					25.02	30.46														
STD OXQ90	Standard					25.33	29.41														
STD OXQ90	Standard					25.23	29.92														
STD OXQ90	Standard					25.03	29.65														
STD OXQ90	Standard					24.92	29.93														
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	0.60	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000669.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.59	4.47	0.89	21	2.86	0.037	14.7	41.6	1.16	236.2	0.002	4	1.29	0.067	0.30	0.2	3.1	0.44	0.26	166
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 26, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000669.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
STD OREAS262	Standard	0.6	0.21	4.1	2.44	<0.1	0.29	<0.02	17.3	0.5	<0.05	12.1	10.20	30.1	0.03	<1	1.1	16.1	<10	<2
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000669.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		448	0.005	<0.01	<0.17	45.53	0.89	4.34	0.75	31.6	5	1.3	4.1	537	1.88	0.7	0.3	0.4	1.9	18.2
ROCK-WHI	Prep Blank		417	<0.005	<0.01	<0.17	43.41	0.82	3.93	1.09	30.4	4	1.2	4.0	531	1.92	0.4	0.4	<0.2	2.0	19.7



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000669.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.01	0.05	<0.02	26	0.64	0.039	5.3	2.7	0.52	45.0	0.063	1	0.91	0.076	0.07	<0.1	2.6	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.01	0.05	<0.02	24	0.65	0.040	5.6	2.8	0.50	51.5	0.063	1	0.90	0.094	0.08	<0.1	2.5	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 26, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000669.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.13	<0.1	0.11	0.14	1.7	0.3	<0.05	2.9	7.82	10.8	<0.02	<1	0.2	1.2	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.12	<0.1	0.13	0.14	1.8	0.3	<0.05	3.2	8.10	11.4	<0.02	<1	0.2	1.1	<10