



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 09, 2019
Report Date: November 01, 2019
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000671.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-62
P.O. Number
Number of Samples: 22

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	21	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	22	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	22	Analysis sample split/packet			WHI
Split -150	22	Analysis sample split/packet			WHI
EN002	22	Environmental disposal charge-Fire assay lead waste			VAN
FS631	21	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	22	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	22	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 01, 2019

Page: 2 of 2

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000671.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1882626	Drill Core	3.08	533	0.007	<0.01	<0.17	34.16	1.70	45.57	55.91	313.2	722	16.6	13.8	620	2.82	10.1	1.1	4.6	6.6	28.3
1882627	Drill Core	3.07	462	0.008	<0.01	<0.17	33.38	3.13	88.22	62.36	601.7	954	45.7	20.8	1137	3.37	131.7	1.6	4.5	5.5	32.7
1882628	Drill Core	3.32	447	<0.005	<0.01	<0.17	36.66	2.50	56.84	45.69	273.3	683	19.7	6.6	459	2.77	12.6	1.1	1.2	4.6	29.7
1882629	Drill Core	3.40	400	<0.005	<0.01	<0.17	37.89	2.64	56.54	16.69	125.4	407	32.9	15.0	754	3.66	19.6	1.0	1.3	4.9	28.3
1882630	Drill Core	3.05	394	0.005	<0.01	<0.17	37.51	3.16	70.27	27.81	152.7	601	31.2	12.2	398	4.44	23.6	1.8	2.1	5.9	38.8
1882631	Drill Core	3.50	404	0.006	<0.01	<0.17	33.09	2.51	51.30	43.76	148.2	614	33.8	15.1	718	3.24	14.3	1.1	1.5	4.2	25.0
1882632	Drill Core	3.94	372	0.005	<0.01	<0.17	37.08	2.81	61.69	31.65	143.3	575	34.7	15.3	536	3.37	13.0	1.5	0.6	4.4	25.8
1882633	Drill Core	3.89	419	<0.005	<0.01	<0.17	34.84	2.77	59.18	55.31	225.5	705	36.3	17.5	675	3.35	13.8	0.8	<0.2	4.4	22.3
1882634	Drill Core	2.53	531	<0.005	<0.01	<0.17	38.89	2.67	50.15	55.02	179.0	464	38.9	19.5	765	3.25	18.4	0.8	1.5	4.5	28.9
1882635	Drill Core	3.61	386	<0.005	<0.01	<0.17	34.19	2.74	86.93	70.78	220.1	684	36.9	18.1	881	3.69	16.3	0.9	<0.2	4.6	28.4
1882636	Drill Core	3.06	428	<0.005	<0.01	<0.17	34.23	2.91	94.63	49.07	174.9	654	37.0	17.3	836	3.61	21.1	2.2	0.3	4.8	28.6
1882637	Drill Core	1.97	453	<0.005	<0.01	<0.17	33.92	2.88	79.42	49.68	267.2	660	39.8	20.0	1213	3.87	16.9	1.4	<0.2	5.2	33.1
1882638	Drill Core	1.66	529	<0.005	<0.01	<0.17	33.29	2.40	60.49	32.95	265.5	739	38.1	18.7	1042	3.61	16.3	1.1	0.3	4.9	39.3
1882639	Drill Core	3.23	504	<0.005	<0.01	<0.17	40.09	2.73	88.03	67.92	363.6	1118	35.1	17.1	817	3.23	9.7	0.6	<0.2	4.2	29.3
1882640	Rock Pulp	0.12	89	<0.005				4.13	23.47	1.06	32.6	15	7.4	4.6	606	2.38	1.5	0.4	<0.2	2.3	31.3
1882641	Drill Core	1.54	528	<0.005	<0.01	<0.17	48.42	2.68	65.37	52.03	258.3	921	33.3	15.4	759	3.19	8.1	0.5	1.9	3.8	29.3
1882642	Drill Core	3.32	491	<0.005	<0.01	<0.17	48.09	2.90	67.39	26.22	261.2	923	39.0	17.4	818	3.57	5.5	0.7	<0.2	4.0	17.8
1882643	Drill Core	3.23	422	<0.005	<0.01	<0.17	47.38	2.48	60.05	8.61	234.3	708	32.5	14.7	694	3.11	11.1	0.8	<0.2	3.9	21.9
1882644	Drill Core	2.70	512	<0.005	<0.01	<0.17	47.66	2.62	77.67	92.37	986.6	1183	36.6	18.1	748	3.44	4.8	0.6	<0.2	4.0	20.9
1882645	Drill Core	1.95	552	<0.005	<0.01	<0.17	50.23	2.87	94.63	150.53	1292.4	1736	37.0	18.1	883	3.18	5.4	0.6	<0.2	4.2	17.8
1882646	Drill Core	1.58	465	<0.005	<0.01	<0.17	50.09	3.13	59.03	41.46	479.8	746	34.3	16.9	967	3.28	8.8	0.6	<0.2	3.8	33.1
1882647	Drill Core	1.78	466	<0.005	<0.01	<0.17	48.13	2.58	78.60	35.48	650.1	635	33.7	16.9	951	3.19	20.2	1.0	<0.2	3.3	41.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 01, 2019

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000671.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882626	Drill Core	2.01	1.03	0.68	16	0.71	0.061	7.3	13.4	1.29	101.4	0.027	<1	1.24	0.006	0.28	0.1	1.9	0.11	0.02	<5
1882627	Drill Core	4.55	1.38	1.09	20	0.21	0.088	6.7	18.7	1.27	117.4	0.016	<1	1.24	0.005	0.22	0.1	1.6	0.11	0.05	<5
1882628	Drill Core	1.80	1.22	0.69	29	0.28	0.082	6.5	26.4	1.32	88.3	0.031	<1	1.28	0.005	0.21	0.2	1.9	0.09	0.11	<5
1882629	Drill Core	0.65	2.00	0.14	32	0.72	0.084	5.3	19.8	1.49	111.3	0.023	<1	1.52	0.009	0.29	0.2	2.7	0.15	0.31	<5
1882630	Drill Core	0.32	4.05	0.14	34	0.28	0.095	7.9	21.7	1.24	113.7	0.021	1	1.62	0.008	0.31	0.1	2.8	0.18	0.18	<5
1882631	Drill Core	0.69	4.90	0.14	59	0.49	0.084	7.9	37.5	1.64	80.2	0.066	<1	1.78	0.009	0.25	0.3	3.8	0.15	0.10	<5
1882632	Drill Core	0.54	4.68	0.09	56	0.51	0.093	7.5	37.0	1.52	92.8	0.080	1	1.80	0.009	0.27	0.4	3.9	0.17	0.13	<5
1882633	Drill Core	1.85	2.71	0.09	50	0.62	0.087	6.1	36.6	1.93	79.0	0.060	<1	1.84	0.007	0.52	0.3	3.5	0.30	0.35	<5
1882634	Drill Core	1.60	2.45	0.08	46	1.07	0.082	5.5	34.1	2.13	66.4	0.059	<1	1.81	0.004	0.38	0.3	3.4	0.20	0.62	<5
1882635	Drill Core	1.55	1.84	0.26	45	1.20	0.084	5.5	30.5	2.29	79.8	0.038	<1	1.94	0.005	0.26	0.2	3.5	0.13	0.84	<5
1882636	Drill Core	1.14	1.12	0.22	38	1.32	0.086	8.3	25.9	1.92	111.4	0.007	<1	1.70	0.006	0.21	<0.1	3.1	0.08	0.91	<5
1882637	Drill Core	2.58	3.99	0.32	59	1.43	0.087	11.4	35.1	2.25	94.0	0.005	<1	2.11	0.005	0.16	0.1	3.9	0.07	0.32	<5
1882638	Drill Core	1.51	2.65	0.21	97	1.44	0.083	13.6	55.4	2.34	69.7	0.029	<1	2.29	0.007	0.16	0.2	6.3	0.06	<0.02	<5
1882639	Drill Core	2.74	1.09	0.40	63	0.96	0.085	7.0	41.1	2.33	68.6	0.050	<1	2.12	0.005	0.25	0.3	4.0	0.11	0.23	<5
1882640	Rock Pulp	0.02	0.16	<0.02	23	0.81	0.040	6.3	16.7	0.52	58.0	0.086	2	1.04	0.069	0.09	0.2	2.9	<0.02	0.05	<5
1882641	Drill Core	1.80	1.89	0.42	55	0.99	0.072	5.8	34.5	1.93	69.6	0.038	<1	1.73	0.006	0.36	0.3	4.0	0.23	0.43	<5
1882642	Drill Core	1.42	1.13	0.41	55	0.51	0.087	5.1	38.8	2.31	84.6	0.051	<1	2.09	0.007	0.44	0.3	3.8	0.27	0.32	<5
1882643	Drill Core	1.12	2.88	0.10	56	0.63	0.086	6.6	35.7	1.69	92.7	0.064	<1	1.70	0.005	0.30	0.4	3.7	0.17	0.08	<5
1882644	Drill Core	6.98	1.41	0.96	47	0.64	0.084	5.9	33.4	1.87	95.5	0.057	<1	1.78	0.005	0.56	0.2	3.3	0.31	0.60	8
1882645	Drill Core	10.31	0.94	1.26	51	0.50	0.089	5.7	37.7	2.28	77.3	0.057	<1	1.96	0.004	0.58	0.3	3.5	0.32	0.28	8
1882646	Drill Core	3.61	0.88	0.30	66	0.97	0.085	6.0	43.6	2.78	65.4	0.059	<1	2.24	0.005	0.56	0.4	5.0	0.28	0.15	<5
1882647	Drill Core	5.94	1.03	0.41	32	1.60	0.079	3.4	21.4	1.92	89.3	0.021	<1	1.55	0.005	0.32	0.2	2.4	0.15	0.84	<5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 01, 2019

Page: 2 of 2 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000671.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1882626	Drill Core	1.2	0.08	3.1	4.60	<0.1	0.32	0.04	13.4	0.4	<0.05	12.3	5.68	14.3	0.03	<1	0.2	11.7	<10
1882627	Drill Core	1.7	0.13	2.7	2.05	<0.1	0.18	0.03	9.1	0.6	<0.05	9.9	6.35	13.2	0.10	<1	0.1	11.3	<10
1882628	Drill Core	1.6	0.07	3.1	1.14	<0.1	0.22	0.06	8.6	0.4	<0.05	8.6	5.10	12.7	0.06	<1	0.1	12.4	<10
1882629	Drill Core	1.8	0.05	3.5	3.28	<0.1	0.19	0.03	12.5	0.4	<0.05	8.2	5.87	10.5	<0.02	1	0.1	16.5	<10
1882630	Drill Core	1.9	0.07	3.8	5.76	<0.1	0.17	<0.02	14.9	0.4	<0.05	8.6	5.48	15.7	<0.02	<1	0.2	17.8	<10
1882631	Drill Core	1.5	0.06	5.2	2.78	<0.1	0.19	0.06	11.9	0.4	<0.05	7.2	8.37	15.4	<0.02	2	0.4	24.9	<10
1882632	Drill Core	1.5	0.06	5.1	4.10	<0.1	0.21	0.07	14.5	0.4	<0.05	8.0	8.46	14.9	<0.02	3	0.4	25.9	<10
1882633	Drill Core	2.1	0.09	4.5	6.94	<0.1	0.22	0.05	30.8	0.4	<0.05	8.4	7.03	12.0	<0.02	1	0.3	21.0	<10
1882634	Drill Core	2.1	0.08	4.5	5.33	<0.1	0.24	0.05	21.7	0.4	<0.05	8.3	8.61	11.0	<0.02	3	0.3	28.4	<10
1882635	Drill Core	2.5	0.08	4.6	3.52	<0.1	0.20	0.04	13.4	0.4	<0.05	7.6	7.01	11.1	<0.02	4	0.3	30.3	<10
1882636	Drill Core	2.3	0.05	4.2	1.51	<0.1	0.18	<0.02	8.5	0.4	<0.05	7.7	6.65	16.1	<0.02	4	0.2	24.2	<10
1882637	Drill Core	1.8	0.05	6.3	1.20	<0.1	0.25	<0.02	7.2	0.3	<0.05	8.5	9.83	21.5	0.02	3	0.4	32.2	<10
1882638	Drill Core	0.8	0.04	8.3	2.08	<0.1	0.21	<0.02	7.7	0.5	<0.05	8.6	10.80	25.5	0.04	<1	0.5	35.9	<10
1882639	Drill Core	1.8	0.04	6.3	2.34	<0.1	0.18	0.04	14.0	0.4	<0.05	7.0	8.82	13.7	0.02	3	0.4	32.2	<10
1882640	Rock Pulp	<0.1	<0.02	4.0	0.13	<0.1	0.15	0.32	2.1	1.8	<0.05	4.0	8.17	12.2	<0.02	<1	0.2	1.0	<10
1882641	Drill Core	2.1	0.04	5.2	3.97	<0.1	0.13	0.03	22.8	0.4	<0.05	5.1	7.53	11.1	0.02	4	0.5	21.8	<10
1882642	Drill Core	1.6	0.03	5.7	5.05	<0.1	0.13	0.04	27.9	0.4	<0.05	4.9	6.64	10.2	<0.02	4	0.3	25.4	<10
1882643	Drill Core	0.7	0.02	4.9	2.97	<0.1	0.19	0.05	16.3	0.5	<0.05	6.8	8.31	12.7	<0.02	2	0.3	22.6	<10
1882644	Drill Core	2.9	0.06	4.6	5.25	<0.1	0.14	0.05	34.5	0.6	<0.05	5.1	6.61	11.3	0.06	4	0.3	21.0	<10
1882645	Drill Core	3.6	0.09	5.3	5.31	<0.1	0.14	0.04	36.2	0.7	<0.05	4.8	6.93	11.3	0.07	3	0.3	23.9	<10
1882646	Drill Core	1.0	0.03	6.7	4.94	<0.1	0.15	0.04	34.1	0.8	<0.05	4.9	7.37	11.9	0.04	4	0.5	25.1	<10
1882647	Drill Core	2.7	0.03	3.6	2.40	<0.1	0.11	<0.02	16.7	0.4	<0.05	3.9	5.04	6.7	0.06	4	0.1	15.3	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 01, 2019

Page: 1 of 1

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000671.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
1882626	Drill Core	3.08	533	0.007	<0.01	<0.17	34.16	1.70	45.57	55.91	313.2	722	16.6	13.8	620	2.82	10.1	1.1	4.6	6.6	28.3	
REP 1882626	QC	0.007																				
1882636	Drill Core	3.06	428	<0.005	<0.01	<0.17	34.23	2.91	94.63	49.07	174.9	654	37.0	17.3	836	3.61	21.1	2.2	0.3	4.8	28.6	
REP 1882636	QC							2.88	91.26	48.72	175.8	643	37.5	17.4	842	3.71	20.3	2.1	<0.2	4.8	28.4	
Core Reject Duplicates																						
1882633	Drill Core	3.89	419	<0.005	<0.01	<0.17	34.84	2.77	59.18	55.31	225.5	705	36.3	17.5	675	3.35	13.8	0.8	<0.2	4.4	22.3	
DUP 1882633	QC		419	<0.005	<0.01	<0.17	33.10	2.82	59.61	61.87	231.8	712	36.7	17.2	693	3.35	14.2	0.8	1.1	4.4	24.1	
Reference Materials																						
STD DS11	Standard							15.53	156.43	142.77	329.5	1725	85.3	14.9	1034	3.13	42.2	2.8	74.4	8.6	63.3	
STD OREAS262	Standard							0.75	123.80	60.06	148.7	448	66.4	30.0	543	3.23	35.7	1.3	68.8	10.3	34.2	
STD OXB130	Standard	0.123																				
STD OXI138	Standard	1.832																				
STD OXN117	Standard	7.565																				
STD OXQ90	Standard						25.25	29.82														
STD OXQ90	Standard						24.69	30.21														
STD OXQ90 Expected							24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	<0.17					30.00															
BLK	Blank	<0.17					30.00															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	
Prep Wash																						
ROCK-WHI	Prep Blank		399	<0.005	<0.01	<0.17	41.10	0.90	3.15	0.85	33.2	6	1.2	4.5	560	1.92	0.5	0.4	1.9	2.4	19.6	
ROCK-WHI	Prep Blank		396	<0.005	<0.01	<0.17	37.02	0.92	5.01	0.87	30.6	6	1.1	4.4	537	1.96	0.7	0.4	1.2	2.3	20.7	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 01, 2019

Page: 1 of 1

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000671.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1882626	Drill Core	2.01	1.03	0.68	16	0.71	0.061	7.3	13.4	1.29	101.4	0.027	<1	1.24	0.006	0.28	0.1	1.9	0.11	0.02	<5
REP 1882626	QC																				
1882636	Drill Core	1.14	1.12	0.22	38	1.32	0.086	8.3	25.9	1.92	111.4	0.007	<1	1.70	0.006	0.21	<0.1	3.1	0.08	0.91	<5
REP 1882636	QC	1.09	1.09	0.22	39	1.27	0.085	8.3	26.1	1.98	109.0	0.008	<1	1.75	0.006	0.21	<0.1	3.1	0.08	0.87	<5
Core Reject Duplicates																					
1882633	Drill Core	1.85	2.71	0.09	50	0.62	0.087	6.1	36.6	1.93	79.0	0.060	<1	1.84	0.007	0.52	0.3	3.5	0.30	0.35	<5
DUP 1882633	QC	1.97	2.67	0.09	50	0.65	0.086	6.2	36.2	1.93	79.8	0.062	<1	1.84	0.007	0.54	0.3	3.5	0.31	0.37	<5
Reference Materials																					
STD DS11	Standard	2.31	9.03	11.67	51	1.03	0.072	19.4	66.0	0.86	359.8	0.099	7	1.21	0.074	0.41	3.1	3.2	4.82	0.26	241
STD OREAS262	Standard	0.63	5.91	1.06	23	2.86	0.040	17.3	48.5	1.17	246.5	0.003	4	1.36	0.069	0.33	0.2	3.2	0.46	0.25	152
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXN117	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.6	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.04	<0.02	24	0.65	0.045	6.6	4.3	0.55	49.8	0.081	2	0.89	0.068	0.08	<0.1	3.1	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.01	0.05	<0.02	25	0.62	0.042	6.3	4.1	0.54	54.4	0.079	2	0.89	0.074	0.08	<0.1	2.9	<0.02	0.03	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 01, 2019

Page: 1 of 1

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000671.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1882626	Drill Core	1.2	0.08	3.1	4.60	<0.1	0.32	0.04	13.4	0.4	<0.05	12.3	5.68	14.3	0.03	<1	0.2	11.7	<10	<2
REP 1882626	QC																			
1882636	Drill Core	2.3	0.05	4.2	1.51	<0.1	0.18	<0.02	8.5	0.4	<0.05	7.7	6.65	16.1	<0.02	4	0.2	24.2	<10	<2
REP 1882636	QC	2.3	0.05	4.3	1.42	<0.1	0.17	<0.02	8.4	0.4	<0.05	7.7	6.57	16.1	<0.02	5	0.2	24.5	<10	<2
Core Reject Duplicates																				
1882633	Drill Core	2.1	0.09	4.5	6.94	<0.1	0.22	0.05	30.8	0.4	<0.05	8.4	7.03	12.0	<0.02	1	0.3	21.0	<10	<2
DUP 1882633	QC	2.3	0.08	4.6	6.96	<0.1	0.21	0.04	30.8	0.4	<0.05	8.7	7.10	12.2	<0.02	2	0.3	21.7	<10	<2
Reference Materials																				
STD DS11	Standard	2.2	4.60	5.2	3.01	0.1	0.07	1.57	34.9	1.7	<0.05	3.2	8.36	37.9	0.24	46	0.7	23.3	118	165
STD OREAS262	Standard	0.4	0.24	4.1	3.14	<0.1	0.30	<0.02	20.4	0.6	<0.05	11.4	10.98	33.1	0.04	<1	1.1	17.8	<10	<2
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.12	<0.1	0.14	0.21	2.0	0.4	<0.05	3.0	9.11	13.4	<0.02	<1	0.2	1.1	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.13	<0.1	0.14	0.21	2.1	0.3	<0.05	3.2	8.69	12.6	<0.02	<1	0.2	1.2	<10	<2