



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 09, 2019
Report Date: October 31, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000672.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-62
P.O. Number
Number of Samples: 114

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	110	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	114	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	114	Analysis sample split/packet			WHI
Split -150	114	Analysis sample split/packet			WHI
EN002	114	Environmental disposal charge-Fire assay lead waste			VAN
FS631	111	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	114	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	114	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000672.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1813974	Drill Core	3.23	481	<0.005	<0.01	<0.17	35.41	0.56	8.39	14.49	64.5	259	10.1	6.2	333	1.74	3.7	1.0	2.2	9.6	17.1	
1813975	Drill Core	2.75	437	<0.005	<0.01	<0.17	33.02	0.62	20.51	13.42	62.7	309	18.1	7.8	364	2.09	11.0	1.0	0.7	8.1	21.7	
1813976	Drill Core	3.20	443	<0.005	<0.01	<0.17	35.59	0.42	17.22	10.73	44.9	262	15.6	6.3	331	1.62	10.2	1.0	<0.2	7.9	24.2	
1813977	Drill Core	1.81	457	<0.005	<0.01	<0.17	36.18	0.64	13.16	20.43	35.9	425	10.1	4.6	318	1.19	3.1	0.9	<0.2	8.9	40.2	
1813978	Drill Core	2.01	432	1.086	1.34	3.93	38.91	0.84	18.76	12.74	35.1	1063	9.5	5.1	314	1.27	1.6	1.0	1972.8	9.8	35.3	
1813979	Drill Core	1.08	502	0.511	0.50	0.40	39.84	0.67	17.46	3.26	36.1	635	10.0	5.8	346	1.47	2.0	0.9	375.7	7.9	29.8	
1813980	Rock	0.23	168	<0.005	<0.01	<0.17	32.39	0.30	0.72	0.55	1.0	8	0.7	0.5	52	0.40	0.5	0.1	0.3	1.1	2.1	
1813981	Drill Core	1.41	490	0.920	1.14	4.24	32.81	0.65	13.03	3.38	31.5	702	8.4	5.0	249	1.48	4.3	1.1	767.5	6.3	15.6	
1813982	Drill Core	2.88	464	0.008	<0.01	<0.17	38.11	0.26	14.46	16.87	24.4	566	7.5	3.9	218	0.78	3.8	0.8	2.0	10.5	46.1	
1813983	Drill Core	2.64	461	0.007	<0.01	<0.17	32.77	0.55	12.16	11.55	51.2	268	10.4	5.5	321	1.67	5.0	0.7	2.9	8.9	23.1	
1813984	Drill Core	1.97	482	0.035	0.03	<0.17	37.74	0.65	13.65	27.07	44.5	489	10.9	6.3	337	1.68	9.9	0.9	37.3	9.2	18.7	
1813985	Drill Core	1.57	498	0.188	0.19	0.17	40.12	0.87	7.02	6.60	18.5	423	9.6	6.4	199	1.17	18.8	0.8	197.5	7.4	15.6	
1813986	Drill Core	1.39	468	0.259	0.27	0.36	33.65	0.51	14.64	11.95	44.9	779	10.0	6.0	310	1.51	10.4	1.1	341.4	11.1	43.2	
1813987	Drill Core	1.33	485	0.484	0.49	0.55	34.78	0.62	16.26	13.11	44.3	841	13.2	7.1	413	1.91	11.2	1.4	293.9	11.3	58.4	
1813988	Drill Core	1.75	470	0.338	0.40	1.24	33.93	0.48	8.69	29.64	25.6	730	3.6	1.8	230	0.98	2.0	0.5	265.2	3.4	34.4	
1813989	Drill Core	3.27	474	0.127	0.14	0.24	36.81	0.82	13.58	14.73	51.4	573	8.8	5.6	373	1.73	4.8	1.0	192.8	10.2	63.6	
1813990	Drill Core	1.41	497	0.305	0.31	0.41	48.63	0.94	22.27	2.33	27.6	527	8.3	6.5	444	1.76	9.1	1.3	224.3	8.4	45.8	
1813991	Drill Core	1.42	465	0.692	2.99	21.73	50.84	0.83	9.52	2.48	19.8	746	5.8	3.5	222	1.03	4.2	0.6	3155.5	4.0	19.7	
1813992	Drill Core	1.23	463	0.032	0.06	0.29	48.58	0.24	2.24	0.41	2.6	42	1.0	0.5	68	0.34	0.5	<0.1	21.9	0.6	3.4	
1813993	Drill Core	1.87	453	0.247	0.43	1.97	49.21	0.82	9.82	4.24	21.6	403	10.6	4.8	301	1.35	5.9	0.7	254.8	3.8	11.0	
1813994	Drill Core	2.92	474	0.012	0.01	<0.17	47.54	0.40	16.46	17.77	40.6	530	9.8	4.7	326	1.17	1.8	0.7	9.4	10.0	47.8	
1813995	Drill Core	2.81	504	0.029	0.04	<0.17	49.27	0.69	14.38	8.79	50.8	224	12.0	6.9	436	1.88	3.4	1.7	22.7	8.8	60.8	
1813996	Drill Core	3.11	504	0.026	0.02	<0.17	49.05	1.07	14.37	8.85	50.1	232	10.7	7.6	391	1.78	3.4	2.1	23.0	9.0	68.4	
1813997	Drill Core	2.88	473	0.359	0.34	0.19	47.84	1.05	15.09	8.23	43.2	364	8.2	6.5	389	1.57	2.2	1.0	235.6	8.7	56.5	
1813998	Drill Core	2.88	469	0.005	<0.01	<0.17	46.86	1.19	30.81	6.25	42.3	291	9.7	5.9	381	1.79	2.4	1.0	2.3	9.4	36.1	
1813999	Drill Core	2.97	468	<0.005	<0.01	<0.17	47.43	1.13	16.44	16.30	43.7	192	10.9	6.4	612	1.73	6.3	1.0	0.7	8.8	63.7	
1814000	Rock Pulp	0.12	87	7.151				8.59	183.62	16.10	64.6	855	12.3	9.7	526	4.28	11.9	0.8	7445.7	2.9	72.5	
1814001	Drill Core	3.14	354	<0.005	<0.01	<0.17	49.97	0.69	19.40	13.73	65.1	274	11.2	6.4	393	2.08	2.8	1.0	1.1	9.7	48.2	
1814002	Drill Core	3.11	401	<0.005	<0.01	<0.17	49.19	1.55	13.16	9.68	44.8	143	9.5	6.2	527	1.90	2.7	1.1	0.2	10.0	35.6	
1814003	Drill Core	2.94	461	<0.005	<0.01	<0.17	47.15	1.34	11.48	10.96	39.3	101	10.4	6.3	446	1.92	2.7	1.6	<0.2	9.8	31.7	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 2 of 5 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000672.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813974	Drill Core	0.21	0.56	0.10	19	0.33	0.047	18.2	20.9	0.90	118.7	0.052	<1	1.11	0.014	0.21	1.2	4.2	0.12	<0.02	7
1813975	Drill Core	0.27	0.98	0.09	26	0.49	0.055	12.8	27.9	0.99	119.1	0.058	<1	1.22	0.020	0.26	0.5	4.9	0.14	0.04	9
1813976	Drill Core	0.16	0.76	0.12	17	0.53	0.048	13.1	17.2	0.65	132.7	0.048	<1	0.92	0.017	0.24	0.5	3.3	0.11	0.04	7
1813977	Drill Core	0.15	0.57	0.38	9	0.72	0.044	20.1	8.7	0.56	137.3	0.020	<1	0.76	0.010	0.27	0.3	2.0	0.11	<0.02	<5
1813978	Drill Core	0.20	0.61	0.30	8	0.51	0.039	22.4	9.5	0.59	130.8	0.009	<1	0.82	0.007	0.27	0.2	2.1	0.13	<0.02	6
1813979	Drill Core	0.22	0.70	0.05	10	0.38	0.041	18.8	9.5	0.65	140.7	0.010	<1	0.94	0.007	0.32	0.2	2.2	0.14	<0.02	<5
1813980	Rock	<0.01	0.03	<0.02	<1	<0.01	0.001	1.1	2.8	<0.01	67.5	<0.001	<1	0.03	0.001	<0.01	<0.1	0.1	<0.02	<0.02	<5
1813981	Drill Core	0.24	0.84	0.05	8	0.18	0.026	13.1	9.7	0.45	111.5	0.014	<1	0.66	0.013	0.27	0.3	1.9	0.10	0.08	5
1813982	Drill Core	0.12	0.92	0.44	5	0.54	0.039	21.4	5.1	0.44	152.4	0.010	<1	0.69	0.005	0.34	0.3	1.4	0.12	<0.02	<5
1813983	Drill Core	0.22	0.49	0.15	14	0.35	0.050	17.6	16.0	0.66	128.3	0.003	<1	0.97	0.014	0.25	<0.1	2.1	0.09	<0.02	<5
1813984	Drill Core	0.26	0.71	0.36	12	0.24	0.053	19.5	11.5	0.61	153.4	0.009	<1	0.92	0.009	0.36	0.2	2.6	0.14	<0.02	7
1813985	Drill Core	0.11	0.77	0.15	5	0.36	0.035	7.7	6.1	0.21	177.8	0.003	<1	0.46	0.009	0.29	0.2	1.2	0.11	0.15	<5
1813986	Drill Core	0.25	0.85	0.44	10	0.54	0.059	18.0	11.3	0.60	126.0	0.006	<1	0.82	0.020	0.29	0.2	2.3	0.11	0.15	<5
1813987	Drill Core	0.33	0.94	0.39	13	0.80	0.066	19.1	13.6	0.72	135.6	0.007	<1	0.98	0.025	0.32	0.1	2.4	0.12	0.12	<5
1813988	Drill Core	0.16	0.31	0.69	6	0.54	0.020	6.5	7.6	0.35	54.6	0.001	<1	0.43	0.008	0.10	0.1	0.9	0.04	<0.02	<5
1813989	Drill Core	0.28	0.97	0.31	13	0.85	0.049	14.4	14.9	0.73	147.7	0.007	<1	0.99	0.023	0.32	0.1	2.6	0.11	0.13	<5
1813990	Drill Core	0.18	0.51	0.02	11	0.64	0.047	15.5	12.0	0.69	113.7	0.003	<1	0.83	0.009	0.21	0.2	2.3	0.07	0.04	7
1813991	Drill Core	0.16	0.62	0.03	5	0.23	0.023	6.9	9.9	0.28	87.1	0.009	<1	0.42	0.008	0.17	0.2	1.5	0.07	0.02	<5
1813992	Drill Core	<0.01	0.11	<0.02	1	0.02	0.004	1.0	4.1	0.04	15.5	<0.001	<1	0.07	0.001	0.03	<0.1	0.2	<0.02	<0.02	<5
1813993	Drill Core	0.13	0.84	0.06	7	0.13	0.031	11.2	8.9	0.32	127.0	0.001	<1	0.51	0.005	0.20	0.1	1.1	0.05	<0.02	<5
1813994	Drill Core	0.20	0.59	0.55	7	0.56	0.047	18.6	7.8	0.60	118.6	0.006	<1	0.80	0.004	0.28	<0.1	1.6	0.10	<0.02	<5
1813995	Drill Core	0.20	0.70	0.12	17	0.59	0.058	12.3	17.4	0.94	129.0	0.046	<1	1.06	0.018	0.33	0.4	3.7	0.13	0.13	6
1813996	Drill Core	0.21	0.52	0.11	14	0.86	0.062	10.5	13.7	0.90	131.3	0.041	<1	1.01	0.007	0.39	0.3	3.1	0.15	0.17	<5
1813997	Drill Core	0.22	0.54	0.05	9	0.63	0.049	12.9	9.0	0.66	133.6	0.037	<1	0.87	0.006	0.40	0.4	2.1	0.15	0.10	6
1813998	Drill Core	0.13	0.50	0.02	12	0.50	0.052	18.8	10.8	0.69	170.2	0.044	<1	0.99	0.008	0.41	0.4	2.6	0.16	<0.02	<5
1813999	Drill Core	0.16	0.51	0.06	12	0.95	0.048	13.8	12.4	0.69	148.7	0.034	<1	0.94	0.007	0.37	0.4	2.5	0.16	0.04	<5
1814000	Rock Pulp	0.13	4.47	0.44	112	0.91	0.053	6.4	16.7	0.80	104.6	0.103	<1	1.74	0.186	0.22	3.6	3.5	0.06	<0.02	205
1814001	Drill Core	0.13	0.92	0.07	18	0.61	0.049	19.5	18.2	0.92	130.6	0.040	<1	1.20	0.018	0.30	0.3	3.9	0.12	<0.02	9
1814002	Drill Core	0.13	0.39	<0.02	13	0.53	0.058	18.1	12.9	0.76	134.1	0.030	<1	1.09	0.016	0.28	0.3	2.8	0.09	<0.02	6
1814003	Drill Core	0.12	0.46	<0.02	15	0.49	0.054	14.9	13.6	0.81	142.8	0.048	<1	1.10	0.019	0.32	0.4	3.3	0.12	0.04	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 31, 2019

Page: 2 of 5 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000672.1

	Method	Analyte	Method																		
			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251		
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
			0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813974	Drill Core		<0.1	<0.02	4.6	1.39	<0.1	0.11	0.17	12.6	0.5	<0.05	3.2	11.40	35.1	<0.02	<1	0.5	13.8	<10	<2
1813975	Drill Core		0.2	0.02	4.8	1.53	<0.1	0.06	0.15	14.3	0.4	<0.05	1.9	9.83	26.5	<0.02	<1	0.5	11.8	<10	<2
1813976	Drill Core		0.2	<0.02	4.1	1.19	<0.1	0.06	0.20	11.9	0.4	<0.05	1.7	9.32	26.8	<0.02	1	0.5	9.4	<10	<2
1813977	Drill Core		0.1	0.03	2.6	1.10	<0.1	0.09	0.06	14.0	0.2	<0.05	3.1	11.56	44.3	<0.02	<1	0.3	10.7	<10	<2
1813978	Drill Core		0.2	0.17	3.1	1.39	<0.1	0.13	0.04	15.5	0.3	<0.05	5.8	11.70	50.5	<0.02	<1	0.3	13.5	<10	<2
1813979	Drill Core		0.1	0.14	3.7	1.69	<0.1	0.14	0.04	17.8	0.2	<0.05	5.7	9.82	40.1	<0.02	<1	0.4	15.0	<10	<2
1813980	Rock		<0.1	<0.02	0.1	0.05	<0.1	0.07	0.03	0.5	<0.1	<0.05	1.2	0.53	2.6	<0.02	<1	<0.1	0.4	<10	<2
1813981	Drill Core		0.2	0.06	2.6	1.59	<0.1	0.13	0.07	14.3	0.2	<0.05	4.3	7.87	26.2	<0.02	<1	0.4	9.5	<10	<2
1813982	Drill Core		<0.1	0.04	2.0	1.84	<0.1	0.10	0.08	16.7	0.3	<0.05	3.5	10.13	44.2	<0.02	<1	0.4	7.6	<10	<2
1813983	Drill Core		0.1	<0.02	4.1	1.52	<0.1	0.08	<0.02	12.9	0.3	<0.05	3.0	8.15	40.0	<0.02	<1	0.4	13.6	<10	<2
1813984	Drill Core		0.3	0.03	3.1	3.04	<0.1	0.14	<0.02	17.9	0.3	<0.05	5.4	7.81	42.2	<0.02	<1	0.4	12.6	<10	<2
1813985	Drill Core		0.5	0.03	1.5	1.59	<0.1	0.14	<0.02	13.6	0.2	<0.05	6.5	4.63	17.2	<0.02	<1	0.3	5.5	<10	<2
1813986	Drill Core		0.4	0.04	3.0	1.62	<0.1	0.16	0.02	15.3	0.2	<0.05	6.5	11.04	41.5	<0.02	<1	0.4	12.7	<10	<2
1813987	Drill Core		0.5	0.03	3.2	1.75	<0.1	0.13	<0.02	15.4	0.2	<0.05	6.0	12.56	42.5	<0.02	<1	0.4	12.6	<10	<2
1813988	Drill Core		<0.1	0.04	1.8	0.65	<0.1	0.03	<0.02	5.5	<0.1	<0.05	1.4	3.22	13.1	<0.02	<1	0.2	7.5	<10	<2
1813989	Drill Core		0.3	0.02	3.9	1.40	<0.1	0.07	<0.02	15.0	0.3	<0.05	2.4	9.06	29.0	<0.02	<1	0.5	12.5	<10	<2
1813990	Drill Core		0.4	0.03	3.5	1.01	<0.1	0.05	<0.02	9.8	0.3	<0.05	1.7	8.52	34.0	<0.02	<1	0.3	14.6	<10	<2
1813991	Drill Core		0.2	0.02	1.7	0.84	<0.1	0.06	0.04	8.9	0.2	<0.05	2.1	4.82	14.0	<0.02	<1	0.2	6.3	<10	<2
1813992	Drill Core		<0.1	<0.02	0.2	0.43	<0.1	<0.02	<0.02	1.8	0.2	<0.05	0.6	0.59	1.9	<0.02	<1	<0.1	0.9	<10	<2
1813993	Drill Core		0.4	0.06	2.0	0.99	<0.1	0.06	<0.02	8.6	0.2	<0.05	2.6	5.40	20.3	<0.02	<1	0.2	8.0	<10	<2
1813994	Drill Core		0.2	0.03	2.6	1.30	<0.1	0.19	<0.02	13.7	0.2	<0.05	7.4	8.29	40.2	<0.02	<1	0.4	10.9	<10	<2
1813995	Drill Core		0.4	<0.02	4.5	1.46	<0.1	0.21	0.06	16.3	0.4	<0.05	6.7	8.60	24.1	<0.02	<1	0.4	12.9	<10	<2
1813996	Drill Core		0.4	<0.02	3.5	1.81	<0.1	0.21	0.06	19.6	0.3	<0.05	8.2	7.15	21.9	<0.02	2	0.3	11.6	<10	<2
1813997	Drill Core		0.2	0.04	2.8	1.90	<0.1	0.27	0.11	20.6	0.2	<0.05	8.9	6.92	28.1	<0.02	<1	0.3	10.7	<10	<2
1813998	Drill Core		<0.1	<0.02	3.5	2.09	<0.1	0.25	0.07	20.7	0.3	<0.05	8.9	8.29	42.1	<0.02	<1	0.4	11.2	<10	<2
1813999	Drill Core		0.2	<0.02	3.4	2.14	<0.1	0.20	0.06	20.7	0.3	<0.05	7.1	8.09	27.9	<0.02	<1	0.3	10.8	<10	<2
1814000	Rock Pulp		0.1	0.15	5.1	0.59	<0.1	0.08	0.10	7.4	1.4	<0.05	1.5	4.44	14.2	0.04	<1	0.1	5.5	<10	<2
1814001	Drill Core		0.2	<0.02	5.0	1.67	<0.1	0.23	0.05	15.9	0.4	<0.05	8.3	9.08	44.3	<0.02	<1	0.4	13.7	<10	<2
1814002	Drill Core		<0.1	<0.02	3.9	1.22	<0.1	0.16	0.07	13.5	0.3	<0.05	7.0	8.40	41.2	<0.02	<1	0.4	11.6	<10	<2
1814003	Drill Core		0.2	<0.02	3.9	1.23	<0.1	0.18	0.09	16.4	0.3	<0.05	6.6	7.88	30.5	<0.02	2	0.4	10.5	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000672.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1814004	Drill Core	2.98	469	<0.005	<0.01	<0.17	47.63	1.43	17.89	10.16	50.7	129	10.8	8.0	445	1.96	4.6	2.1	2.4	10.8	33.0
1814005	Drill Core	3.07	442	<0.005	<0.01	<0.17	49.12	1.04	15.78	12.27	46.7	107	10.7	7.3	431	1.80	3.3	1.6	0.7	10.9	53.0
1814006	Drill Core	3.01	370	<0.005	<0.01	<0.17	48.05	0.52	11.87	6.45	42.2	75	10.1	6.9	398	1.95	2.8	1.5	<0.2	11.7	41.6
1814007	Drill Core	2.66	549	<0.005	<0.01	<0.17	42.65	0.53	14.47	9.87	47.4	109	9.4	6.4	463	1.88	3.1	1.4	1.9	10.6	68.8
1814008	Drill Core	2.99	419	<0.005	<0.01	<0.17	38.59	1.24	13.31	8.60	42.6	95	9.8	6.9	475	1.86	2.7	1.3	1.1	11.7	48.8
1814009	Drill Core	2.80	393	<0.005	<0.01	<0.17	32.14	1.48	16.56	7.44	46.4	140	10.2	7.6	441	1.95	2.3	1.7	0.7	12.2	72.3
1814010	Drill Core	3.14	381	0.006	<0.01	<0.17	36.18	1.02	20.96	15.81	50.6	160	9.7	6.5	529	1.98	2.7	1.8	0.8	10.6	66.4
1814011	Drill Core	2.55	429	0.041	0.04	<0.17	35.82	0.82	18.80	11.16	52.2	203	11.9	6.5	333	1.89	3.3	1.6	8.0	10.3	49.7
1814012	Drill Core	2.88	429	0.005	<0.01	<0.17	32.76	1.73	26.22	24.88	45.1	320	17.5	4.6	422	1.61	11.9	0.9	0.4	12.1	85.0
1814013	Drill Core	3.34	415	<0.005	<0.01	<0.17	37.76	1.08	29.73	20.18	55.7	210	16.9	8.0	374	1.94	14.9	2.3	<0.2	11.2	46.0
1814014	Drill Core	2.81	422	<0.005	<0.01	<0.17	35.60	1.28	21.76	14.44	53.8	189	17.3	5.5	325	1.85	13.1	1.5	<0.2	9.6	28.7
1814015	Drill Core	3.35	428	<0.005	<0.01	<0.17	32.19	1.02	20.83	24.53	57.6	277	10.0	6.0	399	1.85	7.5	1.3	<0.2	10.0	35.4
1814016	Drill Core	3.71	453	<0.005	<0.01	<0.17	33.95	0.67	12.78	16.63	53.4	145	10.8	6.9	409	2.00	2.6	1.8	<0.2	11.0	75.2
1814017	Drill Core	1.66	422	0.016	0.01	<0.17	39.24	0.53	26.46	13.53	30.2	387	7.5	4.6	238	1.28	8.6	1.6	14.2	13.9	31.2
1814018	Drill Core	1.72	426	0.023	0.02	<0.17	34.62	0.69	32.92	10.18	45.2	424	13.5	6.9	488	1.99	10.9	1.8	33.4	11.7	80.5
1814019	Drill Core	3.12	425	<0.005	<0.01	<0.17	43.96	0.37	23.84	14.82	58.8	445	14.3	8.3	308	2.04	9.9	2.0	2.4	12.4	39.5
1814020	Rock Pulp	0.12	91	0.626				6.65	111.69	84.04	140.5	626	11.4	5.1	580	2.48	41.3	0.4	554.8	2.8	34.4
1814021	Drill Core	3.13	429	<0.005	<0.01	<0.17	35.97	1.53	12.81	13.42	61.5	211	15.2	8.6	352	2.13	6.3	1.3	1.1	8.1	36.1
1814022	Drill Core	1.92	487	<0.005	<0.01	<0.17	36.15	1.03	19.38	14.98	41.6	200	7.9	7.0	340	1.32	3.8	1.1	0.7	6.1	41.8
1814023	Drill Core	1.45	456	<0.005	<0.01	<0.17	32.65	0.88	14.85	10.49	66.6	167	11.2	6.8	279	2.01	4.1	1.5	<0.2	6.5	44.4
1814024	Drill Core	3.32	451	<0.005	<0.01	<0.17	38.84	0.93	11.59	10.28	81.1	162	10.7	8.0	329	2.11	2.4	1.4	3.7	7.9	61.6
1814025	Drill Core	2.71	422	<0.005	<0.01	<0.17	47.29	0.68	15.03	6.88	52.1	148	9.6	6.9	153	1.60	4.9	0.7	1.7	3.2	30.8
1814026	Drill Core	2.99	498	<0.005	<0.01	<0.17	45.30	0.74	17.21	8.17	65.8	200	10.4	7.8	210	1.98	4.0	1.0	1.1	4.3	27.2
1814027	Drill Core	2.28	507	<0.005	<0.01	<0.17	48.76	0.68	13.86	13.18	73.9	314	9.6	7.6	258	1.88	1.2	0.9	0.5	5.7	31.7
1814028	Drill Core	4.20	466	<0.005	<0.01	<0.17	47.09	0.61	16.55	25.24	71.0	348	9.9	7.4	230	1.65	3.9	1.1	0.9	4.3	29.6
1814029	Drill Core	3.67	521	<0.005	<0.01	<0.17	48.51	0.58	11.17	8.92	60.5	156	9.5	7.4	174	1.41	4.2	0.8	<0.2	2.6	27.0
1814030	Drill Core	3.15	426	<0.005	<0.01	<0.17	46.44	1.12	14.75	7.05	55.8	135	10.1	7.2	184	1.62	4.9	0.8	<0.2	2.2	23.6
1814031	Drill Core	3.02	487	<0.005	<0.01	<0.17	49.15	1.36	15.53	13.01	53.9	177	9.5	9.2	246	1.59	10.7	0.5	<0.2	2.3	24.7
1814032	Drill Core	3.13	499	<0.005	<0.01	<0.17	48.11	1.02	16.00	7.98	47.6	149	8.9	8.1	203	1.49	6.7	0.5	0.3	2.4	27.9
1814033	Drill Core	2.16	465	<0.005	<0.01	<0.17	47.72	1.27	4.74	14.07	49.5	107	6.9	6.5	273	1.47	4.0	0.8	<0.2	3.6	44.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000672.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1814004	Drill Core	0.20	0.57	0.05	12	0.56	0.066	13.0	13.6	0.86	142.2	0.071	<1	1.04	0.010	0.42	0.4	3.7	0.17	0.13	7			
1814005	Drill Core	0.17	0.61	0.03	12	0.78	0.064	18.0	15.4	0.84	173.9	0.062	1	1.02	0.011	0.36	0.3	3.8	0.15	0.07	8			
1814006	Drill Core	0.17	0.44	0.02	12	0.63	0.062	18.6	14.4	0.82	186.3	0.050	<1	1.04	0.015	0.44	0.2	4.1	0.17	0.06	8			
1814007	Drill Core	0.14	0.44	0.03	11	0.91	0.058	16.5	13.8	0.86	142.6	0.018	<1	1.01	0.011	0.32	0.2	3.5	0.12	0.05	9			
1814008	Drill Core	0.14	0.37	<0.02	10	0.82	0.063	20.3	11.3	0.72	195.5	0.010	<1	1.02	0.014	0.32	0.1	3.3	0.10	0.03	8			
1814009	Drill Core	0.17	0.41	0.05	10	0.91	0.067	16.7	12.5	0.81	161.1	0.022	<1	1.00	0.011	0.33	0.2	3.8	0.13	0.13	<5			
1814010	Drill Core	0.17	0.39	0.07	11	0.97	0.055	18.5	13.8	0.79	180.3	0.011	<1	1.06	0.017	0.29	0.1	3.2	0.10	0.03	8			
1814011	Drill Core	0.14	0.38	0.19	9	0.80	0.058	13.0	9.2	0.78	174.5	0.029	<1	0.93	0.010	0.36	<0.1	2.8	0.14	0.13	<5			
1814012	Drill Core	0.16	0.21	0.38	9	1.47	0.052	15.1	11.6	0.61	235.6	0.009	<1	0.88	0.010	0.26	<0.1	2.1	0.07	0.14	<5			
1814013	Drill Core	0.24	0.61	0.13	15	0.83	0.062	17.1	16.9	0.84	162.6	0.068	<1	1.02	0.009	0.27	0.4	3.8	0.09	0.12	<5			
1814014	Drill Core	0.20	0.63	0.24	15	0.50	0.053	25.0	17.9	0.66	171.8	0.024	<1	0.93	0.012	0.25	0.2	2.8	0.08	<0.02	<5			
1814015	Drill Core	0.42	0.46	0.27	13	0.70	0.053	21.4	14.4	0.73	148.9	0.043	<1	0.95	0.014	0.24	0.2	3.9	0.09	0.05	7			
1814016	Drill Core	0.30	0.53	0.15	17	1.05	0.055	27.1	20.7	0.91	157.5	0.025	<1	1.13	0.021	0.22	0.2	4.0	0.07	0.05	17			
1814017	Drill Core	0.25	0.39	0.23	8	0.55	0.055	30.5	8.9	0.32	200.5	0.018	<1	0.60	0.020	0.22	0.3	1.9	0.07	0.04	23			
1814018	Drill Core	0.20	0.63	0.35	20	1.52	0.078	23.6	24.0	0.67	218.9	0.074	<1	0.93	0.027	0.28	0.8	4.8	0.11	0.22	<5			
1814019	Drill Core	0.36	0.85	0.63	24	0.64	0.066	27.8	29.7	0.63	195.9	0.088	<1	0.91	0.026	0.20	0.7	5.8	0.07	0.14	10			
1814020	Rock Pulp	0.57	2.89	0.10	28	0.82	0.040	5.8	24.8	0.50	83.7	0.084	7	1.09	0.085	0.10	4.4	3.0	0.19	0.09	125			
1814021	Drill Core	0.21	0.67	0.28	25	0.83	0.065	12.4	30.0	0.85	147.4	0.061	<1	1.08	0.026	0.24	0.5	5.3	0.11	0.08	10			
1814022	Drill Core	0.16	0.61	0.16	11	0.91	0.037	12.9	13.9	0.48	132.0	0.045	<1	0.67	0.010	0.19	0.4	2.8	0.08	<0.02	7			
1814023	Drill Core	0.13	0.66	0.05	18	0.88	0.068	12.3	24.8	0.92	153.4	0.091	<1	1.27	0.018	0.27	0.2	3.3	0.10	<0.02	<5			
1814024	Drill Core	0.17	0.47	0.08	17	1.09	0.064	13.7	25.2	0.97	137.8	0.083	<1	1.23	0.022	0.21	0.3	3.9	0.09	<0.02	<5			
1814025	Drill Core	0.25	0.24	0.05	10	0.55	0.066	5.1	15.6	0.62	237.2	0.093	<1	0.93	0.024	0.29	0.2	1.7	0.08	0.14	<5			
1814026	Drill Core	0.16	0.22	0.07	12	0.56	0.067	6.8	18.5	0.85	243.9	0.104	<1	1.12	0.031	0.28	0.2	2.3	0.09	0.10	<5			
1814027	Drill Core	0.26	0.47	0.08	13	0.77	0.062	7.7	20.4	0.83	143.0	0.080	<1	1.06	0.014	0.15	0.3	2.3	0.06	0.03	<5			
1814028	Drill Core	0.38	0.43	0.07	10	0.84	0.061	7.0	16.7	0.67	192.9	0.084	<1	1.03	0.017	0.20	0.3	2.0	0.08	0.08	<5			
1814029	Drill Core	0.13	0.30	0.06	8	0.60	0.058	4.0	14.2	0.69	128.9	0.072	<1	0.90	0.012	0.17	0.1	1.3	0.08	0.05	<5			
1814030	Drill Core	0.08	0.53	0.04	7	0.53	0.063	4.2	13.2	0.63	190.7	0.076	<1	0.94	0.017	0.20	<0.1	1.3	0.08	0.11	<5			
1814031	Drill Core	0.12	0.29	0.11	6	0.87	0.071	4.0	11.4	0.50	198.1	0.066	<1	0.76	0.015	0.17	<0.1	1.2	0.07	0.47	<5			
1814032	Drill Core	0.12	0.19	0.07	7	0.75	0.069	3.8	12.0	0.46	242.0	0.082	<1	0.77	0.016	0.20	<0.1	1.2	0.06	0.27	<5			
1814033	Drill Core	0.13	0.19	0.11	7	1.35	0.061	6.6	11.3	0.51	198.9	0.071	<1	0.79	0.020	0.16	<0.1	1.5	0.06	0.19	<5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000672.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1814004	Drill Core	0.3	<0.02	3.8	2.45	<0.1	0.24	0.13	24.7	0.6	<0.05	8.5	9.76	26.2	<0.02	1	0.4	12.6	<10	<2			
1814005	Drill Core	0.1	<0.02	4.2	1.43	<0.1	0.25	0.09	20.4	0.5	<0.05	8.4	11.16	34.8	<0.02	<1	0.5	14.3	<10	<2			
1814006	Drill Core	<0.1	<0.02	3.8	1.90	<0.1	0.34	0.07	24.2	0.5	<0.05	12.6	10.46	36.1	<0.02	<1	0.4	13.8	<10	<2			
1814007	Drill Core	<0.1	<0.02	4.0	1.87	<0.1	0.23	<0.02	19.1	0.4	<0.05	8.7	8.87	32.0	<0.02	<1	0.4	14.5	<10	<2			
1814008	Drill Core	<0.1	<0.02	3.9	1.44	<0.1	0.23	<0.02	16.5	0.4	<0.05	9.2	7.24	39.5	<0.02	<1	0.4	13.8	<10	<2			
1814009	Drill Core	0.3	<0.02	3.5	2.12	<0.1	0.30	<0.02	19.9	0.4	<0.05	11.0	8.63	33.8	<0.02	1	0.4	13.4	<10	<2			
1814010	Drill Core	<0.1	<0.02	4.1	1.62	<0.1	0.27	<0.02	15.6	0.3	<0.05	9.3	7.23	35.8	<0.02	<1	0.4	14.6	<10	<2			
1814011	Drill Core	0.3	0.02	3.1	2.30	<0.1	0.23	0.03	19.6	0.4	<0.05	8.1	5.10	25.3	<0.02	2	0.3	9.9	<10	<2			
1814012	Drill Core	0.4	0.04	3.0	0.55	<0.1	0.11	0.04	11.2	0.4	<0.05	3.9	7.24	28.4	<0.02	<1	0.3	7.4	<10	<2			
1814013	Drill Core	0.5	<0.02	4.0	0.92	<0.1	0.19	0.15	14.9	0.5	<0.05	7.4	13.26	32.3	0.02	<1	0.4	14.5	<10	<2			
1814014	Drill Core	0.3	0.03	4.0	1.33	<0.1	0.19	0.05	13.3	0.6	<0.05	7.0	12.02	45.8	<0.02	<1	0.3	16.0	<10	<2			
1814015	Drill Core	0.5	0.02	4.0	0.98	<0.1	0.22	0.07	13.0	0.5	<0.05	7.7	11.62	40.6	<0.02	2	0.4	15.1	<10	<2			
1814016	Drill Core	0.3	<0.02	5.4	0.79	<0.1	0.23	0.04	12.1	0.5	<0.05	8.1	15.02	50.8	0.02	<1	0.6	18.7	<10	<2			
1814017	Drill Core	0.3	0.02	2.9	0.80	<0.1	0.09	0.07	12.1	0.6	<0.05	3.3	15.10	59.7	0.03	<1	0.4	9.3	<10	<2			
1814018	Drill Core	0.8	0.04	5.0	1.38	<0.1	0.20	0.18	15.7	1.0	<0.05	6.5	14.09	44.9	0.05	4	0.7	15.3	<10	<2			
1814019	Drill Core	1.0	0.06	5.7	0.68	<0.1	0.25	0.18	10.1	0.9	<0.05	7.9	17.28	52.2	0.06	<1	0.6	14.9	<10	<2			
1814020	Rock Pulp	<0.1	0.05	4.3	0.23	<0.1	0.16	0.26	2.8	2.0	<0.05	4.0	7.86	11.6	<0.02	1	0.2	1.5	<10	<2			
1814021	Drill Core	0.5	0.02	4.5	1.19	<0.1	0.08	0.08	12.0	0.5	<0.05	2.9	9.31	24.4	0.02	<1	0.4	16.3	<10	<2			
1814022	Drill Core	<0.1	<0.02	2.9	1.50	<0.1	0.06	0.12	11.3	0.4	<0.05	1.8	7.80	27.1	<0.02	<1	0.5	8.9	<10	<2			
1814023	Drill Core	<0.1	<0.02	5.2	1.28	<0.1	0.06	0.22	15.8	0.5	<0.05	1.4	7.48	23.7	<0.02	<1	0.5	13.8	<10	<2			
1814024	Drill Core	<0.1	<0.02	5.3	1.11	<0.1	0.06	0.14	12.0	0.6	<0.05	1.3	8.32	27.1	<0.02	<1	0.5	12.7	<10	<2			
1814025	Drill Core	0.3	<0.02	2.9	0.86	<0.1	0.05	0.33	14.0	0.4	<0.05	1.1	3.25	10.0	<0.02	<1	0.4	9.4	<10	<2			
1814026	Drill Core	0.2	<0.02	4.1	1.06	<0.1	0.04	0.27	13.6	0.5	<0.05	1.0	4.94	13.5	<0.02	<1	0.5	11.3	<10	<2			
1814027	Drill Core	<0.1	<0.02	4.3	0.66	<0.1	0.03	0.17	8.5	0.5	<0.05	0.9	4.76	15.7	<0.02	<1	0.4	12.5	<10	<2			
1814028	Drill Core	0.4	<0.02	3.4	0.91	<0.1	0.05	0.26	11.0	0.4	<0.05	1.0	5.02	14.0	<0.02	<1	0.4	10.8	<10	<2			
1814029	Drill Core	0.4	<0.02	3.0	1.14	<0.1	0.03	0.28	10.3	0.3	<0.05	0.9	2.86	8.3	<0.02	<1	0.4	9.4	<10	<2			
1814030	Drill Core	0.3	<0.02	2.5	0.70	<0.1	0.03	0.25	9.4	0.3	<0.05	0.6	2.87	8.5	<0.02	<1	0.3	8.0	<10	<2			
1814031	Drill Core	0.3	<0.02	2.3	0.29	<0.1	0.02	0.33	7.6	0.3	<0.05	0.4	2.81	8.2	<0.02	1	0.2	5.0	<10	<2			
1814032	Drill Core	0.3	<0.02	2.4	0.31	<0.1	0.02	0.32	8.7	0.4	<0.05	0.6	2.87	7.7	<0.02	1	0.2	5.0	<10	<2			
1814033	Drill Core	0.1	<0.02	3.0	0.33	<0.1	0.02	0.27	7.1	0.4	<0.05	0.4	4.22	13.2	<0.02	3	0.2	4.7	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000672.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1814034	Drill Core	1.51	453	<0.005	<0.01	<0.17	47.09	0.62	3.64	15.32	28.6	95	6.3	5.9	489	1.29	3.0	0.6	<0.2	2.8	85.7
1814035	Drill Core	2.43	525	<0.005	<0.01	<0.17	47.38	1.05	13.09	14.40	39.7	187	9.1	7.6	137	1.43	6.3	0.9	<0.2	4.1	34.8
1814036	Drill Core	2.96	449	<0.005	<0.01	<0.17	48.40	1.09	18.42	12.51	62.1	127	14.4	10.4	321	2.02	9.4	0.9	1.3	5.5	53.2
1814037	Drill Core	2.93	415	<0.005	<0.01	<0.17	47.82	0.68	11.34	12.90	58.1	98	9.1	6.4	262	1.75	5.6	1.1	<0.2	7.6	65.7
1814038	Drill Core	1.62	578	<0.005	<0.01	<0.17	46.34	1.06	16.58	11.46	61.2	116	11.6	7.9	346	2.05	4.3	2.0	<0.2	11.1	80.8
1814039	Drill Core	1.67	489	<0.005	<0.01	<0.17	48.49	1.24	21.14	6.10	52.0	144	10.9	8.4	259	1.69	3.0	0.9	<0.2	4.9	41.6
1814040	Rock Pulp	0.12	88	<0.005				4.13	22.82	1.03	31.4	15	6.9	4.4	578	2.37	1.3	0.4	<0.2	2.6	30.4
1814041	Drill Core	2.50	384	<0.005	<0.01	<0.17	49.35	1.16	23.72	6.05	53.2	172	10.1	8.1	285	1.71	2.1	1.1	2.4	7.3	45.7
1814042	Drill Core	1.39	452	<0.005	<0.01	<0.17	26.87	1.42	11.06	15.12	75.1	114	10.4	7.0	320	2.32	2.3	1.1	<0.2	9.9	35.4
1814043	Drill Core	2.26	464	<0.005	<0.01	<0.17	31.26	1.06	19.18	11.97	28.2	209	7.6	8.1	172	1.20	3.6	1.0	<0.2	5.5	32.8
1814044	Drill Core	1.90	470	<0.005	<0.01	<0.17	26.73	0.91	14.59	15.69	18.1	204	4.5	6.1	91	0.98	3.4	1.2	<0.2	8.1	25.1
1814045	Drill Core	1.53	432	<0.005	<0.01	<0.17	33.47	0.39	18.18	13.23	51.3	226	10.6	8.5	198	1.80	2.4	1.6	<0.2	11.2	66.2
1814046	Drill Core	1.43	392	<0.005	<0.01	<0.17	35.84	0.97	20.33	17.67	69.6	176	14.8	8.6	350	2.22	2.0	1.2	<0.2	9.8	124.2
1814047	Drill Core	2.98	456	<0.005	<0.01	<0.17	32.14	0.89	18.42	14.91	72.0	204	14.3	10.1	308	2.43	3.5	1.5	<0.2	11.4	109.1
1814048	Drill Core	2.97	404	0.005	<0.01	<0.17	31.80	1.83	18.63	12.18	57.5	199	12.0	9.1	407	2.10	4.4	1.8	0.8	10.1	116.7
1814049	Drill Core	1.62	385	<0.005	<0.01	<0.17	27.71	1.69	10.94	7.16	69.8	165	14.8	8.7	652	2.55	3.9	2.1	<0.2	8.2	150.7
1814050	Drill Core	1.78	501	0.045	0.10	0.80	35.20	1.91	20.49	10.02	110.5	291	19.5	10.0	432	2.58	5.9	2.2	36.8	8.9	70.7
1814051	Drill Core	2.98	438	0.030	0.03	<0.17	33.35	2.34	24.64	8.43	82.4	333	19.2	12.8	427	2.63	8.1	2.3	21.5	13.7	82.3
1814052	Drill Core	2.88	404	<0.005	<0.01	<0.17	36.52	1.36	12.74	7.58	92.0	199	15.7	11.0	520	2.85	5.0	2.3	0.7	11.1	100.1
1814053	Drill Core	2.03	408	0.078	0.07	<0.17	32.58	1.00	16.22	4.68	82.8	234	15.9	11.1	311	2.79	15.4	2.3	80.3	13.3	52.5
1814054	Drill Core	1.65	487	0.023	0.02	<0.17	38.65	1.11	18.69	4.29	67.2	222	12.7	9.7	305	2.28	13.0	1.8	13.1	10.8	43.3
1814055	Drill Core	1.55	415	0.017	0.02	<0.17	27.15	1.78	20.45	6.39	90.8	246	15.5	9.7	276	2.52	16.4	2.4	17.5	10.0	34.5
1814056	Drill Core	1.41	394	0.026	0.02	<0.17	40.21	2.60	21.10	44.35	97.2	333	13.5	9.1	336	2.42	13.0	3.0	22.8	10.7	75.1
1814057	Drill Core	1.50	362	0.251	0.23	<0.17	32.89	1.49	8.59	29.95	41.3	335	6.8	4.6	318	1.58	41.2	1.4	274.6	7.4	58.7
1814058	Drill Core	1.57	395	0.019	0.02	<0.17	29.92	0.92	9.84	26.75	40.1	220	7.9	5.9	244	1.46	4.3	1.1	6.2	9.7	65.5
1814059	Drill Core	1.56	539	0.541	0.55	0.61	39.28	0.76	19.58	7.02	49.8	476	12.5	8.8	368	1.98	13.5	1.5	456.0	8.8	112.7
1814060	Core DUP		492	0.314	0.32	0.35	34.32	0.69	19.24	6.06	49.1	423	12.1	9.0	352	2.05	12.7	1.4	360.3	8.5	106.8
1814061	Drill Core	1.47	487	1.052	1.91	10.29	45.38	0.68	19.78	10.05	78.5	887	16.9	12.6	307	2.57	20.8	1.8	1401.2	9.9	95.4
1814062	Drill Core	2.30	532	0.347	1.59	14.15	47.97	0.91	14.18	12.35	56.4	566	11.2	9.2	294	1.89	9.9	1.6	361.8	9.3	69.3
1814063	Drill Core	3.82	451	0.062	0.07	<0.17	49.99	0.36	4.39	10.48	36.3	289	2.9	3.2	139	0.94	4.4	1.5	66.3	13.9	19.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000672.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1814034	Drill Core	0.29	0.15	0.11	6	3.56	0.042	6.0	10.6	0.29	174.6	0.054	<1	0.48	0.015	0.12	<0.1	1.5	0.03	0.09	<5			
1814035	Drill Core	0.11	0.19	0.13	9	0.60	0.072	7.5	13.8	0.38	310.1	0.069	<1	0.63	0.014	0.17	<0.1	1.7	0.06	0.13	<5			
1814036	Drill Core	0.08	0.17	0.10	13	1.16	0.074	11.7	18.6	0.63	338.4	0.083	<1	0.99	0.022	0.20	<0.1	2.9	0.06	0.10	<5			
1814037	Drill Core	0.15	0.40	0.07	9	1.20	0.061	16.5	12.2	0.57	193.9	0.043	<1	0.98	0.015	0.19	<0.1	2.6	0.06	0.08	<5			
1814038	Drill Core	0.26	0.56	0.05	15	1.67	0.071	28.5	16.9	0.68	233.0	0.021	<1	1.02	0.012	0.23	<0.1	4.9	0.07	0.11	<5			
1814039	Drill Core	0.17	0.23	0.03	12	0.86	0.071	8.5	14.5	0.61	217.4	0.069	<1	0.86	0.011	0.19	<0.1	2.9	0.04	0.15	<5			
1814040	Rock Pulp	0.02	0.16	<0.02	22	0.77	0.039	5.8	15.9	0.48	63.0	0.075	2	0.99	0.064	0.07	0.2	2.8	<0.02	0.05	<5			
1814041	Drill Core	0.17	0.27	0.04	11	1.00	0.075	14.0	12.8	0.60	303.7	0.071	1	0.92	0.010	0.26	0.1	3.4	0.06	0.07	<5			
1814042	Drill Core	0.15	0.18	0.10	18	0.78	0.073	23.1	21.7	0.94	265.3	0.068	1	1.17	0.020	0.21	<0.1	5.3	0.05	0.11	<5			
1814043	Drill Core	0.14	0.20	0.10	10	0.68	0.071	13.0	11.8	0.33	283.3	0.084	<1	0.54	0.022	0.26	<0.1	2.1	0.09	0.12	<5			
1814044	Drill Core	0.12	0.23	0.14	6	0.49	0.054	14.6	7.8	0.19	388.8	0.072	<1	0.43	0.019	0.28	<0.1	1.7	0.10	0.08	<5			
1814045	Drill Core	0.25	0.26	0.09	15	0.98	0.062	23.9	16.1	0.70	437.5	0.081	<1	0.81	0.021	0.45	<0.1	4.8	0.28	0.33	<5			
1814046	Drill Core	0.32	0.20	0.02	23	1.79	0.073	22.3	22.2	0.93	595.2	0.062	<1	0.99	0.023	0.52	<0.1	7.1	0.32	0.08	<5			
1814047	Drill Core	0.26	0.26	0.05	25	1.29	0.072	23.9	23.8	1.05	448.6	0.072	<1	1.14	0.026	0.61	<0.1	7.4	0.38	0.18	<5			
1814048	Drill Core	0.29	0.35	0.07	19	1.92	0.066	21.5	22.2	0.76	298.3	0.086	<1	1.02	0.020	0.48	0.2	5.6	0.28	0.09	<5			
1814049	Drill Core	0.39	0.58	0.06	26	3.03	0.075	17.2	33.6	1.15	203.1	0.127	<1	1.36	0.022	0.28	1.3	5.3	0.12	0.06	9			
1814050	Drill Core	0.44	0.56	0.08	31	1.27	0.074	18.9	44.8	1.08	194.1	0.102	<1	1.29	0.018	0.31	1.1	5.0	0.13	<0.02	6			
1814051	Drill Core	0.43	0.66	0.10	27	1.57	0.094	21.9	35.0	1.03	259.0	0.104	<1	1.31	0.013	0.52	0.9	5.7	0.23	0.20	6			
1814052	Drill Core	0.53	0.58	0.09	33	1.51	0.079	26.2	39.7	1.14	171.4	0.029	<1	1.40	0.026	0.30	0.2	5.2	0.14	<0.02	12			
1814053	Drill Core	0.54	0.90	0.02	25	0.73	0.075	24.6	29.0	1.00	311.1	0.065	1	1.47	0.019	0.56	0.4	5.3	0.21	0.04	9			
1814054	Drill Core	0.50	0.89	0.02	22	0.72	0.080	21.1	27.3	0.84	202.7	0.034	<1	1.18	0.018	0.41	0.5	3.9	0.16	<0.02	<5			
1814055	Drill Core	0.53	0.62	0.03	27	0.53	0.079	22.8	32.3	0.86	194.2	0.008	<1	1.23	0.024	0.28	<0.1	4.3	0.09	<0.02	8			
1814056	Drill Core	0.64	0.70	0.12	21	1.20	0.076	20.7	26.3	1.10	255.3	0.028	<1	1.33	0.012	0.46	0.3	4.5	0.16	0.03	9			
1814057	Drill Core	0.34	0.98	0.18	9	1.02	0.038	13.6	10.8	0.54	257.5	0.021	<1	0.72	0.009	0.37	0.4	3.1	0.12	0.07	<5			
1814058	Drill Core	0.23	0.54	0.12	10	0.88	0.045	16.9	12.7	0.61	276.2	0.038	<1	0.84	0.008	0.39	0.4	2.8	0.12	0.12	<5			
1814059	Drill Core	0.61	0.82	0.03	14	1.61	0.064	13.3	18.2	0.70	214.5	0.043	<1	0.85	0.011	0.36	0.8	3.7	0.15	0.40	7			
1814060	Core DUP	0.57	0.82	0.02	14	1.57	0.062	13.4	18.0	0.72	222.8	0.044	<1	0.87	0.012	0.37	0.7	3.8	0.14	0.40	<5			
1814061	Drill Core	0.79	0.87	0.05	18	1.24	0.074	10.4	22.5	0.93	224.9	0.064	<1	1.07	0.019	0.61	0.7	4.6	0.23	0.74	6			
1814062	Drill Core	0.41	0.73	0.07	14	1.06	0.065	13.4	17.8	0.85	297.0	0.051	1	1.03	0.013	0.53	0.5	3.5	0.17	0.13	<5			
1814063	Drill Core	0.30	0.79	0.08	4	0.24	0.034	28.0	8.5	0.30	354.1	0.013	2	0.61	0.013	0.35	0.8	1.6	0.10	0.10	15			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000672.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1814034 Drill Core	0.2	<0.02	1.8	0.52	<0.1	0.05	0.21	5.4	0.3	<0.05	1.7	4.70	11.9	<0.02	<1	0.2	3.2	<10	<2
1814035 Drill Core	0.3	<0.02	2.4	1.05	<0.1	0.08	0.28	8.0	0.3	<0.05	2.8	4.19	13.7	<0.02	1	0.2	5.2	<10	<2
1814036 Drill Core	0.2	<0.02	3.5	1.08	<0.1	0.07	0.22	8.4	0.4	<0.05	2.5	6.34	22.9	<0.02	<1	0.2	8.7	<10	<2
1814037 Drill Core	<0.1	<0.02	3.4	1.94	<0.1	0.04	0.13	8.9	0.5	<0.05	0.9	9.14	30.9	<0.02	<1	0.2	8.2	<10	<2
1814038 Drill Core	0.3	<0.02	4.3	2.99	<0.1	0.04	0.06	11.4	0.6	<0.05	0.9	13.69	52.5	0.03	<1	0.2	12.0	<10	<2
1814039 Drill Core	0.3	<0.02	3.1	0.69	<0.1	0.02	0.20	8.4	0.4	<0.05	0.5	5.37	16.8	<0.02	<1	0.2	8.7	<10	<2
1814040 Rock Pulp	<0.1	<0.02	3.9	0.13	<0.1	0.14	0.30	2.0	1.8	<0.05	3.1	7.78	11.5	<0.02	<1	0.2	1.0	<10	<2
1814041 Drill Core	0.2	<0.02	3.2	1.07	<0.1	0.03	0.17	11.4	0.5	<0.05	0.8	7.97	27.8	<0.02	<1	0.2	8.6	<10	<2
1814042 Drill Core	0.3	<0.02	4.9	0.55	<0.1	0.04	0.13	8.7	0.8	<0.05	0.7	11.42	44.7	0.03	<1	0.3	10.3	<10	<2
1814043 Drill Core	0.3	<0.02	1.9	1.09	<0.1	0.10	0.36	11.9	0.4	<0.05	2.6	6.93	23.9	<0.02	<1	0.2	4.4	<10	<2
1814044 Drill Core	0.2	<0.02	1.5	0.89	<0.1	0.19	0.41	12.3	0.3	<0.05	6.0	8.10	33.6	<0.02	<1	0.2	3.0	<10	<2
1814045 Drill Core	0.6	0.02	3.2	2.58	<0.1	0.23	0.20	27.8	0.5	<0.05	7.1	12.29	46.3	<0.02	<1	0.2	6.0	<10	<2
1814046 Drill Core	0.1	<0.02	3.8	5.30	<0.1	0.30	0.09	34.1	0.4	<0.05	10.9	12.20	42.3	<0.02	<1	0.3	7.6	<10	<2
1814047 Drill Core	0.4	0.03	4.9	4.42	<0.1	0.34	0.06	40.9	0.5	<0.05	10.6	11.77	44.7	0.02	<1	0.3	9.3	<10	<2
1814048 Drill Core	0.2	<0.02	4.0	2.70	<0.1	0.11	0.12	29.1	0.6	<0.05	3.6	11.51	40.8	<0.02	<1	0.3	8.2	<10	<2
1814049 Drill Core	0.2	<0.02	6.0	0.87	<0.1	0.06	0.14	14.2	0.6	<0.05	1.6	9.99	32.8	0.02	<1	0.4	13.9	<10	<2
1814050 Drill Core	0.2	<0.02	6.3	1.30	<0.1	0.08	0.11	16.2	0.6	<0.05	2.1	10.83	36.8	0.02	<1	0.6	16.0	<10	<2
1814051 Drill Core	0.4	<0.02	6.0	2.16	<0.1	0.08	0.12	30.8	0.6	<0.05	2.2	16.12	42.4	0.03	<1	0.5	17.6	<10	<2
1814052 Drill Core	<0.1	<0.02	6.9	1.83	<0.1	0.12	<0.02	17.8	0.4	<0.05	3.8	16.97	50.4	0.03	<1	0.6	22.3	<10	<2
1814053 Drill Core	0.2	<0.02	6.0	3.13	<0.1	0.23	0.05	31.7	0.5	<0.05	8.1	14.71	47.0	<0.02	<1	0.6	18.7	<10	<2
1814054 Drill Core	<0.1	<0.02	5.0	5.74	<0.1	0.17	0.04	24.9	0.4	<0.05	6.1	10.66	40.3	<0.02	<1	0.6	17.5	<10	<2
1814055 Drill Core	0.3	<0.02	5.5	1.40	<0.1	0.16	<0.02	15.2	0.3	<0.05	6.0	9.76	40.8	<0.02	<1	0.5	24.3	<10	<2
1814056 Drill Core	0.4	<0.02	5.0	1.64	<0.1	0.30	<0.02	24.9	0.3	<0.05	9.6	11.78	39.1	<0.02	<1	0.6	24.2	<10	<2
1814057 Drill Core	0.1	0.04	2.5	1.23	<0.1	0.24	0.04	17.1	0.3	<0.05	8.2	7.74	26.4	<0.02	<1	0.3	9.9	<10	<2
1814058 Drill Core	0.2	<0.02	3.0	0.82	<0.1	0.30	0.07	18.8	0.3	<0.05	11.2	10.29	31.9	<0.02	<1	0.4	11.3	<10	<2
1814059 Drill Core	0.6	0.03	3.2	1.21	<0.1	0.31	0.05	17.7	0.3	<0.05	10.2	10.64	25.8	<0.02	<1	0.4	12.5	<10	<2
1814060 Core DUP	0.6	0.03	3.1	1.22	<0.1	0.30	0.05	18.2	0.3	<0.05	9.5	10.71	26.0	<0.02	<1	0.4	12.2	<10	<2
1814061 Drill Core	0.9	0.05	3.8	2.12	<0.1	0.43	0.07	29.9	0.4	<0.05	13.6	9.45	20.2	<0.02	2	0.4	10.9	<10	<2
1814062 Drill Core	0.3	0.08	3.4	1.64	<0.1	0.38	0.06	24.9	0.4	<0.05	12.5	8.76	25.9	<0.02	<1	0.4	12.0	<10	<2
1814063 Drill Core	0.3	<0.02	2.5	0.65	<0.1	0.17	0.14	15.9	0.3	<0.05	5.7	13.70	53.9	<0.02	<1	0.3	6.9	<10	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000672.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1814064	Drill Core	3.28	476	0.006	<0.01	<0.17	47.63	0.21	6.60	10.76	9.1	158	0.9	1.8	158	0.55	1.8	1.4	2.8	13.3	56.7
1814065	Drill Core	3.14	349	0.011	<0.01	<0.17	43.77	0.34	6.01	23.54	29.9	258	3.8	4.6	188	1.10	2.0	2.5	8.5	16.1	51.7
1814066	Drill Core	2.79	503	0.007	<0.01	<0.17	50.01	0.18	3.82	15.27	15.8	213	0.3	0.7	108	0.52	0.9	1.3	0.4	14.3	36.4
1814067	Drill Core	2.30	482	<0.005	<0.01	<0.17	47.48	0.22	3.59	23.82	17.5	185	0.5	0.6	101	0.55	1.0	1.6	<0.2	15.5	26.4
1814068	Drill Core	1.87	483	0.007	<0.01	<0.17	46.35	0.97	30.39	20.74	76.4	530	10.7	8.9	490	2.23	6.1	1.8	0.4	12.4	147.8
1814069	Drill Core	1.83	475	<0.005	<0.01	<0.17	44.85	0.81	9.20	17.80	36.5	186	4.1	3.6	199	1.01	2.1	1.4	3.7	13.0	47.3
1814070	Drill Core	1.33	505	<0.005	<0.01	<0.17	49.05	1.13	14.04	14.24	58.2	155	11.1	7.6	336	1.69	2.2	2.4	3.1	8.7	81.4
1814071	Drill Core	1.72	538	<0.005	<0.01	<0.17	45.72	0.57	17.53	27.16	43.5	192	9.7	6.2	198	1.45	2.1	3.4	1.5	9.7	43.6
1814072	Drill Core	2.84	411	<0.005	<0.01	<0.17	48.02	1.68	16.45	20.92	35.2	205	9.0	6.8	161	1.40	3.5	1.6	1.5	10.1	41.4
1814073	Drill Core	2.98	434	<0.005	<0.01	<0.17	45.54	1.03	17.92	12.10	54.9	182	12.9	9.2	265	2.08	5.0	3.1	3.7	8.5	90.4
1814074	Drill Core	3.00	483	<0.005	<0.01	<0.17	46.49	1.09	17.10	20.05	67.1	210	13.4	8.1	285	2.25	4.7	2.1	1.6	9.5	97.0
1814075	Drill Core	3.02	437	<0.005	<0.01	<0.17	48.22	0.67	19.89	18.60	76.9	262	12.8	8.1	323	2.47	2.7	1.7	1.7	8.6	123.0
1814076	Drill Core	1.36	400	0.010	<0.01	<0.17	46.03	0.77	26.43	10.33	88.6	474	15.9	9.4	338	2.68	5.3	2.2	9.6	10.1	109.0
1814077	Drill Core	1.61	554	0.548	0.57	0.87	35.51	0.64	31.39	15.76	81.4	1944	15.3	8.7	717	2.96	21.3	4.0	587.3	7.8	250.7
1814078	Drill Core	3.18	372	0.200	0.21	0.26	38.02	1.09	17.15	11.44	54.8	906	10.9	8.2	440	2.08	10.0	3.6	196.6	12.0	97.1
1814079	Drill Core	3.14	511	<0.005	<0.01	<0.17	33.88	1.11	17.07	10.72	64.0	283	12.8	8.2	458	2.25	2.4	1.9	1.2	10.0	91.9
1814080	Rock	0.23	168	<0.005	<0.01	<0.17	24.19	0.47	0.96	0.95	1.4	8	1.1	0.4	62	0.62	0.9	0.2	0.9	1.2	1.5
1814081	Drill Core	1.55	413	<0.005	0.03	0.25	39.30	1.14	16.39	11.22	57.6	222	11.9	7.6	508	2.19	3.4	1.7	1.2	9.2	181.8
1814082	Drill Core	1.46	488	<0.005	<0.01	<0.17	35.37	1.21	16.82	9.63	64.6	242	12.8	8.0	459	2.18	2.2	1.8	0.8	8.4	122.5
1814083	Drill Core	3.62	370	0.005	<0.01	<0.17	27.19	0.93	13.84	9.07	61.7	306	14.2	8.2	686	2.75	3.5	1.9	3.1	9.9	95.5
1814084	Drill Core	3.04	462	<0.005	<0.01	<0.17	40.16	0.56	18.50	15.82	69.5	348	14.0	8.6	406	2.49	2.0	1.5	1.2	10.4	84.6
1814085	Drill Core	2.56	391	<0.005	<0.01	<0.17	32.07	2.70	22.14	18.85	89.6	380	22.6	11.0	414	2.61	4.9	2.6	1.8	8.6	104.6
1814086	Drill Core	3.02	434	0.029	0.03	<0.17	33.10	1.52	17.90	15.04	76.4	305	11.4	7.7	416	2.62	7.9	2.7	24.0	5.9	96.2
1814087	Drill Core	2.65	365	0.016	0.01	<0.17	23.43	0.81	19.55	8.48	74.0	290	11.2	7.3	399	2.49	12.9	3.6	12.4	5.4	104.3



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000672.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1814064	Drill Core	0.20	0.37	0.05	2	0.83	0.021	37.2	3.2	0.07	391.3	0.005	<1	0.35	0.019	0.29	0.3	1.1	0.07	0.08	5			
1814065	Drill Core	0.47	0.53	0.17	4	0.79	0.037	39.5	7.2	0.29	478.2	0.014	<1	0.63	0.010	0.38	18.9	2.1	0.10	0.22	<5			
1814066	Drill Core	0.21	0.29	0.18	<1	0.64	0.011	39.9	2.1	0.08	304.5	0.008	<1	0.36	0.026	0.25	0.4	1.8	0.07	<0.02	<5			
1814067	Drill Core	0.17	0.38	0.16	<1	0.44	0.009	38.5	2.6	0.08	266.2	0.012	<1	0.36	0.025	0.25	0.3	1.9	0.07	<0.02	<5			
1814068	Drill Core	0.62	0.54	0.14	18	2.28	0.063	29.6	22.2	0.68	314.7	0.010	<1	0.95	0.023	0.28	1.1	5.3	0.10	0.19	<5			
1814069	Drill Core	0.30	0.50	0.14	6	0.59	0.035	28.9	9.0	0.31	297.7	0.032	<1	0.56	0.016	0.34	0.3	3.0	0.13	0.07	<5			
1814070	Drill Core	0.36	0.26	0.04	14	1.29	0.072	16.2	15.9	0.70	279.1	0.085	<1	0.95	0.009	0.42	0.2	4.3	0.16	0.11	<5			
1814071	Drill Core	0.25	0.26	0.08	12	0.65	0.074	16.1	14.8	0.52	351.4	0.104	<1	0.74	0.020	0.47	0.1	2.6	0.22	0.18	<5			
1814072	Drill Core	0.18	0.25	0.09	12	0.59	0.072	18.8	16.0	0.46	334.7	0.091	<1	0.69	0.019	0.50	0.1	2.2	0.23	0.21	<5			
1814073	Drill Core	0.29	0.39	0.06	20	1.18	0.065	17.4	19.3	0.77	378.0	0.093	1	0.92	0.022	0.61	0.1	5.2	0.43	0.28	<5			
1814074	Drill Core	0.30	0.31	0.07	25	1.30	0.062	21.4	26.3	0.85	269.4	0.075	<1	1.04	0.024	0.56	0.2	7.1	0.34	0.18	<5			
1814075	Drill Core	0.38	0.34	0.11	31	1.39	0.064	21.4	36.4	0.91	137.3	0.018	<1	1.12	0.033	0.23	0.1	5.7	0.13	0.17	<5			
1814076	Drill Core	0.43	0.56	0.05	32	1.40	0.070	26.2	36.9	0.94	171.8	0.030	<1	1.26	0.029	0.25	0.3	6.3	0.13	0.24	9			
1814077	Drill Core	0.64	0.80	0.13	19	3.58	0.042	7.8	23.9	1.35	159.5	0.055	1	1.29	0.017	0.56	1.6	7.5	0.39	1.11	10			
1814078	Drill Core	0.45	0.71	0.10	14	1.60	0.064	17.6	15.8	0.77	272.0	0.073	1	1.12	0.012	0.55	1.8	3.8	0.30	0.62	8			
1814079	Drill Core	0.17	0.69	0.07	21	1.42	0.061	23.0	26.0	0.79	223.4	0.088	<1	1.18	0.022	0.32	0.4	5.1	0.20	0.09	<5			
1814080	Rock	<0.01	0.04	<0.02	<1	0.01	0.001	1.9	3.7	<0.01	8.9	0.002	<1	0.05	0.002	0.01	<0.1	0.1	<0.02	<0.02	<5			
1814081	Drill Core	0.36	0.43	0.05	19	2.52	0.069	19.0	19.5	0.72	299.1	0.077	<1	1.11	0.020	0.43	0.2	5.1	0.27	0.17	<5			
1814082	Drill Core	0.28	0.59	0.04	22	1.62	0.063	19.1	25.8	0.74	304.2	0.087	<1	1.17	0.021	0.42	0.2	5.4	0.33	0.03	<5			
1814083	Drill Core	0.37	0.32	0.10	30	1.70	0.065	25.6	37.6	0.96	176.8	0.019	<1	1.36	0.029	0.25	0.2	6.5	0.16	0.04	<5			
1814084	Drill Core	0.29	0.21	0.11	25	1.25	0.063	24.6	28.8	0.86	278.5	0.011	<1	1.13	0.029	0.22	<0.1	5.4	0.10	0.06	<5			
1814085	Drill Core	0.59	0.83	0.16	30	1.56	0.069	20.5	30.4	1.08	242.3	0.121	<1	1.36	0.016	0.46	1.4	7.2	0.31	0.13	<5			
1814086	Drill Core	0.45	0.96	0.14	28	1.39	0.096	14.7	22.9	1.07	174.7	0.118	1	1.53	0.011	0.54	2.3	7.6	0.32	0.08	7			
1814087	Drill Core	0.59	0.85	0.09	22	1.55	0.102	9.5	14.8	1.01	210.6	0.089	1	1.34	0.010	0.66	0.8	7.7	0.38	0.33	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 5 of 5 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000672.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1814064	Drill Core	0.2	<0.02	1.3	1.13	<0.1	0.06	0.10	12.6	0.2	<0.05	1.9	13.63	71.0	<0.02	<1	0.2	2.7	<10
1814065	Drill Core	0.4	<0.02	2.3	0.61	<0.1	0.22	0.12	18.3	0.3	<0.05	6.4	19.18	74.5	<0.02	<1	0.3	7.3	<10
1814066	Drill Core	0.1	<0.02	1.8	0.99	<0.1	0.12	0.16	13.2	0.4	<0.05	4.0	20.56	76.1	0.02	<1	0.2	2.7	<10
1814067	Drill Core	0.2	<0.02	2.1	1.38	<0.1	0.16	0.28	13.0	0.4	<0.05	5.1	21.79	74.6	0.02	<1	0.3	2.8	<10
1814068	Drill Core	0.5	<0.02	4.8	1.89	<0.1	0.06	<0.02	14.5	0.5	<0.05	2.1	20.81	55.2	0.03	<1	0.5	16.6	<10
1814069	Drill Core	0.2	<0.02	2.5	1.33	<0.1	0.10	0.23	18.3	0.4	<0.05	2.9	15.03	53.3	<0.02	<1	0.3	6.9	<10
1814070	Drill Core	0.3	<0.02	3.6	1.51	<0.1	0.05	0.19	21.8	0.4	<0.05	1.5	10.83	31.6	0.02	<1	0.2	9.1	<10
1814071	Drill Core	0.5	0.02	3.0	2.64	<0.1	0.13	0.32	27.3	0.4	<0.05	3.5	10.03	30.8	<0.02	1	0.3	6.5	<10
1814072	Drill Core	0.5	0.02	2.6	2.27	<0.1	0.10	0.29	27.8	0.4	<0.05	3.5	10.56	35.3	<0.02	1	0.3	5.1	<10
1814073	Drill Core	0.6	0.04	3.6	4.58	<0.1	0.15	0.19	41.1	0.5	<0.05	5.0	10.36	34.7	0.05	2	0.4	7.0	<10
1814074	Drill Core	0.5	0.02	4.8	3.74	<0.1	0.16	0.10	35.3	0.5	<0.05	5.2	12.80	42.8	0.03	2	0.6	10.6	<10
1814075	Drill Core	0.4	0.02	6.5	1.73	<0.1	0.14	<0.02	13.4	0.4	<0.05	5.4	14.37	42.8	0.03	1	0.6	17.4	<10
1814076	Drill Core	0.4	0.07	6.9	1.63	<0.1	0.22	<0.02	14.4	0.4	<0.05	8.2	18.11	51.5	0.03	4	0.7	19.3	<10
1814077	Drill Core	1.0	0.14	5.2	5.99	<0.1	0.14	0.07	36.0	0.4	<0.05	4.9	11.02	15.1	0.03	2	0.7	15.5	<10
1814078	Drill Core	0.7	0.03	4.8	3.13	<0.1	0.08	0.20	32.5	0.5	<0.05	2.5	13.86	35.0	<0.02	2	0.6	13.8	<10
1814079	Drill Core	0.4	0.02	5.9	3.14	<0.1	0.09	0.16	21.6	0.6	<0.05	2.5	14.29	45.7	0.02	<1	0.7	14.5	<10
1814080	Rock	<0.1	<0.02	0.2	0.08	<0.1	0.10	0.04	0.8	<0.1	<0.05	2.5	0.66	3.7	<0.02	<1	<0.1	0.7	<10
1814081	Drill Core	0.6	0.04	5.1	3.48	<0.1	0.05	0.16	28.0	0.6	<0.05	1.6	12.23	37.9	0.02	2	0.5	10.4	<10
1814082	Drill Core	0.3	0.02	5.4	5.53	<0.1	0.08	0.17	31.7	0.6	<0.05	2.3	11.66	37.9	<0.02	<1	0.6	11.5	<10
1814083	Drill Core	0.2	<0.02	7.2	3.29	<0.1	0.12	0.02	16.5	1.4	<0.05	4.8	14.02	50.4	0.04	<1	0.6	20.2	<10
1814084	Drill Core	0.3	<0.02	5.8	2.89	<0.1	0.14	<0.02	13.1	0.4	<0.05	5.8	12.33	48.7	0.03	<1	0.4	15.4	<10
1814085	Drill Core	0.6	0.03	5.1	4.79	<0.1	0.10	0.13	30.8	0.7	<0.05	2.9	14.59	41.1	0.03	4	0.6	15.1	<10
1814086	Drill Core	0.6	0.03	5.5	4.27	<0.1	0.07	0.11	32.7	0.5	<0.05	2.1	14.85	27.6	0.02	2	0.6	18.0	<10
1814087	Drill Core	0.7	0.02	4.3	4.65	<0.1	0.05	0.09	38.5	0.4	<0.05	1.4	11.50	18.1	0.02	1	0.4	14.6	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 31, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000672.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
1813994	Drill Core	2.92	474	0.012	0.01	<0.17	47.54	0.40	16.46	17.77	40.6	530	9.8	4.7	326	1.17	1.8	0.7	9.4	10.0	47.8	
REP 1813994	QC							0.43	16.45	17.75	40.6	540	10.0	4.7	329	1.19	1.8	0.7	10.5	9.6	48.3	
1814029	Drill Core	3.67	521	<0.005	<0.01	<0.17	48.51	0.58	11.17	8.92	60.5	156	9.5	7.4	174	1.41	4.2	0.8	<0.2	2.6	27.0	
REP 1814029	QC							0.56	11.83	9.11	61.5	162	10.0	6.8	188	1.44	4.5	0.9	<0.2	2.7	27.9	
1814064	Drill Core	3.28	476	0.006	<0.01	<0.17	47.63	0.21	6.60	10.76	9.1	158	0.9	1.8	158	0.55	1.8	1.4	2.8	13.3	56.7	
REP 1814064	QC							0.20	6.61	10.33	9.3	169	0.9	1.7	146	0.55	1.5	1.3	4.5	13.9	57.8	
1814066	Drill Core	2.79	503	0.007	<0.01	<0.17	50.01	0.18	3.82	15.27	15.8	213	0.3	0.7	108	0.52	0.9	1.3	0.4	14.3	36.4	
REP 1814066	QC							0.006														
1814068	Drill Core	1.87	483	0.007	<0.01	<0.17	46.35	0.97	30.39	20.74	76.4	530	10.7	8.9	490	2.23	6.1	1.8	0.4	12.4	147.8	
REP 1814068	QC							0.007														
1814083	Drill Core	3.62	370	0.005	<0.01	<0.17	27.19	0.93	13.84	9.07	61.7	306	14.2	8.2	686	2.75	3.5	1.9	3.1	9.9	95.5	
REP 1814083	QC							0.91	13.46	8.95	61.1	301	13.9	8.0	673	2.77	3.6	1.9	3.5	9.7	93.7	
Core Reject Duplicates																						
1814004	Drill Core	2.98	469	<0.005	<0.01	<0.17	47.63	1.43	17.89	10.16	50.7	129	10.8	8.0	445	1.96	4.6	2.1	2.4	10.8	33.0	
DUP 1814004	QC	373		<0.005	<0.01	<0.17	48.51	1.53	17.28	9.66	46.4	121	10.9	7.9	452	1.97	4.7	2.0	0.8	11.6	33.5	
1814038	Drill Core	1.62	578	<0.005	<0.01	<0.17	46.34	1.06	16.58	11.46	61.2	116	11.6	7.9	346	2.05	4.3	2.0	<0.2	11.1	80.8	
DUP 1814038	QC	513		<0.005	<0.01	<0.17	47.90	1.10	16.92	12.15	61.5	123	11.7	8.2	353	2.08	4.6	2.1	<0.2	9.6	82.3	
1814072	Drill Core	2.84	411	<0.005	<0.01	<0.17	48.02	1.68	16.45	20.92	35.2	205	9.0	6.8	161	1.40	3.5	1.6	1.5	10.1	41.4	
DUP 1814072	QC	414		<0.005	<0.01	<0.17	49.33	1.72	18.17	22.16	38.2	208	9.6	7.0	167	1.49	3.6	1.7	<0.2	10.5	44.1	
Reference Materials																						
STD BVGEO01	Standard							11.71	4563.66	187.59	1782.7	2799	167.6	26.6	753	3.95	122.8	4.0	232.0	14.8	58.5	
STD BVGEO01	Standard							10.72	4304.35	178.18	1700.6	2480	157.5	25.1	718	3.72	118.5	3.9	209.5	16.0	53.4	
STD DS11	Standard							13.59	126.67	115.57	295.8	1544	74.1	11.7	929	2.89	37.2	2.1	59.3	7.5	60.3	
STD DS11	Standard							16.21	154.61	150.01	349.8	1737	83.5	14.6	1049	3.21	44.0	2.8	91.1	7.3	68.5	
STD OREAS262	Standard							0.63	104.28	49.59	140.4	441	62.2	25.1	530	2.99	33.0	1.1	68.8	9.1	31.8	
STD OREAS262	Standard							0.75	120.59	58.86	159.1	505	71.0	29.4	564	3.50	37.9	1.3	64.3	10.0	36.4	
STD OREAS262	Standard							0.68	116.24	56.58	147.7	431	63.8	28.9	530	3.19	34.8	1.2	65.5	10.0	33.7	
STD OREAS262	Standard							0.72	124.70	60.63	153.3	463	66.1	28.7	540	3.26	36.7	1.4	78.1	9.0	36.9	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 31, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000672.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1813994	Drill Core	0.20	0.59	0.55	7	0.56	0.047	18.6	7.8	0.60	118.6	0.006	<1	0.80	0.004	0.28	<0.1	1.6	0.10	<0.02	<5
REP 1813994	QC	0.20	0.58	0.56	8	0.56	0.048	18.0	8.0	0.61	123.7	0.006	<1	0.79	0.004	0.29	<0.1	1.7	0.09	<0.02	<5
1814029	Drill Core	0.13	0.30	0.06	8	0.60	0.058	4.0	14.2	0.69	128.9	0.072	<1	0.90	0.012	0.17	0.1	1.3	0.08	0.05	<5
REP 1814029	QC	0.13	0.28	0.06	8	0.63	0.059	4.6	15.0	0.71	142.5	0.080	<1	0.94	0.014	0.18	0.1	1.5	0.08	0.05	<5
1814064	Drill Core	0.20	0.37	0.05	2	0.83	0.021	37.2	3.2	0.07	391.3	0.005	<1	0.35	0.019	0.29	0.3	1.1	0.07	0.08	5
REP 1814064	QC	0.19	0.37	0.06	2	0.82	0.022	36.3	3.0	0.07	381.6	0.005	<1	0.35	0.019	0.30	0.3	1.1	0.07	0.08	6
1814066	Drill Core	0.21	0.29	0.18	<1	0.64	0.011	39.9	2.1	0.08	304.5	0.008	<1	0.36	0.026	0.25	0.4	1.8	0.07	<0.02	<5
REP 1814066	QC																				
1814068	Drill Core	0.62	0.54	0.14	18	2.28	0.063	29.6	22.2	0.68	314.7	0.010	<1	0.95	0.023	0.28	1.1	5.3	0.10	0.19	<5
REP 1814068	QC																				
1814083	Drill Core	0.37	0.32	0.10	30	1.70	0.065	25.6	37.6	0.96	176.8	0.019	<1	1.36	0.029	0.25	0.2	6.5	0.16	0.04	<5
REP 1814083	QC	0.37	0.32	0.10	31	1.59	0.064	25.4	37.1	0.96	175.7	0.020	<1	1.37	0.029	0.25	0.2	6.4	0.16	0.04	<5
Core Reject Duplicates																					
1814004	Drill Core	0.20	0.57	0.05	12	0.56	0.066	13.0	13.6	0.86	142.2	0.071	<1	1.04	0.010	0.42	0.4	3.7	0.17	0.13	7
DUP 1814004	QC	0.17	0.57	0.04	13	0.56	0.065	13.4	13.8	0.86	145.1	0.078	1	1.03	0.011	0.43	0.5	4.0	0.18	0.13	6
1814038	Drill Core	0.26	0.56	0.05	15	1.67	0.071	28.5	16.9	0.68	233.0	0.021	<1	1.02	0.012	0.23	<0.1	4.9	0.07	0.11	<5
DUP 1814038	QC	0.27	0.56	0.06	15	1.68	0.074	28.0	16.6	0.68	232.7	0.019	2	1.00	0.013	0.23	<0.1	4.3	0.07	0.14	<5
1814072	Drill Core	0.18	0.25	0.09	12	0.59	0.072	18.8	16.0	0.46	334.7	0.091	<1	0.69	0.019	0.50	0.1	2.2	0.23	0.21	<5
DUP 1814072	QC	0.19	0.27	0.10	13	0.62	0.069	19.8	17.3	0.49	387.8	0.097	<1	0.74	0.020	0.53	0.1	2.6	0.25	0.22	<5
Reference Materials																					
STD BVGEO01	Standard	6.09	3.28	23.36	76	1.43	0.071	26.3	206.9	1.38	249.8	0.244	4	2.42	0.205	0.93	5.2	6.5	0.66	0.75	94
STD BVGEO01	Standard	6.36	3.63	25.03	71	1.29	0.079	26.0	180.7	1.28	269.3	0.223	3	2.25	0.191	0.87	5.5	6.3	0.59	0.65	77
STD DS11	Standard	1.92	7.55	9.58	49	0.99	0.060	15.4	53.3	0.79	335.0	0.075	8	1.14	0.068	0.37	3.2	3.0	4.66	0.25	241
STD DS11	Standard	2.44	8.94	12.28	50	1.08	0.078	20.8	65.6	0.85	438.1	0.100	7	1.18	0.074	0.41	3.2	3.3	5.19	0.27	245
STD OREAS262	Standard	0.53	4.85	0.90	24	2.73	0.034	14.7	44.3	1.11	218.0	0.002	4	1.41	0.065	0.31	0.2	3.5	0.48	0.22	165
STD OREAS262	Standard	0.64	4.56	0.98	24	3.15	0.039	17.8	46.7	1.25	256.4	0.003	4	1.44	0.069	0.34	0.2	3.6	0.51	0.29	184
STD OREAS262	Standard	0.64	5.63	0.99	21	2.91	0.043	16.5	45.5	1.13	267.3	0.002	3	1.25	0.066	0.30	0.2	3.2	0.42	0.26	152
STD OREAS262	Standard	0.67	5.93	1.04	22	2.99	0.044	18.8	46.8	1.16	280.1	0.003	4	1.32	0.069	0.33	0.2	3.3	0.47	0.25	151



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 31, 2019

Page:

1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000672.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
Pulp Duplicates																			
1813994	Drill Core	0.2	0.03	2.6	1.30	<0.1	0.19	<0.02	13.7	0.2	<0.05	7.4	8.29	40.2	<0.02	<1	0.4	10.9	<10
REP 1813994	QC	0.2	0.04	2.3	1.23	<0.1	0.21	<0.02	14.2	0.3	<0.05	8.2	8.10	42.2	<0.02	<1	0.3	10.3	<10
1814029	Drill Core	0.4	<0.02	3.0	1.14	<0.1	0.03	0.28	10.3	0.3	<0.05	0.9	2.86	8.3	<0.02	<1	0.4	9.4	<10
REP 1814029	QC	0.3	<0.02	3.2	1.11	<0.1	0.04	0.25	10.5	0.4	<0.05	1.0	3.13	9.2	<0.02	<1	0.4	10.0	<10
1814064	Drill Core	0.2	<0.02	1.3	1.13	<0.1	0.06	0.10	12.6	0.2	<0.05	1.9	13.63	71.0	<0.02	<1	0.2	2.7	<10
REP 1814064	QC	0.2	<0.02	1.5	1.14	<0.1	0.05	0.09	11.9	0.2	<0.05	2.3	14.49	70.8	<0.02	<1	0.3	2.6	<10
1814066	Drill Core	0.1	<0.02	1.8	0.99	<0.1	0.12	0.16	13.2	0.4	<0.05	4.0	20.56	76.1	0.02	<1	0.2	2.7	<10
REP 1814066	QC																		
1814068	Drill Core	0.5	<0.02	4.8	1.89	<0.1	0.06	<0.02	14.5	0.5	<0.05	2.1	20.81	55.2	0.03	<1	0.5	16.6	<10
REP 1814068	QC																		
1814083	Drill Core	0.2	<0.02	7.2	3.29	<0.1	0.12	0.02	16.5	1.4	<0.05	4.8	14.02	50.4	0.04	<1	0.6	20.2	<10
REP 1814083	QC	0.3	0.03	7.1	3.28	<0.1	0.12	<0.02	16.3	1.4	<0.05	4.9	13.84	50.0	0.04	<1	0.7	19.8	<10
Core Reject Duplicates																			
1814004	Drill Core	0.3	<0.02	3.8	2.45	<0.1	0.24	0.13	24.7	0.6	<0.05	8.5	9.76	26.2	<0.02	1	0.4	12.6	<10
DUP 1814004	QC	0.3	<0.02	3.7	2.26	<0.1	0.26	0.12	24.8	0.5	<0.05	9.3	9.83	27.0	<0.02	1	0.4	13.9	<10
1814038	Drill Core	0.3	<0.02	4.3	2.99	<0.1	0.04	0.06	11.4	0.6	<0.05	0.9	13.69	52.5	0.03	<1	0.2	12.0	<10
DUP 1814038	QC	0.4	<0.02	4.1	3.01	<0.1	0.03	0.04	11.5	0.6	<0.05	0.6	13.83	51.1	0.03	<1	0.2	12.1	<10
1814072	Drill Core	0.5	0.02	2.6	2.27	<0.1	0.10	0.29	27.8	0.4	<0.05	3.5	10.56	35.3	<0.02	1	0.3	5.1	<10
DUP 1814072	QC	0.5	0.02	2.9	2.35	<0.1	0.11	0.29	30.0	0.4	<0.05	3.6	11.32	37.8	<0.02	2	0.3	5.5	<10
Reference Materials																			
STD BVGEO01	Standard	5.1	1.02	8.1	7.71	0.2	0.39	0.20	98.9	5.5	<0.05	11.5	15.22	54.4	0.46	4	0.7	20.7	195
STD BVGEO01	Standard	4.6	1.00	7.3	7.45	0.2	0.33	0.31	93.5	5.4	<0.05	9.2	14.61	52.9	0.43	4	0.7	21.0	175
STD DS11	Standard	2.1	4.19	4.9	2.54	<0.1	0.08	1.60	29.9	1.6	<0.05	3.0	6.71	30.8	0.22	47	0.6	19.4	101
STD DS11	Standard	2.1	4.69	5.2	3.18	<0.1	0.09	1.76	36.6	2.0	<0.05	2.9	8.86	40.9	0.26	48	0.6	21.8	120
STD OREAS262	Standard	0.5	0.22	4.1	2.86	<0.1	0.22	<0.02	18.9	0.4	<0.05	8.6	10.24	30.1	0.03	1	1.1	16.1	<10
STD OREAS262	Standard	0.6	0.23	4.6	2.98	<0.1	0.34	<0.02	20.9	0.6	<0.05	14.3	11.62	36.7	0.03	1	1.2	17.4	<10
STD OREAS262	Standard	0.5	0.20	4.0	2.88	<0.1	0.26	<0.02	19.6	0.5	<0.05	9.9	10.83	32.4	0.03	1	1.0	16.6	<10
STD OREAS262	Standard	0.4	0.25	4.2	3.22	<0.1	0.26	<0.02	21.4	0.6	<0.05	10.3	11.25	36.2	0.03	<1	1.0	17.9	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000672.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXB130	Standard			0.129																	
STD OXB130	Standard			0.122																	
STD OXB130	Standard			0.127																	
STD OXI138	Standard			1.861																	
STD OXI138	Standard			1.865																	
STD OXI138	Standard			1.849																	
STD OXN117	Standard			7.686																	
STD OXN117	Standard			7.721																	
STD OXN117	Standard			7.597																	
STD OXQ90	Standard					25.36	29.77														
STD OXQ90	Standard					25.18	30.10														
STD OXQ90	Standard					25.17	29.68														
STD OXQ90	Standard					25.61	30.22														
STD OXQ90	Standard					25.27	30.23														
STD OXQ90	Standard					24.88	30.15														
STD OXQ90	Standard					25.32	30.06														
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.4	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: October 31, 2019

Part: 2 of 3

WHI19000672.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000672.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000672.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		418	<0.005	<0.01	<0.17	40.70	0.69	6.28	0.75	27.0	6	1.8	3.8	460	1.84	0.9	0.3	<0.2	3.1	18.7
ROCK-WHI	Prep Blank		482	<0.005	<0.01	<0.17	35.61	0.81	3.17	0.70	28.4	6	1.6	3.7	569	1.80	0.5	0.3	<0.2	2.3	18.4



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000672.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	1.0	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	<0.01	0.04	<0.02	28	0.63	0.032	4.6	4.5	0.53	51.5	0.063	<1	0.91	0.068	0.07	<0.1	2.8	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	<0.01	0.03	<0.02	26	0.55	0.035	5.1	4.2	0.51	46.3	0.064	<1	0.82	0.065	0.07	<0.1	2.7	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 31, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000672.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.15	<0.1	0.13	0.18	1.8	0.2	<0.05	3.2	7.00	9.5	<0.02	<1	0.1	1.2	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.11	<0.1	0.11	0.20	1.9	0.2	<0.05	3.0	7.58	10.1	<0.02	<1	0.1	1.0	<10