



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Longford Exploration Services Ltd.**
460-688 West Hastings St.
Vancouver British Columbia V6B 1P1 Canada

Submitted By: James Rogers
Receiving Lab: Canada-Whitehorse
Received: September 22, 2020
Analysis Start: October 23, 2020
Report Date: October 29, 2020
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000438.1

CLIENT JOB INFORMATION

Project: Find
Shipment ID:
P.O. Number
Number of Samples: 26

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Longford Exploration Services Ltd.
460-688 West Hastings St.
Vancouver British Columbia V6B 1P1
Canada

CC: Vedran Pobric

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|----------------|-------------------|---|--------------|---------------|-----|
| PRP70-250 | 26 | Crush, split and pulverize 250 g rock to 200 mesh | | | WHI |
| AQ250 | 26 | 1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis | 0.5 | Completed | VAN |
| SHP01 | 26 | Per sample shipping charges for branch shipments | | | VAN |
| BAT01 | 1 | Batch charge of <50 samples | | | VAN |

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Longford Exploration Services Ltd.
460-688 West Hastings St.
Vancouver British Columbia V6B 1P1 Canada

Project: Find
Report Date: October 29, 2020

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000438.1

| | Method Analyte Unit MDL | WGHT | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 |
|---------|----------------------------------|------|-------|--------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|
| | | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca |
| | | kg | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % |
| | | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 | 0.5 | 0.01 | 0.02 | 0.02 | 1 | 0.01 |
| 2063201 | Rock | 3.82 | 4.57 | 115.10 | 12.26 | 117.1 | 498 | 84.2 | 22.0 | 267 | 4.80 | 33.0 | 2.0 | 55.3 | 6.8 | 171.6 | 0.41 | 0.38 | 1.36 | 147 | 2.69 |
| 2063202 | Rock | 5.01 | 0.12 | 70.28 | 1.38 | 59.7 | 48 | 2.8 | 15.8 | 562 | 3.97 | 2.0 | <0.1 | 1.7 | 0.5 | 57.6 | 0.07 | 0.07 | <0.02 | 110 | 2.81 |
| 2063203 | Rock | 6.07 | 0.29 | 55.23 | 1.72 | 89.3 | 70 | 6.5 | 18.1 | 575 | 5.36 | 2.0 | 0.3 | 4.0 | 0.5 | 49.6 | 0.04 | 0.07 | 0.02 | 159 | 0.51 |
| 2063204 | Rock | 2.44 | 0.15 | 36.77 | 2.00 | 59.3 | 20 | 6.9 | 12.5 | 279 | 5.04 | 0.7 | 0.3 | 2.9 | 0.5 | 15.3 | <0.01 | 0.09 | <0.02 | 113 | 0.17 |
| 2063205 | Rock | 1.83 | 0.09 | 5.00 | 1.67 | 41.9 | 13 | 1.3 | 2.5 | 289 | 1.53 | 0.2 | 0.1 | 0.6 | 1.6 | 11.3 | 0.02 | 0.03 | 0.03 | 1 | 0.47 |
| 2063206 | Rock | 1.31 | 1.44 | 63.50 | 60.76 | 2461.3 | 2418 | 17.4 | 7.5 | 382 | 3.78 | 2.2 | 1.2 | 13.3 | 7.9 | 99.5 | 44.20 | 1.07 | 5.46 | 46 | 1.18 |
| 2063207 | Rock | 2.59 | 5.85 | 148.35 | 11.80 | 40.1 | 330 | 11.9 | 24.7 | 185 | 5.66 | 0.7 | 0.3 | 5.7 | 1.5 | 144.6 | 0.32 | 1.41 | 0.69 | 128 | 2.43 |
| 2063208 | Rock | 0.89 | 0.28 | 106.34 | 167.55 | 95.4 | 280 | 13.6 | 19.6 | 142 | 2.98 | 5.1 | 0.3 | 1.7 | 0.6 | 34.9 | 1.17 | 5.83 | 0.13 | 27 | 1.66 |
| 2063209 | Rock | 1.15 | 1.66 | 25.05 | 16.99 | 143.8 | 190 | 8.6 | 5.1 | 173 | 2.70 | 3.3 | 0.4 | 0.8 | 4.3 | 71.8 | 0.58 | 0.27 | 0.27 | 30 | 1.24 |
| 2063210 | Rock | 2.33 | 0.23 | 57.29 | 7.00 | 34.2 | 184 | 8.9 | 9.3 | 161 | 2.51 | 4.5 | 0.1 | 1.2 | 1.6 | 70.6 | 0.09 | 1.24 | 0.34 | 96 | 1.43 |
| 2063211 | Rock | 3.08 | 0.53 | 117.00 | 12.97 | 119.1 | 579 | 106.4 | 40.7 | 183 | 5.29 | 121.7 | 0.3 | 1.4 | 6.7 | 97.5 | 0.33 | 0.32 | 0.50 | 130 | 2.00 |
| 2063212 | Rock | 3.25 | 1.61 | 50.74 | 16.32 | 84.0 | 784 | 54.9 | 16.4 | 454 | 4.55 | 733.5 | 1.0 | 2.7 | 10.8 | 22.7 | 1.14 | 6.65 | 0.63 | 22 | 0.14 |
| 2063213 | Rock | 1.84 | 0.16 | 175.33 | 6.76 | 111.6 | 303 | 37.5 | 18.7 | 357 | 3.44 | 4.2 | 0.1 | 1.8 | 3.3 | 19.4 | 0.13 | 0.28 | 0.08 | 57 | 0.16 |
| 2063214 | Rock | 1.39 | 14.89 | 21.83 | 49.89 | 73.7 | 1838 | 74.6 | 18.3 | 670 | 5.16 | 65.5 | 1.2 | 28.8 | 7.9 | 146.9 | 0.70 | 10.05 | 1.03 | 61 | 1.85 |
| 2063215 | Rock | 3.74 | 1.22 | 25.80 | 642.09 | 61.7 | 162 | 4.5 | 0.6 | 1888 | 0.31 | 10.1 | 1.0 | 0.8 | 0.2 | 125.2 | 0.74 | 103.42 | 0.32 | 5 | 16.61 |
| 2063216 | Rock | 4.68 | 0.33 | 10.13 | 4.13 | 41.7 | 33 | 28.4 | 13.3 | 834 | 2.97 | 32.8 | 0.7 | 0.2 | 4.1 | 59.1 | 0.14 | 1.46 | 0.05 | 15 | 1.53 |
| 2063217 | Rock | 5.40 | 1.90 | 39.29 | 6.21 | 69.0 | 30 | 18.0 | 15.6 | 870 | 3.88 | 54.7 | 0.4 | <0.2 | 2.3 | 83.5 | 0.10 | 1.15 | 0.09 | 24 | 2.81 |
| 2063218 | Rock | 3.24 | 0.59 | 92.60 | 5.30 | 62.9 | 141 | 11.0 | 12.4 | 1292 | 3.79 | 35.8 | 0.3 | 0.5 | 1.3 | 243.9 | 0.25 | 6.63 | 0.11 | 17 | 5.34 |
| 2063219 | Rock | 4.30 | 0.69 | 35.19 | 4.79 | 63.1 | 53 | 14.5 | 10.1 | 833 | 3.29 | 98.6 | 0.5 | 0.6 | 2.5 | 39.3 | 0.20 | 2.57 | 0.08 | 21 | 1.50 |
| 2063220 | Rock | 4.00 | 0.37 | 24.15 | 5.68 | 42.9 | 64 | 12.3 | 7.3 | 1005 | 2.56 | 93.2 | 0.8 | <0.2 | 3.8 | 209.2 | 0.15 | 3.41 | 0.34 | 33 | 6.77 |
| 2063221 | Rock | 5.34 | 0.32 | 22.90 | 7.12 | 59.0 | 46 | 24.0 | 12.9 | 771 | 3.29 | 127.9 | 0.4 | 0.5 | 2.4 | 9.7 | 0.16 | 4.38 | 0.05 | 45 | 0.27 |
| 2063222 | Rock | 1.51 | 0.62 | 32.57 | 6.64 | 67.2 | 87 | 25.8 | 18.1 | 806 | 5.39 | 10.2 | <0.1 | 4.3 | 0.5 | 93.2 | 0.04 | 0.97 | 0.06 | 122 | 2.25 |
| 1811601 | Rock | 1.04 | 21.98 | 43.56 | 13.33 | 83.3 | 526 | 85.4 | 16.5 | 445 | 3.57 | 220.2 | 2.7 | 5.5 | 10.8 | 28.2 | 1.23 | 19.79 | 0.47 | 131 | 0.47 |
| 1811602 | Rock | 1.59 | 26.10 | 47.83 | 24.02 | 105.4 | 221 | 32.7 | 3.5 | 83 | 2.27 | 19.5 | 4.7 | 0.6 | 3.6 | 52.8 | 0.27 | 4.95 | 0.19 | 30 | 0.04 |
| 1811603 | Rock | 1.19 | 0.24 | 2.30 | 2.16 | 27.1 | 19 | 0.9 | 1.2 | 331 | 0.93 | 0.7 | <0.1 | 0.4 | 1.1 | 33.4 | 0.02 | 0.06 | 0.09 | <1 | 0.83 |
| 1811604 | Rock | 2.92 | 1.85 | 35.34 | 9.22 | 31.8 | 440 | 20.8 | 5.6 | 69 | 2.40 | 7.0 | 1.0 | 3.0 | 3.1 | 142.7 | 0.19 | 0.06 | 0.07 | 10 | 5.05 |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Longford Exploration Services Ltd.
460-688 West Hastings St.
Vancouver British Columbia V6B 1P1 Canada

Project: Find
Report Date: October 29, 2020

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000438.1

| | Method | Analyte | Unit | MDL | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | | | |
|---------|--------|---------|------|-----|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|------|
| | | | | | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Ti | S | Hg | Se | Te | Ga |
| | | | | | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppb | ppm | ppm | ppm |
| | | | | | 0.001 | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 | 0.1 | 0.02 | 0.1 |
| 2063201 | Rock | | | | 0.193 | 22.7 | 117.3 | 1.08 | 476.6 | 0.292 | <20 | 4.84 | 0.398 | 0.92 | 1.6 | 5.7 | 0.97 | 1.15 | <5 | 2.5 | 0.24 | 16.9 |
| 2063202 | Rock | | | | 0.023 | 0.8 | 1.6 | 1.74 | 42.0 | 0.130 | <20 | 2.10 | 0.042 | 0.06 | <0.1 | 7.2 | <0.02 | 0.43 | 52 | <0.1 | <0.02 | 5.2 |
| 2063203 | Rock | | | | 0.031 | 0.8 | 2.7 | 2.66 | 20.5 | 0.204 | <20 | 3.01 | 0.035 | 0.05 | <0.1 | 10.1 | <0.02 | 0.15 | 152 | <0.1 | <0.02 | 7.8 |
| 2063204 | Rock | | | | 0.042 | 1.1 | 7.5 | 3.06 | 37.1 | 0.236 | <20 | 3.13 | 0.022 | 0.12 | <0.1 | 8.9 | <0.02 | 0.13 | 182 | 0.1 | <0.02 | 7.2 |
| 2063205 | Rock | | | | 0.054 | 10.0 | 1.5 | 0.44 | 69.5 | 0.002 | <20 | 0.89 | 0.023 | 0.25 | <0.1 | 1.9 | 0.02 | <0.02 | 16 | <0.1 | <0.02 | 2.5 |
| 2063206 | Rock | | | | 0.052 | 11.7 | 28.0 | 0.84 | 20.1 | 0.100 | <20 | 2.52 | 0.136 | 0.07 | 0.3 | 4.5 | 0.10 | 1.36 | 11 | 6.6 | 0.52 | 6.8 |
| 2063207 | Rock | | | | 0.054 | 4.2 | 10.2 | 0.75 | 187.3 | 0.168 | <20 | 4.16 | 0.398 | 0.31 | 0.2 | 9.7 | 0.16 | 2.94 | <5 | 9.1 | 0.32 | 7.2 |
| 2063208 | Rock | | | | 0.067 | 1.7 | 3.7 | 0.29 | 43.0 | 0.093 | <20 | 1.97 | 0.232 | 0.07 | 0.3 | 2.5 | 0.14 | 1.59 | <5 | 1.7 | 0.06 | 5.0 |
| 2063209 | Rock | | | | 0.035 | 3.4 | 12.2 | 0.57 | 117.5 | 0.034 | <20 | 2.88 | 0.155 | 0.15 | 0.3 | 5.6 | 0.11 | 0.46 | 8 | 1.1 | 0.03 | 6.6 |
| 2063210 | Rock | | | | 0.039 | 1.0 | 35.3 | 1.73 | 120.0 | 0.110 | <20 | 3.58 | 0.204 | 0.85 | 0.2 | 6.6 | 0.73 | 0.13 | <5 | 0.3 | 0.22 | 8.2 |
| 2063211 | Rock | | | | 0.401 | 26.9 | 110.6 | 1.18 | 354.4 | 0.290 | <20 | 3.18 | 0.256 | 1.04 | 0.9 | 9.6 | 1.60 | 2.00 | <5 | 3.9 | 0.14 | 10.8 |
| 2063212 | Rock | | | | 0.040 | 16.2 | 11.0 | 1.07 | 73.0 | 0.021 | <20 | 2.79 | 0.044 | 0.41 | <0.1 | 3.6 | 0.62 | 2.19 | <5 | 3.6 | 0.10 | 8.2 |
| 2063213 | Rock | | | | 0.015 | 8.8 | 37.6 | 1.03 | 841.1 | 0.062 | <20 | 2.21 | 0.033 | 0.86 | 0.4 | 5.2 | 0.33 | 0.55 | <5 | 1.3 | <0.02 | 8.1 |
| 2063214 | Rock | | | | 0.064 | 7.4 | 20.3 | 0.95 | 101.2 | 0.042 | <20 | 3.57 | 0.231 | 0.31 | 0.1 | 6.1 | 0.59 | 3.17 | <5 | 8.7 | 0.63 | 9.7 |
| 2063215 | Rock | | | | 0.023 | 1.8 | 1.9 | 10.18 | 8.7 | <0.001 | <20 | 0.06 | 0.003 | 0.02 | <0.1 | 1.1 | 0.08 | 0.03 | 144 | 0.2 | 0.27 | 0.1 |
| 2063216 | Rock | | | | 0.053 | 4.4 | 29.7 | 1.24 | 94.4 | <0.001 | <20 | 0.96 | 0.041 | 0.13 | <0.1 | 6.0 | 0.15 | 0.59 | <5 | 0.3 | <0.02 | 2.5 |
| 2063217 | Rock | | | | 0.068 | 2.5 | 13.6 | 1.28 | 82.1 | 0.001 | <20 | 0.79 | 0.054 | 0.12 | <0.1 | 5.4 | 0.15 | 1.04 | 17 | 0.1 | 0.03 | 1.9 |
| 2063218 | Rock | | | | 0.065 | 3.2 | 4.9 | 0.56 | 95.2 | 0.001 | <20 | 0.43 | 0.049 | 0.10 | <0.1 | 5.9 | 0.15 | 1.08 | 26 | 0.5 | 0.03 | 1.0 |
| 2063219 | Rock | | | | 0.056 | 4.8 | 13.6 | 0.79 | 103.6 | 0.001 | <20 | 1.14 | 0.035 | 0.12 | <0.1 | 5.2 | 0.17 | 0.35 | 11 | <0.1 | 0.04 | 2.8 |
| 2063220 | Rock | | | | 0.039 | 8.8 | 18.0 | 1.15 | 70.1 | 0.024 | <20 | 1.94 | 0.104 | 0.16 | <0.1 | 4.9 | 0.14 | 0.15 | 7 | <0.1 | <0.02 | 5.3 |
| 2063221 | Rock | | | | 0.040 | 4.0 | 58.1 | 1.37 | 86.9 | 0.001 | <20 | 1.59 | 0.026 | 0.10 | <0.1 | 7.5 | 0.11 | 0.37 | 9 | <0.1 | 0.02 | 4.4 |
| 2063222 | Rock | | | | 0.051 | 2.0 | 91.4 | 3.00 | 68.8 | 0.006 | <20 | 3.14 | 0.035 | 0.08 | <0.1 | 10.6 | <0.02 | 0.64 | 23 | <0.1 | 0.03 | 9.1 |
| 1811601 | Rock | | | | 0.061 | 6.8 | 40.4 | 1.12 | 112.7 | 0.056 | <20 | 2.19 | 0.116 | 0.52 | <0.1 | 7.9 | 0.96 | 2.16 | 7 | 9.2 | 0.38 | 6.9 |
| 1811602 | Rock | | | | 0.070 | 10.8 | 10.4 | 0.06 | 97.7 | 0.004 | <20 | 0.82 | 0.012 | 0.13 | <0.1 | 2.3 | 0.32 | 0.04 | 716 | 2.0 | 0.15 | 1.4 |
| 1811603 | Rock | | | | 0.036 | 6.5 | 1.3 | 0.16 | 90.8 | 0.002 | <20 | 0.46 | 0.036 | 0.22 | <0.1 | 1.4 | 0.03 | <0.02 | 24 | <0.1 | <0.02 | 1.4 |
| 1811604 | Rock | | | | 0.051 | 8.2 | 5.8 | 0.04 | 18.4 | 0.065 | 22 | 7.12 | 0.141 | 0.01 | 0.1 | 0.7 | <0.02 | 1.27 | <5 | 3.9 | 0.16 | 14.4 |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Longford Exploration Services Ltd.**
460-688 West Hastings St.
Vancouver British Columbia V6B 1P1 Canada

Project: Find
Report Date: October 29, 2020

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000438.1

| | Method Analyte Unit MDL | WGHT | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 |
|------------------------|----------------------------------|------|-------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca |
| | | kg | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % |
| | | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 | 0.5 | 0.01 | 0.02 | 0.02 | 1 | 0.01 |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| 2063213 | Rock | 1.84 | 0.16 | 175.33 | 6.76 | 111.6 | 303 | 37.5 | 18.7 | 357 | 3.44 | 4.2 | 0.1 | 1.8 | 3.3 | 19.4 | 0.13 | 0.28 | 0.08 | 57 | 0.16 |
| REP 2063213 | QC | | 0.18 | 182.88 | 7.28 | 110.0 | 315 | 38.9 | 19.4 | 360 | 3.48 | 3.3 | 0.1 | 0.7 | 3.3 | 19.8 | 0.11 | 0.28 | 0.09 | 56 | 0.16 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | | |
| 2063219 | Rock | 4.30 | 0.69 | 35.19 | 4.79 | 63.1 | 53 | 14.5 | 10.1 | 833 | 3.29 | 98.6 | 0.5 | 0.6 | 2.5 | 39.3 | 0.20 | 2.57 | 0.08 | 21 | 1.50 |
| DUP 2063219 | QC | | 0.64 | 36.19 | 4.27 | 61.3 | 43 | 13.7 | 9.6 | 762 | 3.18 | 87.9 | 0.5 | 0.9 | 2.5 | 38.2 | 0.17 | 2.33 | 0.07 | 21 | 1.45 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS11 | Standard | | 14.11 | 155.33 | 148.64 | 350.4 | 1681 | 81.8 | 14.3 | 1035 | 3.19 | 42.3 | 2.6 | 61.0 | 8.4 | 62.3 | 2.37 | 7.09 | 12.14 | 49 | 1.06 |
| STD OREAS262 | Standard | | 0.58 | 114.06 | 60.33 | 153.3 | 458 | 65.8 | 27.6 | 553 | 3.45 | 34.8 | 1.3 | 64.5 | 10.2 | 32.9 | 0.62 | 2.32 | 1.04 | 22 | 2.98 |
| STD DS11 Expected | | | 13.9 | 149 | 138 | 345 | 1710 | 77.7 | 14.2 | 1055 | 3.1 | 42.8 | 2.59 | 79 | 7.65 | 67.3 | 2.37 | 7.2 | 12.2 | 50 | 1.063 |
| STD OREAS262 Expected | | | 0.68 | 118 | 56 | 154 | 450 | 62 | 26.9 | 530 | 3.284 | 35.8 | 1.22 | 65 | 9.33 | 36 | 0.61 | 3.39 | 1.03 | 22.5 | 2.98 |
| BLK | Blank | | <0.01 | <0.01 | <0.01 | <0.1 | <2 | <0.1 | <0.1 | <1 | <0.01 | <0.1 | <0.1 | <0.2 | <0.1 | <0.5 | <0.01 | <0.02 | <0.02 | <1 | <0.01 |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | |
| ROCK-WHI | Prep Blank | | 2.71 | 2.18 | 3.23 | 28.3 | 67 | 0.9 | 3.8 | 439 | 1.81 | 1.7 | 0.4 | 2.8 | 2.4 | 18.4 | 0.05 | 0.17 | 0.03 | 23 | 0.56 |
| ROCK-WHI | Prep Blank | | 2.85 | 2.23 | 3.40 | 29.7 | 65 | 1.1 | 3.7 | 447 | 1.85 | 1.9 | 0.5 | 2.8 | 2.7 | 20.0 | 0.05 | 0.16 | 0.04 | 24 | 0.57 |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Longford Exploration Services Ltd.
460-688 West Hastings St.
Vancouver British Columbia V6B 1P1 Canada

Project: Find
Report Date: October 29, 2020

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000438.1

| | Method Analyte Unit MDL | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 | AQ250 |
|------------------------|----------------------------------|--------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|--------|-------|-------|-------|-------|
| | | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Ti | S | Hg | Se | Te | Ga |
| | | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppb | ppm | ppm | ppm |
| | | 0.001 | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 | 0.1 | 0.02 | 0.1 |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | |
| 2063213 | Rock | 0.015 | 8.8 | 37.6 | 1.03 | 841.1 | 0.062 | <20 | 2.21 | 0.033 | 0.86 | 0.4 | 5.2 | 0.33 | 0.55 | <5 | 1.3 | <0.02 | 8.1 |
| REP 2063213 | QC | 0.015 | 8.7 | 37.9 | 1.02 | 830.4 | 0.061 | <20 | 2.19 | 0.034 | 0.87 | 0.3 | 5.2 | 0.34 | 0.55 | <5 | 1.1 | 0.02 | 8.4 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | |
| 2063219 | Rock | 0.056 | 4.8 | 13.6 | 0.79 | 103.6 | 0.001 | <20 | 1.14 | 0.035 | 0.12 | <0.1 | 5.2 | 0.17 | 0.35 | 11 | <0.1 | 0.04 | 2.8 |
| DUP 2063219 | QC | 0.055 | 4.8 | 12.8 | 0.82 | 101.3 | 0.001 | <20 | 1.17 | 0.033 | 0.11 | <0.1 | 4.9 | 0.17 | 0.34 | 14 | <0.1 | <0.02 | 3.2 |
| Reference Materials | | | | | | | | | | | | | | | | | | | |
| STD DS11 | Standard | 0.071 | 16.9 | 58.1 | 0.86 | 417.5 | 0.088 | <20 | 1.15 | 0.073 | 0.40 | 2.7 | 3.3 | 5.32 | 0.29 | 316 | 1.6 | 4.53 | 5.0 |
| STD OREAS262 | Standard | 0.038 | 16.2 | 43.3 | 1.23 | 255.0 | 0.003 | <20 | 1.31 | 0.074 | 0.33 | <0.1 | 3.2 | 0.51 | 0.28 | 205 | 0.2 | 0.22 | 3.8 |
| STD DS11 Expected | | 0.0701 | 18.6 | 61.5 | 0.85 | 417 | 0.0976 | | 1.129 | 0.0694 | 0.4 | 2.9 | 3.1 | 4.9 | 0.2835 | 260 | 2.2 | 4.56 | 4.7 |
| STD OREAS262 Expected | | 0.04 | 15.9 | 41.7 | 1.17 | 248 | 0.003 | | 1.3 | 0.071 | 0.312 | 0.13 | 3.24 | 0.47 | 0.269 | 170 | 0.4 | 0.23 | 3.9 |
| BLK | Blank | <0.001 | <0.5 | <0.5 | <0.01 | <0.5 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.1 | <0.02 | <0.02 | <5 | <0.1 | <0.02 | <0.1 |
| Prep Wash | | | | | | | | | | | | | | | | | | | |
| ROCK-WHI | Prep Blank | 0.041 | 5.7 | 2.5 | 0.45 | 52.1 | 0.080 | <20 | 0.81 | 0.068 | 0.08 | 0.2 | 2.6 | <0.02 | <0.02 | <5 | <0.1 | <0.02 | 3.5 |
| ROCK-WHI | Prep Blank | 0.040 | 6.0 | 2.5 | 0.46 | 57.3 | 0.082 | <20 | 0.83 | 0.071 | 0.08 | 0.2 | 2.6 | <0.02 | <0.02 | <5 | <0.1 | <0.02 | 3.7 |