



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

True Point Exploration Inc.

904 – 409 Granville St.

Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel
Receiving Lab: Canada-Whitehorse
Received: October 16, 2020
Analysis Start: January 07, 2021
Report Date: January 18, 2021
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000574.1

CLIENT JOB INFORMATION

Project: Stu Copper
Shipment ID: STU20-12
P.O. Number: Stu Copper
Number of Samples: 35

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2
Canada

CC: Debbie James
Pieter Vanleuzen

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	33	Crush, split and pulverize 250 g rock to 200 mesh			WHI
LH402	35	Cu in oxide form, 5% H ₂ SO ₄	1	Completed	VAN
MA300	35	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
AQ115-IGN	35	Ignite samples, acid digest, Au by ICP-MS	15	Completed	VAN
SHP01	35	Per sample shipping charges for branch shipments			VAN
SLBHP	2	Sort, label and box pulps			WHI
MA401	1	4 Acid Digest AAS Finish	1	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: January 18, 2021

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000574.1

	Method Analyte Unit MDL	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
1333501	Rock	3.71	0.004	<2	240	14	67	1.6	<2	6	509	2.52	<5	<20	2	297	<0.4	<5	<5	70	2.47
1333502	Rock Pulp	0.08	0.838	9	8230	7	74	3.8	8	10	654	3.79	<5	<20	<2	1197	<0.4	<5	<5	96	2.50
1333503	Rock	4.35	0.013	18	626	15	93	1.6	<2	9	665	3.04	<5	<20	<2	655	<0.4	<5	<5	84	2.62
1333504	Rock	3.81	0.011	10	356	13	100	1.4	<2	8	548	2.63	<5	<20	<2	658	<0.4	<5	<5	70	2.25
1333505	Rock	6.20	<0.001	<2	<2	13	52	1.2	<2	6	583	2.37	<5	<20	<2	737	<0.4	<5	<5	59	2.68
1333506	Rock	1.25	<0.001	<2	<2	<5	4	<0.5	<2	<2	106	0.10	<5	<20	<2	74	<0.4	<5	<5	<2	33.05
1333507	Rock	6.17	<0.001	<2	14	12	54	1.2	2	6	564	2.47	<5	<20	3	890	<0.4	<5	<5	63	2.44
1333508	Rock Pulp	0.11	1.517	62	>10000	7	68	9.8	11	8	361	3.16	<5	<20	<2	884	<0.4	<5	11	91	1.78
1333509	Rock	5.80	0.032	2	4475	14	52	4.5	<2	5	396	2.41	<5	<20	5	591	<0.4	<5	<5	65	2.17
1333510	Rock	4.51	0.016	<2	2499	13	49	2.3	<2	5	342	2.17	<5	<20	7	557	<0.4	<5	<5	54	1.79
1333511	Rock	5.44	0.014	<2	1693	10	54	1.9	<2	4	333	1.93	<5	<20	6	479	<0.4	<5	<5	53	1.70
1333512	Rock	5.15	0.015	23	2243	11	55	2.5	4	5	321	1.79	<5	<20	4	638	<0.4	<5	<5	49	1.92
1333513	Rock	3.87	0.022	<2	3064	14	52	2.6	<2	4	442	1.97	<5	<20	5	479	<0.4	<5	<5	58	2.97
1333514	Rock	1.39	<0.001	<2	6	<5	5	<0.5	<2	<2	104	0.09	<5	<20	<2	76	<0.4	<5	<5	<2	33.19
1333515	Rock	3.27	0.025	6	6850	19	56	4.0	<2	4	322	2.12	<5	<20	6	548	<0.4	<5	<5	60	1.68
1333516	Rock	3.77	0.016	3	5291	18	67	3.3	<2	4	359	2.19	<5	<20	5	551	<0.4	<5	<5	66	1.70
1333517	Rock	3.81	0.014	<2	2491	15	74	2.0	<2	5	358	2.21	14	<20	6	509	<0.4	<5	<5	58	1.51
1333518	Rock	2.77	0.018	<2	3114	17	63	2.8	<2	5	385	2.41	14	<20	6	479	<0.4	<5	<5	65	2.32
1333519	Rock	3.28	0.017	<2	2346	13	80	2.9	<2	5	452	2.63	<5	<20	6	461	<0.4	<5	<5	64	2.52
1333520	Rock	2.07	0.015	3	2088	12	79	2.7	<2	5	402	2.42	7	<20	4	503	<0.4	6	<5	63	2.74
1333521	Rock	4.72	0.016	<2	3037	17	82	2.6	2	5	379	2.24	31	<20	3	464	<0.4	18	<5	66	2.84
1333522	Rock	1.51	<0.001	<2	5	<5	3	<0.5	<2	<2	97	0.09	<5	<20	<2	74	<0.4	<5	<5	<2	32.55
1333523	Rock	3.43	0.015	<2	2198	9	53	2.6	<2	5	401	2.34	7	<20	4	387	<0.4	<5	<5	67	3.75
1333524	Rock	3.43	0.018	<2	2021	10	44	3.2	2	5	449	2.14	7	<20	4	358	<0.4	<5	<5	62	5.23
1333525	Rock	2.00	0.019	8	2606	16	82	2.8	<2	5	390	2.36	15	<20	3	486	<0.4	12	<5	60	2.63
1333526	Rock	0.84	0.005	<2	248	9	54	5.0	5	6	428	2.40	<5	<20	<2	469	<0.4	<5	<5	62	3.23
1333527	Rock	2.31	<0.001	<2	3	<5	4	<0.5	<2	<2	103	0.10	<5	<20	<2	74	<0.4	<5	<5	<2	33.41
1333528	Rock	3.75	<0.001	<2	50	8	39	1.4	<2	5	530	2.18	<5	<20	<2	427	<0.4	<5	<5	58	4.11
1333529	Rock	3.85	<0.001	<2	7	8	49	1.4	2	6	466	2.34	<5	<20	<2	508	<0.4	<5	<5	63	3.72
1333530	Rock	4.41	<0.001	<2	13	9	52	1.3	3	6	562	2.37	<5	<20	<2	436	<0.4	<5	<5	67	4.26



Client: **True Point Exploration Inc.**
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: January 18, 2021

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Page: 2 of 3 Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000574.1

Method Analyte Unit MDL		MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5
1333501	Rock	0.086	10	3	0.34	714	0.21	7.18	2.21	2.40	<4	13	<2	9	9	1	6	<0.1	4.9	
1333502	Rock Pulp	0.114	6	17	0.98	1492	0.29	9.05	4.02	1.28	<4	11	<2	12	7	1	7	<0.1	413.8	
1333503	Rock	0.098	14	3	0.74	1738	0.24	7.37	2.46	2.67	<4	8	<2	10	8	2	7	<0.1	5.7	
1333504	Rock	0.082	11	3	0.59	1893	0.22	7.44	2.82	2.14	<4	7	<2	7	7	1	5	<0.1	3.4	
1333505	Rock	0.060	6	4	0.58	2264	0.20	7.64	3.17	2.28	<4	9	<2	11	8	2	6	<0.1	<0.5	
1333506	Rock	0.004	<2	<2	1.82	26	<0.01	0.06	0.05	0.05	<4	<2	<2	2	<2	<1	<1	<0.1	<0.5	
1333507	Rock	0.068	7	4	0.66	1856	0.22	7.73	3.26	2.09	<4	6	<2	12	9	2	7	<0.1	<0.5	
1333508	Rock Pulp	0.093	9	21	0.86	1342	0.27	8.06	3.22	1.59	26	10	<2	8	5	1	7	<0.1	639.4	1.678
1333509	Rock	0.087	11	4	0.58	1397	0.22	7.03	2.35	2.62	6	12	<2	9	8	1	6	0.3	190.5	
1333510	Rock	0.070	9	4	0.49	1815	0.18	7.02	2.28	3.19	<4	11	<2	7	7	1	5	0.2	80.9	
1333511	Rock	0.058	10	2	0.49	1283	0.17	6.77	2.60	2.73	<4	15	<2	6	6	2	5	0.1	52.6	
1333512	Rock	0.049	6	10	0.48	1583	0.16	6.78	2.61	2.57	<4	17	<2	6	6	1	5	0.1	112.2	
1333513	Rock	0.070	9	3	0.55	1344	0.18	6.47	2.20	2.98	<4	13	<2	9	8	1	5	0.2	153.8	
1333514	Rock	0.003	<2	<2	1.52	16	<0.01	0.04	0.04	0.05	<4	<2	<2	2	<2	<1	<1	<0.1	<0.5	
1333515	Rock	0.078	10	4	0.55	427	0.20	6.91	2.22	3.45	<4	11	<2	8	8	1	6	0.4	393.0	
1333516	Rock	0.085	11	4	0.64	1455	0.20	7.15	2.16	3.65	<4	13	<2	9	7	1	6	0.4	196.2	
1333517	Rock	0.080	10	<2	0.59	1368	0.19	6.54	2.31	2.78	<4	11	<2	7	6	1	5	0.2	118.7	
1333518	Rock	0.079	14	<2	0.75	853	0.21	6.93	1.66	2.59	<4	14	<2	9	8	1	6	0.2	141.2	
1333519	Rock	0.073	12	<2	0.81	1099	0.20	6.92	1.97	2.46	<4	16	<2	9	8	1	5	0.2	100.2	
1333520	Rock	0.078	10	3	0.77	1958	0.20	6.77	1.82	2.28	<4	14	<2	8	8	1	5	0.1	105.9	
1333521	Rock	0.079	9	6	0.68	389	0.23	7.14	1.34	2.13	<4	10	<2	6	8	2	4	0.1	108.6	
1333522	Rock	0.004	<2	<2	1.77	25	<0.01	0.06	0.05	0.07	<4	<2	<2	2	<2	<1	<1	<0.1	<0.5	
1333523	Rock	0.081	12	4	0.61	1114	0.22	6.59	1.37	1.93	<4	11	<2	8	7	1	6	0.1	77.9	
1333524	Rock	0.078	12	4	0.45	790	0.20	6.07	1.39	1.81	11	10	<2	9	7	1	5	0.1	76.3	
1333525	Rock	0.075	10	2	0.74	1776	0.20	6.51	1.83	2.23	<4	13	<2	7	8	1	5	0.1	132.0	
1333526	Rock	0.075	11	5	0.49	1014	0.22	6.89	2.11	1.73	37	5	<2	8	7	1	7	<0.1	17.9	
1333527	Rock	0.003	<2	<2	1.74	20	<0.01	0.21	0.12	0.13	<4	<2	<2	2	<2	<1	<1	<0.1	<0.5	
1333528	Rock	0.061	6	3	0.54	1628	0.19	6.44	1.50	2.09	<4	4	<2	8	6	1	6	<0.1	0.7	
1333529	Rock	0.066	8	3	0.49	2129	0.20	7.55	2.05	2.16	<4	5	<2	9	6	1	7	<0.1	<0.5	
1333530	Rock	0.070	7	3	0.49	1382	0.20	6.81	1.85	2.13	16	6	<2	10	6	1	6	<0.1	<0.5	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: January 18, 2021

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000574.1

	Method Analyte Unit MDL	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
1333531	Rock	4.51	<0.001	<2	36	9	70	1.1	10	7	617	2.78	<5	<20	<2	488	<0.4	<5	<5	69	4.20
1333532	Rock	1.94	0.003	<2	139	9	77	1.2	3	10	649	3.06	5	<20	<2	465	<0.4	<5	<5	57	4.02
1333533	Rock	1.89	<0.001	<2	11	6	32	<0.5	<2	3	275	1.39	<5	<20	<2	454	<0.4	<5	<5	32	2.62
1333534	Rock	4.97	0.002	<2	142	13	79	0.9	3	8	582	2.95	<5	<20	<2	513	<0.4	<5	<5	70	3.57
1333535	Rock	1.57	0.009	<2	814	12	95	1.7	3	8	522	2.77	6	<20	<2	531	<0.4	<5	<5	86	3.55



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: January 18, 2021

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000574.1

	Method Analyte Unit MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
1333531	Rock	0.075	8	6	0.48	2745	0.22	7.68	1.75	2.37	66	6	<2	11	6	1	7	<0.1	<0.5	
1333532	Rock	0.072	8	4	0.55	1822	0.21	7.34	1.83	2.21	<4	10	<2	10	6	1	6	<0.1	1.3	
1333533	Rock	0.020	3	2	0.27	2550	0.08	6.48	2.32	1.57	<4	29	<2	7	5	<1	2	<0.1	<0.5	
1333534	Rock	0.075	8	5	0.52	682	0.23	7.78	1.88	2.28	<4	9	<2	11	7	2	7	<0.1	8.2	
1333535	Rock	0.070	8	3	0.50	1418	0.19	7.75	0.92	2.78	<4	10	<2	9	6	2	6	<0.1	18.0	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: Stu Copper
Report Date: January 18, 2021

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000574.1

	Method Analyte Unit MDL	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
Pulp Duplicates																					
1333502	Rock Pulp	0.08	0.838	9	8230	7	74	3.8	8	10	654	3.79	<5	<20	<2	1197	<0.4	<5	<5	96	2.50
REP 1333502	QC	0.832																			
1333508	Rock Pulp	0.11	1.517	62	>10000	7	68	9.8	11	8	361	3.16	<5	<20	<2	884	<0.4	<5	11	91	1.78
REP 1333508	QC																				
1333519	Rock	3.28	0.017	<2	2346	13	80	2.9	<2	5	452	2.63	<5	<20	6	461	<0.4	<5	<5	64	2.52
REP 1333519	QC	<2 2383 13 81 2.8 <2 5 456 2.66 <5 <20 5 464 <0.4 <5 <5 65 2.54																			
1333532	Rock	1.94	0.003	<2	139	9	77	1.2	3	10	649	3.06	5	<20	<2	465	<0.4	<5	<5	57	4.02
REP 1333532	QC																				
1333535	Rock	1.57	0.009	<2	814	12	95	1.7	3	8	522	2.77	6	<20	<2	531	<0.4	<5	<5	86	3.55
REP 1333535	QC	0.010																			
Core Reject Duplicates																					
1333509	Rock	5.80	0.032	2	4475	14	52	4.5	<2	5	396	2.41	<5	<20	5	591	<0.4	<5	<5	65	2.17
DUP 1333509	QC	0.031 2 4656 13 54 7.3 2 5 420 2.56 <5 <20 8 615 <0.4 <5 <5 67 2.24																			
Reference Materials																					
STD OREAS133A	Standard																				
STD OREAS25A-4A	Standard	3 27 25 43 <0.5 42 6 471 6.56 9 <20 9 45 <0.4 <5 <5 145 0.28																			
STD OREAS25A-4A	Standard	2 29 24 47 <0.5 45 8 493 6.95 11 <20 13 46 <0.4 <5 <5 159 0.29																			
STD OREAS45H	Standard	2 760 <5 40 <0.5 457 88 400 20.26 18 <20 6 28 <0.4 6 <5 269 0.14																			
STD OREAS45H	Standard	2 744 9 42 <0.5 458 90 404 21.24 18 <20 4 28 <0.4 <5 <5 270 0.14																			
STD OREAS97	Standard																				
STD OREAS901	Standard	0.084																			
STD OREAS904	Standard	0.525																			
STD OREAS902	Standard	0.132																			
STD OREAS901	Standard	0.084																			
STD OREAS901	Standard																				
STD OREAS901	Standard																				
STD OREAS25A-4A Expected		2.41 33.9 25.2 44.4 45.8 7.7 480 6.6 9.94 2.94 15.8 48.5 0.65 157 0.301																			
STD OREAS45H Expected		1.55 767 12.2 39.7 451 92 405 20.4 16.9 7.6 28 275 0.135																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

True Point Exploration Inc.

904 – 409 Granville St.

Vancouver British Columbia V6G 1T2 Canada

Project:

Stu Copper

Report Date:

January 18, 2021

Page:

1 of 2

Part:

2 of 2

QUALITY CONTROL REPORT

WHI20000574.1

	Method Analyte Unit MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5
Pulp Duplicates																				
1333502	Rock Pulp	0.114	6	17	0.98	1492	0.29	9.05	4.02	1.28	<4	11	<2	12	7	1	7	<0.1	413.8	
REP 1333502	QC																			
1333508	Rock Pulp	0.093	9	21	0.86	1342	0.27	8.06	3.22	1.59	26	10	<2	8	5	1	7	<0.1	639.4	1.678
REP 1333508	QC																			
1333519	Rock	0.073	12	<2	0.81	1099	0.20	6.92	1.97	2.46	<4	16	<2	9	8	1	5	0.2	100.2	
REP 1333519	QC	0.075	12	3	0.82	1113	0.20	6.97	1.99	2.49	<4	16	<2	9	8	1	5	0.2		
1333532	Rock	0.072	8	4	0.55	1822	0.21	7.34	1.83	2.21	<4	10	<2	10	6	1	6	<0.1	1.3	
REP 1333532	QC																			
1333535	Rock	0.070	8	3	0.50	1418	0.19	7.75	0.92	2.78	<4	10	<2	9	6	2	6	<0.1	18.0	
REP 1333535	QC																			
Core Reject Duplicates																				
1333509	Rock	0.087	11	4	0.58	1397	0.22	7.03	2.35	2.62	6	12	<2	9	8	1	6	0.3	190.5	
DUP 1333509	QC	0.091	11	4	0.61	1473	0.23	7.35	2.45	2.75	15	12	<2	9	9	1	6	0.3	176.9	
Reference Materials																				
STD OREAS133A	Standard																			
STD OREAS25A-4A	Standard	0.048	20	105	0.32	148	0.89	8.78	0.12	0.50	<4	144	4	10	20	<1	13	<0.1		0.031
STD OREAS25A-4A	Standard	0.051	20	117	0.34	153	0.98	9.06	0.13	0.51	<4	151	4	11	20	<1	13	<0.1		
STD OREAS45H	Standard	0.023	13	658	0.26	342	0.89	8.19	0.10	0.23	<4	119	5	10	15	1	59	<0.1		
STD OREAS45H	Standard	0.024	13	651	0.26	345	0.89	8.33	0.09	0.22	<4	118	3	10	13	1	60	<0.1		
STD OREAS97	Standard																			
STD OREAS901	Standard																			
STD OREAS904	Standard																			
STD OREAS902	Standard																			
STD OREAS901	Standard																			
STD OREAS901	Standard																			
STD OREAS901	Standard																			
STD OREAS901	Standard																			
STD OREAS25A-4A Expected		0.048	21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047		
STD OREAS45H Expected		0.023	13.3	660	0.2575	342	0.878	8.2	0.09	0.215		126	1.93	10.4	13.8	1.09	59			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **True Point Exploration Inc.**
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: January 18, 2021

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000574.1

		WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
STD OREAS133A Expected																					
STD OREAS97 Expected																					
STD OREAS901 Expected																					
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank																				
BLK	Blank	<0.001																			
BLK	Blank	<0.001																			
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.001		<2	<2	16	45	1.4	<2	3	556	1.99	<5	<20	<2	205	<0.4	<5	<5	31	1.55
ROCK-WHI	Prep Blank	<0.001		<2	2	10	34	1.4	<2	3	556	2.03	<5	<20	<2	211	<0.4	<5	<5	33	1.57



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **True Point Exploration Inc.**
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: January 18, 2021

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000574.1

		MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
STD OREAS133A Expected																				0.0323
STD OREAS97 Expected																				6.31
STD OREAS901 Expected																				363
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank																			<0.001
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			<0.5
BLK	Blank																			<0.5
Prep Wash																				
ROCK-WHI	Prep Blank	0.038	11	4	0.47	796	0.19	6.52	3.10	1.67	<4	45	<2	15	6	<1	6	<0.1	<0.5	
ROCK-WHI	Prep Blank	0.039	12	5	0.47	831	0.20	6.71	3.17	1.73	<4	47	<2	16	6	<1	6	<0.1	<0.5	