



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **True Point Exploration Inc.**
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel
Receiving Lab: Canada-Whitehorse
Received: October 30, 2020
Analysis Start: January 07, 2021
Report Date: January 15, 2021
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000620.1

CLIENT JOB INFORMATION

Project: Stu Copper
Shipment ID: STU20-16
P.O. Number: Stu Copper
Number of Samples: 50

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2
Canada

CC: Debbie James
Pieter Vanleuzen

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	47	Crush, split and pulverize 250 g rock to 200 mesh			WHI
LH402	50	Cu in oxide form, 5% H ₂ SO ₄	1	Completed	VAN
MA300	50	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
AQ115-IGN	50	Ignite samples, acid digest, Au by ICP-MS	15	Completed	VAN
SHP01	50	Per sample shipping charges for branch shipments			VAN
SLBHP	3	Sort, label and box pulps			WHI
MA401	7	4 Acid Digest AAS Finish	1	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: January 15, 2021

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000620.1

	Method Analyte Unit MDL	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
1333609	Rock	5.29	0.978	<2	>10000	22	121	6.0	<2	5	664	2.56	<5	<20	5	534	<0.4	7	5	73	1.39
1333610	Rock	5.37	0.739	<2	8520	14	86	3.6	2	7	499	3.13	<5	<20	4	597	<0.4	<5	<5	87	1.58
1333611	Rock	0.92	0.732	7	7863	13	59	4.2	<2	3	174	2.58	<5	<20	4	563	<0.4	<5	<5	72	1.19
1333612	Rock	4.22	0.708	6	7143	15	64	4.0	<2	4	258	2.75	<5	<20	7	533	<0.4	<5	<5	74	1.25
1333613	Rock	4.18	1.160	7	>10000	15	73	4.7	<2	4	220	2.71	<5	<20	4	505	<0.4	<5	<5	77	1.08
1333614	Rock	3.81	2.318	9	>10000	15	64	11.9	<2	4	184	2.70	<5	<20	3	450	<0.4	<5	7	71	0.85
1333615	Rock	1.16	0.008	<2	74	<5	15	<0.5	<2	<2	115	0.12	<5	<20	<2	76	<0.4	<5	<5	<2	33.41
1333616	Rock	5.21	0.529	<2	5452	8	72	1.0	2	9	639	2.50	<5	<20	2	757	0.5	<5	<5	63	2.06
1333617	Rock	5.62	0.915	<2	9512	9	83	<0.5	3	10	791	2.87	<5	<20	<2	760	0.9	<5	<5	76	2.27
1333618	Rock	4.51	0.849	<2	8160	9	72	1.1	2	8	607	2.69	<5	<20	<2	752	<0.4	<5	<5	69	2.31
1333619	Rock	5.42	1.059	<2	>10000	10	85	<0.5	2	7	578	2.83	<5	<20	<2	813	0.6	<5	<5	72	2.12
1333620	Rock Pulp	0.13	1.520	67	>10000	7	70	9.9	11	9	370	3.23	<5	<20	<2	886	<0.4	<5	15	95	1.80
1333621	Rock	4.28	1.302	<2	>10000	12	73	1.3	2	7	641	2.55	<5	<20	<2	623	0.7	<5	<5	63	1.55
1333622	Rock	1.08	1.447	<2	>10000	8	70	<0.5	2	6	543	2.70	<5	<20	2	650	0.8	<5	<5	75	1.33
1333623	Rock	1.74	0.201	<2	2224	8	73	0.8	2	7	637	2.85	<5	<20	<2	551	0.9	<5	<5	68	1.33
1333624	Rock	4.46	0.024	<2	259	11	81	<0.5	2	6	600	2.73	<5	<20	<2	792	<0.4	<5	<5	71	2.91
1333625	Rock	2.01	0.097	<2	919	18	39	<0.5	<2	<2	166	0.66	<5	<20	<2	304	<0.4	<5	<5	7	0.54
1333626	Rock	1.43	0.517	<2	5303	235	394	3.6	<2	4	745	2.30	13	<20	<2	118	3.1	31	<5	61	2.87
1333627	Rock	5.37	0.001	<2	12	22	90	1.3	2	6	630	2.59	<5	<20	2	658	<0.4	<5	<5	68	2.93
1333628	Rock	5.80	0.003	14	26	13	69	0.8	2	7	760	2.78	<5	<20	<2	740	<0.4	<5	<5	71	3.06
1333629	Rock	5.01	<0.001	<2	12	12	66	1.3	<2	5	655	2.60	<5	<20	2	654	<0.4	<5	<5	58	2.57
1333630	Rock	5.44	0.001	<2	16	11	75	1.2	2	6	644	2.57	<5	<20	<2	744	<0.4	<5	<5	69	2.77
1333631	Rock	5.17	0.008	2	319	14	126	<0.5	3	8	746	3.04	<5	<20	3	667	<0.4	<5	<5	83	2.63
1333632	Rock	4.68	0.014	<2	517	10	106	0.5	3	8	604	3.01	<5	<20	3	614	<0.4	<5	<5	79	2.83
1333633	Rock	4.54	0.014	5	812	12	168	<0.5	3	9	656	2.91	<5	<20	4	634	<0.4	<5	<5	82	2.80
1333634	Rock Pulp	0.13	0.838	9	8252	10	75	3.9	8	11	655	3.79	<5	<20	<2	1214	<0.4	<5	<5	99	2.53
1333635	Rock	2.62	<0.001	<2	19	10	58	1.3	<2	6	477	2.36	<5	<20	<2	654	<0.4	<5	<5	58	2.98
1333636	Rock	2.98	<0.001	<2	33	11	62	1.2	2	6	608	2.55	<5	<20	<2	771	<0.4	<5	<5	63	2.87
1333637	Rock	3.90	<0.001	<2	6	10	62	1.1	2	7	613	2.73	<5	<20	<2	812	<0.4	<5	<5	66	3.05
1333638	Rock	1.82	<0.001	<2	<2	7	127	1.2	2	6	599	2.57	<5	<20	<2	349	<0.4	8	<5	64	2.76



www.bureauveritas.com/um

PHONE (604) 253-3158

Vancouver British Columbia V6G 1T2 Canada

January 15, 2021

Part: 2 of 2

WHI20000620.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: January 15, 2012

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000620.1

	Method Analyte Unit MDL	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
1333639	Rock	3.05	<0.001	<2	38	267	880	1.8	<2	4	662	2.00	7	<20	3	196	7.2	24	<5	54	2.38
1333640	Rock	3.31	<0.001	<2	4	13	111	1.3	2	7	670	2.91	<5	<20	<2	417	<0.4	<5	<5	76	3.05
1333641	Rock	2.64	<0.001	<2	5	11	61	1.2	2	6	626	2.79	<5	<20	<2	787	<0.4	<5	<5	82	2.88
1333642	Rock	3.97	<0.001	<2	12	12	56	1.4	<2	6	555	2.31	<5	<20	3	653	<0.4	<5	<5	65	3.05
1333643	Rock	1.55	0.002	<2	890	34	140	1.9	<2	5	473	2.21	30	<20	4	325	0.5	96	<5	61	1.69
1333644	Rock	5.25	<0.001	<2	33	74	265	2.2	<2	7	580	2.27	7	<20	2	294	1.2	21	<5	67	2.43
1333645	Rock	2.39	<0.001	<2	20	33	116	1.4	<2	6	534	2.34	<5	<20	3	505	<0.4	8	<5	61	2.71
1333646	Rock	2.02	0.001	<2	3	13	57	1.2	<2	6	494	2.23	<5	<20	<2	771	<0.4	<5	<5	66	2.74
1333647	Rock	4.75	0.009	7	1797	10	56	1.8	3	8	453	2.57	<5	<20	5	663	<0.4	<5	<5	74	3.74
1333648	Rock	3.62	0.009	22	1719	10	53	0.7	3	8	415	2.83	<5	<20	5	644	<0.4	<5	<5	86	2.92
1333649	Rock	1.54	0.012	6	1455	9	54	0.7	3	9	457	3.04	<5	<20	6	655	<0.4	<5	<5	88	2.76
1333650	Rock	4.73	0.014	4	1343	10	53	0.7	3	8	418	2.75	<5	<20	5	720	<0.4	<5	<5	88	2.71
1333651	Rock	4.58	0.020	5	1825	11	60	1.0	3	7	461	2.75	<5	<20	3	613	<0.4	<5	<5	86	2.45
1333652	Rock	0.91	<0.001	<2	5	<5	3	<0.5	<2	<2	111	0.10	<5	<20	<2	72	<0.4	<5	<5	<2	31.87
1333653	Rock	4.36	0.012	31	2805	10	60	1.0	3	9	428	2.92	<5	<20	3	654	<0.4	<5	<5	95	2.97
1333654	Rock	4.55	0.008	27	2114	16	58	0.9	3	7	411	2.43	<5	<20	4	574	<0.4	<5	<5	79	2.63
1333655	Rock	4.27	0.020	43	2962	16	95	1.1	3	11	426	2.76	10	<20	3	618	<0.4	<5	<5	85	2.12
1333656	Rock Pulp	0.12	0.819	9	8492	8	77	4.1	9	11	673	3.90	<5	<20	<2	1242	<0.4	<5	<5	102	2.61
1333657	Rock	4.60	0.050	43	2684	11	60	1.3	3	7	387	2.37	<5	<20	3	709	<0.4	<5	<5	79	2.22
1333658	Rock	5.20	0.071	20	2960	11	58	1.5	3	7	410	2.54	<5	<20	4	749	<0.4	<5	<5	86	2.26



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: January 15, 2012

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000620.1

	Method	Analyte	Unit	MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401		
					P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
					%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
					0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
1333639	Rock																						
1333640	Rock																						
1333641	Rock																						
1333642	Rock																						
1333643	Rock																						
1333644	Rock																						
1333645	Rock																						
1333646	Rock																						
1333647	Rock																						
1333648	Rock																						
1333649	Rock																						
1333650	Rock																						
1333651	Rock																						
1333652	Rock																						
1333653	Rock																						
1333654	Rock																						
1333655	Rock																						
1333656	Rock Pulp																						
1333657	Rock																						
1333658	Rock																						



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Stu Copper
Report Date: January 15, 2021

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000620.1

	Method	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
	Analyte	Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
Pulp Duplicates																					
REP 1333622	QC																				
1333625	Rock	2.01	0.097	<2	919	18	39	<0.5	<2	<2	166	0.66	<5	<20	<2	304	<0.4	<5	<5	7	0.54
REP 1333625	QC			<2	926	17	38	<0.5	<2	<2	158	0.62	<5	<20	<2	301	<0.4	5	<5	7	0.53
1333639	Rock	3.05	<0.001	<2	38	267	880	1.8	<2	4	662	2.00	7	<20	3	196	7.2	24	<5	54	2.38
REP 1333639	QC																				
1333641	Rock	2.64	<0.001	<2	5	11	61	1.2	2	6	626	2.79	<5	<20	<2	787	<0.4	<5	<5	82	2.88
REP 1333641	QC	<0.001																			
1333652	Rock	0.91	<0.001	<2	5	<5	3	<0.5	<2	<2	111	0.10	<5	<20	<2	72	<0.4	<5	<5	<2	31.87
REP 1333652	QC			<2	5	<5	4	<0.5	<2	<2	111	0.10	<5	<20	<2	73	<0.4	<5	<5	<2	31.84
1333657	Rock	4.60	0.050	43	2684	11	60	1.3	3	7	387	2.37	<5	<20	3	709	<0.4	<5	<5	79	2.22
REP 1333657	QC																				
Core Reject Duplicates																					
1333622	Rock	1.08	1.447	<2	>10000	8	70	<0.5	2	6	543	2.70	<5	<20	2	650	0.8	<5	<5	75	1.33
DUP 1333622	QC	1.538		<2	>10000	9	75	<0.5	2	7	580	2.88	<5	<20	<2	644	0.9	<5	<5	82	1.31
Reference Materials																					
STD OREAS133A	Standard																				
STD OREAS25A-4A	Standard			2	29	24	47	<0.5	45	8	493	6.95	11	<20	13	46	<0.4	<5	<5	159	0.29
STD OREAS25A-4A	Standard			2	29	24	46	<0.5	45	8	490	6.83	11	<20	14	48	<0.4	<5	<5	152	0.31
STD OREAS45H	Standard			2	744	9	42	<0.5	458	90	404	21.24	18	<20	4	28	<0.4	<5	<5	270	0.14
STD OREAS45H	Standard			2	762	6	43	<0.5	463	91	407	21.37	17	<20	4	29	<0.4	<5	<5	273	0.14
STD OREAS97	Standard																				
STD OREAS904	Standard	0.522																			
STD OREAS902	Standard	0.128																			
STD OREAS902	Standard	0.132																			
STD OREAS901	Standard	0.084																			
STD OREAS901	Standard																				
STD OREAS901	Standard																				
STD OREAS25A-4A Expected		2.41 33.9 25.2 44.4 45.8 7.7 480 6.6 9.94 2.94 15.8 48.5 0.65 157 0.301																			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Stu Copper
Report Date: January 15, 2021

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000620.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
MDL	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
Pulp Duplicates																			
REP 1333622	QC																		1.709
1333625	Rock	<0.002	4	4	0.02	1062	0.02	5.95	2.66	3.12	<4	32	<2	4	5	1	<1	<0.1	0.7
REP 1333625	QC	<0.002	4	4	0.02	1066	0.02	5.68	2.67	3.11	<4	32	<2	4	5	1	<1	<0.1	
1333639	Rock	0.066	11	5	0.56	70	0.18	6.46	0.78	1.98	<4	16	<2	9	6	1	5	0.1	0.8
REP 1333639	QC																		0.7
1333641	Rock	0.074	8	6	0.66	2419	0.21	7.76	2.91	1.93	<4	6	<2	10	6	2	8	<0.1	<0.5
REP 1333641	QC																		
1333652	Rock	0.004	<2	4	1.51	17	<0.01	0.06	0.04	0.05	<4	<2	<2	2	<2	<1	<1	<0.1	<0.5
REP 1333652	QC	0.004	<2	<2	1.53	17	<0.01	0.06	0.04	0.03	<4	<2	<2	2	<2	<1	<1	<0.1	
1333657	Rock	0.103	16	5	0.82	2488	0.26	7.48	2.55	2.94	<4	6	<2	8	7	1	5	0.1	42.2
REP 1333657	QC																		43.1
Core Reject Duplicates																			
1333622	Rock	0.083	9	4	0.12	1397	0.25	8.68	3.18	1.85	<4	7	<2	10	8	2	8	<0.1	0.7
DUP 1333622	QC	0.089	9	6	0.13	1371	0.27	8.78	3.18	1.90	<4	7	<2	11	8	2	8	<0.1	<0.5
Reference Materials																			
STD OREAS133A	Standard																		0.034
STD OREAS25A-4A	Standard	0.051	20	117	0.34	153	0.98	9.06	0.13	0.51	<4	151	4	11	20	<1	13	<0.1	
STD OREAS25A-4A	Standard	0.050	23	113	0.34	153	0.90	9.06	0.12	0.51	<4	144	4	11	19	<1	14	<0.1	
STD OREAS45H	Standard	0.024	13	651	0.26	345	0.89	8.33	0.09	0.22	<4	118	3	10	13	1	60	<0.1	
STD OREAS45H	Standard	0.024	14	659	0.26	347	0.91	8.32	0.08	0.22	<4	124	2	11	13	1	61	<0.1	
STD OREAS97	Standard																		6.261
STD OREAS904	Standard																		
STD OREAS902	Standard																		
STD OREAS902	Standard																		
STD OREAS901	Standard																		
STD OREAS901	Standard																		372.9
STD OREAS901	Standard																		367.5
STD OREAS25A-4A Expected		0.048	21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **True Point Exploration Inc.**
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: January 15, 2021

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000620.1

		WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
STD OREAS45H Expected				1.55	767	12.2	39.7		451	92	405	20.4	16.9		7.6	28				275	0.135
STD OREAS133A Expected																					
STD OREAS97 Expected																					
STD OREAS901 Expected																					
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank																				
BLK	Blank		<0.001																		
BLK	Blank		<0.001																		
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.001	<2	4	<5	35	1.0	<2	3	581	2.13	<5	<20	<2	217	<0.4	<5	<5	32	1.59
ROCK-WHI	Prep Blank		<0.001	<2	5	<5	30	1.1	<2	3	549	2.02	<5	<20	<2	214	<0.4	<5	<5	32	1.54



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **True Point Exploration Inc.**
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: January 15, 2021

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000620.1

		MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115	MA401
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au	Cu
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	%
		0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5	0.001
STD OREAS45H Expected		0.023	13.3	660	0.2575	342	0.878	8.2	0.09	0.215		126	1.93	10.4	13.8	1.09	59			
STD OREAS133A Expected																				0.0323
STD OREAS97 Expected																				6.31
STD OREAS901 Expected																				363
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1		
BLK	Blank																			0.001
BLK	Blank																			
BLK	Blank																			
BLK	Blank																		<0.5	
BLK	Blank																		<0.5	
Prep Wash																				
ROCK-WHI	Prep Blank	0.039	12	11	0.45	827	0.19	6.77	3.11	1.76	<4	52	<2	17	6	1	6	<0.1	<0.5	
ROCK-WHI	Prep Blank	0.038	13	7	0.45	795	0.19	6.79	3.12	1.68	<4	51	<2	16	6	1	6	<0.1	<0.5	