



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

True Point Exploration Inc.

904 – 409 Granville St.

Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel
Receiving Lab: Canada-Whitehorse
Received: October 30, 2020
Analysis Start: January 11, 2021
Report Date: January 22, 2021
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000624.1

CLIENT JOB INFORMATION

Project: Stu Copper
Shipment ID: STU20-15
P.O. Number: Stu Copper
Number of Samples: 23

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2
Canada

CC: Debbie James
Pieter Vanleuzen

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	23	Crush, split and pulverize 250 g rock to 200 mesh			WHI
LH402	23	Cu in oxide form, 5% H ₂ SO ₄	1	Completed	VAN
MA300	23	4 Acid digestion ICP-ES analysis	0.25	Completed	VAN
AQ115-IGN	23	Ignite samples, acid digest, Au by ICP-MS	15	Completed	VAN
SHP01	23	Per sample shipping charges for branch shipments			VAN
SLBHP	23	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: January 22, 2021

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000624.1

Method		WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
Analyte		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
1333586	Rock	2.98	0.003	<2	54	6	70	0.5	4	11	851	4.01	<5	<20	3	996	<0.4	<5	<5	103	3.58
1333587	Rock	6.04	<0.001	<2	<2	8	61	1.3	2	8	746	3.23	<5	<20	<2	956	<0.4	<5	<5	82	3.28
1333588	Rock	6.75	<0.001	<2	<2	9	58	1.3	2	7	685	2.97	<5	<20	<2	899	<0.4	<5	<5	74	3.04
1333589	Rock	6.61	<0.001	<2	<2	9	55	1.4	<2	7	648	2.78	<5	<20	<2	898	<0.4	<5	<5	70	3.03
1333590	Rock	3.21	0.003	<2	42	7	72	0.6	4	11	855	3.90	<5	<20	3	979	<0.4	<5	<5	105	3.75
1333591	Rock	4.09	<0.001	<2	3	10	52	1.4	3	5	553	2.25	<5	<20	<2	902	<0.4	<5	<5	55	2.47
1333592	Rock	4.52	<0.001	<2	<2	9	64	1.2	2	8	710	3.08	<5	<20	<2	970	<0.4	<5	<5	80	3.01
1333593	Rock	4.60	0.002	<2	62	7	97	<0.5	2	16	1193	5.33	<5	<20	<2	882	<0.4	<5	<5	158	4.25
1333594	Rock	4.70	0.001	<2	33	8	84	0.7	2	13	989	4.53	<5	<20	4	771	<0.4	<5	<5	133	3.82
1333595	Rock	4.10	0.002	<2	51	7	96	0.6	2	15	1122	5.22	<5	<20	2	916	<0.4	<5	<5	156	4.13
1333596	Rock	6.43	<0.001	<2	15	11	65	1.2	3	8	730	3.28	<5	<20	2	930	<0.4	<5	<5	80	2.69
1333597	Rock	5.74	0.003	<2	59	11	70	1.5	4	9	690	3.10	<5	<20	<2	914	<0.4	<5	<5	82	3.79
1333598	Rock	5.40	<0.001	3	11	25	80	1.3	3	7	648	2.80	<5	<20	3	754	<0.4	<5	<5	77	3.68
1333599	Rock	5.56	<0.001	<2	<2	11	52	1.3	2	6	542	2.53	<5	<20	<2	813	<0.4	<5	<5	61	2.58
1333600	Rock	5.63	<0.001	<2	<2	9	81	1.2	2	7	653	2.76	<5	<20	2	686	<0.4	<5	<5	67	2.66
1333601	Rock	4.39	<0.001	<2	<2	10	73	1.1	2	6	621	2.67	<5	<20	<2	603	<0.4	<5	<5	58	1.70
1333602	Rock	6.42	<0.001	<2	4	10	65	1.2	<2	6	698	2.56	<5	<20	<2	619	<0.4	<5	<5	62	2.10
1333603	Rock	2.79	0.006	<2	70	12	57	1.8	<2	5	521	2.28	<5	<20	<2	437	<0.4	<5	<5	50	2.18
1333604	Rock	0.99	<0.001	<2	<2	<5	<2	<0.5	<2	<2	120	0.14	<5	<20	<2	76	<0.4	<5	<5	<2	33.32
1333605	Rock	3.26	0.039	2	431	17	98	1.8	<2	5	428	2.03	<5	<20	5	506	<0.4	<5	<5	50	1.50
1333606	Rock	5.85	<0.001	<2	<2	11	63	1.3	2	7	704	2.91	<5	<20	<2	899	<0.4	<5	<5	73	2.96
1333607	Rock	3.07	<0.001	<2	<2	9	64	1.4	2	8	741	3.15	<5	<20	<2	896	<0.4	<5	<5	81	3.02
1333608	Rock	5.69	0.003	<2	60	8	59	1.3	2	8	765	2.97	<5	<20	3	697	<0.4	<5	<5	81	3.81



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Stu Copper
Report Date: January 22, 2021

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000624.1

	Method	Analyte	Unit	MDL	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115		
					P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au
					%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb
					0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5
1333586	Rock		0.131	10	10	1.12	1759	0.32	7.63	3.24	1.75	<4	15	<2	14	9	2	9	<0.1	1.0		
1333587	Rock		0.088	7	5	0.89	1850	0.26	7.60	3.33	1.66	<4	7	<2	10	6	1	7	<0.1	<0.5		
1333588	Rock		0.077	7	6	0.81	1973	0.24	7.61	3.23	1.67	<4	6	<2	10	6	1	7	<0.1	<0.5		
1333589	Rock		0.072	7	5	0.76	1810	0.23	7.32	3.26	1.72	<4	7	<2	9	6	1	6	<0.1	<0.5		
1333590	Rock		0.134	9	9	1.15	1539	0.32	7.87	3.27	1.58	<4	15	<2	14	9	2	9	<0.1	0.5		
1333591	Rock		0.052	6	7	0.61	2406	0.19	7.25	3.17	2.12	<4	10	<2	9	8	2	6	<0.1	<0.5		
1333592	Rock		0.087	9	5	0.89	1777	0.25	7.42	3.38	1.52	<4	8	<2	11	8	2	7	<0.1	<0.5		
1333593	Rock		0.133	11	7	1.96	1260	0.45	7.87	3.14	1.42	<4	23	<2	18	9	1	14	0.1	<0.5		
1333594	Rock		0.115	11	7	1.70	1144	0.39	7.60	3.11	1.67	<4	27	<2	15	8	1	13	<0.1	0.6		
1333595	Rock		0.132	13	6	2.01	1244	0.44	7.87	3.10	1.46	<4	22	<2	17	7	1	15	<0.1	<0.5		
1333596	Rock		0.084	7	7	1.03	918	0.25	7.71	3.52	1.31	<4	8	<2	11	7	2	8	<0.1	<0.5		
1333597	Rock		0.086	6	6	0.86	1277	0.25	8.05	3.43	1.42	<4	7	<2	11	6	2	9	<0.1	<0.5		
1333598	Rock		0.083	6	6	0.77	1709	0.24	7.96	3.35	1.48	<4	8	<2	11	6	2	7	<0.1	<0.5		
1333599	Rock		0.063	6	4	0.66	2317	0.21	7.35	3.33	1.67	<4	9	<2	9	6	1	6	<0.1	<0.5		
1333600	Rock		0.077	6	5	0.82	1749	0.22	7.35	3.40	1.45	<4	6	<2	9	6	1	7	<0.1	<0.5		
1333601	Rock		0.070	8	4	0.78	2064	0.22	7.32	3.40	2.00	<4	8	<2	9	7	1	6	<0.1	<0.5		
1333602	Rock		0.067	7	7	0.78	1434	0.22	7.40	3.57	1.94	<4	11	<2	14	9	1	6	<0.1	<0.5		
1333603	Rock		0.054	7	4	0.62	1600	0.19	7.06	3.23	2.06	<4	18	<2	7	6	1	4	<0.1	1.6		
1333604	Rock		0.004	<2	<2	2.20	17	<0.01	0.06	0.05	0.04	<4	<2	<2	3	<2	<1	<1	<0.1	<0.5		
1333605	Rock		0.063	13	4	0.55	1955	0.19	6.68	2.68	2.54	<4	21	<2	6	5	1	3	<0.1	5.5		
1333606	Rock		0.076	8	6	0.81	1939	0.24	7.68	3.38	1.75	<4	6	<2	12	9	2	7	<0.1	<0.5		
1333607	Rock		0.082	8	6	0.84	1679	0.25	7.55	3.42	1.53	<4	6	<2	13	10	2	7	<0.1	0.6		
1333608	Rock		0.099	10	5	0.89	1406	0.24	7.34	3.09	1.82	<4	11	<2	13	9	2	7	<0.1	1.9		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI20000624.1

	Method Analyte Unit MDL	WGHT	LH402	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300
		Wgt	Cu/Ox	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.001	2	2	5	2	0.5	2	2	5	0.01	5	20	2	2	0.4	5	5	2	0.01
Pulp Duplicates																					
REP 1333587	QC			<2	<2	8	62	1.4	2	8	725	3.14	<5	<20	<2	937	<0.4	<5	<5	80	3.23
1333607	Rock	3.07	<0.001	<2	<2	9	64	1.4	2	8	741	3.15	<5	<20	<2	896	<0.4	<5	<5	81	3.02
REP 1333607	QC																				
Core Reject Duplicates																					
1333587	Rock	6.04	<0.001	<2	<2	8	61	1.3	2	8	746	3.23	<5	<20	<2	956	<0.4	<5	<5	82	3.28
DUP 1333587	QC		<0.001	<2	<2	7	60	1.4	2	8	704	3.04	<5	<20	<2	962	<0.4	<5	<5	79	3.19
Reference Materials																					
STD OREAS25A-4A	Standard			3	25	24	42	<0.5	44	7	469	6.67	10	<20	14	43	<0.4	<5	<5	154	0.27
STD OREAS45H	Standard			2	798	<5	41	<0.5	486	94	417	21.61	19	<20	6	29	<0.4	6	<5	284	0.15
STD OREAS901	Standard		0.085																		
STD OREAS904	Standard		0.528																		
STD OREAS901	Standard																				
STD OREAS25A-4A Expected				2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65		157	0.301
STD OREAS45H Expected				1.55	767	12.2	39.7		451	92	405	20.4	16.9		7.6	28				275	0.135
STD OREAS901 Expected																					
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<2	<2	<0.4	<5	<5	<2	<0.01
BLK	Blank	<0.001																			
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		<0.001	<2	<2	<5	25	1.2	<2	3	538	2.03	<5	<20	4	198	<0.4	<5	<5	30	1.52
ROCK-WHI	Prep Blank		<0.001	<2	<2	<5	27	1.3	<2	3	543	2.03	<5	<20	3	202	<0.4	<5	<5	31	1.57



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

True Point Exploration Inc.

904 – 409 Granville St.

Vancouver British Columbia V6G 1T2 Canada

Project:

Stu Copper

Report Date:

January 22, 2021

Page:

1 of 1

Part:

2 of 2

QUALITY CONTROL REPORT

WHI20000624.1

Method	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	MA300	AQ115
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc	S	Au
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb
MDL	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1	0.1	0.5
Pulp Duplicates																		
REP 1333587	QC	0.085	7	5	0.87	1803	0.25	7.51	3.24	1.61	<4	7	<2	10	6	1	7	<0.1
1333607	Rock	0.082	8	6	0.84	1679	0.25	7.55	3.42	1.53	<4	6	<2	13	10	2	7	<0.1
REP 1333607	QC																	<0.5
Core Reject Duplicates																		
1333587	Rock	0.088	7	5	0.89	1850	0.26	7.60	3.33	1.66	<4	7	<2	10	6	1	7	<0.1
DUP 1333587	QC	0.083	7	5	0.84	1713	0.25	7.62	3.33	1.56	<4	6	<2	9	6	1	7	<0.1
Reference Materials																		
STD OREAS25A-4A	Standard	0.049	20	109	0.33	149	0.96	8.46	0.13	0.51	<4	154	4	11	22	<1	13	<0.1
STD OREAS45H	Standard	0.025	15	694	0.27	359	0.94	8.59	0.10	0.24	<4	128	2	11	16	1	63	<0.1
STD OREAS901	Standard																	
STD OREAS904	Standard																	
STD OREAS901	Standard																	356.3
STD OREAS25A-4A Expected		0.048	21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	10.5	20.9	0.93	13.7	0.047
STD OREAS45H Expected		0.023	13.3	660	0.2575	342	0.878	8.2	0.09	0.215		126	1.93	10.4	13.8	1.09	59	
STD OREAS901 Expected																		363
BLK	Blank	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1	<0.1
BLK	Blank																	
BLK	Blank																	<0.5
Prep Wash																		
ROCK-WHI	Prep Blank	0.038	12	4	0.45	790	0.19	6.37	3.17	1.67	<4	51	<2	16	6	1	6	<0.1
ROCK-WHI	Prep Blank	0.038	12	2	0.46	791	0.20	6.54	3.21	1.65	<4	51	<2	16	6	1	6	<0.1