



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**True Point Exploration Inc.**

904 – 409 Granville St.

Vancouver British Columbia V6G 1T2 Canada

Submitted By: Scott Petsel  
Receiving Lab: Canada-Whitehorse  
Received: October 30, 2020  
Analysis Start: January 06, 2021  
Report Date: January 15, 2021  
Page: 1 of 2

## CERTIFICATE OF ANALYSIS

WHI20000625.1

### CLIENT JOB INFORMATION

Project: Stu Copper  
Shipment ID: STU20-17  
P.O. Number: Stu Copper  
Number of Samples: 17

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2  
Canada

CC: Debbie James  
Pieter Vanleuzen

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description                                    | Test Wgt (g) | Report Status | Lab |
|----------------|-------------------|-----------------------------------------------------|--------------|---------------|-----|
| PRP70-250      | 16                | Crush, split and pulverize 250 g rock to 200 mesh   |              |               | WHI |
| LH402          | 17                | Cu in oxide form, 5% H <sub>2</sub> SO <sub>4</sub> | 1            | Completed     | VAN |
| MA300          | 17                | 4 Acid digestion ICP-ES analysis                    | 0.25         | Completed     | VAN |
| AQ115-IGN      | 17                | Ignite samples, acid digest, Au by ICP-MS           | 15           | Completed     | VAN |
| SHP01          | 17                | Per sample shipping charges for branch shipments    |              |               | VAN |
| SLBHP          | 1                 | Sort, label and box pulps                           |              |               | WHI |
| MA401          | 1                 | 4 Acid Digest AAS Finish                            | 1            | Completed     | VAN |

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** January 15, 2012

**Page:** 2 of 2

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI20000625.1

|         | Method<br>Analyte<br>Unit<br>MDL | WGHT | LH402  | MA300 | MA300  | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 |
|---------|----------------------------------|------|--------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Wgt  | Cu/Ox  | Mo    | Cu     | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Th    | Sr    | Cd    | Sb    | Bi    | V     | Ca    |
|         |                                  | kg   | %      | ppm   | ppm    | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     |
|         |                                  | 0.01 | 0.001  | 2     | 2      | 5     | 2     | 0.5   | 2     | 2     | 5     | 0.01  | 5     | 20    | 2     | 2     | 0.4   | 5     | 5     | 2     | 0.01  |
| 1333659 | Rock                             | 5.12 | 0.014  | 30    | 1867   | 13    | 55    | 0.6   | 3     | 8     | 458   | 2.78  | <5    | <20   | 5     | 745   | <0.4  | <5    | <5    | 92    | 2.70  |
| 1333660 | Rock                             | 2.51 | 0.022  | 7     | 1882   | 9     | 68    | 0.7   | 3     | 9     | 625   | 3.24  | <5    | <20   | 3     | 793   | <0.4  | <5    | <5    | 101   | 3.21  |
| 1333661 | Rock                             | 3.00 | 0.001  | <2    | 49     | 11    | 49    | <0.5  | <2    | 6     | 540   | 2.38  | <5    | <20   | 2     | 810   | <0.4  | <5    | <5    | 68    | 2.70  |
| 1333662 | Rock                             | 5.33 | 0.020  | 19    | 1377   | 7     | 64    | 0.6   | 3     | 8     | 530   | 2.88  | <5    | <20   | 2     | 816   | <0.4  | <5    | <5    | 86    | 2.57  |
| 1333663 | Rock                             | 5.48 | <0.001 | <2    | <2     | 9     | 56    | <0.5  | <2    | 7     | 626   | 2.59  | <5    | <20   | <2    | 849   | <0.4  | <5    | <5    | 71    | 2.79  |
| 1333664 | Rock                             | 5.55 | <0.001 | <2    | 9      | 9     | 52    | <0.5  | <2    | 6     | 766   | 2.71  | <5    | <20   | <2    | 812   | <0.4  | <5    | <5    | 70    | 3.97  |
| 1333665 | Rock                             | 1.86 | <0.001 | <2    | <2     | 9     | 60    | <0.5  | 2     | 7     | 743   | 3.09  | <5    | <20   | <2    | 642   | <0.4  | <5    | <5    | 99    | 3.78  |
| 1333666 | Rock                             | 4.78 | <0.001 | <2    | <2     | 12    | 57    | <0.5  | 2     | 7     | 715   | 2.64  | <5    | <20   | <2    | 661   | <0.4  | <5    | <5    | 70    | 3.42  |
| 1333667 | Rock                             | 5.83 | <0.001 | <2    | 4      | 9     | 74    | <0.5  | <2    | 7     | 791   | 3.05  | <5    | <20   | <2    | 795   | <0.4  | <5    | <5    | 82    | 3.40  |
| 1333668 | Rock                             | 5.18 | 0.005  | <2    | 391    | 22    | 151   | <0.5  | <2    | 6     | 838   | 2.61  | <5    | <20   | 4     | 698   | <0.4  | <5    | <5    | 71    | 3.09  |
| 1333669 | Rock                             | 5.96 | 0.005  | <2    | 725    | 9     | 63    | <0.5  | <2    | 8     | 566   | 2.99  | <5    | <20   | 4     | 734   | <0.4  | <5    | <5    | 84    | 2.94  |
| 1333670 | Rock                             | 2.50 | 0.019  | 6     | 1722   | 9     | 65    | 0.6   | 3     | 8     | 600   | 3.08  | <5    | <20   | 3     | 771   | <0.4  | <5    | <5    | 93    | 3.10  |
| 1333671 | Rock Pulp                        | 0.13 | 1.441  | 62    | >10000 | 6     | 65    | 9.4   | 10    | 8     | 359   | 3.15  | <5    | <20   | <2    | 867   | <0.4  | <5    | 15    | 95    | 1.73  |
| 1333672 | Rock                             | 4.97 | <0.001 | <2    | 73     | 10    | 57    | <0.5  | <2    | 7     | 659   | 2.66  | <5    | <20   | <2    | 745   | <0.4  | <5    | <5    | 70    | 3.19  |
| 1333673 | Rock                             | 5.46 | <0.001 | <2    | 14     | 6     | 57    | <0.5  | 2     | 7     | 647   | 2.74  | <5    | <20   | <2    | 771   | <0.4  | <5    | <5    | 69    | 2.83  |
| 1333674 | Rock                             | 6.26 | <0.001 | <2    | 9      | 10    | 59    | <0.5  | 2     | 7     | 685   | 2.89  | <5    | <20   | <2    | 861   | <0.4  | <5    | <5    | 75    | 2.91  |
| 1333675 | Rock                             | 4.05 | <0.001 | <2    | 4      | 11    | 42    | <0.5  | 2     | 7     | 525   | 2.62  | <5    | <20   | 3     | 802   | <0.4  | <5    | <5    | 69    | 2.94  |



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** True Point Exploration Inc.  
904 – 409 Granville St.  
Vancouver British Columbia V6G 1T2 Canada

**Project:** Stu Copper  
**Report Date:** January 15, 2012

**Page:** 2 of 2

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI20000625.1

|         | Method    | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | AQ115 | MA401 |
|---------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         | Analyte   | P     | La    | Cr    | Mg    | Ba    | Ti    | Al    | Na    | K     | W     | Zr    | Sn    | Y     | Nb    | Be    | Sc    | S     | Au    | Cu    |
|         | Unit      | %     | ppm   | ppm   | %     | ppm   | %     | %     | %     | %     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppb   | %     |
|         | MDL       | 0.002 | 2     | 2     | 0.01  | 1     | 0.01  | 0.01  | 0.01  | 0.01  | 4     | 2     | 2     | 2     | 2     | 1     | 1     | 0.1   | 0.5   | 0.001 |
| 1333659 | Rock      | 0.116 | 16    | 4     | 0.92  | 1927  | 0.28  | 7.85  | 2.76  | 2.79  | <4    | 11    | 8     | 10    | 8     | 2     | 7     | 0.2   | 20.2  |       |
| 1333660 | Rock      | 0.117 | 15    | 5     | 0.98  | 1106  | 0.30  | 8.52  | 3.24  | 1.80  | <4    | 11    | 2     | 11    | 8     | 2     | 9     | 0.1   | 18.7  |       |
| 1333661 | Rock      | 0.066 | 10    | 3     | 0.70  | 2639  | 0.18  | 7.95  | 3.02  | 2.49  | <4    | 5     | <2    | 8     | 4     | 1     | 9     | <0.1  | <0.5  |       |
| 1333662 | Rock      | 0.103 | 12    | 5     | 0.94  | 2185  | 0.27  | 7.83  | 2.99  | 2.46  | <4    | 7     | <2    | 7     | 6     | 1     | 6     | <0.1  | 17.4  |       |
| 1333663 | Rock      | 0.072 | 7     | 4     | 0.74  | 2087  | 0.22  | 8.17  | 3.41  | 2.17  | <4    | 9     | <2    | 11    | 8     | 2     | 7     | <0.1  | <0.5  |       |
| 1333664 | Rock      | 0.070 | 7     | 4     | 0.94  | 1678  | 0.22  | 7.59  | 2.44  | 1.68  | <4    | 7     | <2    | 10    | 5     | 1     | 7     | <0.1  | <0.5  |       |
| 1333665 | Rock      | 0.078 | 9     | 5     | 0.61  | 1306  | 0.26  | 7.60  | 2.75  | 1.61  | <4    | 7     | <2    | 10    | 6     | 1     | 8     | <0.1  | <0.5  |       |
| 1333666 | Rock      | 0.072 | 6     | 4     | 0.51  | 1679  | 0.22  | 7.51  | 3.11  | 1.94  | <4    | 6     | <2    | 8     | 5     | 1     | 6     | <0.1  | <0.5  |       |
| 1333667 | Rock      | 0.082 | 8     | 3     | 0.80  | 1490  | 0.25  | 8.00  | 3.17  | 1.66  | <4    | 8     | <2    | 15    | 8     | 1     | 8     | <0.1  | <0.5  |       |
| 1333668 | Rock      | 0.079 | 11    | 3     | 0.56  | 1070  | 0.20  | 7.64  | 2.89  | 1.84  | <4    | 12    | <2    | 8     | 6     | 1     | 6     | <0.1  | 1.4   |       |
| 1333669 | Rock      | 0.101 | 13    | 3     | 0.74  | 1317  | 0.24  | 7.67  | 2.91  | 1.90  | <4    | 17    | <2    | 9     | 7     | 2     | 6     | <0.1  | 6.7   |       |
| 1333670 | Rock      | 0.107 | 14    | 4     | 0.94  | 1178  | 0.28  | 8.21  | 3.14  | 1.79  | <4    | 12    | <2    | 10    | 7     | 2     | 9     | 0.1   | 17.1  |       |
| 1333671 | Rock Pulp | 0.093 | 8     | 21    | 0.86  | 1293  | 0.27  | 7.96  | 3.34  | 1.60  | 23    | 12    | <2    | 7     | 5     | 1     | 7     | <0.1  | 635.5 | 1.690 |
| 1333672 | Rock      | 0.076 | 7     | 3     | 0.58  | 1448  | 0.22  | 7.53  | 3.07  | 1.70  | <4    | 10    | <2    | 9     | 6     | 1     | 6     | <0.1  | 1.5   |       |
| 1333673 | Rock      | 0.078 | 8     | 3     | 0.83  | 1427  | 0.23  | 8.10  | 3.33  | 1.64  | <4    | 8     | <2    | 9     | 6     | 1     | 7     | <0.1  | <0.5  |       |
| 1333674 | Rock      | 0.078 | 7     | 4     | 0.93  | 1697  | 0.24  | 7.96  | 3.39  | 1.68  | <4    | 7     | <2    | 10    | 6     | 1     | 7     | <0.1  | 0.7   |       |
| 1333675 | Rock      | 0.087 | 10    | 3     | 0.33  | 1821  | 0.21  | 7.56  | 2.78  | 2.92  | <4    | 15    | <2    | 10    | 7     | 2     | 6     | <0.1  | <0.5  |       |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

# QUALITY CONTROL REPORT

WHI20000625.1

|                          | Method     | WGHT   | LH402  | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 |
|--------------------------|------------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                          | Analyte    | Wgt    | Cu/Ox  | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Th    | Sr    | Cd    | Sb    | Bi    | V     | Ca    |
|                          | Unit       | kg     | %      | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     |
|                          | MDL        | 0.01   | 0.001  | 2     | 2     | 5     | 2     | 0.5   | 2     | 2     | 5     | 0.01  | 5     | 20    | 2     | 2     | 0.4   | 5     | 5     | 2     | 0.01  |
| Pulp Duplicates          |            |        |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1333660                  | Rock       | 2.51   | 0.022  | 7     | 1882  | 9     | 68    | 0.7   | 3     | 9     | 625   | 3.24  | <5    | <20   | 3     | 793   | <0.4  | <5    | <5    | 101   | 3.21  |
| REP 1333660              | QC         |        |        | 7     | 1837  | 9     | 67    | 0.6   | 3     | 9     | 628   | 3.24  | <5    | <20   | 4     | 784   | <0.4  | <5    | <5    | 101   | 3.19  |
| 1333666                  | Rock       | 4.78   | <0.001 | <2    | <2    | 12    | 57    | <0.5  | 2     | 7     | 715   | 2.64  | <5    | <20   | <2    | 661   | <0.4  | <5    | <5    | 70    | 3.42  |
| REP 1333666              | QC         | <0.001 |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Reference Materials      |            |        |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OREAS133A            | Standard   |        |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OREAS25A-4A          | Standard   |        |        | <2    | 31    | 25    | 42    | <0.5  | 46    | 8     | 501   | 6.74  | 11    | <20   | 12    | 45    | <0.4  | <5    | <5    | 161   | 0.29  |
| STD OREAS45H             | Standard   |        |        | <2    | 789   | 10    | 39    | 0.7   | 449   | 90    | 410   | 21.26 | 17    | <20   | 5     | 27    | <0.4  | <5    | <5    | 273   | 0.13  |
| STD OREAS97              | Standard   |        |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OREAS901             | Standard   |        |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OREAS901             | Standard   |        | 0.084  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OREAS904             | Standard   |        | 0.526  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OREAS25A-4A Expected |            |        |        | 2.41  | 33.9  | 25.2  | 44.4  |       | 45.8  | 7.7   | 480   | 6.6   | 9.94  | 2.94  | 15.8  | 48.5  |       | 0.65  |       | 157   | 0.301 |
| STD OREAS45H Expected    |            |        |        | 1.55  | 767   | 12.2  | 39.7  |       | 451   | 92    | 405   | 20.4  | 16.9  |       | 7.6   | 28    |       |       |       | 275   | 0.135 |
| STD OREAS133A Expected   |            |        |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OREAS97 Expected     |            |        |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OREAS901 Expected    |            |        |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                      | Blank      |        |        | <2    | <2    | <5    | <2    | <0.5  | <2    | <2    | <5    | <0.01 | <5    | <20   | <2    | <2    | <0.4  | <5    | <5    | <2    | <0.01 |
| BLK                      | Blank      |        |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                      | Blank      |        |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                      | Blank      | <0.001 |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Prep Wash                |            |        |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| ROCK-WHI                 | Prep Blank |        | <0.001 | <2    | 2     | <5    | 24    | <0.5  | <2    | 3     | 530   | 1.88  | <5    | <20   | 2     | 199   | <0.4  | <5    | <5    | 31    | 1.51  |
| ROCK-WHI                 | Prep Blank |        | <0.001 | <2    | <2    | <5    | 24    | <0.5  | <2    | 4     | 556   | 1.91  | <5    | <20   | <2    | 205   | <0.4  | <5    | <5    | 32    | 1.52  |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**True Point Exploration Inc.**

904 – 409 Granville St.

Vancouver British Columbia V6G 1T2 Canada

**Project:**

Stu Copper

**Report Date:**

January 15, 2021

**Page:**

1 of 1

**Part:**

2 of 2

## QUALITY CONTROL REPORT

WHI20000625.1

| Method                   | MA300      | MA300  | MA300 | MA300 | MA300  | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | MA300 | AQ115 | MA401  |
|--------------------------|------------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Analyte                  | P          | La     | Cr    | Mg    | Ba     | Ti    | Al    | Na    | K     | W     | Zr    | Sn    | Y     | Nb    | Be    | Sc    | S     | Au    | Cu     |
| Unit                     | %          | ppm    | ppm   | %     | ppm    | %     | %     | %     | %     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppb   | %      |
| MDL                      | 0.002      | 2      | 2     | 0.01  | 1      | 0.01  | 0.01  | 0.01  | 0.01  | 4     | 2     | 2     | 2     | 2     | 1     | 1     | 0.1   | 0.5   | 0.001  |
| Pulp Duplicates          |            |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |        |
| 1333660                  | Rock       | 0.117  | 15    | 5     | 0.98   | 1106  | 0.30  | 8.52  | 3.24  | 1.80  | <4    | 11    | 2     | 11    | 8     | 2     | 9     | 0.1   | 18.7   |
| REP 1333660              | QC         | 0.116  | 16    | 5     | 1.00   | 1122  | 0.29  | 8.43  | 3.19  | 1.82  | <4    | 11    | <2    | 12    | 8     | 2     | 9     | 0.1   |        |
| 1333666                  | Rock       | 0.072  | 6     | 4     | 0.51   | 1679  | 0.22  | 7.51  | 3.11  | 1.94  | <4    | 6     | <2    | 8     | 5     | 1     | 6     | <0.1  | <0.5   |
| REP 1333666              | QC         |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |        |
| Reference Materials      |            |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |        |
| STD OREAS133A            | Standard   |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       | 0.031  |
| STD OREAS25A-4A          | Standard   | 0.051  | 19    | 107   | 0.32   | 152   | 0.95  | 9.27  | 0.13  | 0.51  | <4    | 157   | 5     | 10    | 20    | <1    | 14    | <0.1  |        |
| STD OREAS45H             | Standard   | 0.024  | 12    | 673   | 0.25   | 357   | 0.90  | 8.32  | 0.08  | 0.21  | <4    | 126   | <2    | 8     | 14    | 1     | 61    | <0.1  |        |
| STD OREAS97              | Standard   |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       | 6.455  |
| STD OREAS901             | Standard   |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       | 400.0  |
| STD OREAS901             | Standard   |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |        |
| STD OREAS904             | Standard   |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |        |
| STD OREAS25A-4A Expected |            | 0.048  | 21.8  | 115   | 0.327  | 147   | 0.93  | 8.87  | 0.131 | 0.482 | 2     | 155   | 4.06  | 10.5  | 20.9  | 0.93  | 13.7  | 0.047 |        |
| STD OREAS45H Expected    |            | 0.023  | 13.3  | 660   | 0.2575 | 342   | 0.878 | 8.2   | 0.09  | 0.215 |       | 126   | 1.93  | 10.4  | 13.8  | 1.09  | 59    |       |        |
| STD OREAS133A Expected   |            |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       | 0.0323 |
| STD OREAS97 Expected     |            |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       | 6.31   |
| STD OREAS901 Expected    |            |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       | 363    |
| BLK                      | Blank      | <0.002 | <2    | <2    | <0.01  | 4     | <0.01 | <0.01 | <0.01 | <0.01 | <4    | <2    | <2    | <2    | <2    | <1    | <1    | <0.1  |        |
| BLK                      | Blank      |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       | <0.001 |
| BLK                      | Blank      |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       | <0.5   |
| BLK                      | Blank      |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |        |
| Prep Wash                |            |        |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |        |
| ROCK-WHI                 | Prep Blank | 0.038  | 12    | <2    | 0.43   | 840   | 0.19  | 6.72  | 3.24  | 1.72  | <4    | 50    | <2    | 16    | 6     | <1    | 6     | <0.1  | <0.5   |
| ROCK-WHI                 | Prep Blank | 0.038  | 11    | <2    | 0.46   | 821   | 0.19  | 6.85  | 3.38  | 1.66  | <4    | 49    | <2    | 15    | 5     | <1    | 6     | <0.1  | <0.5   |