

**MSALABS**

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT: YVR2010888

Project Name: Sixtymile 2020
Job Received Date: 19-Oct-2020
Job Report Date: 05-Mar-2021
Number of Samples: 143
Report Version: Final

COMMENTS:

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-915-MET	Dry, Crush 1Kg to 2mm, split 500g sub-sample, pulverize and sieve past 106 micron mesh in order to obtain plus and minus fractions

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
MSC-530	Metallic Screening 500g, Fire Assay, 30g Fusion

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT: YVR2010888

Project Name: Sixtymile 2020
Job Received Date: 19-Oct-2020
Job Report Date: 05-Mar-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	MSC-530 total g 1.0	MSC-530 (+) g 1.0	MSC-530 (-) g 1.0	MSC-530 Total Au ppm 0.9	MSC-530 Au (+) ppm 0.9	MSC-530 Au (-) ppm 0.01	MSC-530 Au (-) D ppm 0.01
1622860	Rock-Chip	2.99		504.2	17.5	486.7	<0.9	<0.9	0.01	<0.01
1622861	Rock-Chip	2.64		472.0	25.7	446.3	<0.9	<0.9	<0.01	<0.01
1622862	Rock-Chip	2.14		472.1	21.7	450.4	<0.9	<0.9	<0.01	<0.01
1622863	Rock-Chip	1.69		507.1	19.9	487.2	<0.9	<0.9	<0.01	<0.01
1622864	Rock-Chip	2.74		488.1	17.2	470.9	<0.9	<0.9	<0.01	<0.01
1622865	Rock-Chip	3.54		489.6	25.8	463.8	<0.9	<0.9	<0.01	<0.01
1622866	Rock-Chip	3.04		488.6	13.1	475.5	<0.9	<0.9	<0.01	<0.01
1622867	Rock-Chip	2.70		498.4	30.2	468.2	<0.9	<0.9	<0.01	<0.01
1622868	Rock-Chip	3.19		472.9	26.5	446.4	<0.9	<0.9	<0.01	<0.01
1622869	Rock-Chip	3.28		508.3	24.7	483.6	<0.9	<0.9	<0.01	<0.01
1622870	Rock-Chip	3.16		500.9	12.5	488.4	<0.9	<0.9	<0.01	<0.01
1622871	Rock-Chip	3.64		539.4	26.7	512.7	<0.9	<0.9	<0.01	<0.01
1622872	Rock-Chip	2.87		477.9	14.4	463.5	<0.9	<0.9	<0.01	<0.01
1622873	Rock-Chip	3.05		500.3	23.5	476.8	<0.9	<0.9	<0.01	<0.01
1622874	Rock-Chip	3.35		517.7	31.9	485.8	<0.9	<0.9	<0.01	<0.01
1622875	Rock-Chip	3.33		518.3	24.1	494.2	<0.9	<0.9	<0.01	<0.01
1622876	Rock-Chip	4.20		475.0	25.8	449.2	<0.9	<0.9	<0.01	<0.01
1622877	Rock-Chip	4.40		494.1	25.8	468.3	<0.9	<0.9	<0.01	<0.01
1622878	Rock-Chip	4.32		504.1	22.9	481.2	<0.9	<0.9	<0.01	<0.01
1622879	Rock-Chip	4.34		535.9	23.2	512.7	<0.9	<0.9	<0.01	<0.01
1622880	Rock-Chip	4.07		530.1	20.5	509.6	<0.9	<0.9	<0.01	<0.01
1622881	Rock-Chip	3.52		532.6	22.9	509.7	<0.9	<0.9	<0.01	<0.01
1622882	Rock-Chip	4.12		490.0	21.4	468.6	<0.9	<0.9	<0.01	<0.01
1622883	Rock-Chip	3.75		512.1	24.1	488.0	<0.9	<0.9	<0.01	<0.01
1622884	Rock-Chip	4.03		527.5	24.5	503.0	<0.9	<0.9	<0.01	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT: YVR2010888

Project Name: Sixtymile 2020
Job Received Date: 19-Oct-2020
Job Report Date: 05-Mar-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	MSC-530 total g 1.0	MSC-530 (+) g 1.0	MSC-530 (-) g 1.0	MSC-530 Total Au ppm 0.9	MSC-530 Au (+) ppm 0.9	MSC-530 Au (-) ppm 0.01	MSC-530 Au (-) D ppm 0.01
1622885	Rock-Chip	4.23		504.5	23.7	480.8	<0.9	<0.9	<0.01	<0.01
1622886	Rock-Chip	3.58		532.1	25.6	506.5	<0.9	<0.9	<0.01	<0.01
1622887	Rock-Chip	3.60		518.0	27.4	490.6	<0.9	<0.9	<0.01	<0.01
1622888	Rock-Chip	3.99		502.1	12.1	490.0	<0.9	<0.9	<0.01	<0.01
1622889	Rock-Chip	4.10		494.8	24.8	470.0	<0.9	<0.9	<0.01	<0.01
1622890	Rock-Chip	3.95		524.6	13.8	510.8	<0.9	<0.9	<0.01	<0.01
1622891	Rock-Chip	6.01		502.2	24.6	477.6	<0.9	<0.9	<0.01	<0.01
1622892	Rock-Chip	3.57		534.1	24.1	510.0	<0.9	<0.9	<0.01	<0.01
1622893	Rock-Chip	4.19		543.0	11.0	532.0	<0.9	<0.9	<0.01	<0.01
1622894	Rock-Chip	4.94		534.6	22.4	512.2	<0.9	<0.9	<0.01	<0.01
1622895	Rock-Chip	2.41		517.9	23.8	494.1	<0.9	<0.9	<0.01	<0.01
1622896	Rock-Chip	2.98		511.5	27.1	484.4	<0.9	<0.9	<0.01	<0.01
1622897	Rock-Chip	3.38		527.8	13.8	514.0	<0.9	<0.9	<0.01	<0.01
1622898	Rock-Chip	3.83		535.2	30.9	504.3	<0.9	<0.9	<0.01	<0.01
1622899	Rock-Chip	3.36		511.0	25.9	485.1	<0.9	<0.9	<0.01	<0.01
1622900	Rock-Chip	3.63		516.2	31.1	485.1	<0.9	<0.9	<0.01	<0.01
1622901	Rock-Chip	3.64		535.4	29.6	505.8	<0.9	<0.9	<0.01	<0.01
1622902	Rock-Chip	3.71		524.0	23.9	500.1	<0.9	<0.9	<0.01	<0.01
1622903	Rock-Chip	3.82		518.4	13.3	505.1	<0.9	<0.9	<0.01	<0.01
1622904	Rock-Chip	3.99		512.2	22.5	489.7	<0.9	<0.9	<0.01	<0.01
1622905	Rock-Chip	3.44		490.4	24.6	465.8	<0.9	<0.9	<0.01	<0.01
1622906	Rock-Chip	3.59		519.9	15.3	504.6	<0.9	<0.9	<0.01	0.01
1622907	Rock-Chip	3.50		481.3	12.7	468.6	<0.9	<0.9	<0.01	<0.01
1622908	Rock-Chip	3.60		496.0	28.5	467.5	<0.9	<0.9	<0.01	<0.01
1622909	Rock-Chip	2.79		456.0	27.7	428.3	<0.9	<0.9	<0.01	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT: YVR2010888

Project Name: Sixtymile 2020
Job Received Date: 19-Oct-2020
Job Report Date: 05-Mar-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	MSC-530 total g 1.0	MSC-530 (+) g 1.0	MSC-530 (-) g 1.0	MSC-530 Total Au ppm 0.9	MSC-530 Au (+) ppm 0.9	MSC-530 Au (-) ppm 0.01	MSC-530 Au (-) D ppm 0.01
1622910	Rock-Chip	3.31		548.1	15.7	532.4	<0.9	<0.9	<0.01	<0.01
1622911	Rock-Chip	3.38		511.2	23.8	487.4	<0.9	<0.9	<0.01	<0.01
1622912	Rock-Chip	3.39		502.3	12.9	489.4	<0.9	<0.9	<0.01	<0.01
1622913A	Rock-Chip	2.24		481.5	22.3	459.2	<0.9	<0.9	<0.01	<0.01
1622913B	Rock-Chip	3.02		513.3	15.6	497.7	<0.9	<0.9	<0.01	<0.01
1622914	Rock-Chip	3.57		530.7	25.4	505.3	<0.9	<0.9	<0.01	<0.01
1622915	Rock-Chip	3.83		503.6	27.0	476.6	<0.9	<0.9	<0.01	<0.01
1622916	Rock-Chip	3.09		475.9	14.1	461.8	<0.9	<0.9	<0.01	<0.01
1622917	Rock-Chip	3.26		412.5	31.2	381.3	<0.9	<0.9	<0.01	<0.01
1622918	Rock-Chip	3.80		500.7	25.9	474.8	<0.9	<0.9	<0.01	<0.01
1622919	Rock-Chip	3.70		501.6	31.7	469.9	4.0	63.5	<0.01	<0.01
1622920	Rock-Chip	3.51		494.6	17.1	477.5	<0.9	<0.9	<0.01	<0.01
1622921	Rock-Chip	3.03		446.2	29.9	416.3	<0.9	<0.9	<0.01	<0.01
1622922	Rock-Chip	3.71		524.7	19.1	505.6	<0.9	<0.9	<0.01	<0.01
1622923	Rock-Chip	3.42		483.6	25.9	457.7	<0.9	<0.9	<0.01	<0.01
1622924	Rock-Chip	4.12		496.2	15.8	480.4	<0.9	<0.9	<0.01	<0.01
1622925	Rock-Chip	3.03		513.6	11.0	502.6	<0.9	<0.9	<0.01	<0.01
1622926	Rock-Chip	3.58		486.9	30.2	456.7	<0.9	<0.9	<0.01	<0.01
1622927	Rock-Chip	3.27		520.7	17.3	503.4	<0.9	<0.9	<0.01	<0.01
1622928	Rock-Chip	3.44		474.1	26.4	447.7	<0.9	<0.9	<0.01	<0.01
1622929	Rock-Chip	2.75		492.6	17.2	475.4	<0.9	<0.9	<0.01	<0.01
1622930	Rock-Chip	3.35		527.1	20.6	506.5	<0.9	<0.9	<0.01	<0.01
1622931	Rock-Chip	3.40		496.0	27.3	468.7	<0.9	<0.9	0.02	0.10
1622932	Rock-Chip	3.48		482.1	16.0	466.1	<0.9	<0.9	<0.01	<0.01
1622933	Rock-Chip	3.75		462.0	28.4	433.6	<0.9	<0.9	<0.01	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT: YVR2010888

Project Name: Sixtymile 2020
Job Received Date: 19-Oct-2020
Job Report Date: 05-Mar-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	MSC-530 total g 1.0	MSC-530 (+) g 1.0	MSC-530 (-) g 1.0	MSC-530 Total Au ppm 0.9	MSC-530 Au (+) ppm 0.9	MSC-530 Au (-) ppm 0.01	MSC-530 Au (-) D ppm 0.01
1622934	Rock-Chip	3.96		492.4	14.9	477.5	<0.9	<0.9	<0.01	<0.01
1622935	Rock-Chip	2.36		452.5	35.5	417.0	<0.9	<0.9	<0.01	<0.01
1622936	Rock-Chip	3.06		472.3	31.5	440.8	<0.9	<0.9	<0.01	<0.01
1622937	Rock-Chip	2.72		490.9	17.6	473.3	<0.9	<0.9	<0.01	<0.01
1622938	Rock-Chip	2.60		492.2	24.2	468.0	<0.9	<0.9	<0.01	<0.01
1622939	Rock-Chip	3.37		513.4	22.9	490.5	<0.9	<0.9	<0.01	<0.01
1622940	Rock-Chip	3.45		499.8	12.5	487.3	<0.9	<0.9	<0.01	<0.01
1622941	Rock-Chip	2.76		447.8	32.0	415.8	<0.9	<0.9	<0.01	<0.01
1622942	Rock-Chip	3.37		520.3	15.8	504.5	<0.9	<0.9	<0.01	<0.01
1622943	Rock-Chip	3.53		459.9	30.3	429.6	<0.9	<0.9	<0.01	<0.01
1622944	Rock-Chip	3.75		506.2	14.6	491.6	<0.9	<0.9	<0.01	<0.01
1622945	Rock-Chip	3.07		447.5	29.4	418.1	<0.9	<0.9	<0.01	<0.01
1622946	Rock-Chip	3.74		501.2	15.8	485.4	<0.9	<0.9	<0.01	<0.01
1622947	Rock-Chip	3.73		524.3	24.5	499.8	<0.9	<0.9	<0.01	<0.01
1622948	Rock-Chip	3.73		515.5	28.4	487.1	<0.9	1.1	<0.01	<0.01
1622949	Rock-Chip	4.74		528.0	20.1	507.9	<0.9	<0.9	<0.01	<0.01
1622950	Rock-Chip	4.19		473.9	33.7	440.2	<0.9	<0.9	<0.01	<0.01
1622951	Rock-Chip	4.77		501.2	19.7	481.5	<0.9	<0.9	<0.01	<0.01
1622952	Rock-Chip	4.16		490.9	24.2	466.7	<0.9	<0.9	<0.01	<0.01
1622953	Rock-Chip	4.16		502.7	26.4	476.3	<0.9	<0.9	<0.01	<0.01
1622954	Rock-Chip	3.70		472.0	22.9	449.1	<0.9	<0.9	<0.01	<0.01
1622955	Rock-Chip	3.99		498.7	20.4	478.3	<0.9	<0.9	<0.01	<0.01
1622956	Rock-Chip	3.48		480.1	14.2	465.9	<0.9	<0.9	<0.01	<0.01
1622957	Rock-Chip	4.01		494.8	2.6	492.2	<0.9	<0.9	<0.01	<0.01
1622958	Rock-Chip	4.66		485.0	21.8	463.2	<0.9	<0.9	<0.01	<0.01

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT: YVR2010888

Project Name: Sixtymile 2020
Job Received Date: 19-Oct-2020
Job Report Date: 05-Mar-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	MSC-530 total g 1.0	MSC-530 (+) g 1.0	MSC-530 (-) g 1.0	MSC-530 Total Au ppm 0.9	MSC-530 Au (+) ppm 0.9	MSC-530 Au (-) ppm 0.01	MSC-530 Au (-) D ppm 0.01
1622959	Rock-Chip	4.81		528.2	3.7	524.5	<0.9	<0.9	<0.01	<0.01
1622960	Rock-Chip	4.71		468.4	28.6	439.8	<0.9	<0.9	<0.01	<0.01
1622961	Rock-Chip	4.36		489.1	30.3	458.8	<0.9	<0.9	<0.01	<0.01
1622962	Rock-Chip	4.83		517.4	19.9	497.5	<0.9	<0.9	<0.01	<0.01
1622963	Rock-Chip	4.86		494.9	22.0	472.9	<0.9	<0.9	<0.01	<0.01
1622964	Rock-Chip	4.22		491.3	20.3	471.0	<0.9	<0.9	<0.01	<0.01
1622965	Rock-Chip	4.34		488.5	21.9	466.6	<0.9	<0.9	<0.01	<0.01
1622966	Rock-Chip	4.13		517.4	29.5	487.9	<0.9	<0.9	<0.01	<0.01
1622967	Rock-Chip	4.91		496.6	20.0	476.6	<0.9	<0.9	<0.01	<0.01
1622968	Rock-Chip	4.39		492.0	22.8	469.2	<0.9	<0.9	<0.01	<0.01
1622969	Rock-Chip	3.64		506.2	24.1	482.1	<0.9	<0.9	<0.01	<0.01
1622970	Rock-Chip	3.27		477.5	29.6	447.9	<0.9	<0.9	<0.01	<0.01
1622971	Rock-Chip	3.19		512.3	28.7	483.6	<0.9	<0.9	<0.01	<0.01
1622972	Rock-Chip	3.45		475.0	28.0	447.0	<0.9	<0.9	<0.01	<0.01
1622973	Rock-Chip	3.41		492.4	30.2	462.2	<0.9	<0.9	<0.01	<0.01
1622974	Rock-Chip	3.76		507.9	28.7	479.2	<0.9	<0.9	0.01	0.03
1622975	Rock-Chip	4.34		499.3	27.2	472.1	<0.9	<0.9	<0.01	<0.01
1622976	Rock-Chip	2.66		490.9	21.9	469.0	<0.9	<0.9	<0.01	0.01
1622977	Rock-Chip	3.06		503.1	30.4	472.7	<0.9	<0.9	<0.01	<0.01
1622978	Rock-Chip	3.09		512.3	28.2	484.1	<0.9	<0.9	<0.01	<0.01
1622979	Rock-Chip	2.91		524.7	30.8	493.9	<0.9	<0.9	<0.01	<0.01
1622980	Rock-Chip	3.02		471.5	29.7	441.8	<0.9	<0.9	<0.01	<0.01
1622981	Rock-Chip	4.24		506.8	23.6	483.2	<0.9	<0.9	<0.01	<0.01
1622982	Rock-Chip	2.98		489.6	30.0	459.6	<0.9	<0.9	<0.01	<0.01
1622983	Rock-Chip	3.65		494.3	20.2	474.1	<0.9	<0.9	<0.01	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT: YVR2010888

Project Name: Sixtymile 2020
Job Received Date: 19-Oct-2020
Job Report Date: 05-Mar-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	MSC-530 total g 1.0	MSC-530 (+) g 1.0	MSC-530 (-) g 1.0	MSC-530 Total Au ppm 0.9	MSC-530 Au (+) ppm 0.9	MSC-530 Au (-) ppm 0.01	MSC-530 Au (-) D ppm 0.01
1622984	Rock-Chip	3.29		513.0	28.0	485.0	<0.9	<0.9	<0.01	<0.01
1622985	Rock-Chip	3.19		480.0	28.0	452.0	<0.9	<0.9	<0.01	<0.01
1622986	Rock-Chip	3.43		490.5	24.6	465.9	<0.9	<0.9	<0.01	<0.01
1622987	Rock-Chip	2.81		473.2	29.8	443.4	<0.9	<0.9	<0.01	<0.01
1622988	Rock-Chip	3.46		475.8	24.5	451.3	<0.9	<0.9	<0.01	<0.01
1622989	Rock-Chip	3.39		501.7	26.2	475.5	<0.9	<0.9	<0.01	<0.01
1622990	Rock-Chip	2.81		500.5	25.5	475.0	<0.9	<0.9	<0.01	<0.01
1622991	Rock-Chip	2.69		519.7	24.3	495.4	<0.9	<0.9	<0.01	<0.01
1622992	Rock-Chip	2.89		494.9	19.1	475.8	<0.9	<0.9	<0.01	<0.01
1622993	Rock-Chip	2.85		462.0	19.1	442.9	<0.9	<0.9	<0.01	<0.01
1622994	Rock-Chip	4.12		503.8	20.2	483.6	<0.9	<0.9	<0.01	<0.01
1622995	Rock-Chip	3.57		500.4	28.8	471.6	<0.9	<0.9	<0.01	<0.01
1622996	Rock-Chip	3.60		517.7	26.1	491.6	<0.9	<0.9	<0.01	<0.01
1622997	Rock-Chip	3.39		489.0	23.2	465.8	<0.9	<0.9	<0.01	<0.01
1622998	Rock-Chip	3.75		486.5	30.6	455.9	<0.9	<0.9	<0.01	<0.01
1622999	Rock-Chip	3.45		460.4	27.6	432.8	<0.9	<0.9	<0.01	<0.01
1623000	Rock-Chip	3.77		479.3	28.0	451.3	<0.9	<0.9	<0.01	<0.01
1623001	Rock-Chip	3.40		493.2	26.3	466.9	<0.9	<0.9	<0.01	<0.01
STD BLANK									<0.01	<0.01
STD BLANK									<0.01	<0.01
STD BLANK									<0.01	<0.01
STD BLANK									<0.01	<0.01
STD BLANK							<0.9			

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Flow Metals Corp.**
810 - 789 West Pender Street
Vancouver, BC, V6C 1H2
Canada

TEST REPORT: YVR2010888

Project Name: Sixtymile 2020
Job Received Date: 19-Oct-2020
Job Report Date: 05-Mar-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	MSC-530 total g	MSC-530 (+) g	MSC-530 (-) g	MSC-530 Total Au ppm	MSC-530 Au (+) ppm	MSC-530 Au (-) ppm	MSC-530 Au (-) D ppm
STD BLANK		0.01	LOR	1.0	1.0	1.0	0.9	<0.9		
STD BLANK								<0.9		
STD BLANK								<0.9		
STD OxA147									0.08	0.08
STD OxB130									0.12	0.12
STD OxA147									0.08	0.08
STD OxA160									3.66	3.66
STD OxA115								25.5		
STD OxA155								7.8		
STD OxA115								25.5		
STD OxA155								7.8		