



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 05, 2020
Analysis Start: June 17, 2020
Report Date: June 25, 2020
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI20000041.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-03
P.O. Number
Number of Samples: 129

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	124	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			VAN
SLBHP	3	Sort, label and box pulps			WHI
FS631	129	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	129	Analysis sample split/packet			VAN
Split -150	129	Analysis sample split/packet			VAN
EN002	129	Environmental disposal charge-Fire assay lead waste			VAN
FS631	126	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	129	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	129	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2024851	Drill Core				2.73	542	0.009	<0.01	<0.17	28.74	0.6	19.9	10.1	67	0.2	15.5	9.0	525	2.17	2.4	0.5	6.9	8.4	19
2024852	Drill Core				2.79	470	0.776	0.98	4.32	26.65	0.9	18.2	5.4	75	0.6	15.8	10.7	653	2.20	2.7	0.7	1495.6	8.9	19
2024853	Drill Core				3.02	385	0.017	0.02	<0.17	30.74	1.1	17.7	10.6	70	0.3	13.1	9.2	914	1.86	1.5	0.7	7.2	7.8	15
2024854	Drill Core				2.87	455	<0.005	<0.01	<0.17	23.08	1.3	13.4	9.4	31	0.2	7.1	5.6	282	1.80	1.3	1.4	4.0	8.5	31
2024855	Drill Core				2.49	486	0.041	0.04	<0.17	25.23	0.9	25.0	9.8	77	0.3	15.3	10.8	408	1.93	3.5	3.6	33.8	7.8	23
2024856	Drill Core				2.52	485	0.008	<0.01	<0.17	35.99	1.0	18.1	25.3	75	0.3	10.4	5.1	377	1.96	7.5	5.5	6.9	9.4	47
2024857	Drill Core				1.84	537	0.015	0.01	<0.17	25.12	0.6	15.1	8.6	53	0.5	5.4	2.6	127	1.39	1.8	3.3	11.0	9.2	25
2024858	Drill Core				1.07	450	0.063	0.07	<0.17	29.40	0.7	17.4	14.4	64	0.3	8.8	4.8	341	2.01	2.0	3.4	90.6	6.6	33
2024859	Drill Core				4.05	414	0.141	0.13	<0.17	28.56	0.8	20.5	6.0	56	0.2	13.1	9.0	536	2.18	7.7	0.6	195.0	8.2	35
2024860	Core DUP					417	0.184	0.26	1.21	29.81	0.8	21.1	6.4	57	0.2	13.4	9.2	549	2.20	8.8	0.7	187.1	8.8	34
2024861	Drill Core				3.14	502	0.124	0.13	<0.17	28.75	3.0	17.0	18.0	71	0.2	13.6	8.4	739	2.44	2.2	0.7	143.5	8.3	60
2024862	Drill Core				3.22	412	0.007	<0.01	<0.17	28.97	1.1	17.1	9.7	85	0.2	15.2	8.4	606	2.97	5.7	0.7	4.5	8.4	35
2024863	Drill Core				2.81	407	<0.005	<0.01	<0.17	27.13	2.3	19.4	10.2	109	0.2	18.5	12.1	870	2.84	4.9	1.1	2.6	8.6	23
2024864	Drill Core				3.30	517	0.020	0.02	<0.17	37.46	2.5	22.0	7.5	97	0.3	18.0	10.9	550	3.12	7.3	5.0	13.7	8.3	53
2024865	Drill Core				3.17	442	0.007	<0.01	<0.17	32.20	1.2	24.3	7.9	110	0.2	19.9	10.9	354	3.11	10.9	3.0	3.6	9.3	19
2024866	Drill Core				2.86	401	<0.005	<0.01	<0.17	27.98	1.9	20.8	8.9	110	0.2	19.9	13.3	447	2.66	19.4	1.5	2.8	8.7	11
2024867	Drill Core				3.42	520	0.005	<0.01	<0.17	34.03	2.0	20.4	14.5	129	0.2	24.2	18.3	816	2.85	18.8	2.7	3.8	7.8	11
2024868	Drill Core				3.35	442	0.005	<0.01	<0.17	30.64	0.7	12.8	9.1	105	0.1	17.0	12.5	719	3.18	2.4	0.7	4.3	7.6	29
2024869	Drill Core				3.45	446	0.009	<0.01	<0.17	31.57	1.9	15.8	8.4	92	0.2	23.0	16.3	1026	2.78	2.2	0.7	3.9	7.0	49
2024870	Drill Core				2.98	375	0.009	<0.01	<0.17	31.89	3.0	18.4	17.9	81	0.2	23.1	11.9	558	3.06	1.8	1.0	6.3	8.2	44
2024871	Drill Core				3.51	453	0.014	0.01	<0.17	27.01	2.7	20.8	13.1	87	0.3	20.6	11.1	512	2.66	1.3	1.1	13.6	8.3	44
2024872	Drill Core				2.83	406	0.130	0.12	<0.17	32.94	1.2	27.4	5.3	115	0.3	20.1	9.3	466	2.28	3.5	5.2	70.4	9.2	18
2024873	Drill Core				3.05	462	0.061	0.06	<0.17	28.64	1.4	22.5	10.1	107	0.2	17.2	7.2	350	2.67	2.9	1.7	21.7	9.2	32
2024874	Drill Core				2.63	496	0.006	<0.01	<0.17	27.03	0.6	16.7	22.8	105	0.2	25.1	15.9	863	2.14	2.2	1.3	4.2	7.9	58
2024875	Drill Core				3.30	438	0.008	<0.01	<0.17	27.65	3.2	20.3	9.3	87	0.2	23.9	11.8	598	2.81	1.9	0.6	9.5	8.5	54
2024876	Drill Core				2.56	462	0.010	0.01	<0.17	27.85	2.0	21.3	6.5	79	0.2	18.2	8.3	442	2.51	2.1	0.8	6.1	8.8	27
2024877	Drill Core				3.27	448	0.015	0.01	<0.17	28.85	1.6	16.1	5.5	66	0.2	15.3	8.5	561	2.36	2.0	1.5	15.7	7.8	53
2024878	Drill Core				3.18	449	0.007	<0.01	<0.17	33.11	0.7	17.8	4.7	68	0.2	16.4	8.7	594	2.31	2.1	1.2	5.2	7.8	54
2024879	Drill Core				3.15	433	0.272	0.28	0.42	28.39	2.3	22.1	3.0	92	0.2	31.1	16.9	757	3.11	3.2	0.9	239.6	8.0	24
2024880	Rock				0.23	80	<0.005	<0.01	<0.17	28.34	2.8	3.5	3.7	13	<0.1	4.0	0.9	302	2.69	1.6	0.2	<0.5	1.1	1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2024851	Drill Core	0.6	0.3	<0.1	9	0.42	0.061	18	14	0.31	204	0.013	2	0.75	0.025	0.25	0.2	<0.01	2.3	<0.1	0.15
2024852	Drill Core	0.6	0.7	<0.1	11	0.25	0.057	18	17	0.41	188	0.045	1	0.76	0.043	0.30	0.5	<0.01	2.4	0.1	0.07
2024853	Drill Core	0.6	0.7	0.1	8	0.22	0.056	16	16	0.44	213	0.034	1	0.73	0.039	0.26	0.5	<0.01	1.8	<0.1	0.07
2024854	Drill Core	0.3	0.4	<0.1	4	0.08	0.042	16	8	0.13	339	0.012	1	0.44	0.063	0.27	0.2	0.01	1.1	<0.1	0.20
2024855	Drill Core	0.6	0.5	<0.1	8	0.15	0.060	16	12	0.24	258	0.009	1	0.76	0.035	0.32	0.2	0.01	1.7	0.1	0.09
2024856	Drill Core	0.6	0.4	0.2	7	0.15	0.053	24	14	0.26	228	0.004	<1	0.73	0.032	0.30	0.2	<0.01	1.6	0.1	0.06
2024857	Drill Core	0.3	0.6	<0.1	4	0.12	0.044	21	8	0.18	214	0.003	<1	0.51	0.025	0.26	<0.1	<0.01	1.1	<0.1	0.05
2024858	Drill Core	0.4	0.6	0.1	6	0.41	0.045	15	14	0.29	241	0.009	<1	0.64	0.026	0.26	0.2	0.01	1.6	<0.1	0.14
2024859	Drill Core	0.3	0.4	<0.1	11	0.89	0.064	14	18	0.40	359	0.031	2	0.80	0.038	0.30	0.6	<0.01	2.6	<0.1	0.59
2024860	Core DUP	0.3	0.4	<0.1	11	0.93	0.064	14	17	0.40	295	0.030	1	0.80	0.035	0.29	0.6	<0.01	2.6	0.1	0.61
2024861	Drill Core	0.5	0.3	0.1	9	2.46	0.059	9	15	0.74	147	0.030	1	0.84	0.024	0.26	0.4	0.02	2.4	0.1	0.96
2024862	Drill Core	0.4	0.3	<0.1	11	1.28	0.058	12	20	0.73	192	0.020	2	1.13	0.035	0.25	0.2	0.02	2.7	<0.1	0.67
2024863	Drill Core	0.9	0.3	<0.1	14	0.62	0.060	16	23	0.88	181	0.022	1	1.30	0.034	0.20	0.2	0.05	2.7	<0.1	0.34
2024864	Drill Core	0.7	0.6	<0.1	16	0.31	0.062	19	26	0.61	162	0.018	1	1.14	0.054	0.20	0.2	0.02	3.1	<0.1	0.32
2024865	Drill Core	0.3	0.7	<0.1	16	0.25	0.065	19	61	0.62	209	0.024	1	1.21	0.041	0.22	0.2	0.02	3.2	<0.1	0.18
2024866	Drill Core	0.5	1.0	<0.1	12	0.23	0.060	18	21	0.52	176	0.029	1	1.02	0.040	0.18	0.2	0.02	2.6	<0.1	0.14
2024867	Drill Core	1.2	0.9	0.1	13	0.36	0.063	13	23	0.78	160	0.026	2	1.33	0.033	0.20	0.2	0.03	2.9	<0.1	0.39
2024868	Drill Core	0.7	0.6	<0.1	17	1.59	0.065	11	68	1.19	196	0.024	2	1.69	0.035	0.26	0.2	0.02	3.3	<0.1	0.62
2024869	Drill Core	1.0	0.4	<0.1	14	2.32	0.053	8	120	1.31	144	0.013	1	1.57	0.017	0.20	0.1	0.05	2.8	<0.1	0.46
2024870	Drill Core	0.3	0.7	<0.1	13	2.01	0.052	7	101	1.28	167	0.005	2	1.57	0.031	0.29	<0.1	0.02	2.6	<0.1	1.44
2024871	Drill Core	0.3	0.5	<0.1	10	1.93	0.048	7	67	1.22	165	0.004	1	1.35	0.027	0.21	<0.1	0.02	2.1	<0.1	1.28
2024872	Drill Core	1.0	0.9	<0.1	7	0.37	0.052	13	14	0.58	250	0.012	2	1.14	0.018	0.26	0.7	0.02	1.7	<0.1	0.30
2024873	Drill Core	0.5	0.6	<0.1	9	0.24	0.053	16	17	0.68	168	0.024	2	1.16	0.025	0.23	0.3	0.03	2.2	<0.1	0.12
2024874	Drill Core	1.0	0.9	<0.1	8	0.33	0.047	13	15	0.76	139	0.040	2	1.07	0.014	0.19	0.3	0.01	2.0	0.1	0.14
2024875	Drill Core	0.6	0.5	<0.1	13	1.54	0.051	9	92	1.25	147	0.027	1	1.27	0.025	0.25	0.3	0.01	2.7	<0.1	0.82
2024876	Drill Core	0.8	0.6	<0.1	8	0.88	0.052	10	15	0.85	148	0.027	1	0.98	0.027	0.26	0.3	0.02	1.9	<0.1	0.89
2024877	Drill Core	0.3	0.5	<0.1	8	2.39	0.052	7	17	0.98	121	0.026	1	0.98	0.018	0.35	0.3	0.01	2.0	0.1	1.16
2024878	Drill Core	0.5	0.7	<0.1	9	2.40	0.050	7	50	1.16	118	0.030	2	1.12	0.014	0.41	0.3	0.01	2.3	0.2	0.69
2024879	Drill Core	0.9	0.9	<0.1	13	0.89	0.058	8	116	1.18	144	0.029	2	1.22	0.019	0.36	0.3	0.03	2.7	0.2	0.88
2024880	Rock	<0.1	0.2	<0.1	2	0.02	0.004	2	19	0.03	16	0.002	1	0.11	0.004	0.02	<0.1	<0.01	0.2	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

	Method Analyte	Unit	AQ201	AQ201	AQ201
			Ga	Se	Te
			ppm	ppm	ppm
			1	0.5	0.2
2024851	Drill Core		3	0.5	<0.2
2024852	Drill Core		3	<0.5	<0.2
2024853	Drill Core		3	<0.5	<0.2
2024854	Drill Core		2	<0.5	<0.2
2024855	Drill Core		2	0.6	<0.2
2024856	Drill Core		3	<0.5	<0.2
2024857	Drill Core		2	<0.5	<0.2
2024858	Drill Core		2	<0.5	<0.2
2024859	Drill Core		3	0.6	<0.2
2024860	Core DUP		3	0.6	<0.2
2024861	Drill Core		3	0.5	<0.2
2024862	Drill Core		4	0.5	<0.2
2024863	Drill Core		4	0.6	<0.2
2024864	Drill Core		5	0.6	<0.2
2024865	Drill Core		4	<0.5	<0.2
2024866	Drill Core		4	<0.5	<0.2
2024867	Drill Core		4	0.7	<0.2
2024868	Drill Core		5	<0.5	<0.2
2024869	Drill Core		4	<0.5	<0.2
2024870	Drill Core		4	0.9	<0.2
2024871	Drill Core		4	0.7	<0.2
2024872	Drill Core		3	0.7	<0.2
2024873	Drill Core		3	<0.5	<0.2
2024874	Drill Core		3	<0.5	<0.2
2024875	Drill Core		4	0.6	<0.2
2024876	Drill Core		3	0.5	<0.2
2024877	Drill Core		3	0.7	<0.2
2024878	Drill Core		3	<0.5	<0.2
2024879	Drill Core		3	<0.5	<0.2
2024880	Rock		<1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2024881	Drill Core				3.13	504	<0.005	<0.01	<0.17	30.63	2.4	17.9	8.0	61	0.2	24.7	13.3	541	3.04	2.5	1.1	4.9	7.8	35
2024882	Drill Core				3.35	531	<0.005	<0.01	<0.17	31.77	5.0	7.3	23.3	96	0.2	28.4	14.7	771	3.49	3.8	5.3	4.2	7.0	45
2024883	Drill Core				3.55	483	0.043	0.04	<0.17	34.92	1.0	15.2	7.2	72	0.2	13.6	7.7	438	2.48	2.3	1.8	59.0	9.6	16
2024884	Drill Core				4.05	528	0.012	0.03	0.27	29.71	4.2	20.9	14.2	104	0.2	32.1	17.4	605	3.11	3.0	0.6	11.1	7.6	38
2024885	Drill Core				3.00	393	<0.005	<0.01	<0.17	26.74	3.5	12.9	12.6	68	0.2	14.3	8.5	600	2.61	2.7	0.6	3.0	8.6	34
2024886	Drill Core				3.39	383	<0.005	<0.01	<0.17	30.71	2.0	14.6	11.8	101	0.2	18.1	10.2	738	2.90	2.5	0.8	4.7	8.8	24
2024887	Drill Core				3.26	460	0.029	0.03	<0.17	30.09	0.5	13.3	9.0	99	0.1	12.1	9.0	547	3.01	3.0	0.6	8.4	7.6	25
2024888	Drill Core				3.23	416	0.006	<0.01	<0.17	24.35	1.0	13.7	5.7	92	0.1	12.4	8.1	421	2.71	2.3	0.6	2.7	7.8	24
2024889	Drill Core				3.29	450	0.008	<0.01	<0.17	31.03	0.8	17.0	6.1	82	0.1	12.3	7.4	346	2.60	2.2	1.4	2.7	9.0	19
2024890	Drill Core				2.96	492	0.006	<0.01	<0.17	27.09	3.0	15.8	18.8	61	0.2	17.0	8.5	371	3.00	3.5	3.0	3.7	8.5	22
2024891	Drill Core				3.46	501	0.008	<0.01	<0.17	27.47	3.8	24.4	12.4	114	0.2	27.9	13.1	796	3.48	2.5	1.8	5.3	9.2	24
2024892	Drill Core				3.15	532	0.005	<0.01	<0.17	31.28	1.4	12.7	8.2	104	0.1	15.0	8.7	584	3.12	2.4	1.3	2.3	8.2	34
2024893	Drill Core				3.29	539	0.011	0.01	<0.17	25.90	0.8	14.8	5.9	98	0.1	13.1	8.7	639	2.95	3.7	0.6	4.7	7.9	44
2024894	Drill Core				3.65	444	0.007	<0.01	<0.17	29.00	1.9	15.3	6.1	98	0.1	15.6	9.2	584	2.83	2.9	1.0	2.1	8.7	36
2024895	Drill Core				3.39	487	0.063	0.18	1.76	33.45	1.9	16.3	3.1	78	0.1	11.7	7.2	502	2.48	2.6	1.0	122.7	7.9	42
2024896	Drill Core				3.73	548	0.032	0.03	<0.17	26.46	0.8	19.5	4.6	60	0.1	15.9	8.5	404	2.41	1.5	1.2	16.7	7.4	32
2024897	Drill Core				3.28	382	0.009	<0.01	<0.17	30.09	1.0	20.6	2.8	61	0.2	14.6	8.1	455	2.20	1.1	1.4	4.3	7.5	37
2024898	Drill Core				3.43	515	0.016	0.01	<0.17	29.06	0.7	28.1	5.0	82	0.3	16.5	8.9	433	2.06	2.4	0.8	12.0	8.5	33
2024899	Drill Core				3.38	521	0.147	0.18	0.92	25.10	0.9	21.6	5.5	99	0.2	16.4	9.3	486	1.98	1.8	1.7	34.2	8.6	21
2024900	Rock Pulp				0.12	80	7.757				9.5	185.6	19.0	78	0.9	14.0	10.8	580	4.75	14.1	0.9	6744.5	2.7	68
2024901	Drill Core				3.05	457	5.744	8.04	43.32	27.98	0.6	32.2	6.5	105	3.3	15.6	6.8	462	2.21	2.1	5.9	8497.4	8.0	32
2024902	Drill Core				3.64	522	2.024	2.06	2.68	31.77	4.0	27.7	6.3	115	1.1	20.1	12.0	613	2.30	1.3	0.8	1773.1	7.0	34
2024903	Drill Core				2.29	509	1.507	3.09	25.95	33.03	1.9	50.6	12.4	356	1.2	19.1	12.3	550	3.43	2.1	3.1	2010.5	6.5	36
2024904	Drill Core				2.74	530	0.339	0.49	3.81	23.61	2.3	39.0	95.8	374	0.6	15.8	9.6	479	3.33	1.3	2.3	235.5	6.2	34
2024905	Drill Core				3.77	441	0.233	0.24	0.43	23.15	1.2	18.1	3.6	157	0.3	22.4	12.6	750	2.70	0.7	1.0	79.9	6.8	78
2024906	Drill Core				2.87	499	0.007	<0.01	<0.17	22.73	1.8	22.8	5.5	443	0.2	17.5	7.0	526	1.99	0.9	2.5	1.4	8.0	54
2024907	Drill Core				3.03	533	0.008	<0.01	<0.17	22.80	3.2	61.4	653.0	651	1.2	15.1	14.6	1690	2.13	19.9	3.7	31.7	8.2	24
2024908	Drill Core				2.74	439	<0.005	<0.01	<0.17	28.68	1.6	28.6	96.0	435	0.3	10.2	4.3	347	2.07	2.4	3.2	2.0	9.1	11
2024909	Drill Core				3.14	400	0.023	0.02	<0.17	29.84	2.1	47.1	250.9	322	0.6	6.0	2.7	363	1.66	22.6	3.0	23.1	11.3	15
2024910	Drill Core				2.19	422	0.031	0.03	<0.17	28.51	4.4	112.9	976.3	402	18.2	10.8	27.7	3565	1.23	26.8	3.5	99.0	12.5	11



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2024881	Drill Core	0.4	0.8	<0.1	11	1.52	0.052	7	86	0.93	127	0.031	1	0.96	0.016	0.23	0.3	0.06	2.2	<0.1	1.49			
2024882	Drill Core	0.6	1.6	0.2	18	0.48	0.056	11	150	0.90	173	0.071	2	1.12	0.020	0.20	0.4	0.04	3.0	0.1	0.46			
2024883	Drill Core	0.4	0.8	<0.1	8	0.45	0.053	11	14	0.62	164	0.029	1	0.77	0.028	0.27	0.3	0.04	1.9	0.1	0.98			
2024884	Drill Core	0.4	0.6	0.1	16	1.90	0.055	6	203	1.40	110	0.034	1	1.30	0.020	0.26	0.3	0.09	2.7	0.1	1.31			
2024885	Drill Core	0.3	0.7	<0.1	10	1.50	0.049	8	43	1.04	153	0.028	2	1.04	0.029	0.26	0.3	0.03	2.1	0.1	1.13			
2024886	Drill Core	0.7	0.7	<0.1	11	0.99	0.055	9	51	0.97	172	0.037	2	1.10	0.029	0.26	0.4	0.03	2.3	0.1	1.11			
2024887	Drill Core	0.6	0.6	<0.1	13	1.26	0.062	9	24	0.76	134	0.029	1	1.04	0.035	0.19	0.3	0.03	2.7	<0.1	1.43			
2024888	Drill Core	0.2	0.6	<0.1	10	1.07	0.060	9	27	0.92	184	0.028	2	1.18	0.031	0.25	0.3	0.09	2.2	<0.1	1.00			
2024889	Drill Core	0.3	0.6	<0.1	7	0.93	0.053	9	12	0.72	143	0.029	1	0.95	0.031	0.20	0.3	0.11	1.6	<0.1	1.46			
2024890	Drill Core	0.4	1.3	0.1	10	0.59	0.053	8	45	0.62	143	0.059	2	0.92	0.022	0.20	0.5	0.08	2.0	<0.1	1.48			
2024891	Drill Core	1.8	1.1	<0.1	9	0.77	0.054	8	38	0.71	141	0.021	2	0.91	0.024	0.23	0.3	0.09	2.0	<0.1	2.03			
2024892	Drill Core	0.8	1.0	0.1	12	1.40	0.059	8	39	0.88	126	0.021	1	1.13	0.037	0.17	0.3	0.07	2.7	<0.1	1.48			
2024893	Drill Core	0.6	0.6	<0.1	14	1.92	0.065	9	23	1.01	170	0.016	2	1.34	0.033	0.20	0.2	0.01	3.1	<0.1	0.92			
2024894	Drill Core	0.6	0.8	<0.1	12	1.19	0.055	10	37	0.98	189	0.028	2	1.16	0.035	0.23	0.4	0.03	2.7	<0.1	1.10			
2024895	Drill Core	0.4	1.0	<0.1	7	1.67	0.051	7	11	0.77	146	0.023	2	0.83	0.029	0.26	0.4	0.03	1.9	0.1	1.46			
2024896	Drill Core	0.4	0.9	<0.1	7	1.33	0.049	8	12	0.64	151	0.025	1	0.75	0.028	0.26	0.3	0.03	1.7	<0.1	1.57			
2024897	Drill Core	0.3	0.7	<0.1	9	1.54	0.049	10	14	0.69	187	0.029	1	0.87	0.039	0.27	0.5	0.03	2.0	<0.1	1.13			
2024898	Drill Core	0.6	0.8	<0.1	14	1.16	0.054	12	19	0.72	124	0.044	1	0.89	0.028	0.19	0.7	0.03	2.4	<0.1	0.75			
2024899	Drill Core	0.7	1.5	<0.1	14	0.53	0.052	12	19	0.59	129	0.043	1	0.89	0.025	0.19	0.6	0.01	2.4	<0.1	0.49			
2024900	Rock Pulp	0.2	5.1	0.6	111	0.91	0.058	8	18	0.86	117	0.121	2	1.73	0.177	0.23	4.1	0.19	3.3	<0.1	<0.05			
2024901	Drill Core	1.8	2.5	<0.1	16	0.35	0.061	13	27	0.60	233	0.054	1	0.97	0.032	0.21	0.7	0.08	2.8	<0.1	0.46			
2024902	Drill Core	1.9	1.0	<0.1	12	1.06	0.054	11	26	0.78	148	0.027	1	0.84	0.025	0.18	0.5	0.02	2.0	<0.1	1.28			
2024903	Drill Core	9.1	1.1	<0.1	23	0.26	0.066	18	97	0.99	490	0.020	1	1.22	0.029	0.31	0.3	0.03	3.8	0.1	0.54			
2024904	Drill Core	2.8	1.0	<0.1	19	0.31	0.063	14	70	0.85	427	0.013	<1	1.06	0.026	0.23	0.3	0.03	2.5	<0.1	0.52			
2024905	Drill Core	2.3	1.1	<0.1	16	1.99	0.055	10	56	1.25	96	0.019	1	1.23	0.016	0.22	0.3	0.02	2.5	<0.1	1.29			
2024906	Drill Core	4.0	1.0	<0.1	10	0.62	0.046	16	17	0.77	840	0.012	1	1.07	0.015	0.25	0.2	0.01	1.9	0.1	0.29			
2024907	Drill Core	5.5	1.5	<0.1	8	0.13	0.045	19	16	0.39	947	0.002	<1	0.90	0.014	0.25	0.2	0.02	1.9	0.2	0.08			
2024908	Drill Core	2.1	0.5	<0.1	8	0.10	0.045	19	15	0.47	428	0.003	<1	0.89	0.022	0.30	0.3	0.04	1.9	0.1	0.07			
2024909	Drill Core	1.6	1.9	0.2	3	0.10	0.040	18	10	0.34	650	0.001	<1	0.73	0.011	0.33	0.2	0.02	0.9	0.1	0.09			
2024910	Drill Core	5.0	3.0	0.3	1	0.08	0.017	21	7	0.07	319	<0.001	<1	0.61	0.003	0.26	82.9	0.04	0.5	0.2	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

	Method Analyte	Unit	AQ201	AQ201	AQ201
			Ga	Se	Te
			ppm	ppm	ppm
			1	0.5	0.2
2024881	Drill Core		3	0.6	<0.2
2024882	Drill Core		4	<0.5	<0.2
2024883	Drill Core		3	0.5	<0.2
2024884	Drill Core		4	0.6	<0.2
2024885	Drill Core		3	<0.5	<0.2
2024886	Drill Core		3	<0.5	<0.2
2024887	Drill Core		4	<0.5	<0.2
2024888	Drill Core		4	<0.5	<0.2
2024889	Drill Core		3	<0.5	<0.2
2024890	Drill Core		3	0.6	<0.2
2024891	Drill Core		2	0.7	<0.2
2024892	Drill Core		4	<0.5	<0.2
2024893	Drill Core		4	<0.5	<0.2
2024894	Drill Core		4	<0.5	<0.2
2024895	Drill Core		3	<0.5	<0.2
2024896	Drill Core		2	0.6	<0.2
2024897	Drill Core		3	0.6	<0.2
2024898	Drill Core		4	0.7	<0.2
2024899	Drill Core		4	0.7	<0.2
2024900	Rock Pulp		5	<0.5	0.2
2024901	Drill Core		4	0.6	0.7
2024902	Drill Core		3	0.6	0.3
2024903	Drill Core		5	0.9	0.2
2024904	Drill Core		4	<0.5	<0.2
2024905	Drill Core		5	<0.5	<0.2
2024906	Drill Core		4	<0.5	<0.2
2024907	Drill Core		3	0.5	<0.2
2024908	Drill Core		3	<0.5	<0.2
2024909	Drill Core		3	0.6	<0.2
2024910	Drill Core		2	0.8	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2024911	Drill Core	2.22	355	0.064	0.06	<0.17	28.79	1.5	39.7	404.5	256	1.4	4.1	9.4	2183	1.00	9.3	1.5	48.3	11.1	4
2024912	Drill Core	3.56	376	0.038	0.04	<0.17	24.03	3.0	37.6	481.1	179	3.5	4.4	8.4	943	1.23	11.4	1.7	12.5	12.0	22
2024913	Drill Core	2.93	458	0.832	1.28	8.29	27.76	0.5	13.3	9.0	21	1.0	3.3	2.0	134	1.29	1.5	2.5	837.5	7.6	37
2024914	Drill Core	2.99	363	0.008	<0.01	<0.17	29.88	0.8	12.9	16.5	17	0.2	4.7	5.6	125	1.20	1.7	1.2	3.3	9.0	30
2024915	Drill Core	2.78	204	0.503	0.52	0.68	20.65	0.5	14.7	6.4	24	0.5	4.2	4.5	147	1.21	2.0	1.2	1045.3	8.6	43
2024916	Drill Core	2.78	405	0.167	0.18	0.30	30.27	0.5	12.1	11.3	18	0.2	4.2	4.7	103	1.12	1.8	1.0	129.3	8.2	69
2024917	Drill Core	3.18	383	0.009	<0.01	<0.17	31.32	0.6	11.0	6.8	22	0.1	3.6	2.3	147	1.32	1.9	1.8	7.7	9.7	31
2024918	Drill Core	2.01	411	0.005	<0.01	<0.17	31.84	0.9	12.1	9.4	21	0.2	3.6	2.4	132	1.35	3.1	1.6	2.7	9.2	53
2024919	Drill Core	3.78	537	0.125	0.12	<0.17	27.01	0.8	9.8	19.0	23	0.2	2.9	1.1	137	1.52	8.4	2.0	94.1	7.4	46
2024920	Rock Pulp	0.12	81	0.546				6.5	110.3	80.6	148	0.7	11.2	4.8	605	2.54	43.4	0.4	511.0	2.1	35
2024921	Drill Core	3.01	461	0.027	0.03	<0.17	33.49	0.6	13.7	15.3	46	0.2	7.1	4.9	177	1.87	31.2	2.9	31.8	8.5	51
2024922	Drill Core	3.10	449	1.053	1.32	4.57	33.68	0.7	18.5	4.7	46	0.7	8.0	6.2	200	2.24	9.8	2.7	1323.8	7.6	55
2024923	Drill Core	1.98	457	1.053	1.39	7.05	25.55	0.7	24.2	4.6	62	0.7	8.3	4.0	238	2.86	17.2	3.6	698.3	8.1	73
2024924	Drill Core	2.06	410	0.014	0.01	<0.17	23.25	0.5	11.2	6.6	41	0.2	6.0	4.9	174	1.91	7.6	1.8	23.4	9.4	47
2024925	Drill Core	3.79	475	0.461	0.96	9.70	25.68	0.6	13.4	6.0	19	0.7	3.7	2.8	120	1.76	2.9	1.7	412.7	7.7	40
2024926	Drill Core	3.32	428	0.349	0.40	1.13	29.99	0.7	15.8	4.6	37	0.3	9.1	8.7	449	1.70	1.8	0.7	306.3	7.8	43
2024927	Drill Core	3.28	451	0.641	0.71	1.45	35.80	0.6	13.4	4.3	35	0.3	6.8	5.8	490	1.51	1.9	0.8	481.6	8.3	78
2024928	Drill Core	2.93	394	0.486	0.67	2.52	35.30	0.3	12.2	5.9	51	0.2	7.2	6.7	571	1.55	2.6	0.6	358.2	7.9	49
2024929	Drill Core	2.04	447	0.477	0.47	0.41	26.53	0.5	16.7	2.9	44	0.3	9.8	8.5	525	1.75	3.4	1.0	508.1	8.2	42
2024930	Drill Core	3.25	394	7.631	17.95	182.64	23.21	0.5	79.4	8.6	31	5.5	5.7	4.7	250	2.06	2.7	2.3	16362.4	7.3	43
2024931	Drill Core	2.47	442	1.604	2.78	17.32	33.09	1.9	22.4	5.7	56	1.2	11.5	8.3	515	2.28	6.2	0.9	2617.0	6.8	53
2024932	Drill Core	1.78	390	3.581	7.76	75.50	22.69	7.1	23.7	4.8	20	2.5	3.7	2.1	150	2.07	3.2	2.7	7257.3	8.1	67
2024933	Drill Core	3.03	394	1.339	1.78	8.27	24.79	8.1	17.7	5.5	25	0.8	5.2	3.0	165	1.95	2.9	1.6	1489.0	8.1	51
2024934	Drill Core	3.01	396	0.062	0.08	0.30	29.79	0.8	11.4	3.7	35	0.1	8.0	6.8	495	1.43	2.6	0.3	83.7	8.3	28
2024935	Drill Core	3.03	549	0.101	0.11	0.22	27.78	0.5	21.0	5.6	27	1.6	7.8	5.7	347	1.67	2.4	0.7	2872.3	8.6	26
2024936	Drill Core	2.92	490	3.701	4.24	12.50	29.92	0.4	21.0	5.5	26	1.7	7.6	5.6	345	1.66	2.7	0.7	3526.2	8.2	26
2024937	Drill Core	2.54	501	1.591	1.75	4.90	24.67	0.5	27.3	29.9	44	1.6	7.2	6.1	539	1.65	10.8	0.6	1505.2	5.3	61
2024938	Drill Core	2.73	400	0.175	0.34	2.75	26.15	0.4	12.3	23.3	23	0.3	6.2	6.0	459	1.78	2.7	1.2	229.2	6.7	73
2024939	Drill Core	2.83	507	0.078	0.08	<0.17	37.51	0.3	13.3	9.3	27	0.1	5.6	6.9	481	1.69	2.9	0.7	98.6	7.5	61
2024940	Rock Pulp	0.14	82	<0.005				3.6	19.5	0.9	31	<0.1	6.6	3.9	574	2.38	1.6	0.4	10.1	2.1	31



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2024911	Drill Core	2.4	1.1	0.4	<1	0.02	0.007	18	5	0.07	330	<0.001	<1	0.56	0.010	0.25	1.4	0.02	0.2	0.1	<0.05			
2024912	Drill Core	2.0	1.3	0.1	2	0.04	0.018	20	11	0.06	668	<0.001	<1	0.42	0.024	0.27	11.9	0.03	0.4	0.1	0.14			
2024913	Drill Core	<0.1	0.4	<0.1	5	0.08	0.045	14	12	0.14	1215	0.016	<1	0.44	0.051	0.30	0.4	<0.01	1.3	<0.1	0.16			
2024914	Drill Core	<0.1	0.4	<0.1	4	0.08	0.044	17	9	0.11	764	0.012	<1	0.48	0.048	0.35	0.2	<0.01	1.1	<0.1	<0.05			
2024915	Drill Core	<0.1	0.4	<0.1	6	0.13	0.046	16	12	0.18	993	0.016	<1	0.49	0.071	0.28	0.3	<0.01	1.6	<0.1	0.07			
2024916	Drill Core	<0.1	0.5	<0.1	4	0.07	0.043	15	10	0.13	1862	0.011	<1	0.41	0.055	0.27	0.2	<0.01	1.3	<0.1	0.09			
2024917	Drill Core	<0.1	0.5	<0.1	7	0.13	0.049	17	15	0.19	710	0.025	<1	0.56	0.070	0.34	0.4	<0.01	1.8	0.1	0.12			
2024918	Drill Core	<0.1	0.7	<0.1	6	0.11	0.048	16	12	0.16	677	0.026	<1	0.48	0.043	0.32	0.4	<0.01	2.0	<0.1	0.20			
2024919	Drill Core	0.1	0.5	<0.1	7	0.12	0.042	14	13	0.18	811	0.023	<1	0.44	0.046	0.34	0.5	<0.01	2.3	0.1	0.25			
2024920	Rock Pulp	0.6	2.7	0.1	29	0.82	0.036	5	22	0.51	88	0.073	8	1.19	0.122	0.13	4.5	0.12	3.4	0.2	0.09			
2024921	Drill Core	0.2	0.7	0.1	8	0.14	0.060	13	13	0.30	378	0.036	2	0.70	0.039	0.32	0.5	<0.01	2.4	<0.1	0.18			
2024922	Drill Core	<0.1	1.0	<0.1	9	0.11	0.070	12	18	0.34	334	0.044	<1	0.61	0.036	0.29	0.6	0.04	2.6	0.1	0.26			
2024923	Drill Core	<0.1	1.1	<0.1	14	0.14	0.068	13	55	0.42	237	0.045	<1	0.84	0.044	0.35	0.6	0.03	3.1	0.1	0.31			
2024924	Drill Core	<0.1	0.5	<0.1	8	0.12	0.051	15	14	0.29	255	0.029	1	0.64	0.041	0.34	0.5	<0.01	2.3	0.1	0.18			
2024925	Drill Core	<0.1	0.4	<0.1	6	0.06	0.039	14	9	0.16	445	0.015	1	0.40	0.045	0.34	2.4	<0.01	1.9	0.1	0.27			
2024926	Drill Core	0.4	0.4	<0.1	6	0.67	0.056	12	10	0.32	399	0.013	1	0.55	0.030	0.37	0.3	<0.01	1.7	0.1	0.53			
2024927	Drill Core	0.5	0.4	<0.1	5	1.10	0.046	12	9	0.43	463	0.009	1	0.58	0.030	0.35	0.2	<0.01	1.5	0.1	0.50			
2024928	Drill Core	0.8	0.7	<0.1	6	0.72	0.047	12	10	0.46	474	0.017	<1	0.57	0.040	0.29	0.4	<0.01	1.5	<0.1	0.35			
2024929	Drill Core	0.7	0.9	<0.1	7	0.54	0.047	13	13	0.37	527	0.027	<1	0.61	0.049	0.33	0.5	<0.01	1.8	0.1	0.34			
2024930	Drill Core	0.3	1.3	<0.1	7	0.22	0.047	13	12	0.24	392	0.018	<1	0.52	0.052	0.33	0.4	<0.01	2.4	0.1	0.50			
2024931	Drill Core	0.5	0.7	<0.1	7	0.77	0.054	9	26	0.38	219	0.020	<1	0.55	0.044	0.28	1.8	0.02	2.2	0.1	0.70			
2024932	Drill Core	0.1	2.3	<0.1	7	0.12	0.065	14	17	0.18	403	0.026	<1	0.37	0.081	0.24	0.4	<0.01	2.9	<0.1	0.41			
2024933	Drill Core	0.1	1.3	<0.1	7	0.23	0.056	15	13	0.22	439	0.019	<1	0.50	0.063	0.35	0.4	<0.01	2.6	<0.1	0.45			
2024934	Drill Core	0.4	0.8	<0.1	7	0.69	0.046	13	11	0.38	222	0.021	<1	0.58	0.042	0.35	0.5	<0.01	1.8	0.1	0.34			
2024935	Drill Core	0.3	2.1	<0.1	5	0.37	0.051	12	11	0.29	452	0.021	<1	0.43	0.055	0.22	0.4	<0.01	2.0	<0.1	0.40			
2024936	Drill Core	0.3	1.9	<0.1	5	0.36	0.053	12	12	0.29	550	0.021	<1	0.42	0.051	0.22	0.4	<0.01	2.0	<0.1	0.40			
2024937	Drill Core	0.3	2.6	<0.1	5	0.94	0.060	7	8	0.38	264	0.007	<1	0.51	0.020	0.30	0.3	0.02	1.6	0.1	0.56			
2024938	Drill Core	0.3	1.1	0.3	6	1.12	0.049	8	9	0.36	136	0.008	<1	0.53	0.038	0.35	0.2	<0.01	1.8	0.2	0.96			
2024939	Drill Core	0.4	0.9	<0.1	6	1.29	0.050	9	9	0.37	220	0.009	<1	0.56	0.038	0.36	0.2	<0.01	2.1	0.1	0.75			
2024940	Rock Pulp	<0.1	0.1	<0.1	22	0.75	0.037	5	14	0.49	59	0.071	2	1.06	0.091	0.10	0.3	<0.01	3.4	<0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2024911	Drill Core	2	<0.5	0.6
2024912	Drill Core	2	<0.5	<0.2
2024913	Drill Core	2	<0.5	0.4
2024914	Drill Core	2	<0.5	<0.2
2024915	Drill Core	2	<0.5	<0.2
2024916	Drill Core	2	<0.5	<0.2
2024917	Drill Core	3	<0.5	<0.2
2024918	Drill Core	2	<0.5	<0.2
2024919	Drill Core	2	<0.5	<0.2
2024920	Rock Pulp	5	<0.5	<0.2
2024921	Drill Core	2	<0.5	<0.2
2024922	Drill Core	2	<0.5	<0.2
2024923	Drill Core	4	0.5	<0.2
2024924	Drill Core	2	<0.5	<0.2
2024925	Drill Core	2	<0.5	<0.2
2024926	Drill Core	2	<0.5	<0.2
2024927	Drill Core	2	<0.5	<0.2
2024928	Drill Core	2	<0.5	<0.2
2024929	Drill Core	2	<0.5	<0.2
2024930	Drill Core	2	<0.5	1.1
2024931	Drill Core	2	<0.5	0.3
2024932	Drill Core	2	0.7	0.6
2024933	Drill Core	2	<0.5	0.2
2024934	Drill Core	2	<0.5	<0.2
2024935	Drill Core	2	<0.5	0.6
2024936	Drill Core	2	<0.5	0.4
2024937	Drill Core	2	<0.5	0.6
2024938	Drill Core	2	0.7	<0.2
2024939	Drill Core	2	<0.5	<0.2
2024940	Rock Pulp	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2024941	Drill Core	3.61	509	0.011	0.01	<0.17	27.67	1.3	10.0	10.6	41	0.1	6.6	5.7	446	1.48	3.1	0.7	9.1	8.1	69
2024942	Drill Core	3.74	521	0.006	<0.01	<0.17	37.24	0.5	11.3	14.7	48	0.2	7.2	6.1	463	1.68	3.1	0.8	9.7	7.8	65
2024943	Drill Core	4.42	486	0.018	0.02	<0.17	35.29	0.6	11.7	5.1	50	0.1	7.1	6.7	472	1.47	3.4	0.6	11.3	8.6	45
2024944	Drill Core	3.37	510	0.466	0.70	4.72	27.78	0.2	8.3	5.4	47	0.2	11.3	8.1	212	1.26	8.8	0.8	311.6	9.5	34
2024945	Drill Core	1.70	513	2.937	4.19	19.99	37.76	0.3	24.9	4.2	25	1.5	12.1	8.1	282	1.58	2.6	2.4	3806.0	8.0	40
2024946	Drill Core	3.13	510	0.699	0.93	4.90	28.37	0.7	20.6	4.6	28	0.5	9.1	8.0	520	1.89	3.1	1.0	734.0	6.3	48
2024947	Drill Core	3.82	549	1.017	1.51	10.63	28.13	0.8	17.6	7.2	56	1.0	12.8	8.1	512	2.12	2.9	2.0	3738.0	7.6	57
2024948	Drill Core	3.43	459	0.163	0.16	<0.17	28.53	0.7	17.9	2.9	51	0.3	11.6	7.6	582	2.29	2.7	3.1	274.8	7.3	57
2024949	Drill Core	3.10	543	1.042	1.52	12.37	22.80	1.9	15.4	3.5	40	0.9	12.5	6.9	556	2.10	2.5	3.6	2236.4	6.9	67
2024950	Drill Core	2.66	473	0.806	0.93	2.48	36.22	0.6	28.6	10.1	79	0.9	10.7	7.1	406	1.57	3.8	3.7	1037.2	9.5	32
2024951	Drill Core	2.82	439	0.630	0.78	2.97	27.93	4.6	20.0	39.2	23	1.4	2.7	1.2	118	1.06	2.4	4.3	773.9	12.2	37
2024952	Drill Core	3.27	536	0.646	2.56	34.65	30.19	0.7	8.9	25.4	12	0.9	1.3	0.5	78	1.15	2.8	1.6	1503.7	12.4	27
2024953	Drill Core	3.25	492	0.066	0.06	<0.17	28.46	1.3	21.6	148.9	11	0.9	4.2	2.6	58	1.66	4.0	1.3	66.9	7.4	27
2024954	Drill Core	3.26	483	0.060	0.06	<0.17	32.21	1.5	13.9	25.5	11	0.7	7.3	4.6	72	1.93	2.7	2.4	888.2	7.7	25
2024955	Drill Core	3.18	409	0.290	0.34	0.99	29.22	3.0	9.2	126.8	29	1.3	5.3	2.9	87	2.15	3.0	2.0	115.6	8.1	40
2024956	Drill Core	3.39	502	0.019	0.02	<0.17	26.56	1.9	6.9	25.5	15	0.5	5.7	3.1	66	2.85	3.0	1.8	11.7	8.1	34
2024957	Drill Core	3.22	529	0.467	0.92	9.90	25.24	0.3	10.5	18.1	25	0.4	3.7	2.1	81	0.92	3.1	1.2	299.7	12.2	21
2024958	Drill Core	2.97	464	0.108	0.31	3.89	24.93	1.3	12.7	58.2	53	0.6	5.4	12.9	614	0.86	3.2	2.0	502.2	15.6	19
2024959	Drill Core	3.51	512	0.104	0.16	1.36	25.00	1.1	5.3	66.0	18	0.7	1.2	0.7	68	0.66	1.2	1.9	98.6	15.7	47
2024960	Core DUP		524	0.046	0.04	<0.17	26.37	1.0	5.4	72.8	19	0.6	1.4	0.8	76	0.74	1.3	1.9	15.1	15.7	46
2024961	Drill Core	3.20	442	0.028	0.03	<0.17	35.97	2.3	8.2	309.1	31	1.2	5.1	3.1	74	2.29	2.3	2.5	23.1	9.7	27
2024962	Drill Core	3.29	474	0.042	0.04	<0.17	34.74	1.6	12.6	15.9	13	0.4	7.4	5.3	55	2.09	2.9	2.1	37.5	7.9	19
2024963	Drill Core	3.38	538	0.018	0.02	<0.17	31.85	1.3	15.2	21.6	21	0.3	8.0	5.4	65	1.98	3.3	2.2	20.0	8.9	19
2024964	Drill Core	3.29	452	0.070	0.07	<0.17	26.59	2.6	13.6	26.2	24	0.3	7.9	5.2	81	2.00	2.2	2.3	23.6	9.1	26
2024965	Drill Core	2.91	449	0.093	0.20	1.89	27.03	0.5	5.6	13.0	16	0.1	1.4	0.8	72	0.68	2.6	2.2	93.1	12.9	38
2024966	Drill Core	3.04	490	0.345	1.75	26.04	26.81	0.5	17.1	22.9	57	0.3	3.6	5.1	282	0.83	5.7	3.4	269.7	11.7	35
2024967	Drill Core	3.04	474	0.588	0.91	5.92	28.89	0.8	24.4	29.8	74	0.6	6.2	5.1	395	0.80	2.7	3.1	433.0	15.6	65
2024968	Drill Core	3.93	497	0.009	<0.01	<0.17	33.87	0.9	7.2	27.1	15	0.1	0.9	0.3	59	0.53	1.3	1.7	1.6	15.6	41
2024969	Drill Core	3.44	466	0.011	0.02	<0.17	26.95	1.2	7.4	29.0	21	0.1	1.0	0.3	59	0.65	1.1	1.6	4.7	13.1	50
2024970	Drill Core	3.48	484	0.006	<0.01	<0.17	36.56	3.3	20.9	161.6	83	0.6	9.6	11.9	802	0.48	2.3	1.8	4.0	17.7	20



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2024941	Drill Core	0.3	1.0	<0.1	5	1.24	0.046	8	10	0.47	336	0.013	<1	0.55	0.035	0.29	0.2	<0.01	1.6	0.1	0.47
2024942	Drill Core	0.4	0.9	0.2	6	1.09	0.049	10	11	0.47	245	0.014	<1	0.64	0.037	0.34	0.2	<0.01	1.7	0.1	0.57
2024943	Drill Core	0.9	0.9	<0.1	6	1.06	0.050	11	12	0.46	375	0.016	1	0.63	0.040	0.34	0.3	<0.01	1.8	0.1	0.45
2024944	Drill Core	0.4	1.2	<0.1	7	0.34	0.046	11	13	0.36	375	0.027	<1	0.52	0.045	0.29	0.4	0.01	1.6	0.1	0.48
2024945	Drill Core	0.2	1.3	<0.1	6	0.67	0.051	10	11	0.29	115	0.015	<1	0.44	0.050	0.27	0.3	<0.01	1.8	0.1	0.99
2024946	Drill Core	0.4	0.8	<0.1	9	1.35	0.063	8	11	0.27	132	0.028	<1	0.53	0.037	0.33	0.5	<0.01	2.0	0.1	1.10
2024947	Drill Core	0.7	1.6	<0.1	8	1.42	0.056	7	19	0.80	127	0.027	<1	0.72	0.028	0.29	0.4	0.02	1.8	0.1	1.29
2024948	Drill Core	0.7	1.5	<0.1	7	1.81	0.051	7	11	0.75	161	0.028	<1	0.75	0.021	0.42	0.5	0.01	1.8	0.1	1.35
2024949	Drill Core	0.5	1.7	<0.1	6	1.69	0.061	6	11	0.64	96	0.024	<1	0.58	0.036	0.26	0.4	0.01	2.1	<0.1	1.47
2024950	Drill Core	1.2	3.0	<0.1	6	0.75	0.035	9	22	0.69	132	0.016	<1	0.73	0.031	0.25	0.3	0.02	1.6	<0.1	0.59
2024951	Drill Core	0.3	2.3	0.1	3	0.14	0.031	16	8	0.20	347	0.016	<1	0.49	0.045	0.24	0.8	0.02	1.1	<0.1	0.18
2024952	Drill Core	<0.1	2.3	<0.1	1	0.03	0.016	15	5	0.08	825	0.004	<1	0.40	0.053	0.23	1.1	0.01	0.6	<0.1	0.20
2024953	Drill Core	0.2	10.7	0.3	3	0.09	0.036	11	5	0.04	94	0.006	<1	0.27	0.057	0.24	0.4	0.10	0.9	<0.1	1.11
2024954	Drill Core	<0.1	2.5	0.1	4	0.13	0.042	11	8	0.03	79	0.006	2	0.31	0.036	0.25	0.4	<0.01	0.9	<0.1	1.30
2024955	Drill Core	0.2	2.6	0.2	4	0.05	0.059	13	9	0.08	82	0.012	1	0.31	0.064	0.22	0.5	0.03	1.3	<0.1	1.19
2024956	Drill Core	<0.1	1.4	<0.1	4	0.08	0.047	10	7	0.04	69	0.008	<1	0.22	0.097	0.19	0.4	0.01	1.0	<0.1	1.77
2024957	Drill Core	<0.1	0.9	<0.1	1	0.04	0.012	15	5	0.13	554	0.003	<1	0.29	0.012	0.22	0.3	<0.01	0.9	<0.1	0.13
2024958	Drill Core	1.1	0.9	0.3	2	0.03	0.005	17	4	0.26	560	0.005	<1	0.47	0.019	0.21	0.3	<0.01	1.1	<0.1	0.07
2024959	Drill Core	<0.1	0.9	0.4	<1	0.02	0.011	24	3	0.12	957	0.003	<1	0.30	0.018	0.19	0.4	<0.01	0.9	<0.1	0.07
2024960	Core DUP	<0.1	0.9	0.4	1	0.02	0.011	25	5	0.13	1019	0.003	<1	0.34	0.021	0.20	0.3	<0.01	0.9	<0.1	0.07
2024961	Drill Core	0.3	1.7	0.8	4	0.08	0.046	14	8	0.08	85	0.004	<1	0.32	0.052	0.24	0.2	0.03	1.1	<0.1	1.51
2024962	Drill Core	<0.1	1.7	0.1	4	0.14	0.032	12	6	0.03	63	0.004	<1	0.27	0.041	0.21	0.2	<0.01	0.9	<0.1	1.73
2024963	Drill Core	<0.1	1.4	0.1	4	0.09	0.047	13	8	0.04	154	0.003	<1	0.31	0.041	0.23	0.2	<0.01	1.1	<0.1	1.40
2024964	Drill Core	0.1	1.3	0.2	4	0.17	0.040	12	8	0.09	89	0.003	<1	0.36	0.044	0.24	0.2	<0.01	1.1	<0.1	1.43
2024965	Drill Core	<0.1	0.8	<0.1	1	<0.01	0.011	21	4	0.09	1174	0.002	<1	0.31	0.019	0.22	0.1	<0.01	0.8	<0.1	0.06
2024966	Drill Core	0.5	0.9	0.1	2	0.02	0.016	25	5	0.15	1179	0.004	<1	0.43	0.012	0.22	0.8	<0.01	1.1	<0.1	<0.05
2024967	Drill Core	1.3	1.0	<0.1	2	0.05	0.013	42	5	0.19	1720	0.002	<1	0.42	0.033	0.24	0.2	<0.01	1.2	<0.1	0.09
2024968	Drill Core	<0.1	0.6	0.1	<1	<0.01	0.003	18	3	0.07	1658	0.001	<1	0.32	0.029	0.25	0.2	<0.01	0.6	<0.1	0.06
2024969	Drill Core	<0.1	0.3	<0.1	<1	<0.01	0.002	16	4	0.05	1627	0.001	<1	0.30	0.031	0.23	0.1	<0.01	0.6	<0.1	0.07
2024970	Drill Core	0.9	0.5	0.2	<1	<0.01	0.006	21	2	0.06	784	0.001	<1	0.41	0.015	0.24	0.3	0.01	0.5	0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2024941	Drill Core	2	<0.5	<0.2
2024942	Drill Core	2	<0.5	<0.2
2024943	Drill Core	2	<0.5	<0.2
2024944	Drill Core	2	<0.5	<0.2
2024945	Drill Core	2	<0.5	0.3
2024946	Drill Core	2	<0.5	<0.2
2024947	Drill Core	2	0.5	0.2
2024948	Drill Core	2	0.5	<0.2
2024949	Drill Core	2	<0.5	<0.2
2024950	Drill Core	2	<0.5	<0.2
2024951	Drill Core	2	<0.5	0.4
2024952	Drill Core	2	<0.5	<0.2
2024953	Drill Core	1	<0.5	<0.2
2024954	Drill Core	1	0.6	<0.2
2024955	Drill Core	1	<0.5	0.3
2024956	Drill Core	1	<0.5	<0.2
2024957	Drill Core	<1	<0.5	<0.2
2024958	Drill Core	1	<0.5	<0.2
2024959	Drill Core	1	<0.5	<0.2
2024960	Core DUP	1	<0.5	<0.2
2024961	Drill Core	2	<0.5	<0.2
2024962	Drill Core	1	<0.5	<0.2
2024963	Drill Core	1	<0.5	<0.2
2024964	Drill Core	1	<0.5	<0.2
2024965	Drill Core	1	<0.5	<0.2
2024966	Drill Core	1	<0.5	<0.2
2024967	Drill Core	2	<0.5	0.2
2024968	Drill Core	1	<0.5	<0.2
2024969	Drill Core	1	<0.5	<0.2
2024970	Drill Core	1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
2024971	Drill Core	1.33	379	0.009	0.02	<0.17	32.24	1.8	10.0	19.7	48	0.3	1.5	0.7	130	0.80	2.5	2.1	5.3	16.0
2024972	Drill Core	2.80	509	0.005	<0.01	<0.17	28.36	1.9	6.3	53.7	77	0.2	1.4	0.9	192	0.63	1.5	2.8	0.7	14.6
2024973	Drill Core	3.76	503	<0.005	<0.01	<0.17	27.14	1.7	17.7	200.6	114	0.3	1.7	0.8	149	0.58	1.4	4.4	<0.5	18.4
2024974	Drill Core	3.52	470	<0.005	<0.01	<0.17	32.95	2.2	13.0	139.5	44	0.2	1.2	0.4	59	0.65	1.2	2.3	<0.5	8.1
2024975	Drill Core	3.33	438	<0.005	<0.01	<0.17	27.26	1.4	7.1	31.4	31	0.3	1.3	0.5	60	0.73	1.2	1.8	<0.5	14.7
2024976	Drill Core	3.54	445	<0.005	0.01	<0.17	28.42	0.4	13.9	62.0	102	0.2	2.1	1.6	153	0.65	1.6	2.7	<0.5	15.8
2024977	Drill Core	3.30	448	<0.005	<0.01	<0.17	33.36	1.4	9.6	111.5	53	0.1	0.9	0.8	261	0.59	1.7	1.4	<0.5	14.4
2024978	Drill Core	3.55	470	<0.005	<0.01	<0.17	32.04	0.6	7.2	35.9	39	<0.1	1.0	0.7	190	0.62	2.6	1.2	<0.5	13.6
2024979	Drill Core	2.45	517	0.009	<0.01	<0.17	25.10	1.4	27.4	227.3	131	1.2	4.4	18.1	1827	0.58	5.0	1.7	6.0	10.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2024971	Drill Core	1.0	0.5	0.2	<1	0.21	0.002	25	3	0.07	795	0.001	<1	0.29	0.019	0.23	0.2	<0.01	0.5	0.1	0.26
2024972	Drill Core	1.7	0.2	0.2	<1	0.17	0.003	21	3	0.06	1222	<0.001	<1	0.30	0.017	0.24	0.1	<0.01	0.5	<0.1	0.15
2024973	Drill Core	<0.1	0.4	0.1	<1	<0.01	0.003	30	3	0.10	842	<0.001	<1	0.37	0.012	0.24	0.2	<0.01	0.5	<0.1	<0.05
2024974	Drill Core	0.8	0.2	<0.1	<1	<0.01	0.002	22	3	0.05	1019	<0.001	<1	0.30	0.019	0.25	0.2	<0.01	0.4	<0.1	0.11
2024975	Drill Core	<0.1	0.4	0.1	<1	<0.01	0.001	13	4	0.05	470	0.001	<1	0.32	0.013	0.30	0.2	<0.01	0.6	<0.1	0.13
2024976	Drill Core	0.7	0.2	0.1	<1	0.58	<0.001	39	5	0.06	231	<0.001	<1	0.32	0.010	0.28	0.2	<0.01	0.7	<0.1	<0.05
2024977	Drill Core	0.1	0.3	0.1	<1	<0.01	0.002	14	4	0.07	322	0.001	1	0.32	0.005	0.28	0.3	<0.01	0.7	<0.1	<0.05
2024978	Drill Core	0.1	0.3	<0.1	<1	<0.01	0.002	16	4	0.09	157	<0.001	<1	0.33	0.004	0.27	0.4	<0.01	0.5	<0.1	<0.05
2024979	Drill Core	2.3	2.6	0.3	<1	0.01	0.003	25	4	0.04	262	<0.001	<1	0.29	0.002	0.21	1.8	<0.01	0.4	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000041.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2024971	Drill Core	<1	<0.5	<0.2
2024972	Drill Core	1	<0.5	<0.2
2024973	Drill Core	1	<0.5	<0.2
2024974	Drill Core	1	<0.5	<0.2
2024975	Drill Core	1	<0.5	<0.2
2024976	Drill Core	1	<0.5	<0.2
2024977	Drill Core	1	<0.5	<0.2
2024978	Drill Core	1	<0.5	<0.2
2024979	Drill Core	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

June 25, 2020

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI20000041.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2024854	Drill Core	2.87	455	<0.005	<0.01	<0.17	23.08	1.3	13.4	9.4	31	0.2	7.1	5.6	282	1.80	1.3	1.4	4.0	8.5	31
REP 2024854	QC							1.4	14.0	9.6	32	0.2	7.5	5.8	292	1.86	1.6	1.5	3.2	8.8	32
2024875	Drill Core	3.30	438	0.008	<0.01	<0.17	27.65	3.2	20.3	9.3	87	0.2	23.9	11.8	598	2.81	1.9	0.6	9.5	8.5	54
REP 2024875	QC	0.008																			
2024884	Drill Core	4.05	528	0.012	0.03	0.27	29.71	4.2	20.9	14.2	104	0.2	32.1	17.4	605	3.11	3.0	0.6	11.1	7.6	38
REP 2024884	QC	0.007																			
2024887	Drill Core	3.26	460	0.029	0.03	<0.17	30.09	0.5	13.3	9.0	99	0.1	12.1	9.0	547	3.01	3.0	0.6	8.4	7.6	25
REP 2024887	QC							0.5	13.3	8.8	100	0.1	12.1	8.9	555	3.04	3.1	0.5	27.9	7.5	25
2024922	Drill Core	3.10	449	1.053	1.32	4.57	33.68	0.7	18.5	4.7	46	0.7	8.0	6.2	200	2.24	9.8	2.7	1323.8	7.6	55
REP 2024922	QC							0.7	18.6	4.8	46	0.8	7.9	6.4	204	2.30	9.9	2.8	2229.7	7.9	57
2024956	Drill Core	3.39	502	0.019	0.02	<0.17	26.56	1.9	6.9	25.5	15	0.5	5.7	3.1	66	2.85	3.0	1.8	11.7	8.1	34
REP 2024956	QC							1.8	7.1	25.2	15	0.5	5.7	3.2	64	2.84	2.9	1.7	13.6	7.6	33
2024977	Drill Core	3.30	448	<0.005	<0.01	<0.17	33.36	1.4	9.6	111.5	53	0.1	0.9	0.8	261	0.59	1.7	1.4	<0.5	14.4	5
REP 2024977	QC	<0.005																			
Core Reject Duplicates																					
2024870	Drill Core	2.98	375	0.009	<0.01	<0.17	31.89	3.0	18.4	17.9	81	0.2	23.1	11.9	558	3.06	1.8	1.0	6.3	8.2	44
DUP 2024870	QC	477		0.007	<0.01	<0.17	32.82	2.9	17.2	14.9	77	0.2	21.2	10.5	550	2.80	1.3	0.9	5.5	8.3	44
2024904	Drill Core	2.74	530	0.339	0.49	3.81	23.61	2.3	39.0	95.8	374	0.6	15.8	9.6	479	3.33	1.3	2.3	235.5	6.2	34
DUP 2024904	QC	526		0.311	0.41	2.27	26.43	2.3	41.4	128.6	408	0.8	15.7	9.8	554	3.44	1.6	2.8	258.3	6.4	36
2024938	Drill Core	2.73	400	0.175	0.34	2.75	26.15	0.4	12.3	23.3	23	0.3	6.2	6.0	459	1.78	2.7	1.2	229.2	6.7	73
DUP 2024938	QC	495		1.149	4.38	45.21	36.25	0.5	11.2	22.5	22	0.4	5.7	5.5	455	1.59	2.7	0.8	708.9	6.5	73
2024972	Drill Core	2.80	509	0.005	<0.01	<0.17	28.36	1.9	6.3	53.7	77	0.2	1.4	0.9	192	0.63	1.5	2.8	0.7	14.6	60
DUP 2024972	QC	536		<0.005	<0.01	<0.17	25.74	1.9	5.4	49.3	90	0.2	1.9	1.1	231	0.80	2.0	3.0	0.6	14.8	71
Reference Materials																					
STD BVGEO01	Standard							11.4	4489.5	186.0	1809	2.7	166.6	24.6	718	3.77	119.6	3.8	218.5	14.4	54
STD BVGEO01	Standard							11.3	4382.1	188.4	1725	2.6	162.8	25.7	704	3.73	124.7	4.3	233.6	15.4	56
STD DS11	Standard							15.3	141.8	134.7	344	1.8	84.2	13.9	1003	3.15	43.6	2.6	62.4	7.7	64
STD DS11	Standard							14.3	137.6	130.5	332	1.7	75.3	12.7	1002	3.12	43.8	2.4	110.1	7.2	67



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

June 25, 2020

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000041.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2024854	Drill Core	0.3	0.4	<0.1	4	0.08	0.042	16	8	0.13	339	0.012	1	0.44	0.063	0.27	0.2	0.01	1.1	<0.1	0.20
REP 2024854	QC	0.3	0.4	<0.1	5	0.08	0.043	17	9	0.13	355	0.013	1	0.46	0.064	0.28	0.2	0.01	1.2	<0.1	0.21
2024875	Drill Core	0.6	0.5	<0.1	13	1.54	0.051	9	92	1.25	147	0.027	1	1.27	0.025	0.25	0.3	0.01	2.7	<0.1	0.82
REP 2024875	QC																				
2024884	Drill Core	0.4	0.6	0.1	16	1.90	0.055	6	203	1.40	110	0.034	1	1.30	0.020	0.26	0.3	0.09	2.7	0.1	1.31
REP 2024884	QC																				
2024887	Drill Core	0.6	0.6	<0.1	13	1.26	0.062	9	24	0.76	134	0.029	1	1.04	0.035	0.19	0.3	0.03	2.7	<0.1	1.43
REP 2024887	QC	0.6	0.6	<0.1	13	1.25	0.062	9	24	0.75	135	0.031	1	1.05	0.036	0.19	0.4	0.02	2.7	<0.1	1.45
2024922	Drill Core	<0.1	1.0	<0.1	9	0.11	0.070	12	18	0.34	334	0.044	<1	0.61	0.036	0.29	0.6	0.04	2.6	0.1	0.26
REP 2024922	QC	0.1	1.1	<0.1	9	0.12	0.070	13	19	0.35	345	0.045	1	0.64	0.037	0.30	0.6	0.03	2.6	0.1	0.27
2024956	Drill Core	<0.1	1.4	<0.1	4	0.08	0.047	10	7	0.04	69	0.008	<1	0.22	0.097	0.19	0.4	0.01	1.0	<0.1	1.77
REP 2024956	QC	<0.1	1.4	<0.1	4	0.08	0.044	10	7	0.04	58	0.008	<1	0.22	0.097	0.19	0.4	<0.01	1.0	<0.1	1.76
2024977	Drill Core	0.1	0.3	0.1	<1	<0.01	0.002	14	4	0.07	322	0.001	1	0.32	0.005	0.28	0.3	<0.01	0.7	<0.1	<0.05
REP 2024977	QC																				
Core Reject Duplicates																					
2024870	Drill Core	0.3	0.7	<0.1	13	2.01	0.052	7	101	1.28	167	0.005	2	1.57	0.031	0.29	<0.1	0.02	2.6	<0.1	1.44
DUP 2024870	QC	0.3	0.4	<0.1	11	2.03	0.050	7	91	1.29	172	0.006	2	1.50	0.026	0.23	<0.1	0.01	2.3	<0.1	1.20
2024904	Drill Core	2.8	1.0	<0.1	19	0.31	0.063	14	70	0.85	427	0.013	<1	1.06	0.026	0.23	0.3	0.03	2.5	<0.1	0.52
DUP 2024904	QC	3.3	1.2	<0.1	20	0.28	0.063	15	77	0.88	422	0.014	<1	1.10	0.025	0.21	0.4	0.03	2.5	<0.1	0.40
2024938	Drill Core	0.3	1.1	0.3	6	1.12	0.049	8	9	0.36	136	0.008	<1	0.53	0.038	0.35	0.2	<0.01	1.8	0.2	0.96
DUP 2024938	QC	0.2	1.0	0.2	5	1.14	0.046	7	9	0.34	150	0.007	<1	0.49	0.034	0.32	0.2	<0.01	1.8	0.1	0.80
2024972	Drill Core	1.7	0.2	0.2	<1	0.17	0.003	21	3	0.06	1222	<0.001	<1	0.30	0.017	0.24	0.1	<0.01	0.5	<0.1	0.15
DUP 2024972	QC	2.1	0.2	0.2	<1	0.15	0.003	23	5	0.06	1382	0.001	<1	0.36	0.021	0.28	0.1	<0.01	0.6	<0.1	0.15
Reference Materials																					
STD BVGEO01	Standard	6.6	3.9	25.1	75	1.32	0.070	26	187	1.32	284	0.237	4	2.31	0.189	0.90	6.0	0.10	6.2	0.6	0.66
STD BVGEO01	Standard	7.4	4.1	28.3	75	1.29	0.076	29	181	1.32	297	0.233	3	2.27	0.198	0.91	5.5	0.09	6.5	0.6	0.69
STD DS11	Standard	2.3	9.1	11.6	49	1.04	0.068	19	61	0.84	369	0.093	7	1.15	0.072	0.40	3.2	0.26	3.3	5.0	0.28
STD DS11	Standard	2.2	8.7	11.0	50	1.04	0.071	17	55	0.84	379	0.086	7	1.15	0.072	0.40	3.0	0.24	3.4	5.2	0.28



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000041.1

Method		AQ201	AQ201	AQ201
Analyte		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
Pulp Duplicates				
2024854	Drill Core	2	<0.5	<0.2
REP 2024854	QC	2	<0.5	<0.2
2024875	Drill Core	4	0.6	<0.2
REP 2024875	QC			
2024884	Drill Core	4	0.6	<0.2
REP 2024884	QC			
2024887	Drill Core	4	<0.5	<0.2
REP 2024887	QC	4	<0.5	<0.2
2024922	Drill Core	2	<0.5	<0.2
REP 2024922	QC	2	<0.5	<0.2
2024956	Drill Core	1	<0.5	<0.2
REP 2024956	QC	1	<0.5	<0.2
2024977	Drill Core	1	<0.5	<0.2
REP 2024977	QC			
Core Reject Duplicates				
2024870	Drill Core	4	0.9	<0.2
DUP 2024870	QC	4	0.6	<0.2
2024904	Drill Core	4	<0.5	<0.2
DUP 2024904	QC	4	<0.5	<0.2
2024938	Drill Core	2	0.7	<0.2
DUP 2024938	QC	2	<0.5	<0.2
2024972	Drill Core	1	<0.5	<0.2
DUP 2024972	QC	1	<0.5	<0.2
Reference Materials				
STD BVGEO01	Standard	8	5.2	1.1
STD BVGEO01	Standard	8	4.2	1.1
STD DS11	Standard	5	2.4	4.7
STD DS11	Standard	5	2.1	4.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000041.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OREAS262	Standard							0.7	115.1	56.3	155	0.5	66.6	27.8	547	3.36	36.7	1.2	73.8	9.3	33
STD OREAS262	Standard							0.7	113.8	55.8	152	0.5	67.5	27.0	541	3.32	36.2	1.2	70.4	9.1	33
STD OREAS262	Standard							0.7	117.0	57.7	155	0.5	63.2	28.1	522	3.27	38.2	1.3	85.3	9.5	37
STD OREAS262	Standard							0.6	105.7	54.0	147	0.5	61.1	26.1	537	3.28	36.2	1.1	72.1	8.6	36
STD OXB130	Standard			0.117																	
STD OXB130	Standard			0.132																	
STD OXB130	Standard			0.120																	
STD OXB130	Standard			0.123																	
STD OXG141	Standard			0.948																	
STD OXG141	Standard			0.961																	
STD OXG141	Standard			0.936																	
STD OXG141	Standard			0.903																	
STD OXN155	Standard			7.753																	
STD OXN155	Standard			7.889																	
STD OXN155	Standard			7.731																	
STD OXN155	Standard			7.718																	
STD OXQ90	Standard					25.32	28.59														
STD OXQ90	Standard					25.04	29.19														
STD OXQ90	Standard					25.33	29.85														
STD OXQ90	Standard					24.66	30.53														
STD OXQ90	Standard					25.14	29.79														
STD OXQ90	Standard					25.09	30.37														
STD OXQ90	Standard					25.22	30.01														
STD OXQ90	Standard					25.15	29.90														
STD BVGEO01 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000041.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OREAS262	Standard	0.7	6.0	1.0	22	2.89	0.039	18	46	1.18	241	0.003	4	1.33	0.070	0.32	0.2	0.18	3.4	0.5	0.26
STD OREAS262	Standard	0.7	5.7	1.0	22	2.94	0.038	15	45	1.20	238	0.003	4	1.31	0.069	0.31	0.2	0.18	3.3	0.5	0.26
STD OREAS262	Standard	0.7	6.5	1.1	22	2.92	0.040	18	44	1.18	256	0.003	2	1.29	0.071	0.31	0.2	0.18	3.5	0.4	0.27
STD OREAS262	Standard	0.7	5.8	1.0	22	2.89	0.040	16	41	1.20	258	0.003	3	1.31	0.069	0.30	0.2	0.17	3.3	0.5	0.26
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
STD OXQ90 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000041.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OREAS262	Standard	4	0.6	0.2
STD OREAS262	Standard	4	0.6	0.2
STD OREAS262	Standard	4	<0.5	0.3
STD OREAS262	Standard	4	0.7	<0.2
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD BVGEO01 Expected		7.37	4.84	1.02
STD DS11 Expected		5.1	2.2	4.56
STD OREAS262 Expected		4.1	0.4	0.23
STD OXQ90 Expected				
BLK	Blank	<1	<0.5	<0.2



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: June 25, 2020

Part: 1 of 3

WHI20000041.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.005																	
BLK	Blank			0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		489	0.005	<0.01	<0.17	25.91	1.2	3.4	1.8	33	<0.1	1.8	3.8	561	2.20	1.1	0.4	2.8	2.1	22
ROCK-WHI	Prep Blank		486	<0.005	<0.01	<0.17	27.24	1.2	3.4	3.2	33	<0.1	1.5	3.8	532	2.19	0.9	0.5	1.5	2.2	25



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000041.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.68	0.038	7	6	0.46	66	0.084	2	0.95	0.120	0.14	<0.1	<0.01	2.8	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	0.2	<0.1	24	0.66	0.038	7	6	0.44	69	0.080	2	0.97	0.131	0.14	<0.1	<0.01	2.8	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 25, 2020

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000041.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2