



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 05, 2020
Analysis Start: June 17, 2020
Report Date: July 01, 2020
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI20000042.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-03
P.O. Number
Number of Samples: 98

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	95	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	2	Sort, label and box pulps			WHI
FS631	98	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	98	Analysis sample split/packet			VAN
Split -150	98	Analysis sample split/packet			VAN
EN002	98	Environmental disposal charge-Fire assay lead waste			VAN
FS631	95	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	98	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	98	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 2 of 5 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000042.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2024980	Rock	0.22	83	<0.005	<0.01	<0.17	21.18	1.6	2.9	2.4	7	<0.1	3.2	0.9	243	2.02	1.0	0.2	0.5	1.1	2
2024981	Drill Core	5.04	478	0.400	0.42	0.78	22.99	0.8	13.4	8.7	28	0.4	4.5	3.2	194	1.74	1.9	1.1	371.7	6.6	45
2024982	Drill Core	2.86	545	0.021	0.02	<0.17	31.25	1.3	14.3	11.3	31	0.2	4.1	3.6	197	1.87	1.9	0.9	9.5	7.3	49
2024983	Drill Core	3.33	441	2.975	4.62	29.21	27.63	0.6	19.7	3.7	35	1.3	7.1	6.2	313	2.27	2.0	1.0	4625.4	7.1	57
2024984	Drill Core	3.10	405	0.172	0.16	<0.17	34.56	0.5	23.1	3.2	70	0.3	21.0	21.8	1576	1.58	2.1	0.8	191.4	8.8	24
2024985	Drill Core	3.42	359	0.012	0.01	<0.17	29.50	0.5	22.1	5.1	91	0.2	16.9	14.8	711	1.76	2.2	1.1	9.5	8.3	55
2024986	Drill Core	2.91	545	0.008	<0.01	<0.17	36.49	1.3	12.9	6.5	40	0.2	6.7	6.5	497	1.93	2.0	0.7	7.3	8.0	36
2024987	Drill Core	3.08	403	0.009	<0.01	<0.17	36.49	0.5	10.5	2.6	34	0.1	4.9	2.5	221	1.64	2.1	1.8	8.2	10.2	42
2024988	Drill Core	2.90	518	0.006	<0.01	<0.17	28.36	0.4	12.2	9.3	24	0.1	5.2	5.4	125	1.51	2.1	0.6	0.9	9.3	24
2024989	Drill Core	2.83	383	0.074	0.07	<0.17	28.32	1.6	15.5	15.9	29	0.2	6.3	6.1	190	2.16	2.7	0.6	85.4	9.4	28
2024990	Drill Core	2.94	518	0.006	<0.01	<0.17	29.47	0.3	13.8	10.5	35	0.2	7.4	8.3	202	1.65	2.1	0.6	2.3	8.8	31
2024991	Drill Core	3.56	466	0.068	0.07	<0.17	29.22	0.9	10.0	9.9	19	0.2	2.3	1.6	93	1.62	2.0	1.5	58.7	8.6	39
2024992	Drill Core	2.03	536	0.007	<0.01	<0.17	22.79	0.5	10.7	9.3	23	0.2	3.1	1.4	143	1.42	1.9	1.4	35.3	6.0	32
2024993	Drill Core	1.22	539	0.006	<0.01	<0.17	31.06	0.3	11.0	4.8	21	0.2	2.0	0.7	128	1.44	1.7	1.3	4.5	8.7	32
2024994	Drill Core	2.52	536	0.009	<0.01	<0.17	28.69	1.2	18.1	14.2	22	0.3	5.3	4.1	94	2.28	2.1	1.0	6.0	7.3	24
2024995	Drill Core	2.98	386	0.016	0.01	<0.17	32.50	0.9	20.1	22.0	71	0.3	15.0	9.2	331	2.59	2.4	2.0	16.2	7.7	70
2024996	Drill Core	3.05	534	0.306	0.42	1.98	34.90	0.5	16.0	4.9	33	0.5	4.2	1.9	152	1.97	3.2	3.0	325.5	8.2	36
2024997	Drill Core	2.70	506	1.977	2.04	3.07	30.98	0.7	20.9	2.9	53	1.3	7.9	3.5	277	1.93	2.8	1.1	2259.9	7.4	64
2024998	Drill Core	2.14	493	0.542	0.66	2.60	27.69	0.6	21.2	4.2	73	0.4	6.4	4.7	316	1.78	3.2	2.0	615.7	6.6	21
2024999	Drill Core	2.02	483	0.207	0.36	2.16	36.55	0.4	20.3	27.6	74	1.6	4.2	2.9	196	1.69	2.3	2.7	473.6	9.1	36
2025000	Rock Pulp	0.13	82	7.096				9.2	179.6	19.3	78	0.9	13.0	10.8	582	4.47	13.8	0.9	8290.1	2.8	70
2025001	Drill Core	2.96	471	0.292	0.32	0.63	36.39	0.5	9.8	3.6	39	0.2	3.9	1.7	161	1.68	3.9	2.2	325.6	9.4	35
2025002	Drill Core	3.14	537	0.187	0.23	1.01	27.86	0.8	14.2	3.8	39	0.3	3.8	1.5	153	1.67	5.0	1.3	262.9	9.5	42
2025003	Drill Core	2.92	501	0.606	1.46	12.29	36.69	0.6	21.8	21.6	62	0.6	4.6	3.8	283	1.72	2.6	3.2	1522.2	9.5	42
2025004	Drill Core	2.71	477	0.563	0.81	4.82	27.60	0.5	19.6	7.8	91	0.8	7.4	5.0	490	1.77	2.1	8.2	1839.0	9.1	61
2025005	Drill Core	3.35	544	0.176	0.22	0.98	32.52	0.2	19.0	4.3	75	0.5	8.7	4.5	278	1.64	3.0	4.7	876.2	9.2	53
2025006	Drill Core	1.14	499	0.497	0.62	2.32	34.86	1.8	33.1	8.0	63	0.6	14.0	14.8	582	2.49	3.4	1.1	889.0	7.1	43
2025007	Drill Core	1.91	436	0.692	1.18	8.46	27.53	4.6	23.1	8.1	25	0.6	8.5	5.0	163	2.25	3.0	0.7	1384.9	7.1	24
2025008	Drill Core	1.51	494	0.087	0.09	<0.17	30.75	1.9	22.7	7.6	20	0.6	10.4	6.6	97	2.17	3.3	0.9	155.0	6.3	25
2025009	Drill Core	1.89	510	1.640	7.68	101.62	30.80	2.1	42.1	150.6	81	2.5	11.3	7.0	232	2.39	3.2	0.9	4912.5	5.3	33



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000042.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2024980	Rock	<0.1	0.2	<0.1	1	0.01	0.002	2	14	0.02	20	0.002	2	0.08	0.005	0.02	<0.1	<0.01	0.2	<0.1	<0.05			
2024981	Drill Core	0.1	0.6	<0.1	8	0.12	0.034	13	13	0.27	609	0.025	2	0.50	0.036	0.36	0.7	<0.01	1.9	0.1	0.22			
2024982	Drill Core	<0.1	0.5	0.1	9	0.13	0.041	14	12	0.33	621	0.030	1	0.55	0.038	0.38	0.6	<0.01	2.1	0.1	0.25			
2024983	Drill Core	0.2	0.6	<0.1	9	0.14	0.059	12	13	0.35	454	0.029	1	0.65	0.054	0.43	0.5	<0.01	2.1	0.1	0.35			
2024984	Drill Core	1.2	0.6	<0.1	7	0.23	0.056	18	12	0.47	368	0.020	1	0.82	0.030	0.38	0.4	<0.01	1.5	0.1	<0.05			
2024985	Drill Core	0.7	0.6	<0.1	10	0.26	0.065	18	15	0.58	579	0.029	1	0.98	0.037	0.42	0.4	<0.01	2.4	0.2	<0.05			
2024986	Drill Core	0.4	0.4	<0.1	10	0.12	0.052	12	14	0.30	549	0.033	1	0.53	0.040	0.38	0.5	<0.01	2.5	0.1	0.23			
2024987	Drill Core	<0.1	0.5	<0.1	10	0.18	0.054	16	18	0.34	451	0.048	1	0.70	0.053	0.41	0.7	<0.01	3.0	0.2	0.18			
2024988	Drill Core	<0.1	0.4	<0.1	6	0.06	0.048	16	8	0.15	984	0.011	<1	0.40	0.047	0.29	0.2	<0.01	1.7	0.2	0.11			
2024989	Drill Core	<0.1	0.4	0.1	9	0.07	0.050	17	13	0.23	662	0.018	<1	0.52	0.062	0.31	0.3	<0.01	2.6	0.1	0.12			
2024990	Drill Core	<0.1	0.4	<0.1	6	0.08	0.048	15	10	0.18	1374	0.014	<1	0.45	0.046	0.27	0.2	<0.01	2.2	<0.1	0.08			
2024991	Drill Core	<0.1	0.7	<0.1	6	0.07	0.044	14	11	0.12	452	0.016	1	0.42	0.056	0.35	0.3	<0.01	2.2	<0.1	0.29			
2024992	Drill Core	0.1	1.1	<0.1	7	0.14	0.031	11	15	0.19	516	0.033	<1	0.42	0.043	0.23	0.6	<0.01	2.6	<0.1	0.17			
2024993	Drill Core	<0.1	0.4	<0.1	8	0.11	0.032	15	14	0.13	368	0.032	<1	0.48	0.052	0.32	0.6	<0.01	2.6	0.1	0.21			
2024994	Drill Core	<0.1	0.9	0.1	7	0.02	0.053	12	8	0.07	526	0.013	<1	0.35	0.062	0.32	0.4	<0.01	1.5	<0.1	0.31			
2024995	Drill Core	0.5	1.0	<0.1	14	0.30	0.063	12	18	0.51	282	0.052	1	1.13	0.035	0.40	0.5	<0.01	2.7	0.1	0.21			
2024996	Drill Core	0.2	1.1	<0.1	12	0.15	0.056	14	14	0.28	378	0.047	<1	0.68	0.046	0.47	0.7	<0.01	2.6	0.2	0.32			
2024997	Drill Core	0.4	1.0	<0.1	15	0.31	0.065	13	20	0.55	226	0.080	1	1.04	0.027	0.41	1.3	<0.01	2.9	0.2	0.21			
2024998	Drill Core	0.3	1.0	<0.1	10	0.23	0.058	13	15	0.41	295	0.052	<1	0.78	0.026	0.31	0.8	<0.01	2.2	0.1	0.06			
2024999	Drill Core	0.3	1.1	<0.1	12	0.34	0.046	18	18	0.42	200	0.066	1	0.99	0.035	0.24	0.6	<0.01	3.0	<0.1	<0.05			
2025000	Rock Pulp	0.2	4.2	0.5	108	0.89	0.063	8	17	0.84	129	0.109	2	1.68	0.169	0.23	3.8	0.22	3.5	<0.1	<0.05			
2025001	Drill Core	0.1	2.0	<0.1	10	0.19	0.045	18	15	0.26	181	0.074	<1	0.77	0.035	0.25	0.9	<0.01	2.1	<0.1	0.06			
2025002	Drill Core	<0.1	1.6	0.1	10	0.17	0.052	22	17	0.32	190	0.071	<1	0.70	0.054	0.24	1.2	<0.01	2.3	<0.1	0.14			
2025003	Drill Core	0.3	0.9	<0.1	10	0.22	0.048	19	16	0.45	258	0.047	<1	0.79	0.042	0.31	0.9	<0.01	2.4	0.1	0.09			
2025004	Drill Core	1.0	0.7	<0.1	9	0.28	0.055	17	15	0.60	170	0.042	<1	0.87	0.032	0.36	0.7	<0.01	2.2	0.1	0.14			
2025005	Drill Core	0.4	1.1	<0.1	11	0.31	0.060	16	14	0.56	323	0.041	1	1.04	0.023	0.49	0.6	<0.01	2.2	0.2	0.14			
2025006	Drill Core	0.5	1.7	<0.1	8	0.15	0.057	11	17	0.38	359	0.026	<1	0.69	0.036	0.37	0.4	0.01	1.9	0.2	0.44			
2025007	Drill Core	<0.1	1.6	<0.1	7	0.41	0.059	9	11	0.20	303	0.014	1	0.44	0.040	0.31	0.3	<0.01	1.6	0.1	0.70			
2025008	Drill Core	<0.1	1.9	<0.1	7	0.71	0.057	6	18	0.16	78	0.013	<1	0.49	0.042	0.34	0.3	0.01	1.8	<0.1	1.58			
2025009	Drill Core	0.3	1.8	0.6	6	0.69	0.052	7	14	0.32	79	0.011	<1	0.50	0.023	0.28	0.3	0.54	1.8	<0.1	1.32			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000042.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2024980	Rock	<1	<0.5	<0.2
2024981	Drill Core	2	<0.5	<0.2
2024982	Drill Core	2	<0.5	<0.2
2024983	Drill Core	2	<0.5	0.3
2024984	Drill Core	2	<0.5	<0.2
2024985	Drill Core	3	<0.5	<0.2
2024986	Drill Core	2	<0.5	<0.2
2024987	Drill Core	3	<0.5	<0.2
2024988	Drill Core	2	<0.5	<0.2
2024989	Drill Core	2	<0.5	<0.2
2024990	Drill Core	2	<0.5	<0.2
2024991	Drill Core	2	<0.5	<0.2
2024992	Drill Core	2	<0.5	<0.2
2024993	Drill Core	2	<0.5	<0.2
2024994	Drill Core	2	<0.5	<0.2
2024995	Drill Core	3	<0.5	<0.2
2024996	Drill Core	3	<0.5	<0.2
2024997	Drill Core	4	<0.5	<0.2
2024998	Drill Core	3	<0.5	<0.2
2024999	Drill Core	4	<0.5	0.6
2025000	Rock Pulp	5	<0.5	0.2
2025001	Drill Core	3	<0.5	<0.2
2025002	Drill Core	3	0.6	<0.2
2025003	Drill Core	3	<0.5	<0.2
2025004	Drill Core	3	<0.5	<0.2
2025005	Drill Core	3	<0.5	<0.2
2025006	Drill Core	2	<0.5	<0.2
2025007	Drill Core	2	<0.5	<0.2
2025008	Drill Core	2	<0.5	<0.2
2025009	Drill Core	2	<0.5	0.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000042.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025010	Drill Core	2.86	374	0.850	1.05	3.58	27.92	0.6	27.1	6.0	93	0.6	15.0	10.4	742	2.17	2.9	1.0	1093.6	6.9	36
2025011	Drill Core	3.00	391	0.379	0.37	0.28	32.04	1.5	20.8	4.5	61	0.4	13.1	9.8	665	2.08	2.8	0.7	287.3	7.3	41
2025012	Drill Core	2.85	447	0.456	0.51	1.10	37.29	1.2	15.5	5.5	37	0.5	10.6	7.7	489	1.96	3.5	0.6	706.1	6.9	42
2025013	Drill Core	3.03	541	0.264	0.28	0.46	35.12	0.4	14.1	2.9	28	0.2	8.0	10.1	654	1.50	1.9	0.9	481.0	8.5	28
2025014	Drill Core	3.13	537	0.132	0.13	<0.17	29.78	0.3	20.3	3.0	28	0.2	8.5	11.3	238	1.26	2.0	1.8	184.5	10.4	18
2025015	Drill Core	1.63	440	3.401	4.25	14.07	35.11	0.7	36.0	42.0	16	2.6	2.9	3.6	99	1.42	1.7	2.3	4071.5	8.5	21
2025016	Drill Core	1.54	511	0.178	0.18	0.21	28.04	0.6	20.2	4.0	23	0.1	9.8	16.8	614	1.42	1.3	1.3	115.7	9.2	32
2025017	Drill Core	2.43	527	0.054	0.05	<0.17	36.91	0.5	13.7	4.1	26	0.1	6.9	9.5	381	0.99	2.5	1.9	54.4	9.3	42
2025018	Drill Core	2.81	413	0.013	0.01	<0.17	30.95	0.6	14.1	3.2	25	0.2	7.7	3.9	154	1.42	3.4	2.6	16.2	8.8	42
2025019	Drill Core	3.31	385	0.040	0.04	<0.17	33.34	1.0	17.8	2.7	58	0.3	10.7	7.2	284	2.31	3.2	0.7	19.7	7.0	40
2025020	Rock Pulp	0.12	83	0.530				6.6	112.4	84.9	141	0.7	11.3	4.9	612	2.54	43.8	0.5	551.5	2.2	37
2025021	Drill Core	2.76	510	2.698	3.50	18.70	25.51	0.5	29.7	7.2	56	2.2	11.6	9.2	416	2.31	3.1	1.1	11163.3	7.6	47
2025022	Drill Core	1.57	466	0.865	1.94	16.36	32.33	2.8	26.5	3.0	90	0.7	18.1	16.7	681	2.15	2.1	3.0	1031.2	10.0	34
2025023	Drill Core	1.33	402	2.271	3.00	11.07	33.33	1.0	24.4	5.8	39	1.5	4.1	1.8	142	1.40	1.6	2.2	2725.8	11.8	40
2025024	Drill Core	2.69	449	1.649	2.27	9.29	36.29	1.3	19.0	4.9	37	1.2	3.2	1.3	67	1.70	4.0	3.4	2071.8	10.8	49
2025025	Drill Core	2.99	435	0.099	0.09	<0.17	34.27	3.3	21.1	50.3	10	3.6	2.6	1.4	68	2.12	5.2	1.3	102.3	8.0	33
2025026	Drill Core	3.02	452	0.019	0.03	<0.17	36.29	2.8	13.5	70.2	13	1.5	2.6	1.5	73	1.77	3.1	1.0	19.4	7.8	37
2025027	Drill Core	3.10	422	0.082	0.08	<0.17	33.67	1.4	14.3	14.0	23	0.5	6.7	5.1	61	2.18	2.1	3.1	88.5	8.6	28
2025028	Drill Core	3.50	410	0.011	0.01	<0.17	30.98	1.3	10.1	46.7	16	0.3	6.1	3.5	76	2.24	2.4	3.0	10.2	9.6	34
2025029	Drill Core	3.42	424	0.007	<0.01	<0.17	33.40	2.8	13.4	35.6	17	0.4	7.9	4.5	107	2.08	2.5	6.8	6.4	8.4	35
2025030	Drill Core	3.45	421	0.011	0.01	<0.17	29.96	1.6	11.9	70.1	16	0.4	3.3	1.4	129	1.45	3.0	4.1	7.8	8.5	62
2025031	Drill Core	3.77	515	0.006	<0.01	<0.17	31.64	1.8	8.9	25.9	11	0.3	4.4	2.6	41	1.97	2.8	2.9	4.0	9.1	37
2025032	Drill Core	3.13	417	0.006	<0.01	<0.17	23.14	1.1	9.9	5.9	16	0.2	3.6	1.9	88	1.69	1.9	2.9	3.3	7.6	33
2025033	Drill Core	1.85	367	0.120	0.18	0.85	29.36	0.7	18.6	3.6	40	0.3	5.1	3.1	118	1.63	2.2	3.1	174.4	10.3	20
2025034	Drill Core	1.51	435	0.427	0.49	1.33	29.33	3.0	18.2	50.4	40	1.1	4.4	2.2	85	1.68	2.2	1.8	456.1	7.6	33
2025035	Drill Core	2.04	533	3.099	13.43	215.69	25.88	1.8	8.2	207.3	18	4.7	7.3	3.9	63	3.30	1.8	1.1	16183.7	6.0	28
2025036	Drill Core	1.34	479	0.346	0.53	3.56	28.09	1.0	5.8	66.8	6	0.9	2.7	1.2	60	2.05	1.6	0.7	104.9	5.0	35
2025037	Drill Core	2.83	403	0.124	0.25	1.88	29.76	1.6	18.4	27.2	51	0.5	3.3	1.5	118	1.39	2.5	2.9	334.9	10.8	43
2025038	Drill Core	1.19	451	0.013	0.01	<0.17	28.60	1.5	18.8	45.0	48	0.6	5.4	3.0	149	2.06	2.6	1.4	12.5	8.0	56
2025039	Drill Core	2.97	372	0.196	0.20	0.29	27.91	0.6	18.1	6.1	25	0.3	4.6	3.5	130	1.75	1.8	2.2	113.2	9.3	46



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000042.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025010	Drill Core	1.3	1.7	<0.1	9	0.52	0.057	11	15	0.70	250	0.023	1	1.01	0.025	0.39	0.5	0.01	2.1	0.1	0.62
2025011	Drill Core	0.3	1.0	<0.1	10	0.74	0.064	11	14	0.88	206	0.017	<1	1.16	0.032	0.47	0.4	<0.01	2.1	0.2	0.63
2025012	Drill Core	0.1	1.7	<0.1	12	0.86	0.064	10	15	0.53	231	0.042	1	0.78	0.033	0.41	0.7	<0.01	1.9	0.2	0.58
2025013	Drill Core	0.3	1.3	0.1	7	0.71	0.048	12	12	0.38	237	0.023	<1	0.61	0.031	0.35	0.4	<0.01	1.7	<0.1	0.44
2025014	Drill Core	0.2	1.6	<0.1	7	0.29	0.051	17	11	0.21	321	0.025	<1	0.62	0.048	0.39	0.5	<0.01	2.0	<0.1	0.32
2025015	Drill Core	<0.1	1.5	0.3	6	0.12	0.049	13	13	0.15	357	0.016	2	0.41	0.047	0.30	0.4	<0.01	1.7	0.1	0.34
2025016	Drill Core	0.5	1.0	0.1	5	0.85	0.048	10	9	0.18	171	0.013	<1	0.45	0.034	0.30	0.3	<0.01	1.5	<0.1	0.82
2025017	Drill Core	0.3	1.0	<0.1	6	0.76	0.049	15	10	0.20	303	0.017	<1	0.54	0.041	0.35	0.4	<0.01	1.7	<0.1	0.29
2025018	Drill Core	0.1	1.1	<0.1	10	0.22	0.045	19	16	0.24	326	0.033	<1	0.59	0.055	0.33	0.5	<0.01	2.2	0.1	0.11
2025019	Drill Core	0.4	3.0	<0.1	16	0.49	0.059	13	20	0.36	228	0.073	<1	0.80	0.045	0.34	1.5	<0.01	3.0	0.1	0.61
2025020	Rock Pulp	0.7	3.1	0.1	29	0.85	0.038	7	26	0.51	89	0.087	4	1.16	0.094	0.11	4.7	0.15	3.1	0.2	0.10
2025021	Drill Core	0.6	3.9	<0.1	14	0.68	0.065	12	24	0.42	167	0.058	2	0.83	0.038	0.37	1.2	0.02	2.6	0.1	1.02
2025022	Drill Core	0.5	4.0	<0.1	10	0.14	0.056	16	39	0.61	346	0.031	<1	0.98	0.021	0.32	0.5	0.02	2.0	0.2	0.12
2025023	Drill Core	<0.1	4.5	<0.1	3	0.04	0.022	20	7	0.25	451	0.011	<1	0.63	0.039	0.25	0.2	<0.01	1.4	<0.1	0.13
2025024	Drill Core	<0.1	6.2	<0.1	7	0.02	0.041	23	10	0.17	496	0.017	1	0.67	0.051	0.44	0.3	<0.01	1.8	0.1	0.32
2025025	Drill Core	<0.1	5.1	0.1	4	0.03	0.029	14	9	0.04	136	0.007	<1	0.35	0.053	0.36	0.1	0.04	0.8	<0.1	0.76
2025026	Drill Core	<0.1	6.3	<0.1	3	0.01	0.021	12	13	0.04	156	0.009	<1	0.32	0.034	0.36	0.1	0.12	0.9	<0.1	0.65
2025027	Drill Core	<0.1	1.9	<0.1	5	0.19	0.032	13	7	0.04	48	0.011	<1	0.39	0.056	0.28	0.2	<0.01	1.0	<0.1	1.71
2025028	Drill Core	<0.1	2.1	<0.1	5	0.36	0.037	15	9	0.02	61	0.014	<1	0.34	0.069	0.25	0.2	0.01	1.0	<0.1	1.47
2025029	Drill Core	<0.1	2.9	0.2	5	0.40	0.041	12	9	0.07	68	0.018	<1	0.41	0.043	0.28	0.4	<0.01	1.2	<0.1	1.52
2025030	Drill Core	0.1	4.0	0.1	4	0.15	0.048	15	10	0.15	349	0.016	<1	0.56	0.025	0.36	0.3	0.01	1.1	0.1	0.44
2025031	Drill Core	<0.1	3.7	<0.1	5	0.03	0.044	19	8	0.03	95	0.019	<1	0.33	0.056	0.33	0.4	<0.01	1.3	0.1	1.32
2025032	Drill Core	<0.1	2.3	0.1	5	0.07	0.046	16	9	0.10	311	0.010	<1	0.44	0.056	0.32	0.3	<0.01	1.0	<0.1	0.50
2025033	Drill Core	<0.1	1.9	<0.1	5	0.06	0.055	17	10	0.17	543	0.008	<1	0.54	0.033	0.33	0.3	<0.01	1.6	<0.1	0.17
2025034	Drill Core	0.1	3.0	0.1	6	0.04	0.043	19	11	0.15	204	0.011	<1	0.47	0.054	0.28	0.2	0.02	1.6	<0.1	0.74
2025035	Drill Core	0.2	2.2	0.2	4	0.02	0.032	12	9	0.04	36	0.008	<1	0.30	0.057	0.28	0.3	0.29	1.2	<0.1	2.71
2025036	Drill Core	<0.1	1.1	0.1	3	<0.01	0.028	12	7	0.04	125	0.005	<1	0.27	0.086	0.31	0.2	0.01	0.6	<0.1	0.98
2025037	Drill Core	0.4	2.0	0.5	3	0.04	0.036	18	11	0.26	553	0.008	<1	0.58	0.029	0.30	0.2	<0.01	1.3	<0.1	0.19
2025038	Drill Core	0.1	2.2	0.3	6	0.06	0.056	17	19	0.28	704	0.013	<1	0.56	0.048	0.28	0.2	<0.01	1.4	<0.1	0.23
2025039	Drill Core	0.1	1.9	<0.1	8	0.09	0.066	21	12	0.21	619	0.022	<1	0.58	0.053	0.45	0.4	<0.01	2.0	0.1	0.22



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000042.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025010	Drill Core	3	0.6	<0.2
2025011	Drill Core	3	0.6	<0.2
2025012	Drill Core	3	<0.5	<0.2
2025013	Drill Core	2	0.6	<0.2
2025014	Drill Core	2	<0.5	<0.2
2025015	Drill Core	2	<0.5	1.0
2025016	Drill Core	2	<0.5	<0.2
2025017	Drill Core	2	<0.5	<0.2
2025018	Drill Core	3	<0.5	<0.2
2025019	Drill Core	3	<0.5	<0.2
2025020	Rock Pulp	4	<0.5	<0.2
2025021	Drill Core	3	<0.5	0.4
2025022	Drill Core	3	<0.5	0.3
2025023	Drill Core	2	<0.5	0.6
2025024	Drill Core	3	<0.5	0.3
2025025	Drill Core	2	<0.5	<0.2
2025026	Drill Core	2	<0.5	<0.2
2025027	Drill Core	2	<0.5	<0.2
2025028	Drill Core	1	<0.5	<0.2
2025029	Drill Core	1	<0.5	<0.2
2025030	Drill Core	2	<0.5	<0.2
2025031	Drill Core	2	<0.5	<0.2
2025032	Drill Core	2	<0.5	<0.2
2025033	Drill Core	2	<0.5	<0.2
2025034	Drill Core	2	<0.5	0.4
2025035	Drill Core	2	<0.5	1.0
2025036	Drill Core	1	<0.5	0.2
2025037	Drill Core	2	<0.5	<0.2
2025038	Drill Core	2	<0.5	<0.2
2025039	Drill Core	2	0.6	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000042.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025040	Rock Pulp	0.12	84	<0.005				3.8	19.8	1.0	31	<0.1	6.8	4.0	574	2.40	1.7	0.4	0.6	2.3	35
2025041	Drill Core	3.10	397	1.526	1.97	7.60	28.67	0.9	19.9	4.1	39	1.0	9.8	9.5	756	1.78	2.9	1.6	2671.9	7.3	53
2025042	Drill Core	2.95	412	2.301	4.03	23.12	34.25	0.4	27.9	3.0	40	2.2	11.0	8.9	578	1.77	6.2	1.1	11338.6	8.4	50
2025043	Drill Core	3.29	365	1.030	1.20	2.74	36.91	0.4	16.6	3.5	45	0.6	8.9	7.1	599	2.09	5.0	0.5	1151.3	7.9	40
2025044	Drill Core	2.22	531	1.154	1.25	2.66	34.23	0.4	24.6	3.0	48	0.5	10.4	8.0	639	2.50	5.4	0.5	1013.5	8.5	28
2025045	Drill Core	2.61	514	0.615	1.33	11.47	33.83	0.3	14.7	2.9	85	0.5	16.6	13.3	1352	1.95	2.7	0.5	652.8	7.7	20
2025046	Drill Core	3.18	485	0.010	<0.01	<0.17	26.46	2.3	29.8	70.1	104	0.8	13.1	10.8	914	1.76	4.7	2.6	6.1	8.6	43
2025047	Drill Core	3.60	494	0.007	<0.01	<0.17	35.37	1.7	23.7	36.5	70	0.4	7.8	3.7	208	2.02	3.0	2.9	3.0	8.5	36
2025048	Drill Core	3.31	474	0.014	0.01	<0.17	30.05	2.8	17.9	79.7	48	0.5	8.2	6.5	264	2.01	2.2	1.2	13.0	7.7	41
2025049	Drill Core	2.96	455	0.015	0.01	<0.17	33.80	1.5	23.3	10.0	52	0.5	13.7	13.3	975	2.04	2.7	0.6	11.5	8.6	15
2025050	Drill Core	3.05	460	0.016	0.02	<0.17	33.56	0.4	24.6	3.1	36	0.5	10.6	8.5	668	1.48	1.6	0.6	11.1	9.2	18
2025051	Drill Core	2.90	524	0.010	<0.01	<0.17	36.98	3.5	35.4	52.8	37	1.0	9.3	8.4	420	3.07	4.2	1.8	8.1	9.9	45
2025052	Drill Core	3.06	350	<0.005	<0.01	<0.17	21.39	0.8	13.5	8.3	78	0.3	13.3	9.8	649	1.69	2.5	1.3	0.7	10.7	34
2025053	Drill Core	3.17	382	<0.005	<0.01	<0.17	31.69	2.4	12.5	31.3	61	0.3	8.8	6.3	295	1.72	2.2	1.5	3.2	9.9	45
2025054	Drill Core	3.22	419	0.006	<0.01	<0.17	35.45	1.5	14.8	17.1	69	0.3	10.8	8.7	651	1.77	2.8	0.9	1.4	10.0	91
2025055	Drill Core	2.97	522	0.009	<0.01	<0.17	33.52	0.9	11.3	10.0	61	0.2	9.7	6.6	609	1.59	2.5	0.8	8.6	10.6	28
2025056	Drill Core	3.01	435	0.007	<0.01	<0.17	22.21	1.0	12.1	8.0	55	0.2	11.3	9.5	645	1.62	1.3	1.0	0.9	10.6	20
2025057	Drill Core	3.13	421	0.009	<0.01	<0.17	36.85	1.9	12.3	17.3	65	0.2	9.5	6.8	344	1.58	2.0	2.6	0.6	9.9	41
2025058	Drill Core	2.83	402	0.005	<0.01	<0.17	27.85	1.3	11.9	10.8	28	0.1	4.2	4.6	181	1.51	1.2	1.1	<0.5	11.8	28
2025059	Drill Core	2.95	467	0.006	<0.01	<0.17	28.56	0.9	10.0	11.0	45	0.2	7.6	6.1	271	1.38	1.9	1.2	<0.5	10.5	30
2025060	Core DUP		515	<0.005	<0.01	<0.17	26.03	0.9	8.9	9.3	39	0.1	7.3	5.9	249	1.28	1.4	1.0	<0.5	9.5	27
2025061	Drill Core	3.88	431	0.032	0.03	<0.17	30.53	0.7	11.2	11.9	75	0.2	14.6	10.5	768	1.43	29.1	1.3	30.5	10.7	29
2025062	Drill Core	1.42	449	0.838	0.93	2.08	35.05	0.5	16.0	10.7	53	1.0	8.4	8.4	359	1.47	6.4	1.1	3395.5	9.0	11
2025063	Drill Core	2.05	396	1.292	1.70	6.26	32.93	0.5	19.7	7.5	51	0.9	8.8	7.5	298	1.54	8.3	2.0	2119.6	9.0	23
2025064	Drill Core	2.87	396	0.090	0.08	<0.17	30.00	1.4	11.3	16.6	17	0.2	3.1	2.4	73	1.36	2.4	2.7	6.1	8.4	22
2025065	Drill Core	3.08	366	0.098	0.09	<0.17	27.34	0.8	8.9	11.7	22	0.3	4.6	1.9	126	1.29	2.9	2.8	144.3	10.4	32
2025066	Drill Core	3.20	457	1.356	3.23	27.95	32.24	0.9	15.2	3.4	62	1.4	11.7	5.7	225	1.88	5.3	2.6	11027.8	8.6	47
2025067	Drill Core	2.53	437	0.510	0.51	0.50	29.77	0.9	26.0	3.0	126	0.7	11.8	8.6	315	1.76	8.8	4.8	713.9	9.1	28
2025068	Drill Core	3.29	400	0.026	0.02	<0.17	30.75	0.6	24.8	6.0	66	0.7	4.7	1.6	94	1.68	22.3	5.1	27.9	10.1	20
2025069	Drill Core	2.79	359	0.009	<0.01	<0.17	37.50	2.3	10.4	16.4	18	0.4	1.7	0.7	64	2.00	2.8	2.8	3.1	9.5	43



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000042.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025040	Rock Pulp	<0.1	0.2	<0.1	23	0.77	0.035	6	14	0.49	59	0.079	<1	1.04	0.080	0.09	0.2	<0.01	3.1	<0.1	0.05
2025041	Drill Core	0.9	1.5	<0.1	7	0.12	0.058	16	15	0.29	1459	0.023	1	0.59	0.040	0.32	0.4	<0.01	1.9	0.1	0.12
2025042	Drill Core	0.3	1.8	<0.1	9	0.99	0.068	14	13	0.54	580	0.037	<1	0.74	0.037	0.43	0.5	<0.01	2.5	0.1	0.29
2025043	Drill Core	0.3	1.4	<0.1	16	1.20	0.065	16	15	0.61	360	0.049	<1	0.96	0.039	0.57	0.5	<0.01	3.5	0.2	0.23
2025044	Drill Core	0.5	1.8	<0.1	20	0.84	0.068	15	19	0.64	215	0.070	<1	0.88	0.033	0.49	0.7	<0.01	3.5	0.2	0.14
2025045	Drill Core	1.6	1.6	<0.1	13	0.37	0.064	16	17	0.61	230	0.053	<1	0.89	0.036	0.38	0.7	<0.01	2.6	0.2	<0.05
2025046	Drill Core	1.7	2.0	0.2	9	0.21	0.055	17	20	0.45	299	0.039	<1	0.86	0.033	0.36	0.5	<0.01	1.9	0.1	0.12
2025047	Drill Core	0.3	2.4	<0.1	9	0.21	0.066	17	17	0.38	332	0.050	<1	0.81	0.025	0.28	0.5	<0.01	1.9	<0.1	0.05
2025048	Drill Core	0.2	2.0	<0.1	7	0.09	0.062	14	12	0.26	581	0.026	2	0.55	0.038	0.32	0.3	<0.01	1.3	0.1	0.27
2025049	Drill Core	1.0	1.4	<0.1	9	0.23	0.075	21	12	0.44	309	0.024	3	0.82	0.022	0.43	0.4	<0.01	2.1	0.1	0.10
2025050	Drill Core	0.4	0.8	<0.1	5	0.59	0.054	17	8	0.27	270	0.014	3	0.52	0.010	0.30	0.2	<0.01	1.4	0.1	0.20
2025051	Drill Core	0.3	2.4	0.2	8	0.09	0.070	17	21	0.30	557	0.019	1	0.59	0.024	0.34	0.4	<0.01	1.8	0.1	0.26
2025052	Drill Core	0.8	1.0	<0.1	8	0.15	0.054	25	15	0.49	450	0.015	3	0.95	0.050	0.39	0.2	<0.01	2.0	0.1	0.08
2025053	Drill Core	0.1	0.9	0.3	8	0.19	0.049	19	18	0.54	298	0.028	2	0.86	0.054	0.31	0.2	<0.01	2.1	0.1	0.17
2025054	Drill Core	0.5	1.0	0.1	8	0.30	0.054	18	20	0.64	1035	0.018	2	0.87	0.039	0.31	0.2	<0.01	2.0	0.1	0.11
2025055	Drill Core	0.4	0.9	<0.1	9	0.52	0.056	21	15	0.64	285	0.015	2	0.99	0.044	0.38	0.2	<0.01	2.3	0.1	0.06
2025056	Drill Core	0.3	0.9	0.1	6	0.27	0.050	16	14	0.56	223	0.018	2	0.79	0.037	0.33	0.3	<0.01	1.8	0.1	0.17
2025057	Drill Core	0.2	1.2	0.2	8	0.23	0.049	20	18	0.55	229	0.028	2	0.86	0.040	0.31	0.3	<0.01	1.8	0.1	0.06
2025058	Drill Core	0.1	1.2	<0.1	5	0.09	0.048	23	9	0.21	559	0.010	2	0.62	0.044	0.41	0.3	<0.01	1.6	0.1	0.13
2025059	Drill Core	0.2	1.1	<0.1	6	0.23	0.053	20	14	0.36	600	0.022	2	0.69	0.039	0.32	0.3	<0.01	1.6	<0.1	0.10
2025060	Core DUP	0.1	0.9	<0.1	5	0.22	0.045	18	13	0.33	590	0.020	2	0.63	0.035	0.30	0.3	<0.01	1.5	<0.1	0.10
2025061	Drill Core	1.2	0.7	<0.1	7	0.33	0.051	21	16	0.50	449	0.030	1	0.86	0.049	0.36	0.5	<0.01	1.7	0.2	0.16
2025062	Drill Core	0.6	0.6	<0.1	6	0.23	0.047	17	12	0.36	233	0.017	1	0.65	0.043	0.31	0.5	0.01	1.4	0.1	0.10
2025063	Drill Core	0.4	0.9	<0.1	6	0.29	0.086	20	13	0.36	268	0.015	1	0.76	0.042	0.33	0.4	0.02	1.9	0.1	0.08
2025064	Drill Core	<0.1	1.5	<0.1	5	0.07	0.054	16	8	0.07	654	0.006	<1	0.43	0.047	0.35	0.2	0.01	1.2	0.2	0.24
2025065	Drill Core	<0.1	1.2	0.1	6	0.15	0.052	19	13	0.19	366	0.023	2	0.55	0.048	0.29	0.5	<0.01	1.9	0.1	0.11
2025066	Drill Core	0.2	1.5	<0.1	12	0.28	0.070	17	26	0.36	280	0.049	2	0.90	0.040	0.30	0.9	0.01	2.7	0.1	0.13
2025067	Drill Core	0.7	1.7	<0.1	10	0.18	0.046	22	20	0.48	314	0.014	2	1.15	0.022	0.32	0.7	<0.01	2.5	<0.1	<0.05
2025068	Drill Core	0.5	1.9	0.1	6	0.07	0.048	22	11	0.17	364	0.005	<1	0.82	0.024	0.27	3.3	<0.01	1.8	<0.1	<0.05
2025069	Drill Core	0.1	0.7	0.2	4	<0.01	0.044	21	8	0.04	695	0.003	2	0.40	0.049	0.35	0.2	0.01	0.9	<0.1	0.23



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000042.1

	Method	AQ201	AQ201	AQ201
	Analyte	Ga	Se	Te
	Unit	ppm	ppm	ppm
	MDL	1	0.5	0.2
2025040	Rock Pulp	4	<0.5	<0.2
2025041	Drill Core	2	<0.5	0.2
2025042	Drill Core	3	<0.5	0.4
2025043	Drill Core	3	<0.5	<0.2
2025044	Drill Core	3	<0.5	<0.2
2025045	Drill Core	3	<0.5	<0.2
2025046	Drill Core	3	<0.5	<0.2
2025047	Drill Core	3	<0.5	<0.2
2025048	Drill Core	2	<0.5	<0.2
2025049	Drill Core	2	<0.5	<0.2
2025050	Drill Core	1	<0.5	<0.2
2025051	Drill Core	2	<0.5	<0.2
2025052	Drill Core	3	<0.5	<0.2
2025053	Drill Core	3	<0.5	<0.2
2025054	Drill Core	3	<0.5	<0.2
2025055	Drill Core	3	<0.5	<0.2
2025056	Drill Core	2	<0.5	<0.2
2025057	Drill Core	3	<0.5	<0.2
2025058	Drill Core	2	<0.5	<0.2
2025059	Drill Core	2	<0.5	<0.2
2025060	Core DUP	2	<0.5	<0.2
2025061	Drill Core	3	<0.5	<0.2
2025062	Drill Core	2	<0.5	<0.2
2025063	Drill Core	2	<0.5	<0.2
2025064	Drill Core	2	<0.5	<0.2
2025065	Drill Core	2	<0.5	<0.2
2025066	Drill Core	3	<0.5	<0.2
2025067	Drill Core	3	<0.5	<0.2
2025068	Drill Core	3	<0.5	<0.2
2025069	Drill Core	2	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000042.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025070	Drill Core	2.80	494	0.021	0.02	<0.17	31.09	2.4	19.9	150.0	32	1.4	2.1	0.9	55	2.02	14.6	2.3	14.9	8.0	49
2025071	Drill Core	2.79	439	0.026	0.03	<0.17	35.11	1.7	6.2	89.4	6	2.4	1.1	0.3	71	1.32	6.5	0.5	18.8	5.4	42
2025072	Drill Core	3.48	378	0.041	0.04	<0.17	35.11	2.5	29.8	93.9	35	3.1	2.0	0.8	51	3.81	9.2	3.6	24.9	15.5	55
2025073	Drill Core	2.16	428	0.055	0.05	<0.17	27.19	7.1	24.3	82.0	26	1.0	3.9	2.0	78	3.10	9.3	3.1	59.4	11.2	41
2025074	Drill Core	3.01	447	0.013	0.01	<0.17	31.54	1.5	5.4	5.4	6	0.7	1.3	0.5	70	1.50	0.9	0.4	8.1	3.7	20
2025075	Drill Core	3.12	458	0.010	<0.01	<0.17	30.73	1.8	4.1	4.5	6	0.4	0.6	0.3	44	1.78	2.4	0.6	5.2	10.9	31
2025076	Drill Core	1.61	364	0.041	0.04	<0.17	25.65	1.8	3.2	7.4	5	0.4	1.0	0.2	62	1.64	1.4	0.8	27.4	10.7	30
2025077	Drill Core	1.54	412	0.236	0.22	<0.17	28.95	2.9	2.5	177.2	5	2.1	1.0	0.3	76	1.99	1.6	1.0	219.8	10.6	33



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000042.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025070	Drill Core	0.1	2.6	<0.1	4	<0.01	0.047	20	7	0.04	506	0.002	1	0.41	0.051	0.33	0.2	0.02	0.8	<0.1	0.25
2025071	Drill Core	<0.1	2.8	0.1	3	<0.01	0.025	12	8	0.03	687	0.002	1	0.30	0.053	0.27	0.1	0.07	0.7	<0.1	0.23
2025072	Drill Core	0.2	21.0	<0.1	5	<0.01	0.086	17	13	0.03	304	0.002	1	0.37	0.101	0.32	0.1	0.03	1.1	<0.1	0.52
2025073	Drill Core	<0.1	3.6	<0.1	6	0.02	0.059	13	44	0.05	211	0.007	1	0.30	0.071	0.33	0.2	0.04	1.1	<0.1	0.51
2025074	Drill Core	<0.1	0.5	<0.1	3	0.01	0.007	13	8	0.03	259	0.003	1	0.27	0.085	0.28	0.1	0.01	0.7	<0.1	0.54
2025075	Drill Core	<0.1	0.7	<0.1	3	<0.01	0.026	17	6	0.02	236	0.003	<1	0.27	0.133	0.28	<0.1	<0.01	0.6	<0.1	0.48
2025076	Drill Core	<0.1	0.6	<0.1	3	<0.01	0.027	16	8	0.02	294	0.005	<1	0.23	0.107	0.27	0.1	<0.01	0.6	<0.1	0.43
2025077	Drill Core	<0.1	1.2	0.5	3	<0.01	0.040	16	9	0.01	267	0.005	<1	0.20	0.172	0.19	0.1	0.05	0.6	<0.1	0.52



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000042.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025070	Drill Core	1	<0.5	<0.2
2025071	Drill Core	1	<0.5	<0.2
2025072	Drill Core	2	<0.5	<0.2
2025073	Drill Core	3	<0.5	<0.2
2025074	Drill Core	1	<0.5	<0.2
2025075	Drill Core	2	<0.5	<0.2
2025076	Drill Core	1	<0.5	<0.2
2025077	Drill Core	2	<0.5	0.7



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 01, 2020

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI20000042.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2024987	Drill Core	3.08	403	0.009	<0.01	<0.17	36.49	0.5	10.5	2.6	34	0.1	4.9	2.5	221	1.64	2.1	1.8	8.2	10.2	42
REP 2024987	QC	0.008																			
2024991	Drill Core	3.56	466	0.068	0.07	<0.17	29.22	0.9	10.0	9.9	19	0.2	2.3	1.6	93	1.62	2.0	1.5	58.7	8.6	39
REP 2024991	QC	1.1 10.3 10.3 20 0.2 2.5 1.8 94 1.62 2.0 1.6 52.2 9.2 41																			
2025025	Drill Core	2.99	435	0.099	0.09	<0.17	34.27	3.3	21.1	50.3	10	3.6	2.6	1.4	68	2.12	5.2	1.3	102.3	8.0	33
REP 2025025	QC	3.4 22.6 51.8 11 3.7 2.7 1.4 73 2.09 5.8 1.4 221.1 8.7 34																			
2025050	Drill Core	3.05	460	0.016	0.02	<0.17	33.56	0.4	24.6	3.1	36	0.5	10.6	8.5	668	1.48	1.6	0.6	11.1	9.2	18
REP 2025050	QC	0.014																			
2025058	Drill Core	2.83	402	0.005	<0.01	<0.17	27.85	1.3	11.9	10.8	28	0.1	4.2	4.6	181	1.51	1.2	1.1	<0.5	11.8	28
REP 2025058	QC	1.3 11.7 10.8 28 0.1 4.2 4.6 183 1.52 1.4 1.1 <0.5 11.5 29																			
Core Reject Duplicates																					
2025002	Drill Core	3.14	537	0.187	0.23	1.01	27.86	0.8	14.2	3.8	39	0.3	3.8	1.5	153	1.67	5.0	1.3	262.9	9.5	42
DUP 2025002	QC	503 0.496 0.52 1.02 24.50 0.6 14.0 4.0 40 0.4 3.5 1.4 143 1.59 5.1 1.3 333.9 9.6 43																			
2025036	Drill Core	1.34	479	0.346	0.53	3.56	28.09	1.0	5.8	66.8	6	0.9	2.7	1.2	60	2.05	1.6	0.7	104.9	5.0	35
DUP 2025036	QC	388 0.177 0.41 3.82 24.90 1.1 5.3 67.6 7 0.9 2.3 1.0 49 2.00 1.6 0.7 286.4 5.1 34																			
2025070	Drill Core	2.80	494	0.021	0.02	<0.17	31.09	2.4	19.9	150.0	32	1.4	2.1	0.9	55	2.02	14.6	2.3	14.9	8.0	49
DUP 2025070	QC	440 0.016 0.01 <0.17 34.47 2.7 19.8 161.2 31 1.4 2.3 0.9 64 2.24 13.5 2.3 8.7 8.1 51																			
Reference Materials																					
STD BVGEO01	Standard	11.1 4505.4 187.4 1743 2.7 162.9 25.5 721 3.75 128.2 4.1 219.5 15.5 65																			
STD DS11	Standard	14.8 141.1 131.4 340 1.8 78.9 13.5 1028 3.09 45.0 2.4 100.7 7.4 67																			
STD DS11	Standard	14.4 146.1 140.5 351 1.8 79.4 13.9 1035 3.16 47.2 2.7 87.6 8.1 69																			
STD OREAS262	Standard	0.7 109.0 53.0 147 0.5 63.2 26.9 548 3.24 37.1 1.1 61.7 8.4 35																			
STD OREAS262	Standard	0.7 115.6 57.1 161 0.5 64.3 28.0 540 3.36 38.9 1.3 62.9 9.8 39																			
STD OREAS262	Standard	0.6 111.3 58.1 150 0.5 62.6 26.9 533 3.24 38.6 1.3 57.7 9.9 39																			
STD OXB130	Standard	0.118																			
STD OXB130	Standard	0.122																			
STD OXB130	Standard	0.130																			
STD OXG141	Standard	0.518																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000042.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2024987	Drill Core	<0.1	0.5	<0.1	10	0.18	0.054	16	18	0.34	451	0.048	1	0.70	0.053	0.41	0.7	<0.01	3.0	0.2	0.18
REP 2024987	QC																				
2024991	Drill Core	<0.1	0.7	<0.1	6	0.07	0.044	14	11	0.12	452	0.016	1	0.42	0.056	0.35	0.3	<0.01	2.2	<0.1	0.29
REP 2024991	QC	<0.1	0.7	<0.1	6	0.07	0.046	14	10	0.13	631	0.017	<1	0.43	0.059	0.35	0.3	<0.01	2.2	0.1	0.29
2025025	Drill Core	<0.1	5.1	0.1	4	0.03	0.029	14	9	0.04	136	0.007	<1	0.35	0.053	0.36	0.1	0.04	0.8	<0.1	0.76
REP 2025025	QC	<0.1	5.1	0.1	4	0.03	0.031	15	10	0.04	139	0.008	<1	0.36	0.053	0.37	0.1	0.05	0.9	<0.1	0.75
2025050	Drill Core	0.4	0.8	<0.1	5	0.59	0.054	17	8	0.27	270	0.014	3	0.52	0.010	0.30	0.2	<0.01	1.4	0.1	0.20
REP 2025050	QC																				
2025058	Drill Core	0.1	1.2	<0.1	5	0.09	0.048	23	9	0.21	559	0.010	2	0.62	0.044	0.41	0.3	<0.01	1.6	0.1	0.13
REP 2025058	QC	<0.1	1.1	<0.1	6	0.09	0.049	22	9	0.20	570	0.010	2	0.63	0.045	0.41	0.2	<0.01	1.7	0.1	0.13
Core Reject Duplicates																					
2025002	Drill Core	<0.1	1.6	0.1	10	0.17	0.052	22	17	0.32	190	0.071	<1	0.70	0.054	0.24	1.2	<0.01	2.3	<0.1	0.14
DUP 2025002	QC	<0.1	1.6	<0.1	11	0.18	0.052	24	17	0.34	222	0.071	<1	0.78	0.060	0.29	1.4	<0.01	2.6	<0.1	0.13
2025036	Drill Core	<0.1	1.1	0.1	3	<0.01	0.028	12	7	0.04	125	0.005	<1	0.27	0.086	0.31	0.2	0.01	0.6	<0.1	0.98
DUP 2025036	QC	<0.1	1.0	<0.1	3	<0.01	0.027	13	6	0.05	133	0.005	<1	0.35	0.089	0.37	0.2	<0.01	0.7	<0.1	0.95
2025070	Drill Core	0.1	2.6	<0.1	4	<0.01	0.047	20	7	0.04	506	0.002	1	0.41	0.051	0.33	0.2	0.02	0.8	<0.1	0.25
DUP 2025070	QC	0.2	2.7	<0.1	4	<0.01	0.049	18	8	0.04	588	0.002	<1	0.37	0.050	0.31	0.2	0.02	0.9	<0.1	0.25
Reference Materials																					
STD BVGE001	Standard	6.8	3.7	28.7	75	1.35	0.075	29	205	1.35	280	0.254	4	2.41	0.209	0.92	5.2	0.10	6.4	0.6	0.70
STD DS11	Standard	2.7	8.8	11.1	49	1.06	0.070	18	60	0.85	394	0.091	8	1.16	0.074	0.40	3.0	0.27	3.3	4.8	0.29
STD DS11	Standard	2.7	9.6	13.3	50	1.06	0.078	20	65	0.85	377	0.097	7	1.17	0.074	0.40	3.2	0.28	3.5	5.1	0.28
STD OREAS262	Standard	0.7	4.8	1.0	22	2.91	0.040	15	43	1.21	256	0.003	3	1.31	0.069	0.30	0.2	0.15	3.2	0.5	0.27
STD OREAS262	Standard	0.8	5.0	1.1	23	2.88	0.043	19	46	1.21	261	0.003	4	1.36	0.072	0.32	0.2	0.16	3.7	0.4	0.27
STD OREAS262	Standard	0.7	5.1	1.2	23	2.88	0.039	18	46	1.18	244	0.003	2	1.39	0.070	0.32	0.2	0.19	3.5	0.5	0.26
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000042.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2024987	Drill Core	3	<0.5	<0.2
REP 2024987	QC			
2024991	Drill Core	2	<0.5	<0.2
REP 2024991	QC	2	<0.5	<0.2
2025025	Drill Core	2	<0.5	<0.2
REP 2025025	QC	2	<0.5	<0.2
2025050	Drill Core	1	<0.5	<0.2
REP 2025050	QC			
2025058	Drill Core	2	<0.5	<0.2
REP 2025058	QC	2	<0.5	<0.2
Core Reject Duplicates				
2025002	Drill Core	3	0.6	<0.2
DUP 2025002	QC	4	<0.5	<0.2
2025036	Drill Core	1	<0.5	0.2
DUP 2025036	QC	1	<0.5	0.2
2025070	Drill Core	1	<0.5	<0.2
DUP 2025070	QC	1	<0.5	<0.2
Reference Materials				
STD BVGEO01	Standard	8	5.6	1.0
STD DS11	Standard	5	1.8	4.7
STD DS11	Standard	5	2.3	5.0
STD OREAS262	Standard	4	0.6	<0.2
STD OREAS262	Standard	4	<0.5	0.3
STD OREAS262	Standard	4	0.6	0.2
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000042.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXG141	Standard			0.905																	
STD OXG141	Standard			0.917																	
STD OXN155	Standard			7.730																	
STD OXN155	Standard			7.799																	
STD OXN155	Standard			7.774																	
STD OXQ90	Standard					24.92	30.26														
STD OXQ90	Standard					24.95	30.14														
STD OXQ90	Standard					25.11	30.67														
STD OXQ90	Standard					24.97	29.64														
STD OXQ90	Standard					25.08	29.58														
STD OXQ90	Standard					25.41	29.83														
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.008																	



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: July 01, 2020

Part: 2 of 3

WHI20000042.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000042.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD DS11 Expected		5.1	2.2	4.56
STD BVGEO01 Expected		7.37	4.84	1.02
STD OREAS262 Expected		4.1	0.4	0.23
STD OXQ90 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000042.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank	0.007																			
Prep Wash																					
ROCK-WHI	Prep Blank	440	<0.005	<0.01	<0.17	21.60	1.1	5.2	2.1	29	<0.1	0.8	3.6	522	1.90	0.9	0.4	2.0	1.9	23	
ROCK-WHI	Prep Blank	445	<0.005	<0.01	<0.17	38.69	1.1	3.1	1.4	31	<0.1	1.2	3.5	554	2.03	0.8	0.4	<0.5	1.9	24	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000042.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.63	0.039	6	4	0.44	58	0.068	3	0.88	0.104	0.10	<0.1	<0.01	2.6	<0.1
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.71	0.040	7	4	0.44	61	0.070	2	0.89	0.104	0.11	<0.1	<0.01	2.7	<0.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 01, 2020

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000042.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2