



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 15, 2020
Analysis Start: June 25, 2020
Report Date: July 02, 2020
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI20000048.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-07
P.O. Number
Number of Samples: 80

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	78	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			VAN
SLBHP	2	Sort, label and box pulps			WHI
FS631	80	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	80	Analysis sample split/packet			VAN
Split -150	80	Analysis sample split/packet			VAN
EN002	80	Environmental disposal charge-Fire assay lead waste			VAN
FS631	78	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	80	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	80	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 02, 2020

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000048.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025502	Drill Core	2.40	479	0.295	0.40	1.88	32.98	1.3	22.6	11.3	134	0.9	19.5	13.3	988	2.38	2.0	1.5	366.7	7.2	22
2025503	Drill Core	3.27	433	3.348	4.07	12.28	35.19	0.9	17.7	5.7	60	1.7	7.4	2.9	239	2.22	3.5	1.3	3864.9	8.9	32
2025504	Drill Core	3.00	434	0.062	0.06	<0.17	35.14	1.0	18.0	7.5	72	0.2	10.7	6.5	256	2.01	3.2	1.2	49.5	7.9	19
2025505	Drill Core	3.19	517	0.008	<0.01	<0.17	35.45	2.8	13.6	23.2	62	0.2	6.5	4.1	174	1.99	1.6	2.4	4.6	9.4	37
2025506	Drill Core	2.01	500	0.010	<0.01	<0.17	29.53	0.9	17.0	9.1	60	0.2	8.5	5.6	253	1.62	1.6	1.8	5.0	8.6	17
2025507	Drill Core	3.24	464	0.525	0.65	2.34	30.73	0.4	16.5	7.4	48	0.5	6.0	4.5	179	1.63	1.4	2.0	457.9	7.7	28
2025508	Drill Core	3.37	510	3.767	5.18	24.18	35.28	0.6	29.7	7.2	64	1.5	7.4	5.9	301	1.96	1.9	2.0	4340.5	8.5	26
2025509	Drill Core	2.13	444	0.057	0.07	0.27	32.79	1.3	23.0	6.2	74	0.2	9.0	5.5	269	2.11	1.7	1.3	62.7	7.7	25
2025510	Drill Core	3.10	543	0.017	0.02	<0.17	33.01	0.5	19.9	4.8	54	0.2	8.5	5.8	156	1.85	1.4	0.6	11.1	8.2	25
2025511	Drill Core	2.92	517	0.044	0.04	<0.17	33.92	0.6	21.4	4.6	72	0.2	10.1	6.7	190	2.29	1.7	1.4	34.3	6.9	27
2025512	Drill Core	2.72	491	0.358	0.40	0.94	37.19	0.5	21.4	9.4	86	0.4	15.2	19.8	839	2.00	1.9	2.0	672.5	6.9	33
2025513	Drill Core	3.02	453	0.088	0.08	<0.17	33.85	0.3	11.1	8.2	31	0.2	3.6	2.5	96	1.56	1.3	0.9	101.0	7.2	41
2025514	Drill Core	3.50	532	1.808	2.25	9.84	29.28	0.5	14.8	6.2	48	1.3	2.9	2.0	100	2.01	2.6	1.7	2336.1	7.7	38
2025515	Drill Core	2.96	405	0.073	0.07	<0.17	33.44	3.0	12.6	12.2	49	0.2	4.0	2.0	112	1.35	1.3	2.0	57.9	7.6	49
2025516	Drill Core	3.21	420	0.135	0.15	0.39	30.52	0.5	14.6	7.1	29	0.2	3.5	2.1	120	2.38	8.2	1.8	143.3	8.8	66
2025517	Drill Core	3.10	536	0.422	0.51	1.76	33.47	0.3	12.5	8.2	35	0.3	2.7	2.5	156	1.55	11.9	1.9	327.8	7.2	33
2025518	Drill Core	3.26	439	1.897	4.00	28.86	34.23	0.2	15.2	6.3	41	2.1	2.8	1.2	119	1.71	9.9	2.0	3277.5	7.6	36
2025519	Drill Core	2.64	475	0.600	0.67	1.53	37.89	0.5	11.6	11.0	25	0.5	1.7	0.6	74	2.10	5.9	1.7	757.7	7.3	34
2025520	Rock Pulp	0.14	86	0.609				6.2	116.7	86.3	142	0.7	11.9	4.9	632	2.62	41.9	0.4	617.4	2.2	35
2025521	Drill Core	3.44	518	1.923	2.64	14.11	30.69	0.4	33.6	31.1	59	1.8	4.3	2.4	217	2.08	7.6	3.0	4549.1	7.8	37
2025522	Drill Core	2.16	437	0.065	0.07	<0.17	26.61	0.3	19.4	8.8	64	0.4	6.9	3.4	155	1.41	3.8	1.8	27.5	7.9	36
2025523	Drill Core	3.69	481	0.341	0.49	2.82	29.76	0.4	23.2	9.7	117	0.6	7.4	3.2	188	1.71	2.7	1.6	530.1	7.9	30
2025524	Drill Core	3.20	496	0.036	0.03	<0.17	35.67	1.5	47.0	252.4	153	0.7	3.6	3.1	152	1.74	12.1	3.0	39.0	8.5	30
2025525	Drill Core	3.03	472	0.024	0.02	<0.17	32.71	0.5	17.3	33.8	99	0.3	2.5	1.8	114	1.40	13.1	2.0	18.6	8.6	25
2025526	Drill Core	2.98	524	0.280	1.22	16.62	30.08	0.7	22.0	200.7	74	0.7	2.1	1.4	122	1.61	2.8	1.7	1835.0	8.6	42
2025527	Drill Core	1.58	537	0.397	0.41	0.76	23.83	0.6	80.2	3153.7	150	2.3	2.5	3.9	209	2.21	15.8	3.2	163.7	5.6	73
2025528	Drill Core	2.98	512	0.038	0.04	<0.17	32.34	0.7	72.0	894.5	342	0.7	10.2	7.3	558	2.70	17.8	3.5	40.3	6.6	33
2025529	Drill Core	2.81	476	0.023	0.02	<0.17	35.84	1.1	32.6	41.7	238	0.4	9.1	4.3	329	2.09	2.3	1.8	20.5	8.8	21
2025530	Drill Core	3.54	376	0.076	0.08	<0.17	25.45	1.6	34.3	154.7	256	0.5	9.0	7.2	473	2.51	5.4	2.4	99.3	7.6	25
2025531	Drill Core	2.81	416	0.058	0.06	<0.17	34.27	1.7	33.3	14.9	300	0.3	11.3	5.6	416	3.36	8.6	2.3	64.8	7.3	13



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 02, 2020

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000048.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025502	Drill Core	1.9	0.6	0.2	8	0.23	0.054	11	15	0.49	216	0.017	3	0.73	0.020	0.27	1.6	0.01	1.9	<0.1	0.20
2025503	Drill Core	0.3	0.6	0.1	14	0.18	0.068	15	18	0.24	257	0.051	2	0.66	0.056	0.26	1.0	0.01	2.8	<0.1	0.21
2025504	Drill Core	0.1	0.7	0.2	17	0.20	0.055	17	16	0.31	204	0.065	1	0.91	0.041	0.27	0.8	<0.01	3.3	<0.1	0.05
2025505	Drill Core	0.2	0.6	0.2	6	0.11	0.053	17	13	0.26	595	0.033	<1	0.62	0.038	0.25	0.5	<0.01	1.6	<0.1	0.11
2025506	Drill Core	0.2	0.6	<0.1	6	0.13	0.047	17	11	0.29	343	0.025	1	0.69	0.028	0.28	0.4	<0.01	1.6	<0.1	<0.05
2025507	Drill Core	0.1	0.6	0.1	6	0.10	0.051	15	11	0.19	458	0.022	2	0.53	0.056	0.29	0.3	<0.01	1.8	<0.1	0.17
2025508	Drill Core	0.2	0.8	<0.1	7	0.12	0.060	15	12	0.36	287	0.021	<1	0.69	0.032	0.26	0.4	<0.01	2.3	<0.1	0.06
2025509	Drill Core	0.2	0.6	<0.1	11	0.18	0.071	16	15	0.35	459	0.022	<1	0.78	0.038	0.29	0.4	0.01	1.9	<0.1	0.08
2025510	Drill Core	0.1	0.6	0.1	10	0.15	0.073	17	13	0.21	494	0.014	<1	0.66	0.041	0.32	0.3	0.01	1.9	<0.1	0.16
2025511	Drill Core	0.2	0.8	<0.1	11	0.15	0.070	13	15	0.25	493	0.009	<1	0.65	0.033	0.25	0.2	<0.01	1.8	<0.1	0.10
2025512	Drill Core	1.0	0.4	<0.1	7	0.11	0.058	16	10	0.33	698	0.004	<1	0.73	0.030	0.28	0.1	<0.01	1.7	0.1	0.11
2025513	Drill Core	0.1	0.4	<0.1	7	0.08	0.041	14	10	0.11	877	0.005	<1	0.42	0.043	0.30	0.1	<0.01	1.4	<0.1	0.14
2025514	Drill Core	0.2	0.8	0.1	6	0.05	0.047	12	11	0.12	708	0.002	<1	0.37	0.063	0.26	<0.1	<0.01	1.7	<0.1	0.24
2025515	Drill Core	0.2	0.4	0.2	6	0.08	0.050	17	10	0.22	1001	0.003	<1	0.68	0.045	0.36	0.1	<0.01	1.8	<0.1	0.12
2025516	Drill Core	<0.1	0.6	<0.1	6	0.06	0.055	14	11	0.16	486	0.003	<1	0.49	0.047	0.35	0.2	0.01	1.5	<0.1	0.29
2025517	Drill Core	0.3	0.4	<0.1	5	0.06	0.044	14	9	0.12	608	0.003	<1	0.39	0.040	0.31	0.1	<0.01	1.2	<0.1	0.22
2025518	Drill Core	0.2	0.6	0.1	6	0.05	0.041	15	13	0.16	721	0.003	<1	0.43	0.068	0.26	0.1	0.01	1.7	<0.1	0.23
2025519	Drill Core	0.2	0.6	<0.1	6	0.03	0.046	15	13	0.05	436	0.003	<1	0.32	0.060	0.35	0.1	0.01	1.7	<0.1	0.39
2025520	Rock Pulp	0.6	2.8	<0.1	30	0.84	0.037	6	24	0.54	87	0.079	8	1.15	0.095	0.11	4.9	0.14	3.4	0.2	0.09
2025521	Drill Core	0.5	1.5	<0.1	8	0.11	0.059	16	14	0.26	668	0.002	<1	0.61	0.047	0.29	0.2	0.01	1.9	<0.1	0.22
2025522	Drill Core	0.4	0.8	<0.1	9	0.13	0.051	17	14	0.25	725	0.004	<1	0.70	0.045	0.31	0.1	<0.01	2.1	<0.1	0.10
2025523	Drill Core	0.4	0.8	0.2	10	0.11	0.054	16	16	0.28	783	0.004	<1	0.71	0.044	0.28	0.1	0.01	2.0	<0.1	0.09
2025524	Drill Core	0.5	1.0	0.2	6	0.05	0.052	19	12	0.11	854	0.002	<1	0.50	0.036	0.29	0.2	<0.01	1.8	<0.1	0.10
2025525	Drill Core	0.3	0.4	<0.1	6	0.05	0.038	19	10	0.12	174	0.002	<1	0.52	0.030	0.33	0.2	0.01	1.5	<0.1	0.07
2025526	Drill Core	0.2	0.5	<0.1	7	0.06	0.038	16	12	0.14	169	0.002	<1	0.47	0.045	0.29	0.1	0.01	2.0	0.1	0.16
2025527	Drill Core	0.3	5.9	0.2	4	0.07	0.079	12	17	0.13	97	0.002	<1	0.47	0.036	0.18	0.3	0.06	1.1	<0.1	0.21
2025528	Drill Core	0.8	1.3	0.1	9	0.15	0.054	15	20	0.55	135	<0.001	<1	1.39	0.011	0.29	0.8	0.03	1.9	0.1	0.06
2025529	Drill Core	0.7	0.8	<0.1	7	0.18	0.055	16	9	0.54	292	0.003	1	1.06	0.014	0.27	0.1	0.03	1.7	0.1	<0.05
2025530	Drill Core	1.0	0.8	<0.1	9	0.15	0.056	17	14	0.45	171	0.001	1	1.13	0.021	0.27	1.0	0.04	2.0	0.1	0.05
2025531	Drill Core	1.0	0.6	<0.1	14	0.17	0.073	17	36	0.57	171	0.002	1	1.33	0.022	0.33	0.1	0.07	2.9	0.1	0.06



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 02, 2020

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000048.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025502	Drill Core	2	<0.5	<0.2
2025503	Drill Core	3	<0.5	0.2
2025504	Drill Core	3	<0.5	<0.2
2025505	Drill Core	2	<0.5	<0.2
2025506	Drill Core	2	<0.5	<0.2
2025507	Drill Core	2	<0.5	<0.2
2025508	Drill Core	2	<0.5	0.3
2025509	Drill Core	3	<0.5	<0.2
2025510	Drill Core	3	0.6	<0.2
2025511	Drill Core	2	<0.5	<0.2
2025512	Drill Core	2	<0.5	<0.2
2025513	Drill Core	2	<0.5	<0.2
2025514	Drill Core	2	<0.5	<0.2
2025515	Drill Core	2	<0.5	<0.2
2025516	Drill Core	2	<0.5	<0.2
2025517	Drill Core	2	<0.5	<0.2
2025518	Drill Core	2	<0.5	0.8
2025519	Drill Core	2	<0.5	<0.2
2025520	Rock Pulp	4	<0.5	<0.2
2025521	Drill Core	2	<0.5	0.2
2025522	Drill Core	3	<0.5	<0.2
2025523	Drill Core	3	<0.5	<0.2
2025524	Drill Core	2	0.5	<0.2
2025525	Drill Core	2	<0.5	<0.2
2025526	Drill Core	3	<0.5	<0.2
2025527	Drill Core	2	5.8	0.4
2025528	Drill Core	4	1.7	<0.2
2025529	Drill Core	3	0.6	<0.2
2025530	Drill Core	3	<0.5	<0.2
2025531	Drill Core	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 02, 2020

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000048.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025532	Drill Core	2.63	433	0.044	0.04	<0.17	31.13	2.7	23.8	10.3	238	0.3	24.1	15.9	466	3.48	2.3	0.8	57.4	6.7	11
2025533	Drill Core	2.92	446	0.236	0.25	0.40	29.72	1.4	19.8	9.4	119	0.4	10.5	6.5	240	2.74	2.0	0.8	322.6	7.4	34
2025534	Drill Core	3.04	533	0.026	0.08	1.00	32.11	1.7	16.0	8.9	97	0.2	13.6	8.8	233	2.58	2.2	0.6	27.1	7.9	18
2025535	Drill Core	2.88	527	0.009	<0.01	<0.17	32.59	2.2	19.5	6.2	137	0.2	11.0	6.8	259	2.61	2.0	0.7	6.7	6.7	16
2025536	Drill Core	2.15	486	0.010	<0.01	<0.17	34.23	2.1	19.4	17.9	86	0.2	3.5	2.1	128	3.42	5.4	2.4	22.2	6.0	65
2025537	Drill Core	3.57	497	0.021	0.02	<0.17	34.34	1.8	20.6	6.9	144	0.2	10.9	6.5	213	2.96	1.7	1.3	39.1	6.9	27
2025538	Drill Core	3.04	463	0.210	0.20	<0.17	33.33	1.7	16.2	5.6	206	0.3	21.9	17.0	1040	2.74	1.2	0.7	249.6	6.1	20
2025539	Drill Core	3.12	518	1.200	1.26	2.04	34.29	0.9	18.9	5.7	160	0.7	15.6	14.1	668	3.57	1.8	0.8	1113.9	5.2	19
2025540	Rock Pulp	0.12	84	0.013				4.1	20.6	0.9	31	<0.1	7.0	4.3	585	2.40	1.6	0.4	6.4	1.8	29
2025541	Drill Core	3.08	399	0.550	0.72	3.14	26.47	0.3	21.6	4.1	177	0.6	21.8	13.9	993	2.37	2.0	0.9	729.2	7.0	25
2025542	Drill Core	2.63	450	0.042	0.04	<0.17	26.69	1.0	23.5	6.0	102	0.4	9.0	6.1	268	2.45	3.9	1.0	36.7	7.4	37
2025543	Drill Core	2.67	512	0.469	0.48	0.59	35.75	1.2	29.2	13.7	181	0.7	14.4	4.7	525	2.43	9.4	1.4	536.3	5.8	57
2025544	Drill Core	2.88	445	0.081	0.09	<0.17	34.56	1.2	32.7	8.5	202	0.5	11.0	11.7	716	2.09	21.9	1.9	169.1	7.5	23
2025545	Drill Core	2.34	446	0.640	1.92	23.35	25.14	1.4	26.2	24.0	143	1.1	5.9	3.6	246	1.36	6.7	1.7	2293.4	10.9	12
2025546	Drill Core	3.78	480	0.088	0.09	<0.17	37.65	0.4	9.5	14.2	39	0.2	2.2	1.1	127	0.74	2.3	0.7	106.2	8.9	23
2025547	Drill Core	1.78	466	0.049	0.05	<0.17	36.32	0.4	10.0	8.3	25	0.5	1.4	0.8	96	0.68	2.4	0.7	50.6	7.9	30
2025548	Drill Core	2.17	525	0.075	0.08	<0.17	35.77	0.6	14.5	29.7	28	0.5	1.2	0.9	80	0.64	2.4	0.8	63.4	11.0	13
2025549	Drill Core	3.52	466	0.024	0.02	<0.17	33.34	1.1	11.3	52.6	44	1.1	1.5	0.8	89	0.67	2.3	1.1	26.7	14.3	7
2025550	Drill Core	1.99	542	0.017	0.02	<0.17	36.93	2.7	6.1	53.3	41	1.0	1.5	0.6	130	0.92	3.4	0.8	20.9	11.3	9
2025551	Drill Core	3.04	375	0.021	0.02	<0.17	29.11	0.9	3.4	25.0	20	0.3	1.1	0.4	79	0.76	1.9	0.6	28.4	7.3	4
2025552	Drill Core	3.43	512	0.006	<0.01	<0.17	32.62	0.5	3.5	14.3	30	0.2	0.7	0.8	153	0.51	1.6	1.0	9.5	11.2	2
2025553	Drill Core	3.15	467	<0.005	<0.01	<0.17	37.81	0.4	4.6	15.1	37	0.2	0.8	0.4	78	0.59	1.0	0.8	4.6	11.5	2
2025554	Drill Core	2.75	531	<0.005	<0.01	<0.17	36.81	0.7	11.1	44.7	129	0.2	4.8	5.4	670	0.84	1.4	1.5	2.6	15.1	8
2025555	Drill Core	3.56	490	<0.005	<0.01	<0.17	30.07	0.3	6.2	37.7	52	0.2	0.9	0.5	111	0.51	0.6	0.9	1.8	11.8	3
2025556	Drill Core	2.70	384	0.006	<0.01	<0.17	23.13	0.6	7.2	14.9	32	0.1	0.9	0.5	69	0.61	1.7	1.1	4.1	12.4	2
2025557	Drill Core	2.81	434	<0.005	<0.01	<0.17	32.02	0.8	3.6	7.4	25	<0.1	0.9	0.4	72	0.54	1.4	1.0	3.8	11.3	2
2025558	Drill Core	3.58	410	<0.005	<0.01	<0.17	29.01	0.5	3.2	8.4	36	0.1	0.8	0.2	68	0.47	1.1	1.3	1.0	12.0	2
2025559	Drill Core	2.55	463	<0.005	<0.01	<0.17	29.78	0.5	2.7	8.2	19	0.2	0.8	0.3	75	0.49	0.8	1.0	<0.5	11.7	1
2025560	Drill Core	3.50	435	0.014	0.01	<0.17	36.75	0.5	4.6	7.7	34	0.1	1.0	0.3	75	0.54	4.1	1.5	11.5	14.4	2
2025561	Drill Core	2.90	401	0.006	<0.01	<0.17	36.64	0.5	4.5	8.3	40	0.1	0.9	0.3	81	0.58	2.3	1.3	3.7	11.5	3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 02, 2020

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000048.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
2025532	Drill Core	0.8	0.4	<0.1	14	0.21	0.066	11	71	0.76	161	0.002	1	1.35	0.023	0.28	0.2	0.12	2.9	0.1	0.63			
2025533	Drill Core	0.5	0.8	<0.1	12	0.18	0.070	14	16	0.41	271	0.003	1	0.84	0.041	0.27	0.2	0.04	2.3	<0.1	0.46			
2025534	Drill Core	0.6	1.3	<0.1	13	0.39	0.063	10	16	0.47	106	0.020	<1	0.91	0.029	0.30	0.4	0.04	2.4	<0.1	1.07			
2025535	Drill Core	0.3	0.9	<0.1	10	0.29	0.060	10	15	0.48	198	0.023	3	0.80	0.028	0.24	0.4	0.05	2.1	<0.1	0.68			
2025536	Drill Core	0.5	1.5	<0.1	15	0.07	0.071	14	21	0.16	280	0.016	2	0.55	0.062	0.30	0.2	0.01	2.5	0.1	0.53			
2025537	Drill Core	0.6	1.2	<0.1	11	0.20	0.058	12	17	0.55	126	0.008	2	1.05	0.036	0.29	0.2	0.16	2.5	<0.1	0.87			
2025538	Drill Core	2.5	0.9	<0.1	7	0.51	0.050	10	11	0.57	79	0.021	2	0.82	0.027	0.21	0.5	0.12	2.3	<0.1	1.60			
2025539	Drill Core	1.7	0.9	<0.1	14	0.38	0.074	10	20	0.46	76	0.029	1	0.71	0.048	0.21	0.6	0.03	3.0	<0.1	1.68			
2025540	Rock Pulp	<0.1	0.1	<0.1	23	0.78	0.037	5	15	0.49	59	0.074	2	1.02	0.070	0.08	0.2	<0.01	3.2	<0.1	0.05			
2025541	Drill Core	2.9	0.6	<0.1	12	0.33	0.064	15	17	0.40	196	0.007	<1	0.91	0.048	0.31	0.2	0.02	2.6	0.1	0.79			
2025542	Drill Core	1.0	0.7	<0.1	7	0.15	0.065	16	13	0.20	329	0.003	<1	0.61	0.056	0.33	0.1	0.03	1.7	0.1	0.54			
2025543	Drill Core	1.4	0.8	<0.1	11	0.11	0.051	15	73	0.48	377	0.002	1	0.95	0.041	0.35	0.2	0.02	1.8	0.1	0.31			
2025544	Drill Core	1.6	0.9	<0.1	8	0.13	0.046	21	20	0.38	576	0.002	<1	0.94	0.044	0.31	0.1	0.02	1.9	0.1	0.20			
2025545	Drill Core	0.8	1.4	<0.1	3	0.09	0.028	27	11	0.20	217	<0.001	<1	0.57	0.025	0.25	0.6	0.02	1.2	<0.1	0.08			
2025546	Drill Core	0.2	0.3	<0.1	<1	0.02	0.005	21	4	0.11	1467	<0.001	<1	0.40	0.016	0.24	<0.1	0.01	0.5	<0.1	<0.05			
2025547	Drill Core	0.1	0.3	<0.1	<1	0.02	0.005	18	4	0.08	1886	<0.001	<1	0.35	0.013	0.24	0.2	<0.01	0.4	<0.1	<0.05			
2025548	Drill Core	0.1	0.5	0.2	<1	0.02	0.005	20	3	0.08	1361	<0.001	<1	0.35	0.006	0.24	0.3	0.01	0.4	<0.1	<0.05			
2025549	Drill Core	0.2	0.4	<0.1	<1	0.03	0.006	29	3	0.09	599	<0.001	1	0.46	0.012	0.29	4.5	0.02	0.5	<0.1	<0.05			
2025550	Drill Core	0.2	0.4	0.1	<1	0.04	0.004	17	7	0.05	1907	<0.001	<1	0.31	0.005	0.22	1.3	0.05	0.3	<0.1	0.08			
2025551	Drill Core	<0.1	0.2	0.1	<1	<0.01	0.003	18	4	0.06	441	<0.001	<1	0.38	0.017	0.29	0.2	0.04	0.5	0.1	<0.05			
2025552	Drill Core	0.1	0.2	<0.1	<1	0.01	0.003	16	3	0.05	152	<0.001	<1	0.34	0.003	0.28	0.5	0.04	0.4	<0.1	<0.05			
2025553	Drill Core	<0.1	0.2	0.1	<1	<0.01	0.003	19	4	0.08	182	<0.001	<1	0.33	0.005	0.27	0.4	<0.01	0.5	<0.1	<0.05			
2025554	Drill Core	0.7	0.2	<0.1	<1	0.03	0.007	25	4	0.44	325	<0.001	<1	0.75	0.004	0.29	0.2	0.01	0.8	<0.1	<0.05			
2025555	Drill Core	0.1	0.1	<0.1	<1	<0.01	0.004	17	2	0.08	226	<0.001	<1	0.38	0.012	0.32	0.1	<0.01	0.6	<0.1	<0.05			
2025556	Drill Core	<0.1	0.2	0.2	<1	<0.01	0.004	20	4	0.05	172	<0.001	<1	0.36	0.007	0.31	<0.1	<0.01	0.5	<0.1	<0.05			
2025557	Drill Core	<0.1	0.2	0.1	<1	<0.01	0.002	17	4	0.06	141	<0.001	<1	0.35	0.009	0.29	<0.1	<0.01	0.5	<0.1	<0.05			
2025558	Drill Core	<0.1	0.2	0.1	<1	<0.01	0.002	14	2	0.12	146	<0.001	<1	0.46	0.009	0.35	0.1	<0.01	0.7	<0.1	<0.05			
2025559	Drill Core	<0.1	0.1	0.2	<1	<0.01	0.001	12	3	0.06	116	<0.001	<1	0.32	0.011	0.28	<0.1	<0.01	0.4	<0.1	<0.05			
2025560	Drill Core	0.1	0.3	<0.1	<1	<0.01	0.002	12	3	0.07	132	<0.001	<1	0.41	0.014	0.32	0.1	<0.01	0.7	<0.1	<0.05			
2025561	Drill Core	<0.1	0.2	<0.1	<1	<0.01	0.001	13	3	0.14	414	<0.001	1	0.50	0.009	0.35	0.1	<0.01	0.7	<0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 02, 2020

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000048.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025532	Drill Core	4	<0.5	<0.2
2025533	Drill Core	3	<0.5	<0.2
2025534	Drill Core	3	<0.5	<0.2
2025535	Drill Core	2	0.9	<0.2
2025536	Drill Core	3	<0.5	<0.2
2025537	Drill Core	4	<0.5	<0.2
2025538	Drill Core	2	<0.5	<0.2
2025539	Drill Core	3	0.6	<0.2
2025540	Rock Pulp	4	<0.5	<0.2
2025541	Drill Core	3	0.7	<0.2
2025542	Drill Core	2	0.6	<0.2
2025543	Drill Core	3	<0.5	<0.2
2025544	Drill Core	3	<0.5	<0.2
2025545	Drill Core	2	<0.5	<0.2
2025546	Drill Core	1	<0.5	<0.2
2025547	Drill Core	<1	<0.5	<0.2
2025548	Drill Core	<1	<0.5	<0.2
2025549	Drill Core	1	<0.5	<0.2
2025550	Drill Core	<1	<0.5	<0.2
2025551	Drill Core	1	<0.5	<0.2
2025552	Drill Core	<1	<0.5	<0.2
2025553	Drill Core	<1	<0.5	<0.2
2025554	Drill Core	2	<0.5	<0.2
2025555	Drill Core	1	<0.5	<0.2
2025556	Drill Core	1	<0.5	<0.2
2025557	Drill Core	<1	<0.5	<0.2
2025558	Drill Core	1	<0.5	<0.2
2025559	Drill Core	<1	<0.5	<0.2
2025560	Drill Core	1	<0.5	<0.2
2025561	Drill Core	1	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 02, 2020

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000048.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
2025562	Drill Core	2.80	464	<0.005	<0.01	<0.17	30.56	0.5	3.0	4.0	24	<0.1	1.0	0.3	64	0.50	1.3	1.5	1.6	10.8	3
2025563	Drill Core	1.56	389	<0.005	<0.01	<0.17	30.45	0.8	7.7	9.9	37	<0.1	1.2	1.6	182	0.55	1.9	1.4	0.8	15.6	7
2025564	Drill Core	2.00	429	<0.005	<0.01	<0.17	30.86	0.5	2.9	3.6	25	<0.1	0.8	0.5	69	0.46	1.7	1.3	1.9	12.5	2
2025565	Drill Core	3.18	417	<0.005	<0.01	<0.17	29.63	0.9	3.7	6.3	39	<0.1	1.1	1.0	156	0.55	2.5	1.6	1.9	16.3	2
2025566	Drill Core	2.74	377	<0.005	<0.01	<0.17	33.67	0.7	3.4	5.5	32	<0.1	1.1	0.6	138	0.66	1.5	1.7	1.1	13.0	3
2025567	Drill Core	3.33	424	<0.005	<0.01	<0.17	33.68	0.4	3.3	3.8	28	<0.1	1.0	0.6	87	0.54	1.4	1.5	2.9	12.6	3
2025568	Drill Core	2.42	408	<0.005	<0.01	<0.17	33.62	0.4	4.9	7.7	32	<0.1	0.7	0.9	181	0.48	1.6	1.5	1.7	11.9	2
2025569	Drill Core	3.06	461	0.007	<0.01	<0.17	30.99	0.6	2.5	4.9	28	0.1	0.9	0.3	73	0.58	3.1	1.4	3.1	13.0	1
2025570	Drill Core	3.06	533	0.010	<0.01	<0.17	37.21	0.8	7.0	34.1	63	0.1	2.2	4.6	641	0.55	2.9	1.6	11.0	14.4	3
2025571	Drill Core	2.40	390	<0.005	<0.01	<0.17	30.22	1.2	26.4	334.9	110	0.6	4.3	9.2	998	0.61	2.9	3.6	3.5	16.0	5
2025572	Drill Core	3.01	435	<0.005	<0.01	<0.17	29.09	0.6	3.3	19.1	37	0.2	1.1	0.4	93	0.63	1.9	1.8	2.4	14.7	1
2025573	Drill Core	3.14	421	<0.005	<0.01	<0.17	35.95	0.6	4.3	55.3	38	0.2	1.0	0.3	93	0.61	1.7	2.7	0.9	15.1	2
2025574	Drill Core	2.98	424	<0.005	<0.01	<0.17	25.59	0.4	3.1	43.2	37	<0.1	1.3	0.8	250	0.44	1.0	3.9	0.8	15.0	2
2025575	Drill Core	2.71	473	<0.005	<0.01	<0.17	37.94	0.5	1.9	26.2	41	<0.1	1.4	0.5	247	0.51	1.4	3.9	<0.5	14.1	2
2025576	Drill Core	2.99	386	<0.005	<0.01	<0.17	29.37	0.6	3.1	27.1	41	0.1	1.1	0.3	118	0.63	1.4	2.1	0.9	16.4	6
2025577	Drill Core	3.05	456	0.006	<0.01	<0.17	28.21	1.3	6.7	13.5	153	<0.1	4.4	3.2	1439	0.47	2.7	1.5	3.9	14.6	4
2025578	Drill Core	3.65	378	<0.005	<0.01	<0.17	36.17	0.7	2.8	8.2	77	<0.1	1.8	1.0	666	0.58	1.5	1.2	<0.5	13.4	4
2025579	Drill Core	2.28	477	<0.005	<0.01	<0.17	30.22	1.0	4.8	10.8	108	0.1	3.4	2.9	1155	0.52	1.4	1.2	2.7	14.8	4
2025580	Rock	0.22	176	<0.005	<0.01	<0.17	25.96	1.2	2.1	1.2	4	<0.1	3.0	0.7	212	1.66	1.0	0.2	0.8	1.1	2
2025581	Drill Core	2.35	480	0.005	<0.01	<0.17	35.88	1.0	5.8	7.9	99	<0.1	3.6	7.7	971	0.44	1.5	1.4	3.3	13.4	3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 02, 2020

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000048.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025562	Drill Core	<0.1	0.2	<0.1	<1	<0.01	0.002	10	4	0.05	415	<0.001	<1	0.33	0.007	0.28	<0.1	0.03	0.5	<0.1	<0.05
2025563	Drill Core	0.2	0.2	<0.1	<1	0.02	0.003	18	3	0.04	1965	<0.001	<1	0.33	0.002	0.27	0.1	0.03	0.4	<0.1	<0.05
2025564	Drill Core	0.1	0.1	<0.1	<1	0.01	0.002	15	3	0.04	152	<0.001	<1	0.35	0.002	0.30	0.1	0.05	0.5	<0.1	<0.05
2025565	Drill Core	0.1	0.2	<0.1	<1	0.02	0.003	21	3	0.05	323	<0.001	<1	0.33	0.002	0.28	0.1	0.01	0.4	<0.1	<0.05
2025566	Drill Core	0.1	0.1	<0.1	<1	0.01	0.002	15	5	0.06	572	<0.001	2	0.39	0.003	0.33	<0.1	0.01	0.5	<0.1	<0.05
2025567	Drill Core	0.1	0.1	<0.1	<1	0.01	0.002	15	4	0.05	443	<0.001	<1	0.36	0.002	0.32	0.1	0.01	0.4	<0.1	<0.05
2025568	Drill Core	0.2	0.2	<0.1	<1	0.01	0.003	15	2	0.05	192	<0.001	<1	0.36	0.005	0.31	0.1	0.02	0.4	0.1	<0.05
2025569	Drill Core	<0.1	0.2	<0.1	<1	<0.01	0.002	13	3	0.08	132	<0.001	<1	0.36	0.010	0.31	0.1	0.01	0.6	<0.1	<0.05
2025570	Drill Core	0.6	0.3	<0.1	<1	0.01	0.003	24	3	0.06	170	<0.001	1	0.32	0.006	0.26	0.1	0.01	0.5	<0.1	<0.05
2025571	Drill Core	1.2	0.6	0.2	<1	0.04	0.002	94	3	0.11	240	<0.001	<1	0.47	0.008	0.33	0.1	0.02	0.6	<0.1	<0.05
2025572	Drill Core	0.1	0.2	0.2	<1	0.01	0.002	36	4	0.11	116	<0.001	<1	0.38	0.015	0.29	<0.1	<0.01	0.7	<0.1	<0.05
2025573	Drill Core	0.1	0.2	0.2	<1	0.01	0.002	151	3	0.09	124	<0.001	<1	0.39	0.013	0.30	<0.1	0.01	0.6	<0.1	<0.05
2025574	Drill Core	0.3	0.1	<0.1	<1	0.01	0.002	144	2	0.08	145	<0.001	<1	0.39	0.015	0.32	<0.1	0.02	0.5	<0.1	<0.05
2025575	Drill Core	0.5	0.1	<0.1	<1	0.01	0.002	92	3	0.07	125	<0.001	<1	0.31	0.015	0.27	<0.1	0.02	0.6	<0.1	<0.05
2025576	Drill Core	0.2	0.2	<0.1	<1	0.11	0.002	53	4	0.11	211	<0.001	<1	0.38	0.017	0.31	<0.1	0.02	0.9	<0.1	<0.05
2025577	Drill Core	2.3	0.2	<0.1	<1	0.02	0.002	36	3	0.06	268	<0.001	<1	0.36	0.005	0.29	0.1	0.02	0.6	<0.1	<0.05
2025578	Drill Core	0.9	0.2	<0.1	<1	0.02	0.003	24	4	0.05	708	<0.001	<1	0.37	0.003	0.31	0.1	0.03	0.5	<0.1	<0.05
2025579	Drill Core	2.0	0.2	<0.1	<1	0.02	0.003	29	4	0.04	353	<0.001	<1	0.32	0.003	0.26	0.4	0.05	0.4	<0.1	<0.05
2025580	Rock	<0.1	0.1	<0.1	1	0.04	0.002	2	11	0.02	11	0.002	<1	0.06	0.003	0.01	<0.1	<0.01	0.3	<0.1	<0.05
2025581	Drill Core	1.7	0.2	<0.1	<1	0.02	0.002	17	2	0.06	558	<0.001	<1	0.34	0.005	0.27	0.1	<0.01	0.5	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 02, 2020

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000048.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025562	Drill Core	<1	<0.5	<0.2
2025563	Drill Core	<1	<0.5	<0.2
2025564	Drill Core	<1	<0.5	<0.2
2025565	Drill Core	<1	<0.5	<0.2
2025566	Drill Core	1	<0.5	<0.2
2025567	Drill Core	1	<0.5	<0.2
2025568	Drill Core	1	<0.5	<0.2
2025569	Drill Core	1	<0.5	<0.2
2025570	Drill Core	1	<0.5	<0.2
2025571	Drill Core	2	0.6	<0.2
2025572	Drill Core	1	<0.5	<0.2
2025573	Drill Core	2	<0.5	<0.2
2025574	Drill Core	2	<0.5	<0.2
2025575	Drill Core	1	<0.5	<0.2
2025576	Drill Core	1	<0.5	<0.2
2025577	Drill Core	1	<0.5	<0.2
2025578	Drill Core	1	<0.5	<0.2
2025579	Drill Core	<1	<0.5	<0.2
2025580	Rock	<1	<0.5	<0.2
2025581	Drill Core	1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: July 02, 2020

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000048.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2025505	Drill Core	3.19	517	0.008	<0.01	<0.17	35.45	2.8	13.6	23.2	62	0.2	6.5	4.1	174	1.99	1.6	2.4	4.6	9.4	37
REP 2025505	QC							3.2	13.8	24.1	66	0.2	6.2	4.1	172	1.97	1.7	2.4	17.2	9.3	36
2025539	Drill Core	3.12	518	1.200	1.26	2.04	34.29	0.9	18.9	5.7	160	0.7	15.6	14.1	668	3.57	1.8	0.8	1113.9	5.2	19
REP 2025539	QC							0.8	18.4	5.5	162	0.8	15.3	13.8	658	3.55	1.9	0.8	2557.8	5.1	18
2025542	Drill Core	2.63	450	0.042	0.04	<0.17	26.69	1.0	23.5	6.0	102	0.4	9.0	6.1	268	2.45	3.9	1.0	36.7	7.4	37
REP 2025542	QC			0.044																	
2025557	Drill Core	2.81	434	<0.005	<0.01	<0.17	32.02	0.8	3.6	7.4	25	<0.1	0.9	0.4	72	0.54	1.4	1.0	3.8	11.3	2
REP 2025557	QC			0.006																	
2025571	Drill Core	2.40	390	<0.005	<0.01	<0.17	30.22	1.2	26.4	334.9	110	0.6	4.3	9.2	998	0.61	2.9	3.6	3.5	16.0	5
REP 2025571	QC							1.1	25.7	344.5	109	0.6	4.2	8.9	992	0.61	2.5	3.5	3.0	16.3	5
Core Reject Duplicates																					
2025512	Drill Core	2.72	491	0.358	0.40	0.94	37.19	0.5	21.4	9.4	86	0.4	15.2	19.8	839	2.00	1.9	2.0	672.5	6.9	33
DUP 2025512	QC		455	0.446	0.51	1.45	30.40	0.4	18.6	9.7	77	0.4	12.8	16.4	684	1.72	2.0	2.2	440.0	7.3	32
2025546	Drill Core	3.78	480	0.088	0.09	<0.17	37.65	0.4	9.5	14.2	39	0.2	2.2	1.1	127	0.74	2.3	0.7	106.2	8.9	23
DUP 2025546	QC		408	0.124	0.13	<0.17	32.92	0.4	9.1	13.3	40	0.2	2.0	1.1	120	0.73	1.7	0.7	99.8	8.6	23
Reference Materials																					
STD BVGEO01	Standard							10.7	4374.4	185.5	1726	2.6	167.9	23.7	712	3.65	117.1	3.1	229.7	11.6	47
STD DS11	Standard							14.7	146.6	137.9	338	1.8	79.0	13.6	1042	3.22	45.2	2.4	107.0	6.9	66
STD DS11	Standard							15.4	152.4	125.9	356	1.7	83.5	14.3	1044	3.16	46.5	2.3	81.4	6.8	62
STD OREAS262	Standard							0.5	113.3	53.0	138	0.4	60.6	26.2	555	3.38	35.8	1.1	69.9	8.2	33
STD OREAS262	Standard							0.7	112.2	52.9	146	0.5	61.6	27.5	545	3.23	35.2	1.1	62.0	7.7	31
STD OREAS262	Standard							0.6	116.4	52.9	153	0.5	63.8	27.6	536	3.25	36.7	1.0	76.4	7.7	33
STD OXB130	Standard			0.122																	
STD OXG141	Standard			0.949																	
STD OXG141	Standard			0.927																	
STD OXN155	Standard			7.791																	
STD OXN155	Standard			7.845																	
STD OXQ90	Standard					25.28	29.71														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 02, 2020

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000048.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2025505	Drill Core	0.2	0.6	0.2	6	0.11	0.053	17	13	0.26	595	0.033	<1	0.62	0.038	0.25	0.5	<0.01	1.6	<0.1	0.11
REP 2025505	QC	0.1	0.6	0.2	6	0.10	0.056	16	12	0.26	585	0.033	<1	0.60	0.037	0.25	0.4	<0.01	1.5	<0.1	0.11
2025539	Drill Core	1.7	0.9	<0.1	14	0.38	0.074	10	20	0.46	76	0.029	1	0.71	0.048	0.21	0.6	0.03	3.0	<0.1	1.68
REP 2025539	QC	1.5	0.8	<0.1	14	0.37	0.072	9	19	0.46	67	0.027	2	0.70	0.048	0.21	0.7	0.03	2.9	<0.1	1.66
2025542	Drill Core	1.0	0.7	<0.1	7	0.15	0.065	16	13	0.20	329	0.003	<1	0.61	0.056	0.33	0.1	0.03	1.7	0.1	0.54
REP 2025542	QC																				
2025557	Drill Core	<0.1	0.2	0.1	<1	<0.01	0.002	17	4	0.06	141	<0.001	<1	0.35	0.009	0.29	<0.1	<0.01	0.5	<0.1	<0.05
REP 2025557	QC																				
2025571	Drill Core	1.2	0.6	0.2	<1	0.04	0.002	94	3	0.11	240	<0.001	<1	0.47	0.008	0.33	0.1	0.02	0.6	<0.1	<0.05
REP 2025571	QC	1.1	0.7	0.2	<1	0.04	0.003	90	2	0.11	227	<0.001	<1	0.48	0.009	0.33	0.1	0.01	0.6	0.1	<0.05
Core Reject Duplicates																					
2025512	Drill Core	1.0	0.4	<0.1	7	0.11	0.058	16	10	0.33	698	0.004	<1	0.73	0.030	0.28	0.1	<0.01	1.7	0.1	0.11
DUP 2025512	QC	0.7	0.5	<0.1	7	0.10	0.059	16	10	0.30	677	0.004	<1	0.73	0.031	0.33	0.2	<0.01	1.9	0.1	0.10
2025546	Drill Core	0.2	0.3	<0.1	<1	0.02	0.005	21	4	0.11	1467	<0.001	<1	0.40	0.016	0.24	<0.1	0.01	0.5	<0.1	<0.05
DUP 2025546	QC	0.2	0.3	<0.1	<1	0.02	0.006	22	3	0.13	1415	<0.001	<1	0.43	0.017	0.27	0.1	<0.01	0.6	<0.1	<0.05
Reference Materials																					
STD BVGEO01	Standard	6.1	2.8	19.3	75	1.29	0.074	24	175	1.33	241	0.204	3	2.31	0.188	0.88	5.0	0.08	5.6	0.6	0.69
STD DS11	Standard	2.4	7.6	10.8	50	1.07	0.071	16	60	0.88	357	0.090	8	1.19	0.074	0.40	2.9	0.30	3.5	5.4	0.29
STD DS11	Standard	2.4	7.1	10.0	51	1.08	0.074	18	63	0.87	384	0.089	6	1.19	0.075	0.40	2.9	0.28	3.5	4.9	0.29
STD OREAS262	Standard	0.6	4.2	0.9	23	2.91	0.040	14	42	1.19	248	0.003	5	1.36	0.070	0.31	0.2	0.17	3.2	0.5	0.27
STD OREAS262	Standard	0.6	4.0	0.8	22	2.89	0.038	14	44	1.20	248	0.003	4	1.27	0.069	0.29	0.2	0.17	3.3	0.4	0.27
STD OREAS262	Standard	0.7	3.9	0.9	22	2.90	0.040	15	46	1.22	259	0.003	4	1.38	0.069	0.31	0.2	0.15	3.6	0.5	0.28
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXQ90	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 02, 2020

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000048.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2025505	Drill Core	2	<0.5	<0.2
REP 2025505	QC	2	<0.5	<0.2
2025539	Drill Core	3	0.6	<0.2
REP 2025539	QC	3	0.7	<0.2
2025542	Drill Core	2	0.6	<0.2
REP 2025542	QC			
2025557	Drill Core	<1	<0.5	<0.2
REP 2025557	QC			
2025571	Drill Core	2	0.6	<0.2
REP 2025571	QC	2	0.8	<0.2
Core Reject Duplicates				
2025512	Drill Core	2	<0.5	<0.2
DUP 2025512	QC	2	<0.5	<0.2
2025546	Drill Core	1	<0.5	<0.2
DUP 2025546	QC	1	<0.5	<0.2
Reference Materials				
STD BVGEO01	Standard	7	4.8	1.1
STD DS11	Standard	5	1.6	4.7
STD DS11	Standard	5	1.8	4.9
STD OREAS262	Standard	4	<0.5	<0.2
STD OREAS262	Standard	4	0.6	0.2
STD OREAS262	Standard	4	0.6	0.2
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXQ90	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 02, 2020

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000048.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXQ90	Standard					25.05	30.06														
STD OXQ90	Standard					25.27	30.11														
STD OXQ90	Standard					25.55	29.55														
STD OXQ90	Standard					24.47	29.99														
STD OXQ90	Standard					25.31	29.95														
STD OXQ90	Standard					25.02	30.22														
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.007																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		429	<0.005	<0.01	<0.17	32.86	1.2	10.0	18.0	93	0.2	1.4	3.4	517	2.01	3.9	0.4	0.6	2.1	26
ROCK-WHI	Prep Blank		441	<0.005	<0.01	<0.17	34.55	0.9	5.1	6.2	113	0.1	1.7	4.2	559	1.95	1.8	0.4	1.0	2.1	24



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 02, 2020

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000048.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
STD OXQ90 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.3	0.9	0.3	21	0.72	0.039	6	5	0.43	75	0.063	3	0.76	0.081	0.10	0.1	<0.01	2.6	<0.1	<0.05
ROCK-WHI	Prep Blank	0.4	0.2	0.5	24	0.67	0.041	6	6	0.52	67	0.071	2	0.87	0.083	0.11	<0.1	<0.01	3.1	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 02, 2020

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000048.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD DS11 Expected		5.1	2.2	4.56
STD BVGEO01 Expected		7.37	4.84	1.02
STD OREAS262 Expected		4.1	0.4	0.23
STD OXQ90 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2