



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 15, 2020
Analysis Start: June 26, 2020
Report Date: July 10, 2020
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000049.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-07
P.O. Number
Number of Samples: 58

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	56	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			VAN
SLBHP	2	Sort, label and box pulps			WHI
FS631	58	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	58	Analysis sample split/packet			VAN
Split -150	58	Analysis sample split/packet			VAN
EN002	58	Environmental disposal charge-Fire assay lead waste			VAN
FS631	56	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	58	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	58	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 10, 2020

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000049.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025401	Drill Core	2.92	522	0.079	0.14	1.53	23.48	1.5	35.9	85.0	86	1.0	8.1	6.9	573	1.68	2.7	1.4	1350.8	7.4	28
2025402	Drill Core	1.50	421	0.011	0.01	<0.17	26.15	1.0	55.0	149.4	122	0.9	7.3	2.6	236	1.97	4.2	1.7	6.1	6.8	18
2025403	Drill Core	2.46	423	0.016	0.01	<0.17	28.61	1.5	53.2	134.1	135	0.6	6.0	2.7	238	2.20	5.6	2.1	15.4	7.4	29
2025404	Drill Core	2.55	367	1.260	1.79	6.53	36.59	0.8	38.5	15.9	91	1.0	5.6	3.9	288	1.80	2.8	3.3	1236.4	8.8	33
2025405	Drill Core	2.15	432	0.009	<0.01	<0.17	26.53	2.3	36.6	15.7	67	0.5	7.1	3.6	134	1.77	2.4	1.2	4.3	6.4	52
2025406	Drill Core	2.76	406	0.027	0.06	0.42	33.36	0.3	5.4	2.9	7	0.2	1.2	0.6	49	1.32	0.8	0.4	11.8	4.5	49
2025407	Drill Core	2.80	374	0.014	0.01	<0.17	33.37	1.4	15.9	21.4	27	0.3	5.0	3.6	106	1.74	1.1	0.7	4.5	6.3	49
2025408	Drill Core	1.82	379	0.007	<0.01	<0.17	34.56	0.5	16.6	2.9	24	0.2	5.4	4.4	135	1.72	1.1	0.8	2.6	6.7	45
2025409	Drill Core	2.72	360	0.016	0.01	<0.17	30.78	0.7	42.2	5.7	65	0.7	6.2	2.8	180	2.58	1.6	0.8	14.3	7.8	87
2025410	Drill Core	1.61	401	0.007	<0.01	<0.17	21.36	2.5	28.1	55.3	66	0.6	5.8	2.3	238	2.13	2.7	0.8	3.5	6.5	76
2025411	Drill Core	2.05	458	0.010	<0.01	<0.17	24.89	0.8	43.7	24.4	67	0.6	6.6	3.7	234	2.22	12.3	1.6	8.4	7.9	34
2025412	Drill Core	2.25	410	0.006	<0.01	<0.17	34.77	0.4	26.1	7.6	41	0.4	4.6	2.7	178	1.83	2.0	1.4	3.2	7.6	20
2025413	Drill Core	3.00	394	0.006	<0.01	<0.17	33.92	2.5	16.4	45.6	39	0.4	4.0	1.8	145	1.84	4.4	1.8	5.7	6.7	23
2025414	Drill Core	2.94	364	0.007	<0.01	<0.17	31.06	2.8	22.7	79.5	37	0.8	3.3	1.9	149	1.84	6.4	1.7	4.1	7.3	20
2025415	Drill Core	2.72	416	0.023	0.02	<0.17	27.85	1.3	17.8	21.8	24	0.4	4.1	2.2	85	1.63	2.7	0.9	25.6	7.1	14
2025416	Drill Core	2.77	476	1.315	3.12	31.01	28.89	0.4	30.0	2.7	78	1.4	10.7	9.6	473	1.77	2.7	0.8	1914.3	7.4	22
2025417	Drill Core	3.11	527	0.036	0.03	<0.17	35.49	0.6	21.5	2.5	84	0.4	14.1	9.7	439	1.75	4.6	0.5	12.6	7.3	11
2025418	Drill Core	2.87	438	0.008	<0.01	<0.17	33.95	0.4	17.8	2.6	86	0.3	12.9	6.7	405	1.75	2.2	0.8	1.9	9.8	18
2025419	Drill Core	2.97	430	0.007	<0.01	<0.17	31.13	2.6	18.9	22.6	54	0.4	6.2	2.9	183	2.01	1.0	0.7	2.7	7.6	28
2025420	Rock Pulp	0.14	84	0.582				6.9	116.1	85.8	148	0.8	11.5	4.8	630	2.60	42.3	0.4	601.8	2.2	34
2025421	Drill Core	2.84	385	0.007	<0.01	<0.17	32.76	0.5	24.6	25.6	70	0.5	7.3	3.7	209	1.98	2.9	1.3	2.9	7.5	28
2025422	Drill Core	3.11	492	0.008	<0.01	<0.17	33.59	1.9	28.5	7.9	88	0.5	11.8	8.3	406	2.30	5.3	1.1	8.1	7.5	18
2025423	Drill Core	2.77	476	<0.005	<0.01	<0.17	26.23	1.6	14.3	10.5	64	0.3	7.8	5.4	370	1.63	2.4	1.9	<0.5	9.4	20
2025424	Drill Core	3.20	474	<0.005	<0.01	<0.17	28.62	1.3	12.1	18.3	59	0.3	5.0	1.5	215	1.48	2.6	1.5	<0.5	8.9	21
2025425	Drill Core	2.52	458	0.005	<0.01	<0.17	29.65	1.1	18.1	8.7	103	0.3	7.4	6.0	394	2.32	5.3	2.7	0.6	10.4	34
2025426	Drill Core	2.97	417	0.006	<0.01	<0.17	31.71	0.7	22.1	5.0	126	0.2	9.7	5.6	339	1.65	3.2	2.5	4.2	9.7	18
2025427	Drill Core	3.10	368	<0.005	<0.01	<0.17	30.11	0.9	16.4	5.0	105	0.2	7.5	6.1	311	1.99	4.4	2.8	<0.5	10.0	16
2025428	Drill Core	3.08	443	0.005	<0.01	<0.17	25.67	0.9	14.5	21.2	60	0.3	4.8	1.5	201	1.33	2.2	1.6	0.9	9.4	20
2025429	Drill Core	3.06	442	<0.005	<0.01	<0.17	31.85	0.9	11.2	13.6	54	0.2	4.1	2.0	152	1.36	2.4	2.5	<0.5	10.4	19
2025430	Drill Core	2.91	467	0.246	0.70	5.81	38.23	0.4	12.9	3.4	63	0.3	7.8	6.1	265	1.23	2.7	1.1	556.3	9.9	11



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 10, 2020

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000049.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025401	Drill Core				0.7	0.9	0.2	5	0.10	0.044	17	10	0.27	774	0.002	1	0.70	0.017	0.25	0.4	0.02	1.1	0.2	<0.05
2025402	Drill Core				0.3	1.8	0.1	6	0.09	0.048	14	17	0.63	187	0.002	1	0.94	0.024	0.24	<0.1	0.02	1.2	<0.1	0.07
2025403	Drill Core				0.2	1.6	0.1	9	0.09	0.048	14	35	0.82	900	0.002	<1	1.12	0.020	0.25	0.1	<0.01	1.7	<0.1	0.08
2025404	Drill Core				0.3	0.5	<0.1	5	0.05	0.035	18	13	0.40	1248	0.003	<1	0.83	0.024	0.23	0.2	<0.01	1.5	<0.1	<0.05
2025405	Drill Core				<0.1	0.5	<0.1	4	0.05	0.050	14	8	0.47	912	0.002	1	0.67	0.028	0.26	0.1	<0.01	1.1	<0.1	0.10
2025406	Drill Core				<0.1	0.2	<0.1	4	<0.01	0.042	12	6	0.04	576	0.003	<1	0.31	0.088	0.30	0.1	<0.01	1.0	<0.1	0.28
2025407	Drill Core				<0.1	0.4	<0.1	5	0.03	0.050	12	8	0.11	705	0.003	<1	0.38	0.057	0.31	0.1	0.01	1.1	<0.1	0.26
2025408	Drill Core				<0.1	0.3	<0.1	5	0.06	0.065	12	8	0.18	696	0.002	<1	0.44	0.055	0.29	0.1	<0.01	1.2	<0.1	0.21
2025409	Drill Core				0.1	0.5	<0.1	7	0.05	0.058	25	12	0.64	670	0.003	<1	0.86	0.026	0.33	<0.1	<0.01	1.4	<0.1	0.24
2025410	Drill Core				0.1	0.8	0.1	6	0.06	0.055	17	23	0.76	789	0.003	1	0.89	0.032	0.25	<0.1	0.02	1.1	<0.1	0.21
2025411	Drill Core				0.2	0.6	<0.1	7	0.06	0.058	18	23	0.58	533	0.003	<1	0.89	0.022	0.33	<0.1	0.01	1.3	<0.1	0.13
2025412	Drill Core				0.1	0.4	<0.1	5	0.05	0.052	16	8	0.37	492	0.002	<1	0.68	0.018	0.37	0.1	0.01	1.4	<0.1	0.13
2025413	Drill Core				0.1	0.6	<0.1	5	0.04	0.061	18	10	0.28	491	0.003	<1	0.63	0.028	0.30	<0.1	0.01	0.9	<0.1	0.12
2025414	Drill Core				0.2	1.1	<0.1	4	0.03	0.054	16	8	0.16	775	0.003	<1	0.50	0.035	0.34	<0.1	0.02	0.9	<0.1	0.21
2025415	Drill Core				<0.1	0.3	<0.1	5	0.04	0.049	15	7	0.12	372	0.003	<1	0.51	0.027	0.37	0.1	<0.01	1.3	<0.1	0.12
2025416	Drill Core				0.4	0.6	<0.1	7	0.11	0.048	16	14	0.56	632	0.003	<1	0.96	0.018	0.29	0.1	0.01	1.5	<0.1	0.06
2025417	Drill Core				0.5	0.4	<0.1	8	0.18	0.077	14	16	0.64	456	0.006	<1	1.06	0.016	0.31	<0.1	<0.01	1.4	<0.1	<0.05
2025418	Drill Core				0.3	0.5	<0.1	8	0.23	0.062	15	17	0.67	411	0.018	<1	1.13	0.025	0.28	0.2	<0.01	1.7	<0.1	<0.05
2025419	Drill Core				0.1	0.9	<0.1	5	0.06	0.063	15	12	0.36	774	0.004	<1	0.68	0.027	0.33	<0.1	0.01	1.1	<0.1	0.22
2025420	Rock Pulp				0.6	3.1	<0.1	29	0.81	0.036	5	25	0.54	83	0.079	7	1.11	0.091	0.10	4.9	0.15	3.3	0.2	0.09
2025421	Drill Core				0.2	1.2	<0.1	9	0.18	0.082	15	17	0.43	589	0.018	1	0.82	0.025	0.30	0.2	<0.01	1.7	<0.1	0.15
2025422	Drill Core				0.4	1.3	<0.1	11	0.23	0.078	17	23	0.46	415	0.024	<1	0.97	0.017	0.27	0.3	<0.01	1.8	<0.1	0.11
2025423	Drill Core				0.5	1.2	0.1	7	0.18	0.048	20	14	0.34	474	0.018	1	0.80	0.027	0.30	0.2	0.01	1.3	<0.1	0.11
2025424	Drill Core				0.3	1.8	0.1	6	0.18	0.044	15	14	0.41	448	0.014	1	0.70	0.026	0.27	0.2	<0.01	1.1	<0.1	0.13
2025425	Drill Core				0.6	1.6	<0.1	8	0.20	0.054	33	18	0.43	992	0.009	2	0.82	0.028	0.25	0.2	<0.01	1.5	<0.1	0.14
2025426	Drill Core				0.8	1.5	<0.1	9	0.26	0.056	17	18	0.55	330	0.007	1	1.02	0.029	0.26	0.1	0.03	1.7	<0.1	<0.05
2025427	Drill Core				0.8	1.2	<0.1	8	0.20	0.053	19	19	0.33	245	0.010	2	0.90	0.040	0.25	0.1	0.02	1.8	<0.1	<0.05
2025428	Drill Core				0.4	1.3	<0.1	5	0.20	0.044	18	12	0.31	174	0.017	1	0.67	0.027	0.24	0.2	<0.01	1.1	<0.1	<0.05
2025429	Drill Core				0.4	1.3	<0.1	4	0.17	0.053	21	10	0.24	299	0.016	1	0.63	0.031	0.29	0.3	<0.01	1.4	<0.1	0.06
2025430	Drill Core				0.5	1.0	<0.1	4	0.22	0.047	20	10	0.28	193	0.017	2	0.66	0.028	0.27	0.3	<0.01	1.1	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 10, 2020

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000049.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025401	Drill Core	2	<0.5	<0.2
2025402	Drill Core	3	<0.5	<0.2
2025403	Drill Core	3	<0.5	<0.2
2025404	Drill Core	2	<0.5	0.4
2025405	Drill Core	2	<0.5	<0.2
2025406	Drill Core	1	<0.5	<0.2
2025407	Drill Core	1	<0.5	<0.2
2025408	Drill Core	1	<0.5	<0.2
2025409	Drill Core	3	<0.5	<0.2
2025410	Drill Core	3	<0.5	<0.2
2025411	Drill Core	3	<0.5	<0.2
2025412	Drill Core	2	<0.5	<0.2
2025413	Drill Core	2	<0.5	<0.2
2025414	Drill Core	2	<0.5	<0.2
2025415	Drill Core	2	<0.5	<0.2
2025416	Drill Core	3	<0.5	0.2
2025417	Drill Core	3	<0.5	<0.2
2025418	Drill Core	3	<0.5	<0.2
2025419	Drill Core	2	<0.5	<0.2
2025420	Rock Pulp	4	<0.5	<0.2
2025421	Drill Core	3	<0.5	<0.2
2025422	Drill Core	3	<0.5	<0.2
2025423	Drill Core	3	<0.5	<0.2
2025424	Drill Core	3	<0.5	<0.2
2025425	Drill Core	3	<0.5	<0.2
2025426	Drill Core	4	<0.5	<0.2
2025427	Drill Core	3	<0.5	<0.2
2025428	Drill Core	2	<0.5	<0.2
2025429	Drill Core	2	<0.5	<0.2
2025430	Drill Core	2	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 10, 2020

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000049.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025431	Drill Core	2.90	432	0.019	0.02	<0.17	28.89	1.2	13.6	8.1	77	0.2	8.5	4.4	234	1.44	2.5	1.4	9.1	9.7	16
2025432	Drill Core	2.92	438	<0.005	<0.01	<0.17	30.48	0.7	10.3	14.6	37	0.2	3.4	3.4	135	1.08	2.3	2.5	2.2	10.2	19
2025433	Drill Core	2.98	397	0.014	0.01	<0.17	26.56	1.3	15.5	4.7	51	0.4	4.4	1.4	122	1.70	3.7	2.0	8.8	9.6	24
2025434	Drill Core	2.54	486	0.009	<0.01	<0.17	38.73	0.9	18.3	6.0	129	0.3	13.9	7.3	275	1.61	3.1	2.9	6.3	9.9	22
2025435	Drill Core	2.83	387	0.062	0.06	<0.17	27.38	0.5	11.6	19.2	55	0.3	3.6	1.1	195	1.64	2.7	2.7	29.4	8.3	43
2025436	Drill Core	3.04	442	0.447	1.58	16.08	32.15	1.7	6.7	40.6	10	0.8	1.4	0.5	69	1.75	1.6	1.4	1046.0	8.9	37
2025437	Drill Core	2.99	438	0.013	0.01	<0.17	30.79	1.5	4.1	26.4	7	0.7	2.3	1.2	46	1.65	1.2	0.7	7.2	6.0	26
2025438	Drill Core	2.43	378	0.018	0.02	<0.17	35.10	2.1	3.7	43.8	7	1.3	2.1	0.8	72	1.62	1.5	0.5	22.3	5.6	26
2025439	Drill Core	1.45	411	0.015	0.01	<0.17	30.89	2.0	8.2	18.4	10	2.1	1.6	0.5	82	2.07	4.2	0.8	12.9	5.4	32
2025440	Rock Pulp	0.15	84	<0.005				4.0	20.8	0.9	31	<0.1	7.0	4.2	565	2.40	1.8	0.4	<0.5	2.0	29
2025441	Drill Core	2.71	410	0.043	0.04	<0.17	38.25	2.8	4.8	42.8	9	1.8	1.5	0.7	52	1.67	2.3	0.5	40.6	5.7	28
2025442	Drill Core	2.30	381	0.013	0.01	<0.17	34.11	3.3	7.2	42.3	9	2.1	3.1	1.8	96	1.76	1.8	0.8	8.8	5.0	28
2025443	Drill Core	3.25	537	0.006	<0.01	<0.17	37.52	3.0	14.8	51.4	22	3.1	5.7	4.1	148	2.06	2.7	0.9	3.2	7.6	28
2025444	Drill Core	2.87	415	0.007	<0.01	<0.17	30.78	1.4	2.0	21.1	7	1.0	1.2	0.5	45	1.19	1.4	0.7	7.1	5.6	25
2025445	Drill Core	3.20	501	0.072	0.07	<0.17	26.73	1.1	7.4	11.5	12	0.4	1.4	0.4	72	1.74	3.9	1.3	142.3	9.7	36
2025446	Drill Core	3.05	404	0.007	<0.01	<0.17	28.74	0.7	18.0	13.2	20	0.2	1.8	0.7	89	2.04	4.7	1.6	12.0	9.6	42
2025447	Drill Core	2.34	479	0.007	<0.01	<0.17	24.53	1.7	11.5	50.8	25	0.3	1.3	0.5	75	1.64	9.3	1.7	7.0	12.3	54
2025448	Drill Core	3.41	472	0.124	0.27	2.31	32.01	0.9	12.4	10.4	33	0.3	1.5	0.6	86	1.08	5.2	1.7	98.2	14.9	20
2025449	Drill Core	3.34	380	0.073	0.07	<0.17	29.17	0.5	9.5	16.4	15	0.2	1.0	0.5	86	0.81	4.0	1.7	61.2	13.1	47
2025450	Drill Core	3.32	431	<0.005	<0.01	<0.17	29.99	0.9	6.8	13.3	15	0.1	0.5	0.7	61	0.59	1.2	1.7	2.3	17.1	18
2025451	Drill Core	3.19	397	<0.005	<0.01	<0.17	30.44	1.4	12.1	26.9	23	0.5	1.3	0.5	76	1.02	3.5	2.0	4.7	15.6	33
2025452	Drill Core	3.11	506	<0.005	<0.01	<0.17	38.08	2.2	12.8	29.7	22	0.7	1.4	0.4	63	0.79	1.8	1.9	2.8	18.4	26
2025453	Drill Core	3.26	400	0.005	<0.01	<0.17	36.06	1.0	11.0	42.3	28	0.2	0.9	0.4	57	0.71	1.8	1.6	1.8	16.1	22
2025454	Drill Core	3.29	420	<0.005	<0.01	<0.17	35.49	0.7	6.7	38.2	25	<0.1	0.8	0.4	90	0.70	1.9	1.5	3.8	14.7	28
2025455	Drill Core	3.22	424	0.017	0.02	<0.17	22.07	0.5	9.0	33.6	21	0.3	1.1	1.4	145	0.70	1.9	1.2	12.0	11.5	29
2025456	Drill Core	3.10	477	<0.005	<0.01	<0.17	38.03	0.5	7.8	37.7	23	0.1	0.7	0.4	103	0.44	1.5	1.6	1.3	14.1	30
2025457	Drill Core	2.67	442	<0.005	<0.01	<0.17	34.20	0.9	6.9	27.3	18	0.2	0.6	0.2	85	0.52	0.9	1.3	1.5	14.0	23
2025458	Drill Core	2.80	451	<0.005	<0.01	<0.17	32.18	0.4	3.5	22.5	14	<0.1	0.4	0.2	62	0.41	0.8	1.7	1.7	15.7	18



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 10, 2020

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000049.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
2025431	Drill Core	0.5	1.0	<0.1	5	0.18	0.053	20	10	0.40	434	0.017	<1	0.78	0.036	0.27	0.4	0.01	1.4	<0.1	<0.05
2025432	Drill Core	0.2	1.2	<0.1	4	0.06	0.045	21	6	0.09	708	0.006	<1	0.48	0.035	0.37	0.4	<0.01	1.3	<0.1	0.09
2025433	Drill Core	0.2	0.8	<0.1	8	0.10	0.053	19	12	0.15	518	0.022	1	0.51	0.046	0.30	0.5	0.01	1.8	<0.1	0.14
2025434	Drill Core	0.7	1.0	<0.1	7	0.12	0.047	17	15	0.37	342	0.009	<1	0.85	0.030	0.31	0.3	<0.01	1.7	<0.1	0.06
2025435	Drill Core	0.4	1.7	0.1	6	0.13	0.046	15	10	0.37	822	0.014	<1	0.77	0.036	0.30	0.3	0.01	1.6	<0.1	0.16
2025436	Drill Core	0.1	1.5	0.1	4	0.01	0.043	14	9	0.07	271	0.004	<1	0.33	0.077	0.31	0.1	<0.01	1.1	<0.1	0.49
2025437	Drill Core	<0.1	1.5	<0.1	3	0.01	0.021	12	6	0.03	116	0.003	<1	0.30	0.080	0.31	0.2	0.02	0.7	<0.1	0.80
2025438	Drill Core	<0.1	1.2	<0.1	3	0.05	0.017	12	8	0.03	153	0.005	<1	0.32	0.089	0.30	0.2	0.02	0.8	<0.1	0.61
2025439	Drill Core	<0.1	3.8	<0.1	4	0.02	0.027	12	8	0.03	301	0.006	<1	0.26	0.094	0.26	0.2	0.07	0.4	<0.1	0.43
2025440	Rock Pulp	<0.1	0.1	<0.1	24	0.74	0.039	5	15	0.49	60	0.072	1	1.03	0.077	0.08	0.3	<0.01	3.2	<0.1	<0.05
2025441	Drill Core	<0.1	1.7	<0.1	4	<0.01	0.025	11	6	0.03	260	0.003	<1	0.32	0.092	0.31	0.2	0.04	0.7	<0.1	0.46
2025442	Drill Core	<0.1	3.0	<0.1	4	0.15	0.018	8	7	0.03	107	0.003	<1	0.32	0.043	0.31	0.1	0.03	0.7	<0.1	0.86
2025443	Drill Core	0.4	4.6	<0.1	3	0.58	0.024	5	7	0.03	43	0.003	<1	0.28	0.018	0.26	0.1	0.03	0.6	<0.1	1.74
2025444	Drill Core	<0.1	1.0	<0.1	4	0.06	0.014	11	6	0.04	269	0.004	<1	0.36	0.071	0.35	0.1	<0.01	0.8	<0.1	0.48
2025445	Drill Core	<0.1	1.7	<0.1	5	<0.01	0.037	15	8	0.05	500	0.004	<1	0.33	0.085	0.29	0.2	<0.01	1.0	<0.1	0.30
2025446	Drill Core	0.1	2.2	0.1	6	0.01	0.048	18	8	0.06	758	0.003	<1	0.43	0.043	0.30	0.2	<0.01	1.1	<0.1	0.17
2025447	Drill Core	<0.1	1.6	0.2	4	0.01	0.038	17	5	0.12	1203	0.002	<1	0.47	0.023	0.28	0.2	<0.01	0.7	<0.1	0.13
2025448	Drill Core	<0.1	1.2	<0.1	2	0.02	0.019	21	4	0.22	612	0.002	<1	0.44	0.017	0.19	0.2	<0.01	1.0	<0.1	<0.05
2025449	Drill Core	<0.1	0.9	<0.1	1	<0.01	0.008	19	4	0.09	1911	0.001	<1	0.37	0.025	0.25	0.5	<0.01	0.9	<0.1	<0.05
2025450	Drill Core	<0.1	0.3	0.1	<1	<0.01	0.007	21	3	0.09	1793	<0.001	<1	0.43	0.020	0.30	0.5	<0.01	0.8	<0.1	<0.05
2025451	Drill Core	<0.1	1.4	1.5	2	<0.01	0.013	26	5	0.10	1613	0.002	<1	0.41	0.021	0.31	0.2	0.01	0.9	<0.1	0.06
2025452	Drill Core	<0.1	0.7	0.4	<1	<0.01	0.008	19	4	0.10	2284	<0.001	<1	0.36	0.011	0.25	4.1	<0.01	0.4	<0.1	0.06
2025453	Drill Core	<0.1	0.3	<0.1	<1	<0.01	0.007	21	3	0.11	1794	<0.001	<1	0.42	0.017	0.26	1.0	<0.01	0.6	<0.1	0.05
2025454	Drill Core	<0.1	0.4	<0.1	<1	<0.01	0.004	18	3	0.07	1942	<0.001	<1	0.36	0.022	0.24	0.2	<0.01	0.5	<0.1	<0.05
2025455	Drill Core	<0.1	0.6	1.0	<1	<0.01	0.004	25	4	0.10	2109	<0.001	<1	0.35	0.006	0.23	0.4	<0.01	0.5	<0.1	<0.05
2025456	Drill Core	<0.1	0.6	0.1	<1	<0.01	0.003	24	2	0.14	1934	<0.001	<1	0.40	0.013	0.28	0.3	<0.01	0.6	<0.1	<0.05
2025457	Drill Core	<0.1	0.3	0.2	<1	<0.01	0.002	18	3	0.08	1380	0.001	<1	0.31	0.025	0.26	0.3	<0.01	0.6	<0.1	<0.05
2025458	Drill Core	<0.1	0.2	0.2	<1	<0.01	0.003	21	2	0.07	1097	0.001	<1	0.33	0.022	0.28	0.3	<0.01	0.7	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 10, 2020

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000049.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025431	Drill Core	2	<0.5	<0.2
2025432	Drill Core	2	<0.5	<0.2
2025433	Drill Core	2	<0.5	<0.2
2025434	Drill Core	2	<0.5	<0.2
2025435	Drill Core	2	<0.5	<0.2
2025436	Drill Core	2	0.6	<0.2
2025437	Drill Core	1	<0.5	<0.2
2025438	Drill Core	1	<0.5	<0.2
2025439	Drill Core	<1	<0.5	<0.2
2025440	Rock Pulp	4	<0.5	<0.2
2025441	Drill Core	1	<0.5	<0.2
2025442	Drill Core	1	<0.5	<0.2
2025443	Drill Core	<1	<0.5	<0.2
2025444	Drill Core	1	<0.5	<0.2
2025445	Drill Core	2	<0.5	<0.2
2025446	Drill Core	2	<0.5	<0.2
2025447	Drill Core	2	<0.5	<0.2
2025448	Drill Core	2	<0.5	<0.2
2025449	Drill Core	1	<0.5	<0.2
2025450	Drill Core	1	<0.5	<0.2
2025451	Drill Core	1	<0.5	<0.2
2025452	Drill Core	1	<0.5	<0.2
2025453	Drill Core	1	<0.5	<0.2
2025454	Drill Core	1	<0.5	<0.2
2025455	Drill Core	<1	<0.5	<0.2
2025456	Drill Core	1	<0.5	<0.2
2025457	Drill Core	1	<0.5	<0.2
2025458	Drill Core	1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: July 10, 2020

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000049.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
REP 2025433	QC							1.2	14.6	4.3	50	0.3	4.3	1.4	116	1.63	3.7	1.8	13.9	9.0	23
2025443	Drill Core	3.25	537	0.006	<0.01	<0.17	37.52	3.0	14.8	51.4	22	3.1	5.7	4.1	148	2.06	2.7	0.9	3.2	7.6	28
REP 2025443	QC			0.007																	
2025449	Drill Core	3.34	380	0.073	0.07	<0.17	29.17	0.5	9.5	16.4	15	0.2	1.0	0.5	86	0.81	4.0	1.7	61.2	13.1	47
REP 2025449	QC							0.5	9.6	16.5	15	0.2	1.0	0.6	87	0.80	3.9	1.7	68.1	12.7	48
Core Reject Duplicates																					
2025433	Drill Core	2.98	397	0.014	0.01	<0.17	26.56	1.3	15.5	4.7	51	0.4	4.4	1.4	122	1.70	3.7	2.0	8.8	9.6	24
DUP 2025433	QC		504	0.013	0.01	<0.17	28.06	1.2	14.6	4.5	50	0.4	4.3	1.4	113	1.60	3.6	1.9	8.0	9.4	23
Reference Materials																					
STD BVGEO01	Standard							11.4	4359.1	192.3	1727	2.5	166.3	24.1	723	3.64	120.3	3.5	217.5	13.6	51
STD DS11	Standard							14.3	148.8	132.1	348	1.8	82.8	13.5	1017	3.14	44.0	2.4	70.5	7.2	65
STD OREAS262	Standard							0.7	114.5	55.5	156	0.5	65.3	27.6	561	3.40	37.4	1.2	73.6	8.8	37
STD OREAS262	Standard							0.7	111.6	54.7	144	0.5	63.0	27.3	542	3.22	37.2	1.1	63.1	8.3	34
STD OXB130	Standard			0.129																	
STD OXB130	Standard			0.119																	
STD OXB130	Standard			0.119																	
STD OXG141	Standard			0.935																	
STD OXG141	Standard			0.872																	
STD OXG141	Standard			0.881																	
STD OXN155	Standard			7.526																	
STD OXN155	Standard			7.716																	
STD OXN155	Standard			7.816																	
STD OXQ90	Standard					25.10	30.92														
STD OXQ90	Standard					24.92	30.30														
STD OXQ90	Standard					25.12	30.01														
STD OXQ90	Standard					25.32	30.13														
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 10, 2020

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000049.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
REP 2025433	QC	0.2	0.8	<0.1	8	0.10	0.048	19	10	0.15	492	0.021	1	0.49	0.039	0.27	0.4	<0.01	1.5	<0.1	0.14
2025443	Drill Core	0.4	4.6	<0.1	3	0.58	0.024	5	7	0.03	43	0.003	<1	0.28	0.018	0.26	0.1	0.03	0.6	<0.1	1.74
REP 2025443																					
2025449	Drill Core	<0.1	0.9	<0.1	1	<0.01	0.008	19	4	0.09	1911	0.001	<1	0.37	0.025	0.25	0.5	<0.01	0.9	<0.1	<0.05
REP 2025449	QC	<0.1	0.8	<0.1	1	<0.01	0.009	19	4	0.10	1952	0.001	<1	0.39	0.026	0.25	0.5	<0.01	1.1	<0.1	<0.05
Core Reject Duplicates																					
2025433	Drill Core	0.2	0.8	<0.1	8	0.10	0.053	19	12	0.15	518	0.022	1	0.51	0.046	0.30	0.5	0.01	1.8	<0.1	0.14
DUP 2025433	QC	0.2	0.8	<0.1	8	0.09	0.049	18	11	0.15	491	0.022	1	0.46	0.039	0.26	0.5	0.01	1.6	<0.1	0.13
Reference Materials																					
STD BVGEO01	Standard	6.1	3.1	22.6	77	1.29	0.074	23	170	1.27	260	0.223	3	2.25	0.182	0.86	5.0	0.09	5.6	0.6	0.65
STD DS11	Standard	2.4	8.9	11.3	48	1.04	0.071	18	61	0.86	370	0.091	7	1.13	0.070	0.39	3.0	0.28	3.1	4.8	0.28
STD OREAS262	Standard	0.7	5.9	1.0	22	2.86	0.037	16	46	1.19	248	0.003	4	1.35	0.070	0.31	0.2	0.17	3.3	0.5	0.27
STD OREAS262	Standard	0.6	4.6	0.9	24	2.95	0.038	13	43	1.17	234	0.003	1	1.23	0.066	0.29	0.2	0.16	3.4	0.4	0.26
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976	1.1795		0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 10, 2020

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000049.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
REP 2025433	QC	2	<0.5	<0.2
2025443	Drill Core	<1	<0.5	<0.2
REP 2025443	QC			
2025449	Drill Core	1	<0.5	<0.2
REP 2025449	QC	1	<0.5	<0.2
Core Reject Duplicates				
2025433	Drill Core	2	<0.5	<0.2
DUP 2025433	QC	2	<0.5	<0.2
Reference Materials				
STD BVGE001	Standard	7	4.9	0.9
STD DS11	Standard	5	2.1	4.7
STD OREAS262	Standard	4	<0.5	<0.2
STD OREAS262	Standard	4	<0.5	<0.2
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD DS11 Expected		5.1	2.2	4.56
STD BVGE001 Expected		7.37	4.84	1.02



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI20000049.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OREAS262 Expected		0.68 118 56 154 0.45 62 26.9 530 3.284 35.8 1.22 65 9.33 36																			
STD OXQ90 Expected		24.88																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.1 <0.5 <0.1 <1																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.1 <0.5 <0.1 <1																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	421 <0.005 <0.01 <0.17 32.25 1.1 3.7 2.1 33 <0.1 1.1 3.8 537 1.95 0.9 0.4 <0.5 2.2 23																			
ROCK-WHI	Prep Blank	417 <0.005 <0.01 <0.17 32.52 0.8 5.8 2.2 46 <0.1 1.6 4.0 578 2.04 1.1 0.4 <0.5 2.0 23																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 10, 2020

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000049.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
STD OXQ90 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.63	0.042	7	4	0.46	84	0.078	4	0.83	0.086	0.11	<0.1	<0.01	2.8	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.63	0.040	7	5	0.53	64	0.072	3	0.92	0.088	0.11	<0.1	<0.01	2.6	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 10, 2020

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000049.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OREAS262 Expected		4.1	0.4	0.23
STD OXQ90 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	3	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2