



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 15, 2020
Analysis Start: June 29, 2020
Report Date: July 16, 2020
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI20000050.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-05
P.O. Number
Number of Samples: 117

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	113	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	3	Sort, label and box pulps			WHI
FS631	117	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	117	Analysis sample split/packet			VAN
Split -150	117	Analysis sample split/packet			VAN
EN002	117	Environmental disposal charge-Fire assay lead waste			VAN
FS631	114	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	117	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	117	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 2 of 5 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000050.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025078	Drill Core	2.91	551	0.011	0.01	<0.17	34.80	1.4	3.1	36.1	9	0.4	1.3	0.5	65	2.08	2.1	0.9	15.6	11.7	28			
2025079	Drill Core	3.12	487	0.024	0.02	<0.17	37.34	1.6	1.9	18.8	5	0.9	1.0	0.4	49	1.76	1.5	0.6	19.4	7.0	18			
2025080	Rock	0.22	176	<0.005	<0.01	<0.17	27.44	1.3	2.3	1.3	2	<0.1	2.9	0.7	209	1.79	1.4	0.2	<0.5	1.1	1			
2025081	Drill Core	2.93	430	0.048	0.06	0.19	37.48	1.7	2.7	25.3	5	1.5	1.4	0.6	70	1.40	1.3	0.4	35.7	4.2	21			
2025082	Drill Core	3.16	360	0.007	<0.01	<0.17	35.83	1.5	4.3	10.5	7	0.3	3.6	2.0	64	1.88	1.6	0.8	4.2	5.2	25			
2025083	Drill Core	2.88	386	0.006	<0.01	<0.17	25.93	0.5	18.0	8.5	16	0.2	2.1	0.7	119	1.19	1.6	2.9	2.9	8.5	33			
2025084	Drill Core	2.60	359	0.062	0.07	<0.17	29.60	1.2	23.1	13.5	31	0.6	3.9	1.7	130	1.89	4.8	3.4	19.4	12.5	26			
2025085	Drill Core	2.76	370	0.035	0.04	<0.17	21.80	1.6	14.1	6.4	19	0.2	1.3	0.6	66	1.65	3.6	2.1	25.2	8.6	23			
2025086	Drill Core	1.60	388	0.172	0.17	0.19	26.02	2.0	29.1	57.0	39	0.3	3.5	1.5	111	1.70	6.1	3.1	120.6	12.8	44			
2025087	Drill Core	2.09	423	0.025	0.06	0.43	32.26	1.3	21.6	50.8	18	0.7	2.6	1.0	63	0.91	3.1	2.2	174.9	16.0	34			
2025088	Drill Core	2.39	362	<0.005	0.01	<0.17	30.64	0.6	4.9	3.8	9	<0.1	0.8	0.4	59	0.58	1.0	1.7	0.8	16.3	4			
2025089	Drill Core	2.31	479	0.009	<0.01	<0.17	33.73	0.6	7.9	9.6	13	<0.1	1.0	0.4	54	0.60	2.2	1.6	16.7	14.6	8			
2025090	Drill Core	3.10	466	0.009	0.02	<0.17	32.21	0.8	10.8	18.1	12	0.3	1.4	0.4	45	0.62	2.6	1.8	5.6	14.3	9			
2025091	Drill Core	2.22	373	0.107	0.11	0.18	28.16	0.8	7.7	5.5	11	0.3	0.9	0.4	55	0.67	3.0	2.3	62.3	15.8	14			
2025092	Drill Core	2.11	470	0.008	<0.01	<0.17	36.15	1.8	7.4	4.2	12	<0.1	0.8	0.4	51	0.59	4.2	2.7	4.2	17.1	9			
2025093	Drill Core	2.14	437	0.010	<0.01	<0.17	31.19	0.7	6.4	4.0	13	<0.1	0.6	0.6	45	0.56	5.1	2.5	6.7	14.0	6			
2025094	Drill Core	1.93	372	0.011	0.03	0.20	35.06	1.6	8.7	17.0	28	0.1	1.1	1.0	153	0.76	3.3	4.1	7.3	14.8	25			
2025095	Drill Core	2.62	446	0.038	0.04	<0.17	29.36	0.5	23.0	4.6	29	0.3	9.3	9.8	866	1.53	1.5	0.9	59.9	7.5	23			
2025096	Drill Core	2.62	462	0.027	0.03	<0.17	36.61	1.5	22.8	7.8	64	0.4	10.4	8.0	677	1.58	6.8	0.8	52.2	8.1	42			
2025097	Drill Core	2.22	386	0.155	0.15	<0.17	35.84	0.5	19.3	4.0	65	0.3	11.8	9.7	1010	1.87	3.1	0.6	141.0	8.3	33			
2025098	Drill Core	2.19	475	0.470	0.51	0.98	33.52	1.6	30.6	32.7	70	0.5	10.7	9.8	512	2.20	3.5	2.0	389.8	7.3	23			
2025099	Drill Core	2.76	467	5.380	25.92	423.61	22.96	0.8	22.4	14.9	33	4.5	6.4	3.2	148	1.68	2.0	1.5	20748.1	6.8	39			
2025100	Rock Pulp	0.12	84	7.289				9.2	188.0	18.6	76	0.9	13.6	11.3	582	4.76	13.5	0.8	6757.9	2.6	65			
2025101	Drill Core	2.48	415	0.960	1.45	8.20	28.30	0.4	25.8	3.9	37	0.8	8.2	6.2	170	1.96	1.6	1.3	1102.1	7.2	31			
2025102	Drill Core	2.61	517	0.673	0.70	1.11	30.52	0.5	24.3	4.9	37	0.5	12.3	16.5	840	1.87	2.6	1.0	966.7	7.2	16			
2025103	Drill Core	2.48	517	0.379	0.51	2.30	34.29	0.6	26.4	4.2	73	0.3	16.0	17.2	935	1.94	1.7	1.1	222.8	8.1	31			
2025104	Drill Core	2.29	479	0.011	0.02	0.20	29.31	1.0	14.2	8.8	124	0.2	18.9	15.8	1531	1.63	1.6	1.9	5.9	9.7	29			
2025105	Drill Core	2.31	448	0.025	0.03	0.23	21.48	1.2	17.5	6.0	105	0.5	11.0	7.2	533	1.67	12.7	4.7	21.9	9.3	32			
2025106	Drill Core	3.58	402	0.026	0.03	<0.17	28.53	1.6	28.1	5.4	123	0.5	19.8	14.1	935	2.31	3.2	1.8	31.9	9.0	33			
2025107	Drill Core	3.02	495	0.009	0.01	<0.17	27.35	0.7	12.3	3.5	54	0.2	10.0	7.1	460	1.60	1.5	0.7	5.3	8.4	45			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000050.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025078	Drill Core	<0.1	1.0	<0.1	3	<0.01	0.034	15	7	0.01	202	0.006	1	0.20	0.160	0.23	0.1	0.01	0.6	<0.1	0.68			
2025079	Drill Core	<0.1	0.5	<0.1	2	<0.01	0.022	12	6	0.02	216	0.006	2	0.27	0.090	0.36	0.2	<0.01	0.4	<0.1	0.62			
2025080	Rock	<0.1	<0.1	<0.1	1	0.04	0.002	2	12	0.03	26	0.001	1	0.05	0.004	0.01	<0.1	<0.01	0.1	<0.1	<0.05			
2025081	Drill Core	<0.1	0.9	<0.1	2	<0.01	0.013	12	7	0.03	318	0.006	1	0.28	0.055	0.32	0.2	0.01	0.4	<0.1	0.44			
2025082	Drill Core	<0.1	0.9	<0.1	3	0.14	0.020	12	8	0.02	122	0.006	1	0.28	0.084	0.31	0.2	<0.01	0.6	<0.1	0.96			
2025083	Drill Core	<0.1	2.5	<0.1	4	0.11	0.032	13	9	0.14	559	0.009	<1	0.51	0.041	0.31	0.3	<0.01	1.0	<0.1	0.27			
2025084	Drill Core	0.2	3.3	0.1	4	0.01	0.053	15	11	0.12	905	0.010	3	0.63	0.043	0.32	1.0	0.01	1.3	<0.1	0.14			
2025085	Drill Core	<0.1	3.8	<0.1	3	<0.01	0.028	11	5	0.08	1021	0.009	1	0.50	0.013	0.27	0.1	<0.01	0.6	<0.1	0.12			
2025086	Drill Core	0.1	4.7	0.1	2	<0.01	0.039	17	6	0.21	782	0.008	1	0.82	0.007	0.24	0.4	<0.01	0.7	<0.1	0.12			
2025087	Drill Core	<0.1	1.2	<0.1	<1	<0.01	0.023	28	4	0.04	360	0.002	2	0.53	0.008	0.25	4.2	<0.01	0.5	<0.1	0.07			
2025088	Drill Core	<0.1	0.4	<0.1	<1	<0.01	0.005	15	3	0.06	380	0.001	2	0.45	0.014	0.31	0.3	<0.01	0.4	<0.1	<0.05			
2025089	Drill Core	<0.1	0.6	<0.1	<1	<0.01	0.005	18	4	0.05	587	<0.001	2	0.39	0.009	0.24	0.2	<0.01	0.3	<0.1	<0.05			
2025090	Drill Core	<0.1	0.5	<0.1	<1	<0.01	0.006	26	4	0.03	238	<0.001	2	0.36	0.003	0.23	1.7	<0.01	0.3	<0.1	<0.05			
2025091	Drill Core	<0.1	0.4	0.1	<1	<0.01	0.005	16	4	0.04	1089	0.001	2	0.38	0.023	0.25	0.7	<0.01	0.4	<0.1	<0.05			
2025092	Drill Core	<0.1	0.5	0.1	<1	<0.01	0.005	15	3	0.05	1055	<0.001	2	0.40	0.013	0.26	0.2	<0.01	0.3	<0.1	<0.05			
2025093	Drill Core	<0.1	0.2	<0.1	<1	<0.01	0.005	15	2	0.04	718	<0.001	2	0.39	0.006	0.27	0.1	<0.01	0.3	<0.1	<0.05			
2025094	Drill Core	<0.1	0.7	<0.1	<1	0.01	0.006	19	3	0.23	2365	0.002	2	0.65	0.008	0.26	0.2	<0.01	0.4	<0.1	0.06			
2025095	Drill Core	0.7	0.9	<0.1	5	0.26	0.060	13	9	0.16	728	0.011	<1	0.49	0.033	0.33	0.3	<0.01	1.3	<0.1	0.09			
2025096	Drill Core	0.5	1.1	0.1	6	0.43	0.055	14	11	0.51	932	0.014	<1	0.79	0.031	0.36	0.3	<0.01	1.2	0.1	0.08			
2025097	Drill Core	1.1	0.9	<0.1	10	0.97	0.063	16	13	0.57	303	0.032	<1	0.87	0.035	0.45	0.5	<0.01	2.0	0.1	0.06			
2025098	Drill Core	0.5	1.5	<0.1	7	0.33	0.062	13	12	0.35	499	0.019	<1	0.67	0.027	0.32	0.3	<0.01	1.6	0.1	0.09			
2025099	Drill Core	<0.1	1.3	<0.1	5	0.05	0.051	14	10	0.22	1590	0.022	<1	0.50	0.039	0.25	0.4	0.01	1.4	<0.1	0.14			
2025100	Rock Pulp	0.2	4.4	0.5	110	0.87	0.062	7	18	0.84	117	0.114	2	1.66	0.162	0.22	3.6	0.22	3.2	<0.1	<0.05			
2025101	Drill Core	<0.1	1.3	<0.1	8	0.07	0.075	14	12	0.25	859	0.023	<1	0.59	0.052	0.36	0.3	<0.01	1.8	0.1	0.15			
2025102	Drill Core	0.8	0.8	<0.1	6	0.12	0.064	13	10	0.22	449	0.015	<1	0.55	0.034	0.33	0.3	<0.01	1.4	0.1	0.13			
2025103	Drill Core	0.9	1.1	<0.1	6	0.21	0.062	15	11	0.42	602	0.022	<1	0.72	0.026	0.33	0.4	<0.01	1.4	0.1	0.08			
2025104	Drill Core	1.9	1.2	0.2	6	0.20	0.047	18	13	0.57	213	0.029	<1	0.88	0.034	0.31	0.5	<0.01	1.4	0.1	0.06			
2025105	Drill Core	0.7	1.2	<0.1	7	0.21	0.048	20	16	0.42	295	0.022	<1	0.94	0.027	0.24	0.4	<0.01	1.3	<0.1	<0.05			
2025106	Drill Core	1.0	1.4	0.1	14	0.53	0.063	17	19	0.71	327	0.006	<1	1.19	0.028	0.38	0.2	<0.01	2.3	0.2	0.20			
2025107	Drill Core	0.3	0.9	<0.1	9	0.72	0.052	17	14	0.69	254	0.018	1	0.91	0.028	0.33	0.3	<0.01	1.7	0.1	0.37			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000050.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025078	Drill Core	1	<0.5	<0.2
2025079	Drill Core	1	<0.5	<0.2
2025080	Rock	<1	<0.5	<0.2
2025081	Drill Core	1	<0.5	<0.2
2025082	Drill Core	2	<0.5	<0.2
2025083	Drill Core	1	<0.5	<0.2
2025084	Drill Core	2	<0.5	<0.2
2025085	Drill Core	1	<0.5	<0.2
2025086	Drill Core	2	<0.5	<0.2
2025087	Drill Core	1	<0.5	<0.2
2025088	Drill Core	1	<0.5	<0.2
2025089	Drill Core	<1	<0.5	<0.2
2025090	Drill Core	<1	<0.5	<0.2
2025091	Drill Core	1	<0.5	<0.2
2025092	Drill Core	<1	<0.5	<0.2
2025093	Drill Core	<1	<0.5	<0.2
2025094	Drill Core	1	<0.5	<0.2
2025095	Drill Core	1	<0.5	<0.2
2025096	Drill Core	2	<0.5	<0.2
2025097	Drill Core	2	<0.5	<0.2
2025098	Drill Core	2	<0.5	0.3
2025099	Drill Core	2	<0.5	0.4
2025100	Rock Pulp	5	<0.5	<0.2
2025101	Drill Core	2	<0.5	0.3
2025102	Drill Core	2	<0.5	<0.2
2025103	Drill Core	2	<0.5	<0.2
2025104	Drill Core	3	<0.5	<0.2
2025105	Drill Core	3	<0.5	<0.2
2025106	Drill Core	4	<0.5	<0.2
2025107	Drill Core	3	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 3 of 5 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000050.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025108	Drill Core				3.24	445	0.005	<0.01	<0.17	22.24	2.4	7.4	9.5	37	0.2	9.4	6.8	367	1.58	2.2	1.5	3.2	9.2	45
2025109	Drill Core				2.99	465	<0.005	<0.01	<0.17	28.42	1.1	7.5	6.0	44	0.2	8.6	5.3	270	1.72	2.4	2.1	2.2	9.5	37
2025110	Drill Core				2.92	423	0.010	0.01	<0.17	36.67	0.7	9.5	4.1	72	0.2	10.7	8.2	417	1.62	1.8	1.3	7.3	9.7	24
2025111	Drill Core				3.13	522	0.005	<0.01	<0.17	29.56	1.0	17.8	46.5	148	0.3	8.9	5.7	375	1.49	2.3	1.7	3.4	8.8	18
2025112	Drill Core				2.83	382	0.006	<0.01	<0.17	28.97	1.0	10.8	21.0	25	0.3	3.7	1.8	78	1.38	1.5	1.5	3.2	7.4	33
2025113	Drill Core				2.82	408	<0.005	<0.01	<0.17	34.28	1.5	10.1	9.2	39	0.2	9.4	6.1	266	1.59	2.2	3.1	0.8	7.7	28
2025114	Drill Core				2.67	440	0.010	0.01	<0.17	35.84	1.0	17.0	8.9	89	0.3	11.3	8.6	460	2.04	3.0	2.2	3.9	8.7	13
2025115	Drill Core				2.66	385	0.008	<0.01	<0.17	30.46	2.0	21.9	5.1	84	0.3	22.3	16.3	1013	2.97	1.6	1.0	2.5	7.5	9
2025116	Drill Core				2.68	430	0.006	0.01	<0.17	32.58	0.9	11.2	10.4	51	0.2	5.7	3.6	147	1.84	1.8	2.2	2.3	9.4	18
2025117	Drill Core				2.70	400	0.005	<0.01	<0.17	35.16	0.8	11.6	6.4	48	0.2	5.0	2.4	143	1.79	2.1	1.6	1.1	9.2	43
2025118	Drill Core				2.69	445	0.005	<0.01	<0.17	27.77	1.1	16.2	19.6	43	0.4	3.3	2.0	110	1.99	2.9	2.3	1.1	10.2	65
2025119	Drill Core				2.65	436	0.005	<0.01	<0.17	28.79	0.3	13.0	11.3	36	0.3	4.1	2.4	93	1.49	2.3	1.6	<0.5	8.4	36
2025120	Rock Pulp				0.12	85	0.544				6.9	111.7	81.4	144	0.7	12.0	5.0	627	2.60	43.1	0.4	540.9	2.1	34
2025121	Drill Core				2.72	364	0.006	<0.01	<0.17	22.25	0.9	11.4	19.6	35	0.3	4.6	2.6	98	1.55	2.4	1.3	1.8	7.4	46
2025122	Drill Core				2.98	420	0.012	0.01	<0.17	21.22	0.7	11.6	11.3	41	0.3	5.4	3.6	114	1.78	2.1	1.3	9.9	8.6	27
2025123	Drill Core				1.27	430	0.006	<0.01	<0.17	18.87	1.1	9.3	18.1	24	0.4	4.1	2.5	109	1.54	1.7	1.3	2.2	7.8	33
2025124	Drill Core				2.04	427	0.025	0.02	<0.17	22.92	0.7	45.1	127.2	108	0.5	7.3	6.6	401	1.89	3.4	2.6	25.0	8.4	13
2025125	Drill Core				2.41	418	0.025	0.02	<0.17	18.10	2.0	33.1	80.6	62	1.7	3.6	1.4	107	1.93	5.5	3.2	78.1	10.0	25
2025126	Drill Core				2.71	393	0.007	<0.01	<0.17	23.09	1.0	26.0	16.9	66	0.4	4.4	1.7	173	1.42	1.7	1.8	3.1	8.9	19
2025127	Drill Core				2.33	375	0.006	0.02	<0.17	31.85	1.4	38.6	30.5	106	0.4	10.5	5.3	260	2.10	2.6	2.0	3.0	6.9	27
2025128	Drill Core				2.33	492	0.008	0.02	0.25	24.28	1.4	37.8	14.9	68	0.6	6.4	2.5	150	1.81	2.2	1.8	3.9	6.7	41
2025129	Drill Core				2.39	498	0.009	<0.01	<0.17	29.38	3.1	23.8	6.3	43	0.3	5.9	3.6	185	1.85	2.5	1.9	7.0	6.1	38
2025130	Drill Core				0.98	421	0.037	0.04	<0.17	23.19	0.5	24.9	4.7	42	0.5	9.9	8.3	197	2.18	1.8	1.1	21.1	5.6	25
2025131	Drill Core				2.11	510	0.054	0.05	<0.17	28.55	0.3	17.8	5.8	22	0.4	4.6	3.2	100	1.89	1.8	0.9	53.0	7.0	30
2025132	Drill Core				2.67	464	0.013	0.01	<0.17	30.65	0.4	12.4	3.0	10	0.4	3.0	2.2	81	1.95	1.8	0.5	66.3	5.9	29
2025133	Drill Core				2.72	495	0.010	<0.01	<0.17	24.91	1.7	32.0	14.1	71	0.5	7.8	3.1	224	1.94	3.0	0.9	8.1	6.5	54
2025134	Drill Core				2.27	460	0.283	0.28	0.22	27.08	1.0	21.7	5.7	34	0.4	7.0	5.2	195	2.28	2.0	1.3	101.9	6.5	35
2025135	Drill Core				2.49	448	0.010	<0.01	<0.17	32.37	1.8	23.9	13.4	26	0.3	5.6	3.0	150	1.72	2.1	1.0	1.9	6.6	27
2025136	Drill Core				2.77	487	0.011	0.01	<0.17	28.75	0.5	28.7	4.8	55	0.3	13.6	18.4	771	2.14	2.3	0.5	8.7	6.5	33
2025137	Drill Core				2.68	430	0.016	0.01	<0.17	21.56	1.8	12.8	39.6	18	0.6	4.1	2.0	93	1.59	1.9	0.8	16.5	6.0	20



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000050.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025108	Drill Core	<0.1	0.5	0.1	7	0.47	0.047	16	17	0.68	254	0.025	<1	0.82	0.041	0.26	0.3	<0.01	1.3	<0.1	0.60			
2025109	Drill Core	0.2	0.5	<0.1	8	0.37	0.047	13	20	0.59	261	0.034	<1	0.80	0.045	0.27	0.3	<0.01	1.6	<0.1	0.49			
2025110	Drill Core	0.6	0.4	<0.1	6	0.38	0.046	17	15	0.66	282	0.010	<1	0.90	0.048	0.30	0.2	<0.01	1.2	<0.1	0.37			
2025111	Drill Core	0.4	0.5	<0.1	7	0.22	0.049	17	16	0.51	264	0.008	2	0.81	0.042	0.27	0.2	<0.01	1.7	<0.1	<0.05			
2025112	Drill Core	<0.1	0.2	<0.1	5	0.08	0.034	19	8	0.11	434	0.005	1	0.43	0.056	0.31	0.2	<0.01	1.4	<0.1	0.13			
2025113	Drill Core	0.3	0.5	<0.1	7	0.20	0.042	18	13	0.17	446	0.019	1	0.57	0.057	0.26	0.3	<0.01	1.8	<0.1	<0.05			
2025114	Drill Core	0.9	0.4	<0.1	9	0.18	0.062	22	14	0.18	347	0.023	2	0.70	0.043	0.33	0.3	<0.01	2.2	0.1	<0.05			
2025115	Drill Core	0.7	0.4	<0.1	14	0.20	0.061	14	57	0.80	199	0.011	2	1.19	0.032	0.30	0.2	0.01	2.6	<0.1	0.13			
2025116	Drill Core	0.1	0.3	<0.1	6	0.06	0.045	19	10	0.47	302	0.010	2	0.80	0.044	0.31	0.2	<0.01	1.6	0.1	0.12			
2025117	Drill Core	<0.1	0.2	0.1	7	0.05	0.043	20	12	0.43	851	0.009	1	0.74	0.066	0.28	<0.1	<0.01	1.6	<0.1	0.18			
2025118	Drill Core	<0.1	0.3	0.1	6	0.03	0.055	20	12	0.24	1020	0.009	<1	0.53	0.073	0.30	0.1	<0.01	1.5	<0.1	0.25			
2025119	Drill Core	<0.1	0.2	0.1	5	0.03	0.046	17	8	0.22	793	0.007	2	0.52	0.051	0.27	<0.1	<0.01	1.4	<0.1	0.13			
2025120	Rock Pulp	0.7	2.6	<0.1	30	0.83	0.039	6	25	0.52	91	0.078	7	1.16	0.108	0.12	5.2	0.15	3.5	0.2	0.09			
2025121	Drill Core	<0.1	0.1	0.1	5	0.03	0.052	16	10	0.19	962	0.003	<1	0.47	0.068	0.24	<0.1	<0.01	1.6	<0.1	0.16			
2025122	Drill Core	<0.1	0.1	<0.1	6	0.19	0.040	14	8	0.20	371	0.005	<1	0.54	0.073	0.32	<0.1	<0.01	1.6	0.1	0.45			
2025123	Drill Core	0.1	0.1	<0.1	4	0.24	0.041	14	8	0.14	413	0.003	<1	0.43	0.065	0.27	<0.1	<0.01	1.1	<0.1	0.59			
2025124	Drill Core	0.3	4.8	<0.1	6	0.07	0.039	17	16	0.48	824	0.009	<1	0.96	0.027	0.25	0.3	<0.01	1.5	<0.1	<0.05			
2025125	Drill Core	0.2	4.6	0.1	4	0.04	0.046	19	8	0.20	1201	0.006	<1	0.68	0.029	0.28	0.2	0.01	1.4	<0.1	0.07			
2025126	Drill Core	<0.1	3.4	<0.1	4	0.08	0.043	16	12	0.55	697	0.008	<1	0.85	0.033	0.31	0.2	<0.01	1.3	<0.1	0.08			
2025127	Drill Core	0.2	6.9	<0.1	6	0.10	0.052	15	11	0.78	1258	0.013	<1	1.15	0.038	0.27	0.2	0.01	1.6	<0.1	0.06			
2025128	Drill Core	0.2	7.2	<0.1	6	0.07	0.057	14	9	0.43	1723	0.009	1	0.82	0.025	0.34	0.2	0.02	1.7	<0.1	0.10			
2025129	Drill Core	<0.1	3.3	<0.1	7	0.06	0.054	11	10	0.33	813	0.014	<1	0.64	0.027	0.34	0.5	0.01	1.9	0.1	0.17			
2025130	Drill Core	<0.1	2.4	<0.1	9	0.06	0.067	11	11	0.27	807	0.017	<1	0.66	0.030	0.39	0.4	0.02	2.2	0.1	0.15			
2025131	Drill Core	<0.1	3.2	<0.1	7	0.03	0.067	13	8	0.17	674	0.009	<1	0.52	0.046	0.40	0.3	0.02	1.6	0.1	0.29			
2025132	Drill Core	<0.1	2.5	<0.1	6	<0.01	0.041	13	6	0.06	426	0.005	<1	0.35	0.070	0.33	0.1	0.02	1.1	0.1	0.35			
2025133	Drill Core	<0.1	5.5	<0.1	6	0.09	0.052	13	22	0.59	635	0.019	1	0.90	0.033	0.26	0.3	0.01	1.5	<0.1	0.11			
2025134	Drill Core	<0.1	2.4	<0.1	6	0.04	0.060	11	10	0.30	702	0.015	<1	0.56	0.047	0.30	0.3	0.01	1.6	<0.1	0.23			
2025135	Drill Core	<0.1	3.6	<0.1	5	0.06	0.064	13	8	0.19	1204	0.015	<1	0.52	0.040	0.32	0.3	<0.01	1.2	<0.1	0.14			
2025136	Drill Core	0.7	1.4	<0.1	8	0.05	0.069	11	9	0.25	1229	0.012	<1	0.75	0.025	0.38	0.3	<0.01	2.2	0.2	0.09			
2025137	Drill Core	0.1	1.9	<0.1	4	0.04	0.053	12	7	0.09	960	0.007	1	0.41	0.050	0.32	0.2	<0.01	1.3	0.1	0.19			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000050.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025108	Drill Core	3	<0.5	<0.2
2025109	Drill Core	3	<0.5	<0.2
2025110	Drill Core	3	<0.5	<0.2
2025111	Drill Core	3	<0.5	<0.2
2025112	Drill Core	2	<0.5	<0.2
2025113	Drill Core	2	<0.5	<0.2
2025114	Drill Core	2	<0.5	<0.2
2025115	Drill Core	3	<0.5	<0.2
2025116	Drill Core	3	<0.5	<0.2
2025117	Drill Core	3	<0.5	<0.2
2025118	Drill Core	3	<0.5	<0.2
2025119	Drill Core	2	<0.5	<0.2
2025120	Rock Pulp	4	<0.5	<0.2
2025121	Drill Core	2	<0.5	<0.2
2025122	Drill Core	2	<0.5	<0.2
2025123	Drill Core	1	<0.5	<0.2
2025124	Drill Core	3	<0.5	<0.2
2025125	Drill Core	2	<0.5	<0.2
2025126	Drill Core	2	<0.5	<0.2
2025127	Drill Core	3	<0.5	<0.2
2025128	Drill Core	2	<0.5	<0.2
2025129	Drill Core	2	<0.5	<0.2
2025130	Drill Core	2	<0.5	<0.2
2025131	Drill Core	2	<0.5	<0.2
2025132	Drill Core	1	<0.5	<0.2
2025133	Drill Core	2	<0.5	<0.2
2025134	Drill Core	2	<0.5	<0.2
2025135	Drill Core	2	<0.5	<0.2
2025136	Drill Core	2	<0.5	<0.2
2025137	Drill Core	1	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000050.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025138	Drill Core	2.73	526	0.011	0.01	<0.17	21.80	1.1	20.5	13.9	33	0.5	5.3	2.6	152	1.88	2.5	1.2	7.2	7.5
2025139	Drill Core	2.84	482	0.011	0.03	0.37	26.82	1.1	23.8	8.1	54	0.6	7.6	3.8	203	2.10	4.2	1.5	7.1	8.6
2025140	Rock Pulp	0.15	86	<0.005				4.1	20.6	0.9	33	<0.1	7.0	4.2	590	2.41	1.7	0.3	<0.5	1.8
2025141	Drill Core	2.59	491	0.010	<0.01	<0.17	24.79	0.8	27.9	13.6	119	0.3	11.5	7.5	455	2.28	5.7	2.5	5.0	8.1
2025142	Drill Core	1.79	386	0.010	<0.01	<0.17	29.99	0.9	22.7	13.8	141	0.6	13.4	12.8	992	2.11	4.2	3.3	7.6	7.7
2025143	Drill Core	2.81	478	0.010	<0.01	<0.17	25.85	2.0	20.6	23.2	151	0.4	21.5	11.8	1219	2.13	5.3	1.4	11.1	8.3
2025144	Drill Core	2.46	470	0.008	<0.01	<0.17	22.07	1.4	18.5	6.0	90	0.3	14.3	9.4	913	2.02	4.9	0.4	5.1	7.6
2025145	Drill Core	2.65	488	0.007	<0.01	<0.17	33.75	1.1	22.4	15.2	66	0.4	13.3	9.7	704	1.91	2.5	0.8	3.6	7.2
2025146	Drill Core	2.72	417	0.009	<0.01	<0.17	29.99	1.1	22.5	9.6	64	0.4	10.3	10.0	526	2.28	2.5	0.8	7.5	6.0
2025147	Drill Core	2.49	494	0.010	<0.01	<0.17	35.42	0.4	20.0	8.1	62	0.3	10.0	10.0	533	1.95	1.9	0.6	9.7	6.5
2025148	Drill Core	2.64	457	0.017	0.02	<0.17	29.91	1.6	24.3	24.4	35	0.5	6.9	7.3	448	2.26	3.2	2.0	14.0	5.7
2025149	Drill Core	2.40	367	1.218	1.21	1.15	25.21	0.9	25.4	4.1	87	0.7	16.7	14.4	781	2.02	3.2	1.6	864.5	5.8
2025150	Drill Core	2.58	374	0.051	0.05	<0.17	32.74	0.9	22.8	3.6	142	0.4	15.9	11.3	665	2.29	2.4	1.1	41.5	6.8
2025151	Drill Core	1.75	481	0.107	0.10	<0.17	28.39	0.9	20.1	33.9	131	0.4	12.1	16.2	906	1.77	7.4	3.5	112.0	6.2
2025152	Drill Core	2.52	372	0.086	0.08	<0.17	25.94	1.0	22.3	41.8	60	0.3	4.6	2.7	221	1.59	18.7	2.3	65.4	7.0
2025153	Drill Core	0.99	420	2.960	3.49	10.70	28.96	0.7	43.7	28.1	36	2.9	2.7	0.9	179	1.88	3.1	3.4	5325.7	7.5
2025154	Drill Core	1.46	428	1.357	1.70	6.57	28.00	0.7	11.6	3.0	16	0.6	2.0	0.8	132	1.64	2.2	2.5	1342.0	7.8
2025155	Drill Core	2.49	502	0.294	0.33	0.92	29.49	0.5	7.8	2.5	49	0.2	7.6	6.0	312	1.29	2.3	1.5	322.5	6.9
2025156	Drill Core	2.48	519	0.147	0.16	0.41	29.57	1.2	11.4	4.1	60	0.2	11.0	12.6	610	1.32	1.7	0.8	71.8	7.0
2025157	Drill Core	2.29	403	0.024	0.02	<0.17	29.52	1.2	13.9	13.5	43	0.2	6.0	5.5	188	1.47	1.5	1.7	18.2	8.0
2025158	Drill Core	2.53	373	0.011	0.01	<0.17	31.56	0.8	16.4	53.1	50	0.2	4.1	2.4	123	1.23	1.9	1.8	14.0	7.5
2025159	Drill Core	2.53	517	0.016	0.01	<0.17	36.53	0.6	6.0	4.2	27	0.2	3.3	1.1	99	1.13	3.6	2.7	15.2	8.3
2025160	Core DUP		452	0.018	0.02	<0.17	34.50	0.5	5.9	4.2	31	0.2	3.9	1.3	102	1.19	3.7	2.8	8.4	8.2
2025161	Drill Core	2.58	384	0.019	0.02	<0.17	30.10	0.5	14.5	4.4	43	0.2	6.7	2.9	164	1.44	4.3	1.3	10.5	7.6
2025162	Drill Core	2.19	401	0.501	0.52	0.89	20.16	0.8	20.9	5.2	52	0.5	6.8	3.1	166	1.77	2.4	1.9	676.2	6.9
2025163	Drill Core	1.52	503	3.231	3.98	14.49	33.41	0.6	34.1	2.6	108	1.7	10.8	5.2	272	2.61	2.0	3.5	3913.7	6.5
2025164	Drill Core	2.27	500	0.496	0.51	0.74	23.10	0.4	19.6	3.4	68	1.9	7.2	3.8	175	1.49	1.3	2.7	672.6	10.3
2025165	Drill Core	1.79	373	0.220	0.22	0.21	34.06	0.5	12.6	4.0	28	0.4	2.9	1.2	111	1.56	1.6	2.2	88.7	6.9
2025166	Drill Core	2.39	479	0.017	0.02	<0.17	35.53	0.5	7.5	6.4	18	0.3	1.6	0.7	66	1.45	1.4	2.6	55.0	6.4
2025167	Drill Core	1.02	428	0.012	0.01	<0.17	29.12	0.8	15.7	6.4	18	0.9	1.7	0.6	73	1.63	2.5	1.3	5.9	5.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000050.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025138	Drill Core	0.1	2.1	<0.1	6	0.06	0.074	15	8	0.20	545	0.013	<1	0.55	0.035	0.35	0.3	<0.01	1.7	<0.1	0.13			
2025139	Drill Core	0.1	1.7	<0.1	7	0.06	0.063	17	10	0.24	639	0.013	<1	0.69	0.031	0.31	0.3	<0.01	1.8	0.1	0.08			
2025140	Rock Pulp	<0.1	0.2	<0.1	23	0.76	0.040	5	15	0.49	62	0.071	2	1.04	0.085	0.09	0.3	<0.01	3.2	<0.1	<0.05			
2025141	Drill Core	0.4	2.5	0.1	10	0.16	0.068	18	15	0.37	220	0.031	<1	1.06	0.024	0.29	0.6	<0.01	2.6	0.1	<0.05			
2025142	Drill Core	0.6	2.0	<0.1	8	0.16	0.061	19	12	0.40	213	0.018	<1	0.99	0.031	0.27	0.7	<0.01	2.0	0.1	<0.05			
2025143	Drill Core	2.0	1.4	0.1	10	0.46	0.069	14	13	0.68	316	0.021	1	1.10	0.032	0.34	0.4	<0.01	2.4	0.1	0.12			
2025144	Drill Core	0.8	1.2	<0.1	10	0.75	0.060	12	13	0.70	348	0.020	1	1.04	0.031	0.34	0.3	<0.01	2.2	0.1	0.10			
2025145	Drill Core	0.8	1.4	<0.1	6	0.22	0.060	13	10	0.33	324	0.022	1	0.68	0.025	0.34	0.4	<0.01	1.8	0.1	0.16			
2025146	Drill Core	0.5	1.5	<0.1	8	0.15	0.069	10	12	0.41	396	0.023	<1	0.76	0.031	0.37	0.4	<0.01	1.7	0.1	0.21			
2025147	Drill Core	0.5	1.1	<0.1	7	0.16	0.064	12	10	0.30	322	0.015	<1	0.70	0.028	0.40	0.3	<0.01	1.6	0.1	0.11			
2025148	Drill Core	0.2	1.6	<0.1	7	0.04	0.048	11	24	0.28	587	0.012	<1	0.61	0.023	0.33	0.3	<0.01	1.8	0.1	0.15			
2025149	Drill Core	0.5	2.1	<0.1	11	0.23	0.059	13	25	0.69	812	0.036	1	1.14	0.031	0.33	0.5	<0.01	2.3	0.1	0.06			
2025150	Drill Core	0.8	1.6	<0.1	13	0.31	0.056	14	15	0.63	211	0.037	<1	1.24	0.040	0.42	0.7	<0.01	2.4	0.2	0.14			
2025151	Drill Core	0.7	1.5	<0.1	10	0.38	0.050	14	15	0.47	229	0.040	1	1.16	0.024	0.31	0.6	<0.01	2.2	0.1	0.07			
2025152	Drill Core	0.3	1.4	0.2	7	0.20	0.050	14	12	0.32	291	0.023	<1	0.78	0.057	0.35	0.5	0.01	1.5	<0.1	0.16			
2025153	Drill Core	0.1	1.7	0.2	7	0.19	0.054	13	16	0.31	313	0.037	<1	0.61	0.073	0.28	0.6	0.01	2.1	0.1	0.27			
2025154	Drill Core	<0.1	1.6	<0.1	7	0.18	0.046	12	13	0.19	354	0.042	<1	0.49	0.065	0.32	0.6	<0.01	1.7	0.1	0.34			
2025155	Drill Core	0.3	1.5	<0.1	8	0.47	0.042	11	17	0.47	280	0.050	<1	0.86	0.057	0.30	0.6	<0.01	1.9	<0.1	0.14			
2025156	Drill Core	0.6	1.3	<0.1	6	0.69	0.045	10	13	0.49	220	0.026	1	0.73	0.056	0.33	0.5	<0.01	1.6	0.1	0.31			
2025157	Drill Core	0.2	1.2	<0.1	6	0.17	0.045	15	10	0.21	473	0.012	<1	0.61	0.085	0.35	0.3	<0.01	1.7	<0.1	0.19			
2025158	Drill Core	0.2	1.1	<0.1	6	0.13	0.046	17	10	0.17	253	0.008	<1	0.59	0.069	0.36	0.3	<0.01	1.7	<0.1	0.08			
2025159	Drill Core	0.2	1.4	<0.1	6	0.15	0.051	18	13	0.11	442	0.026	<1	0.44	0.066	0.28	0.6	0.01	1.7	<0.1	0.12			
2025160	Core DUP	0.3	1.5	<0.1	6	0.16	0.048	18	13	0.11	429	0.026	<1	0.49	0.070	0.30	0.6	<0.01	1.8	<0.1	0.11			
2025161	Drill Core	0.2	1.5	<0.1	9	0.20	0.056	18	16	0.22	445	0.033	<1	0.66	0.070	0.31	0.7	<0.01	2.2	<0.1	0.11			
2025162	Drill Core	0.3	3.0	<0.1	9	0.12	0.061	16	12	0.20	386	0.035	<1	0.69	0.053	0.38	0.8	0.01	2.3	0.1	0.19			
2025163	Drill Core	0.4	2.5	<0.1	10	0.07	0.057	14	20	0.49	401	0.024	<1	0.84	0.047	0.27	0.4	0.01	3.1	<0.1	0.12			
2025164	Drill Core	0.1	2.1	<0.1	5	0.05	0.039	15	14	0.30	805	0.010	<1	0.67	0.043	0.32	0.2	0.03	1.6	<0.1	0.11			
2025165	Drill Core	<0.1	2.4	<0.1	4	0.03	0.035	12	7	0.11	877	0.007	<1	0.51	0.038	0.38	0.2	0.06	1.2	<0.1	0.21			
2025166	Drill Core	<0.1	1.6	0.2	4	0.01	0.032	13	6	0.06	627	0.005	<1	0.43	0.048	0.35	0.2	<0.01	1.0	<0.1	0.24			
2025167	Drill Core	0.1	4.6	<0.1	2	<0.01	0.023	23	6	0.02	777	0.004	<1	0.27	0.027	0.24	<0.1	0.13	0.7	<0.1	0.13			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000050.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025138	Drill Core	2	<0.5	<0.2
2025139	Drill Core	2	<0.5	<0.2
2025140	Rock Pulp	4	<0.5	<0.2
2025141	Drill Core	3	<0.5	<0.2
2025142	Drill Core	3	<0.5	<0.2
2025143	Drill Core	3	<0.5	<0.2
2025144	Drill Core	3	<0.5	<0.2
2025145	Drill Core	2	<0.5	<0.2
2025146	Drill Core	2	0.9	<0.2
2025147	Drill Core	2	0.6	<0.2
2025148	Drill Core	2	<0.5	<0.2
2025149	Drill Core	3	<0.5	0.2
2025150	Drill Core	3	<0.5	<0.2
2025151	Drill Core	3	<0.5	<0.2
2025152	Drill Core	3	<0.5	<0.2
2025153	Drill Core	3	<0.5	0.8
2025154	Drill Core	2	<0.5	<0.2
2025155	Drill Core	3	<0.5	<0.2
2025156	Drill Core	2	<0.5	<0.2
2025157	Drill Core	2	<0.5	<0.2
2025158	Drill Core	2	<0.5	<0.2
2025159	Drill Core	2	1.0	<0.2
2025160	Core DUP	2	0.8	<0.2
2025161	Drill Core	3	<0.5	<0.2
2025162	Drill Core	2	<0.5	<0.2
2025163	Drill Core	2	<0.5	1.2
2025164	Drill Core	2	<0.5	<0.2
2025165	Drill Core	2	<0.5	<0.2
2025166	Drill Core	1	<0.5	<0.2
2025167	Drill Core	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000050.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025168	Drill Core	1.52	446	0.034	0.03	<0.17	36.12	2.1	10.7	85.8	23	1.2	1.2	0.5	65	1.94	7.1	2.1	16.8	7.8	38
2025169	Drill Core	2.72	531	0.041	0.04	<0.17	28.76	2.0	3.1	32.7	7	2.3	1.1	0.3	63	1.36	1.7	0.4	39.1	4.9	24
2025170	Drill Core	2.54	505	0.024	0.02	<0.17	34.26	2.0	5.4	15.7	5	0.3	5.0	3.0	54	1.85	1.4	0.9	29.1	4.2	15
2025171	Drill Core	2.26	446	0.013	0.01	<0.17	41.33	1.5	6.2	13.9	5	0.3	5.9	4.1	57	2.20	2.3	1.2	3.7	3.9	14
2025172	Drill Core	2.45	488	0.022	0.02	<0.17	35.37	1.9	29.2	33.7	6	0.4	4.9	3.1	60	1.97	1.5	1.9	10.5	4.9	25
2025173	Drill Core	1.70	460	0.076	0.15	1.23	28.49	0.8	52.5	4.2	9	0.3	2.9	1.5	88	1.37	2.9	2.8	96.5	5.2	28
2025174	Drill Core	2.96	500	0.040	0.04	<0.17	25.22	1.5	20.6	40.9	34	0.5	2.5	1.0	209	2.79	10.8	5.5	49.6	13.8	63
2025175	Drill Core	2.12	363	0.028	0.03	<0.17	29.29	0.8	20.0	13.8	14	0.3	3.9	1.6	196	1.52	3.8	4.3	22.3	6.9	37
2025176	Drill Core	1.41	361	0.266	0.40	2.34	23.94	0.5	27.1	22.1	17	0.5	2.7	1.2	260	1.93	11.2	3.8	267.0	8.6	62
2025177	Drill Core	2.68	497	0.333	0.74	6.25	34.10	1.1	11.3	24.7	13	0.5	3.8	2.9	128	1.31	4.7	2.5	361.0	6.0	22
2025178	Drill Core	2.79	469	0.065	0.06	<0.17	32.42	2.2	9.3	93.6	13	0.9	6.3	4.0	97	1.88	2.0	2.2	21.0	6.7	26
2025179	Drill Core	2.50	464	0.162	0.24	1.51	27.07	0.4	23.2	7.3	77	0.3	11.4	7.2	325	1.65	1.5	2.3	89.6	7.2	17
2025180	Rock	0.23	176	0.008	<0.01	<0.17	28.41	1.3	2.3	0.9	3	<0.1	2.6	0.8	206	1.86	1.4	0.2	5.1	0.9	1
2025181	Drill Core	2.36	480	0.073	0.07	<0.17	29.52	1.1	9.9	12.0	28	0.4	4.4	3.3	133	1.31	3.2	2.6	126.1	8.8	25
2025182	Drill Core	2.83	399	0.014	0.01	<0.17	22.33	1.6	6.3	9.4	10	0.3	3.6	2.0	69	1.93	5.7	1.7	7.8	9.3	36
2025183	Drill Core	1.03	437	0.014	0.01	<0.17	22.61	1.9	4.9	10.6	9	0.3	1.7	0.8	71	1.77	3.1	1.9	10.1	9.1	41
2025184	Drill Core	1.69	434	0.013	0.01	<0.17	24.64	1.0	8.0	9.8	12	0.4	2.7	1.4	85	1.72	2.5	2.3	12.8	5.8	41
2025185	Drill Core	2.76	359	0.022	0.02	<0.17	28.55	3.0	20.6	78.8	96	0.7	5.5	2.7	300	1.45	5.5	2.2	12.0	11.6	31
2025186	Drill Core	2.73	428	0.100	0.12	0.38	34.08	1.3	11.9	49.1	28	0.5	2.0	0.8	139	0.88	3.2	1.9	63.5	9.8	26
2025187	Drill Core	2.33	417	0.032	0.03	<0.17	35.10	1.1	4.9	13.2	14	0.3	0.8	0.3	76	0.67	1.4	1.2	17.9	12.7	33
2025188	Drill Core	1.55	454	0.038	0.04	<0.17	35.57	1.7	5.9	54.6	28	0.4	0.8	0.3	82	0.68	1.8	1.0	25.4	13.9	45
2025189	Drill Core	1.44	465	0.087	0.08	<0.17	27.26	1.1	7.6	934.8	37	3.8	1.0	0.3	87	0.89	1.3	0.7	86.1	12.4	41
2025190	Drill Core	1.57	413	0.010	<0.01	<0.17	26.29	1.7	4.3	29.5	19	0.2	0.9	0.2	61	0.68	1.7	1.1	6.3	12.7	52
2025191	Drill Core	2.61	513	0.012	0.01	<0.17	33.66	2.9	5.9	51.3	25	0.2	0.8	0.3	74	0.73	1.4	1.0	9.6	10.5	35
2025192	Drill Core	2.50	521	0.008	<0.01	<0.17	28.14	1.1	15.3	131.2	29	0.5	1.2	0.7	62	0.97	3.5	1.7	4.2	14.3	9
2025193	Drill Core	2.82	486	0.044	0.09	0.86	28.98	2.6	20.1	97.1	27	5.8	2.3	0.5	59	0.88	3.3	1.5	23.2	12.4	9
2025194	Drill Core	2.69	423	0.014	0.01	<0.17	30.08	1.2	17.5	135.6	42	1.2	0.9	0.6	79	0.97	4.5	1.7	23.6	14.7	3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000050.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
2025168	Drill Core	0.1	3.5	<0.1	3	<0.01	0.034	13	6	0.03	874	0.003	<1	0.38	0.034	0.33	0.2	0.02	0.8	<0.1	0.27
2025169	Drill Core	<0.1	2.5	<0.1	3	<0.01	0.019	10	6	0.04	664	0.003	<1	0.32	0.062	0.33	0.1	0.03	0.7	<0.1	0.34
2025170	Drill Core	<0.1	0.7	<0.1	3	<0.01	0.015	9	7	0.02	76	0.005	<1	0.27	0.057	0.26	0.1	0.01	0.8	<0.1	1.24
2025171	Drill Core	<0.1	0.6	<0.1	3	<0.01	0.013	12	5	0.02	57	0.007	<1	0.27	0.058	0.25	0.2	<0.01	0.9	<0.1	1.83
2025172	Drill Core	<0.1	1.0	<0.1	4	<0.01	0.022	15	7	0.02	86	0.009	2	0.33	0.061	0.29	0.2	<0.01	1.1	<0.1	1.27
2025173	Drill Core	0.1	2.4	<0.1	4	0.02	0.023	13	8	0.09	350	0.018	1	0.45	0.053	0.33	0.3	<0.01	1.5	<0.1	0.60
2025174	Drill Core	0.4	7.1	<0.1	10	0.12	0.096	16	14	0.30	459	0.049	1	0.73	0.062	0.27	0.5	0.01	2.3	<0.1	0.43
2025175	Drill Core	0.1	2.9	<0.1	5	0.15	0.035	11	11	0.23	324	0.030	<1	0.55	0.078	0.24	0.3	<0.01	1.7	<0.1	0.58
2025176	Drill Core	0.2	3.1	<0.1	6	0.18	0.058	17	13	0.37	239	0.027	1	0.67	0.108	0.25	0.4	0.01	2.0	<0.1	0.58
2025177	Drill Core	0.1	1.1	<0.1	3	0.12	0.041	9	6	0.13	263	0.008	1	0.44	0.041	0.28	0.2	<0.01	1.1	<0.1	0.63
2025178	Drill Core	<0.1	1.6	0.2	4	0.13	0.041	12	8	0.09	134	0.010	<1	0.45	0.072	0.28	0.3	0.01	1.3	<0.1	1.32
2025179	Drill Core	0.9	1.0	<0.1	5	0.25	0.049	9	9	0.27	278	0.008	1	0.63	0.061	0.29	0.2	<0.01	1.5	<0.1	0.74
2025180	Rock	<0.1	<0.1	<0.1	1	0.01	0.003	2	9	0.01	15	0.002	<1	0.07	0.003	0.02	<0.1	<0.01	0.3	<0.1	<0.05
2025181	Drill Core	0.2	1.1	<0.1	4	0.09	0.046	13	8	0.17	413	0.007	1	0.47	0.037	0.30	0.2	<0.01	0.9	<0.1	0.38
2025182	Drill Core	<0.1	0.7	0.1	4	0.03	0.045	15	6	0.05	270	0.003	1	0.33	0.070	0.30	0.2	<0.01	0.7	<0.1	0.66
2025183	Drill Core	0.1	0.8	0.1	4	0.03	0.043	17	5	0.04	324	0.003	1	0.34	0.044	0.37	0.2	0.02	0.6	0.1	0.54
2025184	Drill Core	<0.1	0.9	<0.1	4	0.09	0.028	13	6	0.11	219	0.006	1	0.39	0.062	0.28	0.2	<0.01	0.6	0.1	0.79
2025185	Drill Core	0.3	1.3	0.2	4	0.19	0.027	12	6	0.62	600	0.002	<1	0.88	0.009	0.29	0.5	0.02	0.9	<0.1	0.26
2025186	Drill Core	<0.1	1.2	0.4	2	0.05	0.008	19	6	0.27	858	<0.001	<1	0.47	0.015	0.22	0.1	0.01	0.6	<0.1	0.11
2025187	Drill Core	<0.1	0.4	0.2	<1	<0.01	0.004	19	3	0.10	1660	<0.001	<1	0.38	0.029	0.28	0.2	0.01	0.5	<0.1	<0.05
2025188	Drill Core	<0.1	0.5	0.1	<1	<0.01	0.004	20	3	0.12	2248	<0.001	<1	0.40	0.012	0.27	0.2	<0.01	0.5	<0.1	0.06
2025189	Drill Core	0.3	1.5	1.4	1	<0.01	0.003	18	3	0.12	1677	<0.001	<1	0.33	0.015	0.23	0.2	0.02	0.5	<0.1	0.07
2025190	Drill Core	<0.1	0.3	<0.1	<1	<0.01	0.002	19	3	0.07	2113	<0.001	<1	0.32	0.026	0.24	0.1	0.01	0.3	<0.1	0.06
2025191	Drill Core	<0.1	0.3	<0.1	<1	<0.01	0.002	16	3	0.12	1792	<0.001	<1	0.35	0.006	0.24	0.1	<0.01	0.4	<0.1	0.05
2025192	Drill Core	<0.1	0.4	<0.1	1	<0.01	0.012	37	4	0.05	1126	<0.001	<1	0.33	0.009	0.23	1.3	0.02	0.3	<0.1	<0.05
2025193	Drill Core	<0.1	0.3	0.2	<1	<0.01	0.009	28	6	0.05	1070	<0.001	2	0.34	0.007	0.26	22.8	<0.01	0.3	<0.1	<0.05
2025194	Drill Core	<0.1	0.5	<0.1	1	<0.01	0.010	36	3	0.09	209	<0.001	<1	0.39	0.010	0.26	3.6	<0.01	0.4	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000050.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025168	Drill Core	1	<0.5	<0.2
2025169	Drill Core	<1	<0.5	<0.2
2025170	Drill Core	1	<0.5	<0.2
2025171	Drill Core	1	<0.5	<0.2
2025172	Drill Core	1	<0.5	<0.2
2025173	Drill Core	2	<0.5	<0.2
2025174	Drill Core	3	<0.5	<0.2
2025175	Drill Core	2	<0.5	<0.2
2025176	Drill Core	2	<0.5	<0.2
2025177	Drill Core	1	<0.5	<0.2
2025178	Drill Core	1	<0.5	<0.2
2025179	Drill Core	2	<0.5	<0.2
2025180	Rock	<1	<0.5	<0.2
2025181	Drill Core	2	<0.5	<0.2
2025182	Drill Core	1	<0.5	<0.2
2025183	Drill Core	1	<0.5	<0.2
2025184	Drill Core	1	<0.5	<0.2
2025185	Drill Core	2	<0.5	<0.2
2025186	Drill Core	1	<0.5	<0.2
2025187	Drill Core	1	<0.5	<0.2
2025188	Drill Core	1	<0.5	0.3
2025189	Drill Core	1	0.8	0.7
2025190	Drill Core	1	<0.5	<0.2
2025191	Drill Core	<1	<0.5	0.2
2025192	Drill Core	<1	<0.5	<0.2
2025193	Drill Core	<1	<0.5	<0.2
2025194	Drill Core	1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 16, 2020

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI20000050.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201		
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
Pulp Duplicates																							
2025086	Drill Core	1.60	388	0.172	0.17	0.19	26.02	2.0	29.1	57.0	39	0.3	3.5	1.5	111	1.70	6.1	3.1	120.6	12.8	44		
REP 2025086	QC	0.194																					
2025095	Drill Core	2.62	446	0.038	0.04	<0.17	29.36	0.5	23.0	4.6	29	0.3	9.3	9.8	866	1.53	1.5	0.9	59.9	7.5	23		
REP 2025095	QC								0.5	23.0	4.5	29	0.3	9.4	9.8	864	1.53	1.4	0.9	43.7	7.4	23	
2025113	Drill Core	2.82	408	<0.005	<0.01	<0.17	34.28	1.5	10.1	9.2	39	0.2	9.4	6.1	266	1.59	2.2	3.1	0.8	7.7	28		
REP 2025113	QC	0.005																					
2025129	Drill Core	2.39	498	0.009	<0.01	<0.17	29.38	3.1	23.8	6.3	43	0.3	5.9	3.6	185	1.85	2.5	1.9	7.0	6.1	38		
REP 2025129	QC								3.1	24.1	6.3	46	0.3	5.9	3.6	187	1.86	2.4	1.9	5.4	5.7	37	
2025157	Drill Core	2.29	403	0.024	0.02	<0.17	29.52	1.2	13.9	13.5	43	0.2	6.0	5.5	188	1.47	1.5	1.7	18.2	8.0	16		
REP 2025157	QC	0.021																					
2025164	Drill Core	2.27	500	0.496	0.51	0.74	23.10	0.4	19.6	3.4	68	1.9	7.2	3.8	175	1.49	1.3	2.7	672.6	10.3	36		
REP 2025164	QC								0.4	20.0	3.4	71	1.9	6.8	3.9	180	1.53	1.4	2.8	785.1	10.3	38	
2025182	Drill Core	2.83	399	0.014	0.01	<0.17	22.33	1.6	6.3	9.4	10	0.3	3.6	2.0	69	1.93	5.7	1.7	7.8	9.3	36		
REP 2025182	QC	0.013																					
REP 2025189	QC								1.0	7.4	934.9	37	3.7	1.0	0.3	84	0.90	1.3	0.7	93.7	12.5	42	
2025193	Drill Core	2.82	486	0.044	0.09	0.86	28.98	2.6	20.1	97.1	27	5.8	2.3	0.5	59	0.88	3.3	1.5	23.2	12.4	9		
REP 2025193	QC								2.3	19.5	94.9	26	5.9	2.2	0.4	58	0.89	3.1	1.5	40.2	12.4	9	
Core Reject Duplicates																							
2025087	Drill Core	2.09	423	0.025	0.06	0.43	32.26	1.3	21.6	50.8	18	0.7	2.6	1.0	63	0.91	3.1	2.2	174.9	16.0	34		
DUP 2025087	QC	442			0.099	0.23	1.94	31.89	1.0	17.9	40.9	17	0.5	2.2	0.8	45	0.73	2.8	2.0	80.1	14.7	28	
2025121	Drill Core	2.72	364	0.006	<0.01	<0.17	22.25	0.9	11.4	19.6	35	0.3	4.6	2.6	98	1.55	2.4	1.3	1.8	7.4	46		
DUP 2025121	QC	396			0.005	<0.01	<0.17	37.56	0.9	12.8	18.5	39	0.4	5.1	2.9	115	1.72	3.0	1.4	0.9	8.3	48	
2025155	Drill Core	2.49	502	0.294	0.33	0.92	29.49	0.5	7.8	2.5	49	0.2	7.6	6.0	312	1.29	2.3	1.5	322.5	6.9	36		
DUP 2025155	QC	495			0.237	0.24	0.29	34.77	0.5	7.7	2.7	49	0.2	7.3	5.9	336	1.43	2.3	1.7	200.2	7.4	39	
2025189	Drill Core	1.44	465	0.087	0.08	<0.17	27.26	1.1	7.6	934.8	37	3.8	1.0	0.3	87	0.89	1.3	0.7	86.1	12.4	41		
DUP 2025189	QC	439			0.104	0.10	<0.17	31.29	1.0	7.0	899.6	33	3.6	1.1	0.3	82	0.87	1.2	0.7	134.3	12.1	45	
Reference Materials																							
STD BVGEO01	Standard									11.2	4629.6	187.1	1706	2.7	167.5	24.2	727	3.85	124.5	3.4	230.3	12.7	54



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 16, 2020

Page:

1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000050.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
	0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
Pulp Duplicates																					
2025086	Drill Core	0.1	4.7	0.1	2	<0.01	0.039	17	6	0.21	782	0.008	1	0.82	0.007	0.24	0.4	<0.01	0.7	<0.1	0.12
REP 2025086	QC																				
2025095	Drill Core	0.7	0.9	<0.1	5	0.26	0.060	13	9	0.16	728	0.011	<1	0.49	0.033	0.33	0.3	<0.01	1.3	<0.1	0.09
REP 2025095	QC	0.7	0.9	<0.1	5	0.26	0.062	13	9	0.15	726	0.011	<1	0.48	0.032	0.33	0.3	<0.01	1.2	<0.1	0.09
2025113	Drill Core	0.3	0.5	<0.1	7	0.20	0.042	18	13	0.17	446	0.019	1	0.57	0.057	0.26	0.3	<0.01	1.8	<0.1	<0.05
REP 2025113	QC																				
2025129	Drill Core	<0.1	3.3	<0.1	7	0.06	0.054	11	10	0.33	813	0.014	<1	0.64	0.027	0.34	0.5	0.01	1.9	0.1	0.17
REP 2025129	QC	0.1	3.4	<0.1	7	0.06	0.055	11	10	0.34	821	0.014	<1	0.66	0.027	0.35	0.4	<0.01	1.9	0.1	0.17
2025157	Drill Core	0.2	1.2	<0.1	6	0.17	0.045	15	10	0.21	473	0.012	<1	0.61	0.085	0.35	0.3	<0.01	1.7	<0.1	0.19
REP 2025157	QC																				
2025164	Drill Core	0.1	2.1	<0.1	5	0.05	0.039	15	14	0.30	805	0.010	<1	0.67	0.043	0.32	0.2	0.03	1.6	<0.1	0.11
REP 2025164	QC	0.2	2.0	<0.1	6	0.05	0.040	16	16	0.32	853	0.011	<1	0.74	0.048	0.34	0.3	0.03	1.5	<0.1	0.12
2025182	Drill Core	<0.1	0.7	0.1	4	0.03	0.045	15	6	0.05	270	0.003	1	0.33	0.070	0.30	0.2	<0.01	0.7	<0.1	0.66
REP 2025182	QC																				
REP 2025189	QC	0.2	1.5	1.4	1	<0.01	0.003	19	3	0.11	1832	<0.001	<1	0.33	0.016	0.24	0.2	0.02	0.6	<0.1	0.08
2025193	Drill Core	<0.1	0.3	0.2	<1	<0.01	0.009	28	6	0.05	1070	<0.001	2	0.34	0.007	0.26	22.8	<0.01	0.3	<0.1	<0.05
REP 2025193	QC	<0.1	0.4	0.2	<1	<0.01	0.009	28	6	0.05	1081	<0.001	<1	0.35	0.007	0.26	21.2	<0.01	0.3	<0.1	<0.05
Core Reject Duplicates																					
2025087	Drill Core	<0.1	1.2	<0.1	<1	<0.01	0.023	28	4	0.04	360	0.002	2	0.53	0.008	0.25	4.2	<0.01	0.5	<0.1	0.07
DUP 2025087	QC	<0.1	1.1	<0.1	<1	<0.01	0.019	25	3	0.05	349	0.002	2	0.56	0.008	0.28	3.2	<0.01	0.5	<0.1	0.06
2025121	Drill Core	<0.1	0.1	0.1	5	0.03	0.052	16	10	0.19	962	0.003	<1	0.47	0.068	0.24	<0.1	<0.01	1.6	<0.1	0.16
DUP 2025121	QC	<0.1	0.2	<0.1	6	0.03	0.056	15	11	0.22	1069	0.003	1	0.50	0.069	0.26	<0.1	<0.01	1.7	<0.1	0.17
2025155	Drill Core	0.3	1.5	<0.1	8	0.47	0.042	11	17	0.47	280	0.050	<1	0.86	0.057	0.30	0.6	<0.01	1.9	<0.1	0.14
DUP 2025155	QC	0.2	1.8	<0.1	9	0.51	0.043	13	18	0.49	330	0.054	<1	0.97	0.066	0.34	0.7	<0.01	2.0	<0.1	0.13
2025189	Drill Core	0.3	1.5	1.4	1	<0.01	0.003	18	3	0.12	1677	<0.001	<1	0.33	0.015	0.23	0.2	0.02	0.5	<0.1	0.07
DUP 2025189	QC	0.3	1.2	1.4	1	<0.01	0.003	19	4	0.11	1933	<0.001	<1	0.36	0.019	0.26	0.2	0.02	0.5	<0.1	0.08
Reference Materials																					
STD BVGEO01	Standard	7.1	3.0	23.4	75	1.32	0.077	26	181	1.29	296	0.225	4	2.36	0.187	0.88	5.7	0.10	6.4	0.6	0.66



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000050.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2025086	Drill Core	2	<0.5	<0.2
REP 2025086	QC			
2025095	Drill Core	1	<0.5	<0.2
REP 2025095	QC	1	<0.5	<0.2
2025113	Drill Core	2	<0.5	<0.2
REP 2025113	QC			
2025129	Drill Core	2	<0.5	<0.2
REP 2025129	QC	2	<0.5	<0.2
2025157	Drill Core	2	<0.5	<0.2
REP 2025157	QC			
2025164	Drill Core	2	<0.5	<0.2
REP 2025164	QC	2	<0.5	<0.2
2025182	Drill Core	1	<0.5	<0.2
REP 2025182	QC			
REP 2025189	QC	1	0.6	0.6
2025193	Drill Core	<1	<0.5	<0.2
REP 2025193	QC	<1	<0.5	<0.2
Core Reject Duplicates				
2025087	Drill Core	1	<0.5	<0.2
DUP 2025087	QC	1	<0.5	<0.2
2025121	Drill Core	2	<0.5	<0.2
DUP 2025121	QC	2	<0.5	<0.2
2025155	Drill Core	3	<0.5	<0.2
DUP 2025155	QC	3	<0.5	<0.2
2025189	Drill Core	1	0.8	0.7
DUP 2025189	QC	1	0.6	0.7
Reference Materials				
STD BVGEO01	Standard	8	5.1	1.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 16, 2020

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI20000050.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD BVGE001	Standard							10.6	4302.7	182.8	1737	2.6	163.6	23.9	707	3.64	119.6	3.9	210.7	14.7	57
STD DS11	Standard							14.6	146.7	138.1	350	1.8	79.4	13.9	1032	3.06	42.9	2.4	74.7	7.6	67
STD DS11	Standard							14.2	140.3	121.3	334	1.7	77.3	13.3	1016	3.11	41.9	2.3	68.9	6.7	62
STD DS11	Standard							14.1	143.9	130.8	329	1.7	78.7	13.7	1011	3.07	41.8	2.4	67.0	7.1	63
STD DS11	Standard							13.9	138.5	134.1	340	1.8	77.5	13.9	1030	3.15	43.9	2.4	76.8	7.4	66
STD OREAS262	Standard							0.8	112.3	55.6	146	0.9	62.8	27.3	537	3.18	35.2	1.1	83.1	8.6	33
STD OREAS262	Standard							0.6	111.1	50.6	154	0.5	62.8	26.4	558	3.43	36.3	1.0	70.2	8.1	32
STD OREAS262	Standard							0.7	106.4	48.5	144	0.5	59.6	25.4	531	3.20	35.1	1.0	66.8	7.5	32
STD OREAS262	Standard							0.7	112.8	53.4	143	0.5	64.7	27.1	535	3.27	34.5	1.1	43.5	8.6	34
STD OREAS262	Standard							0.7	109.3	53.9	144	0.5	64.0	26.6	532	3.29	36.7	1.1	71.1	8.5	34
STD OREAS262	Standard							0.7	110.7	57.1	149	0.5	62.1	26.1	538	3.20	36.9	1.2	73.5	9.6	37
STD OXB130	Standard			0.126																	
STD OXB130	Standard			0.128																	
STD OXB130	Standard			0.122																	
STD OXG141	Standard			0.958																	
STD OXG141	Standard			0.943																	
STD OXG141	Standard			0.916																	
STD OXN155	Standard			7.854																	
STD OXN155	Standard			7.708																	
STD OXN155	Standard			7.757																	
STD OXQ90	Standard					26.46	29.93														
STD OXQ90	Standard					25.47	30.00														
STD OXQ90	Standard					24.99	29.57														
STD OXQ90	Standard					25.06	29.21														
STD OXQ90	Standard					24.58	30.07														
STD OXQ90	Standard					24.36	30.05														
STD OXQ90	Standard					25.03	29.88														
STD OXQ90	Standard					24.21	29.61														
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000050.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD BVGE001	Standard	6.8	4.0	26.3	75	1.29	0.076	26	171	1.28	288	0.225	3	2.22	0.184	0.87	5.7	0.08	6.1	0.6	0.64
STD DS11	Standard	2.6	8.7	11.0	49	1.07	0.072	19	59	0.85	382	0.088	7	1.20	0.078	0.41	3.3	0.30	3.4	5.1	0.28
STD DS11	Standard	2.5	7.9	9.6	50	1.05	0.070	17	59	0.85	355	0.089	7	1.18	0.075	0.41	2.7	0.23	3.0	4.4	0.29
STD DS11	Standard	2.2	8.2	11.0	48	1.03	0.068	17	58	0.82	351	0.088	7	1.11	0.071	0.39	2.9	0.26	3.1	4.6	0.28
STD DS11	Standard	2.5	9.3	11.3	49	1.04	0.072	17	59	0.83	380	0.088	5	1.11	0.070	0.39	3.3	0.26	3.1	4.9	0.29
STD OREAS262	Standard	0.6	5.7	0.9	22	2.83	0.039	17	45	1.20	258	0.003	4	1.40	0.069	0.32	0.3	0.18	3.2	0.5	0.26
STD OREAS262	Standard	0.6	4.5	0.9	22	2.81	0.040	15	42	1.14	246	0.003	3	1.28	0.070	0.31	0.2	0.15	3.4	0.4	0.26
STD OREAS262	Standard	0.7	5.2	0.8	22	2.80	0.038	16	43	1.19	245	0.003	4	1.39	0.068	0.32	0.2	0.14	3.3	0.4	0.27
STD OREAS262	Standard	0.6	4.7	0.9	21	2.89	0.039	14	43	1.19	237	0.003	4	1.24	0.069	0.29	0.2	0.16	3.1	0.4	0.27
STD OREAS262	Standard	0.7	5.2	0.9	21	2.83	0.040	14	41	1.17	253	0.003	3	1.19	0.068	0.28	0.3	0.16	3.1	0.4	0.27
STD OREAS262	Standard	0.7	6.2	1.1	24	2.96	0.041	17	41	1.17	260	0.002	3	1.29	0.067	0.30	0.2	0.17	3.2	0.5	0.26
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000050.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD BVGE001	Standard	7	5.1	1.0
STD DS11	Standard	5	2.3	4.9
STD DS11	Standard	5	2.4	4.8
STD DS11	Standard	5	2.1	4.6
STD DS11	Standard	5	2.0	4.8
STD OREAS262	Standard	4	<0.5	<0.2
STD OREAS262	Standard	4	<0.5	0.2
STD OREAS262	Standard	4	<0.5	0.2
STD OREAS262	Standard	4	<0.5	0.2
STD OREAS262	Standard	4	<0.5	0.2
STD OREAS262	Standard	4	<0.5	0.3
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD OXQ90	Standard			
STD DS11 Expected		5.1	2.2	4.56



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000050.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD BVGE001 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		432	<0.005	<0.01	<0.17	34.44	0.9	4.5	1.4	30	<0.1	1.7	4.0	513	1.97	1.0	0.4	0.6	1.9	24
ROCK-WHI	Prep Blank		402	<0.005	<0.01	<0.17	33.75	0.9	3.5	2.0	32	<0.1	2.4	4.5	540	2.08	1.0	0.4	<0.5	2.1	22



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000050.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Ti ppm 0.1	AQ201 S % 0.05
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
STD OXQ90 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	25	0.68	0.039	6	5	0.48	63	0.068	2	0.89	0.091	0.10	<0.1	<0.01	2.6	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	27	0.68	0.039	6	6	0.52	59	0.076	2	0.93	0.096	0.11	<0.1	<0.01	2.8	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000050.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD BVGE001 Expected		7.37	4.84	1.02
STD OREAS262 Expected		4.1	0.4	0.23
STD OXQ90 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2