



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 15, 2020
Analysis Start: July 03, 2020
Report Date: July 16, 2020
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000051.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-05
P.O. Number
Number of Samples: 50

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	48	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	1	Sort, label and box pulps			WHI
FS631	50	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	50	Analysis sample split/packet			VAN
Split -150	50	Analysis sample split/packet			VAN
EN002	50	Environmental disposal charge-Fire assay lead waste			VAN
FS631	49	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	50	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	50	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000051.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025351	Drill Core				1.87	515	0.221	0.27	1.09	29.34	0.8	25.7	18.0	51	6.6	6.7	4.3	238	2.05	1.7	2.2	409.1	8.9	42
2025352	Drill Core				2.21	483	0.218	0.27	0.98	30.63	0.6	20.1	7.1	51	1.0	7.8	4.1	205	1.78	1.2	2.0	173.4	9.3	28
2025353	Drill Core				1.20	512	0.089	0.10	0.22	32.24	0.6	29.0	8.4	128	0.6	24.5	14.8	1609	2.41	2.0	2.2	27.2	9.3	17
2025354	Drill Core				2.18	488	0.037	0.03	<0.17	33.64	2.2	33.9	7.1	234	0.4	66.4	37.7	2708	2.10	1.8	3.4	8.7	8.9	14
2025355	Drill Core				1.76	411	0.066	0.08	0.21	28.05	1.7	33.2	6.6	273	0.5	56.8	48.2	4450	2.83	3.6	2.9	416.8	8.2	24
2025356	Drill Core				2.63	408	1.838	2.18	6.55	29.46	0.9	36.9	4.8	100	1.6	13.1	8.7	734	2.46	2.4	1.7	3389.0	7.2	19
2025357	Drill Core				2.29	477	0.559	0.60	1.20	29.23	1.6	33.8	14.4	99	0.7	8.6	5.4	310	2.15	2.6	1.4	391.6	8.5	14
2025358	Drill Core				2.30	516	1.090	1.27	4.23	30.03	1.2	41.5	10.7	64	1.2	11.1	8.9	476	2.23	3.2	1.2	1060.1	7.0	11
2025359	Drill Core				2.44	492	0.049	0.06	<0.17	33.19	1.5	33.6	26.1	79	0.4	4.5	1.4	124	1.85	2.4	1.4	85.8	7.4	8
2025360	Core DUP					431	0.050	0.05	<0.17	29.03	2.3	33.6	24.3	77	0.5	4.6	1.4	134	2.11	2.6	1.5	33.5	7.7	8
2025361	Drill Core				2.86	467	0.017	0.02	<0.17	32.63	0.9	30.4	60.7	86	1.0	7.5	4.5	279	1.72	2.8	1.3	14.2	8.0	14
2025362	Drill Core				2.83	461	0.182	0.34	2.31	34.70	0.6	17.6	3.9	38	0.7	4.7	3.5	185	1.67	1.9	1.4	160.3	8.5	11
2025363	Drill Core				2.42	421	0.205	0.21	0.25	32.14	0.5	11.1	3.5	18	0.4	2.4	0.8	71	1.98	1.6	1.6	76.1	7.9	30
2025364	Drill Core				2.95	468	0.074	0.07	<0.17	30.67	0.5	29.3	7.3	80	0.4	10.4	4.7	237	2.27	28.5	1.5	63.9	8.1	33
2025365	Drill Core				2.43	546	0.623	1.05	7.43	34.61	0.6	37.9	7.0	87	0.8	16.4	9.3	429	1.90	5.6	1.3	597.3	7.8	24
2025366	Drill Core				2.53	442	2.027	5.94	72.09	24.69	1.9	21.7	5.8	44	2.5	7.8	4.4	167	2.13	5.3	1.5	6851.3	7.2	26
2025367	Drill Core				2.71	504	0.336	0.39	1.23	33.33	0.5	21.8	3.3	80	0.5	14.4	14.7	924	1.83	4.8	0.6	210.8	7.0	18
2025368	Drill Core				2.76	405	0.013	0.01	<0.17	28.73	1.3	26.5	8.7	103	0.5	16.9	19.4	896	2.10	12.5	0.9	9.9	7.9	12
2025369	Drill Core				2.59	504	0.025	0.03	<0.17	33.12	0.9	17.6	6.7	96	0.3	16.9	20.6	1004	1.92	50.2	0.9	26.6	8.5	17
2025370	Drill Core				2.88	405	0.010	<0.01	<0.17	29.53	2.3	19.6	10.1	96	0.5	15.2	9.9	678	1.90	23.4	0.7	10.2	8.0	18
2025371	Drill Core				3.05	361	0.010	<0.01	<0.17	30.28	0.8	19.4	7.8	78	0.5	11.6	6.6	439	2.22	14.9	0.8	10.8	9.5	16
2025372	Drill Core				2.74	419	0.005	<0.01	<0.17	29.82	0.8	13.5	8.0	63	0.3	8.2	2.8	288	1.69	3.0	1.0	4.1	9.9	16
2025373	Drill Core				2.91	407	0.009	0.02	<0.17	32.10	0.9	13.4	7.5	57	0.4	5.5	2.6	198	1.87	17.1	1.5	10.2	9.8	21
2025374	Drill Core				3.11	396	0.008	<0.01	<0.17	26.31	1.6	12.1	7.6	52	0.3	5.0	2.3	213	1.76	13.0	1.5	7.4	9.8	25
2025375	Drill Core				2.89	467	<0.005	<0.01	<0.17	32.05	2.2	8.5	15.4	77	0.3	9.7	7.1	522	1.61	1.6	1.0	3.5	7.9	37
2025376	Drill Core				3.02	427	0.427	1.40	14.74	28.97	0.5	14.1	4.6	37	0.6	8.3	7.3	460	1.73	1.4	0.6	1972.9	8.8	37
2025377	Drill Core				3.10	401	0.162	0.16	<0.17	35.40	0.5	19.0	3.9	53	0.3	11.4	9.0	585	1.83	2.2	1.0	92.9	7.7	46
2025378	Drill Core				2.78	422	0.030	0.03	<0.17	31.82	1.7	24.1	9.2	31	0.5	7.8	5.2	296	2.38	2.4	1.5	63.1	8.1	29
2025379	Drill Core				2.97	456	0.524	0.72	3.02	35.38	2.5	27.7	4.6	35	0.6	13.0	8.2	701	2.57	1.7	1.6	329.2	6.7	39
2025380	Rock				0.23	177	<0.005	<0.01	<0.17	27.68	1.2	2.6	1.1	3	<0.1	3.0	1.3	221	1.76	2.4	0.2	0.6	1.0	1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000051.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
2025351	Drill Core	0.3	0.4	0.1	7	0.08	0.043	17	12	0.26	251	0.003	<1	0.62	0.030	0.31	16.7	0.01	1.6	0.1	0.13			
2025352	Drill Core	0.3	0.9	<0.1	10	0.11	0.061	18	10	0.24	220	0.003	<1	0.64	0.034	0.31	1.9	<0.01	1.4	<0.1	0.07			
2025353	Drill Core	1.7	0.7	<0.1	9	0.14	0.060	14	16	0.58	201	0.002	<1	1.03	0.027	0.28	0.4	<0.01	1.8	0.1	0.20			
2025354	Drill Core	3.0	0.7	<0.1	11	0.22	0.068	16	18	0.86	209	0.002	<1	1.40	0.024	0.28	0.3	<0.01	1.7	0.1	0.05			
2025355	Drill Core	5.4	1.2	<0.1	16	0.27	0.068	15	20	0.91	260	0.004	1	1.40	0.027	0.31	0.3	0.01	2.5	0.2	0.16			
2025356	Drill Core	1.3	0.5	<0.1	9	0.14	0.080	18	15	0.31	260	0.002	<1	0.88	0.039	0.38	0.2	0.01	2.0	0.1	0.08			
2025357	Drill Core	0.6	0.8	<0.1	6	0.08	0.059	21	10	0.27	301	0.001	<1	0.73	0.028	0.29	0.2	<0.01	1.2	<0.1	0.06			
2025358	Drill Core	0.7	1.3	<0.1	5	0.05	0.057	17	12	0.14	328	0.001	<1	0.61	0.025	0.26	0.2	0.02	1.1	<0.1	0.05			
2025359	Drill Core	0.3	0.8	<0.1	5	0.06	0.048	18	24	0.27	221	0.001	<1	0.78	0.018	0.27	0.2	<0.01	1.0	<0.1	<0.05			
2025360	Core DUP	0.3	0.8	<0.1	6	0.06	0.053	19	24	0.26	242	0.001	<1	0.81	0.020	0.29	0.2	<0.01	1.2	<0.1	<0.05			
2025361	Drill Core	0.3	1.1	0.1	6	0.08	0.040	24	12	0.28	243	0.001	<1	0.86	0.013	0.31	2.7	0.02	1.0	0.1	<0.05			
2025362	Drill Core	0.2	0.5	<0.1	5	0.06	0.047	22	10	0.15	271	0.002	<1	0.67	0.038	0.33	0.9	0.01	1.3	<0.1	<0.05			
2025363	Drill Core	0.2	0.4	0.1	6	0.03	0.061	18	10	0.08	483	0.002	<1	0.47	0.043	0.31	0.2	<0.01	1.2	<0.1	0.13			
2025364	Drill Core	0.4	1.2	0.1	9	0.14	0.074	18	16	0.41	308	0.003	<1	0.94	0.033	0.31	0.3	0.01	1.6	<0.1	0.08			
2025365	Drill Core	0.5	0.7	<0.1	7	0.17	0.070	16	18	0.59	276	0.005	<1	1.05	0.024	0.28	0.3	<0.01	1.3	<0.1	0.06			
2025366	Drill Core	0.1	0.9	<0.1	6	0.04	0.054	15	11	0.27	443	0.005	<1	0.59	0.038	0.28	0.4	0.01	1.4	<0.1	0.12			
2025367	Drill Core	1.3	0.9	<0.1	6	0.24	0.058	18	14	0.41	294	0.005	<1	0.75	0.020	0.32	0.3	0.02	1.3	<0.1	0.21			
2025368	Drill Core	1.6	0.8	<0.1	10	0.29	0.059	12	16	0.62	220	0.007	<1	1.11	0.032	0.37	0.3	0.01	1.8	0.1	0.41			
2025369	Drill Core	1.1	0.8	<0.1	10	0.33	0.062	15	18	0.68	206	0.009	<1	1.16	0.022	0.29	0.4	<0.01	1.7	0.1	0.10			
2025370	Drill Core	2.5	0.6	0.2	11	0.45	0.067	25	20	0.75	163	0.016	<1	1.11	0.033	0.32	0.3	<0.01	1.9	<0.1	0.28			
2025371	Drill Core	0.6	0.8	<0.1	12	0.32	0.063	21	18	0.52	225	0.011	<1	1.08	0.037	0.36	0.4	0.01	2.0	0.1	0.19			
2025372	Drill Core	0.2	0.8	<0.1	8	0.23	0.050	18	19	0.53	193	0.009	<1	0.94	0.050	0.27	0.2	<0.01	1.6	<0.1	0.11			
2025373	Drill Core	0.3	0.8	0.1	8	0.16	0.049	22	16	0.27	294	0.005	<1	0.75	0.047	0.33	0.5	<0.01	1.6	<0.1	0.12			
2025374	Drill Core	0.3	0.9	<0.1	8	0.22	0.046	22	16	0.34	303	0.011	<1	0.76	0.038	0.30	0.4	<0.01	1.7	<0.1	0.15			
2025375	Drill Core	0.5	0.7	0.1	8	0.96	0.045	14	20	1.01	137	0.019	<1	1.10	0.040	0.22	0.3	<0.01	1.5	<0.1	0.26			
2025376	Drill Core	0.3	0.5	<0.1	8	1.04	0.048	12	15	0.56	294	0.020	<1	0.83	0.048	0.35	0.5	<0.01	1.8	<0.1	0.51			
2025377	Drill Core	0.4	0.6	<0.1	7	1.41	0.058	10	12	0.66	229	0.021	<1	0.83	0.027	0.40	0.5	<0.01	1.4	0.1	0.48			
2025378	Drill Core	0.3	0.8	<0.1	7	0.49	0.054	11	12	0.19	241	0.013	<1	0.56	0.042	0.37	0.5	<0.01	1.6	<0.1	0.61			
2025379	Drill Core	0.5	0.9	<0.1	6	1.40	0.055	6	11	0.43	58	0.012	<1	0.58	0.036	0.25	0.4	<0.01	1.8	<0.1	1.56			
2025380	Rock	<0.1	<0.1	<0.1	1	0.01	0.002	2	11	<0.01	11	0.002	<1	0.06	0.003	0.01	<0.1	<0.01	0.2	<0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000051.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025351	Drill Core	2	<0.5	<0.2
2025352	Drill Core	2	<0.5	<0.2
2025353	Drill Core	3	<0.5	<0.2
2025354	Drill Core	4	<0.5	<0.2
2025355	Drill Core	4	0.6	<0.2
2025356	Drill Core	3	<0.5	0.3
2025357	Drill Core	2	<0.5	<0.2
2025358	Drill Core	2	<0.5	0.3
2025359	Drill Core	2	<0.5	<0.2
2025360	Core DUP	2	<0.5	<0.2
2025361	Drill Core	2	<0.5	<0.2
2025362	Drill Core	2	<0.5	<0.2
2025363	Drill Core	2	0.5	<0.2
2025364	Drill Core	3	<0.5	<0.2
2025365	Drill Core	3	<0.5	<0.2
2025366	Drill Core	2	<0.5	0.3
2025367	Drill Core	2	<0.5	<0.2
2025368	Drill Core	3	<0.5	<0.2
2025369	Drill Core	3	<0.5	<0.2
2025370	Drill Core	3	<0.5	<0.2
2025371	Drill Core	3	<0.5	<0.2
2025372	Drill Core	3	<0.5	<0.2
2025373	Drill Core	3	<0.5	<0.2
2025374	Drill Core	3	<0.5	<0.2
2025375	Drill Core	3	<0.5	<0.2
2025376	Drill Core	3	<0.5	<0.2
2025377	Drill Core	2	0.5	<0.2
2025378	Drill Core	2	0.7	<0.2
2025379	Drill Core	2	0.6	<0.2
2025380	Rock	<1	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000051.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025381	Drill Core	2.55	416	3.190	10.11	127.54	23.17	2.0	27.6	35.2	80	4.0	9.1	6.2	424	2.37	2.2	2.6	13058.1	6.1	31
2025382	Drill Core	2.28	402	0.049	0.05	<0.17	32.57	0.5	22.2	3.8	168	0.3	19.1	11.6	895	2.18	2.6	1.7	107.4	7.9	39
2025383	Drill Core	3.20	439	0.008	<0.01	<0.17	26.08	1.1	21.1	3.2	111	0.3	15.6	9.4	794	2.68	2.6	0.8	8.1	7.5	48
2025384	Drill Core	3.26	505	<0.005	0.01	<0.17	34.00	1.8	14.8	7.8	72	0.3	13.2	8.6	686	2.22	1.9	0.6	3.8	8.0	56
2025385	Drill Core	2.76	477	0.005	<0.01	<0.17	26.13	2.3	14.3	13.4	85	0.3	10.8	8.2	574	2.21	2.4	0.7	4.9	8.7	46
2025386	Drill Core	2.51	478	0.016	0.02	<0.17	32.06	0.9	20.8	19.9	108	0.2	7.9	9.8	551	1.41	1.2	1.2	19.5	10.0	32
2025387	Drill Core	2.86	357	<0.005	<0.01	<0.17	29.90	0.9	21.0	34.1	85	0.6	6.4	11.7	811	1.16	2.5	3.1	3.8	10.8	17
2025388	Drill Core	2.83	408	0.010	<0.01	<0.17	32.80	1.4	25.3	39.5	105	0.3	6.7	5.5	348	1.49	9.2	2.2	10.5	9.8	28
2025389	Drill Core	1.85	437	0.521	0.54	0.76	32.97	0.4	19.5	17.2	69	0.4	7.0	2.5	168	1.45	5.9	1.8	438.9	9.7	45
2025390	Drill Core	1.27	435	2.343	2.39	3.30	23.61	0.3	30.6	8.3	114	1.4	7.9	3.1	122	1.68	4.1	2.2	2446.4	8.9	74
2025391	Drill Core	2.47	474	0.345	0.37	0.79	29.13	0.9	28.4	9.4	119	0.6	9.4	3.2	259	2.21	2.3	2.2	405.5	8.0	43
2025392	Drill Core	2.35	445	0.026	0.06	0.53	32.33	1.8	20.8	19.4	40	0.4	2.2	0.7	98	1.73	4.9	1.5	25.1	6.8	39
2025393	Drill Core	2.34	474	0.061	0.11	0.84	27.39	0.7	14.3	157.1	34	0.4	0.9	0.5	42	1.98	5.0	2.0	55.1	8.2	46
2025394	Drill Core	2.21	449	0.010	<0.01	<0.17	33.90	1.7	4.4	494.9	14	0.7	1.2	0.3	77	2.19	2.5	0.7	10.3	6.9	76
2025395	Drill Core	2.40	431	0.006	<0.01	<0.17	32.06	1.3	6.7	133.5	15	0.3	1.0	0.3	64	1.94	5.8	0.7	5.3	8.1	39
2025396	Drill Core	1.69	488	0.051	0.05	<0.17	27.16	1.8	26.3	511.3	75	0.5	0.8	0.3	29	1.10	4.3	1.2	48.5	10.3	13
2025397	Drill Core	3.31	424	0.030	0.03	<0.17	30.92	0.9	15.4	135.3	62	0.7	1.1	0.5	78	0.83	2.4	0.9	29.2	10.9	2
2025398	Drill Core	2.89	367	0.084	0.16	0.97	31.99	2.1	25.7	246.4	87	0.4	1.5	2.7	149	1.27	3.6	1.5	78.2	14.9	2
2025399	Drill Core	2.05	471	0.007	<0.01	<0.17	37.63	1.6	10.9	93.2	62	0.1	0.6	0.8	51	0.64	2.5	1.5	5.0	12.9	2
2025400	Rock Pulp	0.14	85	7.096				9.4	191.8	18.8	75	0.9	13.8	11.5	594	4.75	13.4	0.8	6937.0	2.6	69



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000051.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025381	Drill Core	0.5	1.2	0.3	7	0.17	0.054	12	19	0.60	530	0.020	<1	0.80	0.026	0.27	0.6	0.08	1.8	<0.1	0.24
2025382	Drill Core	1.4	1.5	<0.1	11	0.41	0.061	18	21	0.89	223	0.006	<1	1.41	0.027	0.29	0.3	<0.01	1.8	<0.1	0.14
2025383	Drill Core	0.6	0.6	<0.1	11	0.89	0.062	9	15	1.02	192	0.014	1	1.27	0.030	0.33	0.3	<0.01	1.8	0.1	0.68
2025384	Drill Core	0.8	1.0	<0.1	14	0.93	0.062	11	18	0.74	285	0.033	1	1.08	0.038	0.33	0.7	<0.01	2.0	0.1	0.51
2025385	Drill Core	0.6	0.7	0.2	13	1.04	0.054	11	18	0.63	304	0.041	1	0.90	0.039	0.33	0.5	<0.01	2.2	0.1	0.61
2025386	Drill Core	1.2	0.6	0.1	6	0.77	0.047	13	10	0.28	397	0.010	<1	0.59	0.053	0.29	0.3	<0.01	1.5	<0.1	0.49
2025387	Drill Core	0.9	0.6	0.5	4	0.08	0.046	20	7	0.10	1128	0.002	<1	0.55	0.033	0.36	0.2	<0.01	1.1	0.2	<0.05
2025388	Drill Core	0.5	0.9	<0.1	5	0.10	0.044	21	10	0.17	895	0.002	<1	0.67	0.047	0.33	0.1	0.02	1.1	0.1	0.07
2025389	Drill Core	0.4	0.8	<0.1	6	0.12	0.048	21	11	0.17	782	0.006	<1	0.61	0.051	0.28	0.2	0.01	1.5	<0.1	0.08
2025390	Drill Core	0.3	0.7	<0.1	6	0.04	0.041	17	10	0.21	2032	0.004	<1	0.51	0.058	0.21	0.2	<0.01	1.8	<0.1	0.09
2025391	Drill Core	0.8	2.2	<0.1	13	0.22	0.054	15	20	0.32	639	0.007	<1	0.80	0.045	0.26	0.2	<0.01	2.4	0.1	0.16
2025392	Drill Core	0.3	1.6	0.1	6	0.05	0.029	18	10	0.07	526	0.003	<1	0.52	0.038	0.32	0.2	0.02	1.1	0.1	0.22
2025393	Drill Core	0.2	0.3	0.1	4	0.02	0.048	14	9	0.04	377	0.001	<1	0.34	0.076	0.28	<0.1	<0.01	0.9	0.1	0.37
2025394	Drill Core	0.1	0.3	0.1	3	0.01	0.034	14	9	0.04	301	0.002	<1	0.34	0.146	0.31	0.1	0.01	0.6	0.1	0.54
2025395	Drill Core	0.1	0.3	<0.1	3	<0.01	0.039	17	8	0.04	418	0.002	<1	0.30	0.076	0.38	0.1	<0.01	0.6	0.1	0.48
2025396	Drill Core	0.1	0.4	0.1	2	0.01	0.027	22	5	0.06	646	<0.001	<1	0.36	0.018	0.27	<0.1	0.01	0.6	<0.1	0.14
2025397	Drill Core	<0.1	0.4	<0.1	<1	0.01	0.008	23	4	0.07	223	<0.001	<1	0.39	0.027	0.25	0.2	<0.01	0.4	<0.1	<0.05
2025398	Drill Core	0.3	0.8	0.6	<1	0.01	0.012	24	5	0.07	143	<0.001	<1	0.44	0.041	0.25	0.2	0.02	0.5	<0.1	<0.05
2025399	Drill Core	0.1	0.5	<0.1	<1	<0.01	0.010	22	2	0.05	158	<0.001	<1	0.34	0.018	0.23	0.1	<0.01	0.3	<0.1	<0.05
2025400	Rock Pulp	0.2	4.3	0.5	115	0.93	0.060	8	19	0.85	123	0.127	2	1.77	0.183	0.24	3.8	0.23	3.3	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000051.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025381	Drill Core	2	<0.5	0.9
2025382	Drill Core	4	<0.5	<0.2
2025383	Drill Core	3	0.6	<0.2
2025384	Drill Core	3	0.6	<0.2
2025385	Drill Core	3	0.7	<0.2
2025386	Drill Core	2	<0.5	<0.2
2025387	Drill Core	2	<0.5	<0.2
2025388	Drill Core	2	<0.5	<0.2
2025389	Drill Core	2	<0.5	<0.2
2025390	Drill Core	2	<0.5	0.4
2025391	Drill Core	3	<0.5	<0.2
2025392	Drill Core	2	0.5	<0.2
2025393	Drill Core	2	0.9	<0.2
2025394	Drill Core	1	0.8	<0.2
2025395	Drill Core	1	<0.5	<0.2
2025396	Drill Core	1	<0.5	<0.2
2025397	Drill Core	1	<0.5	<0.2
2025398	Drill Core	1	<0.5	<0.2
2025399	Drill Core	<1	<0.5	<0.2
2025400	Rock Pulp	5	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000051.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2025382	Drill Core	2.28	402	0.049	0.05	<0.17	32.57	0.5	22.2	3.8	168	0.3	19.1	11.6	895	2.18	2.6	1.7	107.4	7.9	39
REP 2025382	QC							0.5	22.4	3.8	171	0.3	19.2	11.6	906	2.21	2.7	1.7	24.2	7.9	39
2025399	Drill Core	2.05	471	0.007	<0.01	<0.17	37.63	1.6	10.9	93.2	62	0.1	0.6	0.8	51	0.64	2.5	1.5	5.0	12.9	2
REP 2025399	QC			<0.005				1.6	10.9	91.9	61	0.1	0.6	0.8	51	0.64	2.5	1.5	7.6	12.9	2
Core Reject Duplicates																					
2025374	Drill Core	3.11	396	0.008	<0.01	<0.17	26.31	1.6	12.1	7.6	52	0.3	5.0	2.3	213	1.76	13.0	1.5	7.4	9.8	25
DUP 2025374	QC		448	0.007	<0.01	<0.17	31.73	1.7	12.2	7.7	51	0.3	5.1	2.3	214	1.76	12.6	1.4	11.7	9.8	24
Reference Materials																					
STD BVGEO01	Standard							10.8	4483.2	185.2	1742	2.6	167.5	25.2	737	3.77	111.9	3.6	217.3	13.8	55
STD DS11	Standard							14.2	145.4	132.5	334	1.7	78.5	13.4	1012	3.11	41.2	2.4	70.2	7.3	65
STD OREAS262	Standard							0.7	110.7	53.3	139	0.5	61.4	26.6	525	3.24	33.3	1.1	59.8	8.6	34
STD OREAS262	Standard							0.7	113.6	54.0	144	0.5	63.5	27.2	538	3.26	33.8	1.2	64.6	8.8	34
STD OXB130	Standard			0.120																	
STD OXB130	Standard			0.120																	
STD OXG141	Standard			0.968																	
STD OXG141	Standard			0.952																	
STD OXN155	Standard			7.663																	
STD OXN155	Standard			8.020																	
STD OXQ90	Standard					24.38	29.74														
STD OXQ90	Standard					25.19	30.21														
STD OXQ90	Standard					24.99	29.57														
STD OXQ90	Standard					25.06	29.21														
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 16, 2020

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000051.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2025382	Drill Core	1.4	1.5	<0.1	11	0.41	0.061	18	21	0.89	223	0.006	<1	1.41	0.027	0.29	0.3	<0.01	1.8	<0.1	0.14
REP 2025382	QC	1.4	1.5	<0.1	11	0.42	0.062	19	22	0.90	229	0.007	<1	1.46	0.029	0.30	0.3	<0.01	1.9	0.1	0.14
2025399	Drill Core	0.1	0.5	<0.1	<1	<0.01	0.010	22	2	0.05	158	<0.001	<1	0.34	0.018	0.23	0.1	<0.01	0.3	<0.1	<0.05
REP 2025399	QC	0.1	0.5	<0.1	<1	<0.01	0.009	22	2	0.05	157	<0.001	<1	0.35	0.018	0.23	0.1	<0.01	0.3	<0.1	<0.05
Core Reject Duplicates																					
2025374	Drill Core	0.3	0.9	<0.1	8	0.22	0.046	22	16	0.34	303	0.011	<1	0.76	0.038	0.30	0.4	<0.01	1.7	<0.1	0.15
DUP 2025374	QC	0.3	0.8	<0.1	7	0.21	0.046	20	16	0.34	284	0.011	<1	0.72	0.038	0.27	0.4	0.01	1.6	<0.1	0.15
Reference Materials																					
STD BVGE001	Standard	6.0	3.6	23.9	75	1.32	0.070	26	190	1.32	295	0.234	3	2.31	0.186	0.89	5.6	0.09	5.8	0.6	0.69
STD DS11	Standard	2.2	8.2	10.6	50	1.05	0.067	17	60	0.85	350	0.091	7	1.16	0.072	0.39	3.1	0.28	3.1	4.8	0.27
STD OREAS262	Standard	0.6	4.8	0.9	21	2.87	0.036	14	42	1.17	232	0.002	3	1.29	0.069	0.30	0.2	0.17	3.0	0.5	0.25
STD OREAS262	Standard	0.6	5.1	0.9	22	2.85	0.037	16	44	1.18	237	0.003	3	1.32	0.068	0.30	0.2	0.17	3.1	0.5	0.27
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
STD OXQ90 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000051.1

Method	AQ201	AQ201	AQ201
Analyte	Ga	Se	Te
Unit	ppm	ppm	ppm
MDL	1	0.5	0.2
Pulp Duplicates			
2025382 Drill Core	4	<0.5	<0.2
REP 2025382 QC	4	<0.5	<0.2
2025399 Drill Core	<1	<0.5	<0.2
REP 2025399 QC	<1	<0.5	<0.2
Core Reject Duplicates			
2025374 Drill Core	3	<0.5	<0.2
DUP 2025374 QC	3	<0.5	<0.2
Reference Materials			
STD BVGE001 Standard	7	4.8	1.1
STD DS11 Standard	5	2.2	4.6
STD OREAS262 Standard	4	0.5	0.2
STD OREAS262 Standard	4	<0.5	0.2
STD OXB130 Standard			
STD OXB130 Standard			
STD OXG141 Standard			
STD OXG141 Standard			
STD OXN155 Standard			
STD OXN155 Standard			
STD OXQ90 Standard			
STD OXQ90 Standard			
STD OXQ90 Standard			
STD OXQ90 Standard			
STD DS11 Expected	5.1	2.2	4.56
STD BVGE001 Expected	7.37	4.84	1.02
STD OREAS262 Expected	4.1	0.4	0.23
STD OXQ90 Expected			
BLK Blank	<1	<0.5	<0.2
BLK Blank	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000051.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		442	<0.005	<0.01	<0.17	31.21	1.0	3.7	1.5	30	<0.1	1.5	4.0	519	1.98	1.0	0.4	1.2	2.1	22
ROCK-WHI	Prep Blank		464	<0.005	<0.01	<0.17	34.92	1.0	5.5	2.1	31	<0.1	1.9	4.1	542	2.02	0.9	0.4	0.6	2.1	24



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000051.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.60	0.038	6	4	0.47	61	0.068	1	0.88	0.097	0.11	0.1	<0.01	2.5	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	26	0.67	0.038	7	6	0.51	61	0.079	1	1.00	0.126	0.12	0.2	<0.01	3.0	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 16, 2020

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000051.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2