



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 19, 2020
Analysis Start: July 15, 2020
Report Date: July 23, 2020
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI20000062.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-08
P.O. Number
Number of Samples: 130

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	124	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	5	Sort, label and box pulps			WHI
FS631	130	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	130	Analysis sample split/packet			VAN
Split -150	130	Analysis sample split/packet			VAN
EN002	130	Environmental disposal charge-Fire assay lead waste			VAN
FS631	125	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	130	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	130	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 2 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025288	Drill Core	1.42	544	0.009	<0.01	<0.17	34.12	2.9	98.9	394.5	392	1.7	24.9	17.9	665	3.37	3.8	1.0	6.8	6.4	15
2025289	Drill Core	2.89	468	0.071	0.07	<0.17	27.27	2.3	71.6	162.8	394	0.6	26.6	19.5	1333	2.86	2.8	0.6	10.7	6.7	31
2025290	Drill Core	2.90	405	0.075	0.07	<0.17	22.79	1.5	47.3	235.7	274	0.6	14.4	8.1	680	2.65	2.2	0.7	2.3	7.9	44
2025291	Drill Core	2.95	425	0.014	0.01	<0.17	25.90	1.8	13.5	5.2	166	0.2	14.8	9.0	774	2.73	3.3	0.8	6.4	7.7	32
2025292	Drill Core	2.85	402	0.028	0.03	<0.17	25.94	2.7	16.8	5.6	161	0.2	17.9	12.5	905	2.73	9.1	1.1	21.2	7.5	51
2025293	Drill Core	3.16	399	0.012	0.01	<0.17	22.31	2.3	15.4	5.4	119	0.2	18.1	12.2	601	2.84	2.4	1.3	5.9	8.1	62
2025294	Drill Core	2.53	468	0.009	0.01	<0.17	31.90	2.4	15.9	8.2	160	0.2	17.8	10.7	613	2.94	3.8	1.6	3.8	8.0	40
2025295	Drill Core	2.99	400	0.012	0.01	<0.17	27.15	0.9	14.6	5.9	186	0.2	16.2	9.6	454	2.69	5.4	0.9	5.0	9.3	17
2025296	Drill Core	3.02	398	0.024	0.02	<0.17	31.90	0.3	13.9	5.0	85	0.1	11.8	9.0	483	3.01	2.8	1.2	19.5	7.6	49
2025297	Drill Core	3.43	463	0.120	0.11	<0.17	33.67	0.5	17.2	5.5	84	0.3	11.5	9.6	696	3.10	3.8	1.8	141.8	7.5	68
2025298	Drill Core	3.50	442	0.140	0.14	<0.17	28.39	3.7	13.3	3.1	82	0.2	10.7	7.3	484	2.47	4.3	1.5	159.0	7.7	62
2025299	Drill Core	3.39	477	0.162	0.19	0.65	24.52	0.5	12.1	3.2	61	0.2	9.5	6.2	407	2.27	1.7	1.5	183.2	7.7	61
2025300	Rock Pulp	0.12	82	7.240				9.3	180.8	19.2	77	0.9	13.1	10.9	562	4.68	14.1	0.9	7564.3	2.8	73
2025301	Drill Core	3.45	447	0.432	0.47	1.02	31.39	0.8	12.7	3.6	112	0.5	18.1	13.3	811	3.40	7.8	1.6	474.2	5.5	66
2025302	Drill Core	2.78	417	0.038	0.04	<0.17	31.54	0.4	10.9	3.8	92	0.2	12.5	10.1	858	2.76	9.5	1.9	33.2	7.0	77
2025303	Drill Core	2.51	449	0.022	0.02	<0.17	35.80	0.6	26.8	8.9	155	0.3	12.5	4.6	363	2.47	13.5	1.9	17.7	8.9	29
2025304	Drill Core	3.61	520	0.074	0.07	<0.17	24.36	0.8	32.6	6.5	127	0.5	13.1	7.9	408	2.29	6.3	1.2	61.5	8.9	35
2025305	Drill Core	3.06	407	1.642	2.99	23.76	24.79	0.3	13.5	4.1	118	1.1	11.5	9.9	843	2.75	2.9	0.9	2144.0	7.3	71
2025306	Drill Core	2.97	501	0.016	0.02	<0.17	30.74	1.5	13.3	11.9	153	0.3	14.4	9.0	880	2.82	2.6	1.1	11.8	7.4	77
2025307	Drill Core	2.33	484	0.019	0.02	<0.17	29.71	0.6	46.6	5.1	198	0.4	21.8	17.4	832	2.43	7.9	1.6	11.7	8.2	33
2025308	Drill Core	2.77	455	0.010	<0.01	<0.17	33.67	2.0	31.7	9.5	129	0.3	18.2	10.8	447	2.95	2.2	1.4	4.2	7.1	27
2025309	Drill Core	2.53	507	0.008	<0.01	<0.17	28.85	0.9	37.3	7.4	138	0.4	17.0	5.8	309	2.61	1.4	1.5	4.7	7.5	7
2025310	Drill Core	2.13	383	0.027	0.03	<0.17	36.13	0.8	46.5	6.3	230	0.3	22.3	21.2	1400	2.36	9.5	3.2	19.1	7.8	27
2025311	Drill Core	2.96	451	0.007	<0.01	<0.17	32.08	1.2	26.7	6.1	151	0.3	21.1	12.4	512	2.62	7.3	2.4	5.4	8.7	18
2025312	Drill Core	3.03	517	0.007	<0.01	<0.17	31.54	1.3	15.5	13.1	103	0.3	18.0	8.8	656	2.56	3.7	3.9	4.5	8.2	72
2025313	Drill Core	3.05	357	0.025	0.03	<0.17	28.51	3.5	20.8	18.0	105	0.3	20.0	13.9	735	3.35	7.3	1.4	15.2	6.7	60
2025314	Drill Core	2.57	373	1.176	2.10	12.74	29.75	1.8	19.6	8.6	100	0.9	13.2	9.2	683	2.48	13.1	1.2	2549.9	7.4	67
2025315	Drill Core	3.33	428	0.795	0.82	1.12	32.12	0.5	18.8	9.5	178	0.4	14.7	10.4	475	2.16	17.6	2.4	915.7	8.7	29
2025316	Drill Core	1.86	489	0.489	0.63	2.60	31.98	0.6	20.1	4.1	104	0.3	15.7	12.3	929	2.65	4.4	2.1	479.6	5.2	107
2025317	Drill Core	1.51	447	0.509	0.60	2.04	25.95	1.4	21.7	5.2	226	0.4	20.8	17.5	1022	2.74	4.3	1.9	408.8	5.7	113



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 2 of 6 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025288	Drill Core	1.3	0.7	<0.1	18	0.15	0.050	10	139	1.09	317	0.002	3	1.50	0.014	0.33	0.1	0.07	2.3	0.1	0.39			
2025289	Drill Core	5.4	0.4	0.1	11	1.22	0.047	12	96	1.09	133	0.002	2	1.22	0.011	0.23	0.1	0.04	2.2	<0.1	0.96			
2025290	Drill Core	3.0	0.4	<0.1	10	1.69	0.049	10	29	0.81	75	0.002	2	1.12	0.020	0.32	<0.1	0.04	1.9	0.1	1.51			
2025291	Drill Core	3.0	0.6	<0.1	7	1.41	0.051	8	13	0.75	55	0.001	2	0.99	0.017	0.26	0.2	0.03	1.7	<0.1	1.47			
2025292	Drill Core	2.7	0.6	<0.1	10	1.95	0.049	9	46	0.96	84	0.002	2	1.11	0.019	0.24	0.1	0.07	2.1	<0.1	1.23			
2025293	Drill Core	0.8	0.3	<0.1	13	1.92	0.048	8	91	1.07	83	0.003	3	1.39	0.023	0.28	<0.1	0.18	2.9	0.1	1.24			
2025294	Drill Core	1.2	0.3	<0.1	9	1.58	0.049	7	36	0.88	95	0.002	3	1.19	0.021	0.22	0.1	0.11	2.1	<0.1	1.36			
2025295	Drill Core	1.3	0.2	<0.1	8	0.61	0.056	10	12	0.69	125	0.001	2	1.14	0.020	0.25	0.1	0.11	1.8	<0.1	1.10			
2025296	Drill Core	0.3	0.3	<0.1	11	1.68	0.066	9	18	0.65	41	0.004	1	1.00	0.038	0.29	0.1	0.05	2.8	<0.1	2.13			
2025297	Drill Core	1.0	0.5	<0.1	8	2.42	0.062	8	11	0.56	41	0.003	2	0.80	0.028	0.26	0.1	0.03	2.5	<0.1	2.12			
2025298	Drill Core	0.7	0.3	<0.1	6	1.69	0.049	11	16	0.72	68	0.003	2	0.90	0.021	0.29	0.1	0.10	1.6	0.1	1.52			
2025299	Drill Core	0.3	0.2	<0.1	6	1.57	0.050	9	8	0.66	86	0.003	2	0.86	0.032	0.28	0.1	0.15	1.6	<0.1	1.39			
2025300	Rock Pulp	0.2	4.9	0.5	115	0.98	0.060	8	18	0.84	127	0.126	4	1.78	0.198	0.24	3.9	0.24	3.3	<0.1	<0.05			
2025301	Drill Core	2.0	0.3	<0.1	11	1.84	0.062	8	31	0.78	36	0.002	1	0.89	0.032	0.26	0.1	0.06	2.3	<0.1	2.53			
2025302	Drill Core	1.1	0.2	<0.1	9	2.51	0.060	13	15	0.77	50	0.002	1	0.97	0.020	0.30	0.2	0.02	2.2	<0.1	1.83			
2025303	Drill Core	0.6	0.6	<0.1	12	0.24	0.059	20	16	0.66	251	0.003	2	1.29	0.016	0.39	0.2	0.02	2.4	0.2	0.52			
2025304	Drill Core	1.6	0.4	<0.1	10	0.54	0.061	20	18	0.47	156	0.002	<1	0.90	0.031	0.27	0.2	0.02	1.8	0.1	0.89			
2025305	Drill Core	2.0	0.4	<0.1	16	2.10	0.062	16	23	0.85	79	0.003	1	1.22	0.031	0.35	0.2	0.02	3.0	0.1	1.28			
2025306	Drill Core	1.7	0.6	<0.1	17	1.98	0.066	15	26	0.79	88	0.003	<1	1.22	0.023	0.33	0.2	0.03	3.4	0.1	1.07			
2025307	Drill Core	4.2	0.3	<0.1	12	0.76	0.059	23	20	0.73	189	0.002	<1	1.24	0.019	0.34	0.2	0.03	2.1	0.1	0.64			
2025308	Drill Core	2.8	0.2	<0.1	14	0.67	0.056	14	58	0.74	67	0.003	<1	1.12	0.026	0.29	0.1	0.03	2.7	<0.1	1.48			
2025309	Drill Core	0.6	0.3	<0.1	13	0.12	0.059	9	41	0.67	224	0.003	<1	1.17	0.022	0.30	0.2	0.03	2.1	0.1	0.54			
2025310	Drill Core	2.5	0.5	<0.1	13	0.16	0.059	17	24	0.66	447	0.003	<1	1.36	0.020	0.33	0.1	0.02	2.1	0.1	0.29			
2025311	Drill Core	2.8	0.7	<0.1	11	0.50	0.062	15	42	0.59	95	0.003	<1	1.10	0.035	0.31	0.1	0.03	2.2	<0.1	1.15			
2025312	Drill Core	0.6	0.3	<0.1	12	2.36	0.052	12	32	0.95	89	0.003	<1	1.16	0.031	0.24	0.1	0.03	2.5	<0.1	1.04			
2025313	Drill Core	0.4	0.3	<0.1	16	2.33	0.060	7	79	0.94	42	0.003	2	1.17	0.027	0.30	0.2	0.04	2.7	<0.1	2.11			
2025314	Drill Core	0.7	0.5	<0.1	10	2.19	0.059	10	35	0.72	100	0.002	1	0.96	0.027	0.28	0.2	0.04	1.8	<0.1	1.31			
2025315	Drill Core	3.7	0.6	<0.1	8	0.89	0.056	16	18	0.49	137	0.002	1	0.92	0.034	0.33	0.2	0.02	1.9	0.1	0.94			
2025316	Drill Core	1.3	0.4	<0.1	13	3.55	0.052	7	57	0.98	102	0.004	1	0.85	0.020	0.29	0.1	0.04	2.5	<0.1	1.44			
2025317	Drill Core	3.7	0.6	<0.1	13	3.40	0.055	8	54	1.07	121	0.005	2	0.98	0.015	0.35	0.2	0.05	3.0	0.1	1.62			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

		Method	AQ201	AQ201	AQ201
		Analyte	Ga	Se	Te
		Unit	ppm	ppm	ppm
		MDL	1	0.5	0.2
2025288	Drill Core		4	<0.5	<0.2
2025289	Drill Core		3	<0.5	<0.2
2025290	Drill Core		3	<0.5	<0.2
2025291	Drill Core		3	<0.5	<0.2
2025292	Drill Core		3	<0.5	<0.2
2025293	Drill Core		4	<0.5	<0.2
2025294	Drill Core		3	<0.5	<0.2
2025295	Drill Core		3	<0.5	<0.2
2025296	Drill Core		3	<0.5	<0.2
2025297	Drill Core		2	<0.5	<0.2
2025298	Drill Core		2	<0.5	<0.2
2025299	Drill Core		2	<0.5	<0.2
2025300	Rock Pulp		5	<0.5	<0.2
2025301	Drill Core		3	<0.5	0.2
2025302	Drill Core		2	<0.5	<0.2
2025303	Drill Core		4	0.6	<0.2
2025304	Drill Core		3	0.5	<0.2
2025305	Drill Core		4	<0.5	<0.2
2025306	Drill Core		4	0.5	<0.2
2025307	Drill Core		4	0.7	<0.2
2025308	Drill Core		4	0.7	<0.2
2025309	Drill Core		3	<0.5	<0.2
2025310	Drill Core		3	<0.5	<0.2
2025311	Drill Core		3	1.0	<0.2
2025312	Drill Core		3	0.6	<0.2
2025313	Drill Core		3	<0.5	<0.2
2025314	Drill Core		2	<0.5	<0.2
2025315	Drill Core		3	<0.5	<0.2
2025316	Drill Core		2	<0.5	<0.2
2025317	Drill Core		2	<0.5	0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025318	Drill Core	1.28	486	2.286	4.33	30.84	34.76	2.3	18.4	3.5	71	0.9	14.9	7.1	505	2.31	1.5	1.1	3412.8	5.9	62
2025319	Drill Core	2.88	454	0.308	0.41	1.94	27.89	1.1	18.1	2.6	50	0.2	12.7	7.6	488	2.09	1.4	1.4	301.4	6.5	63
2025320	Rock Pulp	0.12	83	0.540				6.6	111.5	83.4	140	0.6	11.5	5.0	600	2.52	40.6	0.4	576.2	2.2	36
2025321	Drill Core	3.06	461	0.110	0.30	2.88	31.63	1.4	17.7	2.5	59	0.2	11.5	7.8	530	2.00	1.6	1.6	93.9	7.4	58
2025322	Drill Core	3.05	460	0.084	0.10	0.25	36.53	2.1	17.3	3.4	50	0.1	12.6	8.1	502	1.97	0.7	1.7	56.1	8.2	59
2025323	Drill Core	3.40	482	1.077	1.21	2.94	35.07	0.8	20.0	3.3	41	0.4	14.1	7.9	509	2.16	0.8	1.9	708.0	7.9	56
2025324	Drill Core	2.80	375	1.167	1.39	3.73	33.26	0.8	22.3	3.8	63	0.6	15.6	8.6	532	2.45	1.2	1.7	1107.1	7.5	72
2025325	Drill Core	2.97	428	2.056	2.16	4.03	22.31	1.3	31.4	5.8	167	1.2	17.9	9.6	642	2.31	2.8	1.9	2666.7	7.5	71
2025326	Drill Core	1.13	382	2.617	2.81	5.33	27.78	5.4	18.4	13.8	169	1.4	11.8	6.0	343	1.69	4.8	2.0	3762.2	11.4	31
2025327	Drill Core	1.41	455	0.990	1.18	3.42	35.67	0.5	42.7	460.6	95	2.5	6.7	5.5	217	1.37	10.4	2.9	887.6	10.1	48
2025328	Drill Core	2.74	505	0.062	0.06	<0.17	32.50	1.4	41.6	21.4	91	0.4	8.7	5.0	76	1.70	5.6	1.5	88.2	7.3	26
2025329	Drill Core	3.02	461	0.022	0.02	<0.17	35.43	4.8	28.7	56.2	38	0.6	8.9	5.1	72	2.12	1.7	1.6	17.6	7.2	26
2025330	Drill Core	2.82	447	0.017	0.02	<0.17	31.69	4.1	15.7	81.0	36	0.5	8.5	5.7	63	2.18	2.0	1.8	16.6	6.9	13
2025331	Drill Core	2.97	392	0.070	0.07	<0.17	33.04	2.1	26.4	132.9	77	1.4	8.7	5.0	57	2.07	1.4	1.4	59.9	8.0	12
2025332	Drill Core	2.57	467	0.009	<0.01	<0.17	34.96	1.0	17.2	12.7	33	0.2	7.7	5.0	63	1.65	5.1	2.7	7.8	7.8	12
2025333	Drill Core	2.14	454	0.029	0.03	<0.17	28.57	0.6	18.8	34.7	112	0.3	6.6	4.0	67	0.89	14.5	7.2	26.9	13.6	21
2025334	Drill Core	2.80	437	0.350	0.48	2.53	25.72	0.6	16.8	63.0	129	1.9	2.8	1.2	77	0.82	8.7	2.1	264.4	13.0	11
2025335	Drill Core	3.81	487	0.147	0.64	8.65	28.10	0.6	13.8	22.3	41	0.9	1.4	0.5	68	0.62	8.6	1.4	627.8	16.7	14
2025336	Drill Core	2.71	347	0.019	0.02	<0.17	35.98	1.2	39.8	51.0	71	0.2	1.5	0.5	81	0.71	5.0	1.7	13.5	17.1	9
2025337	Drill Core	2.99	450	0.058	0.07	0.19	26.66	1.9	25.3	119.1	77	0.7	1.3	0.5	73	0.74	4.7	1.5	63.7	13.5	7
2025338	Drill Core	2.63	426	<0.005	<0.01	<0.17	31.85	1.5	2.9	68.1	123	0.1	1.3	1.4	185	0.88	2.0	3.8	1.4	16.5	25
2025339	Drill Core	2.58	428	<0.005	<0.01	<0.17	37.58	1.7	3.6	59.6	76	0.2	1.6	0.9	133	0.92	1.6	3.7	0.6	16.9	26
2025340	Rock Pulp	0.12	86	<0.005				4.2	20.5	1.0	31	<0.1	7.4	4.4	567	2.40	1.0	0.4	<0.5	2.1	30
2025341	Drill Core	2.95	455	<0.005	<0.01	<0.17	37.20	1.4	5.5	106.1	87	0.2	0.9	0.6	90	1.15	1.6	3.7	1.5	14.8	32
2025342	Drill Core	2.59	423	<0.005	<0.01	<0.17	37.88	4.3	6.6	44.4	49	0.2	1.2	0.8	103	0.92	2.8	4.7	1.3	22.3	8
2025343	Drill Core	2.17	435	0.006	<0.01	<0.17	34.32	2.0	15.6	75.4	120	0.3	1.9	0.7	128	0.99	2.0	2.9	1.2	16.7	14
2025344	Drill Core	2.98	466	<0.005	<0.01	<0.17	31.89	1.5	7.3	100.4	94	0.6	1.3	0.6	98	0.61	1.3	4.9	1.8	19.1	7
2025345	Drill Core	2.77	408	0.013	0.01	<0.17	30.40	1.9	3.5	18.9	29	0.3	1.4	0.7	99	0.89	1.7	2.7	54.4	17.2	2
2025346	Drill Core	2.45	425	<0.005	<0.01	<0.17	35.41	0.7	5.7	13.1	21	0.2	1.0	0.3	71	0.50	0.9	2.5	<0.5	18.4	2
2025347	Drill Core	3.57	440	<0.005	<0.01	<0.17	29.40	0.5	17.1	16.6	43	0.3	12.2	5.2	350	1.78	6.8	1.0	<0.5	10.4	52



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025318	Drill Core	2.4	0.4	<0.1	6	1.65	0.045	8	9	0.74	93	0.002	<1	0.67	0.033	0.21	0.1	0.03	1.7	<0.1	1.61
2025319	Drill Core	0.3	0.3	<0.1	6	1.86	0.041	8	8	0.66	112	0.003	<1	0.73	0.020	0.29	<0.1	0.02	1.6	<0.1	1.29
2025320	Rock Pulp	0.6	2.4	<0.1	30	0.85	0.034	6	24	0.51	90	0.080	9	1.20	0.123	0.13	4.6	0.17	2.9	0.2	0.10
2025321	Drill Core	0.5	0.3	<0.1	6	1.86	0.043	10	8	0.80	119	0.003	<1	0.88	0.017	0.32	<0.1	0.01	1.7	<0.1	1.08
2025322	Drill Core	0.3	0.3	<0.1	6	1.85	0.048	11	8	0.80	141	0.003	<1	0.87	0.019	0.30	0.1	0.01	1.6	<0.1	0.88
2025323	Drill Core	0.5	0.4	<0.1	6	1.75	0.047	10	8	0.66	95	0.003	1	0.75	0.025	0.28	0.1	0.02	1.6	<0.1	1.25
2025324	Drill Core	0.6	0.5	<0.1	8	1.58	0.051	10	9	0.84	56	0.003	1	0.95	0.029	0.31	0.1	0.03	1.7	0.1	1.47
2025325	Drill Core	4.7	0.6	<0.1	6	1.45	0.046	11	8	0.84	86	0.002	1	0.91	0.031	0.28	0.2	0.02	1.7	<0.1	1.39
2025326	Drill Core	3.3	0.5	<0.1	3	0.38	0.034	14	6	0.36	120	0.001	1	0.64	0.040	0.28	0.2	0.02	1.0	<0.1	0.84
2025327	Drill Core	6.2	1.2	0.8	2	0.07	0.027	14	6	0.16	137	0.001	<1	0.47	0.038	0.25	0.2	0.02	0.8	<0.1	0.52
2025328	Drill Core	1.7	0.7	0.2	3	0.08	0.036	12	7	0.16	48	0.001	<1	0.45	0.036	0.28	0.2	0.01	1.0	<0.1	1.28
2025329	Drill Core	2.6	0.4	0.2	3	0.06	0.032	12	8	0.06	38	0.001	<1	0.37	0.041	0.27	0.2	0.02	0.7	<0.1	1.63
2025330	Drill Core	0.6	0.4	0.1	2	0.03	0.015	11	6	0.03	34	<0.001	<1	0.34	0.022	0.25	0.2	<0.01	0.5	<0.1	1.77
2025331	Drill Core	3.6	0.3	0.3	3	0.02	0.017	12	7	0.04	37	<0.001	<1	0.34	0.033	0.27	0.1	0.01	0.6	<0.1	1.69
2025332	Drill Core	1.5	0.5	0.1	3	0.06	0.030	13	6	0.04	61	<0.001	<1	0.38	0.030	0.28	0.1	<0.01	0.7	<0.1	1.12
2025333	Drill Core	0.4	0.9	<0.1	1	0.07	0.027	24	5	0.08	293	<0.001	<1	0.50	0.003	0.29	0.2	0.01	0.8	0.1	0.40
2025334	Drill Core	0.3	0.9	0.3	<1	0.04	0.009	26	4	0.08	672	<0.001	<1	0.40	0.010	0.27	0.3	<0.01	0.5	<0.1	0.16
2025335	Drill Core	0.2	0.4	0.2	<1	0.01	0.004	22	5	0.06	1160	<0.001	1	0.34	0.025	0.28	0.1	<0.01	0.5	<0.1	0.14
2025336	Drill Core	0.6	0.3	0.1	<1	<0.01	0.003	34	5	0.11	940	<0.001	1	0.46	0.020	0.37	0.2	<0.01	0.6	0.1	0.17
2025337	Drill Core	0.6	0.3	0.3	<1	<0.01	0.003	21	3	0.10	553	<0.001	1	0.37	0.020	0.28	0.1	0.01	0.4	<0.1	0.22
2025338	Drill Core	2.2	0.2	<0.1	<1	0.42	0.002	24	3	0.06	220	<0.001	<1	0.30	0.034	0.25	0.2	<0.01	0.3	0.1	0.50
2025339	Drill Core	1.6	0.2	0.2	<1	0.52	0.002	24	3	0.07	238	<0.001	<1	0.34	0.027	0.28	0.2	0.01	0.3	0.1	0.48
2025340	Rock Pulp	<0.1	0.2	<0.1	23	0.78	0.037	6	15	0.49	57	0.077	2	1.04	0.076	0.09	0.2	<0.01	2.7	<0.1	<0.05
2025341	Drill Core	2.3	0.3	0.1	<1	0.35	0.002	21	3	0.05	83	<0.001	<1	0.32	0.033	0.25	0.1	0.02	0.3	0.1	0.82
2025342	Drill Core	1.4	0.2	0.2	<1	0.07	0.002	23	5	0.18	273	<0.001	1	0.55	0.019	0.38	0.2	0.02	0.5	0.2	0.41
2025343	Drill Core	0.7	0.3	0.1	<1	0.01	0.003	19	5	0.18	285	<0.001	<1	0.49	0.009	0.31	0.1	0.03	0.5	0.2	0.32
2025344	Drill Core	1.9	0.2	0.3	<1	0.07	0.002	32	4	0.11	304	<0.001	<1	0.51	0.010	0.38	0.2	0.02	0.4	0.2	0.26
2025345	Drill Core	1.5	0.2	0.1	<1	<0.01	0.002	23	6	0.12	203	<0.001	<1	0.43	0.022	0.32	0.1	0.02	0.4	0.2	0.33
2025346	Drill Core	<0.1	0.2	0.3	<1	<0.01	0.002	20	5	0.09	174	<0.001	<1	0.36	0.009	0.33	0.2	0.02	0.5	0.1	<0.05
2025347	Drill Core	0.3	0.5	0.3	12	1.10	0.056	31	14	0.60	248	0.020	<1	1.00	0.039	0.35	0.2	0.01	3.4	0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025318	Drill Core	2	<0.5	<0.2
2025319	Drill Core	2	0.7	<0.2
2025320	Rock Pulp	4	<0.5	<0.2
2025321	Drill Core	2	<0.5	<0.2
2025322	Drill Core	2	<0.5	<0.2
2025323	Drill Core	2	0.6	<0.2
2025324	Drill Core	3	0.7	<0.2
2025325	Drill Core	2	0.7	0.3
2025326	Drill Core	2	<0.5	0.3
2025327	Drill Core	1	1.2	0.6
2025328	Drill Core	1	<0.5	<0.2
2025329	Drill Core	1	<0.5	<0.2
2025330	Drill Core	<1	<0.5	<0.2
2025331	Drill Core	1	0.6	0.4
2025332	Drill Core	1	<0.5	<0.2
2025333	Drill Core	1	<0.5	<0.2
2025334	Drill Core	1	<0.5	0.6
2025335	Drill Core	1	<0.5	0.2
2025336	Drill Core	2	<0.5	<0.2
2025337	Drill Core	1	<0.5	0.2
2025338	Drill Core	1	<0.5	<0.2
2025339	Drill Core	1	<0.5	<0.2
2025340	Rock Pulp	4	<0.5	<0.2
2025341	Drill Core	1	<0.5	<0.2
2025342	Drill Core	2	<0.5	<0.2
2025343	Drill Core	2	<0.5	<0.2
2025344	Drill Core	2	<0.5	<0.2
2025345	Drill Core	1	<0.5	<0.2
2025346	Drill Core	1	<0.5	<0.2
2025347	Drill Core	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025348	Drill Core	3.03	527	<0.005	<0.01	<0.17	22.02	0.7	14.2	22.4	56	0.3	13.0	6.0	363	2.01	6.5	1.3	<0.5	51
2025349	Drill Core	3.04	489	0.072	0.07	<0.17	23.78	1.6	17.8	18.2	49	0.5	10.3	6.7	350	2.02	11.0	1.5	84.3	71
2025350	Drill Core	1.52	407	0.061	0.06	<0.17	33.05	1.3	9.4	16.4	47	0.4	8.6	5.3	489	2.07	9.3	1.4	152.8	132
1814101	Drill Core	1.66	420	<0.005	<0.01	<0.17	30.53	1.8	18.0	10.8	52	0.5	13.0	7.1	376	2.11	5.3	1.7	0.9	47
1814102	Drill Core	3.24	455	0.034	0.03	<0.17	27.73	1.2	21.1	32.1	55	0.7	12.4	6.8	403	2.22	6.6	1.2	22.3	38
1814103	Drill Core	1.05	443	0.043	0.06	0.28	25.38	2.3	16.8	25.3	65	0.3	11.3	7.4	442	2.21	8.8	1.8	31.5	57
1814104	Drill Core	1.61	411	4.034	6.32	41.32	25.24	1.0	10.2	6.2	51	3.1	8.1	4.8	344	1.61	5.6	1.0	11141.8	38
1814105	Drill Core	1.29	450	2.427	7.88	71.31	35.59	0.9	7.9	9.2	35	2.1	10.5	5.4	377	1.75	12.9	1.0	6605.2	23
1814106	Drill Core	2.60	430	0.500	0.58	2.23	20.62	0.5	6.5	21.8	30	0.4	8.0	3.4	229	1.29	4.6	0.6	488.8	15
1814107	Drill Core	3.09	378	0.242	0.72	6.22	30.22	1.0	17.6	11.5	39	0.8	9.5	5.8	416	1.79	3.9	1.2	409.8	58
1814108	Drill Core	1.98	379	0.121	0.11	<0.17	30.16	1.1	14.3	2.9	38	0.3	9.4	6.6	461	2.00	2.8	1.4	7.1	50
1814109	Drill Core	2.33	438	0.030	0.04	0.18	22.63	1.0	18.8	10.1	46	0.3	8.7	5.8	525	1.95	2.0	1.1	52.2	44
1814110	Drill Core	1.64	417	0.008	<0.01	<0.17	31.00	0.9	12.9	9.3	48	0.2	10.0	6.6	520	2.03	2.2	1.1	6.1	51
1814111	Drill Core	1.55	444	0.021	0.02	<0.17	34.90	1.2	8.8	20.9	46	0.2	9.8	6.5	434	1.93	1.6	1.2	48.0	37
1814112	Drill Core	1.68	462	0.032	0.03	<0.17	31.07	0.5	10.4	7.4	52	0.2	10.2	7.0	432	1.96	1.6	1.3	75.5	38
1814113	Drill Core	1.60	485	0.596	0.67	2.23	21.57	0.5	8.1	5.2	54	0.2	9.9	5.7	432	1.84	1.5	1.0	513.5	44
1814114	Drill Core	1.55	446	0.006	<0.01	<0.17	29.93	0.7	13.8	12.0	68	0.2	9.7	7.0	406	1.89	1.4	0.8	3.3	34
1814115	Drill Core	1.23	355	0.229	0.30	1.08	28.63	0.4	12.8	4.9	73	0.2	10.8	5.9	366	1.94	1.6	0.9	299.4	68
1814116	Drill Core	3.49	486	2.120	3.10	16.94	32.24	0.5	20.5	36.1	93	1.3	7.1	4.7	257	1.34	1.7	0.9	3635.3	24
1814117	Drill Core	2.37	390	0.154	0.15	<0.17	34.22	0.4	94.3	84.1	78	2.0	9.2	3.6	248	1.36	1.5	0.8	164.4	9
1814118	Drill Core	2.59	344	0.211	0.23	0.43	27.95	0.5	124.4	137.5	147	2.4	15.8	6.4	473	2.27	2.9	1.3	171.3	15
1814119	Drill Core	3.54	371	<0.005	<0.01	<0.17	31.11	0.4	57.1	122.8	162	1.2	5.9	6.4	477	2.49	1.4	1.7	5.7	27
1814120	Rock Pulp	0.12	84	0.632				6.6	110.5	84.6	142	0.7	11.7	4.9	584	2.52	40.7	0.4	609.5	34
1814121	Drill Core	2.94	364	<0.005	<0.01	<0.17	32.98	0.3	31.3	89.3	100	0.5	6.6	7.0	496	2.30	1.1	1.7	2.3	57
1814122	Drill Core	2.74	367	<0.005	<0.01	<0.17	34.18	0.4	7.0	7.7	61	0.1	5.3	5.9	366	2.30	2.5	1.9	1.1	55
1814123	Drill Core	2.72	422	<0.005	<0.01	<0.17	29.05	1.2	7.8	20.8	58	0.2	4.6	4.5	283	1.83	2.4	1.7	1.1	35
1814124	Drill Core	3.10	402	<0.005	<0.01	<0.17	33.06	1.3	9.4	20.7	49	0.3	5.1	4.0	227	1.55	2.3	1.6	1.0	30
2025459	Drill Core	2.76	498	0.015	0.01	<0.17	35.40	0.5	52.0	46.7	132	18.4	10.7	3.5	263	2.14	4.7	1.0	63.7	21
2025460	Core DUP		549	0.015	0.02	<0.17	36.21	0.4	50.2	45.0	129	18.2	10.2	3.3	246	2.05	4.8	1.0	14.4	22
2025461	Drill Core	2.25	408	1.759	2.42	10.93	29.47	0.5	55.6	94.8	186	2.9	9.8	7.4	412	2.14	1.4	0.8	1822.7	16



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
2025348	Drill Core	0.4	0.9	0.2	13	0.89	0.052	32	16	0.53	224	0.010	<1	1.01	0.033	0.32	0.1	0.02	3.2	0.1	<0.05			
2025349	Drill Core	0.4	0.8	<0.1	11	0.97	0.044	26	13	0.61	234	0.011	<1	0.99	0.025	0.44	<0.1	<0.01	3.3	0.1	<0.05			
2025350	Drill Core	0.3	0.7	0.2	12	1.86	0.037	23	16	0.85	178	0.005	<1	1.08	0.023	0.35	0.1	<0.01	3.2	0.1	<0.05			
1814101	Drill Core	0.3	1.2	0.2	12	0.66	0.054	27	16	0.78	237	0.007	<1	1.16	0.025	0.41	<0.1	<0.01	3.1	0.1	<0.05			
1814102	Drill Core	0.3	0.6	0.5	14	0.60	0.053	24	20	0.71	222	0.004	<1	1.12	0.029	0.34	0.1	0.01	2.6	0.1	<0.05			
1814103	Drill Core	0.3	0.6	0.2	14	0.96	0.050	24	18	0.69	268	0.007	<1	1.15	0.041	0.40	0.1	0.02	3.2	0.1	<0.05			
1814104	Drill Core	0.4	0.5	<0.1	5	0.66	0.032	16	9	0.39	224	0.005	1	0.70	0.021	0.35	0.1	<0.01	1.9	0.1	<0.05			
1814105	Drill Core	0.4	0.3	0.1	7	0.32	0.042	16	10	0.36	271	0.003	<1	0.69	0.023	0.34	0.2	<0.01	2.1	<0.1	<0.05			
1814106	Drill Core	0.2	0.2	0.1	5	0.18	0.020	14	8	0.27	191	0.006	<1	0.55	0.013	0.33	0.2	<0.01	1.1	<0.1	<0.05			
1814107	Drill Core	0.2	0.8	0.2	8	0.74	0.049	17	11	0.68	257	0.042	1	0.97	0.017	0.44	0.8	<0.01	2.2	0.1	0.15			
1814108	Drill Core	0.2	1.3	<0.1	13	0.55	0.051	17	16	0.87	237	0.065	1	1.17	0.023	0.43	0.7	<0.01	2.7	0.1	0.05			
1814109	Drill Core	0.2	0.8	<0.1	10	0.61	0.049	17	12	0.76	266	0.056	1	1.04	0.021	0.62	0.6	<0.01	2.6	0.2	<0.05			
1814110	Drill Core	0.2	1.0	<0.1	11	0.65	0.056	19	14	0.83	242	0.069	<1	1.09	0.024	0.68	0.7	<0.01	3.2	0.3	<0.05			
1814111	Drill Core	0.3	1.0	0.1	14	0.41	0.057	20	16	0.87	233	0.083	1	1.16	0.033	0.54	0.8	0.01	3.2	0.2	<0.05			
1814112	Drill Core	0.7	1.2	<0.1	15	0.49	0.051	23	17	0.81	231	0.094	<1	1.10	0.017	0.40	1.3	<0.01	3.3	0.1	<0.05			
1814113	Drill Core	0.4	1.2	<0.1	13	0.49	0.048	20	18	0.90	186	0.075	1	1.17	0.021	0.43	0.8	<0.01	3.0	0.2	<0.05			
1814114	Drill Core	0.7	0.9	<0.1	12	0.41	0.055	20	14	0.82	224	0.062	1	1.12	0.018	0.44	0.7	<0.01	2.4	0.1	<0.05			
1814115	Drill Core	0.6	1.3	<0.1	14	0.95	0.052	24	17	0.85	230	0.067	1	1.18	0.017	0.39	0.8	<0.01	3.0	0.1	<0.05			
1814116	Drill Core	0.8	0.7	0.2	8	0.30	0.051	30	12	0.46	236	0.011	<1	0.81	0.024	0.38	0.3	0.03	2.0	0.2	<0.05			
1814117	Drill Core	0.2	0.4	1.1	9	0.15	0.056	34	14	0.33	216	0.003	<1	0.69	0.028	0.31	0.1	0.02	1.3	<0.1	<0.05			
1814118	Drill Core	0.5	0.9	2.6	22	0.22	0.061	36	31	0.69	204	0.008	<1	1.17	0.046	0.32	0.2	0.02	3.0	0.1	<0.05			
1814119	Drill Core	0.8	1.1	0.3	23	0.47	0.062	27	24	0.75	231	0.069	<1	1.35	0.039	0.40	0.7	0.03	4.2	0.2	<0.05			
1814120	Rock Pulp	0.5	2.6	0.1	30	0.83	0.036	6	25	0.51	87	0.080	7	1.13	0.092	0.11	4.5	0.14	3.1	0.2	0.10			
1814121	Drill Core	0.6	1.3	0.2	23	1.14	0.062	23	27	0.85	209	0.107	<1	1.38	0.037	0.37	1.4	0.02	4.4	0.1	<0.05			
1814122	Drill Core	0.3	1.7	<0.1	26	0.94	0.066	19	31	1.04	174	0.115	<1	1.43	0.040	0.36	1.0	0.01	5.1	0.1	<0.05			
1814123	Drill Core	0.2	1.2	0.2	18	0.72	0.053	22	21	0.91	194	0.082	<1	1.17	0.029	0.53	1.3	0.02	3.8	0.2	<0.05			
1814124	Drill Core	0.1	1.3	0.4	13	0.59	0.054	22	16	0.79	242	0.065	<1	1.01	0.031	0.54	0.9	<0.01	3.1	0.2	<0.05			
2025459	Drill Core	0.6	0.9	<0.1	14	0.16	0.056	17	18	0.34	499	0.008	<1	0.85	0.032	0.30	29.3	<0.01	2.1	0.1	0.07			
2025460	Core DUP	0.5	0.9	<0.1	14	0.16	0.058	18	16	0.33	495	0.008	<1	0.86	0.029	0.32	28.0	<0.01	2.2	0.1	0.07			
2025461	Drill Core	1.6	0.4	<0.1	10	0.14	0.066	14	12	0.33	434	0.004	<1	0.77	0.028	0.37	3.8	<0.01	1.9	0.2	0.25			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025348	Drill Core	4	<0.5	<0.2
2025349	Drill Core	4	<0.5	<0.2
2025350	Drill Core	5	<0.5	<0.2
1814101	Drill Core	4	<0.5	<0.2
1814102	Drill Core	4	<0.5	<0.2
1814103	Drill Core	4	<0.5	<0.2
1814104	Drill Core	2	<0.5	<0.2
1814105	Drill Core	2	<0.5	<0.2
1814106	Drill Core	2	<0.5	<0.2
1814107	Drill Core	3	<0.5	<0.2
1814108	Drill Core	4	<0.5	<0.2
1814109	Drill Core	3	<0.5	<0.2
1814110	Drill Core	4	<0.5	<0.2
1814111	Drill Core	4	<0.5	<0.2
1814112	Drill Core	5	<0.5	<0.2
1814113	Drill Core	5	<0.5	<0.2
1814114	Drill Core	4	<0.5	<0.2
1814115	Drill Core	4	<0.5	<0.2
1814116	Drill Core	3	<0.5	<0.2
1814117	Drill Core	3	<0.5	<0.2
1814118	Drill Core	7	<0.5	<0.2
1814119	Drill Core	6	<0.5	<0.2
1814120	Rock Pulp	5	<0.5	<0.2
1814121	Drill Core	7	<0.5	<0.2
1814122	Drill Core	6	<0.5	<0.2
1814123	Drill Core	5	<0.5	<0.2
1814124	Drill Core	4	<0.5	<0.2
2025459	Drill Core	3	<0.5	<0.2
2025460	Core DUP	3	<0.5	<0.2
2025461	Drill Core	3	0.5	0.3



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025462	Drill Core	3.10	422	0.851	1.10	4.50	28.21	0.5	42.7	531.8	48	2.3	1.5	0.6	61	1.79	1.3	0.5	949.8	8.3	21
2025463	Drill Core	1.65	406	0.143	0.24	1.33	32.37	0.6	6.7	44.6	10	4.0	1.9	0.3	72	1.13	0.8	0.3	116.9	4.3	12
2025464	Drill Core	2.74	409	0.148	0.16	0.27	29.18	0.9	23.2	189.4	48	0.9	1.7	0.6	81	2.10	3.8	1.0	210.2	7.9	17
2025465	Drill Core	2.65	430	0.200	0.41	2.93	33.08	1.0	213.5	3725.2	129	4.9	2.7	0.7	115	2.33	12.1	0.7	128.8	6.8	10
2025466	Drill Core	3.28	383	0.029	0.03	<0.17	29.18	1.8	159.3	1956.5	166	2.5	2.6	1.0	108	2.59	35.5	1.1	32.8	10.1	6
2025467	Drill Core	2.58	435	0.019	0.02	<0.17	29.53	1.1	84.5	172.6	76	0.4	3.8	1.0	204	1.54	16.7	1.1	17.4	9.2	8
2025468	Drill Core	2.45	500	0.054	0.14	1.41	31.23	3.4	109.3	1101.2	131	2.9	2.9	0.8	129	1.99	40.7	1.0	59.7	10.4	5
2025469	Drill Core	3.18	421	0.264	0.28	0.47	32.15	0.7	50.7	1223.2	62	1.8	1.2	0.3	60	1.91	19.5	0.8	748.6	8.3	6
2025470	Drill Core	2.75	392	0.034	0.03	<0.17	30.23	2.1	53.7	1149.6	99	2.8	1.5	0.4	59	1.94	20.2	0.6	27.6	8.1	3
2025471	Drill Core	3.34	359	0.047	0.04	<0.17	35.30	1.3	81.2	1240.1	136	3.0	2.0	1.1	234	1.98	31.8	0.8	44.4	10.0	4
2025472	Drill Core	2.76	382	0.085	0.08	<0.17	38.40	5.4	101.0	1595.6	154	4.4	1.7	0.6	80	2.46	63.9	0.7	82.0	7.2	5
2025473	Drill Core	3.59	425	0.556	1.99	16.88	37.20	2.7	86.7	1207.1	143	3.6	2.3	0.5	104	2.42	39.6	0.6	4831.8	6.8	10
2025474	Drill Core	2.78	479	0.067	0.06	<0.17	32.70	3.6	105.6	2165.3	139	2.8	1.5	0.5	66	2.70	32.1	1.1	45.4	8.2	15
2025475	Drill Core	3.37	453	0.016	0.01	<0.17	34.27	2.8	8.5	1445.3	38	1.8	1.0	0.3	64	1.72	9.0	0.5	14.5	8.7	16
2025476	Drill Core	0.92	527	0.017	0.02	<0.17	38.92	3.0	6.5	1165.5	39	1.6	1.0	0.2	70	1.54	13.2	0.4	17.2	5.8	16
2025477	Drill Core	1.51	427	0.014	0.01	<0.17	35.87	3.5	12.7	640.8	42	1.7	0.6	0.3	45	2.39	16.7	0.6	10.9	12.2	25
2025478	Drill Core	2.96	342	0.018	0.02	<0.17	33.00	3.9	7.0	150.3	15	1.4	1.2	0.4	70	1.40	4.6	0.4	20.0	6.0	15
2025479	Drill Core	3.07	424	0.011	0.01	<0.17	36.19	1.7	46.8	556.9	10	1.1	5.0	2.9	48	1.99	5.0	0.6	6.9	8.5	9
2025480	Rock	0.23	143	<0.005	<0.01	<0.17	25.72	0.8	4.0	3.8	3	<0.1	1.8	0.5	124	1.19	0.8	0.2	<0.5	1.2	1
2025481	Drill Core	3.30	426	0.024	0.02	<0.17	33.39	4.6	13.0	305.0	15	0.5	4.0	2.5	46	2.32	10.6	1.2	44.3	13.9	12
2025482	Drill Core	2.87	460	0.019	0.02	<0.17	33.37	4.6	62.3	338.9	17	0.7	3.9	1.9	56	1.63	10.7	0.8	16.7	8.5	5
2025483	Drill Core	2.95	478	0.072	0.07	<0.17	32.53	3.4	33.2	644.4	62	1.5	1.7	0.5	63	1.48	25.6	2.2	59.0	9.2	19
2025484	Drill Core	3.34	382	0.129	0.12	<0.17	34.19	0.5	51.9	24.8	115	0.3	5.4	2.4	145	1.67	14.1	4.0	163.8	9.3	25
2025485	Drill Core	2.65	378	0.032	0.06	0.28	35.33	1.2	88.1	41.7	106	0.5	5.5	3.0	139	1.56	7.7	2.7	843.8	9.5	20
2025486	Drill Core	1.77	383	0.196	0.18	<0.17	31.40	2.1	9.3	59.3	12	0.7	1.1	0.3	61	1.63	2.7	0.7	138.6	5.9	33
2025487	Drill Core	2.03	413	0.066	0.14	1.20	26.65	4.8	18.1	146.9	44	1.2	1.2	0.3	68	1.57	5.7	1.8	501.7	8.2	21
2025488	Drill Core	2.50	421	0.079	0.10	0.60	20.00	4.1	22.2	268.9	51	1.2	1.2	0.4	73	1.20	8.5	1.5	70.3	10.1	17
2025489	Drill Core	2.06	486	0.024	0.04	0.31	35.53	2.1	19.8	163.1	83	0.3	1.2	0.4	61	1.25	12.1	1.9	20.5	14.6	27
2025490	Drill Core	2.96	425	0.006	<0.01	<0.17	35.89	1.1	29.8	11.9	16	0.1	0.7	0.2	57	0.71	2.6	0.8	2.5	11.4	20
2025491	Drill Core	2.31	541	0.016	0.01	<0.17	33.44	2.8	9.5	27.0	31	0.5	0.4	0.1	38	0.57	2.4	1.0	14.6	13.4	7



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
2025462	Drill Core	0.1	0.3	<0.1	6	0.02	0.046	14	8	0.05	433	0.003	<1	0.39	0.044	0.37	2.2	0.01	1.3	0.1	0.30
2025463	Drill Core	<0.1	0.1	<0.1	4	<0.01	0.032	14	8	0.03	763	0.001	<1	0.33	0.051	0.29	8.3	<0.01	0.8	<0.1	0.13
2025464	Drill Core	0.2	0.3	<0.1	6	0.01	0.052	15	13	0.09	326	0.002	<1	0.49	0.054	0.39	0.4	0.01	1.4	0.1	0.40
2025465	Drill Core	0.6	1.9	<0.1	8	<0.01	0.061	14	26	0.20	255	0.001	<1	0.71	0.020	0.41	0.3	0.05	1.4	0.2	0.44
2025466	Drill Core	0.5	3.9	<0.1	6	0.01	0.047	15	12	0.16	250	0.001	<1	0.68	0.031	0.40	0.2	0.04	1.1	0.2	0.31
2025467	Drill Core	0.6	0.7	<0.1	7	0.04	0.039	14	15	0.34	454	0.001	<1	0.82	0.030	0.33	0.1	0.01	1.4	0.2	0.23
2025468	Drill Core	0.5	2.6	<0.1	6	0.03	0.047	14	12	0.22	359	0.001	<1	0.72	0.028	0.37	0.2	0.05	1.2	0.2	0.29
2025469	Drill Core	0.4	0.8	<0.1	3	<0.01	0.042	15	8	0.06	241	<0.001	<1	0.38	0.058	0.31	0.1	0.02	0.9	0.1	0.33
2025470	Drill Core	0.5	1.8	<0.1	4	<0.01	0.038	15	8	0.04	312	0.001	<1	0.38	0.037	0.34	0.1	0.02	0.8	<0.1	0.21
2025471	Drill Core	0.7	2.5	<0.1	5	<0.01	0.051	17	8	0.08	471	0.001	<1	0.45	0.037	0.36	0.1	0.02	0.9	0.1	0.21
2025472	Drill Core	0.6	3.1	<0.1	6	<0.01	0.053	16	8	0.09	306	0.002	<1	0.48	0.042	0.36	0.2	0.05	1.1	0.1	0.34
2025473	Drill Core	0.7	1.7	<0.1	9	0.01	0.053	14	15	0.14	271	0.001	<1	0.57	0.037	0.39	0.2	0.04	1.5	0.2	0.37
2025474	Drill Core	0.4	1.7	0.1	5	<0.01	0.069	13	16	0.08	281	<0.001	<1	0.44	0.052	0.35	0.1	0.04	1.0	0.1	0.45
2025475	Drill Core	0.2	0.7	<0.1	3	<0.01	0.042	16	7	0.04	367	0.001	<1	0.38	0.039	0.39	0.1	0.02	0.7	0.1	0.39
2025476	Drill Core	<0.1	0.7	<0.1	2	<0.01	0.034	14	6	0.04	538	0.001	1	0.34	0.019	0.35	0.2	0.02	0.5	<0.1	0.27
2025477	Drill Core	0.2	1.0	<0.1	2	<0.01	0.049	14	5	0.03	178	0.001	<1	0.34	0.069	0.43	0.1	0.03	0.5	0.1	0.61
2025478	Drill Core	<0.1	0.9	<0.1	3	<0.01	0.016	15	7	0.04	504	0.002	1	0.36	0.050	0.34	<0.1	0.03	0.5	0.1	0.27
2025479	Drill Core	0.3	0.4	<0.1	3	<0.01	0.014	13	6	0.02	56	0.002	1	0.29	0.047	0.28	0.1	0.02	0.5	<0.1	1.54
2025480	Rock	<0.1	<0.1	<0.1	<1	<0.01	0.001	2	7	<0.01	9	0.001	1	0.05	0.003	0.01	<0.1	<0.01	<0.1	<0.1	<0.05
2025481	Drill Core	0.6	0.3	<0.1	3	<0.01	0.035	12	5	0.01	45	<0.001	<1	0.31	0.043	0.38	0.1	0.02	0.6	0.1	1.37
2025482	Drill Core	0.3	0.3	<0.1	3	<0.01	0.023	11	7	0.03	126	0.001	<1	0.30	0.037	0.33	0.1	0.02	0.8	0.1	0.90
2025483	Drill Core	0.4	0.9	<0.1	5	0.04	0.058	20	9	0.10	370	0.001	<1	0.50	0.046	0.37	0.2	0.03	1.1	0.2	0.37
2025484	Drill Core	0.4	0.3	0.1	6	0.10	0.077	18	11	0.26	313	0.002	<1	0.76	0.030	0.40	0.2	<0.01	1.5	0.2	0.29
2025485	Drill Core	0.8	0.2	<0.1	5	0.22	0.053	14	11	0.18	294	0.002	<1	0.53	0.044	0.32	0.1	0.01	1.2	0.1	0.46
2025486	Drill Core	0.2	0.2	<0.1	3	<0.01	0.019	15	8	0.03	193	0.002	<1	0.28	0.085	0.30	0.1	0.02	0.5	0.1	0.44
2025487	Drill Core	0.2	0.3	0.2	3	<0.01	0.031	22	6	0.08	431	0.001	<1	0.34	0.040	0.32	0.1	0.02	0.9	0.1	0.34
2025488	Drill Core	0.2	0.7	0.2	2	<0.01	0.023	18	5	0.13	697	0.001	<1	0.39	0.024	0.30	0.1	0.02	0.6	0.1	0.21
2025489	Drill Core	0.2	0.8	0.2	1	<0.01	0.020	30	4	0.11	1055	<0.001	<1	0.43	0.017	0.31	<0.1	0.02	0.6	<0.1	0.14
2025490	Drill Core	<0.1	0.1	0.1	<1	<0.01	0.002	15	4	0.08	1442	<0.001	<1	0.39	0.025	0.31	0.2	0.01	0.3	<0.1	0.09
2025491	Drill Core	<0.1	0.3	<0.1	<1	<0.01	0.004	25	2	0.06	736	<0.001	<1	0.35	0.022	0.27	0.1	0.02	0.4	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025462	Drill Core	2	<0.5	<0.2
2025463	Drill Core	1	<0.5	<0.2
2025464	Drill Core	2	<0.5	<0.2
2025465	Drill Core	3	1.4	<0.2
2025466	Drill Core	3	1.7	<0.2
2025467	Drill Core	3	<0.5	<0.2
2025468	Drill Core	3	1.5	<0.2
2025469	Drill Core	2	1.2	<0.2
2025470	Drill Core	2	0.6	<0.2
2025471	Drill Core	2	0.9	<0.2
2025472	Drill Core	2	1.9	<0.2
2025473	Drill Core	2	0.9	<0.2
2025474	Drill Core	2	2.3	<0.2
2025475	Drill Core	1	1.6	<0.2
2025476	Drill Core	1	0.6	<0.2
2025477	Drill Core	1	0.7	<0.2
2025478	Drill Core	1	<0.5	<0.2
2025479	Drill Core	1	0.7	<0.2
2025480	Rock	<1	<0.5	<0.2
2025481	Drill Core	1	0.8	<0.2
2025482	Drill Core	2	1.0	<0.2
2025483	Drill Core	3	1.1	<0.2
2025484	Drill Core	3	<0.5	<0.2
2025485	Drill Core	2	0.7	<0.2
2025486	Drill Core	1	<0.5	0.2
2025487	Drill Core	1	<0.5	0.3
2025488	Drill Core	1	<0.5	<0.2
2025489	Drill Core	1	<0.5	<0.2
2025490	Drill Core	1	<0.5	<0.2
2025491	Drill Core	1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025492	Drill Core	3.01	364	0.014	0.01	<0.17	32.42	10.8	15.1	39.1	22	0.2	0.6	0.2	44	0.62	1.9	1.0	16.4	10.4	27
2025493	Drill Core	2.58	420	0.010	<0.01	<0.17	34.18	8.8	24.2	48.2	30	0.4	0.4	0.2	40	0.63	2.8	1.2	6.1	12.7	41
2025494	Drill Core	3.37	530	0.009	<0.01	<0.17	35.54	7.1	12.9	102.7	64	0.3	0.7	0.2	48	0.85	3.6	1.2	6.8	15.8	46
2025495	Drill Core	2.48	477	0.026	0.02	<0.17	30.73	1.8	10.7	64.8	62	0.3	0.5	0.2	57	0.75	2.9	0.9	11.8	13.2	15
2025496	Drill Core	2.77	402	0.034	0.10	0.87	30.97	3.2	9.8	20.7	37	0.3	0.6	0.2	50	0.69	2.1	1.5	43.8	14.7	8
2025497	Drill Core	2.63	418	0.011	0.01	<0.17	38.31	1.6	7.4	82.0	39	0.3	0.6	0.2	69	0.64	1.6	1.3	8.7	18.0	4
2025498	Drill Core	3.09	516	0.006	<0.01	<0.17	35.41	0.9	9.3	84.1	75	0.2	1.0	1.6	243	0.76	2.6	1.1	3.6	15.3	10
2025499	Drill Core	2.46	477	0.015	0.02	<0.17	34.49	0.7	12.1	66.8	47	0.4	0.5	0.3	104	0.59	1.5	1.3	15.2	14.6	12
2025500	Rock Pulp	0.12	79	7.063				9.1	177.6	18.8	74	0.8	13.1	11.0	578	4.85	13.6	0.8	7349.2	3.0	74
2025501	Drill Core	2.09	433	0.009	0.01	<0.17	38.66	0.7	7.6	16.3	19	0.2	0.6	0.2	58	0.52	1.4	1.2	5.7	13.8	15



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025492	Drill Core	<0.1	0.2	<0.1	<1	<0.01	0.003	19	3	0.05	1361	<0.001	<1	0.35	0.040	0.27	0.1	0.02	0.4	<0.1	0.07
2025493	Drill Core	<0.1	0.3	<0.1	<1	<0.01	0.003	18	3	0.07	1211	<0.001	1	0.39	0.031	0.28	<0.1	0.02	0.5	<0.1	0.12
2025494	Drill Core	<0.1	0.3	<0.1	<1	<0.01	0.004	21	3	0.05	2107	<0.001	<1	0.31	0.038	0.22	0.1	0.02	0.5	<0.1	0.07
2025495	Drill Core	<0.1	0.3	<0.1	<1	<0.01	0.004	24	3	0.09	1261	<0.001	<1	0.41	0.023	0.30	0.1	<0.01	0.7	<0.1	0.05
2025496	Drill Core	<0.1	0.2	<0.1	<1	<0.01	0.003	22	3	0.07	806	<0.001	1	0.37	0.032	0.28	0.1	0.01	0.6	<0.1	0.09
2025497	Drill Core	<0.1	0.2	<0.1	<1	<0.01	0.004	31	3	0.12	293	<0.001	<1	0.38	0.029	0.28	0.4	0.02	0.6	<0.1	<0.05
2025498	Drill Core	0.2	0.4	<0.1	<1	<0.01	0.004	20	4	0.31	884	<0.001	<1	0.51	0.005	0.29	0.3	0.02	0.7	<0.1	<0.05
2025499	Drill Core	<0.1	0.7	<0.1	<1	<0.01	0.006	33	3	0.19	842	<0.001	<1	0.45	0.029	0.31	0.4	0.02	0.6	<0.1	<0.05
2025500	Rock Pulp	0.1	4.0	0.5	111	0.97	0.071	7	18	0.85	118	0.127	2	1.80	0.185	0.23	3.9	0.23	3.8	<0.1	<0.05
2025501	Drill Core	<0.1	0.7	<0.1	<1	<0.01	0.004	32	3	0.08	1157	<0.001	1	0.37	0.020	0.28	0.2	<0.01	0.5	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000062.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025492	Drill Core	1	<0.5	<0.2
2025493	Drill Core	1	<0.5	<0.2
2025494	Drill Core	1	<0.5	<0.2
2025495	Drill Core	1	<0.5	<0.2
2025496	Drill Core	1	<0.5	<0.2
2025497	Drill Core	1	<0.5	<0.2
2025498	Drill Core	1	<0.5	<0.2
2025499	Drill Core	1	<0.5	<0.2
2025500	Rock Pulp	5	<0.5	<0.2
2025501	Drill Core	1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000062.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2025305	Drill Core	3.06	407	1.642	2.99	23.76	24.79	0.3	13.5	4.1	118	1.1	11.5	9.9	843	2.75	2.9	0.9	2144.0	7.3	71
REP 2025305	QC							0.3	13.8	4.2	120	2.7	11.6	10.1	833	2.75	3.0	0.9	12148.7	7.3	76
2025322	Drill Core	3.05	460	0.084	0.10	0.25	36.53	2.1	17.3	3.4	50	0.1	12.6	8.1	502	1.97	0.7	1.7	56.1	8.2	59
REP 2025322	QC			0.096																	
2025333	Drill Core	2.14	454	0.029	0.03	<0.17	28.57	0.6	18.8	34.7	112	0.3	6.6	4.0	67	0.89	14.5	7.2	26.9	13.6	21
REP 2025333	QC							0.6	19.0	34.4	114	0.3	6.7	3.9	70	0.87	14.9	7.1	25.9	13.6	21
2025342	Drill Core	2.59	423	<0.005	<0.01	<0.17	37.88	4.3	6.6	44.4	49	0.2	1.2	0.8	103	0.92	2.8	4.7	1.3	22.3	8
REP 2025342	QC			<0.005																	
2025459	Drill Core	2.76	498	0.015	0.01	<0.17	35.40	0.5	52.0	46.7	132	18.4	10.7	3.5	263	2.14	4.7	1.0	63.7	7.8	21
REP 2025459	QC							0.5	51.1	46.9	126	18.0	10.7	3.5	259	2.10	4.7	1.0	27.2	7.8	21
2025489	Drill Core	2.06	486	0.024	0.04	0.31	35.53	2.1	19.8	163.1	83	0.3	1.2	0.4	61	1.25	12.1	1.9	20.5	14.6	27
REP 2025489	QC			0.025				2.1	20.2	171.5	83	0.3	1.2	0.3	64	1.26	12.8	1.9	22.6	14.4	27
Core Reject Duplicates																					
1814104	Drill Core	1.61	411	4.034	6.32	41.32	25.24	1.0	10.2	6.2	51	3.1	8.1	4.8	344	1.61	5.6	1.0	11141.8	7.0	38
DUP 1814104	QC		417	3.647	11.50	92.63	36.79	1.0	10.2	6.1	50	2.9	8.1	4.5	335	1.62	5.4	1.0	10594.4	7.2	38
2025472	Drill Core	2.76	382	0.085	0.08	<0.17	38.40	5.4	101.0	1595.6	154	4.4	1.7	0.6	80	2.46	63.9	0.7	82.0	7.2	5
DUP 2025472	QC		446	0.085	0.08	<0.17	34.25	5.3	103.8	1563.9	152	4.5	1.8	0.6	78	2.43	63.7	0.7	81.2	7.0	5
Reference Materials																					
STD BVGEO01	Standard							10.6	4152.0	183.8	1707	2.5	167.5	24.9	717	3.79	115.0	3.6	216.2	13.9	57
STD BVGEO01	Standard							11.2	4360.8	192.8	1696	2.4	157.7	24.8	690	3.67	106.3	3.9	204.2	14.5	55
STD DS11	Standard							14.1	143.2	135.0	342	1.7	75.1	12.4	1031	3.07	42.3	2.5	72.7	7.8	67
STD DS11	Standard							15.4	141.8	136.0	335	1.6	80.5	13.6	1016	3.11	41.7	2.6	71.5	7.8	67
STD OREAS262	Standard							0.7	113.8	55.1	145	0.5	62.0	26.4	520	3.20	34.8	1.1	58.9	8.7	33
STD OREAS262	Standard							0.7	114.0	54.6	148	0.4	59.6	26.2	536	3.36	35.0	1.1	55.5	9.2	35
STD OREAS262	Standard							0.7	105.2	59.4	145	0.4	64.2	27.4	504	3.25	35.2	1.3	68.3	9.7	36
STD OREAS262	Standard							0.7	108.6	60.2	145	0.4	65.3	27.6	518	3.27	33.4	1.3	66.2	9.6	35
STD OXB130	Standard			0.123																	
STD OXB130	Standard			0.120																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 23, 2020

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000062.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2025305	Drill Core	2.0	0.4	<0.1	16	2.10	0.062	16	23	0.85	79	0.003	1	1.22	0.031	0.35	0.2	0.02	3.0	0.1	1.28
REP 2025305	QC	2.0	0.4	<0.1	17	2.12	0.060	16	22	0.85	72	0.003	2	1.22	0.030	0.36	0.2	0.03	2.9	0.1	1.32
2025322	Drill Core	0.3	0.3	<0.1	6	1.85	0.048	11	8	0.80	141	0.003	<1	0.87	0.019	0.30	0.1	0.01	1.6	<0.1	0.88
REP 2025322	QC																				
2025333	Drill Core	0.4	0.9	<0.1	1	0.07	0.027	24	5	0.08	293	<0.001	<1	0.50	0.003	0.29	0.2	0.01	0.8	0.1	0.40
REP 2025333	QC	0.4	0.9	<0.1	1	0.07	0.027	24	5	0.08	335	<0.001	<1	0.51	0.003	0.29	0.2	0.01	0.8	<0.1	0.42
2025342	Drill Core	1.4	0.2	0.2	<1	0.07	0.002	23	5	0.18	273	<0.001	1	0.55	0.019	0.38	0.2	0.02	0.5	0.2	0.41
REP 2025342	QC																				
2025459	Drill Core	0.6	0.9	<0.1	14	0.16	0.056	17	18	0.34	499	0.008	<1	0.85	0.032	0.30	29.3	<0.01	2.1	0.1	0.07
REP 2025459	QC	0.6	0.9	<0.1	13	0.16	0.058	17	17	0.33	488	0.008	<1	0.83	0.031	0.31	28.3	<0.01	2.2	0.1	0.08
2025489	Drill Core	0.2	0.8	0.2	1	<0.01	0.020	30	4	0.11	1055	<0.001	<1	0.43	0.017	0.31	<0.1	0.02	0.6	<0.1	0.14
REP 2025489	QC	0.2	0.8	0.2	1	<0.01	0.020	29	4	0.11	1081	<0.001	<1	0.43	0.017	0.31	0.1	0.01	0.5	<0.1	0.14
Core Reject Duplicates																					
1814104	Drill Core	0.4	0.5	<0.1	5	0.66	0.032	16	9	0.39	224	0.005	1	0.70	0.021	0.35	0.1	<0.01	1.9	0.1	<0.05
DUP 1814104	QC	0.4	0.5	0.1	5	0.67	0.033	16	9	0.41	229	0.006	<1	0.74	0.021	0.37	0.2	0.01	1.8	0.1	<0.05
2025472	Drill Core	0.6	3.1	<0.1	6	<0.01	0.053	16	8	0.09	306	0.002	<1	0.48	0.042	0.36	0.2	0.05	1.1	0.1	0.34
DUP 2025472	QC	0.6	3.1	<0.1	6	<0.01	0.055	15	8	0.09	294	0.002	<1	0.46	0.040	0.35	0.2	0.04	1.0	0.1	0.33
Reference Materials																					
STD BVGEO01	Standard	5.8	2.9	23.4	72	1.32	0.074	26	203	1.32	247	0.244	4	2.32	0.189	0.89	4.9	0.10	5.9	0.6	0.67
STD BVGEO01	Standard	6.1	3.3	24.4	74	1.29	0.070	27	193	1.23	250	0.238	3	2.23	0.189	0.87	5.1	0.09	5.7	0.6	0.64
STD DS11	Standard	2.4	7.8	11.2	52	1.08	0.063	17	60	0.84	372	0.093	7	1.18	0.074	0.41	3.0	0.30	3.0	5.0	0.26
STD DS11	Standard	2.3	8.2	11.6	51	1.06	0.068	19	58	0.84	362	0.089	6	1.17	0.071	0.41	2.9	0.24	3.2	5.0	0.29
STD OREAS262	Standard	0.6	4.6	1.0	22	2.85	0.035	15	43	1.13	245	0.002	4	1.29	0.067	0.31	0.2	0.16	2.9	0.4	0.26
STD OREAS262	Standard	0.6	3.8	0.9	22	3.00	0.036	16	43	1.18	244	0.003	4	1.38	0.071	0.32	0.1	0.16	3.5	0.4	0.26
STD OREAS262	Standard	0.6	5.1	1.1	23	2.88	0.039	17	42	1.11	253	0.002	3	1.32	0.066	0.32	0.2	0.15	3.3	0.5	0.26
STD OREAS262	Standard	0.6	5.2	1.0	22	2.89	0.039	17	43	1.12	244	0.002	3	1.32	0.067	0.32	0.2	0.17	3.2	0.5	0.25
STD OXB130	Standard																				
STD OXB130	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000062.1

		Method	AQ201	AQ201	AQ201
		Analyte	Ga	Se	Te
		Unit	ppm	ppm	ppm
		MDL	1	0.5	0.2
Pulp Duplicates					
2025305	Drill Core	4	<0.5	<0.2	
REP 2025305	QC	4	<0.5	<0.2	
2025322	Drill Core	2	<0.5	<0.2	
REP 2025322	QC				
2025333	Drill Core	1	<0.5	<0.2	
REP 2025333	QC	1	<0.5	<0.2	
2025342	Drill Core	2	<0.5	<0.2	
REP 2025342	QC				
2025459	Drill Core	3	<0.5	<0.2	
REP 2025459	QC	3	<0.5	<0.2	
2025489	Drill Core	1	<0.5	<0.2	
REP 2025489	QC	1	<0.5	<0.2	
Core Reject Duplicates					
1814104	Drill Core	2	<0.5	<0.2	
DUP 1814104	QC	2	<0.5	<0.2	
2025472	Drill Core	2	1.9	<0.2	
DUP 2025472	QC	2	1.8	0.2	
Reference Materials					
STD BVGEO01	Standard	7	4.5	0.9	
STD BVGEO01	Standard	7	4.7	1.0	
STD DS11	Standard	5	2.1	4.8	
STD DS11	Standard	5	2.2	4.4	
STD OREAS262	Standard	4	<0.5	0.2	
STD OREAS262	Standard	4	<0.5	0.2	
STD OREAS262	Standard	4	<0.5	0.2	
STD OREAS262	Standard	4	<0.5	0.2	
STD OXB130	Standard				
STD OXB130	Standard				



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: July 23, 2020

Part: 1 of 3

WHI20000062.1

[illegible]



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000062.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05
STD OXB130	Standard																			
STD OXG141	Standard																			
STD OXG141	Standard																			
STD OXG141	Standard																			
STD OXN155	Standard																			
STD OXN155	Standard																			
STD OXN155	Standard																			
STD OXP116	Standard																			
STD OXP116	Standard																			
STD OXP116	Standard																			
STD OXP116	Standard																			
STD OXP154	Standard																			
STD OXP154	Standard																			
STD OXP154	Standard																			
STD OXP154	Standard																			
STD OXP116 Expected																				
STD OXP154 Expected																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000062.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP116 Expected				
STD OXP154 Expected				
STD DS11 Expected		5.1	2.2	4.56
STD BVGE001 Expected		7.37	4.84	1.02
STD OREAS262 Expected		4.1	0.4	0.23
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000062.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.008																	
BLK	Blank			0.007																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.3	<1
BLK	Blank							<0.1	<0.1	0.2	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		434	0.006	<0.01	<0.17	29.39	1.0	2.0	1.1	29	<0.1	1.2	3.5	514	2.11	1.2	0.5	1.2	2.1	21
ROCK-WHI	Prep Blank		457	<0.005	<0.01	<0.17	30.12	1.2	4.8	1.5	32	<0.1	2.0	4.3	548	2.20	1.4	0.4	0.7	2.2	25



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000062.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	0.1	<0.1	23	0.67	0.037	7	5	0.46	64	0.080	2	0.98	0.133	0.14	<0.1	<0.01	2.7	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	28	0.71	0.037	7	7	0.50	71	0.085	3	1.06	0.140	0.15	0.1	0.01	3.0	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 23, 2020

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000062.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2