



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 19, 2020
Analysis Start: July 17, 2020
Report Date: August 01, 2020
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI20000063.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-08
P.O. Number
Number of Samples: 68

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	65	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			VAN
SLBHP	3	Sort, label and box pulps			WHI
FS631	68	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	68	Analysis sample split/packet			VAN
Split -150	68	Analysis sample split/packet			VAN
EN002	68	Environmental disposal charge-Fire assay lead waste			VAN
FS631	65	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	68	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	68	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000063.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201				
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
2025582	Drill Core				3.23	447	<0.005	<0.01	<0.17	32.43	1.4	20.9	25.1	88	0.4	15.4	8.0	354	2.24	7.1	1.4	3.2	9.1	16	
2025583	Drill Core				3.10	411	<0.005	<0.01	<0.17	26.76	0.8	15.6	40.8	99	0.3	10.0	7.0	376	1.94	2.4	1.5	1.6	10.9	34	
2025584	Drill Core				3.48	455	<0.005	<0.01	<0.17	22.67	0.4	18.2	27.2	48	0.4	11.4	5.4	306	1.47	3.3	1.2	1.2	12.1	24	
2025585	Drill Core				3.05	412	<0.005	<0.01	<0.17	25.54	0.6	18.2	24.7	75	0.3	12.4	7.3	461	2.32	1.4	1.2	0.7	10.4	28	
2025586	Drill Core				3.08	404	<0.005	<0.01	<0.17	31.31	0.8	18.0	15.2	57	0.2	11.6	7.5	450	2.24	1.9	1.4	<0.5	11.6	27	
2025587	Drill Core				2.79	322	<0.005	<0.01	<0.17	28.93	1.4	21.5	23.5	44	0.3	10.7	7.6	477	2.03	2.1	1.2	<0.5	9.8	32	
2025588	Drill Core				3.22	419	<0.005	<0.01	<0.17	25.79	0.5	19.5	16.5	60	0.2	12.3	7.4	592	2.30	2.0	1.3	1.0	10.8	29	
2025589	Drill Core				3.04	451	<0.005	<0.01	<0.17	36.27	0.5	13.5	6.3	50	0.1	10.8	7.0	513	2.13	1.2	1.2	<0.5	11.3	29	
2025590	Drill Core				2.25	369	<0.005	<0.01	<0.17	26.61	0.6	12.7	14.9	45	0.2	10.8	6.9	501	2.18	0.8	1.0	<0.5	10.9	42	
2025591	Drill Core				3.28	401	<0.005	<0.01	<0.17	32.93	0.9	12.6	17.9	47	0.1	10.3	6.7	527	2.25	2.8	0.8	2.8	10.3	39	
2025592	Drill Core				3.82	413	<0.005	<0.01	<0.17	34.28	0.4	20.4	17.4	55	0.5	14.0	6.8	419	2.15	6.4	1.0	1.8	10.0	27	
2025593	Drill Core				3.25	472	<0.005	<0.01	<0.17	34.55	0.7	18.4	19.7	72	0.3	12.0	8.5	405	2.12	2.4	1.5	1.1	10.5	48	
2025594	Drill Core				3.12	374	<0.005	<0.01	<0.17	32.53	1.2	25.7	27.1	86	0.5	15.3	9.1	427	2.31	1.4	1.7	0.8	12.6	47	
2025595	Drill Core				3.33	425	0.008	0.01	<0.17	35.58	0.5	26.3	39.5	109	0.4	11.9	8.6	326	1.95	1.6	1.5	<0.5	8.3	64	
2025596	Drill Core				3.29	452	<0.005	<0.01	<0.17	26.06	1.0	151.9	595.9	320	3.2	11.3	7.8	324	2.03	1.1	1.4	<0.5	6.8	47	
2025597	Drill Core				3.27	440	<0.005	<0.01	<0.17	34.17	0.9	184.3	943.3	567	3.7	9.0	7.2	317	1.90	1.0	1.7	0.7	8.9	55	
2025598	Drill Core				1.58	378	<0.005	<0.01	<0.17	31.09	0.7	99.1	959.7	601	1.7	9.6	7.9	299	1.89	1.1	1.6	0.6	10.3	62	
2025599	Drill Core				2.74	450	<0.005	<0.01	<0.17	30.95	1.5	76.2	382.9	422	1.1	10.0	8.5	281	1.99	1.7	1.5	1.5	8.2	49	
2025600	Rock Pulp				0.12	74	7.244				8.7	167.9	18.3	75	0.8	14.2	11.4	563	4.55	11.6	0.7	7449.3	2.4	52	
2025601	Drill Core				3.79	485	<0.005	<0.01	<0.17	31.65	1.2	46.6	184.2	288	0.7	13.2	8.1	371	2.28	1.8	0.9	<0.5	5.3	34	
2025602	Drill Core				3.40	403	<0.005	<0.01	<0.17	31.08	1.1	20.5	25.5	102	0.3	13.0	8.1	268	1.98	2.2	0.7	<0.5	3.4	29	
2025603	Drill Core				3.03	415	<0.005	<0.01	<0.17	29.21	1.0	19.2	8.5	51	0.3	9.4	7.1	186	1.65	4.0	1.0	<0.5	4.0	21	
2025604	Drill Core				3.55	502	<0.005	<0.01	<0.17	38.04	1.1	19.2	7.7	68	0.3	13.5	8.4	238	2.02	4.9	1.0	1.1	5.0	41	
2025605	Drill Core				3.55	460	<0.005	<0.01	<0.17	36.10	0.7	19.2	10.3	51	0.2	13.4	8.5	124	1.40	8.1	0.9	0.6	3.2	38	
2025606	Drill Core				3.50	508	<0.005	<0.01	<0.17	34.55	0.9	21.0	12.3	49	0.3	9.8	7.3	180	1.62	3.4	1.1	<0.5	5.1	28	
2025607	Drill Core				2.75	376	<0.005	<0.01	<0.17	31.86	0.8	14.7	14.5	50	0.2	7.4	6.0	218	1.41	3.2	1.2	4.2	6.8	48	
2025608	Drill Core				3.34	373	0.005	<0.01	<0.17	29.39	0.3	10.6	32.2	49	0.2	2.3	2.0	215	1.06	1.3	1.7	3.7	11.2	43	
2025609	Drill Core				3.14	369	<0.005	<0.01	<0.17	37.07	0.9	24.2	12.9	67	0.4	14.7	8.7	250	2.26	3.2	1.8	<0.5	9.0	45	
2025610	Drill Core				3.06	451	<0.005	<0.01	<0.17	27.30	0.8	12.6	22.1	36	0.3	6.9	4.3	225	1.35	1.3	1.8	1.9	13.1	80	
2025611	Drill Core				3.16	395	<0.005	<0.01	<0.17	31.22	1.1	20.3	10.9	67	0.2	14.4	9.9	299	2.23	4.9	2.3	1.4	11.0	72	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000063.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025582	Drill Core				0.5	0.3	0.3	18	0.39	0.054	22	23	0.80	299	0.082	<1	1.19	0.079	0.35	0.5	<0.01	3.0	0.1	0.09
2025583	Drill Core				0.8	0.5	0.1	17	0.62	0.055	23	22	0.90	281	0.064	1	1.32	0.084	0.54	0.3	<0.01	4.1	0.3	<0.05
2025584	Drill Core				0.3	0.5	0.5	12	0.37	0.051	26	15	0.75	299	0.068	1	1.13	0.035	0.66	0.4	<0.01	2.9	0.3	<0.05
2025585	Drill Core				0.2	0.5	0.1	23	0.49	0.055	23	25	1.14	228	0.151	<1	1.46	0.062	0.62	0.8	<0.01	5.7	0.3	<0.05
2025586	Drill Core				0.2	0.5	<0.1	17	0.46	0.056	25	19	0.98	264	0.141	<1	1.35	0.040	0.64	0.9	<0.01	4.7	0.3	<0.05
2025587	Drill Core				0.3	0.6	0.1	15	0.54	0.057	22	17	0.84	260	0.118	1	1.30	0.053	0.59	1.0	<0.01	4.0	0.2	<0.05
2025588	Drill Core				0.4	0.5	<0.1	18	0.46	0.056	28	20	0.98	257	0.106	<1	1.45	0.057	0.60	0.9	<0.01	5.0	0.3	<0.05
2025589	Drill Core				0.2	0.4	<0.1	17	0.40	0.056	33	18	0.92	281	0.037	<1	1.46	0.049	0.64	0.3	0.01	4.4	0.3	<0.05
2025590	Drill Core				0.2	0.5	<0.1	15	0.66	0.051	30	18	0.90	249	0.030	<1	1.37	0.053	0.56	0.2	<0.01	4.4	0.2	<0.05
2025591	Drill Core				0.3	0.5	0.1	14	0.65	0.054	29	16	0.91	215	0.007	<1	1.36	0.027	0.44	0.1	<0.01	3.3	0.2	<0.05
2025592	Drill Core				0.3	0.8	0.6	19	0.54	0.054	26	20	0.73	222	0.033	<1	1.19	0.039	0.32	0.3	<0.01	3.5	0.1	<0.05
2025593	Drill Core				0.3	0.9	0.2	24	0.93	0.060	22	31	0.91	219	0.113	1	1.27	0.059	0.44	1.1	0.01	5.6	0.3	<0.05
2025594	Drill Core				0.4	0.8	0.1	25	0.85	0.068	23	32	1.06	230	0.090	<1	1.49	0.061	0.47	0.8	<0.01	6.0	0.3	<0.05
2025595	Drill Core				0.4	0.9	0.1	20	0.87	0.067	14	26	0.87	228	0.112	1	1.21	0.051	0.45	0.6	<0.01	4.1	0.3	<0.05
2025596	Drill Core				9.4	0.8	<0.1	19	0.75	0.064	10	25	1.05	270	0.107	<1	1.52	0.055	0.42	0.4	<0.01	4.4	0.2	<0.05
2025597	Drill Core				4.5	1.3	<0.1	16	0.94	0.060	15	20	0.84	274	0.096	<1	1.42	0.054	0.40	0.5	0.01	4.5	0.2	<0.05
2025598	Drill Core				3.6	1.4	0.3	16	0.96	0.064	19	22	0.86	273	0.089	2	1.37	0.050	0.38	0.8	0.02	5.0	0.2	<0.05
2025599	Drill Core				2.8	1.1	<0.1	17	0.84	0.064	15	22	0.86	286	0.105	2	1.47	0.039	0.42	0.8	<0.01	4.3	0.2	<0.05
2025600	Rock Pulp				0.1	4.4	0.5	104	0.81	0.058	7	18	0.81	107	0.090	2	1.56	0.155	0.21	3.6	0.20	2.8	<0.1	<0.05
2025601	Drill Core				2.2	0.6	<0.1	17	0.67	0.059	8	26	1.35	206	0.086	1	1.70	0.034	0.46	0.4	<0.01	3.2	0.4	<0.05
2025602	Drill Core				4.5	0.4	<0.1	16	0.56	0.061	5	24	0.86	199	0.086	2	1.15	0.053	0.39	0.6	<0.01	2.4	0.3	0.07
2025603	Drill Core				0.6	0.3	0.1	14	0.46	0.062	7	18	0.56	267	0.083	<1	0.84	0.035	0.38	0.1	<0.01	2.1	0.2	0.16
2025604	Drill Core				1.7	0.4	<0.1	19	0.66	0.071	10	24	0.76	375	0.118	<1	1.27	0.076	0.44	0.1	<0.01	3.1	0.2	0.09
2025605	Drill Core				0.1	0.4	<0.1	14	0.52	0.070	6	17	0.50	351	0.123	<1	1.04	0.080	0.44	0.1	<0.01	1.9	0.2	0.10
2025606	Drill Core				0.2	0.3	<0.1	15	0.53	0.067	10	18	0.52	578	0.122	<1	0.94	0.076	0.52	0.1	<0.01	2.2	0.2	0.17
2025607	Drill Core				0.5	0.5	<0.1	14	0.93	0.056	15	17	0.45	437	0.091	<1	0.98	0.068	0.50	0.2	<0.01	3.5	0.2	0.07
2025608	Drill Core				0.5	0.8	0.2	6	0.92	0.020	28	8	0.28	387	0.017	<1	0.89	0.046	0.38	0.2	<0.01	3.6	0.1	<0.05
2025609	Drill Core				0.3	0.9	<0.1	26	0.71	0.072	18	30	0.90	309	0.089	<1	1.20	0.062	0.63	0.5	<0.01	6.7	0.4	0.12
2025610	Drill Core				0.3	0.6	0.2	12	1.21	0.043	32	12	0.43	435	0.043	<1	0.88	0.047	0.61	0.1	<0.01	4.0	0.2	0.08
2025611	Drill Core				0.3	0.6	<0.1	24	1.05	0.073	28	26	0.89	439	0.067	<1	1.23	0.065	0.54	0.3	<0.01	6.0	0.2	0.19



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000063.1

	Method	AQ201	AQ201	AQ201
	Analyte	Ga	Se	Te
	Unit	ppm	ppm	ppm
	MDL	1	0.5	0.2
2025582	Drill Core	4	<0.5	<0.2
2025583	Drill Core	5	<0.5	<0.2
2025584	Drill Core	4	<0.5	<0.2
2025585	Drill Core	6	<0.5	<0.2
2025586	Drill Core	5	<0.5	<0.2
2025587	Drill Core	5	<0.5	<0.2
2025588	Drill Core	6	<0.5	<0.2
2025589	Drill Core	6	<0.5	<0.2
2025590	Drill Core	5	<0.5	<0.2
2025591	Drill Core	5	<0.5	<0.2
2025592	Drill Core	5	<0.5	<0.2
2025593	Drill Core	6	<0.5	<0.2
2025594	Drill Core	6	<0.5	<0.2
2025595	Drill Core	5	<0.5	<0.2
2025596	Drill Core	5	3.4	<0.2
2025597	Drill Core	5	2.7	<0.2
2025598	Drill Core	6	1.8	<0.2
2025599	Drill Core	5	<0.5	<0.2
2025600	Rock Pulp	5	<0.5	<0.2
2025601	Drill Core	5	<0.5	<0.2
2025602	Drill Core	4	0.5	<0.2
2025603	Drill Core	3	0.8	<0.2
2025604	Drill Core	4	<0.5	<0.2
2025605	Drill Core	3	0.8	<0.2
2025606	Drill Core	3	0.7	<0.2
2025607	Drill Core	3	<0.5	<0.2
2025608	Drill Core	4	<0.5	<0.2
2025609	Drill Core	4	<0.5	<0.2
2025610	Drill Core	3	<0.5	<0.2
2025611	Drill Core	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000063.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025612	Drill Core				3.33	480	<0.005	<0.01	<0.17	30.42	0.7	20.2	24.5	61	0.3	11.6	8.4	267	1.98	2.4	2.1	0.5	11.5	77
2025613	Drill Core				3.11	455	<0.005	<0.01	<0.17	32.82	1.1	17.9	18.5	67	0.3	12.5	8.5	263	2.20	2.6	1.6	2.2	9.9	52
2025614	Drill Core				2.77	377	<0.005	<0.01	<0.17	28.71	0.5	19.0	12.0	61	0.3	13.5	9.0	269	2.28	3.7	1.5	3.6	9.4	68
2025615	Drill Core				3.29	439	<0.005	<0.01	<0.17	20.53	1.3	20.6	16.8	55	0.3	13.1	8.3	210	1.86	4.4	2.7	2.0	10.0	63
2025616	Drill Core				2.61	379	<0.005	<0.01	<0.17	26.88	1.0	22.9	13.0	56	0.3	12.7	8.9	299	1.97	4.9	1.8	2.2	10.5	113
2025617	Drill Core				2.96	370	<0.005	<0.01	<0.17	29.80	0.2	17.2	20.7	66	0.3	11.7	8.2	309	2.15	2.4	1.7	<0.5	9.1	102
2025618	Drill Core				2.52	357	<0.005	<0.01	<0.17	35.51	0.3	7.1	20.0	44	0.3	3.5	3.2	272	1.36	1.3	1.6	<0.5	9.2	117
2025619	Drill Core				1.80	497	0.009	<0.01	<0.17	33.70	1.2	17.4	18.5	55	0.4	7.5	5.6	236	1.62	1.7	2.8	7.0	12.1	73
2025620	Rock Pulp				0.12	84	0.634				6.7	110.3	86.0	146	0.7	12.1	5.0	597	2.52	40.8	0.4	547.7	2.2	34
2025621	Drill Core				1.58	365	0.019	0.02	<0.17	38.67	0.2	10.8	21.5	23	0.3	1.3	1.4	107	0.83	0.5	1.5	23.6	14.4	17
2025622	Drill Core				1.41	468	0.032	0.15	1.50	37.22	0.1	8.0	34.2	16	0.5	1.3	1.0	87	0.67	0.8	1.1	67.3	13.2	6
2025623	Drill Core				3.64	491	0.480	0.47	0.42	38.22	0.4	15.1	12.2	40	0.9	7.1	6.3	263	1.81	9.3	5.7	480.3	9.7	70
2025624	Drill Core				1.31	404	0.638	0.64	0.70	28.55	1.1	75.8	28.5	37	3.1	9.9	7.1	292	1.97	7.6	1.4	730.2	4.3	23
2025625	Drill Core				2.13	489	0.238	0.23	<0.17	31.22	0.8	17.5	9.0	49	0.6	12.7	9.7	413	2.54	10.2	5.7	244.5	10.3	102
2025626	Drill Core				1.89	394	0.130	0.13	<0.17	30.93	0.8	21.4	69.5	55	0.7	12.7	8.1	324	2.22	8.8	1.4	152.6	8.2	59
2025627	Drill Core				3.21	484	0.007	<0.01	<0.17	31.02	1.2	25.8	22.1	78	0.4	14.9	8.6	287	2.49	5.4	2.4	<0.5	7.8	43
2025628	Drill Core				3.23	459	<0.005	<0.01	<0.17	27.65	2.0	23.0	8.4	71	0.3	17.5	9.1	361	2.62	6.1	2.9	1.1	9.1	49
2025629	Drill Core				3.19	465	<0.005	<0.01	<0.17	20.64	1.5	24.5	21.7	85	0.4	21.4	9.9	417	2.58	7.7	1.2	<0.5	5.4	52
2025630	Drill Core				1.64	443	<0.005	<0.01	<0.17	27.93	1.5	24.8	21.3	77	0.3	16.3	10.3	310	2.30	7.4	2.7	<0.5	6.9	25
2025631	Drill Core				3.38	507	0.016	0.02	<0.17	28.68	1.4	28.3	18.8	110	0.4	13.0	7.7	506	2.49	9.5	3.1	0.6	7.5	91
2025632	Drill Core				3.30	456	<0.005	<0.01	<0.17	36.59	0.8	22.1	43.4	81	0.5	12.1	7.1	362	2.05	7.3	1.6	2.5	10.3	57
2025633	Drill Core				3.35	434	0.013	0.01	<0.17	31.02	1.1	23.0	7.5	26	0.5	9.4	4.7	168	1.46	8.2	1.6	3.8	11.7	28
2025634	Drill Core				3.28	428	0.013	0.01	<0.17	38.24	0.9	20.2	27.1	44	0.5	11.7	4.7	329	1.51	5.4	1.6	1.1	11.4	72
2025635	Drill Core				3.22	514	<0.005	<0.01	<0.17	31.92	1.1	22.1	15.3	55	0.6	17.3	6.1	344	1.85	7.5	1.8	2.2	11.0	79
2025636	Drill Core				3.07	497	0.005	<0.01	<0.17	35.00	1.3	17.4	17.3	71	0.5	22.5	9.3	381	1.86	13.1	1.1	10.3	6.9	44
2025637	Drill Core				2.95	433	<0.005	<0.01	<0.17	32.76	1.0	22.6	3.9	58	0.3	24.8	7.3	233	1.81	24.7	0.9	2.1	4.5	30
2025638	Drill Core				3.51	502	<0.005	<0.01	<0.17	37.81	2.3	26.0	13.7	66	0.4	25.3	8.4	244	2.05	72.9	1.3	<0.5	6.2	34
2025639	Drill Core				2.08	486	<0.005	<0.01	<0.17	26.88	2.4	36.0	32.5	88	0.4	26.2	8.7	309	2.48	43.4	2.2	0.8	5.9	49
2025640	Rock Pulp				0.13	74	<0.005				4.0	20.9	0.9	31	<0.1	7.2	4.1	557	2.34	1.3	0.4	<0.5	2.0	29
2025641	Drill Core				1.48	389	<0.005	<0.01	<0.17	29.96	1.2	21.5	12.2	39	0.3	10.0	5.3	214	1.59	15.7	1.5	1.5	9.1	31



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000063.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025612	Drill Core				0.4	0.8	0.2	20	1.15	0.064	28	24	0.73	405	0.063	<1	1.12	0.062	0.51	0.3	<0.01	6.0	0.2	0.23
2025613	Drill Core				0.3	0.6	0.1	23	0.69	0.062	27	27	0.89	391	0.052	<1	1.30	0.065	0.60	0.2	<0.01	6.9	0.2	0.16
2025614	Drill Core				0.2	0.6	<0.1	25	0.70	0.067	23	29	0.89	394	0.048	<1	1.21	0.071	0.55	0.2	<0.01	5.4	0.2	0.20
2025615	Drill Core				0.2	0.6	<0.1	21	0.67	0.069	21	22	0.81	474	0.059	1	1.13	0.065	0.71	0.2	<0.01	4.0	0.3	0.23
2025616	Drill Core				0.2	0.6	<0.1	19	1.09	0.070	18	18	0.78	413	0.051	<1	1.05	0.064	0.78	0.1	<0.01	3.9	0.3	0.28
2025617	Drill Core				0.3	1.0	<0.1	24	1.08	0.062	17	27	1.07	432	0.078	<1	1.15	0.072	0.64	0.3	<0.01	5.4	0.3	0.43
2025618	Drill Core				0.3	1.4	0.2	11	1.48	0.029	26	16	0.42	2164	0.040	<1	0.89	0.053	0.42	0.3	<0.01	3.5	0.2	0.08
2025619	Drill Core				0.4	0.9	0.1	16	1.01	0.046	34	17	0.53	1113	0.023	<1	1.05	0.063	0.47	0.3	0.01	4.3	0.1	0.25
2025620	Rock Pulp				0.6	2.8	0.1	29	0.82	0.036	6	25	0.51	86	0.076	6	1.23	0.148	0.14	4.6	0.14	3.0	0.2	0.09
2025621	Drill Core				0.1	0.4	0.3	3	0.26	0.015	43	5	0.15	439	0.004	<1	0.66	0.093	0.42	0.1	0.03	1.8	0.1	<0.05
2025622	Drill Core				<0.1	0.5	0.5	2	0.11	0.011	41	4	0.11	584	0.003	<1	0.55	0.082	0.37	0.1	0.04	1.3	0.1	<0.05
2025623	Drill Core				0.8	0.8	0.2	8	1.02	0.045	14	9	0.49	327	0.021	1	0.91	0.040	0.65	0.7	0.03	3.4	0.3	0.57
2025624	Drill Core				0.3	0.7	<0.1	8	0.42	0.031	7	15	0.42	144	0.029	<1	0.59	0.027	0.26	0.9	<0.01	2.2	0.1	0.49
2025625	Drill Core				0.8	0.9	<0.1	19	1.52	0.071	13	18	0.97	323	0.062	1	1.27	0.027	0.87	1.5	<0.01	4.8	0.4	0.58
2025626	Drill Core				0.2	1.0	0.4	23	0.86	0.063	13	25	0.84	230	0.077	<1	1.18	0.065	0.65	1.1	<0.01	4.9	0.3	0.15
2025627	Drill Core				0.4	1.0	0.1	27	0.66	0.066	14	32	0.94	180	0.098	<1	1.27	0.085	0.65	0.8	<0.01	5.1	0.3	0.10
2025628	Drill Core				0.4	1.5	<0.1	30	0.78	0.068	18	33	1.03	248	0.132	<1	1.46	0.071	0.66	1.4	<0.01	5.9	0.3	0.08
2025629	Drill Core				0.3	1.3	0.2	34	0.83	0.079	12	37	1.30	187	0.105	<1	1.62	0.044	0.76	0.8	<0.01	6.1	0.3	<0.05
2025630	Drill Core				0.9	2.1	0.2	25	0.43	0.071	14	25	0.86	222	0.079	<1	1.19	0.046	0.74	1.0	<0.01	5.3	0.6	0.08
2025631	Drill Core				0.9	2.1	0.1	24	1.64	0.067	15	17	1.30	231	0.073	<1	1.54	0.029	0.96	0.9	<0.01	7.0	0.5	0.07
2025632	Drill Core				0.3	1.6	0.6	19	0.87	0.051	19	19	0.98	195	0.069	<1	1.31	0.057	0.67	1.0	<0.01	4.2	0.4	<0.05
2025633	Drill Core				0.3	1.2	0.3	14	0.51	0.061	21	14	0.35	243	0.063	<1	0.89	0.092	0.39	1.1	<0.01	2.8	0.1	<0.05
2025634	Drill Core				0.3	1.0	0.5	16	1.75	0.043	23	16	0.42	184	0.074	<1	0.96	0.078	0.35	1.3	<0.01	3.6	<0.1	<0.05
2025635	Drill Core				0.5	1.4	0.3	26	1.57	0.055	25	25	0.49	240	0.079	<1	1.09	0.078	0.34	1.1	<0.01	4.3	<0.1	<0.05
2025636	Drill Core				0.3	2.9	0.2	26	0.69	0.057	15	29	0.76	273	0.106	<1	1.19	0.055	0.53	1.9	<0.01	5.6	0.2	<0.05
2025637	Drill Core				0.3	3.9	<0.1	21	0.47	0.055	10	23	0.66	206	0.085	1	1.13	0.047	0.48	1.2	<0.01	4.3	0.2	<0.05
2025638	Drill Core				0.4	4.2	0.2	21	0.69	0.056	13	22	0.79	244	0.060	<1	1.22	0.066	0.50	0.6	<0.01	5.2	0.2	<0.05
2025639	Drill Core				0.7	4.5	0.2	27	1.12	0.060	11	27	1.02	220	0.092	<1	1.27	0.066	0.57	1.2	<0.01	5.4	0.3	0.25
2025640	Rock Pulp				<0.1	0.2	<0.1	21	0.74	0.036	5	15	0.47	58	0.067	2	1.07	0.106	0.10	0.2	<0.01	2.5	<0.1	<0.05
2025641	Drill Core				0.2	2.5	0.2	14	0.78	0.042	17	13	0.57	267	0.066	2	1.00	0.069	0.56	1.2	<0.01	3.4	0.2	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000063.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025612	Drill Core	4	<0.5	<0.2
2025613	Drill Core	5	<0.5	<0.2
2025614	Drill Core	5	<0.5	<0.2
2025615	Drill Core	4	<0.5	<0.2
2025616	Drill Core	4	<0.5	<0.2
2025617	Drill Core	5	<0.5	<0.2
2025618	Drill Core	4	<0.5	<0.2
2025619	Drill Core	5	<0.5	<0.2
2025620	Rock Pulp	5	<0.5	<0.2
2025621	Drill Core	2	<0.5	<0.2
2025622	Drill Core	2	<0.5	<0.2
2025623	Drill Core	3	0.8	<0.2
2025624	Drill Core	2	1.0	<0.2
2025625	Drill Core	5	1.2	<0.2
2025626	Drill Core	5	0.6	<0.2
2025627	Drill Core	5	0.6	<0.2
2025628	Drill Core	5	0.6	<0.2
2025629	Drill Core	5	<0.5	<0.2
2025630	Drill Core	4	1.8	<0.2
2025631	Drill Core	5	0.8	<0.2
2025632	Drill Core	5	<0.5	<0.2
2025633	Drill Core	4	<0.5	<0.2
2025634	Drill Core	4	<0.5	<0.2
2025635	Drill Core	5	<0.5	<0.2
2025636	Drill Core	4	<0.5	<0.2
2025637	Drill Core	4	<0.5	<0.2
2025638	Drill Core	4	0.8	<0.2
2025639	Drill Core	5	2.0	<0.2
2025640	Rock Pulp	4	<0.5	<0.2
2025641	Drill Core	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000063.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025642	Drill Core	3.08	499	<0.005	<0.01	<0.17	32.77	1.9	17.5	7.7	41	0.2	10.4	5.7	163	1.61	12.6	2.3	2.8	9.8	32
2025643	Drill Core	3.73	438	0.006	<0.01	<0.17	26.44	1.0	18.8	12.3	42	0.3	14.3	8.2	192	1.45	13.5	1.1	2.7	8.8	26
2025644	Drill Core	3.24	511	<0.005	<0.01	<0.17	26.99	1.1	23.6	4.2	62	0.4	29.9	9.9	349	2.15	15.5	1.2	1.3	6.5	56
2025645	Drill Core	2.93	359	<0.005	<0.01	<0.17	29.94	1.8	22.2	4.8	53	0.3	20.0	10.0	554	2.83	8.4	3.1	<0.5	7.9	90
2025646	Drill Core	2.75	392	<0.005	<0.01	<0.17	24.02	0.9	25.1	7.7	68	0.5	15.0	8.4	489	2.85	4.2	2.0	<0.5	7.3	66
2025647	Drill Core	2.99	471	<0.005	<0.01	<0.17	30.87	1.3	21.5	5.8	74	0.4	18.6	11.0	543	2.94	8.5	1.9	2.4	6.1	69
2025648	Drill Core	2.97	376	<0.005	<0.01	<0.17	27.56	1.3	27.4	5.6	70	0.4	27.3	13.3	537	2.99	6.3	1.8	<0.5	5.7	91
2025649	Drill Core	3.01	495	<0.005	<0.01	<0.17	29.40	0.7	25.8	8.8	84	0.4	28.9	12.4	552	3.11	12.6	1.5	<0.5	5.6	106



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000063.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025642	Drill Core	0.2	3.2	0.2	13	0.72	0.059	17	17	0.59	279	0.089	1	1.04	0.080	0.59	1.3	<0.01	4.1	0.3	0.07
2025643	Drill Core	0.2	2.3	0.1	15	0.42	0.048	17	15	0.54	253	0.067	1	0.97	0.085	0.47	1.3	<0.01	3.5	0.2	<0.05
2025644	Drill Core	0.2	2.8	<0.1	37	1.04	0.064	14	46	0.98	237	0.108	<1	1.37	0.042	0.57	1.3	<0.01	6.1	0.3	<0.05
2025645	Drill Core	0.2	1.7	<0.1	46	1.76	0.062	18	55	1.04	157	0.114	<1	1.54	0.066	0.34	1.1	0.01	7.2	0.1	<0.05
2025646	Drill Core	0.4	1.3	<0.1	39	1.06	0.066	16	40	1.07	150	0.093	<1	1.53	0.083	0.34	0.7	0.02	6.4	0.1	0.12
2025647	Drill Core	0.2	1.8	0.1	46	1.40	0.077	13	83	1.46	210	0.100	<1	1.78	0.073	0.48	1.2	0.02	7.5	0.2	<0.05
2025648	Drill Core	0.1	1.4	<0.1	67	1.74	0.064	15	147	1.68	160	0.124	<1	1.74	0.084	0.34	0.4	<0.01	9.8	0.1	0.07
2025649	Drill Core	0.5	1.4	<0.1	71	1.73	0.065	18	173	1.94	141	0.040	<1	2.12	0.089	0.30	0.2	<0.01	8.2	0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000063.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025642	Drill Core	4	0.7	<0.2
2025643	Drill Core	4	<0.5	<0.2
2025644	Drill Core	5	<0.5	<0.2
2025645	Drill Core	7	<0.5	<0.2
2025646	Drill Core	8	<0.5	<0.2
2025647	Drill Core	7	<0.5	<0.2
2025648	Drill Core	7	<0.5	<0.2
2025649	Drill Core	9	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000063.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
REP 2025592	QC	<0.005																			
2025593	Drill Core	3.25	472	<0.005	<0.01	<0.17	34.55	0.7	18.4	19.7	72	0.3	12.0	8.5	405	2.12	2.4	1.5	1.1	10.5	48
REP 2025593	QC	0.7 17.2 20.0 68 0.3 11.3 8.3 415 2.17 2.4 1.6 1.0 11.0 50																			
2025611	Drill Core	3.16	395	<0.005	<0.01	<0.17	31.22	1.1	20.3	10.9	67	0.2	14.4	9.9	299	2.23	4.9	2.3	1.4	11.0	72
REP 2025611	QC	1.1 19.4 10.5 64 0.2 13.5 9.4 295 2.21 4.7 2.2 1.9 10.6 68																			
2025614	Drill Core	2.77	377	<0.005	<0.01	<0.17	28.71	0.5	19.0	12.0	61	0.3	13.5	9.0	269	2.28	3.7	1.5	3.6	9.4	68
REP 2025614	QC	0.024																			
2025624	Drill Core	1.31	404	0.638	0.64	0.70	28.55	1.1	75.8	28.5	37	3.1	9.9	7.1	292	1.97	7.6	1.4	730.2	4.3	23
REP 2025624	QC	0.625																			
2025645	Drill Core	2.93	359	<0.005	<0.01	<0.17	29.94	1.8	22.2	4.8	53	0.3	20.0	10.0	554	2.83	8.4	3.1	<0.5	7.9	90
REP 2025645	QC	1.9 22.7 4.8 54 0.3 20.7 10.2 553 2.81 8.3 3.1 1.5 8.0 91																			
Core Reject Duplicates																					
2025592	Drill Core	3.82	413	<0.005	<0.01	<0.17	34.28	0.4	20.4	17.4	55	0.5	14.0	6.8	419	2.15	6.4	1.0	1.8	10.0	27
DUP 2025592	QC	403 <0.005 <0.01 <0.17 32.51 0.5 19.2 17.5 55 0.5 14.5 6.5 425 2.18 6.3 1.0 1.5 9.9 25																			
2025626	Drill Core	1.89	394	0.130	0.13	<0.17	30.93	0.8	21.4	69.5	55	0.7	12.7	8.1	324	2.22	8.8	1.4	152.6	8.2	59
DUP 2025626	QC	446 0.113 0.11 <0.17 29.89 0.8 18.9 66.1 54 0.6 12.8 8.1 313 2.11 8.8 1.3 144.6 8.1 59																			
Reference Materials																					
STD BVGEO01	Standard	11.1 4345.7 188.2 1733 2.5 157.6 23.8 695 3.67 112.8 3.8 212.3 14.0 54																			
STD DS11	Standard	15.4 148.0 141.8 334 1.7 83.6 14.1 1030 3.15 42.0 2.8 98.6 8.3 70																			
STD DS11	Standard	14.5 137.8 139.0 338 1.8 84.3 14.4 1015 3.15 38.6 2.3 98.4 7.1 64																			
STD DS11	Standard	15.1 142.8 136.2 327 1.8 79.5 14.6 1016 3.10 44.5 2.8 68.4 8.6 67																			
STD OREAS262	Standard	0.7 108.4 59.8 146 0.5 67.3 28.0 530 3.26 36.3 1.3 63.6 9.9 34																			
STD OREAS262	Standard	0.7 110.2 57.8 145 0.4 65.0 26.8 532 3.29 34.2 1.2 63.7 9.4 35																			
STD OREAS262	Standard	0.7 108.7 54.2 155 0.5 67.8 28.5 544 3.31 33.3 1.1 67.1 8.3 31																			
STD OREAS262	Standard	0.7 106.2 55.3 144 0.4 62.2 29.2 511 3.20 36.8 1.3 68.9 9.8 35																			
STD OXB130	Standard	0.121																			
STD OXB130	Standard	0.124																			
STD OXG141	Standard	0.962																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 01, 2020

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000063.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
REP 2025592	QC																				
2025593	Drill Core	0.3	0.9	0.2	24	0.93	0.060	22	31	0.91	219	0.113	1	1.27	0.059	0.44	1.1	0.01	5.6	0.3	<0.05
REP 2025593	QC	0.3	0.9	0.2	25	0.95	0.061	23	31	0.92	244	0.118	1	1.30	0.059	0.45	1.2	<0.01	6.1	0.3	<0.05
2025611	Drill Core	0.3	0.6	<0.1	24	1.05	0.073	28	26	0.89	439	0.067	<1	1.23	0.065	0.54	0.3	<0.01	6.0	0.2	0.19
REP 2025611	QC	0.3	0.6	<0.1	23	1.04	0.074	26	25	0.88	401	0.063	<1	1.19	0.060	0.52	0.2	<0.01	5.9	0.2	0.18
2025614	Drill Core	0.2	0.6	<0.1	25	0.70	0.067	23	29	0.89	394	0.048	<1	1.21	0.071	0.55	0.2	<0.01	5.4	0.2	0.20
REP 2025614	QC																				
2025624	Drill Core	0.3	0.7	<0.1	8	0.42	0.031	7	15	0.42	144	0.029	<1	0.59	0.027	0.26	0.9	<0.01	2.2	0.1	0.49
REP 2025624	QC																				
2025645	Drill Core	0.2	1.7	<0.1	46	1.76	0.062	18	55	1.04	157	0.114	<1	1.54	0.066	0.34	1.1	0.01	7.2	0.1	<0.05
REP 2025645	QC	0.3	1.8	<0.1	45	1.74	0.063	18	55	1.02	153	0.112	<1	1.51	0.059	0.32	1.0	0.01	7.3	0.1	<0.05
Core Reject Duplicates																					
2025592	Drill Core	0.3	0.8	0.6	19	0.54	0.054	26	20	0.73	222	0.033	<1	1.19	0.039	0.32	0.3	<0.01	3.5	0.1	<0.05
DUP 2025592	QC	0.3	0.8	0.6	19	0.50	0.054	27	21	0.74	225	0.033	<1	1.20	0.040	0.33	0.3	<0.01	3.6	0.1	<0.05
2025626	Drill Core	0.2	1.0	0.4	23	0.86	0.063	13	25	0.84	230	0.077	<1	1.18	0.065	0.65	1.1	<0.01	4.9	0.3	0.15
DUP 2025626	QC	0.3	1.0	0.4	23	0.85	0.062	13	26	0.83	233	0.076	<1	1.18	0.067	0.64	1.1	<0.01	5.1	0.3	0.14
Reference Materials																					
STD BVGEO01	Standard	6.2	3.4	24.6	73	1.29	0.069	25	185	1.32	262	0.226	3	2.30	0.199	0.89	5.2	0.09	5.7	0.6	0.67
STD DS11	Standard	2.4	8.2	12.3	50	1.07	0.069	19	60	0.86	377	0.093	6	1.22	0.076	0.41	3.0	0.26	3.5	5.0	0.28
STD DS11	Standard	2.3	8.4	11.1	50	1.04	0.065	17	62	0.83	346	0.082	8	1.14	0.073	0.39	3.1	0.25	3.0	4.7	0.28
STD DS11	Standard	2.7	10.0	12.5	50	1.06	0.075	19	63	0.89	366	0.098	7	1.17	0.073	0.40	3.1	0.25	3.7	4.8	0.26
STD OREAS262	Standard	0.6	4.5	1.1	23	2.87	0.040	18	46	1.20	262	0.003	3	1.43	0.067	0.32	0.2	0.18	3.7	0.5	0.26
STD OREAS262	Standard	0.6	5.2	1.0	23	2.93	0.038	16	42	1.20	246	0.003	3	1.39	0.067	0.32	0.2	0.16	3.3	0.5	0.26
STD OREAS262	Standard	0.6	5.8	0.9	22	2.85	0.041	15	45	1.19	228	0.002	4	1.28	0.069	0.30	0.3	0.16	3.3	0.5	0.27
STD OREAS262	Standard	0.7	6.6	1.0	22	2.91	0.040	17	45	1.17	257	0.003	4	1.32	0.069	0.31	0.3	0.16	3.4	0.5	0.23
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000063.1

Method	AQ201	AQ201	AQ201
Analyte	Ga	Se	Te
Unit	ppm	ppm	ppm
MDL	1	0.5	0.2
Pulp Duplicates			
REP 2025592 QC			
2025593 Drill Core	6	<0.5	<0.2
REP 2025593 QC	6	<0.5	<0.2
2025611 Drill Core	5	<0.5	<0.2
REP 2025611 QC	4	<0.5	<0.2
2025614 Drill Core	5	<0.5	<0.2
REP 2025614 QC			
2025624 Drill Core	2	1.0	<0.2
REP 2025624 QC			
2025645 Drill Core	7	<0.5	<0.2
REP 2025645 QC	8	<0.5	<0.2
Core Reject Duplicates			
2025592 Drill Core	5	<0.5	<0.2
DUP 2025592 QC	5	<0.5	<0.2
2025626 Drill Core	5	0.6	<0.2
DUP 2025626 QC	5	<0.5	<0.2
Reference Materials			
STD BVGE001 Standard	7	5.1	1.0
STD DS11 Standard	5	2.1	4.7
STD DS11 Standard	5	2.4	4.7
STD DS11 Standard	5	2.0	4.7
STD OREAS262 Standard	4	<0.5	0.2
STD OREAS262 Standard	4	0.6	0.2
STD OREAS262 Standard	4	<0.5	0.3
STD OREAS262 Standard	4	1.0	0.2
STD OXB130 Standard			
STD OXB130 Standard			
STD OXG141 Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000063.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXG141	Standard			0.880																	
STD OXN155	Standard			8.136																	
STD OXN155	Standard			7.710																	
STD OXP116	Standard					15.23	30.34														
STD OXP116	Standard					14.98	29.98														
STD OXP154	Standard					15.34	30.38														
STD OXP154	Standard					15.36	30.02														
STD BVGE001 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD OXP116 Expected						14.92															
STD OXP154 Expected						15.26															
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.008																	
BLK	Blank			0.007																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	0.3	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		418	<0.005	<0.01	<0.17	24.29	0.9	4.6	1.3	35	<0.1	1.4	4.2	561	2.00	1.4	0.5	2.8	2.4	25
ROCK-WHI	Prep Blank		424	<0.005	<0.01	<0.17	30.96	1.0	3.8	1.2	33	<0.1	2.1	4.5	559	2.04	1.0	0.5	1.8	2.3	24



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000063.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD OXP116 Expected																					
STD OXP154 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.72	0.039	8	4	0.48	75	0.086	2	1.16	0.194	0.18	<0.1	<0.01	3.6	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	28	0.72	0.041	7	5	0.55	65	0.091	1	1.09	0.145	0.14	0.1	<0.01	3.7	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2020

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000063.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD BVGEO01 Expected		7.37	4.84	1.02
STD OXP116 Expected				
STD OXP154 Expected				
STD DS11 Expected		5.1	2.2	4.56
STD OREAS262 Expected		4.1	0.4	0.23
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2