



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 23, 2020
Analysis Start: July 16, 2020
Report Date: July 28, 2020
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI20000067.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-09
P.O. Number
Number of Samples: 85

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	82	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	1	Sort, label and box pulps			WHI
FS631	85	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	85	Analysis sample split/packet			VAN
Split -150	85	Analysis sample split/packet			VAN
EN002	85	Environmental disposal charge-Fire assay lead waste			VAN
FS631	83	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	85	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	85	Per sample shipping charges for branch shipments			VAN
FA530	2	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000067.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1814125	Drill Core	3.44	396	0.014	0.01	<0.17	25.88	0.6	21.2	16.3	47	0.5	13.6	6.3	331	1.87	6.4	1.0	2.9	9.7	21
1814126	Drill Core	3.02	405	0.008	<0.01	<0.17	29.70	0.9	12.9	12.2	56	0.2	12.9	7.4	442	2.54	4.8	1.3	<0.5	9.9	58
1814127	Drill Core	2.61	446	<0.005	<0.01	<0.17	36.39	0.8	14.8	21.1	53	0.3	10.3	6.0	429	1.94	5.8	1.1	1.5	10.1	63
1814128	Drill Core	2.34	362	0.006	<0.01	<0.17	25.13	1.1	23.0	13.9	52	0.4	12.7	7.3	418	2.24	7.9	1.2	1.7	11.0	46
1814129	Drill Core	2.47	380	<0.005	<0.01	<0.17	28.23	0.7	16.6	24.1	36	0.5	9.7	5.1	338	1.66	6.9	0.7	1.7	9.8	47
1814130	Drill Core	2.66	383	0.008	<0.01	<0.17	27.62	0.9	12.8	26.3	73	0.4	12.0	7.3	328	2.38	14.0	0.9	3.7	10.6	19
1814131	Drill Core	2.60	340	<0.005	<0.01	<0.17	26.34	1.7	13.7	24.2	70	0.3	9.4	6.8	400	2.10	7.7	1.6	0.9	10.2	54
1814132	Drill Core	2.69	397	<0.005	<0.01	<0.17	28.55	2.3	15.9	24.9	70	0.3	12.7	7.7	393	2.39	13.4	1.6	0.8	10.0	67
1814133	Drill Core	1.27	376	0.009	<0.01	<0.17	29.92	1.7	18.8	32.7	23	0.5	10.4	6.0	386	1.47	8.2	1.2	7.3	10.5	65
1814134	Drill Core	1.31	403	<0.005	0.01	0.21	23.68	1.0	14.5	16.3	28	0.3	8.2	4.3	290	1.30	4.9	1.1	1.1	11.2	59
1814135	Drill Core	2.66	466	<0.005	<0.01	<0.17	27.94	1.5	19.8	10.2	49	0.3	8.7	5.8	404	1.98	1.7	1.8	0.5	8.7	63
1814136	Drill Core	2.80	480	<0.005	<0.01	<0.17	28.53	1.9	17.8	13.5	46	0.2	8.9	6.2	454	1.96	2.0	1.4	<0.5	7.2	66
1814137	Drill Core	2.65	506	0.008	<0.01	<0.17	22.75	1.4	10.0	14.8	46	0.2	9.3	6.5	504	2.02	2.7	1.3	4.0	8.7	44
1814138	Drill Core	1.19	341	0.008	<0.01	<0.17	22.42	1.6	11.3	12.0	36	0.1	8.5	5.8	459	1.89	7.8	0.8	3.4	7.7	21
1814139	Drill Core	1.13	358	0.059	0.06	<0.17	37.14	0.7	12.7	15.0	47	0.2	9.5	7.8	370	1.84	2.5	1.1	53.8	9.5	38
1814140	Rock Pulp	0.12	82	<0.005				4.1	19.6	0.9	29	<0.1	6.7	4.0	535	2.31	1.1	0.4	2.1	2.0	29
1814141	Drill Core	2.49	442	1.649	1.82	4.36	28.01	0.5	43.5	7.0	45	0.8	8.7	6.6	449	1.72	2.0	1.0	1053.6	7.5	95
1814142	Drill Core	1.62	438	5.340	8.71	64.07	25.13	1.0	11.0	424.2	145	6.1	14.5	7.2	1058	2.76	18.1	2.9	7921.4	9.7	137
1814143	Drill Core	1.33	440	1.072	1.29	4.30	29.30	1.0	8.8	10.5	45	0.8	16.1	6.2	493	2.70	14.2	2.8	1127.2	13.4	66
1814144	Drill Core	1.03	373	0.128	0.12	<0.17	34.81	0.8	16.8	17.1	39	0.6	10.7	4.9	252	1.76	12.9	1.6	115.7	14.1	33
1814145	Drill Core	1.32	363	0.054	0.05	<0.17	28.44	0.5	13.8	26.8	30	0.5	6.4	3.9	346	1.36	10.6	1.3	9.2	14.4	45
1814146	Drill Core	3.00	379	0.016	0.01	<0.17	34.04	0.6	13.5	14.7	46	0.5	10.3	5.7	421	1.99	7.4	1.8	3.6	10.9	51
1814147	Drill Core	2.54	419	0.005	<0.01	<0.17	30.47	0.6	11.2	15.8	55	0.3	5.6	6.1	422	2.13	5.1	1.8	<0.5	9.6	71
1814148	Drill Core	2.70	425	<0.005	<0.01	<0.17	31.72	1.4	13.2	18.7	71	0.3	10.3	7.3	452	2.33	3.9	1.9	1.8	11.2	74
1814149	Drill Core	2.57	486	<0.005	<0.01	<0.17	26.42	0.8	6.6	8.5	60	0.2	11.1	7.7	486	2.42	1.8	2.3	<0.5	11.7	102
1814150	Drill Core	2.71	438	0.019	0.04	0.28	28.82	1.2	7.9	14.9	71	0.3	11.4	7.4	492	2.48	13.0	1.8	13.7	9.8	87
1814151	Drill Core	2.57	427	<0.005	<0.01	<0.17	29.43	1.0	7.1	9.2	51	0.2	8.2	6.3	359	2.12	1.2	1.3	<0.5	9.5	82
1814152	Drill Core	2.60	420	0.005	<0.01	<0.17	37.00	1.1	12.5	15.4	65	0.4	11.5	8.3	306	2.10	3.2	2.0	6.6	9.0	62
1814153	Drill Core	2.49	357	<0.005	<0.01	<0.17	27.07	0.9	13.7	11.4	73	0.3	11.8	7.6	302	2.37	4.8	1.2	<0.5	7.1	34
1814154	Drill Core	2.49	344	<0.005	<0.01	<0.17	37.67	0.7	14.2	30.8	79	0.3	9.9	6.5	250	2.08	1.9	1.3	<0.5	9.0	40



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000067.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1814125	Drill Core	0.5	0.9	0.1	14	0.28	0.052	25	17	0.53	200	0.022	1	0.95	0.041	0.32	0.6	0.02	3.2	0.1	<0.05
1814126	Drill Core	0.4	1.3	<0.1	20	0.67	0.051	28	26	0.87	201	0.022	3	1.31	0.049	0.35	0.2	<0.01	4.6	0.1	<0.05
1814127	Drill Core	0.3	0.5	0.4	12	1.09	0.053	27	12	0.74	253	0.005	3	1.09	0.020	0.38	0.2	0.01	3.5	0.1	<0.05
1814128	Drill Core	0.2	0.7	0.1	14	0.71	0.054	29	15	0.76	283	0.009	3	1.20	0.041	0.39	<0.1	<0.01	3.6	0.1	<0.05
1814129	Drill Core	0.2	0.8	0.7	8	0.78	0.050	23	11	0.57	245	0.004	2	0.91	0.029	0.34	0.2	<0.01	2.4	<0.1	<0.05
1814130	Drill Core	0.3	1.1	0.3	15	0.26	0.056	26	20	0.92	234	0.003	1	1.26	0.031	0.30	0.2	<0.01	3.2	<0.1	<0.05
1814131	Drill Core	0.6	0.6	0.2	12	1.06	0.058	20	15	0.69	266	0.006	2	1.06	0.037	0.36	<0.1	<0.01	3.5	0.1	<0.05
1814132	Drill Core	0.3	0.8	0.3	15	1.02	0.059	18	18	0.87	285	0.017	1	1.23	0.042	0.46	<0.1	<0.01	4.2	0.2	0.13
1814133	Drill Core	0.3	0.6	0.6	5	1.12	0.052	19	7	0.41	286	0.004	2	0.78	0.020	0.42	<0.1	<0.01	2.1	<0.1	0.06
1814134	Drill Core	0.2	0.5	0.2	4	0.83	0.047	18	6	0.43	266	0.006	<1	0.77	0.014	0.42	0.1	<0.01	1.7	<0.1	<0.05
1814135	Drill Core	0.1	0.7	0.1	9	0.83	0.051	20	10	0.70	242	0.015	2	1.11	0.023	0.48	<0.1	<0.01	2.6	0.1	<0.05
1814136	Drill Core	0.2	0.6	<0.1	8	0.87	0.051	15	10	0.65	205	0.022	2	0.97	0.024	0.46	0.1	<0.01	2.7	0.2	<0.05
1814137	Drill Core	0.2	0.5	<0.1	10	0.69	0.054	23	12	0.77	252	0.009	1	1.13	0.028	0.42	<0.1	<0.01	3.1	0.1	<0.05
1814138	Drill Core	<0.1	0.7	<0.1	9	0.18	0.052	23	10	0.52	230	0.005	<1	0.93	0.020	0.37	0.1	<0.01	2.8	<0.1	<0.05
1814139	Drill Core	0.2	0.6	<0.1	8	0.61	0.060	21	10	0.60	329	0.007	2	1.11	0.027	0.52	0.1	<0.01	2.4	0.1	<0.05
1814140	Rock Pulp	<0.1	0.2	<0.1	21	0.73	0.039	5	14	0.49	53	0.068	2	0.99	0.077	0.09	0.2	<0.01	2.4	<0.1	<0.05
1814141	Drill Core	0.3	0.5	<0.1	6	1.31	0.049	12	9	0.61	214	0.005	2	0.88	0.018	0.37	0.2	<0.01	2.3	0.1	0.19
1814142	Drill Core	1.8	1.0	7.4	10	2.02	0.079	20	10	0.94	306	0.004	1	1.24	0.019	0.45	0.3	0.02	4.6	0.1	0.08
1814143	Drill Core	0.3	1.3	0.2	11	0.69	0.138	36	11	0.95	275	0.004	2	1.32	0.063	0.42	0.2	0.02	3.4	0.1	<0.05
1814144	Drill Core	0.2	2.9	0.3	7	0.59	0.061	34	8	0.33	342	0.002	2	0.90	0.038	0.41	0.1	<0.01	2.0	0.1	<0.05
1814145	Drill Core	0.3	0.6	0.4	5	0.93	0.049	33	7	0.27	239	0.002	1	0.69	0.047	0.33	0.1	0.02	1.2	<0.1	0.11
1814146	Drill Core	0.2	1.5	0.5	16	0.92	0.054	26	19	0.57	220	0.012	<1	1.03	0.054	0.34	0.2	0.02	2.9	0.1	0.12
1814147	Drill Core	0.3	1.7	0.2	17	1.31	0.058	19	20	0.75	215	0.051	1	1.13	0.046	0.37	0.3	0.03	3.7	0.1	0.05
1814148	Drill Core	0.2	1.7	0.2	20	1.18	0.066	25	26	1.02	192	0.068	1	1.44	0.043	0.44	0.4	0.02	3.9	0.1	<0.05
1814149	Drill Core	0.2	1.7	<0.1	27	1.54	0.074	25	36	1.12	355	0.059	1	1.47	0.046	0.37	0.3	<0.01	4.5	0.1	<0.05
1814150	Drill Core	0.4	1.1	0.2	23	1.71	0.060	26	32	1.04	173	0.012	1	1.51	0.023	0.40	0.2	0.02	4.0	0.2	<0.05
1814151	Drill Core	0.2	1.2	<0.1	20	1.39	0.055	22	26	0.90	344	0.033	1	1.28	0.074	0.32	0.2	<0.01	3.5	0.1	<0.05
1814152	Drill Core	0.3	1.3	<0.1	20	1.02	0.067	18	26	1.00	205	0.096	<1	1.42	0.064	0.43	0.3	<0.01	3.9	0.2	<0.05
1814153	Drill Core	0.2	0.7	<0.1	19	0.77	0.064	12	26	1.05	187	0.097	2	1.52	0.042	0.38	0.2	<0.01	3.5	0.2	<0.05
1814154	Drill Core	0.3	0.8	<0.1	18	0.87	0.063	20	22	0.84	212	0.088	<1	1.38	0.075	0.30	0.4	<0.01	4.1	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000067.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
1814125	Drill Core	4	<0.5	<0.2
1814126	Drill Core	6	<0.5	<0.2
1814127	Drill Core	4	<0.5	<0.2
1814128	Drill Core	4	<0.5	<0.2
1814129	Drill Core	3	<0.5	<0.2
1814130	Drill Core	5	<0.5	<0.2
1814131	Drill Core	4	<0.5	<0.2
1814132	Drill Core	4	<0.5	<0.2
1814133	Drill Core	2	<0.5	<0.2
1814134	Drill Core	2	<0.5	<0.2
1814135	Drill Core	3	<0.5	<0.2
1814136	Drill Core	3	<0.5	<0.2
1814137	Drill Core	4	<0.5	<0.2
1814138	Drill Core	3	<0.5	<0.2
1814139	Drill Core	3	<0.5	<0.2
1814140	Rock Pulp	4	<0.5	<0.2
1814141	Drill Core	3	<0.5	<0.2
1814142	Drill Core	5	0.9	0.4
1814143	Drill Core	6	0.6	<0.2
1814144	Drill Core	3	<0.5	<0.2
1814145	Drill Core	3	0.7	<0.2
1814146	Drill Core	4	<0.5	<0.2
1814147	Drill Core	5	<0.5	<0.2
1814148	Drill Core	6	<0.5	<0.2
1814149	Drill Core	8	<0.5	<0.2
1814150	Drill Core	7	<0.5	<0.2
1814151	Drill Core	6	<0.5	<0.2
1814152	Drill Core	5	<0.5	<0.2
1814153	Drill Core	5	<0.5	<0.2
1814154	Drill Core	6	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000067.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1814155	Drill Core	2.72	430	0.008	<0.01	<0.17	35.66	1.0	11.0	27.7	66	0.3	10.7	7.2	204	2.03	2.9	1.3	4.5	7.9	50
1814156	Drill Core	2.44	385	0.092	0.12	0.42	28.67	0.3	16.9	14.7	74	0.4	11.3	8.1	263	2.17	4.7	1.3	91.4	9.3	53
1814157	Drill Core	2.12	475	0.066	0.06	<0.17	31.66	0.6	10.1	10.5	63	0.3	14.3	9.0	372	2.53	6.9	1.8	43.1	9.8	99
1814158	Drill Core	1.26	500	0.147	0.15	0.18	21.79	1.1	3.5	2.9	21	0.2	6.6	4.0	332	1.62	22.3	0.9	191.2	3.4	17
1814159	Drill Core	2.10	476	0.187	0.19	0.20	34.89	1.3	7.8	9.1	52	0.4	15.2	10.3	400	2.88	16.9	2.4	174.5	10.1	43
1814160	Core DUP		421	0.185	0.18	0.18	33.08	1.2	8.3	8.9	54	0.4	14.8	10.1	391	2.86	16.9	2.4	159.9	10.0	44
1814161	Drill Core	2.76	398	0.141	0.16	0.59	18.72	1.6	18.9	10.6	56	0.8	12.7	8.8	425	2.48	8.1	2.6	187.2	8.5	66
1814162	Drill Core	2.63	447	0.016	0.01	<0.17	34.68	1.0	16.1	5.1	51	0.3	16.0	9.2	303	2.42	4.6	1.9	19.6	8.9	69
1814163	Drill Core	2.64	488	<0.005	<0.01	<0.17	33.60	1.3	18.5	7.9	58	0.4	13.6	9.1	309	2.31	4.3	2.1	<0.5	9.3	65
1814164	Drill Core	2.96	383	<0.005	<0.01	<0.17	27.54	1.1	17.7	13.9	68	0.4	12.8	8.1	302	2.24	3.7	3.0	<0.5	9.6	76
1814165	Drill Core	3.13	410	<0.005	<0.01	<0.17	24.24	0.3	7.4	9.5	48	0.2	3.6	3.0	198	1.17	1.9	2.2	<0.5	8.3	55
1814166	Drill Core	2.66	365	0.007	<0.01	<0.17	14.74	0.7	17.0	14.5	67	0.4	12.1	7.9	305	2.34	4.5	2.1	0.6	9.2	91
1814167	Drill Core	2.47	417	0.012	0.01	<0.17	27.33	1.3	21.7	8.5	67	0.4	15.0	8.7	309	2.48	8.2	2.6	8.9	10.0	73
1814168	Drill Core	2.52	388	<0.005	<0.01	<0.17	28.80	0.5	8.0	6.2	35	0.2	9.2	5.7	289	1.93	1.7	1.4	0.9	10.3	128
1814169	Drill Core	2.64	357	0.007	<0.01	<0.17	31.24	1.3	23.4	9.3	73	0.4	15.0	9.4	364	2.62	2.6	2.2	<0.5	10.9	123
1814170	Drill Core	2.42	436	0.005	<0.01	<0.17	23.88	1.5	21.9	11.5	63	0.4	14.4	9.4	462	2.53	8.7	1.9	<0.5	9.8	93
1814171	Drill Core	3.02	396	<0.005	<0.01	<0.17	29.04	1.2	19.4	18.3	60	0.7	12.4	7.8	329	2.41	5.0	1.6	0.6	9.2	85
1814172	Drill Core	2.57	381	<0.005	<0.01	<0.17	28.93	1.0	19.9	16.2	65	0.3	12.2	7.9	313	2.35	4.2	1.6	<0.5	9.1	118
1814173	Drill Core	2.73	425	<0.005	<0.01	<0.17	24.99	1.0	14.4	14.3	64	0.2	14.1	8.7	366	2.44	3.3	4.4	<0.5	9.3	176
1814174	Drill Core	2.79	488	0.095	0.10	0.19	26.27	0.3	14.2	12.1	60	0.4	10.6	8.3	408	2.24	4.3	3.6	110.7	9.7	184
1814175	Drill Core	2.69	544	0.012	0.01	<0.17	31.08	0.3	5.6	17.7	39	0.3	3.3	3.6	195	1.21	6.5	1.7	6.8	14.6	46
1814176	Drill Core	2.40	425	0.400	0.47	1.25	32.91	0.9	28.0	9.2	88	3.2	11.1	7.3	471	2.32	19.2	2.1	265.5	11.3	162
1814177	Drill Core	1.58	509	1.302	2.77	24.29	32.48	0.8	16.1	12.2	29	2.4	7.1	4.3	312	1.66	5.5	0.9	3804.2	4.3	43
1814178	Drill Core	1.33	439	0.143	0.15	0.24	32.79	0.6	25.3	5.6	64	0.9	12.5	8.6	294	2.53	14.3	1.6	158.4	9.1	113
1814179	Drill Core	1.44	416	6.584	23.56	218.01	33.42	0.6	4.5	3.3	13	4.2	5.1	2.8	167	1.35	3.9	0.7	21392.7	2.7	5
1814180	Rock	0.23	159	0.005	<0.01	<0.17	28.92	1.2	2.4	1.5	3	<0.1	3.1	0.8	210	1.82	0.8	0.2	<0.5	1.3	1
1814181	Drill Core	1.25	402	>10	36.90	441.56	22.21	0.4	5.3	2.2	26	6.4	7.6	4.8	179	2.15	5.7	1.9	33686.8	4.6	34
1814182	Drill Core	1.37	466	3.026	3.14	4.47	35.79	0.5	6.6	5.4	44	1.3	18.0	10.3	366	2.79	8.7	5.0	3136.1	10.4	69
1814183	Drill Core	1.34	385	>10	49.35	525.04	25.32	0.6	4.2	3.7	29	9.1	14.9	7.2	917	1.91	13.6	5.1	50433.4	5.1	106
1814184	Drill Core	1.29	409	0.571	0.63	1.25	34.33	0.8	15.4	3.8	49	0.8	6.8	6.6	569	2.45	23.5	1.9	607.1	3.9	132



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000067.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1814155	Drill Core	0.3	1.5	0.1	18	1.03	0.057	19	23	0.82	146	0.075	1	1.36	0.062	0.30	0.3	<0.01	3.4	0.1	<0.05			
1814156	Drill Core	0.7	1.5	<0.1	20	1.00	0.064	20	27	1.05	197	0.092	2	1.49	0.046	0.54	0.8	<0.01	4.0	0.3	<0.05			
1814157	Drill Core	0.7	1.9	0.1	25	1.66	0.062	22	31	1.28	178	0.128	2	1.87	0.025	0.53	1.0	0.01	4.8	0.2	<0.05			
1814158	Drill Core	0.6	0.5	<0.1	5	0.60	0.026	11	8	0.28	136	0.002	<1	0.47	0.009	0.17	0.4	<0.01	2.0	<0.1	<0.05			
1814159	Drill Core	0.3	1.3	0.1	21	0.60	0.074	25	24	1.01	254	0.033	1	1.57	0.026	0.61	0.4	0.02	4.8	0.3	<0.05			
1814160	Core DUP	0.3	1.2	0.1	21	0.61	0.072	25	25	1.02	256	0.035	1	1.58	0.034	0.61	0.5	0.03	4.7	0.3	<0.05			
1814161	Drill Core	0.2	1.3	0.1	20	1.06	0.072	16	23	0.86	291	0.099	2	1.41	0.043	0.65	1.0	0.02	4.6	0.3	0.34			
1814162	Drill Core	0.2	1.6	<0.1	29	1.14	0.070	21	34	1.08	212	0.123	2	1.64	0.072	0.51	0.6	<0.01	5.6	0.2	<0.05			
1814163	Drill Core	0.2	1.2	0.1	23	1.20	0.065	18	25	0.98	272	0.103	1	1.41	0.040	0.72	0.3	<0.01	5.6	0.4	0.08			
1814164	Drill Core	0.3	1.2	0.2	25	1.27	0.058	24	27	0.92	370	0.099	<1	1.36	0.064	0.59	0.4	<0.01	6.7	0.3	0.16			
1814165	Drill Core	0.4	1.0	0.1	7	0.97	0.024	22	11	0.34	578	0.035	1	0.98	0.039	0.37	0.1	<0.01	3.0	0.1	0.07			
1814166	Drill Core	0.3	0.4	0.3	24	1.30	0.057	20	26	0.91	396	0.024	<1	1.18	0.054	0.39	<0.1	<0.01	6.1	0.2	0.24			
1814167	Drill Core	0.3	0.8	<0.1	23	1.16	0.067	18	24	0.92	326	0.005	<1	1.42	0.042	0.45	<0.1	<0.01	6.0	0.1	0.18			
1814168	Drill Core	0.1	0.7	<0.1	18	1.62	0.042	27	22	0.79	434	0.007	<1	1.18	0.040	0.42	0.1	0.01	3.6	0.1	0.10			
1814169	Drill Core	0.4	0.9	0.1	29	1.38	0.071	29	32	1.08	596	0.017	<1	1.49	0.045	0.50	0.1	0.01	5.3	0.2	0.20			
1814170	Drill Core	0.3	0.8	0.2	24	1.06	0.067	19	23	0.90	447	0.031	2	1.29	0.056	0.52	0.3	<0.01	6.6	0.2	0.16			
1814171	Drill Core	0.3	0.6	1.9	22	1.18	0.063	19	20	0.75	383	0.043	1	1.25	0.071	0.69	<0.1	<0.01	6.8	0.3	0.05			
1814172	Drill Core	0.3	0.4	0.1	21	1.54	0.063	18	18	0.89	334	0.006	<1	1.34	0.046	0.45	<0.1	0.02	5.3	0.1	0.10			
1814173	Drill Core	0.2	0.9	<0.1	23	1.53	0.062	17	24	1.13	485	0.020	<1	1.48	0.058	0.54	<0.1	<0.01	5.6	0.2	0.28			
1814174	Drill Core	0.3	0.7	<0.1	17	1.81	0.058	16	20	1.01	350	0.021	<1	1.24	0.062	0.45	0.1	<0.01	5.5	0.2	0.57			
1814175	Drill Core	0.3	0.5	0.1	6	0.57	0.026	38	7	0.36	722	0.007	1	0.92	0.059	0.53	0.1	0.03	2.8	0.1	0.14			
1814176	Drill Core	0.8	5.8	0.2	13	1.81	0.070	15	14	0.79	448	0.020	<1	1.06	0.024	0.62	0.4	<0.01	4.7	0.2	0.49			
1814177	Drill Core	0.4	2.3	0.2	6	0.66	0.028	9	11	0.33	174	0.006	<1	0.46	0.022	0.21	0.3	<0.01	2.3	<0.1	0.11			
1814178	Drill Core	0.5	1.6	<0.1	13	1.22	0.067	15	14	0.68	350	0.017	1	1.10	0.040	0.50	0.2	<0.01	4.5	0.1	0.40			
1814179	Drill Core	0.1	0.4	<0.1	3	0.06	0.014	8	8	0.09	125	0.002	<1	0.24	0.019	0.13	0.1	<0.01	1.1	<0.1	<0.05			
1814180	Rock	<0.1	0.1	<0.1	2	0.02	0.002	2	11	0.02	10	0.003	1	0.08	0.004	0.02	<0.1	<0.01	0.3	<0.1	<0.05			
1814181	Drill Core	0.2	0.7	<0.1	5	0.07	0.033	13	8	0.17	205	0.002	<1	0.50	0.038	0.24	0.3	<0.01	1.7	<0.1	<0.05			
1814182	Drill Core	0.4	0.6	<0.1	9	0.15	0.063	25	11	0.37	367	0.002	1	0.97	0.039	0.43	0.2	<0.01	3.3	<0.1	<0.05			
1814183	Drill Core	0.6	0.8	<0.1	7	1.39	0.048	13	9	0.41	242	0.003	<1	0.62	0.038	0.26	0.4	0.01	3.9	<0.1	<0.05			
1814184	Drill Core	0.5	0.7	<0.1	10	2.04	0.089	11	8	0.51	494	0.009	1	1.06	0.007	0.52	0.5	<0.01	4.3	0.1	0.41			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000067.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
1814155	Drill Core	6	<0.5	<0.2
1814156	Drill Core	6	<0.5	<0.2
1814157	Drill Core	7	<0.5	<0.2
1814158	Drill Core	2	<0.5	<0.2
1814159	Drill Core	6	<0.5	<0.2
1814160	Core DUP	7	<0.5	<0.2
1814161	Drill Core	6	0.7	<0.2
1814162	Drill Core	7	<0.5	<0.2
1814163	Drill Core	5	<0.5	<0.2
1814164	Drill Core	5	<0.5	<0.2
1814165	Drill Core	4	<0.5	<0.2
1814166	Drill Core	5	<0.5	<0.2
1814167	Drill Core	5	<0.5	<0.2
1814168	Drill Core	5	<0.5	<0.2
1814169	Drill Core	7	<0.5	<0.2
1814170	Drill Core	5	<0.5	<0.2
1814171	Drill Core	4	<0.5	<0.2
1814172	Drill Core	4	<0.5	<0.2
1814173	Drill Core	5	<0.5	<0.2
1814174	Drill Core	5	<0.5	<0.2
1814175	Drill Core	3	<0.5	<0.2
1814176	Drill Core	4	0.6	<0.2
1814177	Drill Core	2	<0.5	<0.2
1814178	Drill Core	3	0.5	<0.2
1814179	Drill Core	<1	<0.5	<0.2
1814180	Rock	<1	<0.5	<0.2
1814181	Drill Core	2	<0.5	<0.2
1814182	Drill Core	3	0.6	<0.2
1814183	Drill Core	2	<0.5	<0.2
1814184	Drill Core	3	0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000067.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1814185	Drill Core	1.33	451	0.329	0.34	0.47	23.63	1.2	16.5	8.6	54	0.8	6.6	5.8	460	2.17	43.4	1.5	279.5	3.9	119
1814186	Drill Core	2.61	363	2.164	2.49	7.17	23.72	0.5	24.9	6.3	52	1.4	8.5	6.5	381	2.09	13.9	1.2	2741.6	5.5	127
1814187	Drill Core	2.65	385	0.140	0.18	0.75	26.73	0.9	15.6	18.4	52	0.6	10.6	6.3	394	2.05	12.6	1.5	114.7	9.5	123
1814188	Drill Core	1.40	429	4.155	7.91	52.88	33.11	0.5	8.0	8.0	19	2.8	4.3	3.1	137	1.14	3.8	0.8	8879.1	12.7	15
1814189	Drill Core	1.48	368	0.395	0.46	1.21	29.69	0.6	14.9	6.7	23	0.9	8.2	4.3	119	1.18	6.3	1.2	456.8	12.7	17
1814190	Drill Core	2.12	447	1.280	7.15	85.36	31.21	0.7	23.8	6.3	37	2.8	11.4	5.0	180	1.48	8.3	1.4	7388.3	12.8	20
1814191	Drill Core	1.62	465	2.866	7.24	65.13	32.69	0.6	9.3	6.0	22	2.3	8.2	4.2	211	1.37	5.2	1.7	7235.2	12.0	54
1814192	Drill Core	2.12	348	1.532	1.79	4.43	30.94	0.7	23.2	18.0	78	1.8	13.2	6.9	449	2.24	14.6	2.3	2103.3	7.6	85
1814193	Drill Core	1.56	484	1.480	3.77	37.85	30.46	0.7	17.6	21.1	45	2.0	8.1	4.0	313	1.75	28.6	1.5	1521.7	8.7	64
1814194	Drill Core	1.32	392	0.458	0.48	0.78	31.88	0.8	12.8	3.6	34	0.9	17.2	7.2	395	2.07	15.9	1.8	412.8	6.1	131
1814195	Drill Core	2.44	422	0.756	0.76	0.84	33.50	1.1	28.1	7.5	57	2.0	22.1	8.7	350	1.98	30.8	1.9	627.1	6.2	115
1814196	Drill Core	2.67	393	0.023	0.02	<0.17	32.64	1.7	29.1	9.9	60	0.5	25.8	9.0	332	2.27	36.0	2.0	20.2	6.9	106
1814197	Drill Core	1.92	412	0.154	0.17	0.48	20.89	1.6	23.9	8.7	57	0.7	25.8	9.6	367	2.56	68.5	1.9	129.8	6.9	66
1814198	Drill Core	1.92	438	0.388	0.43	0.95	31.44	1.1	14.0	8.7	31	1.2	26.3	12.7	449	2.61	32.8	2.1	308.7	7.2	34
1814199	Drill Core	2.71	435	0.011	0.01	<0.17	23.24	1.6	24.8	12.3	63	0.5	23.9	9.4	295	2.31	61.9	1.4	6.0	6.2	63
1814200	Rock Pulp	0.13	82	7.339				9.4	176.2	18.8	76	0.8	13.2	10.9	569	4.90	14.5	0.8	7219.5	2.8	73
1814201	Drill Core	2.56	411	0.006	<0.01	<0.17	34.63	1.4	21.0	9.7	76	0.3	27.4	13.8	579	3.46	28.4	1.7	1.3	6.6	63
1814202	Drill Core	2.57	442	0.005	<0.01	<0.17	27.92	1.3	22.1	12.9	75	0.3	23.9	10.2	550	3.14	88.3	1.0	1.7	7.1	65
1814203	Drill Core	2.49	493	0.009	0.01	<0.17	34.49	1.3	16.0	11.2	72	0.2	15.6	9.8	547	2.77	72.1	0.7	3.1	7.6	69
1814204	Drill Core	2.77	435	0.018	0.02	<0.17	26.43	1.0	18.1	12.7	67	0.2	8.6	7.0	398	2.40	36.8	1.4	13.7	9.2	45
1814205	Drill Core	1.22	464	0.013	0.01	<0.17	36.35	1.0	19.7	12.6	59	0.3	8.2	6.0	337	2.36	66.7	1.2	6.9	8.6	28
1814206	Drill Core	1.31	438	0.613	0.93	6.92	22.26	1.5	19.6	7.8	76	0.5	10.9	6.3	497	2.27	36.9	1.1	464.8	5.9	42
1814207	Drill Core	2.85	417	0.014	0.01	<0.17	34.44	1.9	38.0	34.8	159	0.6	22.0	10.3	687	3.47	31.2	1.4	5.0	4.6	77
1814208	Drill Core	2.65	394	0.009	<0.01	<0.17	32.48	2.4	45.0	30.6	176	0.7	20.9	8.7	514	3.26	23.7	2.5	3.6	5.1	45
1814209	Drill Core	2.52	449	0.005	<0.01	<0.17	37.53	2.3	40.6	18.9	117	0.4	28.7	12.5	561	3.46	19.8	2.1	<0.5	5.4	28



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000067.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1814185	Drill Core	0.4	1.1	0.2	7	1.74	0.073	10	6	0.40	344	0.005	<1	0.84	0.006	0.45	0.4	<0.01	3.4	0.1	0.25
1814186	Drill Core	0.3	1.2	<0.1	9	1.50	0.063	12	7	0.50	411	0.007	1	0.97	0.023	0.57	0.4	<0.01	3.9	0.1	0.48
1814187	Drill Core	0.2	1.0	0.2	9	1.21	0.050	15	10	0.88	276	0.012	<1	1.16	0.029	0.52	0.2	<0.01	3.2	0.1	0.32
1814188	Drill Core	0.2	1.0	0.2	4	0.15	0.049	28	7	0.15	315	0.002	1	0.61	0.065	0.41	0.2	<0.01	0.9	0.1	<0.05
1814189	Drill Core	0.1	2.3	0.3	6	0.18	0.066	30	7	0.19	342	0.003	<1	0.67	0.055	0.45	0.1	<0.01	1.1	0.1	<0.05
1814190	Drill Core	0.3	2.9	0.2	8	0.19	0.068	29	12	0.29	280	0.003	<1	0.75	0.037	0.43	0.2	<0.01	1.4	0.1	<0.05
1814191	Drill Core	0.1	1.5	0.2	6	0.65	0.067	20	10	0.29	290	0.004	<1	0.64	0.048	0.40	0.4	<0.01	1.5	<0.1	0.44
1814192	Drill Core	0.8	1.7	0.1	15	1.11	0.089	16	20	0.69	319	0.007	2	1.01	0.023	0.44	0.3	0.01	3.3	0.1	0.29
1814193	Drill Core	0.4	1.3	0.5	8	0.73	0.054	15	10	0.39	284	0.004	1	0.65	0.021	0.31	0.2	0.02	2.3	<0.1	0.23
1814194	Drill Core	0.2	1.1	<0.1	11	1.56	0.054	10	13	0.58	213	0.008	2	0.85	0.024	0.43	0.2	0.02	3.3	0.1	0.84
1814195	Drill Core	0.5	1.6	0.1	12	1.64	0.058	10	11	0.62	263	0.007	2	1.00	0.009	0.49	0.2	0.02	3.5	0.2	0.58
1814196	Drill Core	0.5	0.5	<0.1	11	1.48	0.057	16	14	0.64	303	0.008	1	1.03	0.019	0.36	<0.1	0.01	3.4	<0.1	0.28
1814197	Drill Core	0.3	0.8	<0.1	11	1.30	0.059	15	14	0.60	341	0.005	1	1.02	0.016	0.34	0.1	0.01	3.5	0.1	0.21
1814198	Drill Core	0.4	1.0	0.1	10	0.71	0.064	18	12	0.49	358	0.003	3	0.95	0.014	0.45	0.2	0.01	4.2	0.1	<0.05
1814199	Drill Core	0.2	0.8	<0.1	15	0.97	0.060	12	19	0.68	804	0.004	1	1.09	0.018	0.29	<0.1	<0.01	4.2	<0.1	0.10
1814200	Rock Pulp	0.2	5.0	0.5	118	0.98	0.057	8	19	0.86	119	0.136	2	1.78	0.194	0.24	4.2	0.21	3.4	<0.1	<0.05
1814201	Drill Core	0.2	0.6	<0.1	54	1.93	0.062	19	123	1.51	680	0.002	1	2.10	0.019	0.23	<0.1	<0.01	7.1	<0.1	<0.05
1814202	Drill Core	0.4	0.8	<0.1	35	2.01	0.065	14	79	1.39	228	0.002	2	1.76	0.015	0.26	<0.1	<0.01	6.5	<0.1	<0.05
1814203	Drill Core	0.3	1.0	<0.1	19	1.67	0.056	12	36	1.21	203	0.003	2	1.51	0.018	0.27	<0.1	<0.01	4.3	<0.1	<0.05
1814204	Drill Core	0.2	0.9	<0.1	12	0.79	0.052	16	13	0.96	234	0.003	1	1.34	0.033	0.29	<0.1	<0.01	2.5	<0.1	0.07
1814205	Drill Core	0.2	1.7	<0.1	11	0.56	0.048	18	11	0.90	281	0.003	2	1.38	0.028	0.34	0.3	0.02	2.2	<0.1	<0.05
1814206	Drill Core	0.4	1.4	<0.1	10	1.22	0.048	11	10	0.59	234	0.003	2	0.96	0.019	0.29	0.2	<0.01	2.0	<0.1	0.07
1814207	Drill Core	1.1	1.0	0.3	40	1.72	0.062	14	24	1.58	171	0.003	<1	1.93	0.008	0.27	0.2	0.02	4.0	<0.1	<0.05
1814208	Drill Core	0.8	0.7	0.3	36	0.61	0.064	17	22	1.48	159	0.002	2	1.83	0.006	0.30	0.3	0.01	3.0	<0.1	<0.05
1814209	Drill Core	0.4	1.0	<0.1	47	0.59	0.065	17	29	1.66	172	0.003	1	1.98	0.009	0.31	0.1	<0.01	3.2	<0.1	<0.05



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000067.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
1814185	Drill Core	2	<0.5	<0.2
1814186	Drill Core	2	0.6	<0.2
1814187	Drill Core	3	0.6	<0.2
1814188	Drill Core	2	<0.5	<0.2
1814189	Drill Core	2	<0.5	<0.2
1814190	Drill Core	3	<0.5	<0.2
1814191	Drill Core	2	0.5	<0.2
1814192	Drill Core	3	0.7	<0.2
1814193	Drill Core	2	<0.5	<0.2
1814194	Drill Core	2	<0.5	<0.2
1814195	Drill Core	3	1.2	<0.2
1814196	Drill Core	3	1.0	<0.2
1814197	Drill Core	3	0.7	<0.2
1814198	Drill Core	3	<0.5	<0.2
1814199	Drill Core	3	0.8	<0.2
1814200	Rock Pulp	5	<0.5	<0.2
1814201	Drill Core	7	<0.5	<0.2
1814202	Drill Core	5	<0.5	<0.2
1814203	Drill Core	4	<0.5	<0.2
1814204	Drill Core	4	0.7	<0.2
1814205	Drill Core	4	<0.5	<0.2
1814206	Drill Core	3	<0.5	<0.2
1814207	Drill Core	6	0.5	<0.2
1814208	Drill Core	5	0.7	<0.2
1814209	Drill Core	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI20000067.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
1814130	Drill Core	2.66	383	0.008	<0.01	<0.17	27.62	0.9	12.8	26.3	73	0.4	12.0	7.3	328	2.38	14.0	0.9	3.7	10.6	19
REP 1814130	QC	0.013																			
1814136	Drill Core	2.80	480	<0.005	<0.01	<0.17	28.53	1.9	17.8	13.5	46	0.2	8.9	6.2	454	1.96	2.0	1.4	<0.5	7.2	66
REP 1814136	QC	1.8 18.4 14.6 47 0.2 8.7 6.4 462 2.01 2.2 1.6 <0.5 8.1 72																			
1814170	Drill Core	2.42	436	0.005	<0.01	<0.17	23.88	1.5	21.9	11.5	63	0.4	14.4	9.4	462	2.53	8.7	1.9	<0.5	9.8	93
REP 1814170	QC	1.6 21.7 11.2 63 0.4 14.4 9.3 465 2.56 8.3 1.9 <0.5 9.6 92																			
REP 1814181	QC																				
1814198	Drill Core	1.92	438	0.388	0.43	0.95	31.44	1.1	14.0	8.7	31	1.2	26.3	12.7	449	2.61	32.8	2.1	308.7	7.2	34
REP 1814198	QC	1.4 14.1 9.1 34 1.3 26.8 13.0 460 2.68 34.6 2.1 379.4 7.3 37																			
1814202	Drill Core	2.57	442	0.005	<0.01	<0.17	27.92	1.3	22.1	12.9	75	0.3	23.9	10.2	550	3.14	88.3	1.0	1.7	7.1	65
REP 1814202	QC	0.006																			
Core Reject Duplicates																					
1814147	Drill Core	2.54	419	0.005	<0.01	<0.17	30.47	0.6	11.2	15.8	55	0.3	5.6	6.1	422	2.13	5.1	1.8	<0.5	9.6	71
DUP 1814147	QC	461 <0.005 <0.01 <0.17 29.84 0.7 11.5 16.3 56 0.3 6.2 6.3 426 2.17 5.2 1.7 <0.5 9.1 68																			
1814181	Drill Core	1.25	402	>10	36.90	441.56	22.21	0.4	5.3	2.2	26	6.4	7.6	4.8	179	2.15	5.7	1.9	33686.8	4.6	34
DUP 1814181	QC	420 >10 83.04 892.11 30.93 0.6 6.0 2.3 30 20.1 8.4 5.2 187 2.16 7.6 2.1 96149.8 4.9 37																			
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard	11.5 4455.2 196.1 1768 2.5 163.7 25.7 720 3.78 112.6 4.0 210.2 15.2 59																			
STD DS11	Standard	14.5 135.7 128.0 323 1.6 75.7 12.9 982 2.98 42.0 2.4 89.9 7.4 64																			
STD DS11	Standard	15.1 138.8 135.5 317 1.6 75.6 13.4 999 3.16 41.3 2.6 89.0 7.9 66																			
STD OREAS262	Standard	0.6 105.1 51.8 148 0.4 60.9 26.6 515 3.22 35.8 1.1 56.5 8.6 33																			
STD OREAS262	Standard	0.6 112.6 55.4 145 0.4 61.3 26.1 513 3.23 34.6 1.1 69.6 9.0 35																			
STD OREAS262	Standard	0.8 113.0 63.1 152 0.5 67.8 27.9 532 3.34 34.9 1.4 68.4 10.5 35																			
STD OXB130	Standard	0.117																			
STD OXB130	Standard	0.123																			
STD OXB130	Standard	0.120																			
STD OXG141	Standard	0.916																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000067.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
1814130	Drill Core	0.3	1.1	0.3	15	0.26	0.056	26	20	0.92	234	0.003	1	1.26	0.031	0.30	0.2	<0.01	3.2	<0.1	<0.05
REP 1814130	QC																				
1814136	Drill Core	0.2	0.6	<0.1	8	0.87	0.051	15	10	0.65	205	0.022	2	0.97	0.024	0.46	0.1	<0.01	2.7	0.2	<0.05
REP 1814136	QC	0.2	0.7	<0.1	9	0.89	0.054	18	11	0.68	240	0.024	1	1.02	0.026	0.48	0.1	<0.01	3.0	0.2	<0.05
1814170	Drill Core	0.3	0.8	0.2	24	1.06	0.067	19	23	0.90	447	0.031	2	1.29	0.056	0.52	0.3	<0.01	6.6	0.2	0.16
REP 1814170	QC	0.3	0.8	0.2	23	1.05	0.064	17	22	0.90	423	0.029	1	1.26	0.051	0.52	0.3	<0.01	6.6	0.2	0.16
REP 1814181	QC																				
1814198	Drill Core	0.4	1.0	0.1	10	0.71	0.064	18	12	0.49	358	0.003	3	0.95	0.014	0.45	0.2	0.01	4.2	0.1	<0.05
REP 1814198	QC	0.3	1.0	<0.1	10	0.72	0.068	19	13	0.51	398	0.004	3	1.00	0.015	0.47	0.2	0.02	4.5	0.1	<0.05
1814202	Drill Core	0.4	0.8	<0.1	35	2.01	0.065	14	79	1.39	228	0.002	2	1.76	0.015	0.26	<0.1	<0.01	6.5	<0.1	<0.05
REP 1814202	QC																				
Core Reject Duplicates																					
1814147	Drill Core	0.3	1.7	0.2	17	1.31	0.058	19	20	0.75	215	0.051	1	1.13	0.046	0.37	0.3	0.03	3.7	0.1	0.05
DUP 1814147	QC	0.3	1.8	0.2	17	1.30	0.061	20	21	0.76	219	0.058	2	1.16	0.047	0.39	0.3	0.01	3.9	0.1	0.05
1814181	Drill Core	0.2	0.7	<0.1	5	0.07	0.033	13	8	0.17	205	0.002	<1	0.50	0.038	0.24	0.3	<0.01	1.7	<0.1	<0.05
DUP 1814181	QC	0.1	0.7	<0.1	5	0.07	0.035	14	15	0.19	193	0.002	<1	0.45	0.031	0.21	0.3	0.03	2.0	<0.1	<0.05
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard	6.3	3.4	25.0	76	1.34	0.069	27	203	1.36	270	0.242	3	2.40	0.203	0.91	5.1	0.09	5.8	0.6	0.68
STD DS11	Standard	2.3	8.8	10.4	47	1.02	0.072	18	56	0.84	354	0.088	7	1.13	0.071	0.38	2.9	0.27	3.1	4.7	0.26
STD DS11	Standard	2.1	8.2	10.9	50	1.05	0.067	17	63	0.85	355	0.096	7	1.18	0.072	0.40	3.1	0.27	3.0	4.9	0.27
STD OREAS262	Standard	0.7	4.6	1.0	22	2.92	0.042	15	41	1.14	241	0.002	3	1.30	0.068	0.31	0.2	0.14	3.0	0.5	0.25
STD OREAS262	Standard	0.6	4.4	0.9	23	2.92	0.042	16	45	1.16	247	0.003	4	1.32	0.066	0.32	0.2	0.15	3.1	0.5	0.24
STD OREAS262	Standard	0.6	4.8	1.1	23	2.92	0.037	19	44	1.21	259	0.003	4	1.42	0.068	0.33	0.2	0.16	3.4	0.5	0.27
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000067.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
Pulp Duplicates				
1814130	Drill Core	5	<0.5	<0.2
REP 1814130	QC			
1814136	Drill Core	3	<0.5	<0.2
REP 1814136	QC	3	<0.5	<0.2
1814170	Drill Core	5	<0.5	<0.2
REP 1814170	QC	5	<0.5	<0.2
REP 1814181	QC			13.3
1814198	Drill Core	3	<0.5	<0.2
REP 1814198	QC	3	<0.5	<0.2
1814202	Drill Core	5	<0.5	<0.2
REP 1814202	QC			
Core Reject Duplicates				
1814147	Drill Core	5	<0.5	<0.2
DUP 1814147	QC	5	<0.5	<0.2
1814181	Drill Core	2	<0.5	<0.2
DUP 1814181	QC	2	2.4	0.2
Reference Materials				
STD AGPROOF	Standard			<0.9
STD BVGE001	Standard	8	4.8	1.0
STD DS11	Standard	5	2.0	4.5
STD DS11	Standard	5	1.6	4.2
STD OREAS262	Standard	4	<0.5	0.2
STD OREAS262	Standard	4	<0.5	0.2
STD OREAS262	Standard	4	<0.5	0.3
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000067.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXG141	Standard			0.941																	
STD OXG141	Standard			0.912																	
STD OXN155	Standard			7.674																	
STD OXN155	Standard			7.736																	
STD OXN155	Standard			7.804																	
STD OXP116	Standard					15.10	30.33														
STD OXP116	Standard					15.21	29.46														
STD OXP116	Standard					14.91	30.45														
STD OXP154	Standard					15.11	29.98														
STD OXP154	Standard					15.50	30.58														
STD OXP154	Standard					15.37	30.32														
STD OXQ114	Standard																				
STD OXQ132	Standard																				
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXP116 Expected						14.92															
STD OXP154 Expected						15.26															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			0.006																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000067.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXQ114	Standard																				
STD OXQ132	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
STD OXP116 Expected																					
STD OXP154 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000067.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2	FA530 -Au ppm 0.9
STD OXG141	Standard				
STD OXG141	Standard				
STD OXN155	Standard				
STD OXN155	Standard				
STD OXN155	Standard				
STD OXP116	Standard				
STD OXP116	Standard				
STD OXP116	Standard				
STD OXP154	Standard				
STD OXP154	Standard				
STD OXP154	Standard				
STD OXQ114	Standard				35.5
STD OXQ132	Standard				35.3
STD DS11 Expected		5.1	2.2	4.56	
STD BVGEO01 Expected		7.37	4.84	1.02	
STD OREAS262 Expected		4.1	0.4	0.23	
STD OXP116 Expected					
STD OXP154 Expected					
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000067.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank																				
BLK	Blank			<0.005																	
BLK	Blank			0.006																	
Prep Wash																					
ROCK-WHI	Prep Blank		400	<0.005	<0.01	<0.17	29.62	1.5	7.4	12.1	44	<0.1	2.1	4.0	548	2.16	1.1	0.5	1.0	2.6	29
ROCK-WHI	Prep Blank		390	<0.005	<0.01	<0.17	32.41	1.0	3.9	6.8	39	<0.1	1.5	4.0	515	2.06	1.0	0.5	<0.5	2.6	24



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000067.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.1	0.1	<0.1	25	0.70	0.042	7	6	0.49	69	0.093	2	1.08	0.169	0.16	<0.1	<0.01	3.4	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.65	0.040	8	4	0.48	66	0.086	4	1.10	0.188	0.17	<0.1	<0.01	3.4	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 28, 2020

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000067.1

		AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
BLK	Blank				
BLK	Blank				
BLK	Blank				<0.9
BLK	Blank				
BLK	Blank				
Prep Wash					
ROCK-WHI	Prep Blank	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	4	<0.5	<0.2	