



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: June 23, 2020  
Analysis Start: July 18, 2020  
Report Date: July 30, 2020  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI20000068.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG20-09  
P.O. Number  
Number of Samples: 116

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code  | Number of Samples | Code Description                                    | Test Wgt (g) | Report Status | Lab |
|-----------------|-------------------|-----------------------------------------------------|--------------|---------------|-----|
| PRP70-500       | 111               | Crush, split and pulverize 500g rock to 200 mesh    |              |               | WHI |
| SPTRF           | 1                 | Split samples by riffle splitter                    |              |               | WHI |
| PUL85           | 1                 | Pulverize to 85% passing 200 mesh                   |              |               | VAN |
| SLBHP           | 4                 | Sort, label and box pulps                           |              |               | WHI |
| FS631           | 116               | Metallic Sieve 500g to 150 mesh                     |              |               | VAN |
| Split +150 mesh | 116               | Analysis sample split/packet                        |              |               | VAN |
| Split -150      | 116               | Analysis sample split/packet                        |              |               | VAN |
| EN002           | 116               | Environmental disposal charge-Fire assay lead waste |              |               | VAN |
| FS631           | 112               | Metallics Fire Assay for Au                         | 30           | Completed     | VAN |
| AQ201           | 116               | 1:1:1 Aqua Regia digestion ICP-MS analysis          | 15           | Completed     | VAN |
| SHP01           | 116               | Per sample shipping charges for branch shipments    |              |               | VAN |

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Peter Tallman  
Ian Perry  
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 2 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI20000068.1

|         | Method<br>Analyte<br>Unit<br>MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
|         |                                  | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au     | Th    | Sr    |
|         |                                  | kg   | g     | ppm    | ppm   | ppm   | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb    | ppm   | ppm   |
|         |                                  | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5    | 0.1   | 1     |
| 1814210 | Drill Core                       | 4.51 | 416   | <0.005 | <0.01 | <0.17 | 27.78 | 1.0   | 15.4  | 13.9  | 77    | 0.2   | 9.8   | 7.1   | 372   | 2.08  | 3.7   | 1.8   | 0.8    | 11.5  | 45    |
| 1814211 | Drill Core                       | 3.06 | 470   | 0.006  | <0.01 | <0.17 | 26.33 | 1.2   | 18.0  | 16.3  | 68    | 0.3   | 13.5  | 7.2   | 382   | 2.31  | 13.1  | 1.1   | 3.3    | 10.2  | 36    |
| 1814212 | Drill Core                       | 2.49 | 441   | 0.006  | <0.01 | <0.17 | 31.06 | 1.4   | 19.4  | 20.8  | 73    | 0.3   | 10.1  | 7.2   | 302   | 2.18  | 7.3   | 2.4   | 2.7    | 11.2  | 33    |
| 1814213 | Drill Core                       | 3.29 | 511   | <0.005 | <0.01 | <0.17 | 36.66 | 1.6   | 15.5  | 9.9   | 54    | 0.2   | 8.9   | 7.3   | 375   | 2.11  | 10.1  | 3.4   | 1.6    | 11.6  | 82    |
| 1814214 | Drill Core                       | 3.13 | 523   | 0.006  | <0.01 | <0.17 | 32.86 | 1.4   | 19.5  | 18.4  | 59    | 0.6   | 10.0  | 6.7   | 365   | 1.98  | 10.2  | 1.3   | 2.5    | 10.6  | 69    |
| 1814215 | Drill Core                       | 2.52 | 472   | 0.087  | 0.08  | <0.17 | 25.51 | 0.9   | 26.3  | 18.6  | 56    | 0.6   | 13.4  | 6.8   | 390   | 1.95  | 12.1  | 1.5   | 89.9   | 9.9   | 86    |
| 1814216 | Drill Core                       | 1.57 | 467   | 3.134  | 3.72  | 10.84 | 35.34 | 0.5   | 29.0  | 3.0   | 13    | 1.0   | 3.4   | 2.1   | 147   | 0.90  | 1.8   | 0.3   | 2631.9 | 2.4   | 9     |
| 1814217 | Drill Core                       | 2.36 | 491   | 0.339  | 0.42  | 1.62  | 29.59 | 0.8   | 34.0  | 8.7   | 54    | 0.4   | 11.0  | 6.7   | 409   | 2.21  | 5.5   | 2.0   | 166.7  | 8.8   | 55    |
| 1814218 | Drill Core                       | 3.20 | 530   | <0.005 | <0.01 | <0.17 | 24.70 | 1.3   | 18.2  | 18.6  | 52    | 0.2   | 10.1  | 6.2   | 524   | 2.10  | 4.9   | 2.0   | 0.9    | 8.8   | 67    |
| 1814219 | Drill Core                       | 3.14 | 464   | <0.005 | <0.01 | <0.17 | 31.25 | 1.1   | 21.2  | 11.6  | 48    | 0.2   | 10.4  | 6.4   | 533   | 2.13  | 5.6   | 1.7   | 1.1    | 7.6   | 55    |
| 1814220 | Rock Pulp                        | 0.12 | 81    | 0.545  |       |       |       | 7.2   | 119.3 | 84.2  | 145   | 0.7   | 12.9  | 5.3   | 608   | 2.64  | 44.5  | 0.5   | 724.7  | 2.2   | 37    |
| 1814221 | Drill Core                       | 3.29 | 480   | 0.010  | <0.01 | <0.17 | 31.83 | 1.4   | 17.6  | 11.1  | 48    | 0.2   | 11.1  | 7.1   | 456   | 2.11  | 7.6   | 2.0   | 11.8   | 9.3   | 50    |
| 1814222 | Drill Core                       | 2.55 | 439   | 0.008  | <0.01 | <0.17 | 32.10 | 0.9   | 8.9   | 3.3   | 42    | <0.1  | 12.0  | 7.4   | 491   | 2.36  | 10.3  | 2.0   | 1.9    | 9.4   | 68    |
| 1814223 | Drill Core                       | 3.09 | 434   | 0.125  | 0.12  | <0.17 | 27.07 | 1.1   | 16.7  | 15.6  | 44    | 0.2   | 10.6  | 6.4   | 498   | 2.16  | 8.8   | 1.8   | 2.0    | 9.2   | 61    |
| 1814224 | Drill Core                       | 3.27 | 528   | 0.096  | 0.09  | <0.17 | 31.90 | 1.8   | 58.5  | 16.7  | 67    | 0.7   | 21.7  | 7.3   | 396   | 2.05  | 22.9  | 1.1   | 184.1  | 8.7   | 57    |
| 1814225 | Drill Core                       | 2.87 | 424   | 0.091  | 0.08  | <0.17 | 33.33 | 2.3   | 36.9  | 24.0  | 53    | 0.7   | 18.2  | 6.7   | 429   | 1.95  | 74.9  | 2.1   | 113.0  | 8.4   | 90    |
| 1814226 | Drill Core                       | 2.78 | 483   | <0.005 | <0.01 | <0.17 | 32.68 | 1.5   | 25.1  | 27.2  | 67    | 0.4   | 13.2  | 7.3   | 492   | 2.32  | 15.2  | 2.1   | 1.1    | 10.4  | 45    |
| 1814227 | Drill Core                       | 3.02 | 511   | <0.005 | <0.01 | <0.17 | 32.37 | 0.8   | 20.5  | 17.5  | 57    | 0.4   | 13.6  | 6.7   | 296   | 1.83  | 7.9   | 2.3   | 1.0    | 10.4  | 41    |
| 1814228 | Drill Core                       | 2.99 | 391   | <0.005 | <0.01 | <0.17 | 31.04 | 1.3   | 22.0  | 20.2  | 57    | 0.7   | 15.7  | 6.2   | 349   | 2.09  | 7.0   | 1.1   | 1.1    | 9.9   | 20    |
| 1814229 | Drill Core                       | 3.00 | 471   | <0.005 | <0.01 | <0.17 | 33.51 | 0.9   | 14.9  | 17.3  | 67    | 0.3   | 11.1  | 7.1   | 435   | 2.12  | 3.4   | 1.3   | 1.1    | 9.6   | 55    |
| 1814230 | Drill Core                       | 2.31 | 388   | 0.006  | <0.01 | <0.17 | 28.98 | 1.5   | 26.6  | 13.8  | 70    | 0.3   | 17.0  | 9.9   | 420   | 2.59  | 4.2   | 2.5   | 0.8    | 9.1   | 70    |
| 1814231 | Drill Core                       | 3.20 | 460   | <0.005 | <0.01 | <0.17 | 30.79 | 1.0   | 16.7  | 8.9   | 75    | 0.2   | 13.0  | 8.8   | 324   | 2.45  | 3.4   | 2.4   | 0.7    | 11.2  | 50    |
| 1814232 | Drill Core                       | 3.66 | 371   | <0.005 | <0.01 | <0.17 | 36.74 | 1.0   | 15.3  | 8.0   | 67    | 0.2   | 12.9  | 8.1   | 272   | 2.13  | 3.9   | 1.4   | <0.5   | 6.4   | 64    |
| 1814233 | Drill Core                       | 3.95 | 391   | <0.005 | <0.01 | <0.17 | 34.93 | 0.9   | 18.3  | 9.7   | 57    | 0.2   | 10.8  | 7.4   | 210   | 1.77  | 11.6  | 0.9   | <0.5   | 3.0   | 32    |
| 1814234 | Drill Core                       | 3.00 | 518   | <0.005 | <0.01 | <0.17 | 28.72 | 0.6   | 17.0  | 13.1  | 65    | 0.2   | 10.8  | 7.5   | 182   | 1.90  | 5.2   | 1.1   | <0.5   | 3.2   | 27    |
| 1814235 | Drill Core                       | 3.40 | 483   | <0.005 | <0.01 | <0.17 | 32.59 | 0.6   | 16.7  | 7.8   | 68    | 0.2   | 11.7  | 7.9   | 180   | 1.87  | 8.1   | 1.0   | <0.5   | 3.2   | 40    |
| 1814236 | Drill Core                       | 3.99 | 409   | <0.005 | <0.01 | <0.17 | 37.62 | 0.7   | 16.3  | 15.8  | 107   | 0.2   | 13.1  | 13.5  | 330   | 2.11  | 5.3   | 1.0   | <0.5   | 4.8   | 41    |
| 1814237 | Drill Core                       | 3.37 | 517   | <0.005 | <0.01 | <0.17 | 34.53 | 0.6   | 29.6  | 68.8  | 214   | 0.2   | 12.2  | 9.4   | 376   | 2.18  | 2.4   | 1.4   | <0.5   | 8.9   | 49    |
| 1814238 | Drill Core                       | 3.29 | 497   | <0.005 | <0.01 | <0.17 | 27.59 | 0.7   | 27.2  | 26.1  | 117   | 0.4   | 15.5  | 8.7   | 339   | 2.44  | 1.9   | 1.3   | <0.5   | 8.8   | 44    |
| 1814239 | Drill Core                       | 3.55 | 385   | <0.005 | <0.01 | <0.17 | 29.28 | 0.4   | 12.3  | 12.7  | 98    | 0.2   | 12.1  | 7.7   | 401   | 2.19  | 2.6   | 1.4   | <0.5   | 7.3   | 64    |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 2 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI20000068.1

|         | Method     | Analyte | Unit | MDL  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |     |     |      |
|---------|------------|---------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-----|------|
|         |            |         |      |      | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Hg    | Sc  | Tl  | S    |
|         |            |         |      |      | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm | ppm | %    |
|         |            |         |      |      | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1 | 0.1 | 0.05 |
| 1814210 | Drill Core | 0.3     | 0.8  | <0.1 | 15    | 1.05  | 0.050 | 26    | 21    | 0.78  | 224   | 0.049 | 1     | 1.16  | 0.036 | 0.36  | 0.5   | 0.01  | 3.9   | 0.2   | <0.05 |     |     |      |
| 1814211 | Drill Core | 0.3     | 0.8  | 0.1  | 17    | 0.72  | 0.060 | 22    | 23    | 1.02  | 221   | 0.022 | 1     | 1.43  | 0.020 | 0.45  | 0.2   | 0.01  | 3.8   | 0.2   | <0.05 |     |     |      |
| 1814212 | Drill Core | 0.3     | 0.6  | 0.2  | 14    | 0.60  | 0.053 | 25    | 20    | 0.95  | 234   | 0.007 | 1     | 1.34  | 0.032 | 0.39  | <0.1  | 0.01  | 3.8   | 0.1   | <0.05 |     |     |      |
| 1814213 | Drill Core | 0.2     | 1.1  | 0.1  | 12    | 1.53  | 0.052 | 21    | 16    | 0.80  | 312   | 0.028 | 1     | 1.25  | 0.027 | 0.56  | 0.2   | <0.01 | 3.7   | 0.2   | 0.08  |     |     |      |
| 1814214 | Drill Core | 0.3     | 1.3  | 0.7  | 11    | 1.06  | 0.055 | 19    | 14    | 0.89  | 323   | 0.035 | 1     | 1.26  | 0.018 | 0.68  | 0.3   | <0.01 | 3.0   | 0.2   | <0.05 |     |     |      |
| 1814215 | Drill Core | 0.4     | 2.1  | 0.4  | 11    | 0.80  | 0.058 | 21    | 15    | 0.83  | 302   | 0.030 | 1     | 1.20  | 0.016 | 0.62  | 0.3   | <0.01 | 2.8   | 0.2   | 0.15  |     |     |      |
| 1814216 | Drill Core | <0.1    | 1.5  | <0.1 | 2     | 0.04  | 0.011 | 7     | 4     | 0.08  | 117   | 0.002 | <1    | 0.25  | 0.009 | 0.17  | <0.1  | <0.01 | 0.5   | <0.1  | 0.09  |     |     |      |
| 1814217 | Drill Core | 0.2     | 1.5  | <0.1 | 12    | 0.52  | 0.048 | 21    | 14    | 0.89  | 287   | 0.084 | 1     | 1.26  | 0.020 | 0.63  | 0.9   | <0.01 | 2.8   | 0.2   | 0.16  |     |     |      |
| 1814218 | Drill Core | 0.2     | 0.9  | <0.1 | 14    | 0.84  | 0.049 | 19    | 16    | 0.95  | 336   | 0.083 | 1     | 1.30  | 0.024 | 0.83  | 0.6   | <0.01 | 3.3   | 0.3   | 0.07  |     |     |      |
| 1814219 | Drill Core | 0.2     | 0.7  | <0.1 | 16    | 0.85  | 0.046 | 16    | 18    | 0.97  | 291   | 0.096 | 1     | 1.20  | 0.033 | 0.80  | 0.7   | <0.01 | 3.9   | 0.3   | 0.10  |     |     |      |
| 1814220 | Rock Pulp  | 0.6     | 3.0  | 0.1  | 28    | 0.89  | 0.035 | 7     | 25    | 0.52  | 82    | 0.091 | 7     | 1.18  | 0.099 | 0.11  | 4.9   | 0.17  | 3.0   | 0.2   | 0.09  |     |     |      |
| 1814221 | Drill Core | 0.1     | 0.9  | <0.1 | 15    | 0.62  | 0.051 | 19    | 17    | 0.92  | 328   | 0.084 | 1     | 1.25  | 0.025 | 0.71  | 0.7   | <0.01 | 3.8   | 0.2   | 0.12  |     |     |      |
| 1814222 | Drill Core | <0.1    | 0.9  | <0.1 | 17    | 0.79  | 0.052 | 20    | 20    | 0.99  | 262   | 0.098 | 1     | 1.33  | 0.029 | 0.45  | 0.7   | <0.01 | 4.3   | 0.1   | 0.07  |     |     |      |
| 1814223 | Drill Core | 0.1     | 0.8  | <0.1 | 13    | 0.84  | 0.050 | 20    | 16    | 0.83  | 274   | 0.060 | 1     | 1.21  | 0.023 | 0.48  | 0.4   | <0.01 | 3.3   | 0.2   | <0.05 |     |     |      |
| 1814224 | Drill Core | 0.4     | 1.2  | 0.3  | 14    | 0.80  | 0.055 | 18    | 18    | 0.62  | 359   | 0.013 | 2     | 1.15  | 0.013 | 0.60  | 0.2   | <0.01 | 2.7   | 0.2   | 0.24  |     |     |      |
| 1814225 | Drill Core | 0.3     | 1.2  | 0.7  | 12    | 1.18  | 0.054 | 14    | 15    | 0.63  | 289   | 0.024 | 1     | 0.97  | 0.016 | 0.53  | 0.3   | <0.01 | 2.9   | 0.2   | 0.24  |     |     |      |
| 1814226 | Drill Core | 0.2     | 0.9  | 0.3  | 18    | 0.70  | 0.050 | 23    | 20    | 0.94  | 264   | 0.086 | <1    | 1.32  | 0.033 | 0.42  | 0.5   | <0.01 | 4.8   | 0.2   | <0.05 |     |     |      |
| 1814227 | Drill Core | 0.3     | 0.8  | 0.3  | 15    | 0.78  | 0.049 | 17    | 19    | 0.68  | 275   | 0.081 | <1    | 0.98  | 0.038 | 0.51  | 0.5   | <0.01 | 4.2   | 0.3   | 0.21  |     |     |      |
| 1814228 | Drill Core | 0.2     | 1.0  | 0.8  | 17    | 0.42  | 0.055 | 18    | 20    | 0.63  | 276   | 0.083 | <1    | 0.92  | 0.035 | 0.51  | 0.7   | <0.01 | 3.7   | 0.3   | 0.09  |     |     |      |
| 1814229 | Drill Core | 0.3     | 0.7  | 0.4  | 23    | 1.05  | 0.060 | 20    | 28    | 0.82  | 236   | 0.098 | <1    | 1.17  | 0.045 | 0.48  | 0.7   | <0.01 | 5.2   | 0.3   | <0.05 |     |     |      |
| 1814230 | Drill Core | 0.3     | 0.4  | 0.2  | 22    | 1.22  | 0.062 | 14    | 25    | 0.91  | 349   | 0.065 | <1    | 1.17  | 0.042 | 0.53  | 0.2   | <0.01 | 6.4   | 0.3   | 0.25  |     |     |      |
| 1814231 | Drill Core | 0.3     | 0.8  | <0.1 | 21    | 1.04  | 0.069 | 22    | 25    | 0.93  | 385   | 0.080 | 1     | 1.37  | 0.040 | 0.64  | 0.5   | <0.01 | 6.2   | 0.4   | 0.08  |     |     |      |
| 1814232 | Drill Core | 0.2     | 0.6  | <0.1 | 18    | 0.98  | 0.064 | 14    | 25    | 0.82  | 241   | 0.111 | <1    | 1.31  | 0.036 | 0.49  | 0.3   | <0.01 | 3.6   | 0.3   | 0.08  |     |     |      |
| 1814233 | Drill Core | 0.2     | 0.8  | <0.1 | 10    | 0.76  | 0.056 | 6     | 15    | 0.67  | 273   | 0.109 | <1    | 1.08  | 0.040 | 0.35  | 0.1   | <0.01 | 1.9   | 0.2   | 0.23  |     |     |      |
| 1814234 | Drill Core | 0.2     | 0.2  | <0.1 | 14    | 0.64  | 0.057 | 6     | 19    | 0.72  | 294   | 0.112 | <1    | 1.11  | 0.050 | 0.31  | 0.1   | <0.01 | 2.0   | 0.1   | 0.18  |     |     |      |
| 1814235 | Drill Core | 0.2     | 0.4  | <0.1 | 13    | 0.90  | 0.059 | 7     | 18    | 0.78  | 271   | 0.123 | <1    | 1.23  | 0.046 | 0.36  | 0.1   | <0.01 | 2.2   | 0.2   | 0.12  |     |     |      |
| 1814236 | Drill Core | 0.5     | 0.8  | <0.1 | 15    | 0.81  | 0.057 | 9     | 20    | 0.84  | 258   | 0.101 | <1    | 1.37  | 0.034 | 0.35  | 0.2   | <0.01 | 2.7   | 0.2   | 0.05  |     |     |      |
| 1814237 | Drill Core | 0.9     | 1.2  | <0.1 | 21    | 0.85  | 0.059 | 21    | 29    | 1.00  | 230   | 0.078 | 1     | 1.48  | 0.034 | 0.47  | 0.5   | <0.01 | 4.7   | 0.3   | <0.05 |     |     |      |
| 1814238 | Drill Core | 0.6     | 0.9  | <0.1 | 28    | 0.85  | 0.068 | 23    | 38    | 1.08  | 246   | 0.071 | <1    | 1.44  | 0.037 | 0.55  | 0.7   | <0.01 | 5.7   | 0.4   | <0.05 |     |     |      |
| 1814239 | Drill Core | 0.8     | 1.2  | <0.1 | 22    | 1.26  | 0.056 | 18    | 29    | 0.97  | 194   | 0.083 | 1     | 1.52  | 0.039 | 0.24  | 0.5   | <0.01 | 4.4   | 0.1   | <0.05 |     |     |      |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 30, 2020

Page: 2 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI20000068.1

| Method<br>Analyte<br>Unit<br>MDL |            | AQ201 | AQ201 | AQ201 |
|----------------------------------|------------|-------|-------|-------|
|                                  |            | Ga    | Se    | Te    |
|                                  |            | ppm   | ppm   | ppm   |
|                                  |            | 1     | 0.5   | 0.2   |
| 1814210                          | Drill Core | 6     | <0.5  | <0.2  |
| 1814211                          | Drill Core | 6     | 0.6   | <0.2  |
| 1814212                          | Drill Core | 5     | <0.5  | <0.2  |
| 1814213                          | Drill Core | 5     | 0.7   | <0.2  |
| 1814214                          | Drill Core | 4     | <0.5  | <0.2  |
| 1814215                          | Drill Core | 4     | 0.8   | <0.2  |
| 1814216                          | Drill Core | <1    | <0.5  | <0.2  |
| 1814217                          | Drill Core | 4     | 0.5   | <0.2  |
| 1814218                          | Drill Core | 5     | 0.5   | <0.2  |
| 1814219                          | Drill Core | 4     | <0.5  | <0.2  |
| 1814220                          | Rock Pulp  | 5     | <0.5  | <0.2  |
| 1814221                          | Drill Core | 5     | <0.5  | <0.2  |
| 1814222                          | Drill Core | 6     | <0.5  | <0.2  |
| 1814223                          | Drill Core | 5     | <0.5  | <0.2  |
| 1814224                          | Drill Core | 4     | 0.8   | <0.2  |
| 1814225                          | Drill Core | 3     | 1.1   | <0.2  |
| 1814226                          | Drill Core | 6     | 0.5   | <0.2  |
| 1814227                          | Drill Core | 4     | 0.9   | <0.2  |
| 1814228                          | Drill Core | 4     | 0.9   | <0.2  |
| 1814229                          | Drill Core | 6     | <0.5  | <0.2  |
| 1814230                          | Drill Core | 5     | 0.8   | <0.2  |
| 1814231                          | Drill Core | 6     | 0.6   | <0.2  |
| 1814232                          | Drill Core | 5     | 0.5   | <0.2  |
| 1814233                          | Drill Core | 4     | <0.5  | <0.2  |
| 1814234                          | Drill Core | 4     | <0.5  | <0.2  |
| 1814235                          | Drill Core | 4     | <0.5  | <0.2  |
| 1814236                          | Drill Core | 5     | <0.5  | <0.2  |
| 1814237                          | Drill Core | 6     | <0.5  | <0.2  |
| 1814238                          | Drill Core | 6     | <0.5  | <0.2  |
| 1814239                          | Drill Core | 6     | <0.5  | <0.2  |



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 3 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI20000068.1

|         | Method<br>Analyte<br>Unit<br>MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    |
|         |                                  | kg   | g     | ppm    | ppm   | ppm   | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   |
|         |                                  | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5   | 0.1   | 1     |
| 1814240 | Rock Pulp                        | 0.12 | 77    | 0.006  |       |       |       | 4.2   | 21.5  | 1.0   | 33    | <0.1  | 7.5   | 4.3   | 566   | 2.39  | 1.4   | 0.4   | <0.5  | 2.0   | 32    |
| 1814241 | Drill Core                       | 3.55 | 343   | <0.005 | <0.01 | <0.17 | 21.46 | 0.5   | 14.0  | 8.9   | 75    | 0.2   | 12.8  | 7.9   | 310   | 2.22  | 2.9   | 1.3   | <0.5  | 7.9   | 43    |
| 1814242 | Drill Core                       | 3.10 | 428   | <0.005 | <0.01 | <0.17 | 30.12 | 1.3   | 24.9  | 17.7  | 102   | 0.4   | 14.9  | 8.9   | 381   | 2.52  | 1.8   | 1.6   | 0.8   | 8.1   | 57    |
| 1814243 | Drill Core                       | 3.36 | 529   | 0.201  | 0.19  | <0.17 | 30.98 | 0.8   | 19.7  | 15.0  | 76    | 0.4   | 13.4  | 9.1   | 328   | 2.21  | 4.9   | 2.1   | 151.8 | 9.7   | 68    |
| 1814244 | Drill Core                       | 3.73 | 432   | 0.073  | 0.09  | 0.26  | 30.45 | 0.4   | 11.3  | 18.9  | 51    | 0.3   | 3.2   | 2.6   | 184   | 1.13  | 2.1   | 1.4   | 87.9  | 10.8  | 34    |
| 1814245 | Drill Core                       | 3.21 | 386   | <0.005 | <0.01 | <0.17 | 32.80 | 0.7   | 16.2  | 16.0  | 72    | 0.3   | 12.6  | 8.2   | 323   | 2.24  | 2.6   | 1.8   | 1.6   | 9.2   | 66    |
| 1814246 | Drill Core                       | 3.34 | 503   | <0.005 | <0.01 | <0.17 | 31.47 | 0.8   | 23.1  | 13.4  | 78    | 0.4   | 15.7  | 9.8   | 315   | 2.50  | 2.0   | 1.6   | 1.3   | 9.5   | 65    |
| 1814247 | Drill Core                       | 3.45 | 393   | 0.006  | <0.01 | <0.17 | 35.62 | 1.6   | 24.4  | 28.1  | 97    | 0.5   | 14.5  | 9.1   | 525   | 2.74  | 2.0   | 1.8   | 3.8   | 9.8   | 75    |
| 1814248 | Drill Core                       | 2.60 | 431   | 0.009  | <0.01 | <0.17 | 33.86 | 1.2   | 20.5  | 28.6  | 100   | 0.4   | 15.3  | 8.8   | 461   | 2.70  | 2.0   | 1.8   | 7.1   | 9.3   | 48    |
| 1814249 | Drill Core                       | 3.14 | 352   | 0.064  | 0.06  | <0.17 | 29.97 | 0.7   | 15.8  | 14.2  | 73    | 0.3   | 9.3   | 6.0   | 270   | 1.82  | 1.6   | 1.4   | 30.9  | 8.9   | 50    |
| 1814250 | Drill Core                       | 3.24 | 396   | 0.100  | 0.09  | <0.17 | 30.56 | 0.9   | 11.3  | 13.3  | 46    | 0.5   | 5.0   | 4.3   | 256   | 1.29  | 2.6   | 1.6   | 94.3  | 10.3  | 49    |
| 1814251 | Drill Core                       | 2.99 | 354   | 0.045  | 0.04  | <0.17 | 34.07 | 0.9   | 17.8  | 14.1  | 52    | 0.5   | 9.0   | 6.3   | 307   | 1.78  | 3.3   | 1.2   | 48.0  | 8.2   | 70    |
| 1814252 | Drill Core                       | 2.73 | 377   | 0.116  | 0.22  | 1.30  | 32.36 | 0.4   | 8.3   | 15.5  | 41    | 0.4   | 2.2   | 2.5   | 176   | 1.04  | 1.9   | 1.1   | 141.9 | 12.1  | 21    |
| 1814253 | Drill Core                       | 1.66 | 468   | 0.165  | 0.25  | 1.28  | 36.05 | 0.6   | 8.8   | 9.7   | 35    | 0.4   | 2.3   | 2.5   | 99    | 0.96  | 5.9   | 1.1   | 208.1 | 8.8   | 7     |
| 1814254 | Drill Core                       | 1.43 | 409   | 0.455  | 0.63  | 2.75  | 31.95 | 0.5   | 8.7   | 7.2   | 18    | 0.8   | 2.0   | 2.0   | 113   | 0.97  | 13.8  | 1.4   | 442.2 | 10.3  | 18    |
| 1814255 | Drill Core                       | 1.57 | 408   | 0.160  | 0.15  | <0.17 | 34.11 | 0.4   | 6.8   | 3.5   | 9     | 0.3   | 0.8   | 0.5   | 65    | 0.57  | 3.8   | 0.7   | 122.0 | 8.7   | 4     |
| 1814256 | Drill Core                       | 1.90 | 422   | 0.042  | 0.04  | <0.17 | 32.98 | 0.9   | 10.5  | 11.1  | 38    | 0.2   | 5.3   | 4.3   | 220   | 1.29  | 3.9   | 1.7   | 38.8  | 12.0  | 14    |
| 1814257 | Drill Core                       | 1.78 | 383   | 0.005  | <0.01 | <0.17 | 27.55 | 1.1   | 23.4  | 11.1  | 71    | 0.3   | 13.7  | 8.6   | 502   | 2.82  | 8.7   | 2.6   | 3.9   | 9.4   | 86    |
| 1814258 | Drill Core                       | 3.37 | 499   | 0.024  | 0.02  | <0.17 | 24.18 | 0.5   | 19.7  | 8.4   | 58    | 0.2   | 12.8  | 8.1   | 284   | 2.19  | 17.0  | 2.9   | 13.0  | 9.8   | 69    |
| 1814259 | Drill Core                       | 3.32 | 405   | <0.005 | <0.01 | <0.17 | 29.38 | 1.1   | 19.2  | 8.2   | 76    | 0.2   | 15.7  | 9.5   | 432   | 2.80  | 13.0  | 2.5   | 2.8   | 9.6   | 99    |
| 1814260 | Core DUP                         |      | 444   | <0.005 | <0.01 | <0.17 | 32.14 | 1.1   | 16.4  | 7.6   | 74    | 0.1   | 15.2  | 8.9   | 423   | 2.70  | 12.2  | 2.4   | 2.5   | 9.5   | 103   |
| 1814261 | Drill Core                       | 3.26 | 475   | <0.005 | <0.01 | <0.17 | 29.69 | 1.1   | 21.3  | 16.0  | 92    | 0.2   | 15.5  | 8.2   | 405   | 2.74  | 10.1  | 2.3   | 2.3   | 10.0  | 86    |
| 1814262 | Drill Core                       | 3.12 | 417   | <0.005 | <0.01 | <0.17 | 31.47 | 1.8   | 25.9  | 9.3   | 61    | 0.3   | 22.0  | 8.6   | 450   | 2.72  | 13.8  | 2.0   | 0.9   | 6.6   | 100   |
| 1814263 | Drill Core                       | 3.39 | 505   | <0.005 | <0.01 | <0.17 | 31.60 | 0.7   | 17.9  | 15.9  | 54    | 0.2   | 13.6  | 7.7   | 372   | 2.12  | 15.6  | 2.0   | 0.9   | 10.8  | 55    |
| 1814264 | Drill Core                       | 3.14 | 426   | <0.005 | <0.01 | <0.17 | 26.18 | 1.0   | 18.5  | 22.3  | 47    | 0.3   | 14.8  | 7.3   | 313   | 1.92  | 3.4   | 3.4   | 0.6   | 10.7  | 41    |
| 1814265 | Drill Core                       | 3.15 | 348   | <0.005 | <0.01 | <0.17 | 36.68 | 1.2   | 23.0  | 20.4  | 26    | 0.4   | 10.4  | 4.7   | 204   | 1.36  | 23.3  | 2.5   | <0.5  | 13.6  | 61    |
| 1814266 | Drill Core                       | 3.04 | 438   | <0.005 | <0.01 | <0.17 | 36.83 | 1.3   | 18.6  | 18.0  | 16    | 0.3   | 8.5   | 3.3   | 175   | 1.21  | 35.0  | 1.7   | 0.9   | 10.4  | 58    |
| 1814267 | Drill Core                       | 3.17 | 470   | 0.009  | <0.01 | <0.17 | 31.86 | 0.8   | 21.8  | 16.6  | 45    | 0.3   | 14.6  | 5.5   | 278   | 1.67  | 81.0  | 2.2   | 5.1   | 9.6   | 77    |
| 1814268 | Drill Core                       | 3.03 | 457   | 0.023  | 0.02  | <0.17 | 33.77 | 1.0   | 18.0  | 11.0  | 57    | 0.2   | 12.1  | 6.1   | 422   | 2.02  | 19.6  | 2.5   | 11.7  | 7.3   | 94    |
| 1814269 | Drill Core                       | 1.50 | 400   | <0.005 | <0.01 | <0.17 | 28.01 | 1.1   | 35.8  | 8.3   | 48    | 0.2   | 31.7  | 9.8   | 198   | 1.87  | 7.3   | 2.7   | 1.3   | 7.6   | 39    |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 3 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI20000068.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti     | B     | Al    | Na    | K     | W     | Hg    | Sc    | Tl    | S     |
|         |                                  | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %      | ppm   | %     | %     | %     | ppm   | ppm   | ppm   | ppm   | %     |
|         |                                  | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001  | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  |
| 1814240 | Rock Pulp                        | <0.1  | 0.2   | <0.1  | 22    | 0.79  | 0.036 | 6     | 15    | 0.48  | 55    | 0.083  | 2     | 1.04  | 0.078 | 0.09  | 0.2   | <0.01 | 2.7   | <0.1  | <0.05 |
| 1814241 | Drill Core                       | 0.3   | 0.9   | <0.1  | 20    | 0.90  | 0.059 | 19    | 27    | 0.90  | 231   | 0.084  | 1     | 1.42  | 0.037 | 0.31  | 0.4   | <0.01 | 4.4   | 0.1   | <0.05 |
| 1814242 | Drill Core                       | 0.6   | 1.5   | 0.1   | 27    | 1.10  | 0.067 | 22    | 34    | 1.14  | 180   | 0.088  | 1     | 1.62  | 0.029 | 0.42  | 0.9   | 0.01  | 5.2   | 0.2   | <0.05 |
| 1814243 | Drill Core                       | 0.6   | 1.9   | <0.1  | 21    | 1.08  | 0.063 | 18    | 25    | 0.94  | 497   | 0.094  | 2     | 1.41  | 0.034 | 0.59  | 1.4   | 0.02  | 5.6   | 0.3   | 0.12  |
| 1814244 | Drill Core                       | 0.4   | 1.0   | 0.1   | 6     | 0.55  | 0.039 | 26    | 11    | 0.34  | 471   | 0.031  | 2     | 0.83  | 0.030 | 0.46  | 0.5   | 0.03  | 3.1   | 0.2   | <0.05 |
| 1814245 | Drill Core                       | 0.5   | 1.3   | <0.1  | 23    | 1.13  | 0.060 | 19    | 27    | 1.01  | 640   | 0.089  | 2     | 1.31  | 0.036 | 0.48  | 0.8   | 0.01  | 5.8   | 0.3   | <0.05 |
| 1814246 | Drill Core                       | 0.4   | 0.9   | <0.1  | 30    | 0.99  | 0.064 | 21    | 34    | 1.15  | 411   | 0.099  | 1     | 1.44  | 0.047 | 0.49  | 0.6   | <0.01 | 7.3   | 0.3   | 0.06  |
| 1814247 | Drill Core                       | 0.5   | 0.6   | 0.2   | 29    | 1.79  | 0.067 | 24    | 31    | 1.05  | 366   | 0.020  | 1     | 1.48  | 0.040 | 0.42  | 0.2   | <0.01 | 5.7   | 0.2   | <0.05 |
| 1814248 | Drill Core                       | 0.4   | 0.6   | 0.1   | 29    | 0.81  | 0.061 | 26    | 34    | 1.00  | 209   | 0.006  | <1    | 1.39  | 0.037 | 0.33  | 0.1   | 0.02  | 4.6   | 0.1   | <0.05 |
| 1814249 | Drill Core                       | 0.4   | 0.8   | 0.1   | 14    | 0.76  | 0.039 | 24    | 20    | 0.66  | 252   | 0.029  | 1     | 1.01  | 0.032 | 0.45  | 0.3   | 0.03  | 3.5   | 0.2   | <0.05 |
| 1814250 | Drill Core                       | 0.5   | 0.8   | 0.1   | 5     | 0.75  | 0.030 | 25    | 9     | 0.32  | 366   | 0.008  | 1     | 0.70  | 0.027 | 0.43  | 0.2   | 0.04  | 2.5   | 0.1   | <0.05 |
| 1814251 | Drill Core                       | 0.3   | 0.6   | <0.1  | 9     | 1.03  | 0.046 | 16    | 12    | 0.65  | 298   | 0.004  | <1    | 0.98  | 0.018 | 0.42  | <0.1  | 0.01  | 2.7   | 0.1   | 0.07  |
| 1814252 | Drill Core                       | 0.4   | 0.4   | 0.2   | 3     | 0.35  | 0.024 | 35    | 6     | 0.20  | 416   | 0.002  | 1     | 0.60  | 0.031 | 0.41  | 0.1   | 0.02  | 1.6   | 0.1   | <0.05 |
| 1814253 | Drill Core                       | 0.3   | 0.3   | 0.1   | 3     | 0.08  | 0.025 | 23    | 5     | 0.16  | 334   | 0.001  | <1    | 0.49  | 0.031 | 0.31  | 0.1   | 0.04  | 1.3   | <0.1  | <0.05 |
| 1814254 | Drill Core                       | 0.2   | 0.8   | 0.2   | 3     | 0.13  | 0.056 | 26    | 4     | 0.14  | 373   | 0.002  | 1     | 0.51  | 0.022 | 0.36  | 0.1   | 0.04  | 1.1   | 0.1   | <0.05 |
| 1814255 | Drill Core                       | <0.1  | 0.5   | <0.1  | <1    | 0.02  | 0.009 | 26    | 2     | 0.04  | 274   | <0.001 | <1    | 0.28  | 0.033 | 0.24  | <0.1  | 0.02  | 0.6   | <0.1  | <0.05 |
| 1814256 | Drill Core                       | 0.4   | 0.4   | 0.1   | 6     | 0.21  | 0.036 | 36    | 7     | 0.35  | 524   | 0.002  | 1     | 0.87  | 0.022 | 0.47  | 0.1   | 0.02  | 2.1   | 0.2   | <0.05 |
| 1814257 | Drill Core                       | 0.3   | 0.5   | <0.1  | 26    | 1.47  | 0.067 | 26    | 30    | 1.10  | 245   | 0.005  | <1    | 1.59  | 0.026 | 0.40  | 0.2   | 0.01  | 4.9   | 0.2   | <0.05 |
| 1814258 | Drill Core                       | 0.3   | 1.0   | <0.1  | 23    | 1.03  | 0.061 | 24    | 26    | 0.71  | 258   | 0.024  | 1     | 1.24  | 0.045 | 0.42  | 0.2   | 0.03  | 5.5   | 0.2   | 0.09  |
| 1814259 | Drill Core                       | 0.5   | 1.8   | <0.1  | 33    | 1.38  | 0.068 | 27    | 38    | 0.90  | 172   | 0.071  | 1     | 1.48  | 0.048 | 0.28  | 0.3   | 0.02  | 6.7   | 0.1   | 0.08  |
| 1814260 | Core DUP                         | 0.5   | 1.8   | <0.1  | 33    | 1.41  | 0.069 | 27    | 38    | 0.90  | 177   | 0.070  | 1     | 1.46  | 0.043 | 0.30  | 0.3   | 0.01  | 6.5   | 0.1   | 0.06  |
| 1814261 | Drill Core                       | 0.6   | 1.1   | <0.1  | 30    | 1.14  | 0.064 | 29    | 35    | 0.86  | 182   | 0.022  | <1    | 1.37  | 0.037 | 0.32  | 0.2   | 0.03  | 5.9   | 0.1   | <0.05 |
| 1814262 | Drill Core                       | 0.3   | 2.1   | 0.2   | 26    | 1.29  | 0.085 | 22    | 24    | 0.93  | 310   | 0.036  | 1     | 1.36  | 0.015 | 0.49  | 0.2   | <0.01 | 7.0   | 0.2   | 0.06  |
| 1814263 | Drill Core                       | 0.2   | 1.1   | <0.1  | 14    | 0.88  | 0.055 | 24    | 14    | 0.84  | 398   | 0.081  | 1     | 1.16  | 0.027 | 0.77  | 0.2   | <0.01 | 6.6   | 0.5   | 0.14  |
| 1814264 | Drill Core                       | 0.3   | 0.6   | 0.3   | 11    | 0.65  | 0.052 | 27    | 11    | 0.64  | 345   | 0.090  | <1    | 0.86  | 0.024 | 0.64  | 0.1   | <0.01 | 4.6   | 0.5   | 0.14  |
| 1814265 | Drill Core                       | 0.4   | 0.3   | 0.7   | 7     | 0.74  | 0.056 | 35    | 7     | 0.16  | 446   | 0.066  | <1    | 0.50  | 0.038 | 0.44  | <0.1  | <0.01 | 1.6   | 0.2   | 0.09  |
| 1814266 | Drill Core                       | 0.2   | 0.8   | 0.4   | 6     | 1.10  | 0.045 | 23    | 8     | 0.13  | 304   | 0.073  | <1    | 0.43  | 0.024 | 0.41  | 0.2   | <0.01 | 2.2   | 0.1   | 0.09  |
| 1814267 | Drill Core                       | 0.3   | 2.1   | 0.3   | 15    | 1.39  | 0.049 | 24    | 17    | 0.37  | 334   | 0.060  | <1    | 0.63  | 0.034 | 0.49  | 0.2   | <0.01 | 3.0   | 0.2   | 0.18  |
| 1814268 | Drill Core                       | 0.4   | 0.5   | 0.2   | 14    | 1.71  | 0.071 | 19    | 12    | 0.47  | 552   | 0.052  | <1    | 0.71  | 0.024 | 0.53  | 0.1   | <0.01 | 5.7   | 0.2   | 0.15  |
| 1814269 | Drill Core                       | 0.4   | 0.8   | <0.1  | 13    | 0.73  | 0.061 | 21    | 14    | 0.48  | 371   | 0.118  | <1    | 0.73  | 0.019 | 0.46  | 0.2   | <0.01 | 4.6   | 0.2   | 0.33  |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 30, 2020

Page: 3 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI20000068.1

| Method<br>Analyte<br>Unit<br>MDL |            | AQ201 | AQ201 | AQ201 |
|----------------------------------|------------|-------|-------|-------|
|                                  |            | Ga    | Se    | Te    |
|                                  |            | ppm   | ppm   | ppm   |
|                                  |            | 1     | 0.5   | 0.2   |
| 1814240                          | Rock Pulp  | 4     | <0.5  | <0.2  |
| 1814241                          | Drill Core | 6     | <0.5  | <0.2  |
| 1814242                          | Drill Core | 7     | <0.5  | <0.2  |
| 1814243                          | Drill Core | 6     | <0.5  | <0.2  |
| 1814244                          | Drill Core | 4     | <0.5  | <0.2  |
| 1814245                          | Drill Core | 6     | <0.5  | <0.2  |
| 1814246                          | Drill Core | 7     | <0.5  | <0.2  |
| 1814247                          | Drill Core | 8     | <0.5  | <0.2  |
| 1814248                          | Drill Core | 8     | <0.5  | <0.2  |
| 1814249                          | Drill Core | 5     | <0.5  | <0.2  |
| 1814250                          | Drill Core | 3     | <0.5  | <0.2  |
| 1814251                          | Drill Core | 3     | <0.5  | <0.2  |
| 1814252                          | Drill Core | 3     | <0.5  | <0.2  |
| 1814253                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814254                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814255                          | Drill Core | 1     | <0.5  | <0.2  |
| 1814256                          | Drill Core | 3     | <0.5  | <0.2  |
| 1814257                          | Drill Core | 7     | <0.5  | <0.2  |
| 1814258                          | Drill Core | 6     | 0.7   | <0.2  |
| 1814259                          | Drill Core | 8     | 0.6   | <0.2  |
| 1814260                          | Core DUP   | 8     | 0.5   | <0.2  |
| 1814261                          | Drill Core | 8     | <0.5  | <0.2  |
| 1814262                          | Drill Core | 5     | 0.9   | <0.2  |
| 1814263                          | Drill Core | 4     | 0.9   | <0.2  |
| 1814264                          | Drill Core | 3     | 1.1   | <0.2  |
| 1814265                          | Drill Core | 2     | 1.3   | <0.2  |
| 1814266                          | Drill Core | 2     | 0.9   | <0.2  |
| 1814267                          | Drill Core | 3     | 0.9   | <0.2  |
| 1814268                          | Drill Core | 3     | 0.8   | <0.2  |
| 1814269                          | Drill Core | 3     | 1.1   | <0.2  |



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 4 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI20000068.1

|         | Method     | Analyte | Unit | MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |       |     |     |     |
|---------|------------|---------|------|-----|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-----|-----|
|         |            |         |      |     | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th  | Sr  |     |
|         |            |         |      |     | kg   | g     | ppm    | ppm   | ppm   | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb | ppm | ppm |
|         |            |         |      |     | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5   | 0.1 | 1   |     |
| 1814270 | Drill Core |         |      |     | 1.54 | 413   | 0.008  | <0.01 | <0.17 | 28.76 | 1.8   | 37.4  | 16.6  | 49    | 0.3   | 27.7  | 9.7   | 501   | 2.18  | 9.2   | 3.6   | 6.1   | 6.4 | 140 |     |
| 1814271 | Drill Core |         |      |     | 1.77 | 436   | <0.005 | <0.01 | <0.17 | 26.65 | 1.8   | 26.9  | 10.4  | 57    | 0.2   | 22.2  | 7.6   | 203   | 1.78  | 21.0  | 0.9   | 3.7   | 6.5 | 32  |     |
| 1814272 | Drill Core |         |      |     | 1.33 | 405   | <0.005 | <0.01 | <0.17 | 32.50 | 3.0   | 32.7  | 10.0  | 81    | 0.3   | 28.7  | 9.7   | 333   | 3.03  | 32.4  | 2.1   | 3.8   | 7.7 | 50  |     |
| 1814273 | Drill Core |         |      |     | 2.11 | 417   | <0.005 | <0.01 | <0.17 | 27.08 | 1.6   | 29.9  | 10.3  | 72    | 0.2   | 27.4  | 9.2   | 310   | 2.40  | 21.7  | 2.5   | 0.9   | 6.7 | 35  |     |
| 1814274 | Drill Core |         |      |     | 1.33 | 495   | <0.005 | <0.01 | <0.17 | 32.13 | 0.9   | 29.3  | 7.2   | 64    | 0.3   | 27.9  | 9.2   | 244   | 1.88  | 17.9  | 2.3   | 4.4   | 6.5 | 26  |     |
| 1814275 | Drill Core |         |      |     | 1.49 | 458   | <0.005 | <0.01 | <0.17 | 27.31 | 1.1   | 33.9  | 7.0   | 79    | 0.2   | 30.3  | 9.1   | 221   | 1.90  | 13.0  | 3.4   | 5.9   | 5.8 | 25  |     |
| 1814276 | Drill Core |         |      |     | 1.51 | 387   | 0.033  | 0.03  | <0.17 | 27.84 | 1.4   | 21.0  | 17.9  | 69    | 0.3   | 21.8  | 8.7   | 324   | 2.26  | 17.9  | 1.0   | 31.5  | 6.4 | 44  |     |
| 1814277 | Drill Core |         |      |     | 1.91 | 366   | 0.013  | 0.01  | <0.17 | 27.28 | 1.9   | 21.3  | 12.4  | 77    | 0.2   | 28.2  | 10.1  | 303   | 2.22  | 15.7  | 2.4   | 19.4  | 8.1 | 42  |     |
| 1814278 | Drill Core |         |      |     | 1.28 | 520   | <0.005 | <0.01 | <0.17 | 29.80 | 1.3   | 17.5  | 21.4  | 81    | 0.2   | 13.0  | 7.9   | 376   | 2.33  | 9.6   | 1.4   | 4.8   | 8.2 | 57  |     |
| 1814279 | Drill Core |         |      |     | 3.11 | 454   | 0.097  | 0.09  | <0.17 | 36.94 | 1.2   | 17.4  | 9.8   | 68    | 0.2   | 17.0  | 9.8   | 357   | 2.34  | 9.7   | 2.1   | 103.3 | 7.8 | 48  |     |
| 1814280 | Rock       |         |      |     | 0.23 | 141   | <0.005 | <0.01 | <0.17 | 24.02 | 0.5   | 8.0   | 1.5   | 7     | <0.1  | 2.3   | 0.6   | 154   | 1.33  | <0.5  | 0.2   | <0.5  | 0.9 | 2   |     |
| 1814281 | Drill Core |         |      |     | 1.53 | 432   | 0.732  | 1.43  | 10.06 | 32.42 | 0.9   | 13.2  | 6.1   | 47    | 0.4   | 13.7  | 8.9   | 461   | 2.47  | 6.7   | 1.8   | 627.7 | 5.6 | 94  |     |
| 1814282 | Drill Core |         |      |     | 1.73 | 367   | 0.027  | 0.02  | <0.17 | 33.17 | 1.0   | 24.1  | 4.1   | 74    | 0.2   | 23.6  | 13.6  | 688   | 3.20  | 13.5  | 1.9   | 45.7  | 6.5 | 113 |     |
| 1814283 | Drill Core |         |      |     | 1.19 | 364   | 0.012  | 0.01  | <0.17 | 26.71 | 1.3   | 29.7  | 5.4   | 77    | 0.2   | 26.6  | 13.8  | 622   | 3.11  | 23.2  | 3.1   | 18.7  | 5.6 | 86  |     |
| 1814284 | Drill Core |         |      |     | 1.99 | 401   | 0.657  | 0.81  | 2.64  | 31.82 | 0.8   | 26.3  | 4.9   | 59    | 0.4   | 8.9   | 8.2   | 376   | 2.43  | 4.5   | 2.4   | 719.9 | 3.3 | 81  |     |
| 1814285 | Drill Core |         |      |     | 3.06 | 378   | <0.005 | <0.01 | <0.17 | 28.24 | 1.3   | 25.7  | 7.2   | 89    | 0.3   | 27.3  | 13.5  | 626   | 3.23  | 17.6  | 1.4   | 3.7   | 5.3 | 83  |     |
| 1814286 | Drill Core |         |      |     | 3.29 | 409   | <0.005 | <0.01 | <0.17 | 34.73 | 2.4   | 30.9  | 8.8   | 87    | 0.2   | 25.9  | 13.7  | 544   | 3.06  | 21.2  | 1.7   | 1.2   | 5.9 | 57  |     |
| 1814287 | Drill Core |         |      |     | 3.21 | 478   | <0.005 | <0.01 | <0.17 | 30.55 | 2.1   | 26.6  | 9.0   | 80    | 0.2   | 28.9  | 13.6  | 574   | 2.98  | 26.5  | 2.7   | 1.2   | 6.6 | 98  |     |
| 1814288 | Drill Core |         |      |     | 3.25 | 475   | <0.005 | <0.01 | <0.17 | 36.30 | 1.0   | 22.9  | 13.9  | 82    | 0.2   | 26.8  | 12.4  | 635   | 3.10  | 29.6  | 1.3   | 0.5   | 6.4 | 93  |     |
| 1814289 | Drill Core |         |      |     | 3.30 | 503   | <0.005 | <0.01 | <0.17 | 29.41 | 1.2   | 29.0  | 8.4   | 98    | 0.3   | 24.3  | 12.0  | 625   | 3.17  | 66.2  | 0.8   | 3.0   | 7.2 | 47  |     |
| 1814290 | Drill Core |         |      |     | 3.04 | 407   | <0.005 | <0.01 | <0.17 | 27.17 | 1.8   | 23.8  | 14.6  | 81    | 0.2   | 21.1  | 10.4  | 482   | 2.80  | 27.4  | 1.6   | 0.6   | 8.2 | 28  |     |
| 1814291 | Drill Core |         |      |     | 3.22 | 500   | <0.005 | <0.01 | <0.17 | 34.75 | 1.1   | 39.0  | 41.1  | 448   | 0.6   | 13.9  | 9.6   | 721   | 3.02  | 14.9  | 2.1   | 1.2   | 7.5 | 56  |     |
| 1814292 | Drill Core |         |      |     | 1.92 | 538   | <0.005 | <0.01 | <0.17 | 37.71 | 1.5   | 49.9  | 69.1  | 357   | 0.9   | 17.6  | 11.2  | 739   | 2.90  | 14.5  | 2.2   | 2.5   | 6.2 | 56  |     |
| 1814293 | Drill Core |         |      |     | 3.31 | 482   | <0.005 | <0.01 | <0.17 | 31.38 | 1.0   | 34.5  | 11.8  | 105   | 0.3   | 21.2  | 10.7  | 501   | 2.85  | 23.9  | 0.9   | 3.7   | 9.1 | 16  |     |
| 1814294 | Drill Core |         |      |     | 2.66 | 349   | 0.006  | <0.01 | <0.17 | 26.63 | 1.1   | 36.2  | 40.1  | 122   | 0.5   | 21.4  | 8.9   | 570   | 3.04  | 39.2  | 0.9   | 3.9   | 6.5 | 20  |     |
| 1814295 | Drill Core |         |      |     | 2.91 | 533   | 0.005  | <0.01 | <0.17 | 31.23 | 1.9   | 66.1  | 123.8 | 525   | 1.3   | 22.8  | 13.5  | 741   | 3.48  | 217.8 | 1.5   | 4.3   | 5.6 | 21  |     |
| 1814296 | Drill Core |         |      |     | 2.64 | 365   | 0.038  | 0.04  | <0.17 | 25.88 | 1.6   | 41.7  | 83.0  | 261   | 0.9   | 17.1  | 8.6   | 697   | 3.44  | 25.0  | 1.6   | 1.7   | 5.3 | 28  |     |
| 1814297 | Drill Core |         |      |     | 2.88 | 429   | <0.005 | <0.01 | <0.17 | 32.10 | 2.6   | 70.1  | 42.8  | 291   | 0.6   | 39.3  | 18.5  | 897   | 3.87  | 43.3  | 0.9   | 1.0   | 4.7 | 16  |     |
| 1814298 | Drill Core |         |      |     | 2.89 | 442   | <0.005 | <0.01 | <0.17 | 32.40 | 2.8   | 68.2  | 20.5  | 178   | 0.4   | 35.3  | 15.8  | 722   | 3.77  | 53.3  | 1.8   | 1.6   | 4.6 | 35  |     |
| 1814299 | Drill Core |         |      |     | 1.07 | 459   | <0.005 | <0.01 | <0.17 | 29.32 | 1.9   | 51.0  | 51.0  | 239   | 0.5   | 25.2  | 10.0  | 412   | 2.73  | 122.8 | 1.4   | 1.9   | 2.4 | 23  |     |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 4 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI20000068.1

|         | Method     | Analyte | Unit | MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |     |      |       |
|---------|------------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|-------|
|         |            |         |      |     | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Hg    | Sc  | Tl   | S     |
|         |            |         |      |     | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm | ppm  | %     |
|         |            |         |      |     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1 | 0.1  | 0.05  |
| 1814270 | Drill Core |         |      |     | 0.5   | 2.7   | 0.2   | 17    | 3.23  | 0.049 | 17    | 17    | 0.64  | 244   | 0.061 | <1    | 0.90  | 0.022 | 0.29  | 0.2   | <0.01 | 5.4 | 0.1  | 0.23  |
| 1814271 | Drill Core |         |      |     | 0.3   | 1.1   | <0.1  | 15    | 0.66  | 0.049 | 14    | 19    | 0.63  | 240   | 0.037 | <1    | 0.87  | 0.035 | 0.35  | 0.2   | <0.01 | 4.5 | 0.1  | <0.05 |
| 1814272 | Drill Core |         |      |     | 0.4   | 1.3   | <0.1  | 23    | 1.04  | 0.059 | 13    | 23    | 1.22  | 234   | 0.071 | <1    | 1.42  | 0.026 | 0.39  | 0.2   | <0.01 | 7.2 | 0.2  | 0.19  |
| 1814273 | Drill Core |         |      |     | 0.4   | 0.7   | 0.1   | 18    | 0.84  | 0.054 | 12    | 22    | 1.02  | 243   | 0.076 | <1    | 1.25  | 0.022 | 0.45  | 0.2   | <0.01 | 5.2 | 0.2  | 0.16  |
| 1814274 | Drill Core |         |      |     | 0.3   | 0.7   | <0.1  | 15    | 0.56  | 0.057 | 13    | 22    | 0.82  | 229   | 0.068 | <1    | 1.02  | 0.025 | 0.57  | 0.3   | <0.01 | 3.9 | 0.2  | 0.20  |
| 1814275 | Drill Core |         |      |     | 0.6   | 0.8   | <0.1  | 15    | 0.44  | 0.053 | 11    | 21    | 0.77  | 220   | 0.077 | <1    | 0.95  | 0.018 | 0.63  | 0.5   | <0.01 | 3.3 | 0.3  | 0.22  |
| 1814276 | Drill Core |         |      |     | 0.5   | 1.0   | 0.2   | 17    | 0.69  | 0.053 | 13    | 22    | 0.90  | 237   | 0.091 | 1     | 1.15  | 0.010 | 0.63  | 1.2   | <0.01 | 3.4 | 0.3  | <0.05 |
| 1814277 | Drill Core |         |      |     | 0.3   | 1.1   | 0.1   | 25    | 0.77  | 0.062 | 15    | 47    | 1.00  | 203   | 0.087 | 1     | 1.20  | 0.027 | 0.69  | 0.8   | <0.01 | 3.5 | 0.3  | 0.08  |
| 1814278 | Drill Core |         |      |     | 0.3   | 1.0   | 0.1   | 23    | 1.17  | 0.059 | 18    | 33    | 0.78  | 156   | 0.112 | 2     | 1.23  | 0.048 | 0.51  | 1.2   | <0.01 | 3.8 | 0.2  | 0.12  |
| 1814279 | Drill Core |         |      |     | 0.3   | 0.7   | <0.1  | 24    | 0.85  | 0.066 | 16    | 32    | 0.92  | 251   | 0.100 | 1     | 1.23  | 0.047 | 0.71  | 0.8   | <0.01 | 3.9 | 0.3  | 0.39  |
| 1814280 | Rock       |         |      |     | <0.1  | <0.1  | <0.1  | 2     | 0.06  | 0.002 | 2     | 6     | 0.02  | 11    | 0.003 | 1     | 0.09  | 0.005 | 0.02  | <0.1  | <0.01 | 0.2 | <0.1 | <0.05 |
| 1814281 | Drill Core |         |      |     | 0.2   | 0.7   | <0.1  | 20    | 1.50  | 0.077 | 10    | 20    | 0.86  | 302   | 0.098 | 2     | 1.06  | 0.040 | 0.68  | 1.2   | <0.01 | 3.7 | 0.3  | 0.72  |
| 1814282 | Drill Core |         |      |     | 0.3   | 0.6   | <0.1  | 49    | 1.94  | 0.066 | 10    | 128   | 1.72  | 215   | 0.123 | <1    | 1.64  | 0.053 | 0.98  | 1.0   | <0.01 | 5.9 | 0.5  | 0.35  |
| 1814283 | Drill Core |         |      |     | 0.4   | 1.3   | <0.1  | 57    | 1.70  | 0.064 | 11    | 141   | 1.62  | 158   | 0.145 | <1    | 1.61  | 0.064 | 0.87  | 1.3   | <0.01 | 6.8 | 0.6  | 0.27  |
| 1814284 | Drill Core |         |      |     | 0.4   | 1.0   | <0.1  | 20    | 1.29  | 0.065 | 8     | 28    | 0.89  | 178   | 0.100 | 1     | 1.15  | 0.041 | 0.49  | 1.4   | <0.01 | 3.6 | 0.3  | 0.40  |
| 1814285 | Drill Core |         |      |     | 0.3   | 0.9   | <0.1  | 63    | 1.65  | 0.065 | 11    | 152   | 2.07  | 167   | 0.125 | <1    | 1.96  | 0.067 | 0.57  | 0.6   | <0.01 | 8.1 | 0.3  | 0.17  |
| 1814286 | Drill Core |         |      |     | 0.4   | 1.2   | <0.1  | 60    | 1.28  | 0.063 | 12    | 153   | 1.79  | 224   | 0.131 | <1    | 1.84  | 0.058 | 0.55  | 0.4   | <0.01 | 8.7 | 0.3  | 0.17  |
| 1814287 | Drill Core |         |      |     | 0.4   | 0.6   | <0.1  | 60    | 2.24  | 0.060 | 12    | 125   | 1.68  | 252   | 0.049 | <1    | 1.83  | 0.056 | 0.32  | 0.1   | <0.01 | 9.9 | 0.1  | 0.15  |
| 1814288 | Drill Core |         |      |     | 0.4   | 1.1   | <0.1  | 62    | 2.36  | 0.060 | 14    | 136   | 2.01  | 223   | 0.050 | <1    | 2.10  | 0.065 | 0.28  | 0.1   | <0.01 | 9.6 | 0.1  | <0.05 |
| 1814289 | Drill Core |         |      |     | 0.4   | 2.0   | <0.1  | 52    | 1.26  | 0.069 | 17    | 124   | 2.13  | 241   | 0.058 | <1    | 2.21  | 0.055 | 0.37  | 0.6   | <0.01 | 8.5 | 0.1  | <0.05 |
| 1814290 | Drill Core |         |      |     | 0.3   | 0.5   | <0.1  | 29    | 0.62  | 0.057 | 13    | 29    | 1.65  | 246   | 0.027 | <1    | 1.87  | 0.049 | 0.41  | 0.1   | <0.01 | 3.6 | 0.1  | 0.16  |
| 1814291 | Drill Core |         |      |     | 3.9   | 0.4   | 0.3   | 25    | 1.24  | 0.051 | 11    | 18    | 1.78  | 303   | 0.020 | <1    | 2.05  | 0.048 | 0.53  | 0.1   | <0.01 | 3.1 | 0.1  | 0.33  |
| 1814292 | Drill Core |         |      |     | 3.1   | 1.0   | 0.7   | 21    | 1.33  | 0.055 | 8     | 12    | 1.59  | 318   | 0.028 | 1     | 1.80  | 0.007 | 0.58  | 0.1   | <0.01 | 2.3 | 0.2  | 0.58  |
| 1814293 | Drill Core |         |      |     | 0.4   | 1.9   | <0.1  | 24    | 0.30  | 0.057 | 21    | 23    | 1.62  | 250   | 0.043 | 1     | 1.92  | 0.034 | 0.47  | 0.2   | <0.01 | 2.9 | 0.2  | <0.05 |
| 1814294 | Drill Core |         |      |     | 0.6   | 3.0   | 0.1   | 25    | 0.37  | 0.069 | 16    | 26    | 1.89  | 243   | 0.057 | 2     | 2.06  | 0.007 | 0.49  | 0.3   | <0.01 | 2.6 | 0.2  | <0.05 |
| 1814295 | Drill Core |         |      |     | 2.8   | 7.2   | 1.1   | 30    | 0.34  | 0.069 | 14    | 18    | 1.59  | 248   | 0.041 | 2     | 1.88  | 0.011 | 0.56  | 0.3   | <0.01 | 3.1 | 0.2  | <0.05 |
| 1814296 | Drill Core |         |      |     | 2.5   | 4.6   | 0.7   | 27    | 0.28  | 0.067 | 11    | 27    | 1.77  | 182   | 0.049 | 2     | 1.92  | 0.016 | 0.40  | 0.2   | <0.01 | 3.2 | 0.2  | <0.05 |
| 1814297 | Drill Core |         |      |     | 2.3   | 2.6   | 0.2   | 37    | 0.25  | 0.084 | 12    | 21    | 1.82  | 204   | 0.017 | 1     | 1.89  | 0.013 | 0.37  | 0.1   | <0.01 | 3.1 | 0.1  | <0.05 |
| 1814298 | Drill Core |         |      |     | 0.9   | 4.7   | 0.2   | 40    | 0.26  | 0.080 | 10    | 25    | 1.47  | 209   | 0.035 | 1     | 1.76  | 0.023 | 0.36  | 0.3   | <0.01 | 3.5 | 0.1  | 0.06  |
| 1814299 | Drill Core |         |      |     | 1.2   | 5.2   | 0.4   | 27    | 0.19  | 0.049 | 7     | 17    | 0.89  | 128   | 0.029 | 2     | 1.21  | 0.009 | 0.25  | 0.3   | <0.01 | 2.4 | 0.1  | <0.05 |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 30, 2020

Page: 4 of 5

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI20000068.1

| Method<br>Analyte<br>Unit<br>MDL |            | AQ201 | AQ201 | AQ201 |
|----------------------------------|------------|-------|-------|-------|
|                                  |            | Ga    | Se    | Te    |
|                                  |            | ppm   | ppm   | ppm   |
|                                  |            | 1     | 0.5   | 0.2   |
| 1814270                          | Drill Core | 4     | 1.4   | <0.2  |
| 1814271                          | Drill Core | 3     | 0.7   | <0.2  |
| 1814272                          | Drill Core | 5     | 1.2   | <0.2  |
| 1814273                          | Drill Core | 5     | 0.9   | <0.2  |
| 1814274                          | Drill Core | 3     | 0.7   | <0.2  |
| 1814275                          | Drill Core | 3     | 1.0   | <0.2  |
| 1814276                          | Drill Core | 4     | 0.6   | <0.2  |
| 1814277                          | Drill Core | 5     | 0.7   | <0.2  |
| 1814278                          | Drill Core | 5     | 0.8   | <0.2  |
| 1814279                          | Drill Core | 5     | 0.9   | <0.2  |
| 1814280                          | Rock       | <1    | <0.5  | <0.2  |
| 1814281                          | Drill Core | 4     | 0.9   | <0.2  |
| 1814282                          | Drill Core | 6     | 0.8   | <0.2  |
| 1814283                          | Drill Core | 6     | 1.0   | <0.2  |
| 1814284                          | Drill Core | 4     | 1.0   | <0.2  |
| 1814285                          | Drill Core | 6     | 0.7   | <0.2  |
| 1814286                          | Drill Core | 6     | 1.1   | <0.2  |
| 1814287                          | Drill Core | 7     | 1.0   | <0.2  |
| 1814288                          | Drill Core | 8     | 1.0   | <0.2  |
| 1814289                          | Drill Core | 7     | 0.5   | <0.2  |
| 1814290                          | Drill Core | 6     | 0.6   | <0.2  |
| 1814291                          | Drill Core | 6     | 1.0   | <0.2  |
| 1814292                          | Drill Core | 4     | 2.3   | <0.2  |
| 1814293                          | Drill Core | 6     | <0.5  | <0.2  |
| 1814294                          | Drill Core | 5     | 0.9   | <0.2  |
| 1814295                          | Drill Core | 4     | 2.1   | <0.2  |
| 1814296                          | Drill Core | 5     | 1.4   | <0.2  |
| 1814297                          | Drill Core | 4     | 1.2   | <0.2  |
| 1814298                          | Drill Core | 5     | 1.3   | <0.2  |
| 1814299                          | Drill Core | 3     | 1.1   | <0.2  |



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 5 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI20000068.1

|         | Method<br>Analyte<br>Unit<br>MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
|         |                                  | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au     | Th    | Sr    |
|         |                                  | kg   | g     | ppm    | ppm   | ppm   | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb    | ppm   | ppm   |
|         |                                  | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5    | 0.1   | 1     |
| 1814300 | Rock Pulp                        | 0.12 | 80    | 7.270  |       |       |       | 9.7   | 189.3 | 18.4  | 75    | 0.8   | 14.1  | 11.3  | 604   | 4.67  | 14.5  | 0.8   | 7048.4 | 2.6   | 76    |
| 1814301 | Drill Core                       | 2.06 | 513   | <0.005 | <0.01 | <0.17 | 31.26 | 2.9   | 73.5  | 26.5  | 161   | 0.3   | 39.5  | 17.5  | 778   | 3.96  | 76.1  | 1.2   | 1.2    | 4.3   | 30    |
| 1814302 | Drill Core                       | 2.40 | 451   | <0.005 | <0.01 | <0.17 | 29.13 | 2.6   | 89.5  | 71.3  | 269   | 0.9   | 36.8  | 15.1  | 750   | 3.79  | 55.9  | 0.9   | 1.2    | 4.4   | 19    |
| 1814303 | Drill Core                       | 3.67 | 403   | <0.005 | <0.01 | <0.17 | 27.78 | 2.3   | 50.6  | 15.5  | 200   | 0.4   | 28.3  | 11.5  | 629   | 3.74  | 31.1  | 0.9   | 1.3    | 4.3   | 38    |
| 1814304 | Drill Core                       | 2.92 | 352   | 0.005  | <0.01 | <0.17 | 31.62 | 2.3   | 64.2  | 24.3  | 229   | 0.5   | 30.8  | 12.3  | 492   | 3.58  | 14.5  | 1.6   | 1.5    | 4.7   | 54    |
| 1814305 | Drill Core                       | 3.27 | 448   | <0.005 | <0.01 | <0.17 | 28.01 | 2.9   | 60.7  | 32.0  | 180   | 0.3   | 42.7  | 17.9  | 892   | 3.45  | 13.0  | 1.0   | 1.2    | 4.4   | 23    |
| 1814306 | Drill Core                       | 3.04 | 457   | 0.006  | <0.01 | <0.17 | 33.00 | 3.6   | 82.9  | 39.8  | 180   | 0.7   | 43.5  | 16.6  | 949   | 4.33  | 29.7  | 1.6   | 2.8    | 4.7   | 30    |
| 1814307 | Drill Core                       | 2.70 | 383   | <0.005 | <0.01 | <0.17 | 25.90 | 1.2   | 34.8  | 7.1   | 76    | 0.2   | 19.7  | 7.3   | 602   | 2.20  | 21.7  | 0.3   | 2.0    | 2.1   | 16    |
| 1814308 | Drill Core                       | 3.35 | 420   | 0.006  | <0.01 | <0.17 | 27.99 | 2.7   | 72.3  | 33.1  | 362   | 0.6   | 36.9  | 15.9  | 882   | 3.71  | 31.0  | 0.8   | 2.7    | 3.7   | 27    |
| 1814309 | Drill Core                       | 3.42 | 479   | <0.005 | <0.01 | <0.17 | 37.07 | 1.6   | 39.8  | 6.4   | 266   | 0.2   | 28.5  | 15.4  | 840   | 4.38  | 27.3  | 0.8   | 1.2    | 5.0   | 50    |
| 1814310 | Drill Core                       | 3.45 | 389   | <0.005 | <0.01 | <0.17 | 31.38 | 9.9   | 36.4  | 17.4  | 112   | 0.3   | 19.0  | 11.1  | 615   | 3.64  | 17.5  | 0.8   | <0.5   | 5.9   | 26    |
| 1814311 | Drill Core                       | 2.49 | 368   | <0.005 | <0.01 | <0.17 | 25.68 | 1.4   | 14.8  | 20.9  | 123   | 0.2   | 13.6  | 9.3   | 805   | 4.08  | 13.7  | 0.5   | <0.5   | 5.4   | 32    |
| 1814312 | Drill Core                       | 3.21 | 392   | 0.005  | <0.01 | <0.17 | 22.25 | 2.1   | 31.1  | 65.2  | 102   | 0.6   | 15.9  | 10.4  | 522   | 3.30  | 10.6  | 1.0   | 1.5    | 5.4   | 24    |
| 1814313 | Drill Core                       | 3.47 | 396   | <0.005 | <0.01 | <0.17 | 26.13 | 1.4   | 32.5  | 14.2  | 113   | 0.3   | 21.3  | 10.7  | 590   | 3.23  | 10.0  | 0.8   | 1.1    | 5.5   | 30    |
| 1814314 | Drill Core                       | 1.64 | 544   | 0.007  | <0.01 | <0.17 | 29.37 | 1.8   | 62.3  | 35.6  | 226   | 0.5   | 30.0  | 13.7  | 508   | 2.99  | 10.1  | 0.8   | 1.7    | 4.5   | 20    |
| 1814315 | Drill Core                       | 2.74 | 363   | <0.005 | <0.01 | <0.17 | 28.73 | 1.2   | 23.7  | 24.1  | 100   | 0.2   | 18.5  | 9.0   | 466   | 2.84  | 13.7  | 0.5   | <0.5   | 6.5   | 24    |
| 1814316 | Drill Core                       | 2.83 | 428   | <0.005 | <0.01 | <0.17 | 29.27 | 1.4   | 21.9  | 42.5  | 80    | 0.3   | 17.9  | 8.5   | 484   | 2.59  | 12.5  | 1.4   | <0.5   | 7.9   | 28    |
| 1814317 | Drill Core                       | 3.13 | 425   | <0.005 | <0.01 | <0.17 | 30.83 | 1.3   | 18.4  | 3.3   | 87    | <0.1  | 15.6  | 8.4   | 352   | 2.80  | 11.3  | 1.8   | <0.5   | 10.4  | 17    |
| 1814318 | Drill Core                       | 4.07 | 456   | <0.005 | <0.01 | <0.17 | 34.88 | 1.3   | 14.4  | 9.7   | 76    | <0.1  | 17.1  | 7.7   | 455   | 2.52  | 17.6  | 1.0   | 0.6    | 9.3   | 40    |
| 1814319 | Drill Core                       | 3.86 | 448   | <0.005 | <0.01 | <0.17 | 28.09 | 1.1   | 13.0  | 6.6   | 77    | <0.1  | 17.5  | 8.1   | 371   | 2.66  | 26.5  | 1.0   | <0.5   | 9.8   | 23    |
| 1814320 | Rock Pulp                        | 0.12 | 84    | 0.492  |       |       |       | 6.8   | 112.8 | 90.6  | 150   | 0.6   | 12.9  | 5.2   | 618   | 2.58  | 41.5  | 0.4   | 660.3  | 2.3   | 37    |
| 1814321 | Drill Core                       | 1.76 | 432   | 0.007  | <0.01 | <0.17 | 29.08 | 0.9   | 10.9  | 14.3  | 72    | <0.1  | 11.9  | 7.0   | 421   | 2.96  | 19.6  | 0.9   | 0.7    | 10.8  | 19    |
| 1814322 | Drill Core                       | 2.85 | 357   | 0.006  | <0.01 | <0.17 | 35.32 | 0.9   | 15.2  | 15.0  | 67    | 0.2   | 10.0  | 6.9   | 345   | 2.64  | 21.7  | 1.0   | 1.4    | 10.9  | 26    |
| 1814323 | Drill Core                       | 2.84 | 428   | 0.007  | <0.01 | <0.17 | 24.35 | 0.9   | 12.0  | 27.3  | 67    | 0.1   | 9.2   | 6.3   | 351   | 2.65  | 88.4  | 0.8   | 2.3    | 9.6   | 38    |
| 1814324 | Drill Core                       | 3.45 | 369   | 0.005  | <0.01 | <0.17 | 30.97 | 0.5   | 8.1   | 18.9  | 71    | <0.1  | 7.7   | 5.9   | 318   | 2.81  | 21.1  | 0.9   | <0.5   | 10.5  | 21    |
| 1814325 | Drill Core                       | 1.13 | 482   | 0.006  | <0.01 | <0.17 | 34.60 | 1.0   | 7.9   | 19.3  | 73    | <0.1  | 10.3  | 6.0   | 319   | 2.67  | 82.4  | 0.9   | <0.5   | 10.4  | 33    |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 5 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI20000068.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Hg    | Sc    | Tl    | S     |
|         |                                  | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm   | ppm   | %     |
|         |                                  | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  |
| 1814300 | Rock Pulp                        | 0.2   | 4.3   | 0.5   | 115   | 1.02  | 0.059 | 8     | 18    | 0.87  | 120   | 0.122 | 2     | 1.84  | 0.198 | 0.24  | 3.9   | 0.23  | 3.5   | <0.1  | <0.05 |
| 1814301 | Drill Core                       | 1.1   | 4.4   | 0.1   | 42    | 0.30  | 0.086 | 10    | 23    | 1.39  | 197   | 0.027 | 2     | 1.83  | 0.016 | 0.41  | 0.2   | <0.01 | 3.7   | 0.2   | <0.05 |
| 1814302 | Drill Core                       | 2.2   | 4.0   | 0.4   | 41    | 0.23  | 0.078 | 12    | 23    | 1.48  | 202   | 0.018 | 1     | 1.81  | 0.021 | 0.34  | 0.2   | <0.01 | 3.4   | 0.1   | <0.05 |
| 1814303 | Drill Core                       | 1.3   | 1.7   | 0.2   | 36    | 0.18  | 0.079 | 11    | 21    | 1.30  | 225   | 0.010 | 1     | 1.69  | 0.022 | 0.34  | <0.1  | <0.01 | 2.7   | 0.1   | 0.09  |
| 1814304 | Drill Core                       | 2.3   | 1.8   | 0.2   | 37    | 0.21  | 0.093 | 11    | 22    | 1.28  | 247   | 0.035 | 1     | 1.73  | 0.025 | 0.37  | 0.1   | <0.01 | 2.9   | 0.1   | 0.08  |
| 1814305 | Drill Core                       | 1.3   | 1.5   | 0.2   | 37    | 0.48  | 0.089 | 11    | 21    | 1.52  | 204   | 0.024 | <1    | 1.67  | 0.014 | 0.33  | <0.1  | <0.01 | 3.0   | <0.1  | <0.05 |
| 1814306 | Drill Core                       | 1.7   | 4.3   | 0.3   | 45    | 0.29  | 0.077 | 10    | 28    | 1.62  | 205   | 0.040 | 1     | 2.03  | 0.010 | 0.32  | 0.1   | <0.01 | 3.5   | 0.1   | 0.07  |
| 1814307 | Drill Core                       | 0.5   | 3.0   | <0.1  | 19    | 0.60  | 0.034 | 6     | 16    | 0.70  | 119   | 0.013 | 1     | 0.88  | 0.006 | 0.16  | 0.1   | <0.01 | 1.9   | <0.1  | <0.05 |
| 1814308 | Drill Core                       | 4.9   | 5.0   | 0.5   | 40    | 0.84  | 0.074 | 13    | 22    | 1.56  | 196   | 0.039 | 2     | 1.76  | 0.014 | 0.38  | 0.2   | <0.01 | 3.7   | 0.2   | <0.05 |
| 1814309 | Drill Core                       | 2.5   | 4.1   | <0.1  | 56    | 0.95  | 0.083 | 15    | 28    | 2.42  | 217   | 0.089 | 3     | 2.77  | 0.020 | 0.38  | 0.1   | <0.01 | 6.2   | 0.1   | <0.05 |
| 1814310 | Drill Core                       | 0.2   | 2.6   | 0.2   | 29    | 0.49  | 0.069 | 13    | 23    | 2.35  | 171   | 0.032 | 3     | 2.23  | 0.009 | 0.48  | 0.1   | <0.01 | 3.6   | 0.2   | <0.05 |
| 1814311 | Drill Core                       | 0.2   | 1.5   | 0.1   | 31    | 0.76  | 0.075 | 13    | 28    | 3.13  | 146   | 0.046 | 3     | 2.79  | 0.007 | 0.44  | 0.2   | <0.01 | 4.4   | 0.2   | <0.05 |
| 1814312 | Drill Core                       | 0.4   | 1.6   | 0.6   | 23    | 0.59  | 0.067 | 13    | 19    | 1.81  | 184   | 0.038 | 2     | 1.91  | 0.015 | 0.38  | 0.2   | <0.01 | 3.2   | 0.2   | 0.07  |
| 1814313 | Drill Core                       | 0.5   | 1.9   | 0.2   | 29    | 0.86  | 0.066 | 16    | 21    | 1.43  | 238   | 0.029 | 2     | 1.69  | 0.022 | 0.40  | 0.2   | <0.01 | 3.2   | 0.2   | <0.05 |
| 1814314 | Drill Core                       | 1.8   | 0.8   | 0.3   | 33    | 0.55  | 0.065 | 11    | 24    | 1.54  | 271   | 0.028 | <1    | 1.70  | 0.026 | 0.36  | 0.1   | <0.01 | 2.8   | <0.1  | <0.05 |
| 1814315 | Drill Core                       | 0.5   | 0.9   | 0.2   | 28    | 0.52  | 0.067 | 15    | 50    | 1.90  | 213   | 0.022 | 1     | 1.97  | 0.046 | 0.42  | <0.1  | <0.01 | 3.8   | 0.1   | <0.05 |
| 1814316 | Drill Core                       | 0.6   | 1.4   | 0.3   | 20    | 0.56  | 0.061 | 13    | 26    | 1.47  | 320   | 0.046 | <1    | 1.68  | 0.018 | 0.66  | 0.2   | <0.01 | 3.0   | 0.2   | 0.07  |
| 1814317 | Drill Core                       | 0.4   | 1.0   | <0.1  | 16    | 0.24  | 0.058 | 17    | 14    | 1.48  | 311   | 0.074 | 2     | 1.76  | 0.005 | 0.88  | 0.2   | <0.01 | 2.2   | 0.3   | <0.05 |
| 1814318 | Drill Core                       | 0.3   | 0.9   | <0.1  | 20    | 0.71  | 0.056 | 16    | 17    | 1.42  | 344   | 0.073 | 1     | 1.68  | 0.006 | 0.94  | 0.1   | <0.01 | 2.6   | 0.3   | <0.05 |
| 1814319 | Drill Core                       | 0.1   | 2.3   | <0.1  | 20    | 0.32  | 0.055 | 20    | 18    | 1.44  | 320   | 0.078 | <1    | 1.71  | 0.016 | 0.85  | 0.2   | <0.01 | 2.6   | 0.3   | <0.05 |
| 1814320 | Rock Pulp                        | 0.5   | 3.0   | 0.2   | 29    | 0.85  | 0.036 | 6     | 26    | 0.51  | 87    | 0.087 | 7     | 1.25  | 0.143 | 0.13  | 4.9   | 0.15  | 3.1   | 0.2   | 0.09  |
| 1814321 | Drill Core                       | 0.1   | 2.0   | <0.1  | 22    | 0.30  | 0.053 | 26    | 18    | 1.59  | 248   | 0.069 | <1    | 1.93  | 0.044 | 0.76  | 0.1   | <0.01 | 3.2   | 0.3   | <0.05 |
| 1814322 | Drill Core                       | 0.2   | 1.4   | <0.1  | 17    | 0.32  | 0.048 | 25    | 16    | 1.40  | 225   | 0.050 | <1    | 1.58  | 0.039 | 0.64  | <0.1  | <0.01 | 3.1   | 0.2   | <0.05 |
| 1814323 | Drill Core                       | 0.2   | 2.3   | <0.1  | 18    | 0.39  | 0.050 | 22    | 17    | 1.36  | 233   | 0.043 | <1    | 1.62  | 0.056 | 0.62  | <0.1  | <0.01 | 3.3   | 0.2   | <0.05 |
| 1814324 | Drill Core                       | 0.1   | 1.0   | <0.1  | 17    | 0.27  | 0.049 | 22    | 15    | 1.49  | 264   | 0.075 | 2     | 1.73  | 0.055 | 0.88  | <0.1  | <0.01 | 3.6   | 0.4   | <0.05 |
| 1814325 | Drill Core                       | 0.3   | 1.6   | <0.1  | 21    | 0.31  | 0.045 | 22    | 18    | 1.41  | 211   | 0.039 | <1    | 1.55  | 0.043 | 0.65  | <0.1  | <0.01 | 3.9   | 0.3   | <0.05 |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 30, 2020

Page: 5 of 5

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI20000068.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|
|         |                                  | Ga    | Se    | Te    |
|         |                                  | ppm   | ppm   | ppm   |
|         |                                  | 1     | 0.5   | 0.2   |
| 1814300 | Rock Pulp                        | 5     | <0.5  | <0.2  |
| 1814301 | Drill Core                       | 5     | 1.6   | <0.2  |
| 1814302 | Drill Core                       | 5     | 1.4   | <0.2  |
| 1814303 | Drill Core                       | 4     | 1.5   | <0.2  |
| 1814304 | Drill Core                       | 4     | 1.5   | <0.2  |
| 1814305 | Drill Core                       | 4     | 2.0   | <0.2  |
| 1814306 | Drill Core                       | 5     | 3.0   | <0.2  |
| 1814307 | Drill Core                       | 2     | 0.6   | <0.2  |
| 1814308 | Drill Core                       | 4     | 1.9   | <0.2  |
| 1814309 | Drill Core                       | 7     | 1.4   | <0.2  |
| 1814310 | Drill Core                       | 5     | 1.2   | <0.2  |
| 1814311 | Drill Core                       | 7     | 0.5   | <0.2  |
| 1814312 | Drill Core                       | 5     | 1.6   | <0.2  |
| 1814313 | Drill Core                       | 4     | 1.0   | <0.2  |
| 1814314 | Drill Core                       | 4     | 1.6   | <0.2  |
| 1814315 | Drill Core                       | 6     | 0.6   | <0.2  |
| 1814316 | Drill Core                       | 5     | <0.5  | <0.2  |
| 1814317 | Drill Core                       | 4     | <0.5  | <0.2  |
| 1814318 | Drill Core                       | 4     | <0.5  | <0.2  |
| 1814319 | Drill Core                       | 5     | <0.5  | <0.2  |
| 1814320 | Rock Pulp                        | 5     | <0.5  | <0.2  |
| 1814321 | Drill Core                       | 6     | <0.5  | <0.2  |
| 1814322 | Drill Core                       | 6     | <0.5  | <0.2  |
| 1814323 | Drill Core                       | 6     | <0.5  | <0.2  |
| 1814324 | Drill Core                       | 5     | <0.5  | <0.2  |
| 1814325 | Drill Core                       | 6     | <0.5  | <0.2  |



**BUREAU**  
**VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 30, 2020

Page:

1 of 3

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI20000068.1

|                        | Method     | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 |
|------------------------|------------|------|-------|--------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
|                        | Analyte    | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu     | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au     | Th    | Sr    |
|                        | Unit       | kg   | g     | ppm    | ppm   | ppm   | g     | ppm   | ppm    | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb    | ppm   | ppm   |
|                        | MDL        | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1    | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1    | 0.5   | 0.1   |
| Pulp Duplicates        |            |      |       |        |       |       |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |
| 1814216                | Drill Core | 1.57 | 467   | 3.134  | 3.72  | 10.84 | 35.34 | 0.5   | 29.0   | 3.0   | 13    | 1.0   | 3.4   | 2.1   | 147   | 0.90  | 1.8   | 0.3   | 2631.9 | 2.4   | 9     |
| REP 1814216            | QC         |      |       |        |       |       |       | 0.5   | 28.5   | 3.0   | 13    | 1.8   | 3.4   | 2.1   | 148   | 0.91  | 1.9   | 0.3   | 6999.6 | 2.4   | 9     |
| 1814217                | Drill Core | 2.36 | 491   | 0.339  | 0.42  | 1.62  | 29.59 | 0.8   | 34.0   | 8.7   | 54    | 0.4   | 11.0  | 6.7   | 409   | 2.21  | 5.5   | 2.0   | 166.7  | 8.8   | 55    |
| REP 1814217            | QC         |      |       | 0.119  |       |       |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |
| 1814249                | Drill Core | 3.14 | 352   | 0.064  | 0.06  | <0.17 | 29.97 | 0.7   | 15.8   | 14.2  | 73    | 0.3   | 9.3   | 6.0   | 270   | 1.82  | 1.6   | 1.4   | 30.9   | 8.9   | 50    |
| REP 1814249            | QC         |      |       |        |       |       |       | 0.7   | 16.4   | 14.5  | 73    | 0.3   | 9.5   | 6.2   | 279   | 1.88  | 2.1   | 1.5   | 20.8   | 9.1   | 53    |
| 1814260                | Core DUP   |      | 444   | <0.005 | <0.01 | <0.17 | 32.14 | 1.1   | 16.4   | 7.6   | 74    | 0.1   | 15.2  | 8.9   | 423   | 2.70  | 12.2  | 2.4   | 2.5    | 9.5   | 103   |
| REP 1814260            | QC         |      |       | <0.005 |       |       |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |
| 1814281                | Drill Core | 1.53 | 432   | 0.732  | 1.43  | 10.06 | 32.42 | 0.9   | 13.2   | 6.1   | 47    | 0.4   | 13.7  | 8.9   | 461   | 2.47  | 6.7   | 1.8   | 627.7  | 5.6   | 94    |
| REP 1814281            | QC         |      |       | 0.656  |       |       |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |
| 1814285                | Drill Core | 3.06 | 378   | <0.005 | <0.01 | <0.17 | 28.24 | 1.3   | 25.7   | 7.2   | 89    | 0.3   | 27.3  | 13.5  | 626   | 3.23  | 17.6  | 1.4   | 3.7    | 5.3   | 83    |
| REP 1814285            | QC         |      |       |        |       |       |       | 1.3   | 25.9   | 7.4   | 91    | 0.3   | 27.8  | 13.7  | 633   | 3.26  | 17.7  | 1.4   | 4.5    | 5.4   | 83    |
| 1814315                | Drill Core | 2.74 | 363   | <0.005 | <0.01 | <0.17 | 28.73 | 1.2   | 23.7   | 24.1  | 100   | 0.2   | 18.5  | 9.0   | 466   | 2.84  | 13.7  | 0.5   | <0.5   | 6.5   | 24    |
| REP 1814315            | QC         |      |       |        |       |       |       | 1.1   | 21.9   | 24.8  | 96    | 0.2   | 18.6  | 8.7   | 478   | 2.92  | 12.7  | 0.5   | <0.5   | 6.5   | 23    |
| 1814322                | Drill Core | 2.85 | 357   | 0.006  | <0.01 | <0.17 | 35.32 | 0.9   | 15.2   | 15.0  | 67    | 0.2   | 10.0  | 6.9   | 345   | 2.64  | 21.7  | 1.0   | 1.4    | 10.9  | 26    |
| REP 1814322            | QC         |      |       | 0.006  |       |       |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |
| Core Reject Duplicates |            |      |       |        |       |       |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |
| 1814212                | Drill Core | 2.49 | 441   | 0.006  | <0.01 | <0.17 | 31.06 | 1.4   | 19.4   | 20.8  | 73    | 0.3   | 10.1  | 7.2   | 302   | 2.18  | 7.3   | 2.4   | 2.7    | 11.2  | 33    |
| DUP 1814212            | QC         |      | 444   | 0.005  | <0.01 | <0.17 | 26.56 | 1.4   | 16.4   | 20.7  | 72    | 0.3   | 10.2  | 7.1   | 305   | 2.22  | 7.2   | 2.4   | 2.4    | 11.4  | 33    |
| 1814246                | Drill Core | 3.34 | 503   | <0.005 | <0.01 | <0.17 | 31.47 | 0.8   | 23.1   | 13.4  | 78    | 0.4   | 15.7  | 9.8   | 315   | 2.50  | 2.0   | 1.6   | 1.3    | 9.5   | 65    |
| DUP 1814246            | QC         |      | 408   | <0.005 | <0.01 | <0.17 | 20.67 | 0.9   | 21.1   | 13.3  | 79    | 0.4   | 16.0  | 9.7   | 328   | 2.60  | 2.4   | 1.6   | 1.6    | 9.6   | 66    |
| 1814314                | Drill Core | 1.64 | 544   | 0.007  | <0.01 | <0.17 | 29.37 | 1.8   | 62.3   | 35.6  | 226   | 0.5   | 30.0  | 13.7  | 508   | 2.99  | 10.1  | 0.8   | 1.7    | 4.5   | 20    |
| DUP 1814314            | QC         |      | 462   | <0.005 | <0.01 | <0.17 | 23.38 | 1.9   | 63.5   | 34.1  | 251   | 0.5   | 31.7  | 13.5  | 549   | 3.29  | 10.5  | 0.8   | 1.4    | 5.0   | 22    |
| Reference Materials    |            |      |       |        |       |       |       |       |        |       |       |       |       |       |       |       |       |       |        |       |       |
| STD BVGEO01            | Standard   |      |       |        |       |       |       | 10.9  | 4448.2 | 196.7 | 1762  | 2.5   | 164.8 | 25.4  | 733   | 3.85  | 115.8 | 3.7   | 220.5  | 14.7  | 58    |
| STD BVGEO01            | Standard   |      |       |        |       |       |       | 11.4  | 4326.8 | 179.0 | 1615  | 2.6   | 159.9 | 24.4  | 695   | 3.78  | 118.1 | 3.6   | 212.7  | 13.3  | 56    |
| STD DS11               | Standard   |      |       |        |       |       |       | 15.3  | 149.4  | 130.2 | 331   | 1.7   | 81.1  | 13.6  | 1035  | 3.09  | 42.3  | 2.4   | 86.1   | 7.3   | 67    |
| STD DS11               | Standard   |      |       |        |       |       |       | 16.4  | 148.5  | 133.9 | 340   | 1.8   | 85.9  | 14.2  | 1036  | 3.30  | 44.9  | 2.7   | 92.7   | 8.0   | 69    |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 30, 2020

Page:

1 of 3

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI20000068.1

| Method<br>Analyte<br>Unit<br>MDL |            | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|----------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                                  |            | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Hg    | Sc    | Tl    | S     |
|                                  |            | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm   | ppm   | %     |
|                                  |            | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  |
| Pulp Duplicates                  |            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1814216                          | Drill Core | <0.1  | 1.5   | <0.1  | 2     | 0.04  | 0.011 | 7     | 4     | 0.08  | 117   | 0.002 | <1    | 0.25  | 0.009 | 0.17  | <0.1  | <0.01 | 0.5   | <0.1  | 0.09  |
| REP 1814216                      | QC         | <0.1  | 1.4   | <0.1  | 2     | 0.04  | 0.011 | 7     | 4     | 0.08  | 116   | 0.002 | <1    | 0.25  | 0.009 | 0.17  | <0.1  | <0.01 | 0.5   | <0.1  | 0.09  |
| 1814217                          | Drill Core | 0.2   | 1.5   | <0.1  | 12    | 0.52  | 0.048 | 21    | 14    | 0.89  | 287   | 0.084 | 1     | 1.26  | 0.020 | 0.63  | 0.9   | <0.01 | 2.8   | 0.2   | 0.16  |
| REP 1814217                      | QC         |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1814249                          | Drill Core | 0.4   | 0.8   | 0.1   | 14    | 0.76  | 0.039 | 24    | 20    | 0.66  | 252   | 0.029 | 1     | 1.01  | 0.032 | 0.45  | 0.3   | 0.03  | 3.5   | 0.2   | <0.05 |
| REP 1814249                      | QC         | 0.4   | 0.8   | 0.1   | 15    | 0.80  | 0.041 | 25    | 21    | 0.69  | 268   | 0.031 | 1     | 1.11  | 0.035 | 0.48  | 0.3   | 0.03  | 3.8   | 0.2   | <0.05 |
| 1814260                          | Core DUP   | 0.5   | 1.8   | <0.1  | 33    | 1.41  | 0.069 | 27    | 38    | 0.90  | 177   | 0.070 | 1     | 1.46  | 0.043 | 0.30  | 0.3   | 0.01  | 6.5   | 0.1   | 0.06  |
| REP 1814260                      | QC         |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1814281                          | Drill Core | 0.2   | 0.7   | <0.1  | 20    | 1.50  | 0.077 | 10    | 20    | 0.86  | 302   | 0.098 | 2     | 1.06  | 0.040 | 0.68  | 1.2   | <0.01 | 3.7   | 0.3   | 0.72  |
| REP 1814281                      | QC         |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1814285                          | Drill Core | 0.3   | 0.9   | <0.1  | 63    | 1.65  | 0.065 | 11    | 152   | 2.07  | 167   | 0.125 | <1    | 1.96  | 0.067 | 0.57  | 0.6   | <0.01 | 8.1   | 0.3   | 0.17  |
| REP 1814285                      | QC         | 0.3   | 0.9   | <0.1  | 61    | 1.65  | 0.066 | 11    | 152   | 2.07  | 169   | 0.125 | <1    | 1.96  | 0.069 | 0.57  | 0.7   | <0.01 | 8.0   | 0.3   | 0.17  |
| 1814315                          | Drill Core | 0.5   | 0.9   | 0.2   | 28    | 0.52  | 0.067 | 15    | 50    | 1.90  | 213   | 0.022 | 1     | 1.97  | 0.046 | 0.42  | <0.1  | <0.01 | 3.8   | 0.1   | <0.05 |
| REP 1814315                      | QC         | 0.5   | 0.9   | 0.2   | 29    | 0.53  | 0.069 | 16    | 50    | 1.96  | 212   | 0.022 | 2     | 2.03  | 0.049 | 0.43  | 0.1   | <0.01 | 3.6   | <0.1  | <0.05 |
| 1814322                          | Drill Core | 0.2   | 1.4   | <0.1  | 17    | 0.32  | 0.048 | 25    | 16    | 1.40  | 225   | 0.050 | <1    | 1.58  | 0.039 | 0.64  | <0.1  | <0.01 | 3.1   | 0.2   | <0.05 |
| REP 1814322                      | QC         |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Core Reject Duplicates           |            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1814212                          | Drill Core | 0.3   | 0.6   | 0.2   | 14    | 0.60  | 0.053 | 25    | 20    | 0.95  | 234   | 0.007 | 1     | 1.34  | 0.032 | 0.39  | <0.1  | 0.01  | 3.8   | 0.1   | <0.05 |
| DUP 1814212                      | QC         | 0.3   | 0.6   | 0.2   | 14    | 0.60  | 0.053 | 26    | 21    | 0.94  | 238   | 0.007 | 1     | 1.34  | 0.032 | 0.39  | <0.1  | 0.02  | 3.8   | 0.1   | <0.05 |
| 1814246                          | Drill Core | 0.4   | 0.9   | <0.1  | 30    | 0.99  | 0.064 | 21    | 34    | 1.15  | 411   | 0.099 | 1     | 1.44  | 0.047 | 0.49  | 0.6   | <0.01 | 7.3   | 0.3   | 0.06  |
| DUP 1814246                      | QC         | 0.4   | 0.9   | <0.1  | 31    | 1.00  | 0.065 | 21    | 34    | 1.17  | 399   | 0.103 | 1     | 1.42  | 0.044 | 0.47  | 0.6   | <0.01 | 7.3   | 0.3   | 0.06  |
| 1814314                          | Drill Core | 1.8   | 0.8   | 0.3   | 33    | 0.55  | 0.065 | 11    | 24    | 1.54  | 271   | 0.028 | <1    | 1.70  | 0.026 | 0.36  | 0.1   | <0.01 | 2.8   | <0.1  | <0.05 |
| DUP 1814314                      | QC         | 2.3   | 0.7   | 0.3   | 41    | 0.57  | 0.068 | 15    | 26    | 1.72  | 281   | 0.031 | 1     | 1.65  | 0.028 | 0.40  | 0.1   | <0.01 | 3.3   | <0.1  | <0.05 |
| Reference Materials              |            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD BVGEO01                      | Standard   | 5.8   | 3.6   | 25.6  | 74    | 1.33  | 0.069 | 27    | 201   | 1.32  | 281   | 0.245 | 3     | 2.34  | 0.197 | 0.91  | 5.6   | 0.10  | 6.0   | 0.6   | 0.69  |
| STD BVGEO01                      | Standard   | 5.9   | 3.6   | 22.9  | 67    | 1.27  | 0.069 | 25    | 190   | 1.29  | 297   | 0.226 | 3     | 2.31  | 0.192 | 0.88  | 5.4   | 0.10  | 5.8   | 0.6   | 0.66  |
| STD DS11                         | Standard   | 2.1   | 7.4   | 9.8   | 49    | 1.07  | 0.067 | 18    | 60    | 0.87  | 341   | 0.095 | 7     | 1.22  | 0.078 | 0.41  | 3.0   | 0.28  | 3.2   | 5.1   | 0.29  |
| STD DS11                         | Standard   | 2.3   | 8.5   | 10.7  | 47    | 1.08  | 0.068 | 19    | 61    | 0.86  | 382   | 0.098 | 7     | 1.23  | 0.076 | 0.41  | 3.2   | 0.29  | 3.4   | 5.1   | 0.27  |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 30, 2020

Page: 1 of 3

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI20000068.1

|                        | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 |
|------------------------|----------------------------------|-------|-------|-------|
|                        |                                  | Ga    | Se    | Te    |
|                        |                                  | ppm   | ppm   | ppm   |
|                        |                                  | 1     | 0.5   | 0.2   |
| Pulp Duplicates        |                                  |       |       |       |
| 1814216                | Drill Core                       | <1    | <0.5  | <0.2  |
| REP 1814216            | QC                               | <1    | <0.5  | <0.2  |
| 1814217                | Drill Core                       | 4     | 0.5   | <0.2  |
| REP 1814217            | QC                               |       |       |       |
| 1814249                | Drill Core                       | 5     | <0.5  | <0.2  |
| REP 1814249            | QC                               | 5     | <0.5  | <0.2  |
| 1814260                | Core DUP                         | 8     | 0.5   | <0.2  |
| REP 1814260            | QC                               |       |       |       |
| 1814281                | Drill Core                       | 4     | 0.9   | <0.2  |
| REP 1814281            | QC                               |       |       |       |
| 1814285                | Drill Core                       | 6     | 0.7   | <0.2  |
| REP 1814285            | QC                               | 6     | 0.8   | <0.2  |
| 1814315                | Drill Core                       | 6     | 0.6   | <0.2  |
| REP 1814315            | QC                               | 5     | <0.5  | <0.2  |
| 1814322                | Drill Core                       | 6     | <0.5  | <0.2  |
| REP 1814322            | QC                               |       |       |       |
| Core Reject Duplicates |                                  |       |       |       |
| 1814212                | Drill Core                       | 5     | <0.5  | <0.2  |
| DUP 1814212            | QC                               | 5     | <0.5  | <0.2  |
| 1814246                | Drill Core                       | 7     | <0.5  | <0.2  |
| DUP 1814246            | QC                               | 7     | 0.6   | <0.2  |
| 1814314                | Drill Core                       | 4     | 1.6   | <0.2  |
| DUP 1814314            | QC                               | 5     | 1.9   | <0.2  |
| Reference Materials    |                                  |       |       |       |
| STD BVGEO01            | Standard                         | 8     | 5.0   | 1.3   |
| STD BVGEO01            | Standard                         | 8     | 4.9   | 1.0   |
| STD DS11               | Standard                         | 5     | 2.4   | 4.7   |
| STD DS11               | Standard                         | 6     | 2.6   | 4.9   |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI20000068.1

|                       |          | WGHT | M150  | FA430 | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|-----------------------|----------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                       |          | Wgt  | TotWt | -Au   | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    |
|                       |          | kg   | g     | ppm   | ppm   | ppm   | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   |
|                       |          | 0.01 | 1     | 0.005 | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5   | 0.1   | 1     |
| STD OREAS262          | Standard |      |       |       |       |       |       | 0.6   | 112.9 | 56.3  | 156   | 0.5   | 62.3  | 27.3  | 530   | 3.29  | 35.0  | 1.2   | 66.9  | 9.0   | 35    |
| STD OREAS262          | Standard |      |       |       |       |       |       | 0.7   | 110.4 | 54.0  | 149   | 0.5   | 67.1  | 26.5  | 511   | 3.28  | 37.2  | 1.2   | 71.8  | 9.1   | 34    |
| STD OREAS262          | Standard |      |       |       |       |       |       | 0.7   | 114.7 | 54.6  | 149   | 0.5   | 65.5  | 26.8  | 544   | 3.24  | 36.4  | 1.2   | 61.5  | 9.0   | 35    |
| STD OREAS262          | Standard |      |       |       |       |       |       | 0.7   | 115.1 | 55.3  | 150   | 0.5   | 66.3  | 26.9  | 524   | 3.37  | 37.1  | 1.2   | 73.2  | 9.3   | 35    |
| STD OXB130            | Standard |      |       | 0.119 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXB130            | Standard |      |       | 0.118 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXB130            | Standard |      |       | 0.124 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXB130            | Standard |      |       | 0.120 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXB130            | Standard |      |       | 0.122 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXG141            | Standard |      |       | 0.977 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXG141            | Standard |      |       | 0.975 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXG141            | Standard |      |       | 0.928 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXG141            | Standard |      |       | 0.914 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXG141            | Standard |      |       | 0.938 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXN155            | Standard |      |       | 7.591 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXN155            | Standard |      |       | 7.738 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXN155            | Standard |      |       | 7.810 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXN155            | Standard |      |       | 7.520 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXN155            | Standard |      |       | 7.741 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXP116            | Standard |      |       |       |       | 15.24 | 29.66 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXP116            | Standard |      |       |       |       | 14.81 | 29.57 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXP116            | Standard |      |       |       |       | 14.83 | 29.33 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXP116            | Standard |      |       |       |       | 14.08 | 29.76 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXP154            | Standard |      |       |       |       | 15.52 | 29.84 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXP154            | Standard |      |       |       |       | 15.38 | 29.26 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXP154            | Standard |      |       |       |       | 15.27 | 29.07 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD BVGEO01 Expected  |          |      |       |       |       |       |       | 11.2  | 4415  | 187   | 1741  | 2.53  | 163   | 25    | 733   | 3.7   | 121   | 3.77  | 219   | 14.4  | 55    |
| STD DS11 Expected     |          |      |       |       |       |       |       | 14.6  | 149   | 138   | 345   | 1.71  | 77.7  | 14.2  | 1055  | 3.1   | 42.8  | 2.59  | 79    | 7.65  | 67.3  |
| STD OREAS262 Expected |          |      |       |       |       |       |       | 0.68  | 118   | 56    | 154   | 0.45  | 62    | 26.9  | 530   | 3.284 | 35.8  | 1.22  | 65    | 9.33  | 36    |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI20000068.1

|                       |          | AQ201<br>Cd<br>ppm<br>0.1 | AQ201<br>Sb<br>ppm<br>0.1 | AQ201<br>Bi<br>ppm<br>0.1 | AQ201<br>V<br>ppm<br>1 | AQ201<br>Ca<br>%<br>0.01 | AQ201<br>P<br>%<br>0.001 | AQ201<br>La<br>ppm<br>1 | AQ201<br>Cr<br>ppm<br>1 | AQ201<br>Mg<br>%<br>0.01 | AQ201<br>Ba<br>ppm<br>1 | AQ201<br>Ti<br>%<br>0.001 | AQ201<br>B<br>ppm<br>1 | AQ201<br>Al<br>%<br>0.01 | AQ201<br>Na<br>%<br>0.001 | AQ201<br>K<br>%<br>0.01 | AQ201<br>W<br>ppm<br>0.1 | AQ201<br>Hg<br>ppm<br>0.01 | AQ201<br>Sc<br>ppm<br>0.1 | AQ201<br>Tl<br>ppm<br>0.1 | AQ201<br>S<br>%<br>0.05 |
|-----------------------|----------|---------------------------|---------------------------|---------------------------|------------------------|--------------------------|--------------------------|-------------------------|-------------------------|--------------------------|-------------------------|---------------------------|------------------------|--------------------------|---------------------------|-------------------------|--------------------------|----------------------------|---------------------------|---------------------------|-------------------------|
| STD OREAS262          | Standard | 0.5                       | 5.9                       | 1.0                       | 22                     | 2.88                     | 0.038                    | 17                      | 43                      | 1.17                     | 249                     | 0.003                     | 2                      | 1.34                     | 0.068                     | 0.32                    | 0.2                      | 0.16                       | 3.3                       | 0.5                       | 0.27                    |
| STD OREAS262          | Standard | 0.6                       | 5.7                       | 1.0                       | 21                     | 2.84                     | 0.037                    | 16                      | 44                      | 1.14                     | 241                     | 0.002                     | 4                      | 1.35                     | 0.067                     | 0.31                    | 0.2                      | 0.18                       | 3.3                       | 0.5                       | 0.25                    |
| STD OREAS262          | Standard | 0.6                       | 4.7                       | 0.9                       | 21                     | 2.90                     | 0.036                    | 17                      | 44                      | 1.20                     | 244                     | 0.003                     | 4                      | 1.37                     | 0.068                     | 0.32                    | 0.2                      | 0.16                       | 3.2                       | 0.5                       | 0.27                    |
| STD OREAS262          | Standard | 0.6                       | 5.8                       | 1.0                       | 22                     | 2.93                     | 0.037                    | 18                      | 45                      | 1.17                     | 251                     | 0.003                     | 4                      | 1.40                     | 0.070                     | 0.33                    | 0.3                      | 0.18                       | 3.3                       | 0.5                       | 0.25                    |
| STD OXB130            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXB130            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXB130            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXB130            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXB130            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXG141            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXG141            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXG141            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXG141            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXG141            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXN155            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXN155            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXN155            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXN155            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXN155            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXP116            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXP116            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXP116            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXP116            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXP154            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXP154            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD OXP154            | Standard |                           |                           |                           |                        |                          |                          |                         |                         |                          |                         |                           |                        |                          |                           |                         |                          |                            |                           |                           |                         |
| STD BVGEO01 Expected  |          | 6.5                       | 3.39                      | 25.6                      | 73                     | 1.3219                   | 0.0727                   | 25.9                    | 187                     | 1.2963                   | 260                     | 0.233                     | 3.8                    | 2.347                    | 0.1924                    | 0.89                    | 5.3                      | 0.1                        | 5.97                      | 0.62                      | 0.6655                  |
| STD DS11 Expected     |          | 2.37                      | 8.74                      | 12.2                      | 50                     | 1.063                    | 0.0701                   | 18.6                    | 61.5                    | 0.85                     | 385                     | 0.0976                    |                        | 1.1795                   | 0.0762                    | 0.4                     | 2.9                      | 0.26                       | 3.4                       | 4.9                       | 0.2835                  |
| STD OREAS262 Expected |          | 0.61                      | 5.06                      | 1.03                      | 22.5                   | 2.98                     | 0.04                     | 15.9                    | 41.7                    | 1.17                     | 248                     | 0.0027                    | 4                      | 1.3                      | 0.071                     | 0.312                   | 0.2                      | 0.17                       | 3.24                      | 0.47                      | 0.253                   |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI20000068.1

|                       |          | AQ201<br>Ga<br>ppm<br>1 | AQ201<br>Se<br>ppm<br>0.5 | AQ201<br>Te<br>ppm<br>0.2 |
|-----------------------|----------|-------------------------|---------------------------|---------------------------|
| STD OREAS262          | Standard | 4                       | <0.5                      | <0.2                      |
| STD OREAS262          | Standard | 4                       | 0.7                       | 0.3                       |
| STD OREAS262          | Standard | 4                       | 0.7                       | 0.2                       |
| STD OREAS262          | Standard | 4                       | 0.8                       | 0.2                       |
| STD OXB130            | Standard |                         |                           |                           |
| STD OXB130            | Standard |                         |                           |                           |
| STD OXB130            | Standard |                         |                           |                           |
| STD OXB130            | Standard |                         |                           |                           |
| STD OXB130            | Standard |                         |                           |                           |
| STD OXG141            | Standard |                         |                           |                           |
| STD OXG141            | Standard |                         |                           |                           |
| STD OXG141            | Standard |                         |                           |                           |
| STD OXG141            | Standard |                         |                           |                           |
| STD OXG141            | Standard |                         |                           |                           |
| STD OXN155            | Standard |                         |                           |                           |
| STD OXN155            | Standard |                         |                           |                           |
| STD OXN155            | Standard |                         |                           |                           |
| STD OXN155            | Standard |                         |                           |                           |
| STD OXN155            | Standard |                         |                           |                           |
| STD OXP116            | Standard |                         |                           |                           |
| STD OXP116            | Standard |                         |                           |                           |
| STD OXP116            | Standard |                         |                           |                           |
| STD OXP116            | Standard |                         |                           |                           |
| STD OXP154            | Standard |                         |                           |                           |
| STD OXP154            | Standard |                         |                           |                           |
| STD OXP154            | Standard |                         |                           |                           |
| STD BVGEO01 Expected  |          | 7.37                    | 4.84                      | 1.02                      |
| STD DS11 Expected     |          | 5.1                     | 2.2                       | 4.56                      |
| STD OREAS262 Expected |          | 4.1                     | 0.4                       | 0.23                      |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 3 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI20000068.1

|                     |            | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------------------|------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                     |            | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    |
|                     |            | kg   | g     | ppm    | ppm   | ppm   | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   |
|                     |            | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5   | 0.1   | 1     |
| STD OXP154 Expected |            |      |       |        |       | 15.26 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXP116 Expected |            |      |       |        |       | 14.92 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       |       |       | <0.1  | 0.3   | <0.1  | <1    | <0.1  | <0.1  | <0.1  | <1    | <0.01 | <0.5  | <0.1  | <0.5  | <0.1  | <1    |
| BLK                 | Blank      |      |       |        |       |       |       | <0.1  | <0.1  | <0.1  | <1    | <0.1  | <0.1  | <0.1  | <1    | <0.01 | <0.5  | <0.1  | <0.5  | <0.1  | <1    |
| BLK                 | Blank      |      |       |        |       |       |       | <0.1  | <0.1  | <0.1  | <1    | <0.1  | <0.1  | <0.1  | <1    | <0.01 | <0.5  | <0.1  | <0.5  | <0.1  | <1    |
| BLK                 | Blank      |      |       |        |       |       |       | <0.1  | <0.1  | <0.1  | <1    | <0.1  | <0.1  | <0.1  | <1    | <0.01 | <0.5  | <0.1  | <0.5  | <0.1  | <1    |
| BLK                 | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       | 0.005  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                 | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Prep Wash           |            |      |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| ROCK-WHI            | Prep Blank |      | 449   | 0.005  | <0.01 | <0.17 | 33.74 | 1.0   | 11.0  | 1.3   | 33    | <0.1  | 1.4   | 3.8   | 509   | 1.96  | 1.2   | 0.5   | 0.7   | 2.2   | 25    |
| ROCK-WHI            | Prep Blank |      | 437   | <0.005 | <0.01 | <0.17 | 27.84 | 1.1   | 5.5   | 1.2   | 33    | <0.1  | 1.5   | 3.8   | 497   | 1.94  | 1.0   | 0.5   | <0.5  | 2.1   | 25    |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI20000068.1

|                     |            | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------------------|------------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
|                     |            | Cd    | Sb    | Bi    | V     | Ca    | P      | La    | Cr    | Mg    | Ba    | Ti     | B     | Al    | Na     | K     | W     | Hg    | Sc    | Tl    | S     |
|                     |            | ppm   | ppm   | ppm   | ppm   | %     | %      | ppm   | ppm   | %     | ppm   | %      | ppm   | %     | %      | %     | ppm   | ppm   | ppm   | ppm   | %     |
|                     |            | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.001  | 1     | 1     | 0.01  | 1     | 0.001  | 1     | 0.01  | 0.001  | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  |
| STD OXP154 Expected |            |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| STD OXP116 Expected |            |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      | <0.1  | <0.1  | <0.1  | <1    | <0.01 | <0.001 | <1    | <1    | <0.01 | <1    | <0.001 | <1    | <0.01 | <0.001 | <0.01 | <0.1  | <0.01 | <0.1  | <0.1  | <0.05 |
| BLK                 | Blank      | <0.1  | <0.1  | <0.1  | <1    | <0.01 | <0.001 | <1    | <1    | <0.01 | <1    | <0.001 | <1    | <0.01 | <0.001 | <0.01 | <0.1  | <0.01 | <0.1  | <0.1  | <0.05 |
| BLK                 | Blank      | <0.1  | <0.1  | <0.1  | <1    | <0.01 | <0.001 | <1    | <1    | <0.01 | <1    | <0.001 | <1    | <0.01 | <0.001 | <0.01 | <0.1  | <0.01 | <0.1  | <0.1  | <0.05 |
| BLK                 | Blank      | <0.1  | <0.1  | <0.1  | <1    | <0.01 | <0.001 | <1    | <1    | <0.01 | <1    | <0.001 | <1    | <0.01 | <0.001 | <0.01 | <0.1  | <0.01 | <0.1  | <0.1  | <0.05 |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| Prep Wash           |            |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| ROCK-WHI            | Prep Blank | <0.1  | <0.1  | <0.1  | 22    | 0.72  | 0.037  | 7     | 3     | 0.46  | 55    | 0.084  | 1     | 0.91  | 0.093  | 0.11  | <0.1  | <0.01 | 2.8   | <0.1  | <0.05 |
| ROCK-WHI            | Prep Blank | <0.1  | <0.1  | <0.1  | 22    | 0.67  | 0.037  | 7     | 3     | 0.45  | 54    | 0.085  | 1     | 0.85  | 0.084  | 0.10  | <0.1  | <0.01 | 2.7   | <0.1  | <0.05 |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 30, 2020

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI20000068.1

|                     |            | AQ201<br>Ga<br>ppm<br>1 | AQ201<br>Se<br>ppm<br>0.5 | AQ201<br>Te<br>ppm<br>0.2 |
|---------------------|------------|-------------------------|---------------------------|---------------------------|
| STD OXP154 Expected |            |                         |                           |                           |
| STD OXP116 Expected |            |                         |                           |                           |
| BLK                 | Blank      | <1                      | <0.5                      | <0.2                      |
| BLK                 | Blank      | <1                      | <0.5                      | <0.2                      |
| BLK                 | Blank      | <1                      | <0.5                      | <0.2                      |
| BLK                 | Blank      | <1                      | <0.5                      | <0.2                      |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| Prep Wash           |            |                         |                           |                           |
| ROCK-WHI            | Prep Blank | 4                       | <0.5                      | <0.2                      |
| ROCK-WHI            | Prep Blank | 4                       | <0.5                      | <0.2                      |