



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 23, 2020
Analysis Start: July 21, 2020
Report Date: July 30, 2020
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI20000069.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-09
P.O. Number
Number of Samples: 110

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	106	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	3	Sort, label and box pulps			WHI
FS631	110	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	110	Analysis sample split/packet			VAN
Split -150	110	Analysis sample split/packet			VAN
EN002	110	Environmental disposal charge-Fire assay lead waste			VAN
FS631	107	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	110	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	110	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000069.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1814326	Drill Core	2.52	454	<0.005	<0.01	<0.17	30.68	0.5	23.2	31.6	71	0.4	10.3	6.8	401	2.11	3.1	1.0	0.8	7.4	35
1814327	Drill Core	2.92	494	0.018	0.02	<0.17	28.85	0.6	17.1	24.1	77	0.3	13.0	8.1	496	2.29	3.2	0.9	13.3	4.8	74
1814328	Drill Core	2.47	416	0.006	<0.01	<0.17	36.75	0.4	40.1	39.6	100	0.5	12.4	8.2	434	2.23	2.7	1.1	1.3	5.3	64
1814329	Drill Core	2.91	376	0.007	<0.01	<0.17	31.33	0.7	25.6	54.0	124	0.5	13.4	8.9	513	2.69	4.5	1.5	5.0	10.0	49
1814330	Drill Core	2.73	432	0.089	0.09	<0.17	26.53	0.7	46.5	1702.4	246	4.6	7.8	5.1	498	2.10	2.6	0.8	92.2	6.7	60
1814331	Drill Core	1.45	438	0.343	0.34	0.35	31.04	0.6	24.3	11.2	59	0.8	10.4	7.9	406	2.14	8.5	1.1	529.8	10.0	37
1814332	Drill Core	1.23	447	0.117	0.11	<0.17	32.64	0.8	9.7	5.0	34	0.3	7.9	5.2	230	1.71	3.9	0.8	98.8	6.0	20
1814333	Drill Core	1.23	382	0.064	0.06	<0.17	35.55	0.6	30.0	14.6	53	0.9	6.8	6.3	381	1.95	6.7	0.9	57.1	10.2	51
1814334	Drill Core	3.44	417	0.006	<0.01	<0.17	34.94	0.4	20.6	23.9	84	0.4	12.1	9.1	412	2.39	2.5	1.2	2.3	8.4	77
1814335	Drill Core	2.93	462	<0.005	<0.01	<0.17	32.93	0.6	18.5	10.5	82	0.2	16.1	8.7	489	2.78	8.5	0.9	1.1	5.3	69
1814336	Drill Core	1.78	508	<0.005	<0.01	<0.17	35.33	0.5	14.2	12.1	75	0.2	7.7	6.0	391	2.43	9.1	0.9	2.0	4.0	72
1814337	Drill Core	2.41	390	0.008	<0.01	<0.17	30.97	0.5	19.5	8.5	73	0.3	9.2	6.5	418	2.60	12.4	0.9	3.0	3.9	91
1814338	Drill Core	2.62	353	<0.005	<0.01	<0.17	32.22	0.6	23.8	42.0	112	0.3	12.9	7.6	510	2.68	6.3	1.0	0.6	5.8	66
1814339	Drill Core	4.71	352	<0.005	<0.01	<0.17	26.94	0.7	15.9	44.5	85	0.4	9.2	5.3	378	1.88	6.4	1.0	2.1	11.7	47
1814340	Rock Pulp	0.14	85	<0.005				4.0	21.2	1.0	32	<0.1	7.1	4.3	583	2.40	1.5	0.4	0.7	1.9	31
1814341	Drill Core	3.21	477	<0.005	<0.01	<0.17	29.83	0.4	9.7	23.8	42	0.3	4.3	3.1	166	0.95	5.3	1.4	0.6	14.4	50
1814342	Drill Core	3.23	499	<0.005	<0.01	<0.17	38.36	0.5	10.6	23.6	46	0.3	4.7	3.4	217	1.32	9.7	1.3	0.9	12.6	39
1814343	Drill Core	3.05	458	<0.005	<0.01	<0.17	35.39	1.5	19.9	16.7	34	0.4	13.1	5.9	178	1.33	28.6	1.5	1.1	10.4	23
1814344	Drill Core	3.24	414	<0.005	<0.01	<0.17	31.43	0.9	18.1	30.9	36	0.4	13.2	5.3	269	1.61	34.0	1.6	1.1	11.1	25
1814345	Drill Core	2.23	468	<0.005	<0.01	<0.17	28.37	0.9	16.2	27.5	49	0.3	13.2	6.3	378	1.84	40.6	1.2	1.1	9.0	90
1814346	Drill Core	1.73	241	<0.005	<0.01	<0.17	29.19	1.0	15.6	12.5	42	0.2	14.3	6.2	415	2.29	43.4	1.1	0.6	8.2	100
1814347	Drill Core	2.60	404	0.006	<0.01	<0.17	30.71	0.7	18.2	17.3	58	0.3	15.6	6.4	382	1.95	100.9	1.1	2.5	9.0	87
1814348	Drill Core	3.61	485	0.007	<0.01	<0.17	36.69	0.9	20.3	35.4	59	0.4	14.2	5.7	324	2.05	76.1	1.0	3.6	9.5	41
1814349	Drill Core	1.96	512	0.006	<0.01	<0.17	32.11	0.8	19.5	31.7	68	0.4	10.8	5.4	263	1.91	42.2	0.9	3.8	12.7	16
1814350	Drill Core	2.52	416	<0.005	<0.01	<0.17	33.63	0.4	9.4	11.5	58	0.2	13.9	5.7	260	1.83	18.8	0.9	2.0	10.2	26
1814351	Drill Core	3.79	430	0.013	0.01	<0.17	32.58	0.8	25.3	19.7	131	0.4	28.1	8.7	392	2.42	36.8	0.7	8.2	6.9	24
1814352	Drill Core	2.22	377	0.008	<0.01	<0.17	24.92	0.8	24.5	8.1	118	0.4	28.6	8.6	308	2.60	52.0	0.9	5.4	6.7	20
1814353	Drill Core	3.37	482	0.008	<0.01	<0.17	33.12	1.1	30.2	7.9	74	0.4	25.9	8.5	254	2.28	47.3	1.1	4.8	7.7	34
2025650	Drill Core	3.13	437	0.006	<0.01	<0.17	32.39	0.8	21.9	20.8	64	1.2	16.4	7.0	405	2.32	9.4	1.1	1.0	11.4	28
2025651	Drill Core	2.40	405	<0.005	<0.01	<0.17	24.25	2.3	13.0	42.4	110	0.4	12.2	7.5	368	2.31	6.2	1.9	0.6	10.3	41



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000069.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1814326	Drill Core	0.3	0.5	<0.1	14	0.49	0.058	15	20	0.59	250	0.095	1	0.89	0.045	0.40	0.7	<0.01	3.5	0.3	<0.05			
1814327	Drill Core	0.4	0.6	<0.1	19	0.97	0.063	12	27	0.77	244	0.105	1	1.19	0.038	0.36	0.3	<0.01	3.4	0.2	<0.05			
1814328	Drill Core	0.6	0.7	<0.1	21	1.00	0.062	12	26	0.76	216	0.105	1	1.30	0.045	0.35	0.6	<0.01	4.2	0.2	<0.05			
1814329	Drill Core	0.9	1.1	<0.1	26	0.88	0.059	24	30	0.82	240	0.079	1	1.48	0.038	0.47	0.6	0.01	5.5	0.3	<0.05			
1814330	Drill Core	0.6	1.0	0.8	16	1.07	0.072	17	20	0.58	128	0.046	1	0.97	0.026	0.23	0.6	<0.01	2.5	0.1	<0.05			
1814331	Drill Core	0.9	0.7	<0.1	15	0.50	0.070	24	19	0.70	324	0.048	1	1.12	0.024	0.53	0.8	0.01	3.3	0.3	<0.05			
1814332	Drill Core	0.3	0.4	<0.1	8	0.26	0.030	14	14	0.36	175	0.028	1	0.62	0.023	0.26	0.5	<0.01	1.7	0.1	<0.05			
1814333	Drill Core	0.8	0.7	<0.1	12	0.76	0.060	24	16	0.56	295	0.039	2	1.07	0.028	0.61	0.5	<0.01	3.0	0.4	<0.05			
1814334	Drill Core	0.7	0.6	0.1	27	1.17	0.061	19	32	0.92	199	0.084	1	1.34	0.044	0.40	0.5	<0.01	4.9	0.2	<0.05			
1814335	Drill Core	0.3	0.6	<0.1	28	1.22	0.080	14	34	1.13	195	0.079	1	1.56	0.023	0.35	0.6	<0.01	5.8	0.2	<0.05			
1814336	Drill Core	0.5	0.9	0.1	22	1.15	0.083	14	21	0.96	184	0.084	1	1.45	0.013	0.38	0.4	<0.01	5.8	0.2	<0.05			
1814337	Drill Core	0.4	1.0	0.1	23	1.31	0.088	14	16	0.97	236	0.093	1	1.56	0.013	0.50	0.3	<0.01	6.7	0.2	<0.05			
1814338	Drill Core	0.5	0.8	0.1	29	0.97	0.080	14	35	1.15	214	0.097	1	1.61	0.019	0.54	0.5	<0.01	6.4	0.3	<0.05			
1814339	Drill Core	0.6	0.6	0.4	13	0.56	0.056	28	16	0.70	252	0.034	1	1.13	0.036	0.40	0.3	<0.01	3.5	0.2	<0.05			
1814340	Rock Pulp	<0.1	0.2	<0.1	23	0.79	0.038	6	16	0.49	56	0.078	3	1.03	0.072	0.08	0.2	<0.01	2.6	<0.1	0.05			
1814341	Drill Core	0.8	0.9	0.5	7	0.86	0.050	29	8	0.20	270	0.056	1	0.62	0.042	0.34	0.4	<0.01	1.9	0.1	<0.05			
1814342	Drill Core	0.6	0.9	0.4	9	0.75	0.049	28	11	0.28	161	0.063	1	0.66	0.039	0.31	0.5	<0.01	2.8	0.1	<0.05			
1814343	Drill Core	0.3	2.0	0.4	11	0.39	0.061	22	14	0.30	180	0.050	1	0.65	0.039	0.37	0.5	<0.01	2.8	0.2	<0.05			
1814344	Drill Core	0.5	1.3	0.9	13	0.60	0.051	27	14	0.31	258	0.049	1	0.71	0.033	0.48	0.2	<0.01	4.9	0.2	<0.05			
1814345	Drill Core	0.4	1.7	0.3	20	2.39	0.058	22	25	0.49	216	0.075	<1	0.82	0.036	0.44	0.4	<0.01	4.4	0.2	<0.05			
1814346	Drill Core	0.2	1.2	0.2	21	2.83	0.066	21	26	0.51	270	0.080	<1	0.88	0.042	0.63	0.2	<0.01	4.1	0.3	<0.05			
1814347	Drill Core	0.5	3.0	0.3	24	2.17	0.058	23	25	0.52	254	0.068	1	0.88	0.032	0.51	0.3	<0.01	5.4	0.3	<0.05			
1814348	Drill Core	0.5	2.6	0.4	22	1.01	0.065	28	26	0.37	257	0.030	<1	0.82	0.045	0.26	0.4	<0.01	4.3	0.1	<0.05			
1814349	Drill Core	0.5	1.0	0.2	15	0.31	0.054	37	16	0.37	209	0.004	<1	0.84	0.042	0.23	0.2	<0.01	2.4	0.1	<0.05			
1814350	Drill Core	0.5	0.6	0.1	14	0.56	0.043	29	16	0.65	217	0.003	<1	1.09	0.031	0.37	<0.1	<0.01	2.4	0.2	<0.05			
1814351	Drill Core	0.9	1.0	0.1	24	0.48	0.059	25	29	0.92	182	0.005	1	1.38	0.018	0.40	<0.1	<0.01	4.2	0.2	<0.05			
1814352	Drill Core	1.0	1.4	<0.1	24	0.43	0.058	24	27	0.90	189	0.007	1	1.39	0.023	0.38	0.1	<0.01	4.5	0.2	<0.05			
1814353	Drill Core	0.7	1.4	0.2	34	0.78	0.070	24	45	0.84	265	0.027	1	1.28	0.025	0.37	0.2	<0.01	5.6	0.2	<0.05			
2025650	Drill Core	0.2	0.3	0.5	19	0.49	0.073	33	25	0.93	237	0.006	<1	1.33	0.033	0.32	1.8	<0.01	3.6	0.1	<0.05			
2025651	Drill Core	0.6	0.7	0.3	20	0.79	0.055	17	24	1.08	210	0.046	<1	1.27	0.038	0.33	0.3	0.02	5.0	0.2	0.18			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000069.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1814326	Drill Core	4	<0.5	<0.2
1814327	Drill Core	4	<0.5	<0.2
1814328	Drill Core	5	<0.5	<0.2
1814329	Drill Core	6	<0.5	<0.2
1814330	Drill Core	5	3.2	0.6
1814331	Drill Core	4	<0.5	<0.2
1814332	Drill Core	3	<0.5	<0.2
1814333	Drill Core	4	<0.5	<0.2
1814334	Drill Core	6	<0.5	<0.2
1814335	Drill Core	5	<0.5	<0.2
1814336	Drill Core	5	<0.5	<0.2
1814337	Drill Core	5	<0.5	<0.2
1814338	Drill Core	5	<0.5	<0.2
1814339	Drill Core	4	<0.5	<0.2
1814340	Rock Pulp	4	<0.5	<0.2
1814341	Drill Core	3	<0.5	<0.2
1814342	Drill Core	3	<0.5	<0.2
1814343	Drill Core	3	<0.5	<0.2
1814344	Drill Core	3	<0.5	<0.2
1814345	Drill Core	3	<0.5	<0.2
1814346	Drill Core	3	<0.5	<0.2
1814347	Drill Core	3	<0.5	<0.2
1814348	Drill Core	4	<0.5	<0.2
1814349	Drill Core	4	<0.5	<0.2
1814350	Drill Core	5	<0.5	<0.2
1814351	Drill Core	6	<0.5	<0.2
1814352	Drill Core	5	<0.5	<0.2
1814353	Drill Core	4	<0.5	<0.2
2025650	Drill Core	6	<0.5	<0.2
2025651	Drill Core	5	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000069.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025652	Drill Core				2.96	458	<0.005	<0.01	<0.17	30.96	1.2	14.3	14.1	58	0.5	8.3	6.2	382	2.04	3.6	2.1	1.3	10.4	56
2025653	Drill Core				3.12	437	0.006	<0.01	<0.17	28.68	1.7	16.5	20.3	54	0.4	14.3	7.2	446	2.32	26.3	1.3	2.1	8.7	55
2025654	Drill Core				3.01	424	0.609	0.85	3.33	36.90	1.0	12.4	20.0	40	0.7	9.6	5.0	406	1.71	7.5	1.3	393.2	8.9	55
2025655	Drill Core				2.92	488	1.837	3.45	34.68	23.99	0.7	20.2	8.1	12	1.4	4.9	2.4	235	1.11	2.7	0.3	4259.7	5.1	9
2025656	Drill Core				2.88	527	0.109	0.10	<0.17	28.87	0.7	17.4	15.1	54	0.6	14.0	7.8	439	2.02	7.3	0.9	82.8	9.0	65
2025657	Drill Core				1.38	535	1.799	4.62	75.50	20.49	1.2	25.0	9.9	53	1.3	9.6	6.6	552	2.03	4.6	0.9	3875.3	7.3	46
2025658	Drill Core				2.67	459	<0.005	<0.01	<0.17	29.07	1.1	19.7	11.2	50	0.3	10.0	6.2	544	2.23	2.2	1.4	3.6	8.2	93
2025659	Drill Core				2.92	490	<0.005	<0.01	<0.17	29.17	1.1	14.8	16.9	61	0.3	10.1	6.0	470	2.29	1.6	1.5	0.8	8.1	57
2025660	Core DUP					487	0.005	<0.01	<0.17	22.43	1.0	14.4	18.1	61	0.3	10.1	6.2	464	2.29	1.7	1.5	4.9	8.1	56
2025661	Drill Core				1.93	380	<0.005	<0.01	<0.17	35.59	1.3	20.6	15.1	48	0.3	10.3	5.9	593	2.34	0.9	1.3	1.3	7.9	90
2025662	Drill Core				1.98	424	<0.005	<0.01	<0.17	28.06	1.4	12.6	12.7	42	0.2	9.8	6.4	605	2.06	2.7	1.4	1.6	7.5	102
2025663	Drill Core				1.56	529	0.006	<0.01	<0.17	29.76	0.8	10.2	4.8	38	0.1	9.4	5.8	427	1.97	3.6	0.9	0.8	7.4	56
2025664	Drill Core				2.65	486	<0.005	<0.01	<0.17	28.83	1.4	10.9	9.1	45	0.1	10.2	6.6	515	2.19	3.5	1.4	0.7	8.3	47
2025665	Drill Core				2.75	492	<0.005	<0.01	<0.17	29.64	1.2	15.0	16.9	48	0.2	12.1	6.1	486	2.16	2.6	2.4	<0.5	7.7	49
2025666	Drill Core				2.71	466	<0.005	<0.01	<0.17	29.78	1.3	18.0	6.7	53	0.2	13.1	7.2	334	2.12	8.1	2.2	<0.5	9.1	39
2025667	Drill Core				2.91	523	<0.005	<0.01	<0.17	33.08	0.9	15.5	14.2	48	0.3	13.5	5.2	417	1.84	48.9	2.6	5.3	8.2	66
2025668	Drill Core				2.88	463	<0.005	<0.01	<0.17	30.17	0.7	19.0	9.6	62	0.3	18.2	6.0	293	1.97	34.4	2.4	<0.5	9.9	32
2025669	Drill Core				3.21	505	<0.005	<0.01	<0.17	26.47	0.9	20.6	14.0	46	0.4	17.9	5.6	303	1.94	19.0	1.4	1.4	9.5	32
2025670	Drill Core				1.66	536	<0.005	<0.01	<0.17	31.06	1.2	22.6	21.2	40	0.4	13.4	5.3	245	1.61	7.7	1.0	<0.5	11.0	21
2025671	Drill Core				2.57	523	<0.005	<0.01	<0.17	26.70	1.3	21.8	19.7	61	0.8	13.5	5.8	279	2.05	4.6	1.5	1.1	8.8	24
2025672	Drill Core				2.65	456	<0.005	<0.01	<0.17	26.93	1.3	15.0	8.9	62	0.3	15.3	8.9	380	2.38	3.0	1.3	<0.5	8.2	35
2025673	Drill Core				3.01	470	<0.005	<0.01	<0.17	31.83	1.4	13.1	10.0	63	0.2	12.7	7.7	355	2.34	2.7	1.2	<0.5	8.3	27
2025674	Drill Core				2.72	469	<0.005	<0.01	<0.17	39.34	1.0	12.1	16.5	91	0.2	12.3	9.0	373	2.33	3.1	1.2	<0.5	9.2	38
2025675	Drill Core				2.01	410	<0.005	<0.01	<0.17	26.26	0.7	8.2	13.3	66	0.2	11.4	7.4	324	2.10	2.7	1.4	<0.5	7.5	54
2025676	Drill Core				1.52	475	<0.005	<0.01	<0.17	35.82	0.8	7.5	4.6	50	0.1	11.9	7.1	332	2.18	2.6	1.2	<0.5	6.4	51
2025677	Drill Core				1.96	388	<0.005	<0.01	<0.17	30.23	1.6	18.6	51.4	90	0.4	10.6	6.7	421	2.06	1.9	1.0	0.8	6.8	69
2025678	Drill Core				2.79	403	0.417	0.70	4.53	27.57	0.7	20.9	20.7	73	1.0	11.7	8.0	283	2.14	1.7	1.4	1540.0	10.1	73
2025679	Drill Core				2.79	495	<0.005	<0.01	<0.17	36.62	0.9	28.0	168.0	120	0.9	9.6	6.6	278	1.91	2.2	1.3	1.2	9.3	43
2025680	Rock				0.21	168	<0.005	<0.01	<0.17	25.96	1.3	2.5	1.3	2	<0.1	3.1	0.7	200	1.77	1.0	0.2	<0.5	1.1	1
2025681	Drill Core				2.78	455	<0.005	<0.01	<0.17	32.99	0.4	10.0	11.2	93	0.2	12.3	7.0	311	2.07	2.4	1.0	<0.5	7.5	39



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000069.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025652	Drill Core	0.3	0.7	0.1	13	1.30	0.043	21	19	0.72	232	0.044	<1	1.10	0.037	0.38	1.2	0.04	4.2	0.2	0.05			
2025653	Drill Core	0.3	1.4	0.3	17	1.06	0.057	10	21	0.94	210	0.048	<1	1.14	0.024	0.56	0.9	<0.01	4.7	0.2	0.27			
2025654	Drill Core	0.3	0.8	0.7	8	0.64	0.044	15	11	0.69	212	0.019	1	0.92	0.014	0.46	0.3	<0.01	2.4	0.1	0.10			
2025655	Drill Core	0.1	0.5	0.3	2	0.10	0.018	13	7	0.19	138	0.002	2	0.37	0.007	0.22	0.1	<0.01	0.9	<0.1	<0.05			
2025656	Drill Core	0.3	1.0	0.4	11	0.73	0.055	16	15	0.89	221	0.022	2	1.12	0.015	0.56	0.3	<0.01	3.3	0.2	0.13			
2025657	Drill Core	0.4	0.6	<0.1	10	0.49	0.041	15	13	0.79	247	0.043	2	1.10	0.018	0.59	0.5	<0.01	3.2	0.2	0.12			
2025658	Drill Core	0.2	0.7	0.2	12	0.90	0.048	20	16	0.92	226	0.034	1	1.27	0.024	0.51	0.2	<0.01	3.1	0.2	0.07			
2025659	Drill Core	0.3	0.4	0.1	13	0.76	0.049	19	16	0.90	202	0.017	1	1.25	0.027	0.40	0.1	<0.01	3.3	0.1	0.06			
2025660	Core DUP	0.3	0.5	0.1	14	0.78	0.055	20	17	0.90	224	0.018	2	1.32	0.024	0.44	<0.1	<0.01	3.5	0.1	0.08			
2025661	Drill Core	0.2	0.4	<0.1	13	1.11	0.049	20	18	0.93	252	0.027	2	1.33	0.031	0.48	<0.1	<0.01	3.4	0.1	<0.05			
2025662	Drill Core	<0.1	0.3	<0.1	12	1.21	0.050	16	15	0.82	222	0.032	1	1.14	0.027	0.44	0.3	0.01	3.1	0.1	0.08			
2025663	Drill Core	<0.1	0.3	<0.1	11	0.82	0.042	14	14	0.69	221	0.041	2	0.98	0.025	0.47	0.3	<0.01	3.3	0.1	0.11			
2025664	Drill Core	0.1	0.4	<0.1	14	0.73	0.050	17	17	0.88	263	0.067	1	1.19	0.026	0.65	0.4	<0.01	3.8	0.2	0.09			
2025665	Drill Core	0.1	0.4	<0.1	12	0.76	0.051	13	15	0.83	239	0.048	2	1.07	0.025	0.66	0.3	<0.01	3.0	0.2	0.12			
2025666	Drill Core	0.2	1.2	<0.1	15	0.61	0.052	14	18	0.80	312	0.060	2	1.08	0.027	0.67	0.7	<0.01	4.1	0.3	0.23			
2025667	Drill Core	0.4	2.0	0.3	13	1.36	0.048	17	16	0.39	280	0.082	1	0.78	0.029	0.43	0.9	<0.01	3.2	0.2	0.16			
2025668	Drill Core	0.4	2.1	0.2	15	0.71	0.051	17	21	0.55	263	0.060	1	0.84	0.036	0.50	0.5	<0.01	3.5	0.2	0.27			
2025669	Drill Core	0.4	2.5	0.3	19	0.75	0.045	17	23	0.50	261	0.065	<1	0.90	0.034	0.53	0.7	<0.01	3.2	0.2	0.19			
2025670	Drill Core	0.3	1.5	0.4	12	0.47	0.056	22	20	0.37	239	0.062	1	0.72	0.037	0.42	0.7	<0.01	2.4	0.2	<0.05			
2025671	Drill Core	0.2	0.9	1.1	21	0.42	0.058	18	30	0.56	255	0.081	<1	0.84	0.052	0.44	0.7	<0.01	3.6	0.3	<0.05			
2025672	Drill Core	0.3	1.3	0.1	29	0.63	0.061	18	37	0.87	237	0.110	1	1.24	0.045	0.60	1.1	<0.01	5.2	0.3	<0.05			
2025673	Drill Core	0.2	1.1	<0.1	21	0.61	0.057	17	30	1.00	187	0.086	2	1.32	0.036	0.64	1.1	<0.01	4.4	0.3	<0.05			
2025674	Drill Core	0.3	1.3	<0.1	21	0.81	0.053	20	32	1.01	173	0.092	1	1.41	0.036	0.60	0.6	<0.01	4.8	0.3	<0.05			
2025675	Drill Core	0.3	1.7	<0.1	21	1.03	0.058	18	31	0.94	156	0.091	2	1.43	0.035	0.57	1.0	0.01	4.5	0.3	<0.05			
2025676	Drill Core	0.2	1.4	<0.1	21	0.92	0.058	13	30	0.93	153	0.096	2	1.47	0.032	0.44	0.4	<0.01	3.8	0.2	<0.05			
2025677	Drill Core	0.6	1.0	0.2	16	1.58	0.048	14	23	0.78	145	0.058	2	1.25	0.027	0.50	0.6	<0.01	3.1	0.3	<0.05			
2025678	Drill Core	0.5	1.1	<0.1	21	1.14	0.056	19	29	0.92	170	0.104	1	1.34	0.051	0.62	1.1	0.02	4.4	0.4	<0.05			
2025679	Drill Core	0.9	1.1	<0.1	17	0.91	0.048	19	24	0.79	193	0.078	2	1.32	0.037	0.61	0.5	<0.01	4.0	0.3	<0.05			
2025680	Rock	<0.1	0.1	<0.1	1	0.01	0.002	2	12	<0.01	9	0.002	2	0.06	0.003	0.02	<0.1	<0.01	0.2	<0.1	<0.05			
2025681	Drill Core	0.7	0.7	<0.1	17	0.74	0.056	13	25	1.02	249	0.094	1	1.54	0.037	0.47	0.2	<0.01	3.5	0.2	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000069.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025652	Drill Core	4	<0.5	<0.2
2025653	Drill Core	4	0.5	<0.2
2025654	Drill Core	3	<0.5	<0.2
2025655	Drill Core	1	<0.5	<0.2
2025656	Drill Core	3	<0.5	<0.2
2025657	Drill Core	4	<0.5	<0.2
2025658	Drill Core	4	<0.5	<0.2
2025659	Drill Core	4	<0.5	<0.2
2025660	Core DUP	4	<0.5	<0.2
2025661	Drill Core	5	<0.5	<0.2
2025662	Drill Core	4	<0.5	<0.2
2025663	Drill Core	3	<0.5	<0.2
2025664	Drill Core	4	<0.5	<0.2
2025665	Drill Core	3	<0.5	<0.2
2025666	Drill Core	4	<0.5	<0.2
2025667	Drill Core	3	<0.5	<0.2
2025668	Drill Core	4	0.6	<0.2
2025669	Drill Core	4	0.8	<0.2
2025670	Drill Core	3	<0.5	<0.2
2025671	Drill Core	4	0.8	<0.2
2025672	Drill Core	5	<0.5	<0.2
2025673	Drill Core	5	<0.5	<0.2
2025674	Drill Core	6	<0.5	<0.2
2025675	Drill Core	6	<0.5	<0.2
2025676	Drill Core	6	<0.5	<0.2
2025677	Drill Core	5	<0.5	<0.2
2025678	Drill Core	6	<0.5	<0.2
2025679	Drill Core	5	<0.5	<0.2
2025680	Rock	<1	<0.5	<0.2
2025681	Drill Core	5	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000069.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025682	Drill Core	2.74	522	<0.005	<0.01	<0.17	34.24	1.3	18.4	31.4	124	0.3	14.3	9.2	324	2.38	2.8	1.9	0.9	8.3	35
2025683	Drill Core	2.80	469	<0.005	<0.01	<0.17	32.25	1.0	14.7	11.9	83	0.2	16.8	10.5	312	2.66	3.0	1.6	<0.5	7.5	60
2025684	Drill Core	1.85	421	0.015	0.01	<0.17	36.06	0.6	15.5	24.4	98	0.3	11.1	6.9	323	1.97	3.5	1.2	17.0	7.7	61
2025685	Drill Core	1.03	411	0.261	0.37	1.97	27.41	2.0	22.2	29.9	82	0.7	10.6	8.0	303	2.29	9.4	1.3	216.5	6.5	33
2025686	Drill Core	2.78	484	0.021	0.02	<0.17	25.32	1.2	20.4	21.8	71	0.5	11.5	6.8	313	2.19	5.7	1.3	24.5	7.5	39
2025687	Drill Core	1.35	457	0.255	0.26	0.30	33.53	0.9	8.1	8.0	84	0.4	8.6	6.6	334	1.76	12.8	1.2	218.6	7.7	39
2025688	Drill Core	2.15	449	0.071	0.07	<0.17	32.21	0.6	5.7	12.7	38	0.4	3.8	3.4	204	1.28	5.6	2.4	110.2	9.9	38
2025689	Drill Core	2.40	430	0.049	0.05	<0.17	31.06	0.3	16.0	16.1	68	0.5	12.6	8.5	278	2.13	7.1	2.4	44.9	7.7	81
2025690	Drill Core	1.77	514	1.736	3.10	20.78	36.77	1.0	17.1	18.1	356	2.0	13.7	9.5	359	2.28	30.2	1.0	2185.7	7.0	142
2025691	Drill Core	2.78	474	0.117	0.11	<0.17	28.08	0.8	19.2	17.7	68	0.4	13.0	8.0	258	2.20	10.7	2.0	106.4	7.6	74
2025692	Drill Core	2.04	427	0.127	0.12	<0.17	25.37	0.6	18.8	11.3	76	0.5	16.7	10.2	317	2.53	12.0	2.0	174.5	8.5	99
2025693	Drill Core	2.22	426	0.046	0.05	<0.17	28.82	1.5	13.6	12.4	58	0.4	13.1	7.8	292	2.20	5.6	1.4	68.9	8.8	84
2025694	Drill Core	1.43	383	0.267	0.26	0.22	32.41	0.8	14.0	12.1	64	0.5	13.8	10.0	479	2.52	10.2	2.2	237.1	8.0	213
2025695	Drill Core	1.75	417	0.029	0.03	<0.17	35.16	0.3	4.2	9.9	26	0.1	2.6	2.1	132	0.93	1.4	1.2	31.9	12.3	20
2025696	Drill Core	1.47	444	<0.005	<0.01	<0.17	37.53	0.3	12.2	10.1	51	0.2	9.7	6.9	252	1.96	2.5	1.2	<0.5	8.9	46
2025697	Drill Core	1.84	404	0.070	0.06	<0.17	36.65	0.5	16.2	21.3	59	0.4	12.5	8.6	379	2.24	4.2	3.2	44.8	7.6	100
2025698	Drill Core	2.76	450	0.077	0.07	<0.17	30.27	0.3	11.1	5.4	41	0.2	5.4	3.4	652	1.78	2.4	0.9	47.4	4.7	177
2025699	Drill Core	2.78	408	<0.005	<0.01	<0.17	36.34	0.3	7.2	19.4	52	0.3	2.3	2.2	164	1.07	1.4	1.1	<0.5	10.6	24
2025700	Rock Pulp	0.11	84	7.253				9.1	187.2	18.7	74	0.8	14.1	11.3	591	4.82	14.3	0.9	6949.1	2.6	78
2025701	Drill Core	3.77	401	0.009	<0.01	<0.17	35.57	0.5	10.5	14.9	41	2.3	4.0	2.6	215	1.27	5.2	1.3	7.8	12.5	34
2025702	Drill Core	2.77	424	<0.005	<0.01	<0.17	27.18	1.2	10.4	6.1	71	0.2	12.9	8.6	531	2.67	2.3	2.2	<0.5	9.2	142
2025703	Drill Core	2.47	535	<0.005	<0.01	<0.17	27.84	0.6	5.5	13.5	66	<0.1	9.2	6.2	335	2.28	4.3	2.3	1.3	10.8	79
2025704	Drill Core	1.75	523	<0.005	<0.01	<0.17	33.01	0.6	4.0	7.7	29	0.2	4.6	2.7	150	1.24	1.9	0.7	<0.5	4.9	24
2025705	Drill Core	2.62	540	<0.005	<0.01	<0.17	32.27	0.8	15.7	17.5	72	0.3	16.4	9.9	290	2.84	13.2	2.0	<0.5	9.0	78
2025706	Drill Core	2.87	450	<0.005	<0.01	<0.17	25.47	1.2	26.7	23.6	63	0.4	14.4	7.9	369	2.43	18.3	1.9	<0.5	9.3	71
2025707	Drill Core	2.90	482	<0.005	<0.01	<0.17	36.86	1.1	24.8	16.8	78	0.3	12.5	7.3	445	2.67	15.1	3.1	<0.5	7.3	81
2025708	Drill Core	2.74	524	<0.005	<0.01	<0.17	28.55	0.9	22.9	11.6	69	0.3	10.8	7.9	492	2.76	22.3	2.7	<0.5	6.0	59
2025709	Drill Core	2.94	431	<0.005	<0.01	<0.17	29.95	0.8	12.0	17.3	96	0.2	13.1	6.0	582	3.22	41.4	1.0	<0.5	6.5	57
2025710	Drill Core	2.73	496	0.170	0.16	<0.17	27.84	0.8	11.6	8.8	56	0.5	12.4	8.1	951	2.83	27.6	1.4	155.4	8.3	138
2025711	Drill Core	3.80	514	0.117	0.11	<0.17	30.61	1.0	20.9	12.1	73	0.7	11.6	10.0	615	2.90	45.4	1.0	112.7	6.8	51



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000069.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025682	Drill Core	1.3	0.8	<0.1	22	0.75	0.061	22	32	1.11	219	0.063	1	1.41	0.032	0.60	0.3	<0.01	4.9	0.4	0.13
2025683	Drill Core	0.4	1.2	<0.1	30	0.95	0.065	20	40	1.20	192	0.099	1	1.57	0.041	0.60	0.4	<0.01	5.9	0.4	<0.05
2025684	Drill Core	0.8	1.8	<0.1	20	1.05	0.056	17	28	0.92	182	0.102	2	1.43	0.023	0.71	0.9	0.01	4.1	0.5	<0.05
2025685	Drill Core	0.6	1.6	0.2	15	0.54	0.067	13	23	0.66	207	0.075	1	0.92	0.021	0.52	1.2	0.01	3.0	0.3	<0.05
2025686	Drill Core	0.3	1.5	0.1	20	0.69	0.062	16	28	0.98	197	0.094	<1	1.30	0.021	0.76	0.9	0.01	4.5	0.5	<0.05
2025687	Drill Core	0.7	1.1	<0.1	13	0.51	0.047	14	19	0.65	398	0.053	1	0.91	0.025	0.59	0.9	0.04	3.1	0.3	0.24
2025688	Drill Core	0.3	1.0	0.2	6	0.45	0.048	17	11	0.38	466	0.018	2	0.77	0.017	0.54	0.4	0.05	2.1	0.2	0.31
2025689	Drill Core	0.3	2.2	<0.1	19	1.01	0.061	11	21	1.01	475	0.054	1	1.15	0.023	0.72	0.5	0.01	4.1	0.3	0.37
2025690	Drill Core	11.5	2.5	0.1	13	1.60	0.045	8	16	0.82	149	0.035	1	1.00	0.031	0.67	0.8	0.02	3.7	0.3	1.04
2025691	Drill Core	0.3	2.9	<0.1	21	0.87	0.068	12	24	0.90	263	0.088	<1	1.06	0.043	0.68	0.6	<0.01	4.6	0.3	0.41
2025692	Drill Core	0.4	2.3	0.1	28	1.09	0.062	12	32	1.30	261	0.092	1	1.35	0.033	0.83	0.6	<0.01	5.2	0.3	0.53
2025693	Drill Core	0.4	1.2	0.1	20	0.97	0.057	13	24	1.14	336	0.076	1	1.30	0.022	0.68	0.6	<0.01	4.6	0.2	0.27
2025694	Drill Core	0.5	1.2	0.1	20	2.43	0.035	9	25	1.20	225	0.065	1	1.26	0.035	0.73	0.9	0.01	5.3	0.3	0.87
2025695	Drill Core	0.3	0.4	<0.1	5	0.28	0.017	28	6	0.27	459	0.012	1	0.67	0.026	0.44	0.3	0.02	1.7	0.1	0.13
2025696	Drill Core	0.2	0.7	<0.1	17	0.59	0.048	21	22	0.77	395	0.053	1	1.12	0.051	0.37	0.5	0.01	4.2	0.1	0.09
2025697	Drill Core	0.3	0.9	0.2	19	1.24	0.055	16	27	0.95	371	0.058	1	1.24	0.042	0.42	0.7	<0.01	5.2	0.2	0.21
2025698	Drill Core	0.3	0.5	<0.1	8	3.11	0.027	11	11	0.67	497	0.004	<1	0.76	0.013	0.26	0.2	<0.01	4.2	<0.1	<0.05
2025699	Drill Core	0.4	0.3	0.2	4	0.39	0.023	33	8	0.25	556	0.003	1	0.76	0.032	0.44	0.2	0.04	1.8	0.1	<0.05
2025700	Rock Pulp	0.2	4.7	0.5	115	1.03	0.058	8	18	0.85	123	0.133	2	1.86	0.192	0.22	4.4	0.22	3.6	<0.1	<0.05
2025701	Drill Core	0.3	0.3	0.1	6	0.69	0.021	39	10	0.29	423	0.002	<1	0.75	0.034	0.37	6.8	0.02	2.1	0.1	<0.05
2025702	Drill Core	0.4	1.0	<0.1	26	2.12	0.072	25	33	1.20	529	0.054	1	1.67	0.031	0.46	0.7	<0.01	6.9	0.2	<0.05
2025703	Drill Core	0.2	1.1	<0.1	20	1.11	0.044	32	22	0.87	381	0.043	1	1.34	0.025	0.42	0.5	0.02	4.7	0.2	<0.05
2025704	Drill Core	<0.1	0.3	<0.1	8	0.35	0.024	15	11	0.26	155	0.007	<1	0.47	0.020	0.20	0.3	<0.01	1.8	<0.1	<0.05
2025705	Drill Core	0.3	1.5	0.1	40	0.98	0.067	23	43	0.95	272	0.071	<1	1.38	0.055	0.26	0.8	<0.01	7.7	0.1	0.08
2025706	Drill Core	0.3	1.4	0.2	25	1.12	0.065	26	27	0.70	314	0.040	1	1.22	0.044	0.45	0.5	<0.01	6.2	0.2	<0.05
2025707	Drill Core	0.4	1.2	0.1	28	1.30	0.071	21	29	0.97	243	0.056	1	1.48	0.026	0.53	0.3	<0.01	6.1	0.2	0.06
2025708	Drill Core	0.3	1.3	0.1	26	1.08	0.082	15	21	1.05	301	0.065	1	1.44	0.027	0.71	0.3	<0.01	6.7	0.3	0.07
2025709	Drill Core	0.3	1.6	0.1	27	0.93	0.058	15	23	1.53	214	0.063	1	1.85	0.039	0.50	0.3	<0.01	5.7	0.2	<0.05
2025710	Drill Core	0.3	1.9	0.1	33	2.23	0.032	21	27	1.64	240	0.076	<1	1.54	0.026	0.47	1.6	<0.01	6.4	0.2	<0.05
2025711	Drill Core	0.3	2.9	0.1	19	1.17	0.053	13	14	1.32	277	0.031	1	1.54	0.015	0.65	0.2	<0.01	3.6	0.2	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000069.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025682	Drill Core	5	1.0	<0.2
2025683	Drill Core	6	<0.5	<0.2
2025684	Drill Core	6	<0.5	<0.2
2025685	Drill Core	4	<0.5	<0.2
2025686	Drill Core	5	<0.5	<0.2
2025687	Drill Core	4	0.6	<0.2
2025688	Drill Core	3	0.5	<0.2
2025689	Drill Core	4	0.6	<0.2
2025690	Drill Core	4	1.0	<0.2
2025691	Drill Core	4	0.6	<0.2
2025692	Drill Core	5	0.6	<0.2
2025693	Drill Core	5	<0.5	<0.2
2025694	Drill Core	5	0.8	<0.2
2025695	Drill Core	3	<0.5	<0.2
2025696	Drill Core	5	<0.5	<0.2
2025697	Drill Core	5	0.6	<0.2
2025698	Drill Core	3	<0.5	<0.2
2025699	Drill Core	3	<0.5	<0.2
2025700	Rock Pulp	5	<0.5	<0.2
2025701	Drill Core	3	<0.5	<0.2
2025702	Drill Core	7	<0.5	<0.2
2025703	Drill Core	6	<0.5	<0.2
2025704	Drill Core	2	<0.5	<0.2
2025705	Drill Core	7	0.8	<0.2
2025706	Drill Core	5	0.6	<0.2
2025707	Drill Core	5	0.5	<0.2
2025708	Drill Core	5	<0.5	<0.2
2025709	Drill Core	7	<0.5	<0.2
2025710	Drill Core	9	0.7	<0.2
2025711	Drill Core	5	0.8	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000069.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025712	Drill Core	3.20	371	0.007	<0.01	<0.17	30.49	1.7	53.3	84.7	444	1.3	21.5	10.9	753	3.34	222.6	1.0	4.8	5.7	35
2025713	Drill Core	3.42	377	0.320	0.30	<0.17	25.85	2.5	58.1	42.6	257	1.9	38.5	15.1	870	3.84	326.6	1.2	313.7	4.6	49
2025714	Drill Core	3.01	361	0.014	0.01	<0.17	27.03	2.3	45.1	16.4	152	0.5	34.7	14.6	652	3.20	199.3	1.1	11.9	3.9	30
2025715	Drill Core	3.38	492	<0.005	<0.01	<0.17	32.13	2.3	38.7	27.9	116	0.5	30.2	12.8	777	3.46	65.7	2.0	<0.5	3.4	25
2025716	Drill Core	3.08	450	<0.005	<0.01	<0.17	27.71	2.1	53.4	18.2	196	0.5	32.7	12.3	1119	3.17	244.1	0.8	<0.5	3.9	36
2025717	Drill Core	2.90	388	0.220	0.26	0.90	22.19	2.2	62.2	14.9	221	1.3	34.5	12.6	847	3.32	86.8	0.7	198.5	4.6	16
2025718	Drill Core	3.23	466	0.009	<0.01	<0.17	29.81	2.4	56.8	30.1	209	0.6	34.6	11.0	734	3.56	411.5	0.8	5.4	4.5	17
2025719	Drill Core	1.84	505	0.013	0.01	<0.17	32.15	1.3	23.3	20.4	90	0.5	16.6	5.6	559	1.91	51.6	0.4	11.0	1.9	30
2025720	Rock Pulp	0.11	79	0.536				6.3	113.6	80.8	133	0.6	12.0	4.9	590	2.51	40.0	0.4	583.6	2.0	35
2025721	Drill Core	3.25	337	0.014	0.01	<0.17	26.89	2.1	47.7	27.0	186	0.5	32.7	14.6	710	3.49	341.2	0.7	9.6	3.9	18
2025722	Drill Core	3.60	504	0.006	<0.01	<0.17	30.98	2.2	52.4	43.6	365	0.6	36.3	16.3	758	3.55	748.7	1.1	2.5	4.5	18
2025723	Drill Core	3.47	219	<0.005	<0.01	<0.17	25.02	1.9	55.4	17.0	231	0.6	30.8	11.8	664	3.40	254.8	1.0	0.6	4.8	33
2025724	Drill Core	4.01	418	0.792	0.80	0.91	25.28	1.8	35.4	15.7	91	0.7	24.6	12.7	800	3.57	78.9	1.1	662.0	6.5	52
2025725	Drill Core	2.53	412	0.090	0.10	0.20	35.33	1.5	25.0	11.8	90	0.4	20.8	10.8	649	3.07	52.0	0.9	78.6	5.6	58
2025726	Drill Core	3.34	369	0.006	<0.01	<0.17	30.73	2.2	35.5	14.4	87	0.4	28.8	12.1	526	3.25	236.6	0.8	2.6	5.4	18
2025727	Drill Core	2.71	365	0.020	0.02	<0.17	28.57	4.0	43.5	16.8	74	0.5	35.7	13.9	591	3.27	122.6	0.9	12.0	5.6	39
2025728	Drill Core	3.58	469	0.330	0.31	<0.17	31.13	1.7	37.4	26.1	144	0.7	19.8	10.2	492	3.15	86.0	0.7	238.8	5.7	28
2025729	Drill Core	1.32	460	0.030	0.03	<0.17	30.92	1.3	38.6	59.0	332	1.1	16.3	8.1	673	3.30	606.2	0.9	6.4	6.1	23
2025730	Drill Core	3.04	436	<0.005	<0.01	<0.17	29.14	1.2	23.8	17.1	173	0.3	21.3	9.1	656	2.87	84.3	0.8	1.1	8.0	30
2025731	Drill Core	2.57	432	<0.005	<0.01	<0.17	30.02	1.2	24.3	25.0	107	0.3	26.0	9.5	515	2.93	31.1	0.9	2.0	8.2	31



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000069.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025712	Drill Core	3.1	3.4	0.8	30	0.73	0.062	14	18	1.70	239	0.031	1	1.83	0.007	0.62	0.2	<0.01	3.1	0.3	<0.05
2025713	Drill Core	1.6	4.2	0.6	43	0.78	0.069	13	26	1.57	224	0.051	1	1.71	0.009	0.55	0.4	<0.01	4.1	0.2	<0.05
2025714	Drill Core	0.6	3.8	0.1	37	0.53	0.072	12	21	1.37	189	0.034	1	1.58	0.009	0.52	0.2	<0.01	3.3	0.2	<0.05
2025715	Drill Core	0.4	3.4	0.2	36	0.36	0.073	10	21	1.44	165	0.023	1	1.62	0.009	0.33	0.1	<0.01	3.2	0.1	<0.05
2025716	Drill Core	1.3	2.3	0.2	37	1.59	0.069	12	26	1.90	152	0.014	<1	1.76	0.006	0.28	<0.1	<0.01	2.9	<0.1	<0.05
2025717	Drill Core	1.0	2.3	0.3	33	0.63	0.060	15	23	1.69	219	0.010	1	1.68	0.008	0.43	0.1	<0.01	2.8	0.1	<0.05
2025718	Drill Core	1.0	3.3	0.4	40	0.44	0.079	15	30	1.78	176	0.008	1	1.83	0.007	0.32	<0.1	<0.01	2.8	<0.1	<0.05
2025719	Drill Core	0.7	1.9	0.2	19	0.95	0.042	6	16	0.85	79	0.014	<1	0.84	0.004	0.17	0.1	<0.01	1.5	<0.1	<0.05
2025720	Rock Pulp	0.5	2.5	<0.1	29	0.83	0.033	6	24	0.51	77	0.079	7	1.12	0.090	0.10	4.5	0.16	2.7	0.2	0.09
2025721	Drill Core	0.9	8.5	0.2	36	0.52	0.074	14	22	1.66	179	0.019	1	1.78	0.010	0.39	0.2	<0.01	3.0	0.2	<0.05
2025722	Drill Core	2.6	24.1	0.5	38	0.32	0.100	15	24	1.50	188	0.016	2	1.76	0.010	0.38	0.1	<0.01	3.7	0.2	<0.05
2025723	Drill Core	1.6	9.2	0.3	51	0.50	0.094	14	33	1.81	180	0.049	2	2.05	0.010	0.43	0.5	<0.01	4.3	0.2	<0.05
2025724	Drill Core	0.6	3.6	0.1	28	0.99	0.074	18	21	1.62	238	0.037	2	1.73	0.013	0.68	0.4	<0.01	4.2	0.3	<0.05
2025725	Drill Core	0.5	4.5	0.2	44	1.23	0.071	16	31	1.67	237	0.045	2	1.91	0.012	0.55	0.7	<0.01	4.9	0.2	<0.05
2025726	Drill Core	0.3	9.9	0.2	34	0.35	0.081	14	31	1.76	234	0.012	2	1.95	0.009	0.40	0.2	<0.01	3.6	0.1	<0.05
2025727	Drill Core	0.4	8.0	0.2	46	0.98	0.100	16	32	1.56	243	0.028	2	1.87	0.014	0.55	0.2	<0.01	4.3	0.2	<0.05
2025728	Drill Core	0.9	5.3	0.2	26	0.43	0.078	15	22	1.58	212	0.023	2	1.80	0.009	0.44	0.3	<0.01	3.4	0.2	<0.05
2025729	Drill Core	2.8	19.4	0.6	25	0.84	0.075	18	17	1.68	206	0.010	2	1.93	0.006	0.47	0.2	<0.01	3.5	0.2	<0.05
2025730	Drill Core	2.2	4.1	0.2	27	0.84	0.062	20	34	1.52	170	0.019	2	1.72	0.026	0.32	0.2	<0.01	3.7	0.1	<0.05
2025731	Drill Core	0.9	2.7	0.2	28	0.84	0.069	23	40	1.44	200	0.015	2	1.73	0.019	0.36	<0.1	<0.01	4.5	0.2	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000069.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025712	Drill Core	4	1.1	<0.2
2025713	Drill Core	5	1.5	<0.2
2025714	Drill Core	4	1.0	<0.2
2025715	Drill Core	4	1.0	<0.2
2025716	Drill Core	4	1.0	<0.2
2025717	Drill Core	4	1.3	<0.2
2025718	Drill Core	4	1.5	<0.2
2025719	Drill Core	2	0.6	<0.2
2025720	Rock Pulp	4	<0.5	<0.2
2025721	Drill Core	4	1.7	<0.2
2025722	Drill Core	4	1.2	<0.2
2025723	Drill Core	5	1.1	<0.2
2025724	Drill Core	5	0.6	<0.2
2025725	Drill Core	6	<0.5	<0.2
2025726	Drill Core	5	1.2	<0.2
2025727	Drill Core	5	0.8	<0.2
2025728	Drill Core	5	0.6	<0.2
2025729	Drill Core	5	<0.5	<0.2
2025730	Drill Core	5	<0.5	<0.2
2025731	Drill Core	5	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 30, 2020

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI20000069.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
1814326	Drill Core	2.52	454	<0.005	<0.01	<0.17	30.68	0.5	23.2	31.6	71	0.4	10.3	6.8	401	2.11	3.1	1.0	0.8	7.4	35
REP 1814326	QC	<0.005																			
1814328	Drill Core	2.47	416	0.006	<0.01	<0.17	36.75	0.4	40.1	39.6	100	0.5	12.4	8.2	434	2.23	2.7	1.1	1.3	5.3	64
REP 1814328	QC	0.5 40.2 39.4 102 0.5 12.6 8.2 431 2.21 2.4 1.1 1.5 5.4 64																			
2025657	Drill Core	1.38	535	1.799	4.62	75.50	20.49	1.2	25.0	9.9	53	1.3	9.6	6.6	552	2.03	4.6	0.9	3875.3	7.3	46
REP 2025657	QC	1.1 23.7 9.6 54 0.9 8.9 6.2 552 2.03 4.5 0.9 2472.0 7.1 42																			
2025690	Drill Core	1.77	514	1.736	3.10	20.78	36.77	1.0	17.1	18.1	356	2.0	13.7	9.5	359	2.28	30.2	1.0	2185.7	7.0	142
REP 2025690	QC	2.118																			
2025692	Drill Core	2.04	427	0.127	0.12	<0.17	25.37	0.6	18.8	11.3	76	0.5	16.7	10.2	317	2.53	12.0	2.0	174.5	8.5	99
REP 2025692	QC	0.6 18.8 11.0 75 0.5 16.7 10.2 318 2.54 12.0 2.0 164.6 8.2 99																			
2025716	Drill Core	3.08	450	<0.005	<0.01	<0.17	27.71	2.1	53.4	18.2	196	0.5	32.7	12.3	1119	3.17	244.1	0.8	<0.5	3.9	36
REP 2025716	QC	<0.005																			
2025726	Drill Core	3.34	369	0.006	<0.01	<0.17	30.73	2.2	35.5	14.4	87	0.4	28.8	12.1	526	3.25	236.6	0.8	2.6	5.4	18
REP 2025726	QC	2.2 37.2 14.7 91 0.4 30.1 12.2 532 3.26 234.2 0.8 2.0 5.6 17																			
Core Reject Duplicates																					
2025654	Drill Core	3.01	424	0.609	0.85	3.33	36.90	1.0	12.4	20.0	40	0.7	9.6	5.0	406	1.71	7.5	1.3	393.2	8.9	55
DUP 2025654	QC	366 0.492 0.85 4.32 34.47 1.0 12.5 19.0 41 0.7 10.1 5.3 406 1.74 7.1 1.2 476.6 9.0 51																			
2025688	Drill Core	2.15	449	0.071	0.07	<0.17	32.21	0.6	5.7	12.7	38	0.4	3.8	3.4	204	1.28	5.6	2.4	110.2	9.9	38
DUP 2025688	QC	448 0.087 0.09 <0.17 28.50 0.6 5.6 12.2 38 0.4 3.8 3.4 209 1.31 5.3 2.4 192.6 9.8 41																			
2025722	Drill Core	3.60	504	0.006	<0.01	<0.17	30.98	2.2	52.4	43.6	365	0.6	36.3	16.3	758	3.55	748.7	1.1	2.5	4.5	18
DUP 2025722	QC	529 0.007 <0.01 <0.17 31.07 2.3 50.9 43.5 367 0.6 35.7 16.2 761 3.60 746.8 1.2 1.0 4.6 18																			
Reference Materials																					
STD BVGE001	Standard	10.6 4449.5 184.5 1732 2.5 163.6 23.4 718 3.82 117.5 3.6 216.1 13.0 51																			
STD BVGE001	Standard	10.9 4399.1 195.2 1703 2.6 163.5 26.0 734 3.68 127.1 4.1 227.2 15.8 62																			
STD DS11	Standard	14.2 140.8 131.2 326 1.7 77.6 13.8 1012 3.07 39.9 2.5 62.9 7.5 64																			
STD DS11	Standard	14.5 145.4 130.7 331 1.7 82.5 13.8 1026 3.13 43.5 2.5 61.9 7.5 66																			
STD OREAS262	Standard	0.7 110.8 53.6 141 0.5 62.6 27.2 520 3.21 33.1 1.2 57.0 8.8 34																			
STD OREAS262	Standard	0.7 113.3 57.7 153 0.5 67.4 27.3 553 3.39 32.4 1.2 62.0 9.1 35																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 30, 2020

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000069.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
1814326	Drill Core	0.3	0.5	<0.1	14	0.49	0.058	15	20	0.59	250	0.095	1	0.89	0.045	0.40	0.7	<0.01	3.5	0.3	<0.05
REP 1814326	QC																				
1814328	Drill Core	0.6	0.7	<0.1	21	1.00	0.062	12	26	0.76	216	0.105	1	1.30	0.045	0.35	0.6	<0.01	4.2	0.2	<0.05
REP 1814328	QC	0.5	0.7	<0.1	22	1.03	0.063	12	27	0.76	221	0.109	1	1.31	0.048	0.35	0.7	<0.01	4.2	0.2	<0.05
2025657	Drill Core	0.4	0.6	<0.1	10	0.49	0.041	15	13	0.79	247	0.043	2	1.10	0.018	0.59	0.5	<0.01	3.2	0.2	0.12
REP 2025657	QC	0.4	0.6	<0.1	10	0.50	0.043	15	13	0.79	250	0.041	2	1.11	0.019	0.59	0.5	<0.01	3.0	0.1	0.12
2025690	Drill Core	11.5	2.5	0.1	13	1.60	0.045	8	16	0.82	149	0.035	1	1.00	0.031	0.67	0.8	0.02	3.7	0.3	1.04
REP 2025690	QC																				
2025692	Drill Core	0.4	2.3	0.1	28	1.09	0.062	12	32	1.30	261	0.092	1	1.35	0.033	0.83	0.6	<0.01	5.2	0.3	0.53
REP 2025692	QC	0.4	2.3	<0.1	28	1.11	0.062	12	32	1.30	282	0.095	1	1.36	0.034	0.83	0.6	<0.01	5.2	0.3	0.54
2025716	Drill Core	1.3	2.3	0.2	37	1.59	0.069	12	26	1.90	152	0.014	<1	1.76	0.006	0.28	<0.1	<0.01	2.9	<0.1	<0.05
REP 2025716	QC																				
2025726	Drill Core	0.3	9.9	0.2	34	0.35	0.081	14	31	1.76	234	0.012	2	1.95	0.009	0.40	0.2	<0.01	3.6	0.1	<0.05
REP 2025726	QC	0.3	10.2	0.2	34	0.35	0.086	15	31	1.77	245	0.012	1	1.96	0.009	0.40	0.1	<0.01	3.6	0.1	<0.05
Core Reject Duplicates																					
2025654	Drill Core	0.3	0.8	0.7	8	0.64	0.044	15	11	0.69	212	0.019	1	0.92	0.014	0.46	0.3	<0.01	2.4	0.1	0.10
DUP 2025654	QC	0.3	0.8	0.7	8	0.65	0.043	17	10	0.70	222	0.019	<1	0.95	0.010	0.48	0.4	0.01	2.6	0.1	0.09
2025688	Drill Core	0.3	1.0	0.2	6	0.45	0.048	17	11	0.38	466	0.018	2	0.77	0.017	0.54	0.4	0.05	2.1	0.2	0.31
DUP 2025688	QC	0.3	1.0	0.2	6	0.47	0.052	17	11	0.38	470	0.019	2	0.76	0.017	0.53	0.4	0.06	2.1	0.2	0.32
2025722	Drill Core	2.6	24.1	0.5	38	0.32	0.100	15	24	1.50	188	0.016	2	1.76	0.010	0.38	0.1	<0.01	3.7	0.2	<0.05
DUP 2025722	QC	2.7	22.9	0.5	38	0.32	0.100	16	24	1.56	183	0.016	2	1.80	0.010	0.39	0.1	<0.01	3.6	0.2	<0.05
Reference Materials																					
STD BVGE001	Standard	5.9	2.9	23.5	75	1.32	0.064	25	213	1.33	242	0.244	3	2.35	0.201	0.90	4.8	0.11	5.7	0.7	0.66
STD BVGE001	Standard	6.7	3.4	26.8	74	1.35	0.082	29	198	1.31	250	0.244	5	2.34	0.198	0.86	5.1	0.10	6.7	0.6	0.64
STD DS11	Standard	2.2	7.8	11.2	49	1.02	0.068	18	59	0.84	341	0.091	7	1.16	0.074	0.39	2.9	0.26	3.2	4.8	0.28
STD DS11	Standard	2.1	8.0	10.3	48	1.07	0.066	18	60	0.84	363	0.093	7	1.17	0.072	0.40	3.1	0.26	3.3	5.0	0.26
STD OREAS262	Standard	0.6	4.1	0.9	22	2.86	0.038	16	45	1.18	237	0.003	4	1.35	0.068	0.31	0.2	0.15	3.1	0.5	0.27
STD OREAS262	Standard	0.6	4.1	1.0	23	2.97	0.036	17	45	1.20	232	0.003	3	1.42	0.070	0.32	0.2	0.17	3.4	0.5	0.26



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000069.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
1814326	Drill Core	4	<0.5	<0.2
REP 1814326	QC			
1814328	Drill Core	5	<0.5	<0.2
REP 1814328	QC	5	<0.5	<0.2
2025657	Drill Core	4	<0.5	<0.2
REP 2025657	QC	4	<0.5	<0.2
2025690	Drill Core	4	1.0	<0.2
REP 2025690	QC			
2025692	Drill Core	5	0.6	<0.2
REP 2025692	QC	5	0.7	<0.2
2025716	Drill Core	4	1.0	<0.2
REP 2025716	QC			
2025726	Drill Core	5	1.2	<0.2
REP 2025726	QC	5	1.2	<0.2
Core Reject Duplicates				
2025654	Drill Core	3	<0.5	<0.2
DUP 2025654	QC	3	<0.5	<0.2
2025688	Drill Core	3	0.5	<0.2
DUP 2025688	QC	3	0.6	<0.2
2025722	Drill Core	4	1.2	<0.2
DUP 2025722	QC	4	1.4	<0.2
Reference Materials				
STD BVGE001	Standard	7	4.3	0.9
STD BVGE001	Standard	8	5.0	1.0
STD DS11	Standard	5	2.1	4.6
STD DS11	Standard	5	2.5	4.7
STD OREAS262	Standard	4	0.5	0.2
STD OREAS262	Standard	4	<0.5	0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000069.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OREAS262	Standard							0.6	112.3	52.8	137	0.4	63.6	26.5	526	3.21	34.7	1.1	63.4	8.5	34
STD OREAS262	Standard							0.7	111.9	59.6	148	0.4	64.5	27.3	547	3.24	37.3	1.3	46.0	10.6	36
STD OXB130	Standard			0.120																	
STD OXB130	Standard			0.118																	
STD OXB130	Standard			0.122																	
STD OXG141	Standard			0.912																	
STD OXG141	Standard			0.915																	
STD OXG141	Standard			0.938																	
STD OXN155	Standard			7.804																	
STD OXN155	Standard			7.522																	
STD OXN155	Standard			7.741																	
STD OXP116	Standard					15.19	29.88														
STD OXP116	Standard					15.11	29.58														
STD OXP116	Standard					15.27	30.33														
STD OXP116	Standard					14.26	30.92														
STD OXP154	Standard					15.51	29.86														
STD OXP154	Standard					15.37	29.34														
STD OXP154	Standard					15.32	29.76														
STD OXP116 Expected						14.92															
STD OXP154 Expected						15.26															
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			0.006																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000069.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OREAS262	Standard	0.6	4.9	0.9	22	2.84	0.035	16	44	1.16	245	0.002	4	1.36	0.067	0.32	0.2	0.17	3.2	0.5	0.25
STD OREAS262	Standard	0.6	4.4	1.0	22	2.92	0.045	18	46	1.17	255	0.003	5	1.39	0.067	0.33	0.2	0.15	3.7	0.4	0.26
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP116 Expected																					
STD OXP154 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000069.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OREAS262	Standard	4	0.7	0.3
STD OREAS262	Standard	4	<0.5	0.2
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP116 Expected				
STD OXP154 Expected				
STD DS11 Expected		5.1	2.2	4.56
STD BVGEO01 Expected		7.37	4.84	1.02
STD OREAS262 Expected		4.1	0.4	0.23
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000069.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		397	<0.005	<0.01	<0.17	30.16	1.1	4.3	1.2	31	<0.1	2.1	4.0	542	2.19	1.0	0.4	<0.5	2.0	23
ROCK-WHI	Prep Blank		427	<0.005	<0.01	<0.17	32.35	1.1	3.2	1.2	32	<0.1	1.5	3.8	532	1.98	0.9	0.4	<0.5	2.1	25



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000069.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	25	0.72	0.038	7	7	0.48	60	0.082	2	0.95	0.109	0.13	<0.1	<0.01	3.0	<0.1
ROCK-WHI	Prep Blank	<0.1	0.1	<0.1	25	0.70	0.039	7	4	0.47	62	0.080	2	0.92	0.099	0.11	<0.1	<0.01	3.0	<0.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 30, 2020

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000069.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2