



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 14, 2020
Analysis Start: November 04, 2020
Report Date: November 18, 2020
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI20000391.2

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-15
P.O. Number
Number of Samples: 120

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	115	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	120	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	120	Analysis sample split/packet			VAN
Split -150	120	Analysis sample split/packet			VAN
FS631	117	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	120	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	120	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Version 2 : Revise AQ201 data for standards 1814400, 1814420, 1814440 and 2 samples above and below each standard.

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000391.2

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1814354	Drill Core	3.61	422	0.010	<0.01	<0.17	28.99	0.4	15.7	15.6	56	1.3	7.4	3.1	219	1.16	0.8	3.0	2.0	12.6	47
1814355	Drill Core	2.34	542	0.007	<0.01	<0.17	30.38	0.4	32.2	29.9	72	0.5	3.6	4.0	303	1.58	2.8	2.7	2.4	12.5	52
1814356	Drill Core	2.82	344	0.006	<0.01	<0.17	32.70	0.5	18.7	53.1	71	0.4	9.3	4.8	412	1.39	1.4	2.6	1.4	12.4	31
1814357	Drill Core	2.85	505	0.010	<0.01	<0.17	27.58	<0.1	10.4	4.5	71	0.1	3.9	3.9	405	1.49	<0.5	2.6	0.7	11.2	32
1814358	Drill Core	2.71	586	0.008	<0.01	<0.17	31.92	2.1	67.0	199.4	97	0.9	5.1	4.7	324	1.72	0.8	2.4	2.9	10.7	28
1814359	Drill Core	2.71	474	<0.005	<0.01	<0.17	26.81	0.2	10.5	7.5	73	0.1	4.8	2.9	259	1.14	0.5	2.8	1.0	11.0	38
1814360	Core DUP		417	0.007	<0.01	<0.17	23.40	0.2	9.9	8.8	68	0.2	4.7	2.8	254	1.07	0.6	2.7	<0.5	10.8	33
1814361	Drill Core	2.80	341	0.005	<0.01	<0.17	25.68	1.0	3.9	60.0	44	0.3	3.1	0.7	246	0.91	1.1	3.1	<0.5	16.6	31
1814362	Drill Core	2.83	424	<0.005	<0.01	<0.17	23.03	0.8	3.8	26.0	34	0.3	3.8	1.1	172	0.69	<0.5	4.8	0.9	17.6	33
1814363	Drill Core	2.61	387	<0.005	<0.01	<0.17	24.00	0.2	10.7	29.7	50	0.2	8.6	1.4	236	0.90	0.9	2.8	<0.5	13.9	33
1814364	Drill Core	3.02	534	<0.005	<0.01	<0.17	34.47	0.6	54.0	158.3	180	0.8	5.5	3.3	348	1.29	1.8	3.1	1.6	10.6	11
1814365	Drill Core	2.84	595	0.006	<0.01	<0.17	29.41	3.8	33.0	92.5	103	0.6	4.7	4.5	311	1.47	0.9	4.1	2.1	10.5	20
1814366	Drill Core	2.53	368	0.005	<0.01	<0.17	26.08	2.4	16.2	107.9	85	0.4	5.2	5.0	370	1.62	0.8	3.4	2.4	11.0	29
1814367	Drill Core	2.77	449	0.006	<0.01	<0.17	27.26	7.6	16.6	74.2	106	0.4	8.0	7.1	405	2.00	1.0	3.2	1.5	9.4	28
1814368	Drill Core	2.88	477	0.010	<0.01	<0.17	29.64	0.5	9.1	5.9	55	0.2	7.7	7.3	506	2.00	6.1	3.2	2.2	10.8	32
1814369	Drill Core	2.86	449	0.008	<0.01	<0.17	32.42	0.4	16.3	34.1	99	0.2	6.6	6.4	426	1.68	1.4	5.6	1.0	10.9	19
1814370	Drill Core	2.84	490	0.009	<0.01	<0.17	32.29	0.7	12.9	145.7	224	0.4	8.7	6.6	745	2.18	7.7	2.5	9.5	8.3	20
1814371	Drill Core	2.76	422	0.007	<0.01	<0.17	31.47	0.2	16.7	5.0	78	0.2	11.5	7.6	822	2.10	1.2	1.8	1.1	6.9	54
1814372	Drill Core	2.90	484	0.037	0.03	<0.17	26.99	1.4	18.3	45.9	106	0.4	9.7	7.7	513	2.36	6.6	2.7	3.9	7.3	26
1814373	Drill Core	2.69	473	0.007	<0.01	<0.17	23.07	1.1	13.6	28.4	63	0.3	7.7	5.2	385	1.66	5.6	3.6	3.2	12.1	14
1814374	Drill Core	2.62	439	0.007	<0.01	<0.17	24.16	1.2	16.0	24.7	57	0.3	7.3	5.6	361	1.54	2.4	2.8	1.7	11.0	37
1814375	Drill Core	2.59	498	0.020	0.02	<0.17	33.95	0.2	13.9	25.5	60	0.4	5.3	5.0	393	1.60	1.6	2.7	21.6	9.6	62
1814376	Drill Core	2.55	531	0.008	<0.01	<0.17	31.17	0.9	22.0	30.7	80	0.4	7.0	6.1	442	1.97	2.7	2.6	1.2	7.9	41
1814377	Drill Core	2.83	497	0.007	<0.01	<0.17	31.99	2.0	24.5	81.7	70	0.4	8.5	6.6	427	2.25	1.2	1.7	3.1	8.1	29
1814378	Drill Core	2.83	388	0.009	<0.01	<0.17	19.93	0.9	24.9	14.8	104	0.3	10.0	9.2	654	2.60	2.2	1.2	4.0	6.7	36
1814379	Drill Core	2.93	501	0.009	<0.01	<0.17	24.66	0.6	11.7	13.1	81	0.3	7.1	7.0	411	2.29	2.7	1.6	3.3	6.9	22
1814380	Rock	0.23	59	0.008	<0.01	<0.17	20.13	1.0	1.9	1.8	4	<0.1	3.1	1.0	224	2.15	1.7	0.3	<0.5	0.3	3
1814381	Drill Core	2.78	458	0.029	0.03	<0.17	28.85	2.0	14.8	29.2	67	0.4	10.6	8.3	497	2.00	3.4	1.8	26.9	8.2	39
1814382	Drill Core	2.41	438	0.007	<0.01	<0.17	28.67	0.3	18.2	9.3	60	0.4	8.1	6.9	321	1.46	8.2	2.0	<0.5	9.7	23
1814383	Drill Core	2.90	434	0.035	0.03	<0.17	37.62	1.3	15.7	12.4	57	0.3	8.8	6.7	488	1.57	9.7	1.9	33.3	8.8	49



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000391.2

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1814354	Drill Core	0.2	0.2	<0.1	2	0.07	0.030	28	5	0.58	1429	0.002	2	0.70	0.012	0.25	2.1	0.01	0.9	<0.1	<0.05
1814355	Drill Core	0.1	1.3	<0.1	3	0.08	0.039	30	7	0.73	1587	0.002	2	0.87	0.022	0.28	0.3	<0.01	1.4	<0.1	0.07
1814356	Drill Core	0.3	0.3	0.2	3	0.06	0.029	30	5	0.80	743	0.002	1	0.93	0.030	0.29	0.2	<0.01	1.5	0.1	0.20
1814357	Drill Core	0.2	0.2	<0.1	5	0.26	0.036	22	7	1.25	764	0.004	2	1.22	0.031	0.32	0.1	<0.01	1.7	<0.1	0.19
1814358	Drill Core	0.8	0.8	0.4	5	0.27	0.038	18	9	1.06	146	0.003	<1	0.98	0.042	0.25	<0.1	0.02	1.6	<0.1	0.71
1814359	Drill Core	0.3	0.2	<0.1	3	0.22	0.025	24	5	0.71	471	0.004	<1	0.93	0.038	0.38	0.1	<0.01	1.9	0.1	0.29
1814360	Core DUP	0.2	0.2	<0.1	2	0.18	0.023	22	4	0.74	473	0.003	<1	0.81	0.024	0.28	0.1	<0.01	1.4	<0.1	0.28
1814361	Drill Core	0.2	0.3	0.3	<1	0.17	0.007	26	3	0.69	1013	0.001	<1	0.76	0.019	0.29	0.2	<0.01	0.8	<0.1	0.07
1814362	Drill Core	<0.1	0.2	0.3	<1	0.15	0.006	24	3	0.47	826	0.002	<1	0.63	0.023	0.31	0.3	<0.01	1.0	<0.1	0.09
1814363	Drill Core	0.2	0.7	0.2	3	0.22	0.011	21	3	0.65	852	0.002	<1	0.81	0.027	0.33	0.2	<0.01	1.4	<0.1	0.15
1814364	Drill Core	1.3	3.6	0.4	3	0.10	0.028	18	5	0.70	222	0.001	1	0.75	0.029	0.23	0.3	0.03	1.0	<0.1	0.51
1814365	Drill Core	0.7	1.3	0.1	5	0.27	0.035	15	7	0.94	217	0.003	<1	1.08	0.039	0.36	0.1	0.01	1.7	0.1	0.56
1814366	Drill Core	0.6	1.1	0.2	4	0.41	0.038	18	7	1.01	259	0.002	<1	1.03	0.043	0.29	0.1	0.02	1.2	<0.1	0.54
1814367	Drill Core	0.3	0.8	0.1	9	0.38	0.044	12	36	1.35	121	0.003	<1	1.20	0.029	0.31	0.1	<0.01	2.2	0.1	0.87
1814368	Drill Core	0.1	0.3	<0.1	9	0.69	0.050	19	37	1.33	140	0.004	<1	1.22	0.025	0.31	0.2	<0.01	1.8	0.1	0.92
1814369	Drill Core	0.4	0.5	<0.1	8	0.41	0.049	18	37	1.16	190	0.004	<1	1.08	0.026	0.29	0.2	<0.01	1.7	0.1	0.61
1814370	Drill Core	1.9	0.5	0.2	13	0.51	0.056	19	46	1.67	117	0.003	<1	1.38	0.020	0.24	0.2	<0.01	2.5	0.1	0.70
1814371	Drill Core	0.5	0.4	<0.1	13	1.46	0.063	16	21	1.52	213	0.005	1	1.44	0.033	0.44	0.1	<0.01	3.5	0.2	0.75
1814372	Drill Core	0.3	0.5	0.1	14	0.57	0.058	15	53	2.01	154	0.004	<1	1.54	0.020	0.24	0.1	<0.01	2.8	0.1	0.82
1814373	Drill Core	0.1	1.3	0.3	8	0.25	0.039	21	20	1.21	231	0.003	<1	1.15	0.039	0.31	0.1	<0.01	1.7	0.1	0.56
1814374	Drill Core	0.2	0.4	0.2	6	0.44	0.042	19	19	1.01	329	0.003	<1	0.92	0.023	0.27	0.1	<0.01	1.4	0.1	0.40
1814375	Drill Core	0.2	0.5	0.2	9	0.41	0.041	18	26	1.16	321	0.008	<1	1.18	0.039	0.38	0.2	0.01	2.7	0.1	0.39
1814376	Drill Core	0.3	0.3	<0.1	14	0.33	0.046	16	49	1.82	235	0.018	<1	1.36	0.028	0.23	0.2	<0.01	2.9	<0.1	0.59
1814377	Drill Core	0.2	0.3	0.2	14	0.32	0.053	14	27	1.78	148	0.016	<1	1.31	0.032	0.22	0.2	<0.01	2.6	<0.1	0.96
1814378	Drill Core	0.3	0.5	<0.1	23	0.42	0.059	14	113	2.52	274	0.039	<1	1.83	0.034	0.25	0.2	<0.01	4.3	<0.1	0.64
1814379	Drill Core	0.2	0.5	0.1	10	0.29	0.061	9	35	1.65	198	0.037	<1	1.31	0.014	0.37	0.3	0.01	2.4	0.2	0.82
1814380	Rock	<0.1	0.1	<0.1	2	0.03	0.003	2	11	0.04	30	0.004	<1	0.15	0.012	0.04	<0.1	<0.01	0.5	<0.1	<0.05
1814381	Drill Core	0.3	0.7	0.2	14	0.74	0.059	12	59	1.35	221	0.038	<1	1.21	0.036	0.44	0.5	<0.01	3.2	0.2	0.70
1814382	Drill Core	0.3	0.6	<0.1	9	0.42	0.047	14	12	0.78	173	0.043	<1	0.91	0.038	0.37	0.4	<0.01	2.2	0.2	0.45
1814383	Drill Core	0.4	0.7	<0.1	9	1.02	0.053	13	14	0.66	330	0.035	2	0.85	0.049	0.37	0.4	<0.01	2.7	0.2	0.50



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000391.2

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1814354	Drill Core	2	<0.5	<0.2
1814355	Drill Core	3	<0.5	<0.2
1814356	Drill Core	3	<0.5	<0.2
1814357	Drill Core	4	<0.5	<0.2
1814358	Drill Core	3	<0.5	<0.2
1814359	Drill Core	3	<0.5	<0.2
1814360	Core DUP	2	<0.5	<0.2
1814361	Drill Core	2	<0.5	<0.2
1814362	Drill Core	2	<0.5	<0.2
1814363	Drill Core	2	<0.5	<0.2
1814364	Drill Core	2	<0.5	<0.2
1814365	Drill Core	3	<0.5	<0.2
1814366	Drill Core	3	<0.5	<0.2
1814367	Drill Core	3	<0.5	<0.2
1814368	Drill Core	3	<0.5	<0.2
1814369	Drill Core	3	<0.5	<0.2
1814370	Drill Core	5	<0.5	<0.2
1814371	Drill Core	4	<0.5	<0.2
1814372	Drill Core	5	0.5	<0.2
1814373	Drill Core	4	<0.5	<0.2
1814374	Drill Core	3	<0.5	<0.2
1814375	Drill Core	4	<0.5	<0.2
1814376	Drill Core	5	<0.5	<0.2
1814377	Drill Core	5	<0.5	<0.2
1814378	Drill Core	6	<0.5	<0.2
1814379	Drill Core	4	<0.5	<0.2
1814380	Rock	<1	<0.5	<0.2
1814381	Drill Core	4	<0.5	<0.2
1814382	Drill Core	3	<0.5	<0.2
1814383	Drill Core	3	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000391.2

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1814384	Drill Core	2.83	517	0.179	0.20	0.49	32.94	1.0	15.2	12.3	38	0.3	8.6	7.9	456	1.72	20.6	1.9	174.4	8.8	66
1814385	Drill Core	2.58	512	0.402	0.41	0.48	33.11	1.2	13.9	11.3	56	0.6	12.3	8.5	532	2.04	157.5	2.3	379.5	8.4	79
1814386	Drill Core	2.77	506	0.014	0.02	<0.17	31.16	1.0	9.8	19.4	47	0.3	10.5	6.4	410	1.49	10.4	2.6	1.8	10.8	66
1814387	Drill Core	2.76	498	0.006	<0.01	<0.17	26.16	3.5	10.9	25.2	103	0.5	31.9	12.2	554	2.23	14.2	1.8	2.7	8.3	44
1814388	Drill Core	2.86	509	0.015	0.01	<0.17	33.69	0.9	16.2	9.3	53	0.4	13.7	8.3	271	1.52	16.8	2.2	4.9	9.9	32
1814389	Drill Core	2.88	523	0.035	0.03	<0.17	35.81	0.4	8.0	26.4	24	0.3	8.1	6.6	265	1.39	11.4	1.9	6.3	8.8	28
1814390	Drill Core	2.87	532	0.023	0.02	<0.17	33.47	0.2	7.9	16.8	37	0.3	8.8	6.5	332	1.61	3.8	1.6	2.7	8.9	45
1814391	Drill Core	2.81	516	0.015	0.01	<0.17	30.01	2.8	57.8	98.2	74	1.1	8.5	6.5	318	1.54	12.9	1.8	9.3	8.6	50
1814392	Drill Core	2.78	507	0.011	0.01	<0.17	34.28	0.4	32.3	82.5	93	0.5	10.1	6.7	458	1.52	18.9	1.8	6.6	9.1	53
1814393	Drill Core	2.94	534	0.007	<0.01	<0.17	35.25	1.1	61.3	172.3	187	0.7	11.2	7.6	422	1.46	19.4	1.7	3.7	9.2	48
1814394	Drill Core	2.94	522	0.006	<0.01	<0.17	33.75	0.4	26.1	22.3	72	0.4	10.3	7.0	288	1.46	18.1	1.9	2.3	10.0	26
1814395	Drill Core	2.84	533	0.010	<0.01	<0.17	29.02	0.2	11.2	5.4	45	0.4	7.7	5.2	271	1.30	1.4	1.3	1.5	6.6	41
1814396	Drill Core	3.00	530	0.009	<0.01	<0.17	35.52	0.1	19.1	68.3	92	0.3	8.6	7.3	192	1.03	5.4	1.9	5.4	9.3	21
1814397	Drill Core	2.77	498	0.007	<0.01	<0.17	35.41	0.5	17.3	109.9	91	0.4	7.3	7.2	148	1.04	2.1	2.0	2.7	9.5	23
1814398	Drill Core	2.59	509	0.008	<0.01	<0.17	37.50	1.3	18.0	23.8	14	0.8	8.2	6.5	205	1.21	6.0	1.8	6.1	8.4	34
1814399	Drill Core	3.11	362	0.012	0.01	<0.17	27.00	0.8	22.6	175.2	73	1.1	7.8	6.3	187	1.44	4.4	2.0	3.9	7.7	30
1814400	Rock Pulp	0.12	84	7.256				9.5	186.8	18.8	77	0.9	14.1	11.3	570	4.61	13.8	0.8	7120.1	2.5	66
1814401	Drill Core	3.07	434	0.006	<0.01	<0.17	31.38	0.6	9.4	15.4	21	0.3	4.2	3.8	130	1.02	0.9	2.9	3.2	13.3	34
1814402	Drill Core	2.72	534	0.007	<0.01	<0.17	42.88	1.7	0.7	51.0	9	0.2	0.4	0.3	73	0.42	0.6	3.7	1.9	16.8	45
1814403	Drill Core	2.65	520	0.005	<0.01	<0.17	47.83	0.9	1.2	31.8	7	0.1	0.4	0.4	53	0.51	<0.5	3.7	<0.5	16.3	29
1814404	Drill Core	2.71	390	<0.005	<0.01	<0.17	30.29	0.3	1.2	27.2	8	0.1	0.3	0.1	60	0.39	<0.5	3.5	<0.5	17.7	51
1814405	Drill Core	2.85	498	<0.005	<0.01	<0.17	34.36	0.5	1.9	19.3	8	0.1	0.3	0.2	55	0.41	<0.5	3.1	0.5	16.7	30
1814406	Drill Core	2.65	496	<0.005	<0.01	<0.17	35.87	0.7	3.4	25.2	14	0.1	0.4	0.2	89	0.48	<0.5	3.4	<0.5	16.1	38
1814407	Drill Core	2.96	485	0.007	<0.01	<0.17	34.43	0.7	4.5	21.4	7	0.1	0.3	0.2	65	0.37	<0.5	2.8	1.3	15.3	26
1814408	Drill Core	2.75	483	<0.005	<0.01	<0.17	39.78	3.8	2.0	43.7	7	0.1	0.4	0.2	63	0.41	0.6	3.4	0.7	18.7	31
1814409	Drill Core	2.66	453	<0.005	<0.01	<0.17	22.89	0.9	2.7	26.4	29	0.1	0.6	0.5	102	0.77	<0.5	4.7	9.6	15.5	48
1814410	Drill Core	2.58	486	<0.005	<0.01	<0.17	24.83	0.4	2.9	17.7	21	0.1	0.5	0.3	94	0.55	<0.5	4.3	<0.5	16.0	43
1814411	Drill Core	2.85	468	<0.005	<0.01	<0.17	28.51	1.8	2.9	21.1	12	0.1	0.4	0.2	104	0.56	0.6	4.3	0.6	16.6	32
1814412	Drill Core	2.51	448	0.006	<0.01	<0.17	32.24	0.2	2.1	100.9	4	0.5	0.5	0.2	52	0.56	1.8	2.4	2.3	13.5	5
1814413	Drill Core	2.94	480	0.042	0.04	<0.17	34.23	1.3	3.1	27.2	15	0.2	0.4	0.4	91	0.58	<0.5	5.0	0.5	18.0	48



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000391.2

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1814384	Drill Core	0.4	0.7	<0.1	8	1.36	0.060	15	17	0.29	215	0.014	<1	0.61	0.047	0.35	0.5	<0.01	3.1	0.2	0.89			
1814385	Drill Core	0.4	2.0	<0.1	11	1.42	0.059	12	27	0.68	133	0.040	3	0.85	0.032	0.34	2.0	<0.01	3.0	0.2	1.34			
1814386	Drill Core	0.2	0.5	0.1	10	0.94	0.038	15	34	0.74	237	0.028	<1	0.77	0.049	0.24	0.4	<0.01	2.6	<0.1	0.67			
1814387	Drill Core	0.4	0.8	0.2	24	0.63	0.043	16	207	1.54	143	0.102	1	1.21	0.041	0.33	0.4	0.02	4.7	0.2	0.84			
1814388	Drill Core	0.3	0.7	<0.1	10	0.53	0.045	22	15	0.53	132	0.050	1	0.66	0.047	0.24	0.5	0.01	2.7	<0.1	0.83			
1814389	Drill Core	0.2	0.5	0.1	5	0.68	0.044	21	7	0.22	188	0.032	1	0.54	0.028	0.35	0.6	0.01	1.2	0.1	1.03			
1814390	Drill Core	0.3	0.5	<0.1	4	1.01	0.046	22	8	0.21	77	0.016	<1	0.41	0.030	0.26	0.3	0.01	1.3	<0.1	1.33			
1814391	Drill Core	0.8	1.2	0.3	4	0.84	0.042	16	7	0.30	116	0.004	<1	0.51	0.024	0.29	0.2	0.02	1.0	0.1	1.09			
1814392	Drill Core	0.9	0.5	0.1	5	1.13	0.045	22	9	0.33	118	0.003	<1	0.57	0.038	0.30	0.2	0.01	1.3	0.1	1.01			
1814393	Drill Core	1.8	0.8	0.1	6	0.83	0.045	25	11	0.37	132	0.003	<1	0.58	0.035	0.29	0.8	0.02	1.5	0.1	0.89			
1814394	Drill Core	0.5	0.8	<0.1	9	0.40	0.046	22	12	0.47	161	0.003	<1	0.67	0.042	0.29	0.2	0.01	2.4	0.1	0.79			
1814395	Drill Core	0.2	0.8	<0.1	8	0.58	0.031	15	11	0.42	249	0.005	<1	0.60	0.044	0.25	0.1	0.03	2.4	<0.1	0.37			
1814396	Drill Core	0.9	0.3	<0.1	5	0.39	0.044	19	8	0.22	142	0.002	<1	0.42	0.043	0.25	0.2	0.02	1.3	<0.1	0.69			
1814397	Drill Core	0.8	0.4	<0.1	4	0.41	0.044	24	6	0.12	186	0.002	<1	0.45	0.037	0.35	0.2	0.01	0.9	0.1	0.72			
1814398	Drill Core	0.3	0.5	<0.1	4	0.73	0.040	17	4	0.07	102	0.003	<1	0.40	0.037	0.30	0.1	0.03	0.7	<0.1	1.02			
1814399	Drill Core	0.8	0.7	1.0	4	0.53	0.038	16	10	0.27	137	0.004	1	0.55	0.040	0.33	0.2	0.02	1.1	0.1	0.96			
1814400	Rock Pulp	0.2	5.1	0.5	111	0.91	0.058	7	18	0.85	118	0.116	3	1.70	0.188	0.24	3.9	0.23	3.2	<0.1	<0.05			
1814401	Drill Core	0.2	0.7	<0.1	2	0.43	0.017	20	5	0.24	208	0.002	<1	0.48	0.045	0.29	0.1	0.03	1.0	<0.1	0.59			
1814402	Drill Core	0.2	0.2	0.2	<1	0.26	0.001	27	1	0.11	894	<0.001	<1	0.46	0.022	0.34	0.1	0.02	0.4	<0.1	0.18			
1814403	Drill Core	0.1	0.3	<0.1	<1	0.17	0.001	30	1	0.08	730	<0.001	<1	0.35	0.018	0.30	0.1	0.01	0.3	<0.1	0.19			
1814404	Drill Core	<0.1	0.3	0.1	<1	0.25	0.001	43	1	0.11	1142	0.001	<1	0.52	0.029	0.44	0.1	0.03	0.7	<0.1	0.06			
1814405	Drill Core	<0.1	0.4	0.1	<1	0.19	0.002	41	1	0.11	672	<0.001	<1	0.37	0.015	0.32	<0.1	0.02	0.6	<0.1	0.10			
1814406	Drill Core	0.3	0.3	0.1	<1	0.46	0.002	42	2	0.15	414	<0.001	<1	0.39	0.010	0.34	<0.1	0.01	0.5	<0.1	0.08			
1814407	Drill Core	<0.1	0.4	0.1	<1	0.21	0.002	40	1	0.09	571	<0.001	<1	0.36	0.016	0.32	<0.1	0.02	0.5	<0.1	<0.05			
1814408	Drill Core	0.2	0.3	0.1	<1	0.21	0.001	38	1	0.06	911	<0.001	<1	0.31	0.024	0.27	0.1	0.04	0.4	<0.1	0.09			
1814409	Drill Core	0.2	0.6	0.2	<1	0.53	0.002	32	2	0.31	466	<0.001	<1	0.58	0.034	0.30	0.1	0.05	0.8	0.1	0.15			
1814410	Drill Core	0.1	0.8	0.1	<1	0.55	0.002	32	2	0.29	243	<0.001	<1	0.47	0.019	0.25	<0.1	0.11	0.8	<0.1	0.05			
1814411	Drill Core	0.1	0.5	0.1	<1	0.44	0.002	34	2	0.20	238	<0.001	<1	0.41	0.026	0.25	<0.1	0.08	0.7	<0.1	0.05			
1814412	Drill Core	0.1	0.4	0.8	<1	0.03	0.002	33	2	0.03	145	<0.001	<1	0.24	0.047	0.21	<0.1	0.01	0.5	<0.1	0.13			
1814413	Drill Core	0.2	0.4	0.2	<1	0.51	0.002	41	2	0.28	283	<0.001	1	0.56	0.010	0.37	0.1	0.05	1.1	0.1	0.12			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000391.2

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1814384	Drill Core	2	<0.5	<0.2
1814385	Drill Core	2	<0.5	<0.2
1814386	Drill Core	3	<0.5	<0.2
1814387	Drill Core	5	<0.5	<0.2
1814388	Drill Core	3	<0.5	<0.2
1814389	Drill Core	1	<0.5	<0.2
1814390	Drill Core	1	<0.5	<0.2
1814391	Drill Core	2	<0.5	<0.2
1814392	Drill Core	2	<0.5	<0.2
1814393	Drill Core	2	0.6	<0.2
1814394	Drill Core	3	<0.5	<0.2
1814395	Drill Core	2	<0.5	<0.2
1814396	Drill Core	1	<0.5	<0.2
1814397	Drill Core	1	<0.5	<0.2
1814398	Drill Core	1	<0.5	<0.2
1814399	Drill Core	2	0.6	<0.2
1814400	Rock Pulp	5	<0.5	<0.2
1814401	Drill Core	2	<0.5	<0.2
1814402	Drill Core	1	<0.5	<0.2
1814403	Drill Core	<1	<0.5	<0.2
1814404	Drill Core	1	<0.5	<0.2
1814405	Drill Core	<1	<0.5	<0.2
1814406	Drill Core	<1	<0.5	<0.2
1814407	Drill Core	<1	<0.5	<0.2
1814408	Drill Core	<1	<0.5	<0.2
1814409	Drill Core	2	<0.5	<0.2
1814410	Drill Core	1	<0.5	<0.2
1814411	Drill Core	<1	<0.5	<0.2
1814412	Drill Core	<1	<0.5	<0.2
1814413	Drill Core	1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000391.2

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1814414	Drill Core	2.68	509	0.024	0.02	<0.17	24.59	1.7	5.7	205.4	5	0.5	0.4	0.3	57	0.42	<0.5	2.9	17.1	16.7	13
1814415	Drill Core	2.77	488	0.005	<0.01	<0.17	34.99	1.0	2.3	32.5	6	0.2	0.4	0.3	52	0.56	0.7	4.2	1.2	17.8	9
1814416	Drill Core	3.57	356	<0.005	<0.01	<0.17	34.20	0.4	3.6	18.4	25	0.1	0.6	0.4	78	0.67	<0.5	2.5	<0.5	15.3	20
1814417	Drill Core	2.45	439	<0.005	<0.01	<0.17	32.53	0.3	2.2	20.6	17	0.1	0.7	0.4	71	0.53	<0.5	2.2	<0.5	14.7	25
1814418	Drill Core	2.40	424	<0.005	<0.01	<0.17	27.82	0.3	1.6	15.9	10	<0.1	0.6	0.5	130	0.53	<0.5	2.2	<0.5	13.1	95
1814419	Drill Core	2.59	425	<0.005	<0.01	<0.17	25.28	0.4	3.0	19.5	26	0.2	1.0	1.0	146	0.73	<0.5	1.7	1.2	11.6	65
1814420	Rock Pulp	0.12	91	0.582				6.9	116.2	84.9	145	0.7	12.6	5.2	594	2.57	42.4	0.4	555.5	2.1	35
1814421	Drill Core	2.74	510	0.009	<0.01	<0.17	27.74	0.9	2.3	36.1	38	0.2	1.4	1.3	110	0.82	<0.5	2.7	0.6	11.9	39
1814422	Drill Core	2.66	406	<0.005	<0.01	<0.17	23.84	0.6	4.5	9.4	54	0.1	2.3	2.2	152	0.98	0.7	3.1	0.8	13.7	39
1814423	Drill Core	2.74	482	<0.005	<0.01	<0.17	28.25	0.7	3.0	19.2	37	0.1	1.2	1.3	126	0.87	<0.5	2.8	<0.5	12.5	25
1814424	Drill Core	2.73	459	0.102	0.10	<0.17	26.02	0.5	5.7	17.5	35	0.2	2.0	1.5	192	0.91	<0.5	2.1	0.5	13.3	56
1814425	Drill Core	2.58	503	0.005	<0.01	<0.17	29.47	0.6	2.9	31.7	14	0.2	0.5	0.2	92	0.62	0.6	3.1	2.1	14.3	39
1814426	Drill Core	2.59	526	0.010	<0.01	<0.17	35.82	0.2	2.1	15.0	10	0.1	0.4	0.2	69	0.42	0.9	2.1	1.7	15.7	23
1814427	Drill Core	2.35	467	<0.005	<0.01	<0.17	30.53	0.2	2.9	16.3	20	0.1	0.5	0.3	76	0.55	0.8	1.5	<0.5	17.8	7
1814428	Drill Core	2.91	514	<0.005	<0.01	<0.17	25.77	0.9	1.5	17.8	19	0.1	1.3	0.6	106	0.71	0.6	2.7	<0.5	19.7	58
1814429	Drill Core	2.30	417	<0.005	<0.01	<0.17	30.98	0.4	0.8	25.9	32	0.2	1.7	0.8	139	0.81	<0.5	2.0	<0.5	16.7	103
1814430	Drill Core	3.08	522	0.006	<0.01	<0.17	28.02	0.3	1.1	8.9	15	<0.1	0.7	0.3	112	0.62	<0.5	1.5	<0.5	12.9	59
1814431	Drill Core	2.59	465	<0.005	<0.01	<0.17	28.60	0.3	8.9	10.1	42	0.1	4.2	3.1	162	1.23	1.0	1.8	<0.5	16.8	56
1814432	Drill Core	2.72	517	0.011	0.01	<0.17	24.53	0.9	7.9	12.4	33	0.1	3.6	2.1	122	0.98	0.9	2.2	<0.5	15.5	36
1814433	Drill Core	2.97	525	<0.005	<0.01	<0.17	26.34	0.8	10.3	8.5	44	0.1	5.7	3.8	155	1.33	1.1	2.4	<0.5	14.5	46
1814434	Drill Core	2.69	457	<0.005	<0.01	<0.17	27.38	0.5	11.1	15.1	62	0.2	6.9	3.9	134	1.32	1.0	1.5	<0.5	13.4	25
1814435	Drill Core	2.71	453	<0.005	<0.01	<0.17	27.55	0.5	6.1	26.7	30	0.2	3.6	2.1	116	0.98	0.7	2.2	<0.5	18.2	42
1814436	Drill Core	3.01	495	0.021	0.03	<0.17	30.53	0.1	8.9	19.0	30	0.2	2.7	2.5	190	1.21	1.5	2.7	30.6	17.0	84
1814437	Drill Core	2.82	524	<0.005	0.01	<0.17	32.02	0.3	4.9	16.7	34	0.1	2.8	2.4	144	1.09	1.4	1.8	<0.5	14.8	121
1814438	Drill Core	2.85	536	0.052	0.05	<0.17	31.97	0.5	20.7	21.9	42	0.3	7.2	4.9	201	1.41	6.8	1.5	0.5	12.4	71
1814439	Drill Core	2.75	440	<0.005	<0.01	<0.17	33.07	0.3	9.7	34.6	30	0.2	12.4	6.6	242	1.50	9.1	1.0	0.6	8.5	140
1814440	Rock Pulp	0.12	84	0.018				4.0	21.2	0.9	33	<0.1	7.4	4.2	556	2.36	1.3	0.4	<0.5	2.0	30
1814441	Drill Core	2.72	562	0.105	0.10	<0.17	31.04	0.2	6.8	18.6	43	0.1	3.5	2.9	209	1.31	2.4	1.7	2.2	11.8	72
1814442	Drill Core	2.87	501	<0.005	<0.01	<0.17	28.97	0.8	4.2	14.2	23	<0.1	3.3	2.7	124	0.86	2.8	1.6	17.2	11.4	45
1814443	Drill Core	2.61	576	<0.005	0.01	0.18	33.25	0.2	13.9	19.0	35	0.2	2.8	2.4	206	1.17	4.8	1.6	<0.5	14.7	53



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000391.2

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1814414	Drill Core	0.1	1.1	0.3	<1	0.14	0.002	29	1	0.04	459	<0.001	<1	0.24	0.035	0.21	<0.1	0.03	0.3	<0.1	0.17			
1814415	Drill Core	<0.1	0.4	0.2	<1	0.07	0.001	36	1	0.03	272	<0.001	<1	0.27	0.050	0.25	<0.1	0.02	0.6	<0.1	0.23			
1814416	Drill Core	0.2	0.2	0.2	<1	0.14	0.005	37	2	0.33	221	0.009	<1	0.48	0.022	0.36	<0.1	<0.01	1.0	0.1	<0.05			
1814417	Drill Core	0.1	0.2	<0.1	<1	0.18	0.007	36	2	0.18	219	0.004	<1	0.38	0.025	0.30	<0.1	<0.01	0.5	<0.1	<0.05			
1814418	Drill Core	0.2	0.1	<0.1	<1	0.74	0.012	26	2	0.17	197	0.002	<1	0.46	0.019	0.34	<0.1	<0.01	0.5	<0.1	<0.05			
1814419	Drill Core	0.2	0.4	0.2	<1	0.64	0.010	20	2	0.38	159	0.005	<1	0.49	0.019	0.30	<0.1	<0.01	0.9	<0.1	0.07			
1814420	Rock Pulp	0.6	2.9	0.1	30	0.84	0.035	6	25	0.52	88	0.081	9	1.28	0.162	0.15	4.7	0.16	2.9	0.2	0.09			
1814421	Drill Core	0.3	0.3	0.3	<1	0.25	0.012	16	2	0.57	180	0.007	<1	0.62	0.009	0.37	<0.1	<0.01	0.9	0.1	0.08			
1814422	Drill Core	0.5	0.3	<0.1	2	0.28	0.018	24	3	0.51	271	0.008	1	0.79	0.024	0.44	0.1	<0.01	1.1	0.1	0.13			
1814423	Drill Core	0.2	0.3	0.1	<1	0.22	0.010	21	2	0.52	228	0.004	<1	0.67	0.015	0.33	<0.1	<0.01	0.8	<0.1	0.11			
1814424	Drill Core	0.3	0.4	0.2	1	0.43	0.019	22	3	0.47	214	0.005	<1	0.62	0.009	0.37	<0.1	<0.01	1.1	0.1	0.05			
1814425	Drill Core	0.2	0.4	0.2	<1	0.23	0.002	35	2	0.21	267	0.001	2	0.35	0.008	0.24	<0.1	<0.01	1.2	<0.1	<0.05			
1814426	Drill Core	<0.1	0.4	0.2	<1	0.15	0.003	26	1	0.19	349	0.002	3	0.34	0.016	0.23	<0.1	0.06	1.1	<0.1	<0.05			
1814427	Drill Core	<0.1	0.3	0.1	<1	0.04	0.002	29	1	0.25	253	0.002	3	0.49	0.019	0.31	<0.1	0.04	1.3	<0.1	<0.05			
1814428	Drill Core	0.2	0.2	0.1	<1	0.31	0.003	32	3	0.44	203	0.002	2	0.51	0.007	0.29	<0.1	0.01	1.6	<0.1	<0.05			
1814429	Drill Core	0.3	0.2	0.2	2	0.72	0.009	27	3	0.68	192	0.007	1	0.63	0.007	0.33	0.1	<0.01	2.1	0.1	<0.05			
1814430	Drill Core	0.1	0.2	<0.1	<1	0.51	0.001	24	2	0.34	218	0.002	1	0.45	0.009	0.27	<0.1	<0.01	1.7	<0.1	<0.05			
1814431	Drill Core	0.2	0.3	<0.1	4	0.59	0.024	26	7	1.06	183	0.015	2	0.89	0.005	0.44	<0.1	<0.01	2.7	0.2	0.09			
1814432	Drill Core	0.2	0.2	<0.1	3	0.40	0.021	27	5	0.85	169	0.005	<1	0.76	0.005	0.33	<0.1	<0.01	1.8	0.1	<0.05			
1814433	Drill Core	0.1	0.3	<0.1	7	0.58	0.038	26	7	1.10	230	0.010	1	1.06	0.006	0.46	<0.1	<0.01	2.9	0.2	0.06			
1814434	Drill Core	0.3	0.4	<0.1	7	0.19	0.042	28	7	0.95	172	0.010	1	0.89	0.007	0.40	<0.1	<0.01	2.5	0.2	<0.05			
1814435	Drill Core	0.2	0.3	0.1	5	0.39	0.026	41	6	0.58	240	0.016	2	0.68	0.031	0.43	<0.1	<0.01	3.3	0.2	<0.05			
1814436	Drill Core	0.2	0.2	0.1	5	0.59	0.035	35	5	0.36	464	0.033	<1	0.52	0.046	0.34	0.1	<0.01	2.4	0.1	0.08			
1814437	Drill Core	0.1	0.3	<0.1	5	0.69	0.045	26	6	0.42	295	0.033	<1	0.60	0.022	0.35	0.2	<0.01	2.8	0.1	<0.05			
1814438	Drill Core	0.3	0.3	0.1	8	0.58	0.038	31	8	0.53	339	0.058	<1	0.79	0.039	0.48	0.2	<0.01	2.7	0.2	0.09			
1814439	Drill Core	0.1	0.2	<0.1	14	0.98	0.038	24	16	0.49	375	0.106	<1	0.77	0.047	0.53	<0.1	<0.01	2.3	0.2	<0.05			
1814440	Rock Pulp	<0.1	0.2	<0.1	22	0.75	0.036	5	15	0.49	58	0.074	2	1.03	0.084	0.09	0.2	<0.01	2.6	<0.1	<0.05			
1814441	Drill Core	0.2	0.2	<0.1	6	0.52	0.035	32	4	0.38	351	0.037	<1	0.58	0.051	0.36	<0.1	<0.01	2.4	0.2	<0.05			
1814442	Drill Core	0.4	0.1	<0.1	4	0.43	0.038	29	4	0.34	233	0.055	<1	0.61	0.040	0.38	0.1	<0.01	2.0	0.1	<0.05			
1814443	Drill Core	0.2	0.2	0.1	6	0.44	0.036	34	4	0.36	456	0.036	<1	0.64	0.030	0.39	0.1	<0.01	2.3	0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000391.2

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1814414	Drill Core	<1	<0.5	<0.2
1814415	Drill Core	<1	<0.5	<0.2
1814416	Drill Core	1	<0.5	<0.2
1814417	Drill Core	<1	<0.5	<0.2
1814418	Drill Core	1	<0.5	<0.2
1814419	Drill Core	2	<0.5	<0.2
1814420	Rock Pulp	5	<0.5	<0.2
1814421	Drill Core	2	<0.5	<0.2
1814422	Drill Core	2	<0.5	<0.2
1814423	Drill Core	2	<0.5	<0.2
1814424	Drill Core	1	<0.5	<0.2
1814425	Drill Core	1	<0.5	<0.2
1814426	Drill Core	1	<0.5	<0.2
1814427	Drill Core	2	<0.5	<0.2
1814428	Drill Core	2	<0.5	<0.2
1814429	Drill Core	2	<0.5	<0.2
1814430	Drill Core	1	<0.5	<0.2
1814431	Drill Core	3	<0.5	<0.2
1814432	Drill Core	2	<0.5	<0.2
1814433	Drill Core	3	<0.5	<0.2
1814434	Drill Core	3	<0.5	<0.2
1814435	Drill Core	3	<0.5	<0.2
1814436	Drill Core	3	<0.5	<0.2
1814437	Drill Core	3	<0.5	<0.2
1814438	Drill Core	3	<0.5	<0.2
1814439	Drill Core	3	<0.5	<0.2
1814440	Rock Pulp	4	<0.5	<0.2
1814441	Drill Core	3	<0.5	<0.2
1814442	Drill Core	2	<0.5	<0.2
1814443	Drill Core	3	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000391.2

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1814444	Drill Core	2.55	352	0.026	0.02	<0.17	25.90	0.2	5.3	23.0	35	0.1	6.3	3.3	253	1.40	68.4	1.7	<0.5	10.5	74			
1814445	Drill Core	2.62	498	<0.005	<0.01	<0.17	32.86	0.4	6.3	17.9	51	<0.1	6.6	4.6	227	1.90	8.4	2.6	<0.5	13.2	36			
1814446	Drill Core	2.68	461	<0.005	<0.01	<0.17	27.68	1.2	5.9	17.0	54	0.2	4.4	4.2	314	2.15	3.8	2.4	<0.5	11.3	42			
1814447	Drill Core	2.79	485	0.007	<0.01	<0.17	22.90	1.5	8.3	11.7	55	0.2	4.8	4.4	324	2.08	2.8	1.8	<0.5	9.2	42			
1814448	Drill Core	2.78	450	<0.005	<0.01	<0.17	31.44	0.4	25.7	9.7	59	0.2	30.4	14.0	373	2.72	16.2	1.0	<0.5	7.0	22			
1814449	Drill Core	2.92	471	<0.005	<0.01	<0.17	23.59	0.4	9.4	13.0	40	0.1	15.6	7.5	321	2.11	5.4	2.4	<0.5	9.1	31			
1814450	Drill Core	2.59	464	<0.005	<0.01	<0.17	22.82	1.7	3.9	11.6	50	0.1	3.4	3.4	285	1.61	4.2	1.5	<0.5	8.4	28			
1814451	Drill Core	3.00	496	0.005	0.01	<0.17	32.52	2.7	3.9	10.1	45	<0.1	3.6	3.5	262	1.15	3.6	0.8	<0.5	4.3	62			
1814452	Drill Core	3.20	513	0.009	<0.01	<0.17	33.74	2.2	9.0	10.0	52	0.1	13.8	6.1	278	1.62	5.8	0.7	<0.5	4.2	73			
1814453	Drill Core	3.15	509	0.078	0.07	<0.17	30.99	1.5	10.2	11.5	49	0.1	11.7	5.6	298	1.83	3.9	1.1	<0.5	6.7	66			
1814454	Drill Core	2.70	514	<0.005	<0.01	<0.17	33.38	2.5	8.8	19.7	47	0.1	14.0	5.6	307	1.98	5.0	1.9	<0.5	9.4	44			
1814455	Drill Core	2.50	473	<0.005	<0.01	<0.17	32.13	2.5	4.8	22.7	40	0.1	8.8	3.5	230	1.55	3.0	2.7	<0.5	12.2	37			
1814456	Drill Core	2.67	504	<0.005	<0.01	<0.17	34.57	2.0	8.7	18.0	41	0.1	12.2	5.3	322	1.90	4.9	3.2	<0.5	14.5	78			
1814457	Drill Core	2.83	508	0.008	<0.01	<0.17	29.80	1.0	3.4	18.3	35	<0.1	5.8	3.0	218	1.35	2.0	2.6	<0.5	14.2	73			
1814458	Drill Core	3.01	504	<0.005	<0.01	<0.17	29.82	0.3	9.4	11.9	33	0.2	3.7	3.2	212	1.10	3.1	2.1	<0.5	13.4	135			
1814459	Drill Core	2.62	446	<0.005	<0.01	<0.17	25.98	0.3	16.6	23.8	21	0.3	2.6	2.4	257	0.92	3.6	1.7	<0.5	9.0	89			
1814460	Core DUP		417	<0.005	<0.01	<0.17	33.50	0.2	16.2	23.5	22	0.3	2.8	2.4	261	0.95	3.4	1.6	<0.5	9.1	90			
1814461	Drill Core	2.80	449	0.005	<0.01	<0.17	31.32	0.3	29.1	16.3	59	0.5	4.4	3.9	434	1.44	4.5	3.1	1.9	12.3	103			
1814462	Drill Core	3.06	552	<0.005	<0.01	<0.17	30.71	0.4	20.7	24.1	34	0.4	4.0	4.1	269	1.07	2.7	4.0	1.9	14.7	60			
1814463	Drill Core	2.63	468	0.011	0.01	<0.17	27.38	0.4	15.8	19.2	42	0.3	5.0	4.6	330	1.44	4.2	2.3	2.6	13.0	76			
1814464	Drill Core	2.78	435	<0.005	<0.01	<0.17	30.14	0.4	9.3	13.9	18	0.2	2.2	1.8	177	0.79	1.6	2.3	2.2	12.8	70			
1814465	Drill Core	2.87	386	0.141	0.30	1.81	36.01	0.2	6.1	13.2	10	0.2	1.2	0.9	106	0.53	1.6	3.1	160.4	12.4	41			
1814466	Drill Core	2.61	399	0.009	<0.01	<0.17	33.75	0.2	4.5	19.1	37	0.1	3.0	2.6	217	1.07	3.6	4.1	5.1	16.1	65			
1814467	Drill Core	2.99	482	<0.005	<0.01	<0.17	29.71	0.5	8.5	13.9	23	0.2	2.7	1.9	144	0.92	2.1	1.5	3.1	13.8	50			
1814468	Drill Core	2.78	435	<0.005	<0.01	<0.17	35.31	1.8	3.8	21.9	50	0.2	3.7	3.8	276	1.46	3.5	1.8	2.5	12.9	72			
1814469	Drill Core	2.38	509	0.005	<0.01	<0.17	24.12	0.3	13.4	13.9	69	0.3	7.1	6.4	375	2.39	5.5	1.7	3.2	11.3	72			
1814470	Drill Core	2.85	482	<0.005	<0.01	<0.17	35.16	0.5	14.1	21.4	59	0.3	11.4	6.4	357	2.00	4.1	2.2	1.3	10.3	67			
1814471	Drill Core	2.54	525	<0.005	<0.01	<0.17	35.68	0.1	7.1	13.7	33	0.2	4.4	3.8	248	1.28	3.0	1.8	1.1	13.8	88			
1814472	Drill Core	3.00	451	<0.005	<0.01	<0.17	30.27	0.1	11.3	10.9	38	0.2	12.2	4.8	226	1.67	3.4	2.0	1.2	11.8	49			
1814473	Drill Core	2.94	484	<0.005	<0.01	<0.17	24.45	0.3	7.1	11.4	77	0.1	47.8	11.5	360	2.06	2.6	2.0	0.8	14.3	61			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 5 of 5 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000391.2

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1814444	Drill Core	<0.1	0.3	0.1	6	0.55	0.037	17	4	0.47	654	0.050	1	0.67	0.035	0.34	0.1	<0.01	2.7	0.2	0.07			
1814445	Drill Core	0.2	0.2	<0.1	9	0.49	0.048	31	8	0.93	213	0.047	<1	1.11	0.015	0.32	0.2	<0.01	3.5	0.1	<0.05			
1814446	Drill Core	0.1	0.2	0.1	11	0.57	0.045	28	9	0.89	238	0.050	1	1.17	0.033	0.25	0.1	<0.01	4.4	0.1	0.07			
1814447	Drill Core	<0.1	0.4	<0.1	12	0.56	0.043	20	10	0.78	211	0.071	<1	1.11	0.051	0.16	0.1	<0.01	3.8	<0.1	0.08			
1814448	Drill Core	0.2	0.2	<0.1	23	0.49	0.092	16	38	1.34	185	0.109	<1	1.51	0.017	0.25	0.2	<0.01	3.0	<0.1	0.08			
1814449	Drill Core	0.1	0.2	<0.1	18	0.58	0.060	19	22	1.10	212	0.095	<1	1.28	0.025	0.28	0.1	<0.01	3.0	<0.1	<0.05			
1814450	Drill Core	<0.1	0.3	<0.1	7	0.33	0.035	15	6	0.62	277	0.051	<1	0.97	0.039	0.21	0.2	<0.01	2.4	<0.1	0.10			
1814451	Drill Core	<0.1	0.3	<0.1	5	0.75	0.040	11	5	0.38	286	0.062	1	0.83	0.027	0.21	0.2	<0.01	1.9	0.1	<0.05			
1814452	Drill Core	<0.1	0.5	<0.1	12	0.83	0.049	10	18	0.79	235	0.087	1	1.15	0.027	0.23	0.1	<0.01	2.5	<0.1	<0.05			
1814453	Drill Core	<0.1	0.3	<0.1	11	0.93	0.051	13	16	0.99	205	0.074	<1	1.18	0.020	0.26	0.2	<0.01	2.8	<0.1	<0.05			
1814454	Drill Core	<0.1	0.2	0.1	12	0.73	0.054	17	14	1.01	194	0.064	<1	1.14	0.012	0.28	0.2	<0.01	2.9	<0.1	<0.05			
1814455	Drill Core	<0.1	0.2	0.1	6	0.55	0.040	25	7	0.82	208	0.018	<1	0.97	0.012	0.32	0.1	<0.01	2.9	<0.1	<0.05			
1814456	Drill Core	0.1	0.2	0.1	13	1.17	0.048	29	15	1.09	258	0.027	<1	1.12	0.014	0.36	0.2	<0.01	4.4	0.1	0.09			
1814457	Drill Core	<0.1	0.2	<0.1	8	1.06	0.060	29	5	0.68	252	0.021	<1	0.86	0.012	0.47	0.2	<0.01	4.0	0.2	<0.05			
1814458	Drill Core	0.2	0.4	<0.1	5	0.99	0.056	35	7	0.38	220	0.008	<1	0.57	0.027	0.27	0.3	<0.01	3.3	0.1	0.12			
1814459	Drill Core	0.2	0.5	<0.1	4	1.03	0.029	24	7	0.20	127	0.003	1	0.36	0.037	0.19	0.4	<0.01	1.6	<0.1	0.19			
1814460	Core DUP	0.2	0.5	<0.1	4	1.04	0.030	24	6	0.21	150	0.003	<1	0.40	0.044	0.22	0.6	<0.01	1.8	<0.1	0.18			
1814461	Drill Core	0.3	0.5	<0.1	5	1.17	0.044	36	6	0.53	197	0.003	1	0.74	0.018	0.35	0.1	0.01	2.4	0.1	0.21			
1814462	Drill Core	0.3	1.3	0.2	5	0.67	0.044	34	8	0.43	248	0.004	1	0.67	0.020	0.34	0.3	0.03	2.3	0.1	0.23			
1814463	Drill Core	0.2	0.9	0.1	7	0.86	0.037	27	8	0.42	198	0.012	<1	0.73	0.045	0.25	0.2	0.04	3.1	<0.1	0.28			
1814464	Drill Core	0.2	0.5	<0.1	4	0.94	0.036	27	6	0.16	270	0.039	1	0.44	0.029	0.32	0.2	<0.01	2.5	<0.1	0.07			
1814465	Drill Core	<0.1	0.7	<0.1	3	0.40	0.041	29	5	0.09	258	0.027	2	0.40	0.046	0.34	0.5	0.01	1.9	<0.1	0.08			
1814466	Drill Core	0.3	1.2	<0.1	6	0.58	0.044	26	8	0.37	172	0.058	1	0.63	0.039	0.31	0.8	0.02	3.5	<0.1	0.17			
1814467	Drill Core	0.1	0.8	<0.1	6	0.68	0.040	27	6	0.25	242	0.066	2	0.57	0.039	0.32	0.3	<0.01	2.8	<0.1	0.12			
1814468	Drill Core	0.2	1.0	<0.1	8	1.05	0.042	21	7	0.66	242	0.067	2	0.94	0.025	0.31	0.9	0.02	3.4	<0.1	0.14			
1814469	Drill Core	0.2	0.8	<0.1	23	0.90	0.063	13	20	0.93	173	0.082	<1	1.23	0.049	0.21	0.5	0.03	4.8	<0.1	0.35			
1814470	Drill Core	0.1	1.0	0.3	19	0.92	0.057	17	19	0.97	179	0.083	1	1.13	0.031	0.28	0.4	0.01	5.0	0.2	0.30			
1814471	Drill Core	<0.1	0.5	<0.1	7	1.02	0.048	29	7	0.53	244	0.049	1	0.78	0.034	0.34	0.2	0.01	4.7	0.1	0.28			
1814472	Drill Core	<0.1	0.7	<0.1	11	0.83	0.046	20	16	0.76	283	0.056	2	0.98	0.035	0.43	0.2	<0.01	3.9	0.2	0.31			
1814473	Drill Core	<0.1	0.4	<0.1	18	0.72	0.025	13	124	2.17	161	0.080	1	1.77	0.021	0.27	0.2	<0.01	6.5	0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000391.2

	Method	AQ201	AQ201	AQ201
	Analyte	Ga	Se	Te
	Unit	ppm	ppm	ppm
	MDL	1	0.5	0.2
1814444	Drill Core	3	<0.5	<0.2
1814445	Drill Core	4	<0.5	<0.2
1814446	Drill Core	5	<0.5	<0.2
1814447	Drill Core	5	<0.5	<0.2
1814448	Drill Core	5	<0.5	<0.2
1814449	Drill Core	4	<0.5	<0.2
1814450	Drill Core	4	<0.5	<0.2
1814451	Drill Core	3	<0.5	<0.2
1814452	Drill Core	4	<0.5	<0.2
1814453	Drill Core	4	<0.5	<0.2
1814454	Drill Core	4	<0.5	<0.2
1814455	Drill Core	3	<0.5	<0.2
1814456	Drill Core	4	<0.5	<0.2
1814457	Drill Core	3	<0.5	<0.2
1814458	Drill Core	3	<0.5	<0.2
1814459	Drill Core	2	<0.5	<0.2
1814460	Core DUP	2	<0.5	<0.2
1814461	Drill Core	3	<0.5	<0.2
1814462	Drill Core	3	<0.5	<0.2
1814463	Drill Core	4	<0.5	<0.2
1814464	Drill Core	2	<0.5	<0.2
1814465	Drill Core	1	<0.5	<0.2
1814466	Drill Core	3	<0.5	<0.2
1814467	Drill Core	3	<0.5	<0.2
1814468	Drill Core	5	<0.5	<0.2
1814469	Drill Core	6	<0.5	<0.2
1814470	Drill Core	5	<0.5	<0.2
1814471	Drill Core	4	<0.5	<0.2
1814472	Drill Core	3	<0.5	<0.2
1814473	Drill Core	6	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

November 18, 2020

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI20000391.2

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
1814384	Drill Core	2.83	517	0.179	0.20	0.49	32.94	1.0	15.2	12.3	38	0.3	8.6	7.9	456	1.72	20.6	1.9	174.4	8.8	66
REP 1814384	QC							1.0	14.1	11.4	36	0.3	7.8	7.6	446	1.67	20.0	1.7	348.0	8.5	63
REP 1814386	QC	0.007																			
1814420	Rock Pulp	0.12	91	0.582				6.9	116.2	84.9	145	0.7	12.6	5.2	594	2.57	42.4	0.4	555.5	2.1	35
REP 1814420	QC	0.583																			
1814421	Drill Core	2.74	510	0.009	<0.01	<0.17	27.74	0.9	2.3	36.1	38	0.2	1.4	1.3	110	0.82	<0.5	2.7	0.6	11.9	39
REP 1814421	QC							0.9	2.4	37.5	40	0.2	1.5	1.4	115	0.86	<0.5	2.8	1.0	12.8	42
1814442	Drill Core	2.87	501	<0.005	<0.01	<0.17	28.97	0.8	4.2	14.2	23	<0.1	3.3	2.7	124	0.86	2.8	1.6	17.2	11.4	45
REP 1814442	QC							0.8	4.2	14.4	23	<0.1	3.4	2.7	127	0.88	2.7	1.7	<0.5	11.8	45
1814448	Drill Core	2.78	450	<0.005	<0.01	<0.17	31.44	0.4	25.7	9.7	59	0.2	30.4	14.0	373	2.72	16.2	1.0	<0.5	7.0	22
REP 1814448	QC	<0.005																			
1814457	Drill Core	2.83	508	0.008	<0.01	<0.17	29.80	1.0	3.4	18.3	35	<0.1	5.8	3.0	218	1.35	2.0	2.6	<0.5	14.2	73
REP 1814457	QC							1.0	3.6	17.9	35	<0.1	5.7	3.0	219	1.36	1.9	2.6	<0.5	13.9	76
1814470	Drill Core	2.85	482	<0.005	<0.01	<0.17	35.16	0.5	14.1	21.4	59	0.3	11.4	6.4	357	2.00	4.1	2.2	1.3	10.3	67
REP 1814470	QC	0.007																			
1814472	Drill Core	3.00	451	<0.005	<0.01	<0.17	30.27	0.1	11.3	10.9	38	0.2	12.2	4.8	226	1.67	3.4	2.0	1.2	11.8	49
REP 1814472	QC							0.2	11.1	10.8	38	0.2	12.1	4.9	230	1.69	3.6	2.1	2.1	13.4	51
Core Reject Duplicates																					
1814386	Drill Core	2.77	506	0.014	0.02	<0.17	31.16	1.0	9.8	19.4	47	0.3	10.5	6.4	410	1.49	10.4	2.6	1.8	10.8	66
DUP 1814386	QC	459		0.008	<0.01	<0.17	24.98	0.9	8.6	17.7	44	0.3	10.5	6.5	418	1.64	10.2	2.5	3.0	11.3	69
1814454	Drill Core	2.70	514	<0.005	<0.01	<0.17	33.38	2.5	8.8	19.7	47	0.1	14.0	5.6	307	1.98	5.0	1.9	<0.5	9.4	44
DUP 1814454	QC	468		<0.005	<0.01	<0.17	28.04	2.7	9.3	19.9	47	0.1	13.8	5.5	308	1.96	4.7	1.9	<0.5	9.6	45
Reference Materials																					
STD BVGEO01	Standard							10.2	4308.8	198.8	1726	2.6	161.5	25.0	731	3.60	117.5	3.8	230.4	17.6	54
STD BVGEO01	Standard							10.4	4369.2	180.6	1760	2.5	161.1	24.5	739	3.65	112.0	3.6	213.9	13.3	56
STD DS11	Standard							14.5	138.3	142.5	336	1.6	74.6	12.8	1004	2.99	42.6	2.7	76.9	6.9	65
STD DS11	Standard							14.1	141.3	137.8	335	1.7	75.6	13.1	1002	3.08	42.4	2.5	86.4	8.9	63
STD DS11	Standard							14.9	146.1	135.6	346	1.8	81.0	13.9	1018	3.17	43.6	2.5	74.7	7.6	66



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

November 18, 2020

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000391.2

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
1814384	Drill Core	0.4	0.7	<0.1	8	1.36	0.060	15	17	0.29	215	0.014	<1	0.61	0.047	0.35	0.5	<0.01	3.1	0.2	0.89
REP 1814384	QC	0.3	0.6	<0.1	8	1.31	0.055	13	16	0.28	184	0.014	<1	0.57	0.042	0.34	0.5	<0.01	2.7	0.1	0.91
REP 1814386	QC																				
1814420	Rock Pulp	0.6	2.9	0.1	30	0.84	0.035	6	25	0.52	88	0.081	9	1.28	0.162	0.15	4.7	0.16	2.9	0.2	0.09
REP 1814420	QC																				
1814421	Drill Core	0.3	0.3	0.3	<1	0.25	0.012	16	2	0.57	180	0.007	<1	0.62	0.009	0.37	<0.1	<0.01	0.9	0.1	0.08
REP 1814421	QC	0.3	0.3	0.3	<1	0.27	0.013	19	2	0.60	198	0.007	<1	0.62	0.010	0.40	<0.1	<0.01	0.9	0.1	0.08
1814442	Drill Core	0.4	0.1	<0.1	4	0.43	0.038	29	4	0.34	233	0.055	<1	0.61	0.040	0.38	0.1	<0.01	2.0	0.1	<0.05
REP 1814442	QC	0.4	0.2	<0.1	5	0.44	0.038	31	4	0.34	245	0.061	<1	0.63	0.042	0.38	0.1	<0.01	2.0	0.1	<0.05
1814448	Drill Core	0.2	0.2	<0.1	23	0.49	0.092	16	38	1.34	185	0.109	<1	1.51	0.017	0.25	0.2	<0.01	3.0	<0.1	0.08
REP 1814448	QC																				
1814457	Drill Core	<0.1	0.2	<0.1	8	1.06	0.060	29	5	0.68	252	0.021	<1	0.86	0.012	0.47	0.2	<0.01	4.0	0.2	<0.05
REP 1814457	QC	<0.1	0.2	<0.1	7	1.07	0.059	30	5	0.68	263	0.021	<1	0.85	0.012	0.46	0.2	<0.01	3.6	0.2	<0.05
1814470	Drill Core	0.1	1.0	0.3	19	0.92	0.057	17	19	0.97	179	0.083	1	1.13	0.031	0.28	0.4	0.01	5.0	0.2	0.30
REP 1814470	QC																				
1814472	Drill Core	<0.1	0.7	<0.1	11	0.83	0.046	20	16	0.76	283	0.056	2	0.98	0.035	0.43	0.2	<0.01	3.9	0.2	0.31
REP 1814472	QC	0.1	0.7	<0.1	11	0.84	0.048	21	16	0.77	288	0.060	1	1.00	0.035	0.44	0.2	<0.01	3.9	0.2	0.31
Core Reject Duplicates																					
1814386	Drill Core	0.2	0.5	0.1	10	0.94	0.038	15	34	0.74	237	0.028	<1	0.77	0.049	0.24	0.4	<0.01	2.6	<0.1	0.67
DUP 1814386	QC	0.2	0.5	0.1	10	0.94	0.036	16	34	0.73	256	0.030	<1	0.85	0.060	0.29	0.5	0.02	3.4	0.1	0.70
1814454	Drill Core	<0.1	0.2	0.1	12	0.73	0.054	17	14	1.01	194	0.064	<1	1.14	0.012	0.28	0.2	<0.01	2.9	<0.1	<0.05
DUP 1814454	QC	<0.1	0.2	0.1	12	0.74	0.051	17	15	1.01	238	0.072	<1	1.21	0.015	0.32	0.2	<0.01	3.1	0.1	<0.05
Reference Materials																					
STD BVGEO01	Standard	6.2	3.1	24.7	73	1.33	0.068	25	192	1.31	267	0.222	4	2.33	0.194	0.87	4.9	0.09	6.2	0.6	0.67
STD BVGEO01	Standard	5.8	3.3	23.2	72	1.35	0.069	25	190	1.32	266	0.226	4	2.35	0.198	0.89	4.8	0.09	6.2	0.6	0.66
STD DS11	Standard	2.5	8.2	11.6	49	1.06	0.071	19	58	0.85	392	0.089	6	1.20	0.078	0.41	3.1	0.28	3.5	5.3	0.27
STD DS11	Standard	2.2	8.2	11.0	48	1.04	0.066	17	57	0.84	351	0.081	7	1.14	0.070	0.40	2.9	0.23	3.3	5.0	0.25
STD DS11	Standard	2.3	8.6	11.4	51	1.06	0.069	17	60	0.86	365	0.092	8	1.17	0.076	0.40	3.1	0.26	3.3	5.1	0.26



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000391.2

Method		AQ201	AQ201	AQ201
Analyte		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
Pulp Duplicates				
1814384	Drill Core	2	<0.5	<0.2
REP 1814384	QC	2	<0.5	<0.2
REP 1814386	QC			
1814420	Rock Pulp	5	<0.5	<0.2
REP 1814420	QC			
1814421	Drill Core	2	<0.5	<0.2
REP 1814421	QC	2	<0.5	<0.2
1814442	Drill Core	2	<0.5	<0.2
REP 1814442	QC	3	<0.5	<0.2
1814448	Drill Core	5	<0.5	<0.2
REP 1814448	QC			
1814457	Drill Core	3	<0.5	<0.2
REP 1814457	QC	3	<0.5	<0.2
1814470	Drill Core	5	<0.5	<0.2
REP 1814470	QC			
1814472	Drill Core	3	<0.5	<0.2
REP 1814472	QC	3	<0.5	<0.2
Core Reject Duplicates				
1814386	Drill Core	3	<0.5	<0.2
DUP 1814386	QC	3	<0.5	<0.2
1814454	Drill Core	4	<0.5	<0.2
DUP 1814454	QC	4	<0.5	<0.2
Reference Materials				
STD BVGEO01	Standard	8	4.9	1.1
STD BVGEO01	Standard	7	4.6	1.0
STD DS11	Standard	5	1.9	5.3
STD DS11	Standard	5	2.2	4.2
STD DS11	Standard	5	2.4	4.7



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000391.2

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OREAS262	Standard							0.7	110.0	58.6	152	0.5	61.9	26.0	537	3.18	36.2	1.3	67.2	10.8	34
STD OREAS262	Standard							0.7	104.0	55.0	139	0.4	59.8	25.5	520	3.08	33.8	1.2	64.7	7.8	32
STD OREAS262	Standard							0.7	108.1	54.9	148	0.4	59.9	25.8	502	3.16	35.4	1.2	68.2	10.3	33
STD OREAS262	Standard							0.7	113.3	52.7	145	0.4	64.1	27.4	547	3.23	33.8	1.1	64.4	8.6	34
STD OREAS262	Standard							0.7	111.5	54.0	142	0.5	64.3	27.1	522	3.29	34.7	1.2	63.5	8.7	34
STD OXB130	Standard			0.130																	
STD OXB130	Standard			0.126																	
STD OXG141	Standard			0.955																	
STD OXG141	Standard			0.937																	
STD OXN155	Standard			7.698																	
STD OXN155	Standard			7.580																	
STD OXP116	Standard					15.33	29.62														
STD OXP116	Standard					15.04	29.52														
STD OXP116	Standard					14.72	29.42														
STD OXP116	Standard					14.96	29.61														
STD OXP154	Standard					15.47	29.67														
STD OXP154	Standard					15.24	30.31														
STD OXP154	Standard					15.39	29.95														
STD BVGE001 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD OXP116 Expected						14.92															
STD OXP154 Expected						15.26															
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.2	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.2	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			0.005																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000391.2

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Ti ppm 0.1	AQ201 S % 0.05
STD OREAS262	Standard	0.7	5.4	1.0	22	2.93	0.040	16	42	1.16	252	0.002	4	1.41	0.065	0.32	0.2	0.15	3.2	0.5	0.26
STD OREAS262	Standard	0.5	5.1	1.1	22	2.82	0.038	15	41	1.18	244	0.002	5	1.39	0.070	0.32	0.2	0.16	3.2	0.5	0.24
STD OREAS262	Standard	0.7	5.5	0.9	22	2.84	0.038	16	42	1.13	249	0.002	3	1.34	0.067	0.31	0.2	0.14	3.5	0.5	0.26
STD OREAS262	Standard	0.6	5.5	0.9	23	3.02	0.038	16	44	1.19	238	0.002	4	1.34	0.069	0.32	0.2	0.16	3.2	0.5	0.26
STD OREAS262	Standard	0.6	5.3	1.0	23	2.96	0.037	15	44	1.19	239	0.002	4	1.32	0.068	0.30	0.2	0.16	3.2	0.5	0.27
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD OXP116 Expected																					
STD OXP154 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000391.2

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OREAS262	Standard	4	<0.5	0.2
STD OREAS262	Standard	4	<0.5	0.2
STD OREAS262	Standard	4	0.7	<0.2
STD OREAS262	Standard	4	0.5	0.2
STD OREAS262	Standard	4	0.6	0.2
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD BVGE001 Expected		7.37	4.84	1.02
STD OXP116 Expected				
STD OXP154 Expected				
STD DS11 Expected		5.1	2.2	4.56
STD OREAS262 Expected		4.1	0.4	0.23
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000391.2

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		448	0.009	<0.01	<0.17	27.99	0.7	1.9	2.4	30	<0.1	1.0	3.4	443	1.87	1.4	0.5	3.0	1.2	24
ROCK-WHI	Prep Blank		441	<0.005	<0.01	<0.17	29.04	0.7	2.0	1.6	25	<0.1	0.9	3.4	466	2.00	0.8	0.4	0.5	1.9	23



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

November 18, 2020

Page:

3 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000391.2

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.56	0.041	7	2	0.43	76	0.077	3	0.85	0.098	0.09	<0.1	<0.01	2.9	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	26	0.59	0.038	6	2	0.44	65	0.085	3	0.93	0.126	0.11	0.1	<0.01	3.2	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: November 18, 2020

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000391.2

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2