



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 28, 2020
Analysis Start: November 28, 2020
Report Date: January 13, 2021
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI20000467.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-17
P.O. Number
Number of Samples: 116

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	112	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	3	Sort, label and box pulps			WHI
FS631	116	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	116	Analysis sample split/packet			VAN
Split -150	116	Analysis sample split/packet			VAN
FS631	113	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	116	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	116	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 2 of 5 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000467.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025765	Drill Core	1.90	407	0.007	<0.01	<0.17	34.88	0.3	12.2	7.6	37	0.2	4.6	3.1	186	1.40	1.7	1.1	1.7	10.5	9
2025766	Drill Core	1.45	450	0.012	0.01	<0.17	30.00	1.1	31.0	70.8	94	0.6	8.8	7.1	310	2.42	3.4	1.4	4.9	7.0	9
2025767	Drill Core	1.59	492	0.007	<0.01	<0.17	29.26	0.5	24.6	16.2	76	0.3	9.0	6.4	326	2.16	4.3	1.7	4.0	9.0	11
2025768	Drill Core	1.95	396	0.008	<0.01	<0.17	30.34	0.4	16.1	6.5	34	0.4	5.6	5.0	308	1.76	1.6	1.1	3.8	8.5	41
2025769	Drill Core	2.23	468	0.016	0.02	<0.17	31.34	2.0	20.6	51.0	140	1.0	16.5	12.3	584	2.64	3.5	2.3	11.2	8.3	18
2025770	Drill Core	2.62	471	0.036	0.03	<0.17	33.42	0.8	14.5	8.9	59	0.3	8.6	6.5	367	1.89	12.4	3.3	28.9	11.3	10
2025771	Drill Core	2.47	468	0.015	0.01	<0.17	29.35	1.2	18.9	13.8	77	0.3	9.6	7.8	567	1.88	4.3	2.4	10.5	10.8	11
2025772	Drill Core	2.17	392	0.198	0.22	0.46	26.10	0.6	12.0	7.3	48	0.3	8.6	7.2	355	1.64	4.1	1.6	159.2	10.5	8
2025773	Drill Core	2.26	453	0.086	0.10	0.29	30.75	0.4	15.2	7.2	59	0.3	9.8	7.0	383	1.82	5.2	1.0	62.3	11.8	8
2025774	Drill Core	2.42	473	0.035	0.03	<0.17	27.82	0.5	18.1	15.2	82	0.4	10.6	7.0	400	1.81	3.5	0.8	18.3	8.5	8
2025775	Drill Core	2.50	511	0.008	<0.01	<0.17	39.97	0.3	17.8	7.6	77	0.3	11.9	7.5	441	1.96	2.3	0.8	3.2	10.6	9
2025776	Drill Core	2.33	447	0.009	<0.01	<0.17	28.31	0.7	13.8	12.0	97	0.3	11.9	7.4	486	2.00	1.8	1.1	3.6	10.6	10
2025777	Drill Core	2.11	354	0.006	<0.01	<0.17	26.06	0.7	12.3	9.7	61	0.2	9.4	6.7	439	1.75	1.5	1.3	1.6	11.4	9
2025778	Drill Core	2.33	446	0.006	<0.01	<0.17	29.04	0.8	10.8	18.1	64	0.2	9.0	5.9	387	1.68	1.3	1.0	2.1	11.4	8
2025779	Drill Core	2.69	527	0.006	<0.01	<0.17	32.17	0.8	12.1	13.0	41	0.2	8.0	8.5	468	1.37	1.2	0.8	3.2	11.4	7
2025780	Rock	0.23	103	0.007	<0.01	<0.17	25.60	0.5	1.2	1.3	2	<0.1	1.7	0.6	108	1.03	0.8	0.2	<0.5	1.8	1
2025781	Drill Core	2.20	414	0.553	0.84	4.42	30.77	0.4	13.2	6.1	64	0.5	16.8	8.6	336	2.43	3.6	1.1	417.3	10.3	14
2025782	Drill Core	2.84	519	0.229	0.28	1.17	30.76	0.4	9.8	8.0	33	0.4	6.7	4.7	229	1.62	2.5	1.1	204.8	10.1	17
2025783	Drill Core	2.43	467	1.648	4.58	52.15	27.17	0.4	9.7	3.3	44	1.8	9.6	5.3	250	1.91	2.9	1.7	9015.2	10.3	12
2025784	Drill Core	1.92	370	0.165	0.33	3.08	21.46	0.4	12.9	8.1	43	0.3	10.6	6.0	255	2.07	4.1	1.8	196.0	9.3	14
2025785	Drill Core	1.57	418	0.012	0.02	<0.17	26.88	0.3	5.4	9.3	88	<0.1	19.2	9.9	709	2.64	5.5	1.8	3.8	12.7	15
2025786	Drill Core	1.36	547	0.014	0.02	<0.17	22.65	0.2	4.0	3.1	43	0.1	11.3	4.7	365	1.40	4.7	1.6	3.8	6.5	7
2025787	Drill Core	2.01	393	0.015	0.02	<0.17	32.37	0.4	6.7	9.1	22	0.2	4.6	2.1	90	1.51	7.2	1.2	9.3	11.2	27
2025788	Drill Core	2.36	442	0.016	0.02	<0.17	29.59	1.0	11.2	7.5	19	0.3	4.2	3.0	108	1.55	1.8	1.5	9.5	11.4	22
2025789	Drill Core	2.79	539	0.033	0.13	1.52	36.21	1.6	4.6	24.8	6	0.6	3.5	2.3	36	1.36	1.4	1.4	27.4	12.1	31
2025790	Drill Core	2.55	506	0.012	0.01	<0.17	30.80	3.8	11.1	39.4	19	0.5	11.2	10.4	767	1.90	1.8	1.3	13.9	10.1	28
2025791	Drill Core	2.55	525	0.010	<0.01	<0.17	31.37	1.1	6.9	16.8	8	0.4	1.7	1.2	41	0.88	1.4	0.6	7.7	7.9	18
2025792	Drill Core	2.06	419	0.008	<0.01	<0.17	22.72	2.2	6.6	48.4	7	0.6	0.8	0.5	45	1.38	1.4	0.4	7.4	7.9	56
2025793	Drill Core	2.54	523	0.005	<0.01	<0.17	24.51	0.4	6.4	9.3	15	<0.1	2.0	1.4	107	0.85	3.2	2.5	6.0	14.0	22
2025794	Drill Core	2.99	502	<0.005	<0.01	<0.17	31.09	0.5	3.6	18.0	8	0.2	0.7	0.4	40	0.40	4.9	1.5	10.4	14.3	7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000467.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025765	Drill Core	0.1	0.2	<0.1	7	0.05	0.035	22	21	0.61	403	0.002	<1	0.78	0.028	0.27	0.2	<0.01	1.1	<0.1	0.11
2025766	Drill Core	0.2	0.3	0.2	15	0.08	0.056	21	68	1.53	312	0.003	1	1.49	0.019	0.23	0.1	0.01	1.8	<0.1	0.16
2025767	Drill Core	0.1	0.9	<0.1	12	0.07	0.050	20	45	1.20	628	0.002	<1	1.25	0.023	0.24	0.1	0.02	1.8	<0.1	0.15
2025768	Drill Core	0.1	0.4	<0.1	6	0.09	0.068	17	13	0.31	1769	0.002	<1	0.67	0.019	0.36	0.1	0.02	1.2	<0.1	0.09
2025769	Drill Core	0.5	0.5	0.2	10	0.18	0.063	17	67	1.15	431	0.002	1	1.45	0.015	0.30	1.4	0.02	1.9	<0.1	<0.05
2025770	Drill Core	0.5	0.5	0.1	7	0.13	0.051	27	15	0.45	195	0.002	<1	0.91	0.038	0.29	0.2	0.02	1.6	<0.1	<0.05
2025771	Drill Core	0.4	0.6	0.2	9	0.18	0.059	28	18	0.65	230	0.002	<1	1.13	0.027	0.29	0.3	0.01	1.7	<0.1	<0.05
2025772	Drill Core	0.3	0.6	<0.1	7	0.14	0.048	25	13	0.46	212	0.002	<1	0.81	0.033	0.29	0.1	<0.01	1.2	<0.1	<0.05
2025773	Drill Core	0.2	0.5	<0.1	7	0.14	0.048	29	15	0.53	233	0.002	<1	0.94	0.035	0.30	<0.1	<0.01	1.4	<0.1	<0.05
2025774	Drill Core	0.4	0.3	<0.1	8	0.15	0.058	26	12	0.63	253	0.003	<1	1.03	0.023	0.34	<0.1	<0.01	1.6	<0.1	<0.05
2025775	Drill Core	0.5	0.3	<0.1	10	0.17	0.054	23	15	0.67	185	0.003	<1	1.12	0.035	0.30	<0.1	<0.01	1.8	<0.1	<0.05
2025776	Drill Core	0.8	0.5	0.1	10	0.18	0.057	27	16	0.63	189	0.002	<1	1.12	0.036	0.28	<0.1	<0.01	2.0	<0.1	<0.05
2025777	Drill Core	0.3	0.4	<0.1	6	0.16	0.047	28	13	0.48	177	0.003	<1	0.90	0.045	0.29	<0.1	<0.01	1.4	0.2	<0.05
2025778	Drill Core	0.3	0.8	0.1	6	0.15	0.048	24	14	0.56	185	0.003	<1	0.98	0.043	0.28	<0.1	<0.01	1.4	<0.1	<0.05
2025779	Drill Core	0.3	0.4	0.1	4	0.13	0.048	21	9	0.42	199	0.002	<1	0.79	0.029	0.34	<0.1	0.01	1.1	0.1	<0.05
2025780	Rock	<0.1	<0.1	<0.1	<1	<0.01	0.002	2	5	0.01	13	0.002	<1	0.07	0.005	0.02	<0.1	<0.01	0.2	<0.1	<0.05
2025781	Drill Core	0.3	0.5	<0.1	16	0.18	0.063	22	24	0.64	198	0.015	<1	1.00	0.056	0.22	0.4	0.03	4.4	<0.1	<0.05
2025782	Drill Core	0.1	0.4	<0.1	8	0.12	0.050	21	16	0.40	243	0.003	<1	0.79	0.041	0.34	<0.1	0.02	2.0	0.1	<0.05
2025783	Drill Core	0.1	0.8	<0.1	8	0.11	0.036	23	57	0.51	175	0.003	<1	0.87	0.041	0.27	0.1	0.02	2.7	0.1	<0.05
2025784	Drill Core	0.3	1.6	<0.1	14	0.18	0.062	24	22	0.47	262	0.008	1	0.85	0.040	0.31	0.2	0.04	3.3	<0.1	<0.05
2025785	Drill Core	0.6	1.2	<0.1	26	0.20	0.013	34	62	0.97	43	0.054	<1	1.14	0.092	0.02	0.1	0.03	7.9	<0.1	<0.05
2025786	Drill Core	0.4	0.3	<0.1	11	0.07	0.009	15	74	0.40	38	0.007	<1	0.59	0.067	0.02	<0.1	0.03	2.9	<0.1	<0.05
2025787	Drill Core	<0.1	1.2	0.1	11	0.12	0.068	21	18	0.18	155	0.003	<1	0.50	0.080	0.23	<0.1	<0.01	1.9	<0.1	0.07
2025788	Drill Core	<0.1	0.9	<0.1	3	0.06	0.050	20	7	0.23	529	0.002	<1	0.57	0.032	0.33	0.1	0.01	0.9	<0.1	0.08
2025789	Drill Core	<0.1	0.5	0.2	2	<0.01	0.041	15	5	0.05	162	0.002	1	0.39	0.028	0.33	<0.1	0.02	0.6	<0.1	0.69
2025790	Drill Core	1.9	0.4	0.2	3	0.16	0.032	11	5	0.05	74	0.002	<1	0.39	0.026	0.30	<0.1	<0.01	0.7	<0.1	1.24
2025791	Drill Core	<0.1	0.4	<0.1	2	<0.01	0.020	17	5	0.04	1032	0.002	<1	0.35	0.030	0.31	<0.1	<0.01	0.5	<0.1	0.17
2025792	Drill Core	<0.1	1.2	0.2	2	<0.01	0.032	14	5	0.05	686	0.001	<1	0.31	0.050	0.30	<0.1	0.02	0.7	<0.1	0.23
2025793	Drill Core	<0.1	0.4	<0.1	1	0.03	0.025	30	4	0.15	467	0.001	<1	0.49	0.010	0.35	0.1	0.01	0.6	<0.1	<0.05
2025794	Drill Core	<0.1	0.5	0.1	<1	0.01	0.008	24	2	0.08	477	0.001	<1	0.37	0.029	0.32	0.1	0.01	0.5	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000467.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025765	Drill Core	3	<0.5	<0.2
2025766	Drill Core	5	<0.5	<0.2
2025767	Drill Core	4	<0.5	<0.2
2025768	Drill Core	2	<0.5	<0.2
2025769	Drill Core	4	<0.5	<0.2
2025770	Drill Core	3	0.5	<0.2
2025771	Drill Core	3	<0.5	<0.2
2025772	Drill Core	3	<0.5	<0.2
2025773	Drill Core	3	<0.5	<0.2
2025774	Drill Core	3	<0.5	<0.2
2025775	Drill Core	3	<0.5	<0.2
2025776	Drill Core	3	<0.5	<0.2
2025777	Drill Core	3	<0.5	<0.2
2025778	Drill Core	3	<0.5	<0.2
2025779	Drill Core	2	<0.5	<0.2
2025780	Rock	<1	<0.5	<0.2
2025781	Drill Core	3	<0.5	<0.2
2025782	Drill Core	2	<0.5	<0.2
2025783	Drill Core	3	<0.5	<0.2
2025784	Drill Core	3	<0.5	<0.2
2025785	Drill Core	3	<0.5	<0.2
2025786	Drill Core	2	<0.5	<0.2
2025787	Drill Core	2	<0.5	<0.2
2025788	Drill Core	2	<0.5	<0.2
2025789	Drill Core	1	<0.5	<0.2
2025790	Drill Core	1	0.7	<0.2
2025791	Drill Core	1	0.6	<0.2
2025792	Drill Core	1	<0.5	<0.2
2025793	Drill Core	1	<0.5	<0.2
2025794	Drill Core	1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000467.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025795	Drill Core	2.16	406	0.005	<0.01	<0.17	31.93	0.3	3.1	25.3	8	0.2	0.8	0.6	60	0.49	2.1	1.5	3.7	15.7	4
2025796	Drill Core	1.35	532	0.006	<0.01	<0.17	30.42	1.9	2.2	47.9	8	0.2	0.4	0.1	28	0.41	4.2	1.1	5.2	14.7	11
2025797	Drill Core	1.60	471	0.020	0.02	<0.17	29.64	2.5	3.5	114.0	7	0.7	0.9	0.2	34	0.44	2.7	2.0	14.9	16.9	33
2025798	Drill Core	2.77	516	0.011	0.01	<0.17	36.94	1.5	1.3	21.1	7	<0.1	1.0	0.4	72	0.37	1.6	1.8	3.8	13.3	19
2025799	Drill Core	2.63	550	0.008	<0.01	<0.17	31.42	0.5	4.4	34.2	9	0.1	0.7	0.7	57	0.35	2.6	1.5	6.2	16.2	3
2025800	Rock Pulp	0.13	81	7.181				9.8	188.2	20.6	80	0.9	15.1	12.6	587	4.77	14.3	0.9	7910.9	5.3	72
2025801	Drill Core	2.54	512	<0.005	<0.01	<0.17	36.39	0.6	3.9	18.3	10	0.2	0.7	0.4	43	0.34	2.9	1.6	2.2	14.3	2
2025802	Drill Core	2.37	427	<0.005	<0.01	<0.17	33.37	1.3	3.2	17.6	9	0.2	0.6	0.2	47	0.45	1.7	1.8	<0.5	18.2	2
2025803	Drill Core	2.87	511	0.013	0.01	<0.17	35.15	1.1	2.3	43.7	6	0.2	0.5	0.2	27	0.37	1.6	1.9	<0.5	18.3	8
2025804	Drill Core	2.64	529	<0.005	<0.01	<0.17	38.44	1.0	4.7	20.4	9	0.2	0.5	0.5	43	0.31	2.2	1.6	0.5	17.9	7
2025805	Drill Core	2.70	536	<0.005	<0.01	<0.17	35.85	0.6	3.1	22.5	7	0.1	0.6	0.4	47	0.37	2.0	1.5	<0.5	18.1	7
2025806	Drill Core	2.45	458	0.016	0.01	<0.17	32.24	0.5	4.4	37.5	12	0.1	1.0	0.4	51	0.37	1.4	2.7	<0.5	18.4	5
2025807	Drill Core	2.70	545	<0.005	<0.01	<0.17	38.54	0.4	4.1	28.6	8	0.2	0.8	0.4	58	0.34	0.8	1.7	<0.5	18.6	15
2025808	Drill Core	2.66	552	<0.005	<0.01	<0.17	42.48	1.0	3.6	31.1	12	0.2	0.6	0.3	69	0.36	1.0	2.3	<0.5	18.0	22
2025809	Drill Core	2.94	500	<0.005	<0.01	<0.17	39.23	1.3	1.6	29.3	10	0.1	0.9	0.5	60	0.33	1.6	2.7	1.6	20.5	17
2025810	Drill Core	1.61	483	<0.005	<0.01	<0.17	39.13	0.4	1.0	21.4	6	<0.1	0.6	0.3	49	0.32	0.8	2.4	4.3	19.3	40
2025811	Drill Core	1.74	415	<0.005	<0.01	<0.17	38.28	0.5	1.7	29.9	8	0.3	0.9	0.3	63	0.40	<0.5	2.7	1.4	18.8	28
2025812	Drill Core	2.87	442	0.024	0.04	0.21	28.06	0.5	39.7	70.4	59	0.9	6.5	3.1	278	1.09	3.3	1.8	16.0	13.6	30
2025813	Drill Core	2.67	481	0.044	0.05	0.17	23.14	0.8	124.1	217.9	91	1.3	8.0	4.2	469	1.04	3.2	2.6	25.6	14.2	7
2025814	Drill Core	1.98	354	0.012	0.01	<0.17	25.62	0.7	111.6	167.8	81	3.1	10.7	2.9	306	1.24	1.9	2.5	10.5	13.1	5
2025815	Drill Core	1.31	510	0.014	0.01	<0.17	24.74	0.9	116.4	149.9	144	0.6	11.9	5.0	498	1.24	1.1	2.3	5.3	10.5	18
2025816	Drill Core	2.66	538	0.036	0.03	<0.17	34.65	1.7	66.7	163.7	116	2.1	15.9	6.6	398	1.51	1.8	3.0	23.7	12.5	70
2025817	Drill Core	2.68	466	0.008	<0.01	<0.17	30.28	2.3	34.3	29.6	106	0.4	16.1	12.5	400	2.64	1.2	2.1	5.7	10.8	29
2025818	Drill Core	2.72	473	0.056	0.06	<0.17	26.77	2.7	23.9	21.3	124	0.4	23.0	14.0	504	3.49	2.1	3.0	62.3	7.3	39
2025819	Drill Core	1.92	361	0.274	0.31	0.72	24.99	2.0	25.9	16.8	131	0.6	22.7	17.0	722	2.77	5.3	8.0	216.7	10.2	18
2025820	Rock Pulp	0.12	81	0.551				7.2	114.3	91.4	148	0.6	12.9	5.5	626	2.63	41.9	0.4	529.6	2.9	35
2025821	Drill Core	2.63	529	0.065	0.08	0.30	26.98	2.1	19.3	8.0	82	0.3	16.6	14.2	612	2.26	2.3	2.7	72.3	8.8	61
2025822	Drill Core	2.12	411	0.082	0.08	<0.17	22.59	2.4	30.2	47.4	125	0.5	22.5	14.5	407	2.79	2.9	2.1	60.9	10.9	31
2025823	Drill Core	2.49	459	0.007	<0.01	<0.17	27.24	1.0	18.3	35.5	63	0.4	8.4	7.8	521	1.56	1.7	2.9	5.0	12.2	57
2025824	Drill Core	3.06	455	0.013	0.01	<0.17	26.68	0.2	7.3	10.4	35	0.2	2.8	3.1	166	1.34	1.1	3.0	6.5	12.4	53



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000467.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
2025795	Drill Core	<0.1	0.3	0.1	<1	<0.01	0.004	24	2	0.08	323	0.001	<1	0.40	0.024	0.35	0.1	<0.01	0.5	<0.1	<0.05			
2025796	Drill Core	<0.1	0.4	0.1	<1	<0.01	0.003	23	2	0.07	711	<0.001	<1	0.36	0.024	0.30	<0.1	<0.01	0.3	<0.1	<0.05			
2025797	Drill Core	<0.1	0.4	0.6	<1	<0.01	0.003	26	2	0.09	1324	<0.001	<1	0.39	0.025	0.31	0.1	<0.01	0.4	<0.1	0.06			
2025798	Drill Core	<0.1	0.2	<0.1	<1	0.01	0.006	34	1	0.09	699	<0.001	2	0.34	0.015	0.29	0.1	<0.01	0.4	<0.1	<0.05			
2025799	Drill Core	<0.1	0.5	<0.1	<1	<0.01	0.005	33	2	0.06	181	<0.001	2	0.33	0.025	0.29	0.1	<0.01	0.5	<0.1	<0.05			
2025800	Rock Pulp	0.1	4.6	0.6	110	0.95	0.061	8	20	0.87	129	0.126	3	1.80	0.188	0.24	4.3	0.21	3.1	<0.1	<0.05			
2025801	Drill Core	<0.1	0.4	0.2	<1	<0.01	0.003	26	2	0.08	152	<0.001	<1	0.34	0.010	0.30	0.3	<0.01	0.3	<0.1	<0.05			
2025802	Drill Core	<0.1	0.6	0.3	<1	0.01	0.003	26	2	0.07	166	<0.001	<1	0.37	0.015	0.32	0.2	<0.01	0.4	<0.1	<0.05			
2025803	Drill Core	<0.1	0.4	0.1	<1	<0.01	0.001	38	2	0.06	390	0.001	<1	0.34	0.018	0.32	0.3	0.01	0.3	<0.1	<0.05			
2025804	Drill Core	<0.1	0.7	0.1	<1	<0.01	0.002	30	1	0.06	334	<0.001	<1	0.36	0.022	0.31	0.1	<0.01	0.3	<0.1	<0.05			
2025805	Drill Core	<0.1	0.5	0.1	<1	<0.01	0.001	25	1	0.06	404	<0.001	1	0.35	0.017	0.31	0.1	<0.01	0.4	<0.1	<0.05			
2025806	Drill Core	<0.1	0.4	0.1	<1	0.02	0.001	47	2	0.08	291	<0.001	<1	0.38	0.019	0.33	0.1	<0.01	0.4	<0.1	0.05			
2025807	Drill Core	<0.1	0.6	0.1	<1	0.04	<0.001	45	1	0.10	553	0.001	<1	0.37	0.017	0.33	<0.1	<0.01	0.4	<0.1	<0.05			
2025808	Drill Core	0.2	0.4	0.2	<1	0.07	0.001	38	1	0.07	817	0.001	<1	0.35	0.022	0.31	0.1	<0.01	0.4	<0.1	0.09			
2025809	Drill Core	<0.1	0.2	<0.1	<1	0.03	0.001	48	2	0.08	555	0.001	<1	0.36	0.026	0.32	<0.1	<0.01	0.3	<0.1	0.07			
2025810	Drill Core	<0.1	0.2	<0.1	<1	0.06	0.001	37	2	0.08	1166	0.001	2	0.37	0.023	0.33	0.1	<0.01	0.4	<0.1	<0.05			
2025811	Drill Core	<0.1	0.3	0.5	<1	0.03	<0.001	55	2	0.10	904	0.001	<1	0.40	0.023	0.33	0.2	0.01	0.3	<0.1	<0.05			
2025812	Drill Core	0.4	5.1	0.2	5	0.06	0.016	26	9	0.45	1095	0.005	<1	0.72	0.020	0.28	0.4	0.02	1.0	<0.1	<0.05			
2025813	Drill Core	0.4	5.8	0.2	3	0.08	0.021	31	5	0.45	207	0.002	<1	0.73	0.018	0.29	0.9	0.04	0.9	0.1	<0.05			
2025814	Drill Core	0.3	5.1	0.3	3	0.07	0.022	22	6	0.49	188	0.002	<1	0.64	0.017	0.27	0.2	0.06	0.7	<0.1	<0.05			
2025815	Drill Core	1.0	2.3	<0.1	5	0.09	0.028	18	10	0.72	1659	0.003	<1	0.80	0.014	0.29	0.2	0.07	0.9	0.1	<0.05			
2025816	Drill Core	0.5	2.7	0.4	7	0.09	0.025	21	28	0.79	2007	0.007	<1	0.96	0.019	0.34	0.4	0.19	1.3	0.1	0.08			
2025817	Drill Core	0.4	2.0	<0.1	17	0.16	0.063	20	97	1.49	830	0.012	<1	1.52	0.018	0.27	0.3	0.09	2.2	<0.1	<0.05			
2025818	Drill Core	0.5	1.0	<0.1	26	0.16	0.079	14	173	2.24	838	0.019	<1	2.04	0.013	0.30	0.3	0.07	3.4	0.1	<0.05			
2025819	Drill Core	1.0	1.5	<0.1	17	0.24	0.069	21	112	1.41	324	0.027	1	1.46	0.019	0.29	0.5	0.07	2.6	0.1	<0.05			
2025820	Rock Pulp	0.5	2.9	<0.1	30	0.87	0.035	6	28	0.52	90	0.090	8	1.19	0.105	0.12	4.8	0.15	2.9	0.2	0.09			
2025821	Drill Core	0.6	0.8	<0.1	14	0.15	0.059	15	85	1.35	1849	0.015	<1	1.33	0.021	0.28	0.3	0.09	1.9	0.1	<0.05			
2025822	Drill Core	0.5	0.9	0.2	17	0.14	0.063	15	128	1.85	859	0.017	<1	1.67	0.017	0.28	0.4	0.04	2.3	<0.1	<0.05			
2025823	Drill Core	0.5	0.7	0.2	7	0.11	0.041	18	30	0.94	1552	0.008	<1	1.05	0.036	0.29	0.3	0.04	1.5	0.1	0.09			
2025824	Drill Core	<0.1	0.5	<0.1	4	0.07	0.037	18	7	0.50	1428	0.008	<1	0.75	0.031	0.29	0.2	0.03	0.9	<0.1	0.06			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000467.1

	Method Analyte	Unit	AQ201	AQ201	AQ201
			Ga	Se	Te
			ppm	ppm	ppm
			1	0.5	0.2
2025795	Drill Core		1	<0.5	<0.2
2025796	Drill Core		1	<0.5	<0.2
2025797	Drill Core		1	<0.5	<0.2
2025798	Drill Core		<1	<0.5	<0.2
2025799	Drill Core		<1	<0.5	<0.2
2025800	Rock Pulp		5	<0.5	0.2
2025801	Drill Core		<1	<0.5	<0.2
2025802	Drill Core		<1	<0.5	<0.2
2025803	Drill Core		<1	<0.5	<0.2
2025804	Drill Core		<1	<0.5	<0.2
2025805	Drill Core		<1	<0.5	<0.2
2025806	Drill Core		<1	<0.5	<0.2
2025807	Drill Core		<1	<0.5	<0.2
2025808	Drill Core		<1	<0.5	<0.2
2025809	Drill Core		<1	<0.5	<0.2
2025810	Drill Core		<1	<0.5	<0.2
2025811	Drill Core		<1	<0.5	<0.2
2025812	Drill Core		2	<0.5	<0.2
2025813	Drill Core		2	<0.5	<0.2
2025814	Drill Core		2	<0.5	<0.2
2025815	Drill Core		2	<0.5	<0.2
2025816	Drill Core		3	<0.5	<0.2
2025817	Drill Core		4	<0.5	<0.2
2025818	Drill Core		6	0.7	<0.2
2025819	Drill Core		4	<0.5	<0.2
2025820	Rock Pulp		5	<0.5	<0.2
2025821	Drill Core		4	<0.5	<0.2
2025822	Drill Core		5	<0.5	<0.2
2025823	Drill Core		3	<0.5	<0.2
2025824	Drill Core		2	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000467.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201				
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
2025825	Drill Core	2.55	538	0.019	0.02	<0.17	30.51	0.7	18.0	16.9	51	0.3	4.9	4.4	194	1.46	1.8	3.3	7.9	13.0	40				
2025826	Drill Core	2.68	512	0.014	0.01	<0.17	36.39	1.6	16.6	22.7	41	0.4	3.9	3.9	210	1.51	1.2	3.2	9.0	13.0	32				
2025827	Drill Core	2.93	473	0.010	<0.01	<0.17	30.81	1.5	20.5	37.3	98	0.6	16.5	14.4	758	2.46	1.9	4.0	6.3	10.4	36				
2025828	Drill Core	2.55	481	0.008	<0.01	<0.17	27.30	0.7	21.2	16.0	83	0.4	13.9	11.3	655	2.06	1.0	1.6	3.4	9.9	32				
2025829	Drill Core	2.01	352	0.007	<0.01	<0.17	28.56	0.4	12.3	8.2	60	0.3	7.0	6.9	628	1.92	0.9	1.5	2.0	12.4	40				
2025830	Drill Core	2.66	379	0.013	0.01	<0.17	25.71	1.3	20.4	26.8	94	0.6	17.6	12.7	561	2.52	1.6	4.4	8.1	11.3	31				
2025831	Drill Core	2.52	511	0.008	<0.01	<0.17	34.67	1.0	10.2	17.7	73	0.3	11.5	10.5	474	1.83	1.2	2.6	<0.5	11.1	40				
2025832	Drill Core	2.49	540	0.031	0.03	<0.17	23.77	0.5	5.9	29.5	44	0.3	3.1	4.5	296	1.37	0.6	1.8	23.0	12.6	64				
2025833	Drill Core	2.85	396	0.096	0.10	<0.17	23.73	2.2	7.0	6.7	40	0.2	3.1	4.1	307	1.19	1.0	2.0	109.9	12.3	49				
2025834	Drill Core	2.19	395	0.012	0.01	<0.17	28.18	1.8	23.3	26.5	85	0.6	19.0	14.2	550	2.24	2.7	2.0	7.4	8.5	39				
2025835	Drill Core	2.69	485	0.510	0.51	0.57	31.74	3.2	44.3	105.4	136	1.4	28.2	20.4	912	2.96	4.9	2.9	455.2	6.7	12				
2025836	Drill Core	2.40	523	0.040	0.05	<0.17	37.34	1.2	18.4	9.0	73	0.6	12.6	7.6	491	1.98	4.2	2.6	50.2	7.8	10				
2025837	Drill Core	2.03	518	0.010	<0.01	<0.17	30.33	4.5	16.3	15.1	67	0.5	13.5	8.7	682	1.82	3.1	1.0	3.5	9.5	11				
2025838	Drill Core	2.90	417	0.012	0.01	<0.17	33.45	1.5	18.2	16.6	79	0.6	15.3	8.8	639	2.18	3.5	2.1	6.1	10.5	14				
2025839	Drill Core	2.62	420	0.323	0.37	0.98	28.65	1.3	19.4	6.6	60	0.4	13.8	8.6	731	1.87	0.8	0.9	263.2	9.6	26				
2025840	Rock Pulp	0.12	80	<0.005				4.2	21.4	1.0	31	<0.1	7.8	4.5	588	2.47	1.1	0.4	2.2	2.4	30				
2025841	Drill Core	2.54	426	1.492	2.18	10.96	31.02	1.9	17.2	59.8	54	1.0	14.4	9.8	637	2.05	0.7	1.5	1622.0	9.7	35				
2025842	Drill Core	2.83	541	0.007	<0.01	<0.17	25.91	0.8	15.0	7.4	53	0.3	9.1	6.9	487	1.65	1.5	1.0	0.8	11.3	33				
2025843	Drill Core	2.68	501	0.006	<0.01	<0.17	31.80	0.6	15.2	11.7	70	0.3	9.2	7.1	564	1.92	1.3	1.4	<0.5	10.6	34				
2025844	Drill Core	2.51	532	0.012	0.01	<0.17	29.61	1.3	13.2	11.9	89	0.5	16.9	10.6	661	2.54	26.5	0.9	5.7	9.9	26				
2025845	Drill Core	2.61	490	0.006	<0.01	<0.17	27.60	1.5	16.4	9.9	76	0.2	14.4	9.6	580	2.26	0.7	1.0	<0.5	8.9	58				
2025846	Drill Core	2.34	443	0.007	<0.01	<0.17	26.80	1.2	17.2	6.8	87	0.2	16.0	9.1	502	2.38	0.9	1.0	<0.5	10.6	27				
2025847	Drill Core	2.47	472	0.011	0.01	<0.17	29.23	0.8	18.5	9.2	75	0.3	14.9	9.3	532	2.19	0.9	1.7	2.3	10.7	30				
2025848	Drill Core	2.49	466	<0.005	<0.01	<0.17	29.64	1.3	19.2	14.9	80	0.3	16.1	10.4	614	2.29	1.1	0.8	1.8	9.7	36				
2025849	Drill Core	2.62	533	0.013	0.01	<0.17	32.72	1.4	15.9	7.9	94	0.3	17.4	9.8	518	2.44	1.5	0.8	3.7	8.0	36				
2025850	Drill Core	2.58	534	0.016	0.02	<0.17	28.91	1.0	17.0	12.7	68	0.5	13.1	7.2	509	2.37	60.9	2.4	13.1	9.1	43				
2025851	Drill Core	2.54	487	0.026	0.02	<0.17	32.35	1.0	23.8	27.0	65	0.6	7.8	4.9	530	2.11	83.8	4.9	23.2	10.0	30				
2025852	Drill Core	2.28	495	0.008	<0.01	<0.17	31.18	1.5	14.8	21.7	75	0.4	11.6	8.1	603	2.11	13.1	2.4	3.8	8.6	62				
2025853	Drill Core	2.77	468	0.006	<0.01	<0.17	25.11	1.6	12.8	17.3	71	0.3	10.1	6.7	538	1.91	3.9	2.1	2.0	9.4	56				
2025854	Drill Core	2.39	446	0.054	0.05	<0.17	28.25	0.8	12.5	6.8	62	0.2	11.5	8.5	373	1.66	1.8	2.0	42.0	10.4	39				



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000467.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
2025825	Drill Core	<0.1	0.9	0.1	5	0.08	0.046	19	15	0.65	1032	0.008	1	0.94	0.023	0.35	0.2	0.04	1.3	0.1	0.06			
2025826	Drill Core	0.1	0.8	0.1	4	0.08	0.035	17	9	0.59	723	0.005	<1	0.85	0.031	0.30	0.2	0.05	1.2	<0.1	0.18			
2025827	Drill Core	0.7	0.7	0.2	13	0.16	0.052	19	86	1.23	844	0.004	1	1.32	0.019	0.28	0.3	0.06	2.2	0.1	0.14			
2025828	Drill Core	0.5	0.7	<0.1	12	0.13	0.045	18	67	1.12	897	0.003	1	1.17	0.020	0.29	0.2	0.08	2.0	<0.1	0.12			
2025829	Drill Core	0.4	0.5	<0.1	7	0.13	0.043	18	19	0.93	1010	0.003	1	1.03	0.027	0.29	0.3	0.04	1.6	<0.1	0.17			
2025830	Drill Core	0.7	1.1	0.1	15	0.18	0.054	19	83	1.21	880	0.003	<1	1.32	0.025	0.23	0.5	0.03	2.8	<0.1	<0.05			
2025831	Drill Core	0.4	1.1	0.1	10	0.13	0.044	14	58	1.01	1095	0.003	<1	1.15	0.025	0.29	0.1	0.03	1.7	<0.1	0.13			
2025832	Drill Core	0.2	0.5	0.2	4	0.21	0.036	16	8	0.69	901	0.003	<1	0.82	0.028	0.32	0.2	0.02	1.0	<0.1	0.26			
2025833	Drill Core	0.2	0.4	<0.1	3	0.34	0.036	17	6	0.65	633	0.002	2	0.70	0.023	0.32	0.2	<0.01	0.9	0.1	0.24			
2025834	Drill Core	0.9	0.7	0.1	11	0.48	0.056	11	63	1.04	233	0.002	<1	0.93	0.017	0.27	0.6	0.02	1.9	<0.1	0.54			
2025835	Drill Core	1.0	0.7	0.2	14	0.24	0.065	12	97	1.13	144	0.002	1	1.27	0.010	0.25	1.3	0.03	2.4	0.2	0.34			
2025836	Drill Core	0.4	1.3	<0.1	7	0.15	0.052	16	15	0.60	135	0.001	<1	0.97	0.013	0.29	0.9	0.02	1.5	<0.1	<0.05			
2025837	Drill Core	0.3	0.5	0.1	7	0.18	0.064	15	10	0.75	155	0.001	<1	1.03	0.016	0.30	0.2	0.02	1.3	<0.1	0.05			
2025838	Drill Core	0.4	0.5	0.2	8	0.20	0.063	19	14	0.82	253	0.002	<1	1.11	0.025	0.26	0.3	0.03	1.6	<0.1	0.05			
2025839	Drill Core	0.2	0.3	0.1	7	0.60	0.059	15	12	0.77	313	0.003	1	1.00	0.038	0.31	0.2	0.01	1.5	0.1	0.22			
2025840	Rock Pulp	<0.1	0.2	<0.1	23	0.78	0.039	6	17	0.50	61	0.082	2	1.06	0.079	0.09	0.3	<0.01	2.3	<0.1	<0.05			
2025841	Drill Core	0.2	0.4	0.5	7	0.70	0.064	16	12	0.60	292	0.004	1	0.87	0.038	0.33	0.6	0.02	1.5	0.1	0.53			
2025842	Drill Core	0.3	0.5	<0.1	6	0.98	0.055	16	13	0.64	329	0.003	<1	0.86	0.030	0.31	0.2	<0.01	1.2	0.1	0.48			
2025843	Drill Core	0.3	0.4	0.1	9	1.06	0.062	24	15	0.81	317	0.003	<1	1.01	0.030	0.30	0.1	0.02	1.8	0.1	0.44			
2025844	Drill Core	0.4	1.0	0.1	14	0.84	0.083	23	23	1.01	182	0.004	<1	1.20	0.036	0.32	0.2	0.01	2.1	<0.1	0.78			
2025845	Drill Core	0.4	0.3	<0.1	11	1.46	0.070	26	20	0.67	146	0.008	<1	0.90	0.057	0.25	<0.1	<0.01	2.1	<0.1	0.84			
2025846	Drill Core	0.1	0.4	<0.1	15	0.61	0.069	31	26	0.64	226	0.013	<1	0.87	0.079	0.20	<0.1	0.02	2.7	<0.1	0.74			
2025847	Drill Core	0.3	0.5	<0.1	13	0.59	0.073	27	22	0.64	289	0.010	<1	0.94	0.063	0.26	<0.1	0.02	2.2	<0.1	0.41			
2025848	Drill Core	0.3	0.5	<0.1	13	0.78	0.070	26	23	0.90	266	0.011	<1	1.11	0.043	0.26	<0.1	0.01	2.3	<0.1	0.55			
2025849	Drill Core	0.4	0.8	<0.1	20	0.54	0.074	20	32	0.99	176	0.011	<1	1.32	0.054	0.24	0.1	0.03	2.8	<0.1	0.34			
2025850	Drill Core	0.4	3.3	<0.1	17	0.26	0.071	25	25	0.68	226	0.013	<1	1.04	0.048	0.29	0.2	0.03	2.4	<0.1	0.31			
2025851	Drill Core	0.7	5.8	0.2	11	0.21	0.054	24	18	0.64	196	0.015	<1	0.91	0.032	0.29	0.3	0.02	2.0	0.1	0.09			
2025852	Drill Core	0.5	1.4	0.2	10	0.93	0.057	21	18	0.88	177	0.045	<1	1.11	0.035	0.29	0.4	0.02	2.1	0.1	0.51			
2025853	Drill Core	0.2	0.8	0.1	10	0.71	0.050	18	18	0.97	274	0.036	<1	1.14	0.038	0.28	0.3	0.02	2.2	0.1	0.29			
2025854	Drill Core	0.3	0.9	<0.1	9	0.49	0.061	18	16	0.74	283	0.028	<1	1.01	0.034	0.32	0.2	<0.01	1.7	0.1	0.42			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000467.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025825	Drill Core	3	<0.5	<0.2
2025826	Drill Core	3	<0.5	<0.2
2025827	Drill Core	4	<0.5	<0.2
2025828	Drill Core	3	<0.5	<0.2
2025829	Drill Core	3	<0.5	<0.2
2025830	Drill Core	3	<0.5	<0.2
2025831	Drill Core	3	<0.5	<0.2
2025832	Drill Core	2	<0.5	<0.2
2025833	Drill Core	2	<0.5	<0.2
2025834	Drill Core	3	0.6	<0.2
2025835	Drill Core	3	0.7	<0.2
2025836	Drill Core	2	<0.5	<0.2
2025837	Drill Core	2	<0.5	<0.2
2025838	Drill Core	3	<0.5	<0.2
2025839	Drill Core	3	<0.5	<0.2
2025840	Rock Pulp	4	<0.5	<0.2
2025841	Drill Core	2	1.0	<0.2
2025842	Drill Core	3	<0.5	<0.2
2025843	Drill Core	3	<0.5	<0.2
2025844	Drill Core	4	0.8	<0.2
2025845	Drill Core	3	0.6	<0.2
2025846	Drill Core	4	0.6	<0.2
2025847	Drill Core	4	0.6	<0.2
2025848	Drill Core	4	0.5	<0.2
2025849	Drill Core	5	0.6	<0.2
2025850	Drill Core	4	<0.5	<0.2
2025851	Drill Core	3	<0.5	<0.2
2025852	Drill Core	3	<0.5	<0.2
2025853	Drill Core	4	<0.5	<0.2
2025854	Drill Core	3	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000467.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025855	Drill Core				2.92	367	0.005	<0.01	<0.17	27.01	0.7	13.7	12.5	70	0.3	9.2	7.8	522	1.87	1.2	2.3	1.5	10.0	45
2025856	Drill Core				2.85	353	<0.005	<0.01	<0.17	28.78	1.5	12.7	13.5	38	0.3	7.7	7.1	498	1.52	2.8	2.4	<0.5	11.6	55
2025857	Drill Core				1.18	502	0.043	0.04	<0.17	28.14	0.6	10.9	18.5	31	0.4	6.2	5.6	387	1.41	9.6	1.1	23.1	9.7	42
2025858	Drill Core				1.58	366	1.270	2.09	11.30	30.10	0.5	13.9	10.6	39	1.0	7.4	6.9	504	1.62	2.6	1.0	3782.7	10.4	72
2025859	Drill Core				2.65	538	0.028	0.03	<0.17	34.00	1.4	19.5	17.5	70	0.3	12.8	9.7	710	2.08	5.4	0.9	<0.5	8.9	69
2025860	Core DUP					417	0.005	<0.01	<0.17	22.31	1.6	19.8	17.6	71	0.3	13.0	9.9	724	2.19	5.5	0.9	<0.5	9.2	73
2025861	Drill Core				2.11	494	0.009	<0.01	<0.17	25.73	1.5	47.6	88.4	74	0.6	12.6	5.6	543	1.99	20.6	2.6	2.2	11.4	11
2025862	Drill Core				2.78	491	0.042	0.04	<0.17	29.30	0.4	10.6	13.6	83	0.3	14.7	8.5	370	2.49	8.8	2.3	46.6	10.1	12
2025863	Drill Core				2.50	542	0.008	<0.01	<0.17	36.36	1.5	14.4	10.4	29	0.3	9.6	6.6	282	1.69	1.9	0.9	6.6	9.9	18
2025864	Drill Core				3.00	377	0.008	<0.01	<0.17	26.65	0.9	14.1	14.6	25	0.4	8.5	6.6	484	1.67	1.4	1.2	6.8	9.4	36
2025865	Drill Core				3.02	387	0.143	0.13	<0.17	27.78	1.1	20.6	102.3	46	0.6	9.1	6.4	288	2.10	4.4	1.3	21.3	9.0	28
2025866	Drill Core				2.84	515	0.006	<0.01	<0.17	37.12	0.9	16.6	13.3	30	0.5	9.3	7.0	372	1.80	2.3	1.3	3.1	9.3	48
2025867	Drill Core				3.22	400	0.005	<0.01	<0.17	32.56	1.4	11.2	12.0	15	0.4	8.5	6.0	209	1.62	2.4	1.4	2.9	9.4	28
2025868	Drill Core				3.09	556	<0.005	<0.01	<0.17	35.72	0.6	13.1	10.0	20	0.2	8.1	6.3	249	1.44	1.5	3.3	2.8	10.6	38
2025869	Drill Core				3.31	554	<0.005	<0.01	<0.17	25.94	1.5	3.4	26.9	28	0.2	0.7	0.7	137	0.49	1.8	3.2	0.9	17.1	26
2025870	Drill Core				3.05	509	<0.005	<0.01	<0.17	37.44	1.3	5.3	48.7	28	0.3	0.4	0.2	64	0.43	2.6	2.6	2.0	18.9	15
2025871	Drill Core				3.17	485	<0.005	<0.01	<0.17	34.46	1.4	3.6	44.3	26	0.3	0.4	0.2	81	0.41	1.9	2.8	<0.5	18.4	14
2025872	Drill Core				2.67	493	<0.005	<0.01	<0.17	37.59	1.0	3.6	43.1	43	0.2	0.3	0.2	135	0.40	1.4	3.2	<0.5	19.8	17
2025873	Drill Core				3.16	535	<0.005	<0.01	<0.17	41.83	1.4	2.9	39.6	39	0.1	0.3	0.3	158	0.47	1.3	3.5	0.6	19.1	38
2025874	Drill Core				2.65	492	<0.005	<0.01	<0.17	40.59	0.8	5.3	58.8	45	0.2	0.4	0.3	169	0.54	2.4	3.8	1.6	19.6	20
2025875	Drill Core				3.09	479	<0.005	<0.01	<0.17	39.14	2.4	3.5	52.4	107	0.2	0.4	0.3	115	0.55	2.5	2.6	<0.5	20.6	8
2025876	Drill Core				3.30	466	<0.005	<0.01	<0.17	39.37	1.7	4.0	88.2	70	0.3	0.4	0.4	55	0.62	3.4	2.8	<0.5	17.7	15
2025877	Drill Core				2.96	510	<0.005	<0.01	<0.17	33.72	0.6	2.7	29.2	19	0.2	0.5	0.3	73	0.53	1.3	3.4	<0.5	19.7	15
2025878	Drill Core				3.03	516	<0.005	<0.01	<0.17	37.37	0.7	3.6	32.0	25	0.2	0.3	0.2	108	0.37	0.9	3.7	<0.5	19.2	42
2025879	Drill Core				1.52	396	<0.005	<0.01	<0.17	34.55	0.7	4.4	31.0	28	0.3	0.3	0.2	60	0.42	1.2	2.3	<0.5	19.0	8
2025880	Rock				0.23	100	<0.005	<0.01	<0.17	23.42	0.5	1.4	1.2	2	<0.1	1.8	0.9	147	1.17	1.0	0.2	<0.5	2.0	1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000467.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025855	Drill Core	0.3	0.6	0.1	10	0.86	0.058	24	18	0.80	257	0.019	<1	1.06	0.041	0.33	0.1	0.02	1.8	<0.1	0.58			
2025856	Drill Core	0.2	0.3	<0.1	6	1.44	0.047	28	11	0.34	235	0.006	<1	0.71	0.052	0.38	<0.1	<0.01	1.5	<0.1	0.84			
2025857	Drill Core	0.2	0.6	0.1	5	0.78	0.040	22	10	0.28	305	0.004	<1	0.57	0.038	0.31	0.1	0.02	1.3	<0.1	0.59			
2025858	Drill Core	0.3	0.3	<0.1	7	1.34	0.052	17	11	0.40	194	0.007	<1	0.67	0.049	0.32	0.1	0.02	1.7	<0.1	0.66			
2025859	Drill Core	0.6	0.3	<0.1	10	1.87	0.063	19	17	0.41	158	0.006	1	0.77	0.031	0.35	0.1	0.01	2.0	0.1	1.10			
2025860	Core DUP	0.6	0.4	0.1	10	1.91	0.062	20	18	0.42	217	0.007	<1	0.77	0.031	0.35	0.1	0.01	2.1	0.1	1.14			
2025861	Drill Core	0.4	2.6	0.2	11	0.14	0.031	22	62	0.86	138	0.003	<1	1.00	0.047	0.21	<0.1	0.02	2.2	<0.1	0.33			
2025862	Drill Core	0.2	0.5	<0.1	13	0.10	0.028	17	41	0.67	120	0.003	<1	0.80	0.071	0.16	<0.1	0.02	3.2	<0.1	1.09			
2025863	Drill Core	0.2	0.2	0.1	5	0.57	0.045	11	8	0.33	88	0.002	<1	0.56	0.041	0.31	<0.1	0.02	1.1	<0.1	1.35			
2025864	Drill Core	0.3	0.3	<0.1	3	1.29	0.046	9	7	0.22	91	0.002	<1	0.54	0.020	0.36	0.1	0.03	0.8	0.1	1.40			
2025865	Drill Core	0.5	0.6	0.3	4	0.59	0.052	10	8	0.20	69	0.002	<1	0.54	0.027	0.35	0.1	0.01	0.8	<0.1	1.82			
2025866	Drill Core	0.7	0.3	<0.1	3	1.19	0.046	8	6	0.09	55	0.002	<1	0.42	0.031	0.31	<0.1	0.01	0.7	<0.1	1.79			
2025867	Drill Core	0.2	0.3	0.1	3	0.51	0.042	9	6	0.08	57	0.002	<1	0.44	0.031	0.34	0.1	0.01	0.7	<0.1	1.46			
2025868	Drill Core	0.5	0.2	0.1	4	0.83	0.045	15	6	0.07	69	0.003	<1	0.44	0.050	0.34	0.1	0.02	1.3	<0.1	1.35			
2025869	Drill Core	0.3	0.2	0.3	<1	0.16	0.005	34	2	0.18	697	0.002	2	0.51	0.025	0.37	0.1	<0.01	1.2	0.1	0.12			
2025870	Drill Core	0.2	0.4	0.4	<1	0.08	0.002	48	1	0.08	619	0.001	<1	0.38	0.035	0.32	0.1	<0.01	0.7	<0.1	0.11			
2025871	Drill Core	0.3	0.7	0.6	<1	0.09	0.002	45	1	0.12	536	<0.001	<1	0.40	0.009	0.34	0.1	<0.01	0.7	<0.1	0.07			
2025872	Drill Core	0.2	0.4	0.3	<1	0.17	0.002	48	1	0.17	853	0.001	<1	0.50	0.009	0.38	0.1	0.02	0.9	0.1	0.08			
2025873	Drill Core	0.4	0.7	0.1	<1	0.40	0.002	34	1	0.18	1159	<0.001	<1	0.45	0.007	0.36	<0.1	<0.01	0.7	<0.1	0.17			
2025874	Drill Core	0.6	1.4	0.2	<1	0.25	0.002	38	1	0.15	607	<0.001	<1	0.45	0.008	0.36	<0.1	0.01	0.7	<0.1	0.16			
2025875	Drill Core	<0.1	0.8	0.4	<1	0.09	0.003	37	1	0.19	494	<0.001	1	0.50	0.017	0.34	0.1	<0.01	0.6	<0.1	0.12			
2025876	Drill Core	0.4	0.7	0.3	<1	0.03	0.002	32	1	0.11	596	<0.001	<1	0.41	0.020	0.33	<0.1	<0.01	0.5	<0.1	0.26			
2025877	Drill Core	0.7	0.4	0.2	<1	0.17	0.003	45	1	0.11	293	0.001	<1	0.40	0.015	0.36	0.1	<0.01	0.9	<0.1	0.18			
2025878	Drill Core	0.3	0.3	0.3	<1	0.45	0.002	46	1	0.11	516	0.001	<1	0.42	0.014	0.36	0.1	<0.01	1.0	<0.1	0.07			
2025879	Drill Core	0.1	0.4	0.3	<1	0.09	0.002	49	1	0.09	182	0.001	<1	0.44	0.022	0.38	<0.1	<0.01	1.0	<0.1	<0.05			
2025880	Rock	<0.1	<0.1	<0.1	1	<0.01	0.002	2	5	<0.01	14	0.002	1	0.06	0.003	0.02	<0.1	<0.01	0.2	<0.1	<0.05			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000467.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025855	Drill Core	3	<0.5	<0.2
2025856	Drill Core	2	0.5	<0.2
2025857	Drill Core	2	<0.5	<0.2
2025858	Drill Core	2	<0.5	<0.2
2025859	Drill Core	2	0.6	<0.2
2025860	Core DUP	2	<0.5	<0.2
2025861	Drill Core	3	0.5	<0.2
2025862	Drill Core	2	<0.5	<0.2
2025863	Drill Core	2	<0.5	<0.2
2025864	Drill Core	1	<0.5	<0.2
2025865	Drill Core	2	<0.5	<0.2
2025866	Drill Core	1	<0.5	<0.2
2025867	Drill Core	1	<0.5	<0.2
2025868	Drill Core	1	0.6	<0.2
2025869	Drill Core	2	<0.5	<0.2
2025870	Drill Core	1	<0.5	<0.2
2025871	Drill Core	1	<0.5	<0.2
2025872	Drill Core	1	<0.5	<0.2
2025873	Drill Core	1	<0.5	<0.2
2025874	Drill Core	1	0.6	<0.2
2025875	Drill Core	1	<0.5	<0.2
2025876	Drill Core	1	<0.5	<0.2
2025877	Drill Core	1	<0.5	<0.2
2025878	Drill Core	1	<0.5	<0.2
2025879	Drill Core	1	<0.5	<0.2
2025880	Rock	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 13, 2021

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI20000467.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																						
	2025781	Drill Core	2.20	414	0.553	0.84	4.42	30.77	0.4	13.2	6.1	64	0.5	16.8	8.6	336	2.43	3.6	1.1	417.3	10.3	14
	REP 2025781	QC							0.5	13.2	6.1	63	0.6	17.0	8.8	341	2.47	3.6	1.2	1218.0	10.5	14
	2025815	Drill Core	1.31	510	0.014	0.01	<0.17	24.74	0.9	116.4	149.9	144	0.6	11.9	5.0	498	1.24	1.1	2.3	5.3	10.5	18
	REP 2025815	QC							0.9	116.8	147.2	144	0.6	11.8	4.7	497	1.24	0.7	2.2	5.1	10.2	17
	2025850	Drill Core	2.58	534	0.016	0.02	<0.17	28.91	1.0	17.0	12.7	68	0.5	13.1	7.2	509	2.37	60.9	2.4	13.1	9.1	43
	REP 2025850	QC							1.0	17.2	13.0	70	0.5	13.0	7.4	508	2.36	61.8	2.5	11.4	9.5	44
	2025857	Drill Core	1.18	502	0.043	0.04	<0.17	28.14	0.6	10.9	18.5	31	0.4	6.2	5.6	387	1.41	9.6	1.1	23.1	9.7	42
	REP 2025857	QC			0.057																	
	2025859	Drill Core	2.65	538	0.028	0.03	<0.17	34.00	1.4	19.5	17.5	70	0.3	12.8	9.7	710	2.08	5.4	0.9	<0.5	8.9	69
	REP 2025859	QC			0.006																	
	2025874	Drill Core	2.65	492	<0.005	<0.01	<0.17	40.59	0.8	5.3	58.8	45	0.2	0.4	0.3	169	0.54	2.4	3.8	1.6	19.6	20
	REP 2025874	QC							0.9	5.2	59.7	44	0.2	0.3	0.3	169	0.53	2.2	3.8	0.5	19.8	20
Core Reject Duplicates																						
	2025793	Drill Core	2.54	523	0.005	<0.01	<0.17	24.51	0.4	6.4	9.3	15	<0.1	2.0	1.4	107	0.85	3.2	2.5	6.0	14.0	22
	DUP 2025793	QC		352	<0.005	<0.01	<0.17	24.04	0.5	6.4	9.5	14	<0.1	2.0	1.4	107	0.84	3.1	2.6	4.2	14.3	21
	2025827	Drill Core	2.93	473	0.010	<0.01	<0.17	30.81	1.5	20.5	37.3	98	0.6	16.5	14.4	758	2.46	1.9	4.0	6.3	10.4	36
	DUP 2025827	QC		453	0.009	<0.01	<0.17	31.07	1.4	21.1	35.7	99	0.6	16.5	14.2	713	2.40	2.6	4.0	5.0	9.7	34
	2025861	Drill Core	2.11	494	0.009	<0.01	<0.17	25.73	1.5	47.6	88.4	74	0.6	12.6	5.6	543	1.99	20.6	2.6	2.2	11.4	11
	DUP 2025861	QC		414	0.009	<0.01	<0.17	27.38	1.6	49.4	90.4	75	0.7	13.5	5.9	570	2.11	22.1	2.5	1.2	11.3	10
Reference Materials																						
	STD BVGEO01	Standard							10.8	4331.8	190.4	1707	2.6	158.6	25.5	731	3.63	122.2	3.9	228.2	14.7	58
	STD BVGEO01	Standard							11.8	4447.2	197.3	1794	2.4	164.6	27.4	717	3.80	115.6	3.9	207.7	17.3	55
	STD DS11	Standard							15.4	145.3	137.1	342	1.6	84.6	14.6	1030	3.25	42.8	2.6	71.8	9.1	69
	STD DS11	Standard							15.7	154.1	148.4	345	1.7	88.8	14.9	1024	3.24	43.7	2.7	151.2	9.5	64
	STD OREAS262	Standard							0.7	108.9	59.2	150	0.5	63.8	28.1	539	3.18	37.0	1.3	67.9	9.8	37
	STD OREAS262	Standard							0.6	115.0	58.4	151	0.4	69.1	29.0	544	3.39	35.1	1.2	69.6	10.8	34
	STD OREAS262	Standard							0.7	120.5	59.7	152	0.5	70.1	29.9	554	3.41	35.4	1.2	70.8	11.0	34
	STD OREAS262	Standard							0.8	117.1	59.3	150	0.4	69.0	29.7	544	3.39	36.1	1.2	59.7	10.3	34



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 13, 2021

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000467.1

		Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		MDL	0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																						
2025781	Drill Core	0.3	0.5	<0.1	16	0.18	0.063	22	24	0.64	198	0.015	<1	1.00	0.056	0.22	0.4	0.03	4.4	<0.1	<0.05	
REP 2025781	QC	0.2	0.5	<0.1	16	0.18	0.065	23	24	0.65	203	0.015	<1	1.03	0.056	0.22	0.3	0.03	4.5	<0.1	<0.05	
2025815	Drill Core	1.0	2.3	<0.1	5	0.09	0.028	18	10	0.72	1659	0.003	<1	0.80	0.014	0.29	0.2	0.07	0.9	0.1	<0.05	
REP 2025815	QC	1.1	2.4	<0.1	5	0.09	0.029	18	10	0.72	1710	0.003	<1	0.83	0.015	0.31	0.2	0.07	0.9	<0.1	<0.05	
2025850	Drill Core	0.4	3.3	<0.1	17	0.26	0.071	25	25	0.68	226	0.013	<1	1.04	0.048	0.29	0.2	0.03	2.4	<0.1	0.31	
REP 2025850	QC	0.4	3.2	<0.1	16	0.26	0.072	25	25	0.68	219	0.013	<1	1.01	0.042	0.28	0.2	0.04	2.5	0.1	0.33	
2025857	Drill Core	0.2	0.6	0.1	5	0.78	0.040	22	10	0.28	305	0.004	<1	0.57	0.038	0.31	0.1	0.02	1.3	<0.1	0.59	
REP 2025857	QC																					
2025859	Drill Core	0.6	0.3	<0.1	10	1.87	0.063	19	17	0.41	158	0.006	1	0.77	0.031	0.35	0.1	0.01	2.0	0.1	1.10	
REP 2025859	QC																					
2025874	Drill Core	0.6	1.4	0.2	<1	0.25	0.002	38	1	0.15	607	<0.001	<1	0.45	0.008	0.36	<0.1	0.01	0.7	<0.1	0.16	
REP 2025874	QC	0.6	1.6	0.2	<1	0.25	0.003	39	1	0.15	620	<0.001	<1	0.45	0.008	0.36	<0.1	0.01	0.7	0.1	0.15	
Core Reject Duplicates																						
2025793	Drill Core	<0.1	0.4	<0.1	1	0.03	0.025	30	4	0.15	467	0.001	<1	0.49	0.010	0.35	0.1	0.01	0.6	<0.1	<0.05	
DUP 2025793	QC	<0.1	0.4	<0.1	<1	0.03	0.024	31	3	0.14	452	0.001	<1	0.43	0.010	0.32	0.1	<0.01	0.5	0.1	<0.05	
2025827	Drill Core	0.7	0.7	0.2	13	0.16	0.052	19	86	1.23	844	0.004	1	1.32	0.019	0.28	0.3	0.06	2.2	0.1	0.14	
DUP 2025827	QC	0.6	0.7	0.2	13	0.15	0.051	18	83	1.22	818	0.004	<1	1.31	0.018	0.29	0.3	0.07	2.3	<0.1	0.14	
2025861	Drill Core	0.4	2.6	0.2	11	0.14	0.031	22	62	0.86	138	0.003	<1	1.00	0.047	0.21	<0.1	0.02	2.2	<0.1	0.33	
DUP 2025861	QC	0.3	2.8	0.2	10	0.14	0.033	23	64	0.89	135	0.003	<1	1.03	0.047	0.21	<0.1	0.02	2.2	<0.1	0.35	
Reference Materials																						
STD BVGE001	Standard	6.3	3.6	27.0	73	1.32	0.072	27	199	1.32	284	0.231	4	2.36	0.198	0.87	4.8	0.10	6.3	0.7	0.67	
STD BVGE001	Standard	6.6	3.2	23.7	75	1.34	0.073	26	204	1.34	252	0.238	4	2.37	0.202	0.93	5.3	0.09	5.7	0.6	0.65	
STD DS11	Standard	2.5	8.4	11.1	51	1.09	0.069	19	64	0.87	366	0.102	6	1.23	0.078	0.42	2.9	0.25	3.3	5.0	0.29	
STD DS11	Standard	2.3	8.4	11.6	50	1.07	0.071	19	66	0.86	368	0.096	7	1.17	0.076	0.41	3.0	0.28	3.2	5.1	0.29	
STD OREAS262	Standard	0.7	5.8	1.1	21	2.89	0.040	19	45	1.16	261	0.002	4	1.42	0.067	0.32	0.2	0.17	3.4	0.5	0.25	
STD OREAS262	Standard	0.5	5.2	1.0	22	2.93	0.038	18	47	1.20	247	0.003	3	1.38	0.070	0.33	0.2	0.15	3.2	0.5	0.27	
STD OREAS262	Standard	0.7	5.2	1.0	22	2.94	0.039	18	48	1.22	245	0.003	4	1.36	0.070	0.32	0.2	0.16	3.2	0.4	0.27	
STD OREAS262	Standard	0.6	4.6	1.0	22	2.96	0.039	17	47	1.22	246	0.003	4	1.34	0.071	0.32	0.2	0.15	3.1	0.5	0.28	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000467.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2025781	Drill Core	3	<0.5	<0.2
REP 2025781	QC	3	<0.5	<0.2
2025815	Drill Core	2	<0.5	<0.2
REP 2025815	QC	2	<0.5	<0.2
2025850	Drill Core	4	<0.5	<0.2
REP 2025850	QC	4	<0.5	<0.2
2025857	Drill Core	2	<0.5	<0.2
REP 2025857	QC			
2025859	Drill Core	2	0.6	<0.2
REP 2025859	QC			
2025874	Drill Core	1	0.6	<0.2
REP 2025874	QC	1	<0.5	<0.2
Core Reject Duplicates				
2025793	Drill Core	1	<0.5	<0.2
DUP 2025793	QC	1	<0.5	<0.2
2025827	Drill Core	4	<0.5	<0.2
DUP 2025827	QC	4	0.5	<0.2
2025861	Drill Core	3	0.5	<0.2
DUP 2025861	QC	4	<0.5	<0.2
Reference Materials				
STD BVGE001	Standard	7	5.3	1.0
STD BVGE001	Standard	7	5.0	1.0
STD DS11	Standard	5	2.5	4.7
STD DS11	Standard	5	2.4	4.9
STD OREAS262	Standard	4	0.8	0.3
STD OREAS262	Standard	4	0.5	0.3
STD OREAS262	Standard	4	0.6	0.3
STD OREAS262	Standard	4	<0.5	0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000467.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
STD OXB130	Standard	0.127																				
STD OXB130	Standard	0.133																				
STD OXB130	Standard	0.119																				
STD OXB130	Standard	0.127																				
STD OXB130	Standard	0.121																				
STD OXG141	Standard	0.889																				
STD OXG141	Standard	0.951																				
STD OXG141	Standard	0.912																				
STD OXG141	Standard	0.946																				
STD OXG141	Standard	0.920																				
STD OXN155	Standard	7.608																				
STD OXN155	Standard	7.767																				
STD OXN155	Standard	7.726																				
STD OXN155	Standard	7.666																				
STD OXN155	Standard	7.383																				
STD OXP116	Standard					14.99	29.76															
STD OXP116	Standard					14.98	30.17															
STD OXP116	Standard					15.18	30.37															
STD OXP116	Standard					15.20	30.00															
STD OXP116	Standard					15.47	30.18															
STD OXP154	Standard					15.23	30.01															
STD OXP154	Standard					15.08	29.65															
STD OXP154	Standard					15.36	29.89															
STD OXP154	Standard					15.29	29.83															
STD OXP154	Standard					15.47	30.00															
STD BVGEO01 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55	
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	
STD OXP116 Expected						14.92																



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000467.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
STD OXP116 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000467.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD BVGEO01 Expected		7.37	4.84	1.02
STD DS11 Expected		5.1	2.2	4.56
STD OREAS262 Expected		4.1	0.4	0.23
STD OXP116 Expected				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000467.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXP154 Expected		15.26																			
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.2	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.6	<0.1	<0.5	0.4	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.2	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.2	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		424	<0.005	<0.01	<0.17	30.41	0.8	1.8	1.6	26	<0.1	1.0	3.5	420	1.85	1.2	0.5	1.7	2.4	25
ROCK-WHI	Prep Blank		418	<0.005	<0.01	<0.17	34.56	0.7	1.8	1.3	25	<0.1	0.9	3.4	429	1.91	1.7	0.5	0.6	2.6	24



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 13, 2021

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000467.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OXP154 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.62	0.037	8	3	0.40	67	0.089	2	0.90	0.104	0.11	<0.1	<0.01	2.8	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.60	0.039	7	3	0.40	65	0.085	2	0.89	0.106	0.10	0.1	<0.01	2.6	<0.1	<0.05



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: January 13, 2021

Part: 3 of 3

WHI20000467.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.