



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 28, 2020
Analysis Start: November 30, 2020
Report Date: January 07, 2021
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI20000469.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-18
P.O. Number
Number of Samples: 135

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	130	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	4	Sort, label and box pulps			WHI
FS631	135	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	135	Analysis sample split/packet			VAN
Split -150	135	Analysis sample split/packet			VAN
EN002	135	Environmental disposal charge-Fire assay lead waste			VAN
FS631	131	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	135	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	135	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1887501	Drill Core	1.53	450	0.006	<0.01	<0.17	33.05	0.6	3.0	21.3	13	0.2	0.8	0.4	72	0.44	<0.5	2.3	<0.5	19.3	9
1887502	Drill Core	2.72	512	0.013	0.01	<0.17	27.39	0.4	13.9	18.8	50	0.3	9.5	6.1	208	1.46	2.7	1.3	<0.5	11.4	26
1887503	Drill Core	3.04	415	0.008	<0.01	<0.17	24.56	0.4	6.4	20.7	48	0.2	6.3	5.1	175	1.11	1.5	1.6	<0.5	11.3	31
1887504	Drill Core	2.90	468	0.007	<0.01	<0.17	25.10	0.4	8.5	20.3	22	0.1	4.1	3.2	168	1.04	0.8	1.3	<0.5	8.8	41
1887505	Drill Core	2.91	422	0.008	<0.01	<0.17	28.18	0.3	8.4	15.2	51	0.1	10.2	6.6	262	1.64	0.6	1.2	<0.5	9.7	67
1887506	Drill Core	2.72	495	0.016	0.01	<0.17	29.20	0.2	7.5	18.1	31	0.1	4.6	3.8	240	1.23	<0.5	1.9	0.7	12.4	129
1887507	Drill Core	3.00	428	0.029	0.06	0.51	23.32	0.2	7.6	12.4	38	0.3	3.3	3.4	191	1.19	0.8	1.6	487.3	13.1	41
1887508	Drill Core	2.35	455	<0.005	<0.01	<0.17	33.96	0.2	10.2	16.3	34	0.2	5.1	4.0	273	1.63	1.0	1.7	13.8	9.6	198
1887509	Drill Core	1.41	417	<0.005	<0.01	<0.17	27.52	0.2	<0.1	3.5	54	<0.1	67.2	24.7	654	3.67	0.9	0.2	0.8	0.3	358
1887510	Drill Core	2.00	457	<0.005	<0.01	<0.17	35.87	0.9	21.5	35.7	50	0.4	9.7	5.9	335	1.92	1.7	1.2	1.8	9.0	84
1887511	Drill Core	2.92	496	0.030	0.03	<0.17	30.91	0.5	26.3	56.7	104	0.4	3.6	3.3	357	1.62	4.0	1.9	14.7	11.6	50
1887512	Drill Core	2.90	407	0.007	<0.01	<0.17	32.04	0.6	24.2	48.0	82	0.3	4.2	3.9	370	1.69	1.2	2.3	1.5	12.8	96
1887513	Drill Core	3.07	479	0.009	<0.01	<0.17	31.70	0.9	8.6	16.3	38	0.1	4.3	3.7	218	1.52	1.2	2.6	4.8	13.4	86
1887514	Drill Core	2.84	501	0.431	0.99	8.71	33.85	0.4	8.0	32.5	32	0.7	4.0	3.7	266	1.39	0.8	1.9	3500.0	11.2	136
1887515	Drill Core	2.79	486	0.007	<0.01	<0.17	31.00	0.6	4.0	10.7	47	0.1	10.2	4.7	223	1.64	3.0	2.7	4.3	11.7	76
1887516	Drill Core	3.18	498	<0.005	<0.01	<0.17	30.68	0.7	8.3	19.6	53	0.3	5.3	5.0	221	1.66	6.1	3.2	0.6	12.2	39
1887517	Drill Core	2.83	476	0.006	<0.01	<0.17	24.41	0.5	4.9	16.0	68	0.2	4.3	4.9	279	1.90	9.2	4.0	<0.5	14.1	43
1887518	Drill Core	2.99	520	0.743	1.24	9.41	30.06	0.4	10.9	30.5	49	0.5	8.2	4.8	393	1.77	17.1	3.5	513.3	13.3	101
1887519	Drill Core	3.16	422	0.073	0.09	0.33	33.17	1.3	12.7	20.5	63	0.3	10.3	6.6	347	2.28	6.9	2.6	43.5	11.1	108
1887520	Rock Pulp	0.13	82	0.616				7.3	110.0	95.4	148	0.7	12.8	5.5	619	2.58	45.4	0.5	662.8	2.7	39
1887521	Drill Core	2.67	489	0.005	<0.01	<0.17	31.69	1.3	9.9	25.3	77	0.2	14.4	8.8	462	2.57	0.8	2.6	1.7	10.5	155
1887522	Drill Core	2.98	517	<0.005	<0.01	<0.17	30.51	0.8	10.4	22.0	49	0.1	6.2	5.2	284	1.91	1.1	2.6	1.1	10.5	101
1887523	Drill Core	3.18	520	<0.005	<0.01	<0.17	28.92	0.4	11.7	5.1	52	0.1	4.7	5.1	274	1.95	1.7	3.2	<0.5	12.7	85
1887524	Drill Core	2.94	492	0.005	<0.01	<0.17	31.42	0.8	14.0	16.9	63	0.2	9.0	4.9	386	1.85	5.8	4.0	1.4	14.2	72
1887525	Drill Core	2.93	477	0.008	<0.01	<0.17	29.36	0.5	15.8	11.5	50	0.2	3.1	3.5	296	1.47	3.2	2.3	0.5	10.8	62
1887526	Drill Core	2.90	425	0.018	0.02	<0.17	33.92	0.2	10.0	14.4	41	0.2	4.4	4.7	318	1.57	1.2	3.6	36.6	14.7	182
1887527	Drill Core	3.04	503	<0.005	<0.01	<0.17	25.07	0.3	4.8	18.1	51	<0.1	5.9	4.9	297	1.88	0.7	3.0	0.7	14.0	93
1887528	Drill Core	3.03	481	<0.005	<0.01	<0.17	37.29	0.2	4.8	9.0	44	<0.1	3.5	4.1	281	1.66	0.9	2.7	<0.5	11.4	86
1887529	Drill Core	3.01	499	<0.005	<0.01	<0.17	33.55	0.3	5.8	8.4	28	<0.1	3.3	3.9	180	1.26	1.2	2.1	0.7	10.6	72
1887530	Drill Core	2.84	477	0.005	<0.01	<0.17	34.83	0.3	4.9	4.5	48	<0.1	5.1	4.6	274	1.71	<0.5	1.7	<0.5	11.3	77



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1887501	Drill Core	0.2	0.1	0.2	<1	0.07	0.005	47	2	0.14	300	0.002	<1	0.39	0.029	0.32	0.2	<0.01	0.9	<0.1	<0.05
1887502	Drill Core	0.4	0.3	<0.1	10	0.27	0.043	20	12	1.20	245	0.074	1	1.15	0.007	0.70	0.5	<0.01	2.6	0.3	<0.05
1887503	Drill Core	0.5	0.2	<0.1	6	0.33	0.040	20	9	0.59	242	0.037	<1	0.77	0.008	0.58	0.1	<0.01	2.2	0.3	<0.05
1887504	Drill Core	0.2	0.1	<0.1	5	0.42	0.031	16	9	0.45	248	0.028	<1	0.64	0.008	0.50	<0.1	<0.01	1.9	0.2	<0.05
1887505	Drill Core	0.3	0.2	<0.1	12	0.71	0.042	19	20	1.17	280	0.073	<1	1.16	0.009	0.90	<0.1	<0.01	3.8	0.4	<0.05
1887506	Drill Core	0.3	0.2	<0.1	7	1.03	0.038	21	9	0.57	243	0.044	<1	0.72	0.028	0.55	0.1	<0.01	2.4	0.2	0.10
1887507	Drill Core	0.3	<0.1	<0.1	5	0.35	0.039	30	5	0.39	327	0.046	<1	0.73	0.035	0.62	0.1	<0.01	1.8	0.2	0.06
1887508	Drill Core	0.2	0.2	<0.1	10	1.68	0.065	19	10	0.71	220	0.056	1	0.89	0.052	0.59	0.1	<0.01	3.8	0.2	0.13
1887509	Drill Core	0.3	0.5	<0.1	69	3.02	0.064	2	128	2.75	299	0.234	<1	2.18	0.007	1.84	<0.1	<0.01	9.8	0.9	<0.05
1887510	Drill Core	0.2	0.4	0.2	17	0.84	0.047	21	13	0.75	264	0.079	<1	1.03	0.042	0.68	0.2	<0.01	3.8	0.3	0.17
1887511	Drill Core	0.7	0.5	<0.1	9	0.46	0.036	27	7	0.49	205	0.017	<1	0.76	0.056	0.38	<0.1	<0.01	2.1	0.1	0.24
1887512	Drill Core	0.7	0.3	<0.1	10	0.84	0.040	32	7	0.65	229	0.033	<1	0.85	0.040	0.45	<0.1	<0.01	3.0	0.2	0.14
1887513	Drill Core	0.2	0.2	<0.1	10	0.70	0.038	28	8	0.64	260	0.072	<1	0.88	0.038	0.55	0.2	<0.01	3.7	0.2	0.06
1887514	Drill Core	0.2	0.2	<0.1	7	1.05	0.038	21	5	0.59	227	0.049	<1	0.73	0.037	0.49	0.3	<0.01	2.7	0.3	0.13
1887515	Drill Core	0.2	0.4	<0.1	10	0.71	0.038	23	11	0.69	251	0.078	<1	0.97	0.041	0.56	0.2	<0.01	3.5	0.2	0.14
1887516	Drill Core	0.4	0.9	<0.1	11	0.45	0.038	24	11	0.81	206	0.071	<1	0.90	0.035	0.41	0.3	0.02	4.3	0.2	0.65
1887517	Drill Core	0.6	0.8	<0.1	8	0.51	0.042	21	8	1.07	184	0.073	<1	1.07	0.018	0.41	0.4	0.02	3.5	0.2	0.82
1887518	Drill Core	0.3	0.7	0.2	7	1.17	0.033	24	7	0.93	229	0.052	<1	0.98	0.016	0.43	0.3	0.02	2.7	0.2	0.66
1887519	Drill Core	0.3	0.6	<0.1	13	1.15	0.050	31	14	1.24	193	0.033	<1	1.43	0.035	0.40	0.1	0.02	3.6	0.1	0.55
1887520	Rock Pulp	0.7	3.0	<0.1	29	0.87	0.036	7	26	0.52	100	0.091	8	1.23	0.111	0.12	5.2	0.16	3.9	0.2	0.09
1887521	Drill Core	0.5	0.3	<0.1	16	1.58	0.055	31	28	1.55	178	0.047	<1	1.70	0.016	0.31	<0.1	<0.01	6.6	<0.1	0.07
1887522	Drill Core	0.3	0.5	<0.1	9	0.99	0.055	33	9	0.99	222	0.017	<1	1.21	0.017	0.40	<0.1	<0.01	3.7	0.1	0.09
1887523	Drill Core	0.3	0.6	<0.1	10	0.73	0.043	38	7	0.76	422	0.011	<1	1.00	0.042	0.38	<0.1	<0.01	3.7	0.1	0.17
1887524	Drill Core	0.7	0.8	<0.1	10	0.71	0.050	42	7	0.81	245	0.005	<1	1.10	0.026	0.39	<0.1	<0.01	3.1	0.1	0.25
1887525	Drill Core	0.4	0.5	<0.1	7	0.54	0.031	32	5	0.53	202	0.006	<1	0.83	0.041	0.30	<0.1	<0.01	2.2	<0.1	0.09
1887526	Drill Core	0.3	0.3	<0.1	8	1.39	0.045	41	6	0.67	276	0.037	<1	1.02	0.051	0.47	0.2	<0.01	3.9	0.1	0.17
1887527	Drill Core	0.3	0.2	<0.1	11	0.93	0.047	33	9	0.96	283	0.070	<1	1.19	0.025	0.60	0.1	<0.01	4.9	0.2	0.05
1887528	Drill Core	0.2	0.2	<0.1	8	0.86	0.044	25	6	0.72	357	0.072	<1	0.95	0.039	0.49	0.2	<0.01	4.1	0.2	0.07
1887529	Drill Core	0.2	0.2	<0.1	6	0.66	0.039	20	5	0.49	220	0.086	<1	0.70	0.044	0.35	0.1	<0.01	2.1	0.1	0.12
1887530	Drill Core	0.2	0.2	<0.1	8	0.86	0.055	20	6	0.85	251	0.080	<1	1.11	0.034	0.39	0.1	<0.01	2.1	0.1	0.06



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887501	Drill Core	2	<0.5	<0.2
1887502	Drill Core	3	<0.5	<0.2
1887503	Drill Core	2	<0.5	<0.2
1887504	Drill Core	2	<0.5	<0.2
1887505	Drill Core	4	<0.5	<0.2
1887506	Drill Core	3	<0.5	<0.2
1887507	Drill Core	3	<0.5	<0.2
1887508	Drill Core	3	<0.5	<0.2
1887509	Drill Core	6	<0.5	<0.2
1887510	Drill Core	4	<0.5	<0.2
1887511	Drill Core	4	<0.5	<0.2
1887512	Drill Core	4	<0.5	<0.2
1887513	Drill Core	4	<0.5	<0.2
1887514	Drill Core	3	<0.5	<0.2
1887515	Drill Core	4	<0.5	<0.2
1887516	Drill Core	4	<0.5	<0.2
1887517	Drill Core	4	<0.5	<0.2
1887518	Drill Core	3	<0.5	<0.2
1887519	Drill Core	5	<0.5	<0.2
1887520	Rock Pulp	5	<0.5	<0.2
1887521	Drill Core	5	<0.5	<0.2
1887522	Drill Core	4	0.5	<0.2
1887523	Drill Core	4	0.5	<0.2
1887524	Drill Core	4	0.8	<0.2
1887525	Drill Core	3	<0.5	<0.2
1887526	Drill Core	4	<0.5	<0.2
1887527	Drill Core	4	<0.5	<0.2
1887528	Drill Core	4	<0.5	<0.2
1887529	Drill Core	3	<0.5	<0.2
1887530	Drill Core	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1887531	Drill Core	2.84	445	<0.005	<0.01	<0.17	28.08	0.6	4.6	16.7	46	0.1	6.1	4.7	259	1.81	0.6	1.8	<0.5	7.2	56
1887532	Drill Core	2.86	471	<0.005	<0.01	<0.17	34.81	0.7	10.4	15.4	60	0.2	17.0	7.3	402	2.45	0.8	2.6	<0.5	8.7	93
1887533	Drill Core	1.95	487	<0.005	<0.01	<0.17	22.12	0.4	6.2	18.6	51	0.2	5.5	4.8	372	1.97	0.8	2.7	0.8	10.5	92
1887534	Drill Core	2.89	436	0.005	<0.01	<0.17	30.87	0.4	10.8	24.2	67	0.3	7.7	6.2	383	2.28	10.3	2.8	2.2	9.6	75
1887535	Drill Core	3.47	397	0.006	<0.01	<0.17	33.44	0.2	5.8	22.8	53	0.2	3.5	3.9	330	1.86	4.1	2.1	1.8	12.3	43
1887536	Drill Core	2.66	410	0.056	0.05	<0.17	33.76	0.3	5.1	27.9	55	0.3	6.6	4.7	395	1.82	11.4	3.5	44.4	11.6	63
1887537	Drill Core	2.67	432	0.075	0.07	<0.17	27.17	1.5	8.4	40.6	92	0.3	4.4	4.2	459	1.97	5.7	2.4	69.5	11.1	35
1887538	Drill Core	2.51	464	<0.005	<0.01	<0.17	31.70	1.8	2.6	15.4	89	0.1	5.4	5.8	441	2.41	1.2	3.0	2.4	17.0	54
1887539	Drill Core	2.67	379	<0.005	<0.01	<0.17	32.44	0.2	4.6	55.4	44	0.8	3.7	3.4	302	1.56	1.0	1.5	1.4	12.6	83
1887540	Rock Pulp	0.13	82	0.010				4.2	19.4	0.9	32	<0.1	7.2	4.5	585	2.45	1.6	0.4	2.7	2.3	30
1887541	Drill Core	2.53	529	0.010	<0.01	<0.17	28.79	0.2	6.9	24.5	46	0.4	4.9	3.8	281	1.46	2.2	3.0	0.6	13.3	63
1887542	Drill Core	2.46	410	0.008	<0.01	<0.17	31.02	1.0	17.6	8.3	97	0.2	8.8	6.2	311	2.20	2.0	2.1	1.8	12.4	40
1887543	Drill Core	2.69	505	<0.005	<0.01	<0.17	28.99	0.9	6.4	16.8	54	0.2	6.9	4.5	249	1.54	2.6	2.4	1.1	10.4	59
1887544	Drill Core	2.71	390	0.006	<0.01	<0.17	26.06	1.7	8.9	18.0	69	0.2	21.8	9.1	466	2.42	2.5	2.3	1.5	9.6	70
1887545	Drill Core	2.72	532	<0.005	<0.01	<0.17	28.67	0.2	14.7	12.6	77	0.3	6.7	7.0	482	2.53	1.0	2.8	1.5	10.1	46
1887546	Drill Core	2.68	403	0.392	0.40	0.55	30.79	0.5	22.2	47.0	105	0.6	5.6	6.4	498	2.51	3.8	3.1	327.7	10.3	83
1887547	Drill Core	2.78	520	0.011	0.01	<0.17	28.35	0.9	14.8	59.4	120	0.6	13.4	8.5	682	2.43	10.8	1.4	5.8	10.0	155
1887548	Drill Core	2.70	367	0.006	<0.01	<0.17	30.04	0.3	7.1	20.4	63	0.3	8.7	6.3	356	2.33	0.9	1.6	1.1	10.5	78
1887549	Drill Core	2.65	407	0.050	0.05	<0.17	25.80	0.9	12.3	9.8	64	0.2	13.5	8.2	553	2.21	3.2	1.5	37.0	7.9	155
1887550	Drill Core	2.92	391	0.005	<0.01	<0.17	31.17	0.1	12.2	22.0	50	0.3	8.6	6.4	333	1.99	1.3	3.1	<0.5	12.4	64
1887551	Drill Core	2.44	498	<0.005	<0.01	<0.17	31.85	0.8	11.9	15.8	67	0.2	36.0	11.2	523	1.87	1.0	2.2	0.8	12.6	121
1887552	Drill Core	2.97	496	<0.005	<0.01	<0.17	26.74	0.4	5.8	7.9	52	0.1	19.4	4.8	336	1.35	0.7	2.0	0.7	15.4	37
1887553	Drill Core	2.97	524	<0.005	<0.01	<0.17	32.97	0.3	23.9	16.5	62	0.3	69.2	18.3	715	2.68	1.0	1.6	0.8	9.6	40
1887554	Drill Core	2.30	477	<0.005	<0.01	<0.17	26.71	0.5	15.3	43.2	82	0.3	66.4	17.4	688	2.33	3.0	1.9	0.6	11.0	29
1887555	Drill Core	1.78	428	0.006	<0.01	<0.17	27.88	0.4	3.0	20.7	38	0.2	0.7	0.3	132	0.64	<0.5	1.3	<0.5	18.6	9
1887556	Drill Core	2.14	469	<0.005	<0.01	<0.17	30.46	0.6	3.7	32.0	37	0.3	0.8	0.3	85	0.62	1.1	1.7	1.0	17.8	7
1887557	Drill Core	2.30	478	<0.005	<0.01	<0.17	33.07	0.3	1.3	10.9	15	0.2	0.5	0.1	37	0.33	<0.5	1.4	0.7	17.2	3
1887558	Drill Core	2.74	493	<0.005	<0.01	<0.17	35.82	0.2	2.1	16.9	11	0.3	0.4	<0.1	30	0.32	<0.5	1.6	0.9	17.2	2
1887559	Drill Core	3.03	498	0.005	<0.01	<0.17	32.44	0.4	1.6	20.0	18	0.2	0.5	0.2	61	0.40	1.9	2.5	1.5	17.2	5
1887560	Core DUP		500	<0.005	<0.01	<0.17	32.43	0.3	1.7	19.9	18	0.2	0.5	0.2	62	0.41	2.2	2.5	1.5	16.7	5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1887531	Drill Core	0.2	0.2	<0.1	9	0.59	0.050	12	8	0.92	272	0.097	<1	1.22	0.023	0.35	0.1	<0.01	2.7	<0.1	<0.05
1887532	Drill Core	0.3	0.3	0.1	18	1.13	0.067	19	15	1.39	232	0.104	<1	1.58	0.022	0.29	0.2	<0.01	5.0	<0.1	<0.05
1887533	Drill Core	0.3	0.3	0.1	11	1.35	0.046	24	10	0.93	220	0.081	<1	1.23	0.037	0.25	0.2	<0.01	3.8	<0.1	<0.05
1887534	Drill Core	0.4	0.9	0.2	13	1.05	0.062	20	14	1.19	248	0.079	2	1.37	0.030	0.26	0.3	<0.01	3.9	<0.1	0.21
1887535	Drill Core	0.2	0.6	0.1	8	0.59	0.040	24	8	0.81	237	0.053	2	1.12	0.056	0.23	0.2	0.01	3.2	<0.1	0.12
1887536	Drill Core	0.3	0.5	0.2	8	0.81	0.048	24	8	1.16	233	0.021	2	1.28	0.021	0.29	0.2	0.01	2.9	<0.1	0.15
1887537	Drill Core	0.4	0.4	0.2	7	0.49	0.050	30	8	1.02	207	0.004	1	1.19	0.030	0.27	<0.1	0.02	2.2	<0.1	0.10
1887538	Drill Core	0.3	0.3	0.1	8	0.70	0.059	47	8	1.40	270	0.006	2	1.70	0.030	0.34	<0.1	0.02	3.3	0.1	<0.05
1887539	Drill Core	0.3	0.1	1.6	5	1.10	0.039	35	6	0.77	294	0.008	2	1.06	0.026	0.36	<0.1	0.01	2.7	<0.1	<0.05
1887540	Rock Pulp	<0.1	<0.1	<0.1	21	0.74	0.042	5	16	0.50	66	0.067	3	1.01	0.076	0.08	0.3	<0.01	3.1	<0.1	<0.05
1887541	Drill Core	0.3	0.2	0.6	5	1.07	0.043	31	5	0.67	300	0.033	1	0.94	0.022	0.38	<0.1	<0.01	2.4	0.1	0.09
1887542	Drill Core	0.4	0.3	<0.1	12	0.58	0.060	28	12	1.15	263	0.069	1	1.31	0.024	0.34	0.2	0.03	4.2	<0.1	0.12
1887543	Drill Core	0.3	0.3	<0.1	7	0.75	0.041	21	8	0.78	316	0.050	2	1.03	0.023	0.36	0.2	0.01	2.6	0.1	0.15
1887544	Drill Core	0.4	0.3	<0.1	16	1.11	0.056	23	18	1.10	190	0.025	<1	1.40	0.056	0.20	<0.1	<0.01	3.5	<0.1	0.11
1887545	Drill Core	0.3	0.3	<0.1	13	0.74	0.073	26	14	1.14	305	0.038	1	1.53	0.024	0.29	0.1	<0.01	3.4	<0.1	<0.05
1887546	Drill Core	0.8	0.7	0.1	16	1.25	0.068	29	18	0.90	246	0.020	1	1.35	0.051	0.26	0.1	<0.01	3.7	<0.1	0.28
1887547	Drill Core	0.9	0.7	0.4	17	2.43	0.067	28	18	0.98	260	0.006	<1	1.31	0.032	0.27	<0.1	0.01	4.2	<0.1	0.43
1887548	Drill Core	0.3	0.4	0.2	14	0.86	0.060	30	14	1.10	279	0.004	<1	1.34	0.035	0.29	<0.1	<0.01	3.8	<0.1	0.06
1887549	Drill Core	0.6	0.6	<0.1	17	2.24	0.061	22	17	1.08	156	0.005	<1	1.22	0.028	0.29	0.1	<0.01	4.6	0.1	0.12
1887550	Drill Core	0.2	2.3	0.2	10	0.97	0.058	36	12	0.94	220	0.003	<1	1.11	0.020	0.31	0.2	<0.01	2.6	<0.1	0.11
1887551	Drill Core	0.4	0.5	<0.1	22	2.69	0.026	39	79	2.04	150	0.002	<1	1.71	0.025	0.20	0.1	0.02	4.1	<0.1	<0.05
1887552	Drill Core	0.3	0.3	<0.1	15	1.12	0.016	43	39	1.52	176	0.001	<1	1.37	0.028	0.23	0.1	0.04	2.5	<0.1	0.08
1887553	Drill Core	0.2	1.0	<0.1	51	1.22	0.027	26	182	3.45	86	0.003	<1	2.68	0.016	0.17	0.1	0.02	5.8	<0.1	0.07
1887554	Drill Core	0.3	4.4	0.1	39	0.71	0.027	25	147	3.12	116	0.002	<1	2.46	0.010	0.20	<0.1	0.03	4.0	<0.1	0.07
1887555	Drill Core	0.2	0.3	0.1	<1	0.28	0.002	39	2	0.42	186	<0.001	<1	0.57	0.010	0.29	0.2	0.05	0.7	<0.1	<0.05
1887556	Drill Core	0.2	0.8	0.2	<1	0.13	0.002	41	2	0.18	164	<0.001	<1	0.46	0.006	0.29	0.3	0.06	0.7	<0.1	<0.05
1887557	Drill Core	0.1	<0.1	0.1	<1	0.01	0.003	41	2	0.08	191	<0.001	<1	0.34	0.026	0.29	<0.1	0.07	0.6	<0.1	<0.05
1887558	Drill Core	<0.1	<0.1	0.1	<1	<0.01	0.002	33	1	0.06	140	<0.001	<1	0.29	0.033	0.27	0.1	0.03	0.5	<0.1	<0.05
1887559	Drill Core	0.2	0.4	<0.1	<1	0.06	0.002	39	2	0.14	119	<0.001	<1	0.36	0.017	0.28	0.2	0.02	0.4	<0.1	<0.05
1887560	Core DUP	0.1	0.3	<0.1	<1	0.06	0.003	39	2	0.14	118	<0.001	<1	0.38	0.017	0.29	0.2	0.02	0.5	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887531	Drill Core	4	<0.5	<0.2
1887532	Drill Core	6	<0.5	<0.2
1887533	Drill Core	5	<0.5	<0.2
1887534	Drill Core	6	<0.5	<0.2
1887535	Drill Core	5	<0.5	<0.2
1887536	Drill Core	4	<0.5	<0.2
1887537	Drill Core	5	<0.5	<0.2
1887538	Drill Core	6	<0.5	<0.2
1887539	Drill Core	4	<0.5	<0.2
1887540	Rock Pulp	4	<0.5	<0.2
1887541	Drill Core	3	<0.5	<0.2
1887542	Drill Core	5	<0.5	<0.2
1887543	Drill Core	3	<0.5	<0.2
1887544	Drill Core	6	1.0	<0.2
1887545	Drill Core	5	<0.5	<0.2
1887546	Drill Core	6	<0.5	<0.2
1887547	Drill Core	5	0.9	<0.2
1887548	Drill Core	5	0.6	<0.2
1887549	Drill Core	4	<0.5	<0.2
1887550	Drill Core	4	<0.5	<0.2
1887551	Drill Core	6	<0.5	<0.2
1887552	Drill Core	4	<0.5	<0.2
1887553	Drill Core	7	<0.5	<0.2
1887554	Drill Core	7	<0.5	<0.2
1887555	Drill Core	2	<0.5	<0.2
1887556	Drill Core	1	<0.5	<0.2
1887557	Drill Core	1	<0.5	<0.2
1887558	Drill Core	1	<0.5	<0.2
1887559	Drill Core	1	<0.5	<0.2
1887560	Core DUP	1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1887561	Drill Core	2.79	525	0.006	<0.01	<0.17	35.81	0.4	2.2	119.1	12	0.5	0.4	0.1	48	0.35	<0.5	1.5	0.9	13.3	3
1887562	Drill Core	2.95	529	<0.005	<0.01	<0.17	23.85	0.2	1.3	18.8	16	0.2	0.4	0.2	100	0.47	0.9	2.9	1.1	18.8	9
1887563	Drill Core	2.88	546	<0.005	<0.01	<0.17	23.02	0.2	2.8	31.9	11	0.2	0.4	0.2	64	0.38	0.7	4.8	1.2	16.9	7
1887564	Drill Core	1.41	497	<0.005	<0.01	<0.17	23.22	0.4	2.6	14.5	12	0.2	0.5	0.3	155	0.46	1.4	3.9	<0.5	21.8	17
1887565	Drill Core	1.49	372	<0.005	<0.01	<0.17	24.32	3.9	1.3	24.6	36	0.2	0.6	0.3	188	0.73	0.5	4.6	0.6	19.3	53
1887566	Drill Core	2.50	492	<0.005	<0.01	<0.17	25.48	0.7	4.5	25.5	31	0.2	0.6	0.5	111	0.63	2.5	3.7	1.2	14.3	56
1887567	Drill Core	2.82	526	<0.005	<0.01	<0.17	27.88	<0.1	1.4	2.6	37	<0.1	1.4	1.0	161	0.79	<0.5	3.7	0.7	13.6	25
1887568	Drill Core	2.85	466	0.007	<0.01	<0.17	24.91	1.4	34.4	91.0	46	0.6	6.0	2.4	176	1.02	5.6	3.8	3.0	13.8	25
1887569	Drill Core	2.78	408	<0.005	<0.01	<0.17	27.11	12.0	10.4	44.2	60	0.3	6.8	4.4	312	1.53	2.4	2.9	0.7	12.0	45
1887570	Drill Core	2.96	488	<0.005	<0.01	<0.17	34.77	1.4	9.7	17.1	46	0.2	6.1	5.6	308	1.50	4.8	3.3	0.9	13.4	31
1887571	Drill Core	3.05	490	0.038	0.04	<0.17	28.51	1.0	7.2	33.7	43	0.2	4.4	4.9	293	1.36	12.9	3.2	32.9	12.5	27
1887572	Drill Core	2.49	524	0.006	<0.01	<0.17	23.48	1.4	16.5	32.2	90	0.4	12.8	9.8	468	1.99	9.7	2.1	2.2	10.7	55
1887573	Drill Core	3.04	499	0.007	<0.01	<0.17	28.95	1.0	17.1	41.8	90	0.5	21.6	16.4	748	2.65	12.4	1.4	2.3	7.1	90
1887574	Drill Core	2.72	520	0.019	0.02	<0.17	23.09	1.4	17.1	15.5	80	0.4	13.4	10.3	461	2.15	11.9	2.9	11.8	11.1	72
1887575	Drill Core	2.87	522	0.010	<0.01	<0.17	36.47	2.2	23.0	30.3	104	0.4	21.0	14.0	674	2.51	11.2	1.4	0.6	7.8	63
1887576	Drill Core	2.87	501	0.009	<0.01	<0.17	29.12	3.1	20.5	23.4	74	0.4	12.4	10.5	420	2.08	2.7	2.2	3.5	10.2	60
1887577	Drill Core	3.06	539	0.011	0.01	<0.17	25.50	1.5	23.5	45.5	121	0.6	22.3	17.7	734	3.20	5.3	1.8	3.3	9.0	97
1887578	Drill Core	2.86	474	0.007	<0.01	<0.17	28.73	1.1	17.1	15.4	80	0.3	14.6	8.7	491	2.21	14.2	2.5	1.8	11.4	67
1887579	Drill Core	2.87	488	0.015	0.01	<0.17	27.58	2.4	24.0	50.5	111	0.6	21.8	16.3	729	2.99	2.2	1.9	7.9	8.7	124
1887580	Rock	0.23	167	<0.005	<0.01	<0.17	26.31	0.3	1.6	1.4	3	<0.1	1.4	0.5	83	0.78	0.8	0.2	<0.5	1.4	2
1887581	Drill Core	2.92	500	0.046	0.04	<0.17	26.86	2.2	30.6	60.5	112	0.8	19.9	14.3	679	2.69	12.6	2.7	46.4	7.9	332
1887582	Drill Core	2.75	536	0.075	0.07	<0.17	32.46	1.1	15.5	20.0	75	0.4	11.0	8.9	449	2.02	6.2	2.0	63.5	9.0	189
1887583	Drill Core	2.66	517	0.140	0.14	<0.17	28.71	1.5	25.2	51.8	105	0.6	17.3	15.5	704	2.85	20.9	1.5	125.9	7.2	271
1887584	Drill Core	2.99	471	0.015	0.01	<0.17	25.07	3.2	32.8	74.2	133	0.8	21.0	16.4	708	3.17	14.2	1.9	12.4	7.3	188
1887585	Drill Core	2.88	520	0.015	0.01	<0.17	29.76	2.0	25.3	53.3	98	0.5	14.5	11.1	547	2.56	4.4	2.3	13.9	10.0	95
1887586	Drill Core	2.99	539	0.010	<0.01	<0.17	32.98	1.3	20.7	37.3	120	0.4	11.1	9.9	515	2.49	4.6	2.1	4.1	10.0	77
1887587	Drill Core	2.96	473	0.011	0.01	<0.17	29.57	1.6	100.8	186.3	150	1.5	8.3	6.7	379	2.37	11.8	1.8	6.9	9.9	75
1887588	Drill Core	3.18	524	0.015	0.01	<0.17	37.41	0.5	21.6	6.0	59	0.3	10.4	9.1	601	1.95	2.1	1.5	7.6	8.8	95
1887589	Drill Core	2.81	511	0.017	0.02	<0.17	31.77	1.9	20.2	28.0	116	0.4	14.7	9.5	629	2.54	5.5	1.2	10.3	9.8	92
1887590	Drill Core	3.12	421	0.010	0.01	<0.17	30.48	0.4	18.3	7.8	79	0.4	12.8	8.6	597	2.26	15.0	1.6	3.8	10.1	73



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1887561	Drill Core	<0.1	0.3	0.6	<1	0.07	0.002	25	1	0.07	102	<0.001	<1	0.27	0.013	0.25	0.1	0.03	0.3	<0.1	<0.05			
1887562	Drill Core	0.2	0.3	<0.1	<1	0.24	0.001	37	2	0.11	106	<0.001	<1	0.38	0.014	0.30	0.1	0.02	0.5	<0.1	<0.05			
1887563	Drill Core	0.1	0.8	0.2	<1	0.18	0.002	31	2	0.09	124	<0.001	<1	0.36	0.015	0.31	0.1	0.01	0.5	<0.1	<0.05			
1887564	Drill Core	<0.1	0.5	<0.1	<1	0.50	0.004	32	2	0.19	129	<0.001	<1	0.45	0.012	0.34	0.3	0.01	0.6	<0.1	<0.05			
1887565	Drill Core	0.2	0.2	0.1	<1	0.73	0.003	31	2	0.46	742	0.001	<1	0.58	0.005	0.36	0.2	0.02	0.7	0.1	0.06			
1887566	Drill Core	0.1	0.3	0.1	<1	0.37	0.005	31	2	0.45	905	0.002	<1	0.62	0.015	0.36	0.2	<0.01	1.0	0.1	0.13			
1887567	Drill Core	0.1	<0.1	<0.1	<1	0.32	0.007	27	2	0.50	659	0.001	<1	0.57	0.028	0.27	0.1	0.01	1.0	<0.1	0.27			
1887568	Drill Core	0.4	0.2	0.3	1	0.22	0.019	21	3	0.50	337	0.003	<1	0.59	0.028	0.28	0.2	0.02	0.9	<0.1	0.46			
1887569	Drill Core	0.2	0.7	0.1	5	0.45	0.036	17	10	1.06	203	0.013	<1	0.96	0.021	0.29	0.2	0.03	1.2	0.1	0.59			
1887570	Drill Core	<0.1	0.5	0.1	4	0.25	0.038	17	9	1.20	153	0.016	<1	1.15	0.017	0.34	0.3	0.03	1.3	0.2	0.60			
1887571	Drill Core	0.1	0.5	0.1	5	0.22	0.036	13	9	1.01	144	0.028	<1	0.94	0.019	0.29	0.3	0.02	1.3	<0.1	0.47			
1887572	Drill Core	0.3	0.8	0.1	14	0.54	0.049	10	66	1.78	131	0.039	<1	1.40	0.019	0.29	0.5	0.03	2.2	0.1	0.78			
1887573	Drill Core	0.2	0.9	0.2	21	0.84	0.058	7	149	2.75	194	0.069	<1	1.85	0.007	0.27	0.6	0.03	3.1	0.1	0.71			
1887574	Drill Core	0.1	1.2	<0.1	10	0.49	0.047	9	47	1.62	174	0.030	<1	1.20	0.009	0.40	0.5	0.05	1.9	0.2	0.95			
1887575	Drill Core	0.3	1.4	0.1	18	0.37	0.065	8	108	2.44	136	0.052	<1	1.76	0.009	0.28	0.4	0.04	2.9	0.1	0.81			
1887576	Drill Core	0.3	1.4	<0.1	11	0.51	0.051	8	51	1.46	164	0.024	<1	1.19	0.019	0.33	0.3	0.04	2.1	0.1	0.87			
1887577	Drill Core	0.6	1.5	0.2	21	0.86	0.066	5	142	2.62	70	0.053	<1	1.88	0.014	0.29	0.4	0.03	3.3	0.1	1.28			
1887578	Drill Core	0.4	1.8	<0.1	13	0.73	0.055	9	64	1.58	171	0.037	<1	1.25	0.020	0.33	0.3	0.05	2.5	0.1	1.04			
1887579	Drill Core	0.7	2.0	0.2	19	1.04	0.057	6	136	2.27	167	0.038	<1	1.70	0.014	0.34	0.3	0.04	3.3	0.2	1.07			
1887580	Rock	<0.1	<0.1	<0.1	1	0.01	0.003	2	5	0.02	15	0.002	<1	0.06	0.003	0.02	0.1	<0.01	0.2	<0.1	<0.05			
1887581	Drill Core	0.6	2.6	0.2	16	1.40	0.052	9	92	1.74	119	0.018	<1	1.53	0.007	0.48	0.5	0.06	3.7	0.3	1.07			
1887582	Drill Core	0.4	1.5	<0.1	10	1.06	0.023	8	35	1.16	162	0.024	2	1.19	0.005	0.47	0.5	0.05	2.2	0.2	0.98			
1887583	Drill Core	0.7	2.1	<0.1	21	1.84	0.037	6	91	1.94	118	0.063	<1	1.47	0.005	0.32	1.0	0.04	3.8	0.2	1.44			
1887584	Drill Core	0.7	2.1	0.1	22	1.36	0.046	5	108	2.12	125	0.053	1	1.61	0.009	0.40	0.6	0.06	3.9	0.2	1.58			
1887585	Drill Core	0.5	1.6	<0.1	16	0.78	0.053	7	78	1.73	171	0.042	<1	1.36	0.017	0.39	0.4	0.07	2.9	0.2	1.03			
1887586	Drill Core	0.4	1.4	<0.1	14	0.61	0.051	7	59	1.66	120	0.032	<1	1.38	0.025	0.39	0.3	0.04	2.9	0.2	1.13			
1887587	Drill Core	1.1	2.6	0.2	11	0.43	0.050	8	31	1.44	126	0.031	<1	1.09	0.024	0.29	0.2	0.06	2.3	0.1	1.38			
1887588	Drill Core	0.5	1.1	<0.1	7	1.36	0.070	9	20	0.64	96	0.024	<1	0.76	0.020	0.44	0.3	0.03	2.2	0.2	1.22			
1887589	Drill Core	0.3	1.0	0.1	13	0.92	0.073	11	68	1.20	208	0.031	<1	1.26	0.024	0.37	0.3	0.03	3.0	0.2	0.97			
1887590	Drill Core	0.4	1.1	<0.1	12	1.05	0.065	13	19	1.15	238	0.062	<1	1.20	0.029	0.39	0.4	0.01	3.1	0.2	0.94			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887561	Drill Core	<1	<0.5	<0.2
1887562	Drill Core	1	<0.5	<0.2
1887563	Drill Core	1	<0.5	<0.2
1887564	Drill Core	1	<0.5	<0.2
1887565	Drill Core	2	<0.5	<0.2
1887566	Drill Core	2	<0.5	<0.2
1887567	Drill Core	2	<0.5	<0.2
1887568	Drill Core	2	<0.5	<0.2
1887569	Drill Core	3	<0.5	<0.2
1887570	Drill Core	3	<0.5	<0.2
1887571	Drill Core	3	<0.5	<0.2
1887572	Drill Core	3	<0.5	<0.2
1887573	Drill Core	4	1.7	<0.2
1887574	Drill Core	2	0.8	<0.2
1887575	Drill Core	4	0.7	<0.2
1887576	Drill Core	3	0.5	<0.2
1887577	Drill Core	5	1.1	<0.2
1887578	Drill Core	3	0.6	<0.2
1887579	Drill Core	4	<0.5	<0.2
1887580	Rock	<1	<0.5	<0.2
1887581	Drill Core	3	0.5	<0.2
1887582	Drill Core	2	<0.5	<0.2
1887583	Drill Core	3	0.8	<0.2
1887584	Drill Core	4	0.8	<0.2
1887585	Drill Core	3	<0.5	<0.2
1887586	Drill Core	4	<0.5	<0.2
1887587	Drill Core	3	0.6	<0.2
1887588	Drill Core	2	<0.5	<0.2
1887589	Drill Core	4	0.6	<0.2
1887590	Drill Core	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201				
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
1887591	Drill Core				2.54	525	0.009	<0.01	<0.17	37.33	1.5	20.1	40.1	96	0.6	11.0	6.4	463	1.91	4.4	1.8	2.0	9.3	51	
1887592	Drill Core				2.81	525	0.008	<0.01	<0.17	36.10	0.7	15.9	12.3	82	0.4	9.7	9.3	646	2.40	10.2	2.3	1.6	10.9	59	
1887593	Drill Core				2.85	536	0.006	<0.01	<0.17	29.56	2.0	22.3	23.1	86	0.5	14.5	8.8	575	2.14	5.4	1.9	<0.5	11.3	51	
1887594	Drill Core				2.93	490	0.006	<0.01	<0.17	29.57	0.9	11.7	11.6	50	0.3	7.1	5.2	340	1.47	4.1	2.6	<0.5	10.3	34	
1887595	Drill Core				2.95	506	0.008	<0.01	<0.17	33.02	0.9	11.1	19.8	54	0.3	7.3	6.6	437	1.63	9.7	2.0	1.6	10.1	54	
1887596	Drill Core				2.85	522	0.014	0.01	<0.17	35.22	0.4	11.8	14.3	35	0.3	6.6	5.9	269	1.34	5.8	2.2	3.6	10.1	29	
1887597	Drill Core				2.81	545	0.009	<0.01	<0.17	26.38	0.3	5.0	24.1	50	0.3	6.7	5.6	339	1.29	13.2	1.5	1.2	10.6	43	
1887598	Drill Core				3.13	460	0.010	<0.01	<0.17	37.20	5.5	15.6	41.5	54	0.4	6.9	6.8	463	1.64	17.0	4.9	1.0	10.9	42	
1887599	Drill Core				2.82	487	0.010	<0.01	<0.17	28.43	0.3	15.7	7.8	55	0.4	7.8	5.7	341	1.61	19.1	3.9	2.7	10.3	35	
1887600	Rock Pulp				0.12	81	7.229				9.7	183.0	21.0	82	0.9	15.0	12.4	588	4.81	14.6	0.9	7573.1	3.0	72	
1887601	Drill Core				2.94	495	0.046	0.04	<0.17	27.08	0.5	15.1	13.1	50	0.3	9.0	6.3	650	1.61	5.8	2.5	27.0	9.2	77	
1887602	Drill Core				2.80	477	0.010	<0.01	<0.17	31.37	0.4	14.5	11.3	55	0.5	9.6	7.9	437	2.02	20.7	1.8	9.4	9.4	66	
1887603	Drill Core				2.72	506	0.009	<0.01	<0.17	36.29	0.3	15.7	14.1	54	0.4	11.6	8.6	356	2.02	14.6	2.1	5.5	9.4	46	
1887604	Drill Core				2.91	399	0.006	<0.01	<0.17	32.50	0.8	17.4	10.8	46	0.4	16.4	12.0	438	2.46	4.4	1.8	4.4	8.6	51	
1887605	Drill Core				3.12	356	0.008	<0.01	<0.17	33.56	2.8	21.9	18.2	69	0.5	15.7	9.5	639	2.38	2.8	2.0	5.7	8.3	71	
1887606	Drill Core				3.08	405	0.097	0.09	<0.17	26.82	1.2	19.8	20.2	80	0.4	14.3	8.8	696	2.08	2.1	2.8	100.1	9.8	80	
1887607	Drill Core				2.75	395	0.006	<0.01	<0.17	36.44	2.0	5.8	45.1	64	0.3	7.8	4.8	574	1.36	6.5	3.7	1.1	15.2	59	
1887608	Drill Core				3.02	443	0.006	<0.01	<0.17	36.82	1.3	14.8	32.2	80	0.4	20.2	10.0	523	2.15	3.0	2.5	1.0	11.8	40	
1887609	Drill Core				2.64	515	0.006	<0.01	<0.17	27.92	0.4	15.8	24.0	71	0.4	14.4	8.7	544	2.06	6.1	2.3	0.5	11.9	39	
1887610	Drill Core				3.29	464	0.015	0.01	<0.17	31.23	0.2	10.9	34.0	53	0.4	9.8	7.3	517	1.86	12.4	1.4	12.7	10.9	34	
1887611	Drill Core				3.09	520	0.006	<0.01	<0.17	32.08	0.2	11.7	19.4	43	0.3	8.2	6.9	338	1.47	4.0	2.0	1.6	10.9	46	
1887612	Drill Core				3.16	414	0.005	<0.01	<0.17	29.02	0.2	9.1	21.3	10	0.2	6.2	6.7	331	1.18	1.2	2.0	1.0	9.3	46	
1887613	Drill Core				3.10	470	0.007	<0.01	<0.17	34.50	0.2	7.2	34.8	32	0.3	6.5	6.5	261	1.28	1.2	2.0	1.7	9.5	36	
1887614	Drill Core				3.17	438	0.020	0.02	<0.17	30.89	1.6	47.8	54.5	42	3.3	8.3	6.5	294	1.82	3.5	2.8	12.6	9.6	50	
1887615	Drill Core				3.11	395	0.007	0.01	<0.17	34.85	1.0	21.6	33.3	19	0.7	7.8	6.5	322	1.46	1.9	2.0	2.8	10.5	40	
1887616	Drill Core				2.97	466	0.006	<0.01	<0.17	33.95	1.2	13.4	12.3	24	0.3	7.7	6.5	430	1.47	1.0	2.5	1.3	12.2	44	
1887617	Drill Core				3.16	516	0.008	<0.01	<0.17	33.94	0.6	10.9	6.9	37	0.3	9.2	6.2	418	1.83	1.5	2.4	0.6	11.4	46	
1887618	Drill Core				2.96	458	0.008	<0.01	<0.17	30.35	1.8	10.5	87.1	73	0.6	4.1	3.3	142	1.41	2.2	4.8	3.1	17.3	25	
1887619	Drill Core				3.25	497	0.008	<0.01	<0.17	30.63	3.1	5.4	51.8	8	0.8	1.9	2.2	92	1.41	1.8	5.8	3.3	18.5	15	
1887620	Rock Pulp				0.12	82	0.565				6.9	107.0	94.9	145	0.7	12.3	5.5	606	2.57	42.1	0.5	554.2	2.7	35	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1887591	Drill Core				1.2	0.6	0.2	12	0.84	0.062	15	18	0.82	213	0.049	<1	0.91	0.033	0.37	0.6	0.02	2.4	0.1	0.81
1887592	Drill Core				0.7	0.6	0.1	17	1.10	0.071	19	21	0.94	214	0.057	<1	1.11	0.039	0.38	0.3	0.01	4.0	0.1	1.02
1887593	Drill Core				<0.1	0.6	0.2	14	1.08	0.066	19	19	0.82	224	0.059	<1	1.09	0.051	0.37	0.2	0.02	3.0	<0.1	0.90
1887594	Drill Core				0.2	0.7	<0.1	10	0.89	0.055	21	14	0.38	227	0.057	<1	0.75	0.052	0.37	0.3	0.04	2.7	<0.1	0.60
1887595	Drill Core				0.3	1.1	<0.1	10	1.22	0.049	21	19	0.47	191	0.069	<1	0.82	0.061	0.27	0.5	0.09	3.3	<0.1	0.75
1887596	Drill Core				0.3	0.9	<0.1	6	0.69	0.051	23	11	0.23	211	0.051	<1	0.62	0.037	0.37	0.4	0.04	2.4	0.1	0.82
1887597	Drill Core				0.4	1.4	<0.1	6	0.79	0.049	28	12	0.30	216	0.007	<1	0.70	0.032	0.42	0.2	0.04	2.2	0.1	0.72
1887598	Drill Core				0.5	1.4	<0.1	7	0.96	0.054	28	15	0.41	158	0.014	<1	0.74	0.040	0.37	0.3	0.04	2.6	0.1	1.04
1887599	Drill Core				0.3	1.7	<0.1	8	0.66	0.048	22	14	0.40	123	0.021	<1	0.70	0.044	0.33	0.3	0.04	2.3	0.1	1.06
1887600	Rock Pulp				0.2	4.0	0.5	109	0.97	0.065	8	20	0.87	138	0.128	2	1.79	0.188	0.23	4.0	0.22	3.9	<0.1	<0.05
1887601	Drill Core				0.4	1.0	<0.1	9	1.72	0.057	14	12	0.40	235	0.030	<1	0.73	0.039	0.33	0.5	0.05	3.1	0.1	0.79
1887602	Drill Core				0.3	1.8	<0.1	11	1.30	0.063	26	23	0.40	103	0.020	<1	0.79	0.038	0.35	0.3	0.06	3.3	0.1	1.36
1887603	Drill Core				0.4	1.4	<0.1	10	1.08	0.063	21	24	0.29	97	0.028	<1	0.65	0.045	0.31	0.4	0.06	3.0	0.1	1.49
1887604	Drill Core				0.3	1.0	<0.1	12	1.38	0.071	19	32	0.26	92	0.045	2	0.62	0.047	0.29	0.3	0.03	3.1	0.1	1.80
1887605	Drill Core				0.5	0.8	<0.1	14	1.92	0.054	20	34	0.68	193	0.034	2	0.91	0.040	0.26	0.3	0.04	3.3	0.1	1.29
1887606	Drill Core				0.4	1.2	<0.1	12	1.81	0.056	26	24	0.98	222	0.018	2	1.18	0.032	0.28	0.3	0.02	3.0	<0.1	0.81
1887607	Drill Core				0.3	1.4	0.2	6	1.11	0.036	32	16	0.68	177	0.003	1	0.88	0.015	0.34	0.2	0.01	1.3	0.1	0.33
1887608	Drill Core				0.3	0.9	0.1	14	0.68	0.049	31	79	0.82	139	0.004	1	0.99	0.047	0.29	0.1	0.03	3.6	0.1	1.00
1887609	Drill Core				0.3	0.7	<0.1	14	0.67	0.051	31	39	0.82	139	0.004	<1	0.93	0.043	0.26	0.1	0.01	3.2	0.1	1.03
1887610	Drill Core				0.2	0.6	<0.1	9	1.10	0.047	28	17	0.54	122	0.003	<1	0.71	0.048	0.25	0.2	0.01	2.3	<0.1	1.13
1887611	Drill Core				0.3	0.6	<0.1	6	0.93	0.049	23	11	0.32	138	0.004	<1	0.62	0.036	0.36	0.2	<0.01	2.0	0.1	0.93
1887612	Drill Core				0.1	0.4	<0.1	3	1.28	0.049	17	6	0.09	220	0.004	<1	0.48	0.022	0.40	0.1	0.01	1.3	0.1	0.83
1887613	Drill Core				0.3	0.1	<0.1	3	1.05	0.047	16	6	0.08	187	0.002	<1	0.45	0.021	0.40	0.1	<0.01	1.2	0.1	0.95
1887614	Drill Core				0.8	0.5	<0.1	3	1.17	0.047	14	6	0.05	57	0.003	<1	0.42	0.024	0.35	<0.1	0.01	1.1	<0.1	1.62
1887615	Drill Core				0.2	0.2	<0.1	3	1.16	0.048	17	5	0.08	90	0.003	<1	0.45	0.017	0.38	0.2	<0.01	1.0	0.1	1.22
1887616	Drill Core				0.3	0.8	<0.1	4	1.16	0.046	26	7	0.14	73	0.003	<1	0.51	0.024	0.36	0.1	<0.01	1.3	0.1	1.07
1887617	Drill Core				0.2	0.2	<0.1	7	1.04	0.047	28	10	0.26	91	0.003	<1	0.58	0.035	0.35	0.1	<0.01	1.5	0.1	1.47
1887618	Drill Core				0.7	0.5	0.3	2	0.41	0.023	26	4	0.10	103	0.002	<1	0.46	0.026	0.35	<0.1	0.01	0.9	0.1	1.10
1887619	Drill Core				<0.1	0.1	0.1	<1	0.22	0.014	32	2	0.06	101	0.001	<1	0.40	0.025	0.33	<0.1	<0.01	0.7	<0.1	1.28
1887620	Rock Pulp				0.5	2.8	<0.1	29	0.83	0.037	6	27	0.51	90	0.081	8	1.12	0.095	0.11	4.9	0.16	3.2	0.2	0.09



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887591	Drill Core	3	0.6	<0.2
1887592	Drill Core	4	<0.5	<0.2
1887593	Drill Core	4	<0.5	<0.2
1887594	Drill Core	3	<0.5	<0.2
1887595	Drill Core	4	<0.5	<0.2
1887596	Drill Core	2	<0.5	<0.2
1887597	Drill Core	2	<0.5	<0.2
1887598	Drill Core	3	<0.5	<0.2
1887599	Drill Core	3	<0.5	<0.2
1887600	Rock Pulp	6	<0.5	<0.2
1887601	Drill Core	2	<0.5	<0.2
1887602	Drill Core	3	0.6	<0.2
1887603	Drill Core	3	<0.5	<0.2
1887604	Drill Core	2	0.7	<0.2
1887605	Drill Core	3	0.7	<0.2
1887606	Drill Core	4	<0.5	<0.2
1887607	Drill Core	3	<0.5	<0.2
1887608	Drill Core	4	0.6	<0.2
1887609	Drill Core	4	0.6	<0.2
1887610	Drill Core	3	0.6	<0.2
1887611	Drill Core	2	<0.5	<0.2
1887612	Drill Core	1	<0.5	<0.2
1887613	Drill Core	1	<0.5	<0.2
1887614	Drill Core	1	<0.5	<0.2
1887615	Drill Core	1	<0.5	<0.2
1887616	Drill Core	1	<0.5	<0.2
1887617	Drill Core	2	<0.5	<0.2
1887618	Drill Core	1	<0.5	<0.2
1887619	Drill Core	1	<0.5	<0.2
1887620	Rock Pulp	4	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
1887621	Drill Core	2.82	537	0.007	<0.01	<0.17	33.55	1.0	6.5	44.8	18	0.3	4.9	4.1	292	1.26	1.7	4.3	0.9	14.1	46
1887622	Drill Core	2.96	354	0.007	<0.01	<0.17	23.66	1.3	16.4	12.8	40	0.3	11.4	7.5	398	2.32	2.4	3.2	1.4	11.6	51
1887623	Drill Core	2.93	467	<0.005	<0.01	<0.17	37.27	2.0	17.4	98.9	37	0.5	7.9	6.1	215	1.70	1.5	5.9	0.7	13.8	31
1887624	Drill Core	2.88	539	0.006	0.01	<0.17	36.79	0.4	5.2	82.4	60	0.2	2.3	3.3	275	0.79	2.8	4.5	0.7	12.6	36
1887625	Drill Core	2.82	524	<0.005	<0.01	<0.17	27.23	0.2	2.9	18.4	36	0.1	1.7	1.7	308	0.68	4.5	4.5	1.1	16.8	36
1887626	Drill Core	2.63	454	0.011	<0.01	<0.17	31.90	0.5	6.1	65.6	54	0.3	1.9	2.3	213	0.77	5.5	4.0	5.1	15.3	26
1887627	Drill Core	2.93	528	0.005	<0.01	<0.17	36.94	1.8	5.7	27.2	19	0.2	0.2	0.2	73	0.41	2.0	3.2	0.7	18.9	10
1887628	Drill Core	2.96	444	<0.005	<0.01	<0.17	35.23	3.2	1.7	39.7	25	0.2	0.4	0.1	73	0.42	1.3	2.4	0.5	17.9	15
1887629	Drill Core	1.69	348	0.006	<0.01	<0.17	37.94	0.2	0.7	21.4	14	0.1	0.4	0.1	74	0.49	1.5	2.2	2.0	18.3	10
1887630	Drill Core	1.85	388	<0.005	<0.01	<0.17	36.96	0.3	1.7	34.9	22	0.2	0.5	0.2	71	0.54	2.5	2.7	<0.5	18.5	10
1887631	Drill Core	1.38	353	0.019	0.02	<0.17	33.07	1.8	2.4	32.7	69	0.1	1.3	0.9	124	0.70	4.4	3.1	0.9	15.1	14
1887632	Drill Core	2.12	396	<0.005	<0.01	<0.17	38.64	2.8	1.2	56.7	61	0.2	0.5	0.4	67	0.65	3.2	3.9	1.0	20.5	19
1887633	Drill Core	3.10	479	<0.005	0.02	0.20	34.62	0.7	1.9	88.7	58	0.2	0.3	0.3	45	0.50	3.5	3.9	0.5	17.9	11
1887634	Drill Core	2.07	398	0.012	0.01	<0.17	31.52	0.8	2.4	83.6	74	0.2	0.5	0.4	69	0.75	9.4	2.6	2.6	17.1	14
1887635	Drill Core	2.02	399	<0.005	<0.01	<0.17	27.40	0.6	1.6	87.2	51	0.2	0.4	0.2	76	0.51	3.3	2.5	1.2	18.7	12



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1887621	Drill Core	0.1	0.3	<0.1	4	0.77	0.031	29	5	0.14	170	0.002	<1	0.51	0.027	0.37	<0.1	<0.01	1.1	0.1	0.92
1887622	Drill Core	0.3	0.2	<0.1	8	0.80	0.051	23	12	0.36	91	0.003	<1	0.66	0.038	0.35	<0.1	0.01	1.9	0.1	1.75
1887623	Drill Core	0.4	0.2	0.3	4	0.55	0.054	21	6	0.12	119	0.003	<1	0.58	0.025	0.44	0.1	0.01	1.2	0.1	1.38
1887624	Drill Core	0.5	0.1	<0.1	2	0.83	0.024	23	3	0.14	476	0.001	<1	0.44	0.013	0.35	0.2	0.03	0.8	0.1	0.31
1887625	Drill Core	0.1	0.1	<0.1	1	0.58	0.015	40	3	0.18	576	0.001	<1	0.51	0.009	0.38	0.1	0.03	1.1	0.1	0.19
1887626	Drill Core	0.4	0.5	0.4	2	0.33	0.023	38	3	0.24	314	0.002	<1	0.54	0.008	0.39	0.1	0.02	0.9	0.1	0.21
1887627	Drill Core	0.1	0.2	0.3	<1	0.11	0.002	46	1	0.08	268	<0.001	<1	0.37	0.031	0.33	<0.1	0.01	0.7	<0.1	0.06
1887628	Drill Core	0.6	0.3	0.3	<1	0.15	0.002	49	1	0.06	355	<0.001	<1	0.35	0.036	0.32	<0.1	0.01	0.7	<0.1	0.08
1887629	Drill Core	0.8	<0.1	0.1	<1	0.08	0.002	45	2	0.07	264	<0.001	<1	0.38	0.025	0.36	<0.1	0.02	0.7	<0.1	0.05
1887630	Drill Core	0.6	0.2	0.2	<1	0.09	0.004	49	2	0.08	250	<0.001	<1	0.39	0.030	0.34	<0.1	0.02	0.9	<0.1	0.10
1887631	Drill Core	0.1	0.4	0.2	<1	0.14	0.015	38	4	0.16	218	<0.001	<1	0.45	0.002	0.38	0.1	<0.01	0.7	0.1	0.16
1887632	Drill Core	0.7	0.2	0.4	<1	0.05	0.003	51	2	0.16	213	<0.001	<1	0.49	0.009	0.39	0.2	0.03	0.6	0.1	0.18
1887633	Drill Core	0.7	0.3	<0.1	<1	0.01	0.002	35	1	0.10	229	<0.001	<1	0.40	0.015	0.34	0.1	0.03	0.6	<0.1	0.15
1887634	Drill Core	0.2	0.4	<0.1	<1	0.02	0.002	33	2	0.13	182	<0.001	<1	0.41	0.008	0.33	0.2	0.02	0.5	<0.1	0.28
1887635	Drill Core	0.3	0.2	<0.1	<1	0.01	0.002	44	2	0.16	169	<0.001	<1	0.42	0.008	0.35	0.2	<0.01	0.6	<0.1	<0.05



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000469.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887621	Drill Core	2	<0.5	<0.2
1887622	Drill Core	2	0.7	<0.2
1887623	Drill Core	2	<0.5	<0.2
1887624	Drill Core	1	<0.5	<0.2
1887625	Drill Core	2	<0.5	<0.2
1887626	Drill Core	2	<0.5	<0.2
1887627	Drill Core	1	<0.5	<0.2
1887628	Drill Core	1	<0.5	<0.2
1887629	Drill Core	1	<0.5	<0.2
1887630	Drill Core	1	<0.5	<0.2
1887631	Drill Core	1	<0.5	<0.2
1887632	Drill Core	1	<0.5	<0.2
1887633	Drill Core	1	<0.5	<0.2
1887634	Drill Core	1	<0.5	<0.2
1887635	Drill Core	2	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 07, 2021

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI20000469.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
1887508	Drill Core	2.35	455	<0.005	<0.01	<0.17	33.96	0.2	10.2	16.3	34	0.2	5.1	4.0	273	1.63	1.0	1.7	13.8	9.6	198
REP 1887508	QC							0.2	10.3	16.7	34	0.2	5.0	4.0	268	1.61	1.0	1.7	5.5	9.7	198
1887532	Drill Core	2.86	471	<0.005	<0.01	<0.17	34.81	0.7	10.4	15.4	60	0.2	17.0	7.3	402	2.45	0.8	2.6	<0.5	8.7	93
REP 1887532	QC							0.7	10.5	15.4	63	0.2	16.9	7.2	410	2.50	0.8	2.6	<0.5	8.4	93
REP 1887550	QC			<0.005																	
1887551	Drill Core	2.44	498	<0.005	<0.01	<0.17	31.85	0.8	11.9	15.8	67	0.2	36.0	11.2	523	1.87	1.0	2.2	0.8	12.6	121
REP 1887551	QC			<0.005																	
1887567	Drill Core	2.82	526	<0.005	<0.01	<0.17	27.88	<0.1	1.4	2.6	37	<0.1	1.4	1.0	161	0.79	<0.5	3.7	0.7	13.6	25
REP 1887567	QC							0.1	1.5	2.7	40	<0.1	1.4	1.0	173	0.85	<0.5	4.0	<0.5	14.7	26
1887602	Drill Core	2.80	477	0.010	<0.01	<0.17	31.37	0.4	14.5	11.3	55	0.5	9.6	7.9	437	2.02	20.7	1.8	9.4	9.4	66
REP 1887602	QC							0.4	15.0	11.2	55	0.5	9.3	7.0	441	2.04	21.3	1.8	8.1	9.5	65
1887622	Drill Core	2.96	354	0.007	<0.01	<0.17	23.66	1.3	16.4	12.8	40	0.3	11.4	7.5	398	2.32	2.4	3.2	1.4	11.6	51
REP 1887622	QC			<0.005																	
1887624	Drill Core	2.88	539	0.006	0.01	<0.17	36.79	0.4	5.2	82.4	60	0.2	2.3	3.3	275	0.79	2.8	4.5	0.7	12.6	36
REP 1887624	QC			<0.005																	
1887634	Drill Core	2.07	398	0.012	0.01	<0.17	31.52	0.8	2.4	83.6	74	0.2	0.5	0.4	69	0.75	9.4	2.6	2.6	17.1	14
REP 1887634	QC							0.8	2.4	82.1	75	0.2	0.4	0.4	71	0.74	9.4	2.6	2.4	16.8	15
Core Reject Duplicates																					
1887516	Drill Core	3.18	498	<0.005	<0.01	<0.17	30.68	0.7	8.3	19.6	53	0.3	5.3	5.0	221	1.66	6.1	3.2	0.6	12.2	39
DUP 1887516	QC		453	0.007	<0.01	<0.17	32.30	0.3	8.2	20.8	52	0.3	5.4	5.0	225	1.69	6.4	3.3	1.5	12.5	39
1887550	Drill Core	2.92	391	0.005	<0.01	<0.17	31.17	0.1	12.2	22.0	50	0.3	8.6	6.4	333	1.99	1.3	3.1	<0.5	12.4	64
DUP 1887550	QC		405	<0.005	<0.01	<0.17	27.44	0.2	12.9	20.1	48	0.3	8.2	5.8	323	1.89	1.0	3.0	0.8	12.0	63
1887584	Drill Core	2.99	471	0.015	0.01	<0.17	25.07	3.2	32.8	74.2	133	0.8	21.0	16.4	708	3.17	14.2	1.9	12.4	7.3	188
DUP 1887584	QC		480	0.015	0.01	<0.17	33.24	3.7	36.1	86.8	143	0.9	22.2	16.8	763	3.46	16.0	2.0	14.1	7.9	204
1887618	Drill Core	2.96	458	0.008	<0.01	<0.17	30.35	1.8	10.5	87.1	73	0.6	4.1	3.3	142	1.41	2.2	4.8	3.1	17.3	25
DUP 1887618	QC		498	0.007	<0.01	<0.17	29.18	1.7	10.0	84.6	61	0.6	3.9	3.2	130	1.25	2.0	4.1	2.0	15.8	23
Reference Materials																					
STD BVGEO01	Standard							11.1	4391.2	192.4	1786	2.7	158.6	26.7	723	3.85	131.1	3.7	234.4	14.6	57



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 07, 2021

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000469.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
1887508	Drill Core	0.2	0.2	<0.1	10	1.68	0.065	19	10	0.71	220	0.056	1	0.89	0.052	0.59	0.1	<0.01	3.8	0.2	0.13
REP 1887508	QC	0.2	0.2	<0.1	10	1.68	0.064	19	10	0.70	220	0.056	<1	0.87	0.048	0.58	0.1	<0.01	3.8	0.2	0.14
1887532	Drill Core	0.3	0.3	0.1	18	1.13	0.067	19	15	1.39	232	0.104	<1	1.58	0.022	0.29	0.2	<0.01	5.0	<0.1	<0.05
REP 1887532	QC	0.3	0.2	0.1	18	1.18	0.065	19	15	1.39	229	0.103	<1	1.57	0.022	0.30	0.2	<0.01	4.9	<0.1	<0.05
REP 1887550	QC																				
1887551	Drill Core	0.4	0.5	<0.1	22	2.69	0.026	39	79	2.04	150	0.002	<1	1.71	0.025	0.20	0.1	0.02	4.1	<0.1	<0.05
REP 1887551	QC																				
1887567	Drill Core	0.1	<0.1	<0.1	<1	0.32	0.007	27	2	0.50	659	0.001	<1	0.57	0.028	0.27	0.1	0.01	1.0	<0.1	0.27
REP 1887567	QC	0.1	<0.1	<0.1	<1	0.33	0.007	30	2	0.56	610	0.002	<1	0.66	0.030	0.30	0.1	0.01	1.1	<0.1	0.28
1887602	Drill Core	0.3	1.8	<0.1	11	1.30	0.063	26	23	0.40	103	0.020	<1	0.79	0.038	0.35	0.3	0.06	3.3	0.1	1.36
REP 1887602	QC	0.3	2.0	<0.1	11	1.29	0.066	26	22	0.40	116	0.021	<1	0.78	0.037	0.35	0.3	0.06	3.1	0.1	1.33
1887622	Drill Core	0.3	0.2	<0.1	8	0.80	0.051	23	12	0.36	91	0.003	<1	0.66	0.038	0.35	<0.1	0.01	1.9	0.1	1.75
REP 1887622	QC																				
1887624	Drill Core	0.5	0.1	<0.1	2	0.83	0.024	23	3	0.14	476	0.001	<1	0.44	0.013	0.35	0.2	0.03	0.8	0.1	0.31
REP 1887624	QC																				
1887634	Drill Core	0.2	0.4	<0.1	<1	0.02	0.002	33	2	0.13	182	<0.001	<1	0.41	0.008	0.33	0.2	0.02	0.5	<0.1	0.28
REP 1887634	QC	0.2	0.5	<0.1	<1	0.02	0.002	33	2	0.13	182	<0.001	<1	0.40	0.008	0.32	0.2	0.01	0.5	<0.1	0.27
Core Reject Duplicates																					
1887516	Drill Core	0.4	0.9	<0.1	11	0.45	0.038	24	11	0.81	206	0.071	<1	0.90	0.035	0.41	0.3	0.02	4.3	0.2	0.65
DUP 1887516	QC	0.4	0.8	<0.1	11	0.44	0.037	23	11	0.79	192	0.070	<1	0.87	0.036	0.39	0.3	0.01	4.3	0.2	0.66
1887550	Drill Core	0.2	2.3	0.2	10	0.97	0.058	36	12	0.94	220	0.003	<1	1.11	0.020	0.31	0.2	<0.01	2.6	<0.1	0.11
DUP 1887550	QC	0.3	2.2	0.2	10	0.95	0.053	36	11	0.92	205	0.003	<1	1.05	0.019	0.29	0.1	<0.01	2.5	0.1	0.09
1887584	Drill Core	0.7	2.1	0.1	22	1.36	0.046	5	108	2.12	125	0.053	1	1.61	0.009	0.40	0.6	0.06	3.9	0.2	1.58
DUP 1887584	QC	0.7	2.7	0.1	22	1.44	0.049	6	114	2.27	138	0.060	1	1.69	0.009	0.39	0.7	0.06	4.1	0.3	1.73
1887618	Drill Core	0.7	0.5	0.3	2	0.41	0.023	26	4	0.10	103	0.002	<1	0.46	0.026	0.35	<0.1	0.01	0.9	0.1	1.10
DUP 1887618	QC	0.4	0.5	0.2	2	0.39	0.021	23	3	0.09	127	0.001	<1	0.40	0.021	0.33	<0.1	0.01	0.7	0.1	1.01
Reference Materials																					
STD BVGEO01	Standard	6.8	3.2	26.5	72	1.33	0.077	26	190	1.34	292	0.222	4	2.34	0.200	0.93	5.5	0.11	6.1	0.7	0.66



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000469.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
1887508	Drill Core	3	<0.5	<0.2
REP 1887508	QC	3	<0.5	<0.2
1887532	Drill Core	6	<0.5	<0.2
REP 1887532	QC	6	<0.5	<0.2
REP 1887550	QC			
1887551	Drill Core	6	<0.5	<0.2
REP 1887551	QC			
1887567	Drill Core	2	<0.5	<0.2
REP 1887567	QC	2	<0.5	<0.2
1887602	Drill Core	3	0.6	<0.2
REP 1887602	QC	3	<0.5	<0.2
1887622	Drill Core	2	0.7	<0.2
REP 1887622	QC			
1887624	Drill Core	1	<0.5	<0.2
REP 1887624	QC			
1887634	Drill Core	1	<0.5	<0.2
REP 1887634	QC	1	<0.5	<0.2
Core Reject Duplicates				
1887516	Drill Core	4	<0.5	<0.2
DUP 1887516	QC	4	0.5	<0.2
1887550	Drill Core	4	<0.5	<0.2
DUP 1887550	QC	4	<0.5	<0.2
1887584	Drill Core	4	0.8	<0.2
DUP 1887584	QC	4	1.0	<0.2
1887618	Drill Core	1	<0.5	<0.2
DUP 1887618	QC	1	<0.5	<0.2
Reference Materials				
STD BVGE001	Standard	8	4.7	1.0



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI20000469.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD BVGE001	Standard							11.3	4410.5	204.9	1766	2.7	160.5	25.9	704	3.74	119.3	4.0	222.3	15.3	53
STD DS11	Standard							17.1	145.0	146.0	354	1.8	78.3	13.7	1059	3.27	45.9	3.0	68.9	8.8	69
STD DS11	Standard							14.8	133.7	143.3	333	1.8	80.9	14.6	1020	3.05	47.4	2.6	80.5	7.8	68
STD DS11	Standard							14.9	151.6	130.8	339	1.7	79.9	13.3	1034	3.12	40.1	2.4	74.0	7.1	66
STD OREAS262	Standard							0.6	113.6	59.2	156	0.5	64.6	29.1	546	3.38	41.1	1.2	64.1	9.5	37
STD OREAS262	Standard							0.7	111.9	60.9	157	0.5	69.0	30.1	540	3.35	36.9	1.3	62.7	10.0	35
STD OREAS262	Standard							0.7	114.0	61.9	155	0.4	67.5	30.0	542	3.34	37.1	1.3	61.0	9.5	36
STD OREAS262	Standard							0.7	107.2	59.9	152	0.5	66.9	29.8	556	3.25	38.6	1.3	77.0	9.9	36
STD OREAS262	Standard							0.6	112.5	52.0	141	0.4	63.3	26.0	535	3.24	34.1	1.1	57.2	8.4	34
STD OXB130	Standard			0.128																	
STD OXB130	Standard			0.128																	
STD OXB130	Standard			0.127																	
STD OXG141	Standard			0.949																	
STD OXG141	Standard			0.953																	
STD OXG141	Standard			0.937																	
STD OXN155	Standard			7.864																	
STD OXN155	Standard			7.433																	
STD OXN155	Standard			7.666																	
STD OXP116	Standard					15.06	30.15														
STD OXP116	Standard					15.24	30.11														
STD OXP116	Standard					15.16	30.01														
STD OXP116	Standard					15.14	30.18														
STD OXP154	Standard					15.41	30.18														
STD OXP154	Standard					15.12	30.02														
STD OXP154	Standard					15.31	30.24														
STD OXP154	Standard					15.44	29.98														
STD BVGE001 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000469.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD BVGEO01	Standard	6.8	4.1	26.2	72	1.29	0.074	27	189	1.30	334	0.227	4	2.27	0.191	0.91	6.3	0.09	5.9	0.6	0.62
STD DS11	Standard	2.5	8.4	12.7	50	1.13	0.073	21	71	0.90	419	0.111	7	1.26	0.081	0.42	3.2	0.28	3.6	5.4	0.28
STD DS11	Standard	2.6	9.0	11.9	46	1.02	0.069	18	62	0.83	370	0.087	7	1.13	0.072	0.39	3.0	0.27	3.3	5.0	0.27
STD DS11	Standard	2.1	7.9	10.0	51	1.07	0.067	17	62	0.85	343	0.094	6	1.19	0.078	0.40	2.8	0.25	3.1	4.9	0.28
STD OREAS262	Standard	0.7	4.5	1.1	21	2.95	0.041	16	45	1.23	266	0.003	5	1.32	0.072	0.31	0.2	0.17	3.3	0.5	0.27
STD OREAS262	Standard	0.5	4.4	1.0	22	2.89	0.040	18	48	1.20	251	0.003	4	1.36	0.071	0.33	0.2	0.16	3.5	0.5	0.25
STD OREAS262	Standard	0.7	4.8	1.0	22	2.88	0.038	18	49	1.20	265	0.003	3	1.38	0.072	0.32	0.2	0.18	3.3	0.5	0.25
STD OREAS262	Standard	0.8	6.1	1.1	21	3.04	0.040	17	47	1.18	261	0.003	4	1.42	0.067	0.31	0.2	0.17	3.5	0.5	0.25
STD OREAS262	Standard	0.6	4.5	0.9	22	2.86	0.037	15	44	1.20	230	0.002	4	1.38	0.070	0.31	0.2	0.16	3.1	0.4	0.27
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000469.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD BVGE001	Standard	7	5.8	1.1
STD DS11	Standard	5	2.3	4.7
STD DS11	Standard	5	2.8	4.5
STD DS11	Standard	5	2.1	4.6
STD OREAS262	Standard	4	0.6	<0.2
STD OREAS262	Standard	4	0.6	0.2
STD OREAS262	Standard	4	0.6	0.3
STD OREAS262	Standard	4	<0.5	0.3
STD OREAS262	Standard	4	<0.5	0.2
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD BVGE001 Expected		7.37	4.84	1.02
STD DS11 Expected		5.1	2.2	4.56
STD OREAS262 Expected		4.1	0.4	0.23



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000469.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXP116 Expected		14.92																			
STD OXP154 Expected		15.26																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.1 <0.5 <0.1 <1																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.1 <0.5 <0.1 <1																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.1 <0.5 <0.1 <1																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.1 <0.5 <0.1 <1																			
BLK	Blank	0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	0.006																			
BLK	Blank	0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	393	0.006	<0.01	<0.17	21.81	0.9	2.8	2.1	29	<0.1	1.4	3.8	424	1.92	1.4	0.4	0.7	2.4	24	
ROCK-WHI	Prep Blank	449	<0.005	<0.01	<0.17	26.56	0.8	1.2	1.9	27	<0.1	0.9	3.5	425	1.85	1.1	0.4	<0.5	2.5	24	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000469.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05
STD OXP116 Expected																				
STD OXP154 Expected																				
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	0.1	<0.1	<0.1	22	0.61	0.036	7	5	0.41	67	0.078	2	0.89	0.096	0.08	<0.1	<0.01	3.0	<0.1
ROCK-WHI	Prep Blank	0.1	<0.1	<0.1	21	0.59	0.037	7	4	0.41	68	0.073	2	0.90	0.105	0.10	<0.1	<0.01	3.1	<0.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000469.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXP116 Expected				
STD OXP154 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2