



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 28, 2020
Analysis Start: December 01, 2020
Report Date: January 07, 2021
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000471.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-19
P.O. Number
Number of Samples: 51

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	49	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	1	Sort, label and box pulps			WHI
FS631	51	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	51	Analysis sample split/packet			VAN
Split -150	51	Analysis sample split/packet			VAN
EN002	51	Environmental disposal charge-Fire assay lead waste			VAN
FS631	50	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	51	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	51	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000471.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1814623	Drill Core	1.77	402	0.008	<0.01	<0.17	29.96	0.7	14.6	7.3	56	0.3	6.0	5.7	319	1.44	14.1	5.2	6.5	15.4	9
1814624	Drill Core	2.83	397	0.006	<0.01	<0.17	24.96	0.8	7.8	16.8	35	0.2	2.6	3.6	184	1.13	0.6	2.7	3.3	14.5	32
1814625	Drill Core	2.74	521	0.008	<0.01	<0.17	27.79	0.8	20.6	25.3	100	0.4	7.2	6.2	439	2.05	1.1	2.4	3.8	11.4	46
1814626	Drill Core	2.23	454	0.006	<0.01	<0.17	30.78	1.2	20.7	36.7	107	0.5	7.1	5.9	425	2.11	2.3	2.4	0.6	12.1	9
1814627	Drill Core	2.44	431	0.007	<0.01	<0.17	25.00	1.5	17.3	22.4	80	0.5	9.3	6.4	339	1.70	2.7	4.0	4.8	13.6	30
1814628	Drill Core	2.32	467	0.011	0.01	<0.17	29.01	1.5	15.3	34.7	75	0.4	12.7	8.0	443	1.67	2.0	2.4	4.2	13.5	18
1814629	Drill Core	2.14	482	0.008	<0.01	<0.17	26.28	0.9	17.2	23.7	76	0.6	10.6	7.3	347	2.23	8.2	5.4	4.5	14.1	14
1814630	Drill Core	1.79	358	0.007	<0.01	<0.17	26.03	0.4	16.6	7.7	46	0.3	5.7	3.1	270	1.38	6.4	2.5	2.3	12.7	8
1814631	Drill Core	2.62	371	0.009	<0.01	<0.17	29.19	0.6	11.4	33.4	34	0.4	4.5	2.6	187	1.10	4.0	2.7	10.9	13.4	14
1814632	Drill Core	2.24	458	0.013	0.01	<0.17	26.38	0.5	12.2	25.9	46	0.3	7.2	4.5	180	1.41	5.5	3.1	1.7	14.1	14
1814633	Drill Core	3.03	464	0.010	<0.01	<0.17	23.46	0.9	8.6	12.2	36	0.3	5.8	2.5	320	1.55	41.6	2.4	7.2	15.5	34
1814634	Drill Core	2.64	468	0.008	<0.01	<0.17	28.76	0.8	10.5	21.1	47	0.3	6.0	3.2	318	1.46	34.5	2.0	4.1	15.4	23
1814635	Drill Core	2.68	441	0.006	<0.01	<0.17	22.88	0.3	8.7	4.6	34	0.2	5.2	3.9	200	1.23	12.0	2.6	5.5	16.7	7
1814636	Drill Core	2.35	435	0.010	<0.01	<0.17	28.73	0.4	17.3	22.4	48	0.3	5.6	2.9	328	1.39	12.9	3.0	2.0	13.9	39
1814637	Drill Core	2.84	533	0.222	0.29	1.27	36.23	1.2	21.1	11.8	39	0.5	5.4	4.0	165	1.06	5.7	3.7	296.8	15.6	18
1814638	Drill Core	2.01	457	0.268	0.34	1.51	25.22	0.6	22.7	17.1	110	0.6	12.7	9.1	506	2.33	12.5	2.0	441.5	12.7	21
1814639	Drill Core	2.53	386	0.012	0.01	<0.17	27.99	1.0	33.8	44.8	124	0.5	22.6	16.3	807	3.09	6.9	1.3	14.0	7.7	73
1814640	Rock Pulp	0.12	81	<0.005				4.0	20.8	0.9	31	<0.1	6.9	4.0	579	2.40	1.7	0.4	<0.5	2.2	32
1814641	Drill Core	2.85	490	0.010	<0.01	<0.17	24.96	1.1	24.5	13.8	96	0.3	16.1	12.0	626	2.62	3.6	1.3	5.6	9.1	77
1814642	Drill Core	1.75	396	0.013	0.01	<0.17	29.09	1.2	23.4	14.4	86	0.4	12.4	9.6	450	2.20	3.7	2.5	4.5	8.9	39
1814643	Drill Core	2.03	448	0.016	0.02	<0.17	22.99	1.4	36.1	22.6	75	0.6	8.3	5.7	327	1.84	3.8	2.6	3.2	9.8	28
1814644	Drill Core	2.32	497	0.054	0.07	0.25	36.45	1.2	22.5	51.0	70	0.6	8.0	5.8	402	2.01	8.1	3.6	32.2	11.1	68
1814645	Drill Core	2.68	471	0.058	0.10	0.60	33.53	0.4	26.6	7.5	47	0.4	8.8	8.0	696	2.02	2.7	1.3	68.0	9.3	56
1814646	Drill Core	2.23	446	0.046	0.04	<0.17	34.84	1.8	19.1	37.1	54	0.5	10.5	8.0	453	2.11	2.0	1.8	57.1	10.5	40
1814647	Drill Core	2.98	446	0.015	0.01	<0.17	31.36	0.5	25.7	5.8	46	0.4	8.5	7.7	649	1.80	1.3	1.4	7.8	8.8	45
1814648	Drill Core	2.83	450	0.010	<0.01	<0.17	28.30	1.6	37.6	23.8	71	0.5	9.8	7.1	647	2.06	1.4	1.8	6.1	8.7	42
1814649	Drill Core	2.47	532	0.008	<0.01	<0.17	34.55	1.1	23.2	14.1	54	0.4	11.9	9.0	608	2.14	3.0	1.9	3.8	9.0	45
1814650	Drill Core	3.03	494	0.006	<0.01	<0.17	33.46	0.4	13.0	9.0	56	0.3	8.8	6.0	330	1.67	4.2	2.4	3.7	10.0	20
1814651	Drill Core	2.10	460	0.012	0.01	<0.17	28.42	0.5	17.9	12.2	71	0.3	11.8	8.1	610	2.21	3.7	2.2	3.9	9.4	48
1814652	Drill Core	2.91	436	0.006	<0.01	<0.17	23.94	0.6	8.1	5.6	40	0.3	8.3	5.8	360	1.75	19.1	2.5	1.8	11.9	35



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000471.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1814623	Drill Core	0.7	0.8	<0.1	6	0.13	0.041	23	13	0.60	298	0.008	2	0.82	0.026	0.27	0.1	<0.01	1.2	0.1	0.09			
1814624	Drill Core	0.3	0.4	<0.1	3	0.24	0.032	17	6	0.51	586	0.016	<1	0.70	0.027	0.36	0.1	<0.01	1.1	0.1	0.29			
1814625	Drill Core	0.4	0.4	<0.1	14	0.18	0.053	16	58	1.71	833	0.023	2	1.50	0.021	0.31	<0.1	<0.01	2.4	0.1	0.23			
1814626	Drill Core	0.4	1.0	0.1	14	0.11	0.044	18	60	1.60	272	0.004	1	1.43	0.022	0.24	<0.1	<0.01	2.3	0.1	0.10			
1814627	Drill Core	0.6	0.6	0.1	9	0.14	0.044	23	42	0.83	912	0.007	1	1.04	0.023	0.31	<0.1	<0.01	1.8	0.2	<0.05			
1814628	Drill Core	0.5	0.4	0.2	11	0.16	0.042	23	50	0.90	528	0.006	1	1.06	0.020	0.34	<0.1	<0.01	1.7	0.2	<0.05			
1814629	Drill Core	0.4	0.6	0.3	13	0.14	0.051	26	76	0.96	244	0.007	<1	1.23	0.023	0.34	0.1	0.02	2.3	0.2	<0.05			
1814630	Drill Core	0.1	0.4	<0.1	7	0.08	0.038	24	20	0.67	188	0.002	<1	0.87	0.025	0.29	<0.1	<0.01	1.3	0.1	<0.05			
1814631	Drill Core	0.1	0.4	0.2	4	0.07	0.034	29	6	0.44	202	0.003	1	0.71	0.023	0.34	0.1	0.02	0.8	0.1	<0.05			
1814632	Drill Core	0.2	0.4	<0.1	7	0.09	0.041	23	32	0.61	266	0.005	<1	0.86	0.017	0.37	0.1	0.02	1.4	0.2	<0.05			
1814633	Drill Core	<0.1	0.9	<0.1	6	0.07	0.045	36	17	0.75	694	0.003	<1	0.91	0.025	0.31	0.1	<0.01	1.2	0.2	0.05			
1814634	Drill Core	0.1	1.0	0.2	5	0.07	0.032	31	9	0.78	200	0.003	<1	0.93	0.042	0.26	<0.1	<0.01	1.5	0.1	0.19			
1814635	Drill Core	0.1	0.3	<0.1	4	0.08	0.038	24	6	0.53	275	0.004	<1	0.83	0.033	0.35	<0.1	<0.01	1.0	0.1	0.28			
1814636	Drill Core	0.2	0.4	<0.1	4	0.07	0.033	25	8	0.62	1565	0.003	<1	0.81	0.027	0.29	<0.1	<0.01	1.1	0.1	0.10			
1814637	Drill Core	0.2	0.9	<0.1	4	0.08	0.036	28	7	0.37	576	0.011	<1	0.69	0.031	0.37	0.2	0.02	1.4	0.2	0.21			
1814638	Drill Core	0.5	0.7	0.1	20	0.18	0.045	18	77	1.46	496	0.056	<1	1.24	0.029	0.28	0.4	<0.01	4.8	0.2	0.24			
1814639	Drill Core	1.0	1.2	0.2	28	0.91	0.073	5	132	2.26	150	0.050	1	1.53	0.015	0.51	0.2	<0.01	5.0	0.5	1.05			
1814640	Rock Pulp	<0.1	0.1	<0.1	22	0.78	0.041	6	15	0.50	63	0.074	1	1.02	0.068	0.08	0.3	<0.01	2.8	<0.1	<0.05			
1814641	Drill Core	0.4	1.4	<0.1	19	0.77	0.060	8	79	1.78	213	0.038	2	1.38	0.018	0.46	0.2	<0.01	3.4	0.3	0.84			
1814642	Drill Core	0.6	1.7	<0.1	10	0.27	0.056	9	42	1.15	541	0.014	<1	1.07	0.013	0.42	0.1	0.01	2.0	0.3	0.32			
1814643	Drill Core	0.4	1.7	<0.1	8	0.19	0.039	17	12	0.93	262	0.016	<1	1.11	0.020	0.38	0.3	<0.01	2.1	0.2	0.14			
1814644	Drill Core	0.4	1.4	0.2	10	0.57	0.045	14	27	1.26	227	0.015	2	1.23	0.015	0.36	0.3	0.01	2.1	0.2	0.54			
1814645	Drill Core	0.4	0.9	<0.1	8	1.31	0.061	11	17	0.70	164	0.006	<1	0.87	0.010	0.38	0.2	0.02	1.8	0.2	1.03			
1814646	Drill Core	0.4	0.9	0.2	7	0.98	0.051	9	18	0.63	129	0.008	<1	0.83	0.018	0.35	0.2	0.04	1.5	0.1	1.36			
1814647	Drill Core	0.4	0.8	<0.1	6	1.56	0.058	10	11	0.55	181	0.013	<1	0.77	0.020	0.38	0.3	0.03	1.5	0.1	1.07			
1814648	Drill Core	0.4	1.2	<0.1	9	1.31	0.064	10	28	0.70	132	0.026	<1	0.81	0.020	0.31	0.3	0.01	1.9	0.1	1.23			
1814649	Drill Core	0.4	1.6	<0.1	8	1.27	0.064	10	21	0.63	130	0.047	1	0.82	0.022	0.37	0.6	0.01	1.6	0.1	1.39			
1814650	Drill Core	0.2	1.1	<0.1	8	0.28	0.044	16	15	0.71	169	0.027	<1	0.97	0.025	0.31	0.4	<0.01	1.6	0.1	0.41			
1814651	Drill Core	0.3	0.9	<0.1	9	0.72	0.057	18	22	0.97	162	0.015	1	1.25	0.013	0.42	0.4	<0.01	2.3	0.3	0.43			
1814652	Drill Core	0.2	0.8	<0.1	6	0.53	0.048	25	13	0.66	163	0.003	<1	0.91	0.017	0.34	0.1	<0.01	1.6	0.1	0.73			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000471.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1814623	Drill Core	3	<0.5	<0.2
1814624	Drill Core	2	<0.5	<0.2
1814625	Drill Core	5	<0.5	<0.2
1814626	Drill Core	5	<0.5	<0.2
1814627	Drill Core	3	<0.5	<0.2
1814628	Drill Core	4	<0.5	<0.2
1814629	Drill Core	4	<0.5	<0.2
1814630	Drill Core	3	<0.5	<0.2
1814631	Drill Core	2	<0.5	<0.2
1814632	Drill Core	3	<0.5	<0.2
1814633	Drill Core	3	<0.5	<0.2
1814634	Drill Core	3	<0.5	<0.2
1814635	Drill Core	3	<0.5	<0.2
1814636	Drill Core	3	<0.5	<0.2
1814637	Drill Core	2	<0.5	<0.2
1814638	Drill Core	5	<0.5	<0.2
1814639	Drill Core	4	1.0	<0.2
1814640	Rock Pulp	4	<0.5	<0.2
1814641	Drill Core	4	0.8	<0.2
1814642	Drill Core	3	<0.5	<0.2
1814643	Drill Core	3	<0.5	<0.2
1814644	Drill Core	3	<0.5	<0.2
1814645	Drill Core	2	0.6	<0.2
1814646	Drill Core	2	0.8	<0.2
1814647	Drill Core	2	0.6	<0.2
1814648	Drill Core	2	<0.5	<0.2
1814649	Drill Core	2	0.7	<0.2
1814650	Drill Core	3	<0.5	<0.2
1814651	Drill Core	3	0.7	<0.2
1814652	Drill Core	3	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 3 of 3 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000471.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1814653	Drill Core	2.83	547	0.009	<0.01	<0.17	33.34	0.6	5.1	6.0	33	0.3	8.1	5.6	421	1.45	43.6	1.9	4.1	11.0	47
1814654	Drill Core	2.87	466	0.023	0.02	<0.17	25.96	1.2	3.0	6.2	42	0.6	13.3	8.3	725	2.23	62.3	1.7	15.7	9.6	71
1814655	Drill Core	2.87	452	0.019	0.02	<0.17	30.69	0.5	15.5	15.1	84	0.6	14.3	7.8	747	2.39	68.9	1.9	14.2	10.7	78
1814656	Drill Core	2.53	447	1.848	2.76	18.49	24.39	0.6	16.7	115.1	185	1.6	11.6	7.0	704	2.53	57.9	2.3	2577.3	9.9	70
1814657	Drill Core	2.52	546	0.037	0.04	<0.17	35.52	0.2	9.4	82.6	48	0.6	9.7	3.5	456	1.37	43.0	1.9	35.5	11.6	40
1814658	Drill Core	2.97	506	0.066	0.08	0.21	33.71	0.4	4.0	176.0	39	1.3	14.5	4.7	793	2.12	155.4	1.6	57.6	9.8	63
1814659	Drill Core	3.01	372	0.026	0.02	<0.17	33.45	0.2	24.2	83.1	125	0.9	14.1	6.2	706	2.29	113.4	2.6	27.3	13.4	44
1814660	Core DUP		452	0.024	0.02	<0.17	27.28	0.2	22.7	80.6	118	0.9	13.8	6.3	697	2.23	111.0	2.6	27.4	13.4	43
1814661	Drill Core	1.00	428	0.021	0.02	<0.17	34.70	0.2	11.5	33.4	91	0.7	11.4	5.7	622	2.01	59.0	2.2	21.6	16.0	57
1814662	Drill Core	1.02	545	0.013	0.01	<0.17	36.15	0.3	6.7	15.0	33	0.4	7.1	4.3	440	1.31	25.8	2.1	13.2	12.6	42
1814663	Drill Core	1.00	448	0.007	<0.01	<0.17	30.85	1.2	20.2	35.1	23	1.1	8.4	6.3	324	1.76	1.2	3.0	2.9	9.6	38
1814664	Drill Core	1.00	392	0.005	<0.01	<0.17	31.39	1.4	13.7	41.0	29	0.9	8.7	6.0	187	1.95	1.4	2.5	2.2	10.8	24
1814665	Drill Core	1.00	482	0.022	0.02	<0.17	30.15	3.1	44.6	115.6	32	1.9	8.7	5.8	216	1.97	4.0	2.4	12.9	10.2	25
1814666	Drill Core	1.01	473	0.019	0.02	<0.17	36.53	3.4	65.9	70.9	15	4.4	7.5	5.2	249	1.72	2.0	2.0	15.8	9.8	49
1814667	Drill Core	1.01	416	0.009	<0.01	<0.17	28.02	1.4	14.8	53.0	28	0.5	7.2	6.0	249	1.67	3.8	2.4	4.2	10.3	35
1814668	Drill Core	1.01	454	0.013	0.01	<0.17	29.29	1.1	3.6	10.7	9	0.3	7.6	6.5	96	1.38	6.7	1.8	5.4	11.2	12
1814669	Drill Core	1.01	495	0.006	<0.01	<0.17	29.63	1.4	2.8	11.3	18	0.2	4.9	4.0	476	1.48	9.5	2.4	2.9	12.5	39
1814670	Drill Core	1.01	380	0.007	<0.01	<0.17	30.19	0.4	4.0	23.2	19	0.2	2.5	2.7	187	0.90	7.7	3.3	2.6	14.3	13
1814671	Drill Core	1.01	467	0.005	<0.01	<0.17	42.86	0.6	2.8	16.2	13	0.2	1.2	1.4	94	0.63	6.6	2.5	1.1	15.8	4
1814672	Drill Core	1.01	392	<0.005	<0.01	<0.17	41.01	1.6	3.9	43.2	11	0.2	0.5	0.4	65	0.64	1.8	3.7	<0.5	19.3	18
1814673	Drill Core	1.88	439	<0.005	<0.01	<0.17	45.92	2.1	0.9	21.4	7	0.2	0.4	0.4	97	0.53	5.9	5.4	1.5	19.3	8



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000471.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1814653	Drill Core	0.2	1.0	<0.1	5	0.87	0.046	21	12	0.61	164	0.003	<1	0.85	0.019	0.37	0.1	<0.01	1.2	0.2	0.82
1814654	Drill Core	0.3	1.8	<0.1	8	1.36	0.062	28	19	1.03	141	0.003	<1	1.14	0.011	0.34	0.1	0.01	1.6	0.3	1.36
1814655	Drill Core	0.9	2.2	<0.1	13	1.62	0.072	29	30	0.96	84	0.003	<1	0.96	0.026	0.24	<0.1	0.03	2.6	0.2	1.58
1814656	Drill Core	2.5	2.6	<0.1	19	1.44	0.044	29	41	0.97	80	0.004	1	0.83	0.058	0.05	0.1	0.04	4.7	<0.1	1.72
1814657	Drill Core	0.6	1.4	0.2	7	1.04	0.006	33	31	0.44	9	0.003	1	0.45	0.058	0.05	<0.1	0.03	2.5	<0.1	0.81
1814658	Drill Core	0.4	2.9	0.6	14	1.82	0.018	28	97	0.76	61	0.002	<1	0.75	0.041	0.08	<0.1	0.07	4.4	0.1	1.46
1814659	Drill Core	1.2	1.6	<0.1	15	1.17	0.007	38	49	0.80	25	0.003	<1	0.73	0.073	0.04	0.1	0.05	5.3	0.1	1.61
1814660	Core DUP	1.1	1.7	<0.1	15	1.16	0.007	36	49	0.79	22	0.003	<1	0.71	0.066	0.04	0.2	0.05	5.2	0.1	1.64
1814661	Drill Core	0.8	2.2	<0.1	16	1.59	0.023	44	43	0.65	59	0.004	<1	0.58	0.071	0.02	0.1	0.05	5.1	0.2	1.43
1814662	Drill Core	0.6	1.5	<0.1	6	1.03	0.029	30	21	0.28	168	0.003	<1	0.48	0.043	0.21	0.2	0.02	2.1	<0.1	0.74
1814663	Drill Core	0.6	1.2	<0.1	3	1.21	0.046	9	4	0.06	62	0.002	1	0.39	0.017	0.31	0.1	0.02	0.7	<0.1	1.78
1814664	Drill Core	0.6	0.8	0.1	3	0.60	0.044	10	5	0.07	64	0.002	1	0.40	0.031	0.30	0.1	0.01	0.6	<0.1	1.66
1814665	Drill Core	0.8	1.0	0.2	3	0.72	0.045	9	4	0.09	55	0.002	<1	0.38	0.015	0.29	0.4	0.02	0.6	0.1	1.71
1814666	Drill Core	0.4	1.4	0.2	2	0.89	0.038	7	4	0.08	62	0.002	<1	0.37	0.026	0.27	0.5	0.03	0.7	<0.1	1.58
1814667	Drill Core	0.7	0.3	<0.1	2	0.81	0.038	10	5	0.09	58	0.002	<1	0.44	0.026	0.34	0.2	0.02	1.2	0.1	1.38
1814668	Drill Core	0.1	0.1	0.1	3	0.23	0.052	19	5	0.08	87	0.002	<1	0.41	0.035	0.29	0.4	0.01	0.7	<0.1	1.09
1814669	Drill Core	0.2	0.2	0.1	2	0.75	0.025	16	4	0.37	166	0.001	<1	0.55	0.010	0.28	0.2	0.01	0.9	<0.1	0.82
1814670	Drill Core	0.3	0.2	<0.1	1	0.21	0.016	28	3	0.20	384	0.001	<1	0.46	0.019	0.31	0.2	0.01	0.7	<0.1	0.30
1814671	Drill Core	0.2	0.5	<0.1	<1	0.04	0.009	38	2	0.16	191	<0.001	<1	0.45	0.015	0.32	0.2	<0.01	0.7	<0.1	0.15
1814672	Drill Core	0.2	0.2	0.3	<1	0.11	0.002	43	2	0.09	660	0.001	<1	0.40	0.014	0.35	0.1	0.01	0.7	<0.1	0.23
1814673	Drill Core	0.2	0.1	0.1	<1	0.13	0.002	34	1	0.12	206	<0.001	1	0.45	0.014	0.36	<0.1	<0.01	0.5	<0.1	0.19



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000471.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1814653	Drill Core	2	<0.5	<0.2
1814654	Drill Core	3	0.6	<0.2
1814655	Drill Core	4	0.6	<0.2
1814656	Drill Core	3	<0.5	0.2
1814657	Drill Core	2	0.6	<0.2
1814658	Drill Core	3	<0.5	<0.2
1814659	Drill Core	3	<0.5	<0.2
1814660	Core DUP	3	0.6	<0.2
1814661	Drill Core	2	0.6	<0.2
1814662	Drill Core	1	<0.5	<0.2
1814663	Drill Core	<1	<0.5	<0.2
1814664	Drill Core	1	0.5	<0.2
1814665	Drill Core	<1	0.5	<0.2
1814666	Drill Core	<1	<0.5	<0.2
1814667	Drill Core	1	<0.5	<0.2
1814668	Drill Core	1	<0.5	<0.2
1814669	Drill Core	2	<0.5	<0.2
1814670	Drill Core	1	<0.5	<0.2
1814671	Drill Core	1	<0.5	<0.2
1814672	Drill Core	1	<0.5	<0.2
1814673	Drill Core	1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI20000471.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
1814627	Drill Core	2.44	431	0.007	<0.01	<0.17	25.00	1.5	17.3	22.4	80	0.5	9.3	6.4	339	1.70	2.7	4.0	4.8	13.6	30
REP 1814627	QC	0.010																			
1814650	Drill Core	3.03	494	0.006	<0.01	<0.17	33.46	0.4	13.0	9.0	56	0.3	8.8	6.0	330	1.67	4.2	2.4	3.7	10.0	20
REP 1814650	QC	0.008																			
1814652	Drill Core	2.91	436	0.006	<0.01	<0.17	23.94	0.6	8.1	5.6	40	0.3	8.3	5.8	360	1.75	19.1	2.5	1.8	11.9	35
REP 1814652	QC	0.5 7.6 5.7 39 0.3 8.4 5.8 360 1.74 19.4 2.6 1.0 12.6 34																			
1814666	Drill Core	1.01	473	0.019	0.02	<0.17	36.53	3.4	65.9	70.9	15	4.4	7.5	5.2	249	1.72	2.0	2.0	15.8	9.8	49
REP 1814666	QC	3.3 66.2 69.9 15 3.8 7.3 5.0 246 1.68 2.0 1.9 12.5 9.8 47																			
1814672	Drill Core	1.01	392	<0.005	<0.01	<0.17	41.01	1.6	3.9	43.2	11	0.2	0.5	0.4	65	0.64	1.8	3.7	<0.5	19.3	18
REP 1814672	QC	1.7 3.8 43.1 12 0.3 0.5 0.4 62 0.63 1.8 3.7 1.6 19.3 18																			
Core Reject Duplicates																					
1814630	Drill Core	1.79	358	0.007	<0.01	<0.17	26.03	0.4	16.6	7.7	46	0.3	5.7	3.1	270	1.38	6.4	2.5	2.3	12.7	8
DUP 1814630	QC	477 0.008 <0.01 <0.17 23.13 0.7 17.6 8.0 45 0.3 5.9 3.2 277 1.45 6.4 2.7 4.3 14.9 10																			
1814664	Drill Core	1.00	392	0.005	<0.01	<0.17	31.39	1.4	13.7	41.0	29	0.9	8.7	6.0	187	1.95	1.4	2.5	2.2	10.8	24
DUP 1814664	QC	517 0.008 <0.01 <0.17 35.26 1.5 16.1 57.2 27 1.0 8.8 6.0 165 1.85 1.4 2.5 3.1 10.9 23																			
Reference Materials																					
STD BVGEO01	Standard	11.3 4355.9 208.3 1733 2.7 158.8 26.4 739 3.65 123.5 4.1 233.9 15.7 56																			
STD DS11	Standard	13.7 147.9 143.7 350 1.8 77.0 12.8 1047 3.15 47.2 2.7 85.1 9.2 67																			
STD DS11	Standard	14.4 147.5 143.6 349 1.7 80.1 14.1 1006 3.15 43.3 2.6 66.8 8.9 65																			
STD OREAS262	Standard	0.7 110.3 63.6 156 0.5 68.3 30.1 547 3.21 39.2 1.4 71.0 10.3 37																			
STD OREAS262	Standard	0.7 127.7 61.4 169 0.5 68.6 28.2 572 3.44 38.5 1.3 76.3 10.8 40																			
STD OREAS262	Standard	0.7 115.0 57.8 150 0.5 65.9 28.1 526 3.35 36.8 1.2 63.1 10.1 35																			
STD OXB130	Standard	0.119																			
STD OXG141	Standard	0.912																			
STD OXN155	Standard	7.726																			
STD OXP116	Standard	15.09 30.02																			
STD OXP116	Standard	15.01 29.72																			
STD OXP154	Standard	15.30 30.14																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 07, 2021

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000471.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
1814627	Drill Core	0.6	0.6	0.1	9	0.14	0.044	23	42	0.83	912	0.007	1	1.04	0.023	0.31	<0.1	<0.01	1.8	0.2	<0.05
REP 1814627	QC																				
1814650	Drill Core	0.2	1.1	<0.1	8	0.28	0.044	16	15	0.71	169	0.027	<1	0.97	0.025	0.31	0.4	<0.01	1.6	0.1	0.41
REP 1814650	QC																				
1814652	Drill Core	0.2	0.8	<0.1	6	0.53	0.048	25	13	0.66	163	0.003	<1	0.91	0.017	0.34	0.1	<0.01	1.6	0.1	0.73
REP 1814652	QC	0.2	0.8	<0.1	5	0.53	0.048	25	13	0.65	157	0.002	<1	0.89	0.017	0.34	0.2	0.02	1.4	0.2	0.73
1814666	Drill Core	0.4	1.4	0.2	2	0.89	0.038	7	4	0.08	62	0.002	<1	0.37	0.026	0.27	0.5	0.03	0.7	<0.1	1.58
REP 1814666	QC	0.3	1.4	0.2	2	0.89	0.039	7	4	0.08	109	0.002	<1	0.35	0.026	0.27	0.4	0.03	0.6	<0.1	1.44
1814672	Drill Core	0.2	0.2	0.3	<1	0.11	0.002	43	2	0.09	660	0.001	<1	0.40	0.014	0.35	0.1	0.01	0.7	<0.1	0.23
REP 1814672	QC	0.3	0.2	0.3	<1	0.11	0.002	43	2	0.09	615	<0.001	<1	0.40	0.015	0.35	0.1	<0.01	0.6	<0.1	0.23
Core Reject Duplicates																					
1814630	Drill Core	0.1	0.4	<0.1	7	0.08	0.038	24	20	0.67	188	0.002	<1	0.87	0.025	0.29	<0.1	<0.01	1.3	0.1	<0.05
DUP 1814630	QC	0.2	0.4	<0.1	6	0.08	0.042	26	20	0.65	187	0.003	<1	0.82	0.023	0.26	0.1	<0.01	1.3	0.1	<0.05
1814664	Drill Core	0.6	0.8	0.1	3	0.60	0.044	10	5	0.07	64	0.002	1	0.40	0.031	0.30	0.1	0.01	0.6	<0.1	1.66
DUP 1814664	QC	0.6	1.7	0.1	3	0.58	0.046	11	4	0.07	79	0.002	<1	0.39	0.029	0.28	0.1	0.01	0.6	0.2	1.87
Reference Materials																					
STD BVGEO01	Standard	7.1	2.9	26.4	72	1.30	0.072	28	183	1.32	255	0.227	4	2.31	0.185	0.88	5.3	0.11	5.9	0.7	0.68
STD DS11	Standard	2.5	7.9	11.6	49	1.07	0.067	18	62	0.86	372	0.101	6	1.17	0.076	0.41	3.3	0.27	3.1	5.1	0.28
STD DS11	Standard	2.3	8.4	11.9	49	1.03	0.076	17	57	0.85	366	0.088	7	1.12	0.071	0.39	3.1	0.25	3.0	5.0	0.28
STD OREAS262	Standard	0.8	4.4	1.1	20	2.97	0.038	17	45	1.16	280	0.003	4	1.35	0.067	0.30	0.2	0.20	3.3	0.5	0.25
STD OREAS262	Standard	0.6	5.5	1.0	22	3.12	0.043	19	47	1.23	287	0.003	3	1.34	0.071	0.32	0.2	0.16	3.1	0.5	0.27
STD OREAS262	Standard	0.7	5.4	1.0	21	2.95	0.041	14	41	1.18	248	0.003	4	1.21	0.068	0.28	0.2	0.17	3.0	0.5	0.29
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000471.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
1814627	Drill Core	3	<0.5	<0.2
REP 1814627	QC			
1814650	Drill Core	3	<0.5	<0.2
REP 1814650	QC			
1814652	Drill Core	3	<0.5	<0.2
REP 1814652	QC	3	<0.5	<0.2
1814666	Drill Core	<1	<0.5	<0.2
REP 1814666	QC	<1	<0.5	<0.2
1814672	Drill Core	1	<0.5	<0.2
REP 1814672	QC	1	<0.5	<0.2
Core Reject Duplicates				
1814630	Drill Core	3	<0.5	<0.2
DUP 1814630	QC	3	<0.5	<0.2
1814664	Drill Core	1	0.5	<0.2
DUP 1814664	QC	1	0.6	<0.2
Reference Materials				
STD BVGEO01	Standard	8	4.9	1.1
STD DS11	Standard	5	2.2	4.9
STD DS11	Standard	5	2.3	4.3
STD OREAS262	Standard	4	<0.5	<0.2
STD OREAS262	Standard	4	0.7	<0.2
STD OREAS262	Standard	4	0.5	0.2
STD OXB130	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP154	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000471.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXP154	Standard					14.85	30.04														
STD BVGE001 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXP116 Expected						14.92															
STD OXP154 Expected						15.26															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		387	0.007	<0.01	<0.17	28.49	1.9	3.2	2.0	27	<0.1	1.2	3.6	436	1.97	1.9	0.6	4.7	2.6	26
ROCK-WHI	Prep Blank		450	0.006	<0.01	<0.17	29.36	1.1	3.0	1.3	25	<0.1	2.0	4.2	453	1.97	1.0	0.5	1.4	2.5	26



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000471.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OXP154	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
STD OXP116 Expected																					
STD OXP154 Expected																					
BLK	Blank	0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	0.2	<0.1	25	0.62	0.041	8	7	0.42	74	0.091	4	0.90	0.086	0.09	0.2	<0.01	2.6	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	27	0.68	0.040	7	8	0.49	64	0.097	1	0.99	0.094	0.10	0.2	<0.01	3.1	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 07, 2021

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000471.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXP154	Standard			
STD BVGE001 Expected		7.37	4.84	1.02
STD DS11 Expected		5.1	2.2	4.56
STD OREAS262 Expected		4.1	0.4	0.23
STD OXP116 Expected				
STD OXP154 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2