



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 28, 2020
Analysis Start: December 09, 2020
Report Date: January 14, 2021
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI20000473.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-19
P.O. Number
Number of Samples: 114

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	109	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	4	Sort, label and box pulps			WHI
FS631	114	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	114	Analysis sample split/packet			VAN
Split -150	114	Analysis sample split/packet			VAN
FS631	110	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	114	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	114	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000473.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1887715	Drill Core	2.48	485	<0.005	<0.01	<0.17	27.48	0.2	2.6	19.3	13	0.1	0.9	0.3	90	0.51	<0.5	2.1	1.4	13.7	58
1887716	Drill Core	2.04	491	0.009	<0.01	<0.17	32.99	0.1	1.9	11.6	13	<0.1	0.7	0.3	80	0.47	<0.5	2.3	1.0	16.3	52
1887717	Drill Core	1.14	477	0.007	<0.01	<0.17	27.98	0.2	2.0	19.6	22	<0.1	0.8	0.5	109	0.58	<0.5	2.6	1.1	16.2	64
1887718	Drill Core	2.58	520	0.005	<0.01	<0.17	23.94	0.4	10.0	62.9	33	0.4	0.6	0.4	130	0.61	<0.5	2.6	1.3	14.4	172
1887719	Drill Core	2.91	479	<0.005	<0.01	<0.17	32.97	0.2	2.5	16.3	28	0.1	0.7	0.5	113	0.64	<0.5	2.1	<0.5	14.0	432
1887720	Rock Pulp	0.12	79	0.559				6.9	117.5	84.5	147	0.7	12.4	5.2	602	2.65	40.6	0.4	513.9	2.1	36
1887721	Drill Core	3.10	394	<0.005	<0.01	<0.17	30.60	0.5	2.7	44.6	26	0.2	0.7	0.4	138	0.70	<0.5	3.0	3.3	16.7	106
1887722	Drill Core	3.13	463	<0.005	<0.01	<0.17	28.57	0.3	1.1	6.6	33	<0.1	0.6	0.5	125	0.69	<0.5	2.6	<0.5	17.0	7247
1887723	Drill Core	2.53	461	<0.005	<0.01	<0.17	33.04	0.3	1.9	14.6	29	<0.1	1.2	0.9	203	0.69	0.9	1.7	0.7	13.1	4246
1887724	Drill Core	2.26	488	<0.005	<0.01	<0.17	32.05	0.2	2.9	15.5	32	0.1	0.9	0.7	126	0.76	0.9	2.4	<0.5	13.0	86
1887725	Drill Core	2.82	421	0.074	0.09	0.26	30.46	0.2	7.1	42.8	33	0.4	2.7	0.8	223	0.81	1.0	2.1	141.1	11.3	108
1887726	Drill Core	3.13	478	0.007	<0.01	<0.17	24.92	1.8	8.4	31.7	52	0.3	7.2	3.8	263	1.33	1.6	3.4	4.7	14.7	33
1887727	Drill Core	2.43	492	0.064	0.06	<0.17	29.31	0.3	7.0	5.7	33	0.2	4.9	4.5	329	1.24	1.5	2.1	55.8	10.2	49
1887728	Drill Core	2.42	503	0.010	<0.01	<0.17	23.37	2.1	8.6	8.9	46	0.3	6.0	5.4	419	1.57	1.9	2.1	7.0	9.7	15
1887729	Drill Core	3.14	522	0.011	<0.01	<0.17	30.75	1.6	10.5	16.1	52	0.2	5.8	5.3	315	1.39	1.3	2.6	5.7	9.9	17
1887730	Drill Core	2.29	430	0.015	0.01	<0.17	22.16	2.5	33.1	149.2	171	0.8	14.2	8.5	384	3.24	1.4	4.0	10.3	5.9	34
1887731	Drill Core	2.59	526	0.320	0.37	1.45	24.17	1.6	26.3	28.1	150	0.5	19.1	16.7	766	3.04	2.4	0.9	162.8	5.0	24
1887732	Drill Core	2.57	493	0.015	0.01	<0.17	28.88	2.2	20.1	53.6	120	0.4	19.6	14.7	795	3.02	1.2	0.7	23.0	4.3	19
1887733	Drill Core	2.91	455	<0.005	<0.01	<0.17	26.23	1.9	18.5	54.1	96	0.5	18.0	14.6	772	2.82	1.4	0.7	7.3	4.8	21
1887734	Drill Core	2.70	538	0.010	<0.01	<0.17	32.29	1.6	14.7	13.8	66	0.8	10.4	7.6	527	1.95	1.8	1.6	6.6	8.0	27
1887735	Drill Core	3.02	498	0.167	0.19	0.54	27.55	1.0	11.4	12.4	26	0.5	2.1	1.7	144	1.53	3.0	2.5	93.8	10.9	76
1887736	Drill Core	1.79	408	0.128	0.18	0.84	28.69	2.1	20.0	24.6	78	1.2	10.1	7.9	368	2.01	3.5	1.1	48.3	6.8	22
1887737	Drill Core	2.64	505	0.027	0.05	0.37	29.77	1.2	26.3	34.0	73	1.0	7.1	4.8	440	1.90	8.3	2.6	16.2	8.8	48
1887738	Drill Core	2.23	455	0.425	0.53	2.35	24.66	0.7	35.9	54.8	99	1.2	8.1	6.6	388	2.46	5.0	3.1	439.1	7.7	12
1887739	Drill Core	2.20	425	0.014	0.01	<0.17	36.32	1.0	23.2	17.4	62	0.9	5.7	5.9	587	2.09	15.3	3.4	8.5	8.7	56
1887740	Rock Pulp	0.12	80	<0.005				4.2	21.3	1.0	32	<0.1	7.3	4.4	572	2.46	1.2	0.4	1.1	2.0	31
1887741	Drill Core	2.42	462	0.047	0.04	<0.17	35.77	2.3	41.5	161.6	121	1.0	7.6	3.1	336	2.69	68.7	0.9	41.5	9.1	55
1887742	Drill Core	2.34	428	0.046	0.07	0.38	31.89	1.2	23.6	172.4	93	0.7	6.3	2.8	387	1.92	119.5	2.2	40.9	8.9	60
1887743	Drill Core	2.54	494	0.047	0.04	<0.17	32.67	1.1	21.8	25.7	67	0.6	7.2	5.4	373	1.83	102.3	1.7	41.6	9.6	49
1887744	Drill Core	2.77	543	0.053	0.07	0.27	37.29	2.2	16.0	50.5	66	0.6	8.1	5.0	418	1.68	98.4	2.2	47.3	8.0	42



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000473.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1887715	Drill Core	<0.1	0.4	0.2	<1	0.02	0.001	23	2	0.20	1496	0.001	2	0.39	0.016	0.25	0.3	0.03	0.5	<0.1	<0.05			
1887716	Drill Core	<0.1	0.2	<0.1	<1	0.02	<0.001	29	2	0.19	1347	0.001	2	0.40	0.020	0.26	0.3	0.02	0.5	<0.1	<0.05			
1887717	Drill Core	<0.1	0.3	0.2	<1	0.02	0.001	25	2	0.27	2274	0.001	2	0.45	0.019	0.25	0.3	0.02	0.5	<0.1	0.05			
1887718	Drill Core	<0.1	0.5	0.6	<1	0.09	0.002	20	2	0.49	2675	0.001	2	0.64	0.012	0.31	0.3	0.02	0.5	<0.1	0.06			
1887719	Drill Core	<0.1	0.4	0.1	<1	0.07	0.002	20	2	0.46	1721	0.001	2	0.56	0.018	0.25	0.3	0.01	0.5	<0.1	0.06			
1887720	Rock Pulp	0.5	2.9	<0.1	30	0.86	0.036	6	25	0.54	78	0.084	8	1.18	0.098	0.11	4.4	0.11	2.8	0.2	0.09			
1887721	Drill Core	<0.1	0.4	0.2	<1	0.29	0.001	22	2	0.45	1014	0.001	2	0.54	0.016	0.26	0.4	0.01	0.4	<0.1	<0.05			
1887722	Drill Core	<0.1	0.4	<0.1	<1	0.08	0.001	19	2	0.71	630	0.001	2	0.73	0.015	0.27	0.4	<0.01	0.4	<0.1	0.27			
1887723	Drill Core	0.1	0.3	0.1	<1	0.02	0.002	19	2	0.55	1103	0.001	2	0.69	0.007	0.33	0.3	<0.01	0.4	<0.1	0.17			
1887724	Drill Core	<0.1	0.4	0.1	<1	0.11	0.004	14	2	0.51	1402	0.001	<1	0.61	0.020	0.29	0.2	0.01	0.7	<0.1	0.13			
1887725	Drill Core	<0.1	0.8	0.4	2	0.41	0.004	16	3	0.50	1594	0.001	<1	0.65	0.036	0.31	0.1	0.01	0.9	<0.1	0.13			
1887726	Drill Core	0.2	0.9	0.3	3	0.25	0.026	14	5	0.82	577	0.002	1	0.88	0.026	0.34	0.1	0.02	1.1	<0.1	0.33			
1887727	Drill Core	0.1	0.4	0.2	3	0.64	0.029	14	6	0.74	380	0.002	1	0.79	0.019	0.32	0.1	<0.01	0.8	0.1	0.39			
1887728	Drill Core	0.1	0.6	0.2	5	0.27	0.039	16	23	1.03	131	0.002	<1	1.00	0.023	0.26	<0.1	0.01	0.8	0.1	0.35			
1887729	Drill Core	0.2	1.5	<0.1	5	0.10	0.036	16	11	0.76	415	0.002	<1	0.85	0.022	0.25	<0.1	<0.01	0.7	0.1	0.32			
1887730	Drill Core	0.3	1.2	0.1	17	0.10	0.067	11	106	1.61	445	0.002	<1	1.53	0.009	0.27	<0.1	<0.01	1.9	<0.1	0.29			
1887731	Drill Core	0.3	0.4	<0.1	22	0.11	0.067	11	122	1.93	468	0.002	<1	1.74	0.010	0.27	<0.1	<0.01	2.4	<0.1	0.20			
1887732	Drill Core	1.0	1.7	0.1	24	0.24	0.074	8	127	2.17	103	0.002	<1	1.80	0.012	0.26	<0.1	<0.01	2.5	<0.1	0.87			
1887733	Drill Core	1.0	2.2	0.1	22	0.42	0.066	7	124	2.09	93	0.002	1	1.72	0.011	0.26	0.3	<0.01	2.5	<0.1	1.00			
1887734	Drill Core	0.4	0.7	<0.1	11	0.15	0.046	16	56	1.07	259	0.002	<1	1.17	0.018	0.29	1.7	0.01	1.5	0.1	0.19			
1887735	Drill Core	<0.1	1.0	<0.1	4	0.05	0.031	20	8	0.42	161	0.001	<1	0.67	0.017	0.30	0.5	0.02	0.9	0.1	0.31			
1887736	Drill Core	0.1	1.2	<0.1	10	0.10	0.036	14	58	1.01	265	0.002	<1	1.03	0.014	0.23	1.3	0.02	1.4	<0.1	0.15			
1887737	Drill Core	0.3	1.1	0.1	12	0.15	0.045	25	55	1.08	272	0.002	<1	1.21	0.014	0.31	0.7	0.02	1.7	0.1	0.11			
1887738	Drill Core	0.3	0.7	0.2	13	0.14	0.043	16	47	1.40	128	0.003	<1	1.34	0.019	0.25	0.3	0.02	1.6	<0.1	0.61			
1887739	Drill Core	0.4	0.5	<0.1	8	0.12	0.047	22	15	0.65	240	0.002	<1	0.89	0.017	0.32	0.9	0.02	1.3	0.1	0.16			
1887740	Rock Pulp	<0.1	0.2	<0.1	23	0.78	0.037	6	15	0.51	53	0.086	2	1.07	0.078	0.09	0.2	<0.01	2.6	<0.1	0.05			
1887741	Drill Core	0.2	0.8	0.2	13	0.14	0.064	20	47	0.66	218	0.003	<1	1.01	0.020	0.36	0.4	0.02	1.9	0.1	0.17			
1887742	Drill Core	0.4	0.8	0.2	10	0.17	0.053	25	16	0.63	228	0.003	<1	0.98	0.031	0.32	0.3	0.02	1.6	0.1	0.15			
1887743	Drill Core	0.3	1.3	0.1	8	0.15	0.050	23	14	0.60	221	0.021	<1	0.90	0.021	0.32	0.2	0.01	1.4	0.1	0.33			
1887744	Drill Core	0.6	1.7	0.1	6	0.18	0.043	18	11	0.47	251	0.046	<1	0.78	0.024	0.30	0.5	0.02	1.3	0.1	0.39			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000473.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887715	Drill Core	1	<0.5	<0.2
1887716	Drill Core	1	<0.5	<0.2
1887717	Drill Core	2	<0.5	<0.2
1887718	Drill Core	2	<0.5	<0.2
1887719	Drill Core	2	<0.5	<0.2
1887720	Rock Pulp	5	<0.5	<0.2
1887721	Drill Core	2	<0.5	<0.2
1887722	Drill Core	2	<0.5	<0.2
1887723	Drill Core	2	<0.5	<0.2
1887724	Drill Core	1	<0.5	<0.2
1887725	Drill Core	2	<0.5	<0.2
1887726	Drill Core	2	<0.5	<0.2
1887727	Drill Core	2	<0.5	<0.2
1887728	Drill Core	3	<0.5	<0.2
1887729	Drill Core	3	<0.5	<0.2
1887730	Drill Core	4	0.6	<0.2
1887731	Drill Core	5	<0.5	<0.2
1887732	Drill Core	5	0.7	<0.2
1887733	Drill Core	5	0.9	<0.2
1887734	Drill Core	4	<0.5	<0.2
1887735	Drill Core	2	<0.5	<0.2
1887736	Drill Core	3	<0.5	<0.2
1887737	Drill Core	4	<0.5	<0.2
1887738	Drill Core	4	<0.5	<0.2
1887739	Drill Core	3	<0.5	<0.2
1887740	Rock Pulp	4	<0.5	<0.2
1887741	Drill Core	4	0.8	<0.2
1887742	Drill Core	4	<0.5	<0.2
1887743	Drill Core	3	<0.5	<0.2
1887744	Drill Core	2	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000473.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1887745	Drill Core	1.99	371	0.040	0.06	0.26	31.19	0.9	14.9	10.2	60	0.4	9.2	7.3	525	1.85	84.4	0.9	36.2	10.1	35
1887746	Drill Core	1.77	404	0.080	0.37	4.19	28.41	0.6	12.1	7.8	50	0.4	7.8	6.4	443	1.60	40.7	0.6	121.4	10.1	34
1887747	Drill Core	1.64	396	0.037	0.03	<0.17	29.26	0.9	12.1	9.7	61	0.4	9.2	6.5	416	1.79	60.2	1.7	35.8	9.5	28
1887748	Drill Core	2.29	489	0.017	0.02	<0.17	33.26	0.3	12.1	9.2	56	0.3	8.8	7.1	499	1.61	37.4	0.8	13.2	10.2	46
1887749	Drill Core	2.60	536	0.020	0.02	<0.17	31.88	0.6	9.5	10.2	45	0.3	8.8	7.8	401	1.70	53.1	0.9	16.2	10.4	31
1887750	Drill Core	2.97	508	0.013	0.01	<0.17	30.38	0.6	15.8	13.3	57	0.4	14.4	10.1	614	2.38	32.3	2.1	9.0	8.6	53
1887751	Drill Core	2.40	484	0.007	<0.01	<0.17	28.74	0.4	9.7	6.2	82	0.2	29.5	12.8	680	2.49	5.7	2.2	3.0	8.1	75
1887752	Drill Core	3.54	537	0.019	0.02	<0.17	30.01	1.9	13.0	41.0	60	0.4	20.2	11.1	402	2.01	32.4	2.9	13.8	9.9	37
1887753	Drill Core	2.75	441	0.016	0.02	<0.17	31.23	2.9	69.2	38.4	42	1.8	10.2	6.9	232	1.97	5.8	1.6	8.0	9.5	24
1887754	Drill Core	2.87	523	0.010	<0.01	<0.17	34.45	2.6	60.9	159.1	107	1.6	10.2	6.4	191	1.94	4.9	2.3	5.6	9.5	25
1887755	Drill Core	2.55	502	0.013	0.01	<0.17	34.16	2.2	17.8	43.4	24	0.7	8.4	5.8	245	1.89	1.4	2.8	2.4	9.9	29
1887756	Drill Core	2.64	511	0.005	<0.01	<0.17	30.32	0.2	31.9	187.8	185	0.6	8.1	6.8	164	1.48	1.2	1.9	1.7	10.9	22
1887757	Drill Core	2.89	408	0.005	<0.01	<0.17	27.13	0.3	11.9	57.0	29	0.3	7.9	7.0	185	1.54	1.4	3.0	1.9	11.2	20
1887758	Drill Core	2.96	536	<0.005	<0.01	<0.17	26.85	0.4	10.2	12.9	78	0.2	4.7	4.5	302	1.25	4.8	4.8	0.9	17.0	31
1887759	Drill Core	2.73	477	0.015	0.01	<0.17	28.64	0.4	2.2	20.0	14	0.1	0.7	0.7	134	0.65	2.4	2.8	3.3	17.7	20
1887760	Core DUP		492	0.020	0.02	<0.17	36.20	0.3	2.5	18.5	14	0.1	0.6	0.7	116	0.58	2.5	2.5	11.3	16.5	20
1887761	Drill Core	2.82	495	0.021	0.02	<0.17	34.10	0.6	3.9	34.9	21	0.1	0.7	0.8	100	0.65	2.6	3.2	4.8	16.9	30
1887762	Drill Core	2.67	482	0.007	<0.01	<0.17	35.30	0.3	1.5	8.1	15	<0.1	1.2	1.4	117	0.65	14.1	1.9	3.6	14.0	9
1887763	Drill Core	2.80	443	<0.005	<0.01	<0.17	33.59	4.3	1.6	12.2	12	0.2	0.6	0.4	83	0.56	3.0	1.7	1.1	15.7	18
1887764	Drill Core	2.70	500	<0.005	<0.01	<0.17	39.36	0.3	0.9	9.9	5	<0.1	0.3	0.2	53	0.42	1.4	2.0	0.6	17.1	5
1887765	Drill Core	2.63	512	0.007	<0.01	<0.17	36.35	0.2	1.1	22.2	9	0.1	0.3	0.2	63	0.42	1.5	2.5	0.5	16.6	14
1887766	Drill Core	2.76	477	<0.005	<0.01	<0.17	35.10	0.6	17.3	183.0	68	0.6	0.3	0.2	67	0.43	2.1	2.4	1.5	17.0	6
1887767	Drill Core	2.47	478	0.006	<0.01	<0.17	35.50	0.4	1.4	37.3	15	0.2	0.4	0.1	72	0.49	2.8	2.1	1.2	16.7	6
1887768	Drill Core	2.96	541	0.008	<0.01	<0.17	33.78	0.7	1.8	24.6	10	0.2	0.3	0.1	67	0.43	4.4	2.6	1.6	17.2	14
1887769	Drill Core	3.25	453	<0.005	<0.01	<0.17	32.35	1.0	3.3	27.7	17	0.2	0.3	0.3	62	0.52	3.5	3.8	1.2	18.9	14
1887770	Drill Core	3.15	449	<0.005	<0.01	<0.17	38.29	1.0	8.9	34.0	24	0.2	0.3	0.2	57	0.42	1.5	3.9	<0.5	17.2	20
1887771	Drill Core	2.67	514	<0.005	<0.01	<0.17	31.69	0.5	1.4	25.4	8	0.1	0.3	0.2	63	0.39	2.1	2.8	<0.5	17.0	10
1887772	Drill Core	3.03	451	0.005	<0.01	<0.17	33.06	0.5	3.7	25.1	10	0.2	0.3	0.2	59	0.43	2.3	2.2	1.2	16.9	9
1887773	Drill Core	3.78	403	<0.005	<0.01	<0.17	32.67	0.5	1.7	21.6	10	0.1	0.4	0.2	67	0.52	1.4	2.3	<0.5	17.0	19
1887774	Drill Core	3.00	441	0.005	<0.01	<0.17	34.35	0.4	0.9	14.6	7	<0.1	0.3	0.1	66	0.42	1.1	2.7	<0.5	17.5	14



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000473.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1887745	Drill Core	0.3	1.0	0.1	7	0.83	0.046	16	13	0.78	187	0.043	<1	0.95	0.025	0.31	0.6	<0.01	1.5	<0.1	0.61
1887746	Drill Core	0.2	0.7	<0.1	7	0.68	0.044	15	12	0.53	194	0.030	<1	0.81	0.043	0.29	0.4	<0.01	1.8	<0.1	0.55
1887747	Drill Core	0.3	1.0	<0.1	8	0.48	0.043	14	15	0.53	197	0.039	<1	0.76	0.042	0.25	0.5	0.01	2.1	<0.1	0.52
1887748	Drill Core	0.2	0.8	<0.1	8	1.10	0.046	12	13	0.61	158	0.032	3	0.83	0.030	0.31	0.4	<0.01	2.3	<0.1	0.72
1887749	Drill Core	0.3	1.0	<0.1	8	0.80	0.058	15	14	0.41	130	0.049	3	0.73	0.042	0.37	0.5	<0.01	2.4	0.1	1.04
1887750	Drill Core	0.4	1.2	<0.1	17	1.44	0.058	14	48	0.75	113	0.057	2	0.93	0.033	0.32	0.5	0.01	3.7	0.1	1.19
1887751	Drill Core	0.4	0.8	<0.1	30	1.75	0.034	12	302	1.75	201	0.076	2	1.45	0.032	0.43	0.4	<0.01	5.6	0.2	0.75
1887752	Drill Core	0.3	1.2	0.2	12	0.46	0.045	16	107	0.86	133	0.029	2	1.07	0.022	0.39	0.5	<0.01	2.1	0.1	0.93
1887753	Drill Core	0.6	1.0	0.1	3	0.62	0.045	13	6	0.07	46	0.004	2	0.42	0.023	0.32	0.2	0.02	0.6	<0.1	1.73
1887754	Drill Core	1.3	0.8	0.2	3	0.67	0.042	13	6	0.06	48	0.002	2	0.41	0.028	0.29	0.1	<0.01	0.7	<0.1	1.89
1887755	Drill Core	0.4	0.5	0.1	3	0.80	0.038	12	5	0.06	37	0.002	1	0.38	0.026	0.29	0.1	<0.01	0.7	<0.1	1.82
1887756	Drill Core	2.2	0.3	0.3	4	0.56	0.042	23	6	0.08	93	0.002	1	0.43	0.036	0.34	0.1	0.01	0.8	0.1	1.18
1887757	Drill Core	0.3	0.9	0.1	4	0.37	0.038	21	6	0.18	107	0.002	1	0.52	0.027	0.37	0.1	0.01	0.9	0.1	1.12
1887758	Drill Core	0.3	0.5	<0.1	5	0.43	0.030	27	6	0.73	493	0.003	1	1.02	0.015	0.51	0.2	<0.01	1.8	0.2	0.36
1887759	Drill Core	0.1	0.2	0.1	<1	0.24	0.004	39	2	0.12	471	<0.001	<1	0.40	0.027	0.30	0.1	<0.01	0.6	<0.1	0.19
1887760	Core DUP	0.1	0.2	0.1	<1	0.21	0.005	36	2	0.12	586	<0.001	<1	0.41	0.028	0.31	0.1	<0.01	0.6	<0.1	0.19
1887761	Drill Core	0.3	0.3	<0.1	<1	0.13	0.006	39	2	0.11	995	0.001	<1	0.47	0.033	0.37	0.1	<0.01	0.6	<0.1	0.20
1887762	Drill Core	0.1	0.3	<0.1	1	0.13	0.014	36	3	0.18	302	0.001	<1	0.49	0.021	0.36	<0.1	<0.01	0.7	<0.1	0.16
1887763	Drill Core	<0.1	0.5	0.1	<1	0.02	0.005	41	2	0.09	1862	<0.001	<1	0.43	0.011	0.36	0.1	0.02	0.4	<0.1	0.09
1887764	Drill Core	<0.1	0.3	<0.1	<1	0.07	0.002	36	1	0.07	179	<0.001	<1	0.38	0.007	0.34	<0.1	<0.01	0.3	<0.1	0.06
1887765	Drill Core	<0.1	0.2	<0.1	<1	0.32	0.002	29	1	0.08	188	<0.001	<1	0.41	0.023	0.35	<0.1	<0.01	0.3	<0.1	0.13
1887766	Drill Core	0.7	1.2	0.6	<1	0.07	0.002	40	1	0.12	132	<0.001	<1	0.44	0.013	0.37	<0.1	<0.01	0.4	<0.1	0.07
1887767	Drill Core	<0.1	0.3	0.2	<1	0.08	0.002	41	1	0.09	130	<0.001	<1	0.40	0.009	0.36	<0.1	<0.01	0.5	<0.1	0.05
1887768	Drill Core	<0.1	0.5	0.2	<1	0.17	0.002	35	1	0.09	220	<0.001	<1	0.39	0.007	0.33	0.1	<0.01	0.5	<0.1	0.08
1887769	Drill Core	0.3	0.6	0.3	<1	0.16	0.001	37	1	0.11	206	<0.001	<1	0.46	0.022	0.37	0.1	<0.01	0.6	<0.1	0.22
1887770	Drill Core	0.6	1.1	0.3	<1	0.14	0.001	34	1	0.09	365	0.001	<1	0.41	0.020	0.34	0.1	0.01	0.7	<0.1	0.08
1887771	Drill Core	<0.1	0.2	0.2	<1	0.10	0.001	36	1	0.09	204	<0.001	<1	0.40	0.021	0.34	<0.1	<0.01	0.6	<0.1	0.07
1887772	Drill Core	<0.1	0.4	<0.1	<1	0.06	0.001	37	1	0.11	292	<0.001	<1	0.44	0.016	0.35	0.1	<0.01	0.6	<0.1	0.08
1887773	Drill Core	<0.1	0.4	0.2	<1	0.08	0.001	31	1	0.11	489	<0.001	<1	0.48	0.022	0.37	0.1	<0.01	0.5	<0.1	0.09
1887774	Drill Core	<0.1	0.2	<0.1	<1	0.08	0.001	33	1	0.10	346	<0.001	<1	0.39	0.020	0.32	0.1	<0.01	0.4	<0.1	0.06



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000473.1

	Method	AQ201	AQ201	AQ201
	Analyte	Ga	Se	Te
	Unit	ppm	ppm	ppm
	MDL	1	0.5	0.2
1887745	Drill Core	3	<0.5	<0.2
1887746	Drill Core	3	<0.5	<0.2
1887747	Drill Core	3	<0.5	<0.2
1887748	Drill Core	3	<0.5	<0.2
1887749	Drill Core	3	<0.5	<0.2
1887750	Drill Core	4	<0.5	<0.2
1887751	Drill Core	5	<0.5	<0.2
1887752	Drill Core	4	0.6	<0.2
1887753	Drill Core	1	<0.5	<0.2
1887754	Drill Core	1	<0.5	<0.2
1887755	Drill Core	1	<0.5	<0.2
1887756	Drill Core	2	<0.5	<0.2
1887757	Drill Core	2	<0.5	<0.2
1887758	Drill Core	3	<0.5	<0.2
1887759	Drill Core	2	<0.5	<0.2
1887760	Core DUP	2	<0.5	<0.2
1887761	Drill Core	2	<0.5	<0.2
1887762	Drill Core	2	<0.5	<0.2
1887763	Drill Core	2	<0.5	<0.2
1887764	Drill Core	1	<0.5	<0.2
1887765	Drill Core	1	<0.5	<0.2
1887766	Drill Core	2	<0.5	<0.2
1887767	Drill Core	2	<0.5	<0.2
1887768	Drill Core	1	<0.5	<0.2
1887769	Drill Core	2	<0.5	<0.2
1887770	Drill Core	1	<0.5	<0.2
1887771	Drill Core	2	<0.5	<0.2
1887772	Drill Core	1	<0.5	<0.2
1887773	Drill Core	2	<0.5	<0.2
1887774	Drill Core	1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: January 14, 2021

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000473.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1887775	Drill Core	2.49	428	<0.005	<0.01	<0.17	32.89	1.3	0.9	17.7	7	<0.1	0.3	0.1	48	0.39	<0.5	4.2	<0.5	18.1	20
1887776	Drill Core	2.94	481	<0.005	<0.01	<0.17	47.27	1.1	3.0	25.6	9	0.1	0.3	0.2	62	0.43	0.7	4.1	<0.5	18.9	21
1887777	Drill Core	2.79	476	<0.005	<0.01	<0.17	29.28	1.0	1.9	24.1	8	0.1	0.3	0.3	76	0.45	1.0	3.2	<0.5	18.4	11
1887778	Drill Core	2.93	469	<0.005	<0.01	<0.17	35.76	0.5	2.0	18.5	7	0.1	0.3	0.3	87	0.50	1.0	3.2	<0.5	19.3	17
1887779	Drill Core	2.72	527	0.055	0.05	<0.17	38.24	0.5	3.1	36.1	6	0.2	0.3	0.2	58	0.42	0.9	3.7	40.4	17.3	30
1887780	Rock	0.23	63	<0.005	<0.01	<0.17	24.36	0.6	1.0	1.1	2	<0.1	1.8	0.6	121	1.28	<0.5	0.3	<0.5	1.4	1
1887781	Drill Core	3.30	378	<0.005	<0.01	<0.17	33.04	0.5	1.8	29.7	10	0.1	0.4	0.2	61	0.52	1.5	4.1	0.7	17.4	20
1887782	Drill Core	2.74	484	0.006	<0.01	<0.17	42.55	1.1	1.4	23.0	9	0.1	0.3	0.2	58	0.36	1.5	3.3	0.8	19.1	23
1887783	Drill Core	3.37	441	0.005	<0.01	<0.17	35.85	1.1	2.0	27.9	8	0.1	0.4	0.4	50	0.44	1.1	2.5	1.2	18.1	25
1887784	Drill Core	2.62	412	0.006	<0.01	<0.17	30.14	0.5	1.9	28.9	8	0.2	0.4	0.3	42	0.46	1.3	2.5	1.5	17.8	12
1887785	Drill Core	3.50	505	0.005	<0.01	<0.17	24.19	0.5	1.6	27.8	10	0.2	0.5	0.3	79	0.56	2.9	2.8	1.2	16.4	22
1887786	Drill Core	2.97	535	<0.005	<0.01	<0.17	20.83	0.2	2.2	25.2	10	0.1	0.3	0.4	53	0.47	<0.5	3.8	<0.5	16.6	25
1887787	Drill Core	2.96	495	0.008	0.04	0.39	36.35	1.5	2.3	16.9	10	0.1	0.5	0.4	95	0.69	<0.5	4.0	5.1	17.0	48
1887788	Drill Core	2.86	496	<0.005	<0.01	<0.17	23.03	0.5	2.5	19.7	13	0.1	0.9	0.4	69	0.86	<0.5	5.2	1.9	16.8	30
1887789	Drill Core	2.68	479	0.012	0.01	<0.17	31.58	0.5	2.6	24.4	14	0.2	0.7	0.4	68	0.79	<0.5	4.2	3.0	16.9	37
1887790	Drill Core	2.68	503	<0.005	<0.01	<0.17	33.90	0.4	3.0	39.0	18	0.2	0.5	0.3	73	0.58	<0.5	4.2	1.1	16.4	29
1887791	Drill Core	2.85	408	0.008	<0.01	<0.17	37.12	0.3	2.0	22.5	18	0.2	0.5	0.2	124	0.64	5.6	4.3	2.7	15.6	30
1887792	Drill Core	2.78	435	<0.005	<0.01	<0.17	32.66	0.3	1.6	21.2	7	0.1	0.4	0.2	91	0.48	1.7	2.7	0.9	16.3	10
1887793	Drill Core	2.66	517	<0.005	<0.01	<0.17	29.84	0.3	2.6	24.5	11	0.2	0.4	0.2	62	0.43	1.4	3.7	<0.5	18.1	10
1887794	Drill Core	2.91	527	<0.005	<0.01	<0.17	26.34	0.8	3.9	22.9	17	0.2	0.4	0.2	77	0.45	2.1	2.5	0.7	17.3	10
1887795	Drill Core	2.46	511	0.005	<0.01	<0.17	33.19	0.3	2.5	22.3	18	0.2	0.4	0.2	76	0.52	3.7	2.8	1.6	17.3	10
1887796	Drill Core	2.82	461	<0.005	<0.01	<0.17	32.12	0.7	2.0	35.3	12	0.2	0.3	0.2	70	0.43	1.9	2.3	0.8	17.3	15
1887797	Drill Core	2.92	495	<0.005	<0.01	<0.17	44.48	1.1	2.3	26.3	10	0.2	0.4	0.3	73	0.54	0.5	4.7	<0.5	18.4	25
1887798	Drill Core	2.64	542	<0.005	<0.01	<0.17	34.54	1.6	2.7	30.3	11	0.1	0.3	0.2	75	0.50	1.6	5.2	<0.5	16.3	43
1887799	Drill Core	3.36	468	<0.005	<0.01	<0.17	37.77	1.6	3.3	71.2	40	0.3	0.4	0.3	100	0.57	2.9	4.3	0.6	16.7	32
1887800	Rock Pulp	0.12	79	6.961				9.4	186.8	18.6	78	0.9	13.5	11.4	601	4.64	13.5	0.8	6343.3	2.5	71
1887801	Drill Core	2.41	478	0.009	<0.01	<0.17	35.19	0.5	4.0	26.5	16	0.2	0.7	0.2	151	0.70	12.0	3.3	3.0	15.5	15
1887802	Drill Core	3.24	450	<0.005	<0.01	<0.17	34.97	0.9	1.9	18.3	12	0.2	0.5	0.2	95	0.59	4.0	2.6	0.8	16.9	7
1887803	Drill Core	3.10	433	<0.005	<0.01	<0.17	31.41	0.4	1.8	22.8	9	0.2	0.4	0.3	64	0.60	2.3	2.8	<0.5	17.4	7
1887804	Drill Core	3.07	467	<0.005	<0.01	<0.17	38.14	1.4	2.1	56.9	7	0.3	0.4	0.3	97	0.50	0.5	3.7	0.8	16.7	55



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 4 of 5 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000473.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1887775	Drill Core	<0.1	0.4	<0.1	<1	0.10	0.002	33	1	0.11	409	<0.001	<1	0.47	0.020	0.38	<0.1	0.01	0.6	<0.1	<0.05			
1887776	Drill Core	<0.1	0.8	0.2	<1	0.13	0.002	32	1	0.12	479	<0.001	<1	0.46	0.012	0.37	<0.1	<0.01	0.4	<0.1	0.06			
1887777	Drill Core	0.1	0.5	0.2	<1	0.12	0.002	33	1	0.08	144	<0.001	<1	0.36	0.032	0.31	<0.1	<0.01	0.5	<0.1	0.07			
1887778	Drill Core	<0.1	0.4	0.2	<1	0.17	0.003	34	1	0.05	227	<0.001	<1	0.33	0.052	0.27	<0.1	<0.01	0.6	<0.1	0.09			
1887779	Drill Core	<0.1	0.3	0.2	<1	0.08	0.006	29	1	0.05	805	<0.001	<1	0.31	0.043	0.28	<0.1	<0.01	0.4	<0.1	0.07			
1887780	Rock	<0.1	<0.1	<0.1	<1	<0.01	0.002	2	6	0.01	16	0.002	<1	0.09	0.007	0.03	<0.1	<0.01	0.2	<0.1	<0.05			
1887781	Drill Core	0.1	0.3	0.2	<1	0.13	0.003	32	2	0.09	347	0.001	<1	0.42	0.040	0.36	<0.1	<0.01	0.6	<0.1	0.06			
1887782	Drill Core	0.1	0.2	0.1	<1	0.16	0.004	33	<1	0.09	427	<0.001	<1	0.46	0.025	0.37	0.1	<0.01	0.4	<0.1	0.07			
1887783	Drill Core	0.2	0.3	0.2	<1	0.14	0.002	34	2	0.07	616	<0.001	2	0.37	0.042	0.31	<0.1	0.01	0.5	<0.1	0.15			
1887784	Drill Core	0.1	0.3	0.2	<1	0.05	0.003	34	2	0.05	330	<0.001	2	0.32	0.049	0.29	<0.1	<0.01	0.5	<0.1	0.12			
1887785	Drill Core	<0.1	0.3	0.2	<1	0.17	0.002	32	2	0.06	421	<0.001	2	0.32	0.045	0.26	<0.1	<0.01	0.5	<0.1	0.16			
1887786	Drill Core	0.1	0.2	0.2	<1	0.17	0.002	32	2	0.09	393	<0.001	1	0.36	0.039	0.25	<0.1	<0.01	0.6	<0.1	0.15			
1887787	Drill Core	0.2	0.4	0.1	<1	0.41	0.002	26	2	0.17	444	0.001	2	0.42	0.028	0.31	0.2	0.01	0.6	<0.1	0.30			
1887788	Drill Core	0.1	0.4	0.1	<1	0.18	0.002	29	2	0.13	284	0.002	1	0.40	0.038	0.26	0.1	<0.01	0.8	<0.1	0.46			
1887789	Drill Core	0.2	0.5	0.2	<1	0.18	0.002	29	2	0.20	372	0.002	1	0.48	0.035	0.29	0.2	0.02	0.8	<0.1	0.37			
1887790	Drill Core	0.2	0.7	0.3	<1	0.30	0.002	30	2	0.25	228	<0.001	1	0.52	0.018	0.33	0.1	0.02	0.7	0.1	0.08			
1887791	Drill Core	0.1	0.5	0.1	<1	0.37	0.002	29	2	0.23	244	<0.001	1	0.48	0.023	0.30	<0.1	0.03	0.6	0.1	0.09			
1887792	Drill Core	<0.1	0.4	0.2	<1	0.12	0.002	34	2	0.07	195	<0.001	1	0.31	0.043	0.25	<0.1	0.02	0.5	<0.1	0.08			
1887793	Drill Core	0.1	0.3	0.2	<1	0.07	0.002	41	2	0.07	254	<0.001	1	0.34	0.040	0.30	<0.1	<0.01	0.8	<0.1	0.11			
1887794	Drill Core	0.1	0.4	0.2	<1	0.12	0.002	44	2	0.08	200	<0.001	<1	0.30	0.044	0.26	<0.1	0.01	0.7	<0.1	0.12			
1887795	Drill Core	0.1	0.4	0.2	<1	0.10	0.002	44	2	0.09	345	<0.001	<1	0.33	0.041	0.27	<0.1	<0.01	0.7	<0.1	0.15			
1887796	Drill Core	0.1	0.3	0.2	<1	0.17	0.002	41	2	0.05	142	<0.001	1	0.36	0.013	0.36	<0.1	<0.01	0.7	0.1	0.14			
1887797	Drill Core	0.2	0.4	0.2	<1	0.28	0.002	43	2	0.14	332	<0.001	1	0.43	0.005	0.35	<0.1	0.04	1.1	0.1	0.16			
1887798	Drill Core	0.2	0.3	0.2	<1	0.53	0.006	39	2	0.13	298	<0.001	1	0.42	0.017	0.32	<0.1	0.01	1.3	<0.1	0.10			
1887799	Drill Core	0.6	0.3	0.3	<1	0.41	0.003	40	2	0.14	297	<0.001	1	0.40	0.009	0.31	<0.1	0.04	1.1	<0.1	0.16			
1887800	Rock Pulp	0.2	4.6	0.5	116	0.98	0.062	7	18	0.86	113	0.125	3	1.81	0.182	0.23	3.7	0.21	3.4	<0.1	<0.05			
1887801	Drill Core	0.1	0.7	0.2	<1	0.20	0.004	41	2	0.16	144	<0.001	1	0.47	0.015	0.35	0.2	0.03	0.8	<0.1	0.19			
1887802	Drill Core	<0.1	0.3	0.1	<1	0.08	0.003	42	2	0.15	157	<0.001	<1	0.46	0.018	0.35	0.1	0.02	0.7	<0.1	0.13			
1887803	Drill Core	<0.1	0.4	0.2	<1	0.06	0.003	35	2	0.08	127	<0.001	<1	0.36	0.032	0.32	<0.1	<0.01	0.6	<0.1	0.21			
1887804	Drill Core	0.2	0.3	0.3	<1	0.45	0.002	31	2	0.07	639	<0.001	<1	0.39	0.023	0.33	<0.1	<0.01	0.4	<0.1	0.18			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000473.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887775	Drill Core	2	<0.5	<0.2
1887776	Drill Core	2	<0.5	<0.2
1887777	Drill Core	2	<0.5	<0.2
1887778	Drill Core	2	<0.5	<0.2
1887779	Drill Core	1	<0.5	<0.2
1887780	Rock	<1	<0.5	<0.2
1887781	Drill Core	2	<0.5	<0.2
1887782	Drill Core	2	<0.5	<0.2
1887783	Drill Core	<1	<0.5	<0.2
1887784	Drill Core	<1	<0.5	<0.2
1887785	Drill Core	<1	<0.5	<0.2
1887786	Drill Core	<1	<0.5	<0.2
1887787	Drill Core	1	<0.5	<0.2
1887788	Drill Core	1	<0.5	<0.2
1887789	Drill Core	1	<0.5	<0.2
1887790	Drill Core	1	<0.5	<0.2
1887791	Drill Core	1	<0.5	<0.2
1887792	Drill Core	<1	<0.5	<0.2
1887793	Drill Core	<1	<0.5	<0.2
1887794	Drill Core	<1	<0.5	<0.2
1887795	Drill Core	<1	<0.5	<0.2
1887796	Drill Core	<1	<0.5	<0.2
1887797	Drill Core	<1	<0.5	<0.2
1887798	Drill Core	<1	<0.5	<0.2
1887799	Drill Core	<1	<0.5	<0.2
1887800	Rock Pulp	5	<0.5	<0.2
1887801	Drill Core	1	<0.5	<0.2
1887802	Drill Core	1	<0.5	<0.2
1887803	Drill Core	<1	<0.5	<0.2
1887804	Drill Core	<1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000473.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1887805	Drill Core	2.79	408	<0.005	<0.01	<0.17	32.44	1.6	2.5	34.8	6	0.2	0.4	0.3	78	0.52	<0.5	3.4	<0.5	16.7	39
1887806	Drill Core	2.91	476	<0.005	<0.01	<0.17	33.32	1.9	2.2	19.1	9	0.1	0.6	0.7	86	0.66	0.6	4.3	<0.5	17.4	17
1887807	Drill Core	3.06	404	<0.005	<0.01	<0.17	33.32	0.8	2.8	21.1	13	0.2	0.5	0.4	92	0.69	<0.5	3.5	<0.5	16.1	9
1887808	Drill Core	2.88	457	0.006	<0.01	<0.17	32.86	0.9	29.3	15.5	11	0.4	0.5	0.4	104	0.62	0.5	3.9	<0.5	17.5	9
1887809	Drill Core	2.95	386	<0.005	<0.01	<0.17	31.30	1.6	2.1	22.4	14	0.2	0.7	0.4	199	0.78	<0.5	3.2	<0.5	14.4	29
1887810	Drill Core	2.10	414	<0.005	<0.01	<0.17	25.30	2.1	3.4	30.3	16	0.2	0.6	0.4	112	0.87	<0.5	4.1	<0.5	16.5	16
1887811	Drill Core	2.28	488	<0.005	<0.01	<0.17	23.59	1.3	3.6	12.1	13	0.2	0.6	0.8	107	0.91	<0.5	4.5	<0.5	17.2	16
1887812	Drill Core	2.38	515	<0.005	<0.01	<0.17	28.70	1.2	3.3	20.3	6	0.2	0.5	0.5	87	0.80	<0.5	4.3	<0.5	17.3	8
1887813	Drill Core	1.73	385	<0.005	<0.01	<0.17	28.82	1.0	4.4	27.1	8	0.2	0.5	0.4	126	0.94	0.9	3.5	0.6	14.5	18
1887814	Drill Core	2.86	484	<0.005	<0.01	<0.17	36.71	1.2	6.9	17.7	18	0.3	0.5	0.5	164	0.82	0.7	4.1	0.9	16.2	18
1887815	Drill Core	2.73	451	0.041	0.04	<0.17	29.84	1.4	235.3	209.8	89	14.6	0.6	0.4	131	0.82	2.0	3.9	43.3	16.4	13
1887816	Drill Core	2.81	438	0.019	0.02	<0.17	34.39	1.4	110.9	102.1	113	4.4	8.4	5.5	348	1.82	4.1	2.9	16.1	12.4	28
1887817	Drill Core	3.06	457	<0.005	<0.01	<0.17	33.95	1.1	27.8	26.5	77	0.4	14.6	9.8	929	2.61	7.5	1.9	2.0	9.1	64
1887818	Drill Core	3.14	544	0.008	<0.01	<0.17	31.32	1.7	31.9	22.9	60	0.6	12.2	9.0	603	2.33	4.8	1.8	5.2	9.5	45
1887819	Drill Core	2.67	534	<0.005	<0.01	<0.17	29.37	1.4	19.7	35.7	41	0.4	8.2	5.3	361	1.65	2.2	2.5	<0.5	14.2	34
1887820	Rock Pulp	0.12	80	0.535				6.8	117.0	89.9	149	0.7	11.9	5.3	637	2.64	42.1	0.4	610.8	3.6	33
1887821	Drill Core	2.59	505	0.006	<0.01	<0.17	36.19	2.3	14.7	58.9	37	0.5	4.9	3.3	275	1.24	1.9	3.1	1.2	17.1	26
1887822	Drill Core	3.11	443	0.023	0.02	<0.17	32.52	0.7	43.9	70.7	91	0.6	12.9	9.5	629	2.56	8.9	1.7	21.2	11.4	46
1887823	Drill Core	2.68	540	0.006	<0.01	<0.17	33.51	1.5	38.0	21.4	117	0.3	13.7	9.5	777	2.54	12.2	2.1	2.3	13.0	45
1887824	Drill Core	1.89	438	<0.005	<0.01	<0.17	29.60	0.3	24.9	5.3	103	0.2	14.8	9.7	657	2.77	14.7	1.9	1.6	13.3	52
1887825	Drill Core	1.97	454	<0.005	<0.01	<0.17	32.84	1.7	43.0	66.1	105	0.5	10.2	7.6	946	2.42	9.5	1.1	1.5	10.1	73
1887826	Drill Core	2.92	464	<0.005	<0.01	<0.17	28.10	1.7	31.4	43.2	118	0.3	21.2	11.2	773	2.74	14.2	1.4	6.0	11.8	91
1887827	Drill Core	2.83	534	<0.005	<0.01	<0.17	33.56	1.0	40.7	62.1	114	0.3	11.5	8.2	553	2.36	9.4	1.7	2.3	12.3	53
1887828	Drill Core	2.04	459	0.005	<0.01	<0.17	33.73	1.0	54.8	196.4	210	0.5	5.5	5.1	462	1.99	4.4	1.1	<0.5	10.7	44



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000473.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1887805	Drill Core	0.1	0.4	0.2	<1	0.17	0.001	30	2	0.07	746	<0.001	<1	0.40	0.032	0.32	<0.1	0.01	0.3	<0.1	0.19
1887806	Drill Core	0.1	0.5	0.1	<1	0.17	0.002	30	2	0.09	306	<0.001	<1	0.41	0.017	0.32	0.1	0.05	0.3	<0.1	0.27
1887807	Drill Core	0.1	0.5	0.1	<1	0.14	0.002	28	3	0.08	229	<0.001	<1	0.37	0.017	0.28	0.2	0.04	0.3	<0.1	0.24
1887808	Drill Core	0.1	3.0	0.1	<1	0.17	0.002	31	2	0.11	189	<0.001	<1	0.44	0.020	0.30	0.2	0.03	0.3	<0.1	0.19
1887809	Drill Core	<0.1	0.5	0.1	<1	0.54	0.003	26	3	0.27	261	<0.001	<1	0.47	0.010	0.30	0.2	0.02	0.3	<0.1	0.13
1887810	Drill Core	<0.1	0.5	0.2	<1	0.22	0.001	28	2	0.16	183	<0.001	<1	0.41	0.012	0.28	0.2	<0.01	0.3	<0.1	0.36
1887811	Drill Core	<0.1	0.6	0.1	<1	0.21	0.003	30	2	0.18	195	<0.001	<1	0.44	0.017	0.31	0.2	<0.01	0.3	<0.1	0.47
1887812	Drill Core	<0.1	0.6	0.2	<1	0.11	0.002	30	2	0.12	168	<0.001	<1	0.42	0.018	0.30	0.2	<0.01	0.3	<0.1	0.44
1887813	Drill Core	<0.1	0.8	0.1	<1	0.15	0.001	18	2	0.15	296	<0.001	<1	0.41	0.018	0.28	0.2	0.02	0.3	<0.1	0.47
1887814	Drill Core	<0.1	0.8	0.1	<1	0.33	0.002	26	2	0.20	184	0.001	<1	0.45	0.024	0.28	0.3	<0.01	0.3	<0.1	0.38
1887815	Drill Core	1.9	8.8	0.5	<1	0.29	0.002	29	2	0.19	174	0.001	<1	0.47	0.023	0.32	0.3	0.03	0.4	<0.1	0.40
1887816	Drill Core	1.7	4.2	0.2	4	0.68	0.031	19	7	0.42	128	0.009	<1	0.62	0.021	0.33	0.2	0.01	0.9	<0.1	1.43
1887817	Drill Core	0.2	0.9	<0.1	9	1.67	0.054	10	13	1.49	119	0.028	1	1.23	0.013	0.28	0.2	<0.01	1.4	<0.1	1.53
1887818	Drill Core	0.3	1.1	0.1	7	1.15	0.058	9	10	0.91	83	0.015	1	0.86	0.014	0.29	0.5	0.02	1.3	0.1	1.70
1887819	Drill Core	0.2	1.1	0.2	4	0.75	0.033	12	6	0.51	106	0.010	<1	0.63	0.019	0.30	0.3	0.02	1.0	0.1	1.22
1887820	Rock Pulp	0.6	2.7	0.1	29	0.85	0.040	5	26	0.55	89	0.071	9	1.18	0.102	0.11	4.7	0.15	2.7	0.2	0.10
1887821	Drill Core	0.2	1.5	0.2	2	0.47	0.022	14	4	0.39	147	0.006	<1	0.51	0.019	0.27	0.2	0.03	0.5	0.1	0.77
1887822	Drill Core	0.4	1.3	0.1	6	1.32	0.057	7	10	0.92	69	0.024	1	0.85	0.015	0.30	0.3	0.02	1.1	<0.1	1.92
1887823	Drill Core	0.4	1.0	<0.1	9	1.22	0.059	6	13	1.77	135	0.033	1	1.37	0.011	0.29	0.2	<0.01	1.3	<0.1	1.33
1887824	Drill Core	0.3	1.1	<0.1	10	1.18	0.064	6	17	1.68	112	0.027	1	1.29	0.015	0.26	0.2	0.02	1.4	0.1	1.56
1887825	Drill Core	0.4	3.1	0.2	6	1.60	0.042	6	11	1.55	121	0.022	<1	1.16	0.016	0.26	0.2	0.01	1.3	<0.1	1.35
1887826	Drill Core	0.3	1.8	0.2	10	1.25	0.063	8	17	2.11	127	0.026	2	1.59	0.007	0.29	0.4	<0.01	1.5	0.1	1.45
1887827	Drill Core	0.5	3.0	<0.1	6	0.81	0.050	8	10	1.42	130	0.019	<1	1.14	0.012	0.27	0.2	0.01	1.0	<0.1	1.30
1887828	Drill Core	1.1	4.3	<0.1	2	0.64	0.027	8	6	0.83	107	0.015	<1	0.76	0.022	0.26	0.1	0.03	0.9	<0.1	1.41



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000473.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887805	Drill Core	<1	<0.5	<0.2
1887806	Drill Core	<1	<0.5	<0.2
1887807	Drill Core	<1	<0.5	<0.2
1887808	Drill Core	<1	<0.5	<0.2
1887809	Drill Core	<1	<0.5	<0.2
1887810	Drill Core	<1	<0.5	<0.2
1887811	Drill Core	<1	<0.5	<0.2
1887812	Drill Core	<1	<0.5	<0.2
1887813	Drill Core	<1	<0.5	<0.2
1887814	Drill Core	<1	<0.5	<0.2
1887815	Drill Core	<1	<0.5	<0.2
1887816	Drill Core	1	<0.5	<0.2
1887817	Drill Core	3	<0.5	<0.2
1887818	Drill Core	2	<0.5	<0.2
1887819	Drill Core	2	<0.5	<0.2
1887820	Rock Pulp	5	<0.5	<0.2
1887821	Drill Core	1	<0.5	<0.2
1887822	Drill Core	2	<0.5	<0.2
1887823	Drill Core	3	<0.5	<0.2
1887824	Drill Core	3	<0.5	<0.2
1887825	Drill Core	3	<0.5	<0.2
1887826	Drill Core	4	0.5	<0.2
1887827	Drill Core	3	<0.5	<0.2
1887828	Drill Core	2	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI20000473.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
Pulp Duplicates																					
REP 1887725	QC							0.2	7.5	42.9	34	0.4	3.0	1.0	229	0.84	0.5	2.1	154.5	12.3	113
1887739	Drill Core	2.20	425	0.014	0.01	<0.17	36.32	1.0	23.2	17.4	62	0.9	5.7	5.9	587	2.09	15.3	3.4	8.5	8.7	56
REP 1887739	QC			0.013																	
1887747	Drill Core	1.64	396	0.037	0.03	<0.17	29.26	0.9	12.1	9.7	61	0.4	9.2	6.5	416	1.79	60.2	1.7	35.8	9.5	28
REP 1887747	QC							0.9	12.3	10.0	62	0.4	9.4	6.7	418	1.79	61.6	1.8	33.3	9.8	28
1887762	Drill Core	2.67	482	0.007	<0.01	<0.17	35.30	0.3	1.5	8.1	15	<0.1	1.2	1.4	117	0.65	14.1	1.9	3.6	14.0	9
REP 1887762	QC			0.007																	
1887782	Drill Core	2.74	484	0.006	<0.01	<0.17	42.55	1.1	1.4	23.0	9	0.1	0.3	0.2	58	0.36	1.5	3.3	0.8	19.1	23
REP 1887782	QC							1.1	1.4	23.0	9	0.1	0.2	0.2	58	0.36	1.6	3.2	0.6	19.1	24
1887814	Drill Core	2.86	484	<0.005	<0.01	<0.17	36.71	1.2	6.9	17.7	18	0.3	0.5	0.5	164	0.82	0.7	4.1	0.9	16.2	18
REP 1887814	QC			<0.005																	
1887817	Drill Core	3.06	457	<0.005	<0.01	<0.17	33.95	1.1	27.8	26.5	77	0.4	14.6	9.8	929	2.61	7.5	1.9	2.0	9.1	64
REP 1887817	QC							1.1	27.9	26.4	76	0.4	14.7	9.6	928	2.60	7.6	1.8	1.8	9.1	64
Core Reject Duplicates																					
1887725	Drill Core	2.82	421	0.074	0.09	0.26	30.46	0.2	7.1	42.8	33	0.4	2.7	0.8	223	0.81	1.0	2.1	141.1	11.3	108
DUP 1887725	QC		527	0.103	0.11	0.26	27.21	0.1	6.0	56.9	35	0.4	3.1	1.0	226	0.76	0.8	2.2	74.0	13.2	104
1887759	Drill Core	2.73	477	0.015	0.01	<0.17	28.64	0.4	2.2	20.0	14	0.1	0.7	0.7	134	0.65	2.4	2.8	3.3	17.7	20
DUP 1887759	QC		422	0.026	0.02	<0.17	28.22	0.4	2.2	16.7	13	<0.1	0.7	0.6	131	0.67	2.3	2.5	3.0	16.0	21
1887793	Drill Core	2.66	517	<0.005	<0.01	<0.17	29.84	0.3	2.6	24.5	11	0.2	0.4	0.2	62	0.43	1.4	3.7	<0.5	18.1	10
DUP 1887793	QC		543	<0.005	<0.01	<0.17	34.69	0.3	2.5	23.8	12	0.1	0.3	0.2	62	0.44	1.6	3.8	<0.5	18.2	10
1887827	Drill Core	2.83	534	<0.005	<0.01	<0.17	33.56	1.0	40.7	62.1	114	0.3	11.5	8.2	553	2.36	9.4	1.7	2.3	12.3	53
DUP 1887827	QC		413	<0.005	<0.01	<0.17	30.63	0.9	42.2	69.0	112	0.3	12.2	9.0	574	2.50	9.3	1.8	1.1	12.8	54
Reference Materials																					
STD BVGEO01	Standard							11.0	4390.8	184.7	1743	2.6	158.9	25.3	767	3.67	112.0	3.7	206.4	13.8	56
STD BVGEO01	Standard							11.3	4394.8	191.0	1880	2.6	163.0	25.6	714	3.67	116.4	3.7	234.9	17.6	52
STD DS11	Standard							14.9	144.9	132.9	334	1.7	80.8	14.3	1049	3.10	41.8	2.4	62.7	7.5	67
STD DS11	Standard							16.2	155.1	139.5	364	1.8	86.4	14.8	1081	3.36	43.0	2.7	91.1	8.0	70
STD DS11	Standard							14.8	143.1	136.6	343	1.7	77.6	13.1	1014	3.11	42.3	2.4	73.6	8.0	58



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 14, 2021

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000473.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
REP 1887725	QC	<0.1	0.8	0.4	2	0.41	0.005	16	3	0.52	1731	0.002	<1	0.66	0.037	0.32	0.2	0.01	0.9	<0.1	0.14
1887739	Drill Core	0.4	0.5	<0.1	8	0.12	0.047	22	15	0.65	240	0.002	<1	0.89	0.017	0.32	0.9	0.02	1.3	0.1	0.16
REP 1887739	QC																				
1887747	Drill Core	0.3	1.0	<0.1	8	0.48	0.043	14	15	0.53	197	0.039	<1	0.76	0.042	0.25	0.5	0.01	2.1	<0.1	0.52
REP 1887747	QC	0.3	1.1	0.1	8	0.49	0.044	14	15	0.53	212	0.040	<1	0.76	0.039	0.25	0.6	<0.01	2.1	<0.1	0.53
1887762	Drill Core	0.1	0.3	<0.1	1	0.13	0.014	36	3	0.18	302	0.001	<1	0.49	0.021	0.36	<0.1	<0.01	0.7	<0.1	0.16
REP 1887762	QC																				
1887782	Drill Core	0.1	0.2	0.1	<1	0.16	0.004	33	<1	0.09	427	<0.001	<1	0.46	0.025	0.37	0.1	<0.01	0.4	<0.1	0.07
REP 1887782	QC	0.1	0.2	0.1	<1	0.16	0.004	33	<1	0.08	419	<0.001	<1	0.45	0.024	0.36	0.1	<0.01	0.4	<0.1	0.07
1887814	Drill Core	<0.1	0.8	0.1	<1	0.33	0.002	26	2	0.20	184	0.001	<1	0.45	0.024	0.28	0.3	<0.01	0.3	<0.1	0.38
REP 1887814	QC																				
1887817	Drill Core	0.2	0.9	<0.1	9	1.67	0.054	10	13	1.49	119	0.028	1	1.23	0.013	0.28	0.2	<0.01	1.4	<0.1	1.53
REP 1887817	QC	0.2	0.9	<0.1	9	1.64	0.054	10	13	1.49	119	0.028	1	1.23	0.013	0.28	0.2	<0.01	1.4	<0.1	1.55
Core Reject Duplicates																					
1887725	Drill Core	<0.1	0.8	0.4	2	0.41	0.004	16	3	0.50	1594	0.001	<1	0.65	0.036	0.31	0.1	0.01	0.9	<0.1	0.13
DUP 1887725	QC	<0.1	0.8	0.5	2	0.42	0.004	16	2	0.52	1663	0.001	<1	0.66	0.034	0.32	0.1	<0.01	0.8	<0.1	0.14
1887759	Drill Core	0.1	0.2	0.1	<1	0.24	0.004	39	2	0.12	471	<0.001	<1	0.40	0.027	0.30	0.1	<0.01	0.6	<0.1	0.19
DUP 1887759	QC	0.1	0.2	0.1	<1	0.23	0.004	36	2	0.11	611	<0.001	<1	0.42	0.030	0.31	0.1	<0.01	0.6	<0.1	0.19
1887793	Drill Core	0.1	0.3	0.2	<1	0.07	0.002	41	2	0.07	254	<0.001	1	0.34	0.040	0.30	<0.1	<0.01	0.8	<0.1	0.11
DUP 1887793	QC	0.1	0.3	0.2	<1	0.07	0.002	41	2	0.07	257	<0.001	1	0.33	0.039	0.29	<0.1	0.01	0.7	<0.1	0.12
1887827	Drill Core	0.5	3.0	<0.1	6	0.81	0.050	8	10	1.42	130	0.019	<1	1.14	0.012	0.27	0.2	0.01	1.0	<0.1	1.30
DUP 1887827	QC	0.5	2.9	<0.1	6	0.84	0.050	8	11	1.48	116	0.021	1	1.24	0.014	0.30	0.2	0.01	1.1	0.1	1.35
Reference Materials																					
STD BVGEO01	Standard	6.1	3.4	22.5	75	1.36	0.070	25	200	1.35	232	0.237	4	2.41	0.200	0.90	4.8	0.08	5.9	0.6	0.69
STD BVGEO01	Standard	6.2	3.2	24.3	73	1.34	0.080	25	186	1.31	262	0.220	3	2.29	0.189	0.91	5.5	0.09	5.8	0.6	0.65
STD DS11	Standard	2.2	8.3	11.1	47	1.07	0.070	17	60	0.85	346	0.091	8	1.18	0.074	0.41	2.8	0.26	3.2	4.7	0.27
STD DS11	Standard	2.3	8.9	11.1	53	1.14	0.072	19	65	0.92	362	0.103	7	1.28	0.080	0.43	3.0	0.28	3.4	5.4	0.30
STD DS11	Standard	2.4	7.4	10.3	50	1.05	0.070	16	60	0.84	369	0.084	9	1.15	0.074	0.40	3.2	0.26	3.2	4.7	0.28



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000473.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
REP 1887725	QC	2	<0.5	<0.2
1887739	Drill Core	3	<0.5	<0.2
REP 1887739	QC			
1887747	Drill Core	3	<0.5	<0.2
REP 1887747	QC	3	<0.5	<0.2
1887762	Drill Core	2	<0.5	<0.2
REP 1887762	QC			
1887782	Drill Core	2	<0.5	<0.2
REP 1887782	QC	2	<0.5	<0.2
1887814	Drill Core	<1	<0.5	<0.2
REP 1887814	QC			
1887817	Drill Core	3	<0.5	<0.2
REP 1887817	QC	3	<0.5	<0.2
Core Reject Duplicates				
1887725	Drill Core	2	<0.5	<0.2
DUP 1887725	QC	2	<0.5	<0.2
1887759	Drill Core	2	<0.5	<0.2
DUP 1887759	QC	2	<0.5	<0.2
1887793	Drill Core	<1	<0.5	<0.2
DUP 1887793	QC	<1	<0.5	<0.2
1887827	Drill Core	3	<0.5	<0.2
DUP 1887827	QC	3	<0.5	<0.2
Reference Materials				
STD BVGEO01	Standard	7	4.9	0.9
STD BVGEO01	Standard	8	5.5	1.0
STD DS11	Standard	5	2.4	4.7
STD DS11	Standard	6	2.5	5.0
STD DS11	Standard	5	2.4	4.8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 14, 2021

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI20000473.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OREAS262	Standard							0.7	111.9	55.0	154	0.5	66.3	28.0	551	3.20	35.5	1.1	56.8	8.8	34
STD OREAS262	Standard							0.7	114.7	56.2	151	0.5	66.8	28.6	564	3.24	34.3	1.2	55.6	9.0	34
STD OREAS262	Standard							0.6	110.1	55.6	146	0.5	62.8	27.9	561	3.28	34.4	1.1	54.4	9.7	33
STD OREAS262	Standard							0.7	112.4	57.6	147	0.4	62.8	27.0	530	3.32	37.1	1.2	60.6	10.3	31
STD OXB130	Standard			0.119																	
STD OXB130	Standard			0.120																	
STD OXB130	Standard			0.118																	
STD OXB130	Standard			0.123																	
STD OXB130	Standard			0.123																	
STD OXG141	Standard			0.912																	
STD OXG141	Standard			0.953																	
STD OXG141	Standard			0.929																	
STD OXG141	Standard			0.942																	
STD OXG141	Standard			0.930																	
STD OXN155	Standard			7.726																	
STD OXN155	Standard			7.557																	
STD OXN155	Standard			7.695																	
STD OXN155	Standard			7.559																	
STD OXN155	Standard			7.549																	
STD OXP116	Standard					15.01	29.72														
STD OXP116	Standard					15.25	30.10														
STD OXP116	Standard					15.48	30.23														
STD OXP116	Standard					15.24	30.05														
STD OXP154	Standard					14.85	30.04														
STD OXP154	Standard					15.34	30.05														
STD OXP154	Standard					15.62	30.22														
STD OXP154	Standard					15.56	30.01														
STD BVGE001 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000473.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OREAS262	Standard	0.6	4.8	0.9	21	3.08	0.041	16	45	1.17	233	0.003	4	1.44	0.068	0.32	0.2	0.16	3.3	0.4	0.26
STD OREAS262	Standard	0.6	4.3	0.9	22	2.99	0.038	16	46	1.18	234	0.003	5	1.48	0.069	0.33	0.2	0.16	3.2	0.5	0.26
STD OREAS262	Standard	0.7	3.8	1.0	22	2.99	0.041	15	42	1.21	254	0.003	4	1.27	0.071	0.32	0.2	0.16	2.8	0.4	0.26
STD OREAS262	Standard	0.6	4.9	1.0	22	2.85	0.039	16	45	1.19	246	0.003	2	1.35	0.068	0.32	0.2	0.17	3.3	0.5	0.26
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000473.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OREAS262	Standard	4	0.7	0.2
STD OREAS262	Standard	4	<0.5	0.3
STD OREAS262	Standard	4	0.6	<0.2
STD OREAS262	Standard	4	0.7	0.3
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD BVGE001 Expected		7.37	4.84	1.02
STD DS11 Expected		5.1	2.2	4.56



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000473.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXP116 Expected						14.92															
STD OXP154 Expected						15.26															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.5	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		455	<0.005	<0.01	<0.17	25.01	0.8	1.5	1.1	22	<0.1	1.9	3.3	402	1.82	1.2	0.4	<0.5	2.4	24
ROCK-WHI	Prep Blank		431	<0.005	<0.01	<0.17	37.86	0.7	1.6	1.2	26	<0.1	1.2	3.7	473	2.09	1.1	0.5	<0.5	2.6	25



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 14, 2021

Page:

3 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000473.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
STD OXP116 Expected																					
STD OXP154 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.61	0.037	7	3	0.40	57	0.085	4	0.86	0.093	0.09	0.1	0.05	2.5	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	25	0.67	0.041	7	3	0.45	69	0.091	4	0.95	0.101	0.11	0.1	0.03	2.9	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 14, 2021

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000473.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OREAS262 Expected		4.1	0.4	0.23
STD OXP116 Expected				
STD OXP154 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2