



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 06, 2020
Analysis Start: December 21, 2020
Report Date: January 17, 2021
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI20000528.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-23
P.O. Number
Number of Samples: 129

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	123	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			VAN
SLBHP	4	Sort, label and box pulps			WHI
FS631	129	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	129	Analysis sample split/packet			VAN
Split -150	129	Analysis sample split/packet			VAN
FS631	125	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	129	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	129	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 2 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025914	Drill Core	2.89	448	0.562	0.63	1.47	31.26	2.7	69.8	363.5	223	1.7	7.9	6.9	416	2.20	38.5	4.5	489.7	9.3	25
2025915	Drill Core	2.89	467	0.220	0.26	0.71	33.97	1.6	42.6	172.8	247	0.7	9.0	4.5	363	2.02	42.8	3.4	314.1	9.1	12
2025916	Drill Core	2.73	502	0.025	0.02	<0.17	34.33	0.9	47.2	126.7	247	0.7	10.3	7.0	549	2.25	54.0	2.9	23.8	9.4	8
2025917	Drill Core	2.48	455	0.010	<0.01	<0.17	36.20	0.7	41.0	37.0	160	0.6	9.8	3.3	374	1.98	20.4	1.8	8.6	10.4	6
2025918	Drill Core	2.83	434	0.137	0.13	<0.17	35.26	1.0	69.7	332.9	180	1.4	5.8	5.7	301	2.25	24.5	2.6	164.8	8.8	47
2025919	Drill Core	2.68	451	0.007	<0.01	<0.17	28.58	1.4	34.8	60.8	115	0.6	4.3	2.4	224	2.00	3.5	1.8	4.0	8.5	70
2025920	Rock Pulp		81	0.531				6.6	110.5	84.2	146	0.6	11.7	5.1	595	2.52	40.7	0.4	504.8	2.7	36
2025921	Drill Core	2.91	448	0.006	<0.01	<0.17	34.74	1.2	16.5	36.4	85	0.4	3.8	2.0	207	1.97	0.9	1.5	2.3	7.9	32
2025922	Drill Core	2.21	441	0.007	<0.01	<0.17	23.40	2.5	23.2	15.8	76	0.3	4.3	3.8	234	2.13	0.9	1.5	6.3	8.3	19
2025923	Drill Core	3.16	464	0.006	<0.01	<0.17	33.85	1.1	26.1	34.4	102	0.3	7.1	5.6	278	2.07	1.4	2.0	2.8	7.6	17
2025924	Drill Core	2.70	451	0.006	<0.01	<0.17	35.16	0.2	28.9	15.3	92	0.3	4.5	4.1	286	2.19	1.9	2.3	2.4	8.0	22
2025925	Drill Core	2.59	471	0.006	<0.01	<0.17	34.03	0.4	45.6	19.4	103	0.3	5.7	6.4	397	2.49	1.4	2.5	2.7	8.8	10
2025926	Drill Core	1.56	444	0.012	0.01	<0.17	21.88	1.8	24.9	86.2	92	0.5	4.4	4.8	434	2.43	2.1	1.1	4.7	8.7	19
2025927	Drill Core	1.52	503	0.020	0.02	<0.17	25.51	0.2	28.0	31.0	89	0.4	4.4	4.3	452	2.04	1.5	2.0	38.3	7.9	16
2025928	Drill Core	3.18	438	0.014	0.02	<0.17	24.73	0.8	50.5	98.4	122	0.7	5.5	6.4	538	1.74	1.5	3.4	9.1	10.0	12
2025929	Drill Core	2.90	446	0.014	0.02	<0.17	27.02	1.2	38.1	113.2	101	0.7	4.1	1.3	254	1.89	1.6	1.6	5.9	8.7	29
2025930	Drill Core	2.46	525	0.007	<0.01	<0.17	32.27	0.4	26.1	13.0	80	0.3	3.2	1.1	231	1.90	1.7	1.3	3.5	8.0	24
2025931	Drill Core	2.90	535	0.009	<0.01	<0.17	34.19	3.0	28.9	53.0	81	0.4	6.3	1.7	284	2.28	1.5	1.5	11.8	8.8	22
2025932	Drill Core	2.94	539	0.009	0.01	<0.17	32.51	0.9	52.5	32.8	90	0.6	10.3	4.6	332	2.11	1.8	1.6	3.0	8.4	19
2025933	Drill Core	1.81	457	0.014	0.01	<0.17	36.39	1.2	32.6	190.2	85	0.7	12.3	6.5	354	2.03	3.7	1.7	9.6	7.0	40
2025934	Drill Core	1.15	494	0.065	0.06	<0.17	35.69	1.1	19.1	30.4	82	0.3	5.9	2.6	245	1.89	1.4	1.1	75.3	4.2	36
2025935	Drill Core	2.52	529	0.025	0.02	<0.17	31.00	0.8	32.5	32.4	126	0.4	8.2	8.6	433	2.20	1.2	2.0	14.9	7.5	23
2025936	Drill Core	3.40	490	0.093	0.09	<0.17	36.51	0.3	59.4	126.1	107	1.0	6.7	5.1	315	2.24	3.6	1.8	31.6	7.0	42
2025937	Drill Core	2.48	515	1.195	3.17	36.86	28.54	0.4	21.4	70.1	63	1.2	3.0	1.7	74	1.97	5.6	1.3	1021.8	7.3	62
2025938	Drill Core	2.69	507	1.096	1.31	4.21	34.46	0.3	14.5	36.4	26	1.6	3.5	2.1	55	1.83	1.0	1.0	860.7	6.8	24
2025939	Drill Core	3.06	501	0.484	0.52	1.03	36.73	0.6	17.3	5.1	57	0.4	7.4	7.2	468	1.86	1.3	0.7	729.2	5.2	26
2025940	Rock Pulp		79	0.008				3.8	20.6	1.0	31	<0.1	7.1	4.3	575	2.34	1.4	0.4	3.0	2.3	31
2025941	Drill Core	3.22	541	0.010	<0.01	<0.17	36.48	2.5	18.5	29.5	58	0.3	10.5	9.8	536	1.67	1.1	1.0	5.9	8.2	23
2025942	Drill Core	3.15	469	0.007	<0.01	<0.17	36.64	0.4	28.7	16.0	97	0.3	7.9	6.4	310	1.65	2.2	2.3	4.5	10.7	18
2025943	Drill Core	2.50	538	<0.005	<0.01	<0.17	30.05	0.8	38.7	29.1	144	0.3	7.2	2.8	130	1.81	3.7	2.9	2.8	9.5	9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025914	Drill Core				1.0	1.2	0.2	10	0.10	0.058	24	13	0.46	314	0.004	<1	1.11	0.020	0.30	2.2	0.01	1.9	0.2	<0.05
2025915	Drill Core				1.5	1.2	<0.1	9	0.14	0.056	20	15	0.52	209	0.004	<1	1.04	0.014	0.29	0.3	<0.01	1.8	0.1	<0.05
2025916	Drill Core				1.3	1.4	<0.1	11	0.13	0.064	20	22	0.60	183	0.003	<1	1.10	0.019	0.26	0.3	0.01	1.9	0.1	<0.05
2025917	Drill Core				0.8	0.6	<0.1	9	0.11	0.069	18	16	0.58	246	0.003	<1	1.11	0.019	0.27	0.1	<0.01	1.7	<0.1	<0.05
2025918	Drill Core				0.7	0.5	0.2	8	0.06	0.068	22	13	0.35	197	0.002	<1	0.91	0.019	0.27	0.3	0.02	1.5	<0.1	0.05
2025919	Drill Core				0.7	0.5	0.1	6	0.06	0.063	17	12	0.36	302	0.002	<1	0.65	0.024	0.25	0.4	<0.01	1.1	<0.1	0.13
2025920	Rock Pulp				0.7	3.3	<0.1	28	0.82	0.035	6	24	0.50	93	0.078	7	1.11	0.095	0.10	4.4	0.14	3.0	0.2	0.09
2025921	Drill Core				0.1	0.6	0.3	6	0.03	0.048	14	19	0.70	715	0.003	<1	0.83	0.028	0.21	0.2	<0.01	1.1	<0.1	0.14
2025922	Drill Core				0.2	0.3	<0.1	7	0.07	0.054	11	15	0.72	249	0.003	<1	0.89	0.024	0.25	0.1	<0.01	1.5	<0.1	0.61
2025923	Drill Core				0.4	0.5	0.1	7	0.09	0.049	9	14	0.96	265	0.003	<1	1.04	0.020	0.24	<0.1	<0.01	1.5	<0.1	0.63
2025924	Drill Core				0.3	0.4	<0.1	8	0.06	0.043	11	15	0.85	323	0.003	<1	1.00	0.019	0.21	<0.1	0.01	1.4	<0.1	0.46
2025925	Drill Core				0.5	0.4	<0.1	10	0.08	0.054	15	31	1.16	261	0.003	<1	1.22	0.017	0.24	0.1	<0.01	1.6	<0.1	0.60
2025926	Drill Core				0.5	0.2	0.4	14	0.12	0.056	13	34	1.40	265	0.004	<1	1.21	0.033	0.15	<0.1	<0.01	2.5	<0.1	0.58
2025927	Drill Core				0.5	0.4	0.3	9	0.09	0.051	15	19	0.93	310	0.003	<1	0.96	0.025	0.20	0.1	<0.01	1.8	<0.1	0.46
2025928	Drill Core				0.6	0.2	0.1	6	0.04	0.045	20	13	0.78	439	0.002	<1	0.93	0.015	0.19	<0.1	<0.01	1.1	<0.1	<0.05
2025929	Drill Core				0.4	0.4	0.2	8	0.04	0.044	16	32	0.90	669	0.002	<1	0.97	0.022	0.21	<0.1	<0.01	1.2	<0.1	0.09
2025930	Drill Core				0.2	0.8	<0.1	8	0.04	0.049	14	28	0.91	666	0.002	<1	0.96	0.020	0.23	<0.1	<0.01	1.4	<0.1	0.18
2025931	Drill Core				0.2	0.4	0.2	9	0.04	0.049	16	22	1.17	798	0.002	<1	1.13	0.018	0.20	<0.1	<0.01	1.4	<0.1	0.16
2025932	Drill Core				0.2	0.3	0.2	8	0.08	0.052	12	23	1.29	313	0.003	<1	1.23	0.023	0.25	<0.1	<0.01	1.7	<0.1	0.49
2025933	Drill Core				0.4	0.4	0.9	10	0.16	0.047	9	60	1.34	169	0.003	<1	1.15	0.014	0.17	0.3	0.02	1.2	<0.1	0.69
2025934	Drill Core				0.3	0.2	<0.1	8	0.04	0.026	7	46	0.86	811	0.003	<1	0.80	0.008	0.14	0.2	<0.01	1.5	<0.1	0.19
2025935	Drill Core				0.7	0.5	0.2	12	0.10	0.050	11	56	1.39	269	0.003	<1	1.29	0.018	0.24	0.2	<0.01	1.8	<0.1	0.57
2025936	Drill Core				0.4	2.2	<0.1	7	0.09	0.056	15	20	0.73	225	0.002	<1	0.84	0.015	0.23	0.1	0.02	1.3	<0.1	0.68
2025937	Drill Core				0.2	0.4	<0.1	6	0.09	0.073	14	8	0.11	328	0.002	<1	0.44	0.022	0.38	0.1	<0.01	1.5	0.1	0.40
2025938	Drill Core				0.1	0.3	<0.1	6	0.10	0.063	12	9	0.08	279	0.003	<1	0.40	0.036	0.38	0.1	<0.01	1.3	0.1	0.58
2025939	Drill Core				0.8	0.3	<0.1	13	0.57	0.063	9	7	0.39	253	0.029	<1	0.72	0.050	0.23	0.2	<0.01	1.9	<0.1	0.64
2025940	Rock Pulp				<0.1	0.2	<0.1	22	0.75	0.037	6	15	0.48	62	0.076	2	1.00	0.074	0.08	0.2	<0.01	2.8	<0.1	0.05
2025941	Drill Core				1.2	0.4	0.1	5	0.72	0.058	9	8	0.34	104	0.003	<1	0.56	0.029	0.29	<0.1	<0.01	1.5	<0.1	1.10
2025942	Drill Core				2.7	0.6	<0.1	6	0.30	0.071	16	10	0.37	272	0.004	<1	0.66	0.025	0.31	<0.1	0.02	1.7	<0.1	0.39
2025943	Drill Core				0.5	0.7	<0.1	6	0.08	0.058	18	11	0.34	178	0.002	<1	0.76	0.021	0.28	<0.1	0.02	1.6	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025914	Drill Core	3	0.5	<0.2
2025915	Drill Core	3	<0.5	<0.2
2025916	Drill Core	4	0.7	<0.2
2025917	Drill Core	3	<0.5	<0.2
2025918	Drill Core	3	0.7	<0.2
2025919	Drill Core	2	<0.5	<0.2
2025920	Rock Pulp	4	<0.5	<0.2
2025921	Drill Core	3	<0.5	<0.2
2025922	Drill Core	3	<0.5	<0.2
2025923	Drill Core	3	<0.5	<0.2
2025924	Drill Core	3	<0.5	<0.2
2025925	Drill Core	4	<0.5	<0.2
2025926	Drill Core	5	<0.5	<0.2
2025927	Drill Core	3	<0.5	<0.2
2025928	Drill Core	3	<0.5	<0.2
2025929	Drill Core	3	<0.5	<0.2
2025930	Drill Core	3	<0.5	<0.2
2025931	Drill Core	4	<0.5	<0.2
2025932	Drill Core	4	<0.5	<0.2
2025933	Drill Core	3	0.9	<0.2
2025934	Drill Core	3	<0.5	<0.2
2025935	Drill Core	4	<0.5	<0.2
2025936	Drill Core	3	<0.5	<0.2
2025937	Drill Core	2	0.7	0.3
2025938	Drill Core	2	0.6	0.6
2025939	Drill Core	3	<0.5	<0.2
2025940	Rock Pulp	4	<0.5	<0.2
2025941	Drill Core	2	<0.5	<0.2
2025942	Drill Core	2	0.5	<0.2
2025943	Drill Core	2	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2012

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025944	Drill Core	2.47	534	0.010	<0.01	<0.17	23.37	3.2	43.3	60.1	203	0.6	8.3	3.4	169	2.31	16.3	3.4	7.6	9.2	7			
2025945	Drill Core	2.67	523	<0.005	<0.01	<0.17	33.99	1.3	24.6	43.7	137	0.3	9.9	8.7	368	1.60	5.3	1.5	1.1	10.3	6			
2025946	Drill Core	3.36	466	0.005	<0.01	<0.17	28.03	0.7	19.8	7.9	128	0.3	13.1	9.1	469	2.02	2.9	2.0	1.9	11.0	13			
2025947	Drill Core	3.04	454	0.008	<0.01	<0.17	36.58	1.6	25.4	10.5	109	0.5	15.2	10.6	839	2.96	10.0	1.3	5.0	9.4	28			
2025948	Drill Core	2.91	367	<0.005	<0.01	<0.17	36.20	1.0	14.0	6.3	64	0.3	13.8	8.3	542	1.87	1.5	1.2	1.8	9.4	48			
2025949	Drill Core	3.06	474	<0.005	<0.01	<0.17	36.22	1.0	18.3	7.8	72	0.3	13.1	8.8	585	1.82	1.1	1.6	0.8	10.2	33			
2025950	Drill Core	3.17	392	<0.005	<0.01	<0.17	31.63	1.5	12.1	9.9	59	0.2	10.4	6.9	488	1.77	1.2	2.1	1.4	10.2	41			
2025951	Drill Core	3.01	466	<0.005	<0.01	<0.17	31.68	1.8	16.0	12.9	54	0.3	12.9	8.2	603	1.81	1.4	1.6	1.3	9.4	36			
2025952	Drill Core	2.59	546	<0.005	<0.01	<0.17	28.39	1.3	13.9	10.5	85	0.3	12.5	9.8	827	2.04	8.4	1.8	2.1	9.9	20			
2025953	Drill Core	2.72	478	<0.005	<0.01	<0.17	26.20	2.2	13.5	18.8	70	0.3	9.5	7.0	488	1.78	1.6	1.8	1.7	9.6	38			
2025954	Drill Core	2.84	395	<0.005	<0.01	<0.17	30.98	1.3	15.3	13.3	81	0.3	8.5	6.3	433	1.84	3.0	2.0	1.5	9.4	27			
2025955	Drill Core	2.60	504	0.011	0.01	<0.17	28.50	0.9	13.9	11.7	69	0.4	4.5	3.0	77	1.56	26.2	1.6	9.4	8.3	24			
2025956	Drill Core	2.84	393	0.025	0.02	<0.17	29.65	1.0	19.2	7.9	120	0.3	13.3	8.8	391	2.18	2.6	1.9	23.4	8.5	25			
2025957	Drill Core	2.85	541	0.006	<0.01	<0.17	31.96	1.0	10.5	20.0	69	0.3	10.3	6.7	223	1.65	4.8	2.3	4.1	9.3	33			
2025958	Drill Core	2.32	365	<0.005	<0.01	<0.17	35.78	2.2	9.9	34.5	19	0.3	9.3	6.0	61	2.30	1.5	1.6	2.2	8.4	13			
2025959	Drill Core	2.96	461	0.012	0.01	<0.17	30.83	1.8	143.9	33.7	128	3.5	12.5	8.1	255	2.00	8.3	2.9	9.9	9.4	31			
2025960	Core DUP		470	0.013	0.01	<0.17	37.41	1.7	138.3	33.3	132	3.3	12.9	8.2	264	2.08	8.3	2.9	9.1	9.6	32			
2025961	Drill Core	3.08	441	0.009	<0.01	<0.17	36.53	2.3	18.2	34.0	30	1.3	7.8	5.8	196	1.64	2.1	2.7	5.5	9.6	41			
2025962	Drill Core	2.74	401	<0.005	<0.01	<0.17	29.46	1.4	28.9	242.1	263	0.9	9.0	6.6	139	1.83	2.0	2.5	2.3	10.0	16			
2025963	Drill Core	3.59	425	<0.005	<0.01	<0.17	33.79	0.2	34.4	167.5	205	0.7	6.0	6.2	403	1.26	2.4	2.4	1.5	9.1	29			
2025964	Drill Core	2.41	499	<0.005	<0.01	<0.17	27.20	0.3	30.8	231.7	248	0.7	5.9	5.6	274	1.12	2.4	2.6	1.1	9.8	26			
2025965	Drill Core	2.94	488	<0.005	<0.01	<0.17	20.57	1.4	12.7	81.8	66	0.4	5.6	4.5	186	1.06	4.1	3.0	2.5	11.2	34			
2025966	Drill Core	3.27	378	<0.005	<0.01	<0.17	29.44	0.8	7.5	19.0	58	0.2	4.4	3.2	184	1.18	6.4	3.4	1.4	13.1	23			
2025967	Drill Core	2.65	367	0.007	<0.01	<0.17	30.97	1.0	6.0	117.0	160	0.3	2.9	1.8	326	1.09	19.6	3.7	4.4	12.9	25			
2025968	Drill Core	1.90	388	<0.005	<0.01	<0.17	30.01	0.2	3.6	47.7	60	0.3	0.7	0.4	81	0.63	1.6	3.0	0.7	14.3	18			
2025969	Drill Core	2.20	441	0.008	<0.01	<0.17	32.55	0.5	2.4	31.4	112	0.2	1.6	1.0	152	0.70	6.2	3.5	2.8	14.7	22			
2025970	Drill Core	2.87	367	<0.005	<0.01	<0.17	33.17	0.6	3.6	55.2	39	0.1	0.7	0.8	133	0.57	1.9	2.1	1.1	13.8	7			
2025971	Drill Core	1.75	388	<0.005	<0.01	<0.17	35.58	0.3	3.6	39.1	31	<0.1	0.5	0.2	65	0.51	1.5	2.1	0.5	14.6	2			
2025972	Drill Core	2.68	508	<0.005	0.02	0.25	36.36	0.5	3.8	49.6	31	0.1	0.4	0.2	65	0.47	2.7	2.0	0.9	13.9	11			
2025973	Drill Core	2.40	483	0.006	<0.01	<0.17	34.97	2.3	9.6	72.3	38	0.2	0.5	0.2	49	0.54	4.7	2.7	2.2	14.5	13			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2025944	Drill Core	0.6	0.6	0.1	8	0.08	0.070	17	19	0.54	124	0.002	<1	0.97	0.020	0.26	<0.1	0.01	1.7	<0.1	0.06
2025945	Drill Core	0.6	0.3	0.1	5	0.11	0.048	14	11	0.49	264	0.002	2	0.85	0.020	0.25	<0.1	<0.01	1.2	0.1	0.19
2025946	Drill Core	1.4	0.3	<0.1	8	0.40	0.048	27	17	0.53	146	0.003	2	0.85	0.032	0.28	<0.1	<0.01	1.8	0.1	0.64
2025947	Drill Core	0.5	0.4	0.1	14	0.64	0.058	25	22	1.06	117	0.003	2	1.37	0.020	0.30	<0.1	<0.01	2.2	0.1	0.69
2025948	Drill Core	0.3	0.5	<0.1	11	1.15	0.058	25	17	0.71	148	0.005	2	0.98	0.023	0.30	<0.1	<0.01	2.0	0.1	0.53
2025949	Drill Core	0.5	0.3	<0.1	10	1.06	0.059	28	15	0.70	247	0.005	2	0.99	0.025	0.33	<0.1	<0.01	2.0	0.1	0.45
2025950	Drill Core	0.2	0.4	<0.1	10	1.17	0.051	28	15	0.71	237	0.006	2	0.95	0.031	0.32	<0.1	<0.01	2.4	0.1	0.47
2025951	Drill Core	0.3	0.4	0.1	9	1.29	0.056	21	13	0.70	152	0.004	1	0.90	0.019	0.35	<0.1	<0.01	1.8	0.2	0.67
2025952	Drill Core	0.7	0.4	<0.1	11	0.56	0.047	20	23	0.90	153	0.002	1	1.13	0.029	0.28	<0.1	<0.01	1.7	0.2	0.49
2025953	Drill Core	0.5	0.5	0.1	7	0.81	0.046	19	14	0.76	148	0.003	1	0.96	0.028	0.25	<0.1	<0.01	1.4	<0.1	0.56
2025954	Drill Core	0.6	0.3	0.1	7	0.58	0.046	18	14	0.64	256	0.003	1	0.92	0.032	0.26	<0.1	<0.01	1.5	<0.1	0.37
2025955	Drill Core	0.6	0.3	0.1	6	0.13	0.047	21	9	0.17	200	0.002	<1	0.58	0.034	0.33	0.1	<0.01	1.3	0.1	0.38
2025956	Drill Core	1.1	0.5	<0.1	9	0.72	0.059	14	21	0.48	122	0.004	1	0.83	0.022	0.33	0.2	<0.01	2.1	0.1	0.79
2025957	Drill Core	0.5	0.5	0.1	4	0.43	0.042	14	9	0.33	48	0.002	1	0.55	0.028	0.26	<0.1	<0.01	1.0	<0.1	1.13
2025958	Drill Core	0.2	0.2	0.1	3	0.09	0.036	16	7	0.05	25	0.003	<1	0.34	0.033	0.27	<0.1	<0.01	0.7	<0.1	2.00
2025959	Drill Core	1.6	19.8	<0.1	3	0.60	0.043	13	6	0.16	29	0.002	1	0.46	0.020	0.27	<0.1	<0.01	1.0	<0.1	1.80
2025960	Core DUP	1.5	17.6	<0.1	3	0.61	0.043	13	6	0.16	27	0.002	1	0.46	0.019	0.27	<0.1	<0.01	1.0	<0.1	1.84
2025961	Drill Core	0.4	2.0	0.1	3	0.86	0.040	11	5	0.06	31	0.003	1	0.38	0.024	0.29	<0.1	<0.01	0.7	<0.1	1.53
2025962	Drill Core	2.5	0.3	0.2	3	0.35	0.051	16	6	0.07	35	0.003	<1	0.38	0.028	0.29	<0.1	<0.01	0.7	0.1	1.61
2025963	Drill Core	2.3	0.3	<0.1	4	0.63	0.041	15	6	0.12	105	0.002	<1	0.43	0.023	0.34	<0.1	<0.01	0.9	0.1	0.80
2025964	Drill Core	2.0	0.3	0.3	3	0.44	0.046	13	7	0.21	180	0.002	<1	0.43	0.026	0.28	<0.1	<0.01	0.7	<0.1	0.63
2025965	Drill Core	0.5	0.2	0.1	2	0.34	0.030	15	4	0.23	168	0.002	<1	0.36	0.016	0.24	<0.1	<0.01	0.5	<0.1	0.62
2025966	Drill Core	0.3	0.3	<0.1	1	0.23	0.019	18	3	0.36	214	0.002	<1	0.43	0.009	0.23	<0.1	<0.01	0.5	<0.1	0.58
2025967	Drill Core	1.5	0.4	0.1	1	0.29	0.008	20	5	0.52	363	0.002	<1	0.54	0.017	0.24	<0.1	<0.01	0.8	<0.1	0.34
2025968	Drill Core	0.6	0.3	0.2	<1	0.05	0.003	31	2	0.11	705	<0.001	<1	0.33	0.025	0.26	<0.1	<0.01	0.4	<0.1	0.18
2025969	Drill Core	2.1	0.3	0.1	<1	0.22	0.004	41	2	0.21	628	<0.001	<1	0.35	0.013	0.26	<0.1	<0.01	0.5	<0.1	0.21
2025970	Drill Core	0.1	0.1	<0.1	<1	0.01	0.004	36	2	0.07	562	<0.001	<1	0.40	0.022	0.29	0.1	<0.01	0.4	<0.1	<0.05
2025971	Drill Core	<0.1	0.1	<0.1	<1	0.01	0.004	33	2	0.07	245	<0.001	<1	0.38	0.022	0.27	<0.1	<0.01	0.4	<0.1	<0.05
2025972	Drill Core	<0.1	0.2	<0.1	<1	0.01	0.002	22	1	0.08	1035	<0.001	<1	0.38	0.026	0.26	<0.1	<0.01	0.4	<0.1	<0.05
2025973	Drill Core	<0.1	0.1	<0.1	<1	0.01	0.004	27	1	0.06	1347	<0.001	2	0.39	0.010	0.27	0.1	<0.01	0.3	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2025944	Drill Core	3	0.7	<0.2
2025945	Drill Core	3	<0.5	<0.2
2025946	Drill Core	4	<0.5	<0.2
2025947	Drill Core	5	0.9	<0.2
2025948	Drill Core	4	<0.5	<0.2
2025949	Drill Core	4	0.5	<0.2
2025950	Drill Core	4	<0.5	<0.2
2025951	Drill Core	3	0.6	<0.2
2025952	Drill Core	5	<0.5	<0.2
2025953	Drill Core	3	<0.5	<0.2
2025954	Drill Core	3	<0.5	<0.2
2025955	Drill Core	2	1.0	<0.2
2025956	Drill Core	3	0.6	<0.2
2025957	Drill Core	2	<0.5	<0.2
2025958	Drill Core	1	<0.5	<0.2
2025959	Drill Core	1	<0.5	<0.2
2025960	Core DUP	1	<0.5	<0.2
2025961	Drill Core	1	<0.5	<0.2
2025962	Drill Core	1	0.6	<0.2
2025963	Drill Core	2	<0.5	<0.2
2025964	Drill Core	2	<0.5	<0.2
2025965	Drill Core	1	<0.5	<0.2
2025966	Drill Core	1	<0.5	<0.2
2025967	Drill Core	2	<0.5	<0.2
2025968	Drill Core	2	<0.5	<0.2
2025969	Drill Core	2	<0.5	<0.2
2025970	Drill Core	2	<0.5	<0.2
2025971	Drill Core	2	<0.5	<0.2
2025972	Drill Core	2	<0.5	<0.2
2025973	Drill Core	1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2012

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2025974	Drill Core	2.69	449	<0.005	<0.01	<0.17	37.95	1.5	29.9	209.0	55	0.7	0.5	0.2	72	0.78	0.9	3.1	2.0	15.5	11
2025975	Drill Core	3.03	490	<0.005	<0.01	<0.17	39.74	0.8	11.5	195.5	61	0.2	0.6	0.4	196	0.54	1.2	4.2	0.9	19.2	2
2025976	Drill Core	2.12	428	<0.005	<0.01	<0.17	39.41	1.3	15.6	222.3	58	0.4	0.7	0.4	196	0.54	2.1	4.9	1.0	15.5	2
2025977	Drill Core	3.45	379	<0.005	<0.01	<0.17	34.51	0.7	9.4	99.9	38	0.3	0.4	0.2	104	0.38	1.4	3.1	0.9	16.0	3
2025978	Drill Core	2.85	436	<0.005	<0.01	<0.17	35.16	0.6	7.4	42.1	29	0.2	0.5	0.2	68	0.46	0.7	2.7	0.6	16.5	7
2025979	Drill Core	2.78	398	0.016	0.01	<0.17	34.18	2.9	14.1	325.9	50	0.4	0.6	1.0	317	0.50	1.5	4.7	11.2	15.0	3
2025980	Rock	0.23	150	<0.005	<0.01	<0.17	31.88	0.5	1.0	4.6	5	<0.1	1.4	0.5	80	0.83	0.8	0.2	<0.5	1.0	1
2025981	Drill Core	2.42	495	0.005	<0.01	<0.17	33.63	0.6	11.9	154.7	80	0.4	0.5	0.6	139	0.39	1.2	3.0	0.7	19.5	4
2025982	Drill Core	2.43	509	<0.005	<0.01	<0.17	35.04	0.9	6.9	115.9	85	0.2	0.7	0.5	98	0.43	2.1	3.8	<0.5	19.2	10
1812102	Drill Core	1.67	389	0.028	0.03	<0.17	37.14	8.0	11.4	37.2	61	2.2	4.4	4.5	229	1.25	2.6	1.8	<0.5	15.4	13
1812103	Drill Core	1.76	406	<0.005	0.01	<0.17	38.14	0.5	6.0	29.4	93	0.2	8.9	9.0	344	1.69	4.7	2.3	<0.5	16.5	12
1812104	Drill Core	3.02	405	<0.005	<0.01	<0.17	35.81	0.3	4.0	29.5	27	<0.1	0.8	0.4	77	0.46	2.1	2.0	<0.5	19.6	2
1812105	Drill Core	2.33	468	0.006	<0.01	<0.17	34.38	4.4	9.7	54.3	21	1.4	1.2	0.5	100	0.45	2.4	3.3	1.1	18.4	3
1812106	Drill Core	2.08	414	0.006	0.01	<0.17	34.77	0.5	2.6	20.9	14	<0.1	1.1	0.5	74	0.43	1.2	2.3	<0.5	19.7	2
1812107	Drill Core	2.82	385	0.008	<0.01	<0.17	33.11	1.0	4.0	35.3	22	0.3	0.9	0.3	78	0.50	2.1	2.9	0.6	19.5	4
1812108	Drill Core	3.09	522	<0.005	<0.01	<0.17	36.47	0.9	20.5	53.2	30	0.5	0.6	0.3	59	0.51	1.0	3.2	<0.5	18.8	9
1812109	Drill Core	2.93	375	0.015	0.01	<0.17	32.41	0.5	3.3	66.7	33	0.2	0.6	0.3	68	0.50	1.8	3.0	2.8	18.7	3
1812110	Drill Core	2.93	355	0.005	<0.01	<0.17	28.89	0.4	2.5	33.5	25	0.1	0.6	0.3	75	0.47	1.1	2.6	<0.5	19.0	3
1812111	Drill Core	3.54	411	0.008	<0.01	<0.17	34.29	0.3	3.4	36.5	26	0.2	0.7	0.2	80	0.45	0.6	2.3	<0.5	18.2	16
1812112	Drill Core	1.96	354	0.006	<0.01	<0.17	34.10	0.6	9.4	80.2	32	0.5	0.6	0.3	67	0.46	1.3	2.4	0.8	18.8	23
1812113	Drill Core	4.25	422	<0.005	<0.01	<0.17	36.42	0.2	2.5	39.4	27	0.2	0.4	0.2	49	0.34	0.7	2.4	<0.5	17.8	22
1812114	Drill Core	3.46	387	0.008	<0.01	<0.17	34.91	0.4	6.3	60.7	46	0.2	0.7	0.4	80	0.50	1.1	2.6	0.5	18.3	12
1812115	Drill Core	2.93	393	0.033	0.03	<0.17	34.06	0.7	5.8	99.8	31	0.3	0.6	0.3	74	0.48	3.9	2.8	3.3	18.8	6
1812116	Drill Core	2.69	385	0.011	0.03	0.20	34.81	0.5	2.5	29.9	19	0.2	0.6	0.2	47	0.50	3.9	2.9	79.3	17.9	5
1812117	Drill Core	2.33	406	0.007	0.02	<0.17	32.23	0.4	2.3	29.6	19	0.1	0.6	0.2	48	0.52	4.3	2.6	1.5	17.1	5
1812118	Drill Core	4.04	356	0.007	<0.01	<0.17	29.52	0.5	2.7	30.9	18	0.1	0.6	0.4	55	0.49	4.6	3.4	1.0	18.3	4
1812119	Drill Core	2.93	486	0.005	<0.01	<0.17	29.09	1.2	4.2	50.7	20	0.2	0.7	0.3	51	0.51	2.3	3.5	1.0	19.0	5
1812120	Rock Pulp		79	0.506				6.7	115.6	86.6	148	0.8	12.2	5.1	620	2.64	43.8	0.4	649.5	2.5	37
1812121	Drill Core	3.23	470	0.006	<0.01	<0.17	29.65	0.5	4.1	54.2	22	0.1	0.5	0.6	68	0.46	2.0	3.9	2.2	18.2	23
1812122	Drill Core	2.38	539	0.007	<0.01	<0.17	28.38	34.4	3.9	62.6	29	0.2	0.8	0.6	86	0.50	2.6	4.0	0.8	18.3	3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2012

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
2025974	Drill Core	<0.1	0.4	<0.1	<1	0.01	0.003	20	1	0.10	906	<0.001	<1	0.36	0.005	0.26	0.1	<0.01	0.3	<0.1	<0.05			
2025975	Drill Core	<0.1	0.3	<0.1	<1	0.02	0.003	30	2	0.20	233	<0.001	<1	0.46	0.005	0.31	0.1	<0.01	0.5	<0.1	<0.05			
2025976	Drill Core	0.2	0.3	0.2	<1	0.03	0.005	49	2	0.17	219	<0.001	<1	0.44	0.005	0.31	0.1	<0.01	0.4	<0.1	<0.05			
2025977	Drill Core	0.2	0.3	0.3	<1	0.01	0.003	31	1	0.15	254	0.001	1	0.49	0.013	0.37	<0.1	<0.01	0.6	<0.1	<0.05			
2025978	Drill Core	<0.1	0.2	<0.1	<1	<0.01	0.002	20	2	0.10	599	0.001	<1	0.40	0.013	0.32	0.1	<0.01	0.5	<0.1	<0.05			
2025979	Drill Core	0.1	1.5	0.2	<1	<0.01	0.003	31	2	0.09	336	0.001	<1	0.36	0.022	0.29	0.2	0.01	0.4	<0.1	<0.05			
2025980	Rock	<0.1	<0.1	<0.1	1	<0.01	0.002	2	4	<0.01	31	0.002	<1	0.05	0.003	0.01	<0.1	<0.01	0.2	<0.1	<0.05			
2025981	Drill Core	0.3	0.8	0.3	<1	<0.01	0.001	39	1	0.08	314	<0.001	<1	0.30	0.015	0.27	0.1	0.02	0.8	<0.1	<0.05			
2025982	Drill Core	1.1	0.6	0.3	<1	0.06	0.002	42	1	0.07	354	0.001	<1	0.32	0.025	0.27	<0.1	0.02	0.8	<0.1	0.09			
1812102	Drill Core	0.6	0.8	0.3	15	0.23	0.032	28	5	0.28	548	0.072	<1	0.78	0.016	0.25	8.8	0.01	2.4	<0.1	<0.05			
1812103	Drill Core	1.3	0.9	0.2	21	0.21	0.040	31	7	0.35	492	0.036	<1	1.09	0.015	0.24	0.2	0.01	4.6	<0.1	<0.05			
1812104	Drill Core	0.2	0.4	0.4	<1	0.01	0.004	22	2	0.07	171	<0.001	<1	0.35	0.011	0.29	0.2	0.01	0.6	<0.1	<0.05			
1812105	Drill Core	0.2	0.5	0.1	<1	0.01	0.003	27	2	0.07	250	<0.001	<1	0.35	0.008	0.28	5.4	0.01	0.6	<0.1	<0.05			
1812106	Drill Core	0.2	0.2	0.2	<1	<0.01	0.003	26	1	0.06	156	<0.001	<1	0.36	0.011	0.29	0.2	0.02	0.6	<0.1	<0.05			
1812107	Drill Core	0.3	0.5	0.2	<1	0.02	0.002	23	2	0.07	371	<0.001	<1	0.36	0.013	0.28	0.8	0.02	0.6	<0.1	<0.05			
1812108	Drill Core	0.2	0.8	0.5	<1	0.01	0.002	19	1	0.07	697	0.001	<1	0.33	0.019	0.26	0.2	0.01	0.7	<0.1	<0.05			
1812109	Drill Core	0.2	0.3	0.3	<1	<0.01	0.003	25	1	0.07	245	<0.001	<1	0.34	0.020	0.27	0.1	0.01	0.6	<0.1	<0.05			
1812110	Drill Core	0.2	0.3	0.2	<1	0.01	0.003	24	2	0.07	263	<0.001	<1	0.37	0.019	0.30	0.1	0.01	0.6	<0.1	<0.05			
1812111	Drill Core	0.2	0.3	0.2	<1	0.01	0.002	25	2	0.10	803	0.001	<1	0.37	0.014	0.31	0.2	0.01	0.7	<0.1	<0.05			
1812112	Drill Core	0.2	1.2	0.3	<1	<0.01	0.002	27	1	0.05	1695	0.001	<1	0.36	0.022	0.31	0.2	<0.01	0.6	<0.1	<0.05			
1812113	Drill Core	0.1	0.2	0.1	<1	<0.01	0.003	28	1	0.06	1184	0.001	<1	0.37	0.024	0.30	0.2	<0.01	0.5	<0.1	<0.05			
1812114	Drill Core	0.2	0.3	0.1	<1	<0.01	0.003	22	2	0.08	980	<0.001	<1	0.38	0.021	0.29	0.1	0.01	0.7	<0.1	<0.05			
1812115	Drill Core	<0.1	0.4	0.4	<1	<0.01	0.004	37	2	0.04	490	<0.001	<1	0.31	0.035	0.25	<0.1	0.02	0.5	<0.1	<0.05			
1812116	Drill Core	0.2	0.2	0.1	<1	<0.01	0.005	26	2	0.04	391	<0.001	<1	0.34	0.035	0.24	<0.1	0.03	0.6	<0.1	<0.05			
1812117	Drill Core	0.1	0.3	0.1	<1	<0.01	0.004	22	2	0.03	464	<0.001	<1	0.31	0.031	0.24	<0.1	0.03	0.6	<0.1	<0.05			
1812118	Drill Core	0.2	0.3	0.1	<1	<0.01	0.006	31	2	0.04	326	<0.001	<1	0.33	0.031	0.24	<0.1	0.03	0.6	<0.1	<0.05			
1812119	Drill Core	0.2	0.2	0.2	<1	<0.01	0.005	24	2	0.04	482	<0.001	<1	0.32	0.039	0.24	<0.1	0.01	0.7	<0.1	<0.05			
1812120	Rock Pulp	0.6	2.8	<0.1	29	0.84	0.039	6	24	0.53	90	0.077	6	1.16	0.095	0.10	4.8	0.17	3.5	0.3	0.09			
1812121	Drill Core	0.2	0.2	0.2	<1	<0.01	0.004	26	1	0.04	1344	<0.001	<1	0.31	0.038	0.21	<0.1	0.01	0.6	<0.1	<0.05			
1812122	Drill Core	0.3	1.6	0.2	<1	0.01	0.005	39	2	0.03	303	<0.001	<1	0.28	0.038	0.19	<0.1	<0.01	0.6	<0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

		Method	AQ201	AQ201	AQ201
		Analyte	Ga	Se	Te
		Unit	ppm	ppm	ppm
		MDL	1	0.5	0.2
2025974	Drill Core		2	<0.5	<0.2
2025975	Drill Core		2	<0.5	<0.2
2025976	Drill Core		2	<0.5	<0.2
2025977	Drill Core		2	<0.5	<0.2
2025978	Drill Core		2	<0.5	<0.2
2025979	Drill Core		2	<0.5	<0.2
2025980	Rock		<1	<0.5	<0.2
2025981	Drill Core		1	<0.5	<0.2
2025982	Drill Core		1	<0.5	<0.2
1812102	Drill Core		3	<0.5	<0.2
1812103	Drill Core		4	<0.5	<0.2
1812104	Drill Core		1	<0.5	<0.2
1812105	Drill Core		1	<0.5	<0.2
1812106	Drill Core		1	<0.5	<0.2
1812107	Drill Core		1	<0.5	<0.2
1812108	Drill Core		1	<0.5	<0.2
1812109	Drill Core		1	<0.5	<0.2
1812110	Drill Core		1	<0.5	<0.2
1812111	Drill Core		1	<0.5	<0.2
1812112	Drill Core		1	<0.5	<0.2
1812113	Drill Core		1	<0.5	<0.2
1812114	Drill Core		1	<0.5	<0.2
1812115	Drill Core		1	<0.5	<0.2
1812116	Drill Core		1	<0.5	<0.2
1812117	Drill Core		1	<0.5	<0.2
1812118	Drill Core		1	<0.5	<0.2
1812119	Drill Core		1	<0.5	<0.2
1812120	Rock Pulp		4	<0.5	<0.2
1812121	Drill Core		1	<0.5	<0.2
1812122	Drill Core		<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1812123	Drill Core	3.21	501	<0.005	<0.01	<0.17	31.77	0.3	4.6	70.1	30	0.3	0.4	0.3	67	0.44	1.2	2.5	<0.5	18.2	4
1812124	Drill Core	3.18	493	<0.005	<0.01	<0.17	29.31	0.3	3.2	47.9	32	0.1	0.4	0.3	48	0.48	<0.5	2.8	<0.5	17.5	36
1812125	Drill Core	3.09	516	0.029	0.03	<0.17	21.82	1.0	3.4	41.7	35	0.2	0.3	0.2	34	0.44	<0.5	2.7	3.9	16.8	20
1812126	Drill Core	3.19	482	0.117	0.11	<0.17	37.65	0.4	4.0	35.4	26	0.2	0.4	0.2	40	0.47	0.6	1.8	3.1	16.3	8
1812127	Drill Core	3.00	539	0.005	<0.01	<0.17	36.17	0.5	2.0	29.7	33	<0.1	0.4	0.2	33	0.57	2.1	1.2	<0.5	15.9	4
1812128	Drill Core	3.19	459	0.061	0.06	<0.17	22.70	0.6	2.1	59.9	28	0.3	0.4	0.4	134	0.78	1.1	3.3	41.7	17.9	7
1812129	Drill Core	2.86	504	<0.005	0.03	0.43	25.56	0.3	2.0	32.3	28	0.2	0.4	0.2	148	0.64	<0.5	1.7	<0.5	18.0	31
1812130	Drill Core	3.20	493	<0.005	<0.01	<0.17	32.48	0.2	2.0	16.1	32	0.1	0.5	0.2	158	0.74	<0.5	1.4	<0.5	18.7	33
1812131	Drill Core	2.11	479	0.011	<0.01	<0.17	38.31	0.3	5.7	24.3	30	0.2	0.7	0.3	133	0.53	2.3	2.5	6.8	17.4	4
1812132	Drill Core	2.82	509	0.006	<0.01	<0.17	36.83	0.1	2.1	15.3	11	0.1	0.3	0.1	33	0.35	2.0	1.8	1.2	14.4	12
1812133	Drill Core	3.24	501	<0.005	<0.01	<0.17	32.70	0.2	4.0	56.1	20	0.1	0.3	0.2	60	0.36	1.0	1.9	<0.5	16.0	4
1812134	Drill Core	2.87	460	0.006	<0.01	<0.17	37.29	0.3	2.7	37.0	25	0.2	0.5	0.2	60	0.41	2.3	2.3	2.3	17.0	3
1812135	Drill Core	2.86	488	0.007	<0.01	<0.17	29.97	0.3	2.1	38.8	20	<0.1	0.4	0.2	65	0.33	1.7	3.1	<0.5	17.0	4
1812136	Drill Core	1.59	449	<0.005	<0.01	<0.17	30.61	0.2	2.1	26.5	17	<0.1	0.5	0.2	58	0.46	3.0	2.5	<0.5	18.6	2
1812137	Drill Core	0.96	447	0.005	<0.01	<0.17	31.54	0.3	3.3	90.1	21	0.1	0.4	0.2	111	0.38	0.7	2.6	<0.5	15.1	2
1812138	Drill Core	2.74	455	<0.005	<0.01	<0.17	31.71	0.2	2.5	36.3	27	0.2	0.3	0.2	60	0.35	1.3	2.3	<0.5	18.5	3
1812139	Drill Core	3.15	447	<0.005	<0.01	<0.17	36.34	0.2	3.2	52.1	43	0.2	0.4	0.2	79	0.43	1.5	2.9	<0.5	20.2	6
1812140	Rock Pulp		79	0.007				3.7	20.9	0.9	31	<0.1	6.7	4.2	580	2.35	1.4	0.4	<0.5	3.0	32
1812141	Drill Core	2.60	448	0.006	<0.01	<0.17	34.79	0.2	2.9	41.3	51	0.2	0.4	0.2	94	0.47	0.8	2.3	<0.5	18.9	4
1812142	Drill Core	2.95	456	<0.005	<0.01	<0.17	29.29	0.1	3.1	26.7	50	0.1	0.3	0.2	74	0.41	1.3	2.3	<0.5	19.5	4
1812143	Drill Core	2.73	466	<0.005	<0.01	<0.17	25.60	0.2	2.4	25.3	36	0.1	0.4	0.2	79	0.45	0.9	2.1	<0.5	19.6	5
1812144	Drill Core	2.20	442	<0.005	<0.01	<0.17	38.31	0.1	4.1	56.0	49	0.2	0.5	0.2	116	0.53	2.4	2.5	<0.5	19.0	4
1812145	Drill Core	2.38	439	0.024	0.02	<0.17	30.72	0.2	3.4	41.3	27	0.3	0.5	0.2	58	0.39	2.6	2.1	1.9	16.8	7
1812146	Drill Core	3.21	448	0.029	0.03	<0.17	25.70	0.4	5.3	64.9	32	0.3	0.5	0.2	89	0.50	3.9	3.1	21.7	17.2	14
1812147	Drill Core	2.69	513	0.010	<0.01	<0.17	29.46	0.3	4.9	59.8	42	0.1	0.6	0.3	109	0.42	7.2	3.2	2.5	17.9	5
1812148	Drill Core	2.62	519	0.008	<0.01	<0.17	29.14	0.2	3.8	46.7	39	0.2	0.5	0.2	65	0.49	5.6	2.8	1.6	18.1	15
1812149	Drill Core	3.17	474	0.005	<0.01	<0.17	27.77	0.3	2.9	47.9	35	0.2	0.4	0.2	78	0.49	5.3	2.9	1.4	17.2	3
1812150	Drill Core	3.40	369	0.008	<0.01	<0.17	36.94	0.3	6.6	87.3	34	0.4	0.4	0.2	82	0.40	3.0	2.4	2.4	17.2	3
1812151	Drill Core	2.89	433	0.009	<0.01	<0.17	29.92	0.4	6.3	123.1	36	0.4	0.4	0.3	97	0.36	1.9	3.2	1.9	17.3	3
1812152	Drill Core	2.61	479	0.059	0.07	0.19	37.04	0.4	14.6	137.7	55	0.5	0.4	0.2	60	0.53	2.6	2.7	21.4	18.7	5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2012

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1812123	Drill Core	0.3	0.2	0.3	<1	0.01	0.003	23	1	0.08	316	<0.001	<1	0.36	0.033	0.25	<0.1	<0.01	0.6	<0.1	<0.05			
1812124	Drill Core	0.4	0.2	0.2	<1	0.02	0.002	41	1	0.09	1109	<0.001	<1	0.34	0.036	0.24	<0.1	<0.01	0.7	<0.1	<0.05			
1812125	Drill Core	0.2	0.2	0.2	<1	0.01	0.002	31	1	0.07	1366	<0.001	<1	0.33	0.029	0.24	<0.1	0.01	0.6	<0.1	<0.05			
1812126	Drill Core	0.1	0.2	0.2	<1	0.01	0.002	21	1	0.07	582	<0.001	<1	0.36	0.033	0.26	<0.1	<0.01	0.5	<0.1	<0.05			
1812127	Drill Core	<0.1	0.3	0.1	<1	<0.01	0.002	17	1	0.05	331	<0.001	<1	0.29	0.033	0.20	<0.1	<0.01	0.4	<0.1	<0.05			
1812128	Drill Core	0.3	0.5	0.2	<1	0.03	0.002	31	1	0.15	340	0.001	<1	0.45	0.035	0.24	0.2	<0.01	0.9	<0.1	<0.05			
1812129	Drill Core	0.3	0.3	0.1	<1	0.41	0.002	28	1	0.49	276	0.002	<1	0.59	0.009	0.34	0.4	<0.01	0.9	0.1	<0.05			
1812130	Drill Core	0.4	0.6	<0.1	<1	0.48	0.002	31	2	0.63	292	0.003	<1	0.74	0.010	0.38	0.2	<0.01	1.2	0.2	<0.05			
1812131	Drill Core	0.4	0.6	0.1	<1	0.03	0.003	28	1	0.15	238	<0.001	<1	0.46	0.025	0.26	0.2	<0.01	0.7	0.1	<0.05			
1812132	Drill Core	<0.1	0.2	0.1	<1	<0.01	0.002	19	<1	0.03	745	<0.001	<1	0.28	0.036	0.22	<0.1	<0.01	0.5	<0.1	<0.05			
1812133	Drill Core	0.1	0.2	<0.1	<1	<0.01	0.001	24	1	0.04	331	<0.001	<1	0.31	0.035	0.26	<0.1	<0.01	0.6	<0.1	<0.05			
1812134	Drill Core	0.3	0.2	0.1	<1	0.01	0.003	26	1	0.06	214	<0.001	<1	0.32	0.032	0.26	<0.1	0.02	0.6	<0.1	<0.05			
1812135	Drill Core	0.2	0.2	<0.1	<1	0.03	0.003	37	1	0.04	173	<0.001	<1	0.27	0.021	0.21	0.1	<0.01	0.4	<0.1	<0.05			
1812136	Drill Core	0.2	0.3	0.1	<1	<0.01	0.003	21	2	0.03	182	<0.001	<1	0.27	0.033	0.24	<0.1	<0.01	0.6	<0.1	<0.05			
1812137	Drill Core	0.2	0.3	0.1	<1	<0.01	0.004	43	2	0.03	163	<0.001	<1	0.24	0.036	0.22	0.1	<0.01	0.5	<0.1	<0.05			
1812138	Drill Core	0.2	0.2	0.2	<1	<0.01	0.002	37	2	0.03	273	0.001	<1	0.26	0.038	0.25	<0.1	<0.01	0.7	<0.1	<0.05			
1812139	Drill Core	0.3	0.2	0.2	<1	0.01	0.003	52	2	0.05	403	0.001	<1	0.31	0.039	0.29	<0.1	<0.01	0.8	<0.1	<0.05			
1812140	Rock Pulp	<0.1	0.2	<0.1	21	0.77	0.038	6	14	0.49	58	0.079	<1	1.01	0.068	0.07	0.2	<0.01	3.1	<0.1	<0.05			
1812141	Drill Core	0.3	0.2	0.2	<1	0.01	0.003	45	2	0.07	282	0.001	<1	0.32	0.038	0.28	<0.1	<0.01	0.9	<0.1	<0.05			
1812142	Drill Core	0.5	0.1	0.2	<1	0.01	0.003	50	2	0.07	253	0.001	<1	0.30	0.038	0.25	<0.1	<0.01	0.9	<0.1	<0.05			
1812143	Drill Core	0.4	0.2	0.2	<1	0.01	0.003	54	2	0.06	283	0.001	<1	0.33	0.038	0.29	<0.1	<0.01	0.8	<0.1	<0.05			
1812144	Drill Core	0.6	0.2	0.1	<1	0.01	0.002	46	2	0.08	333	0.001	<1	0.36	0.047	0.29	<0.1	<0.01	0.8	<0.1	<0.05			
1812145	Drill Core	0.2	0.3	<0.1	<1	<0.01	0.002	27	2	0.04	545	<0.001	<1	0.26	0.042	0.23	0.1	<0.01	0.6	<0.1	<0.05			
1812146	Drill Core	0.3	0.4	0.1	<1	<0.01	0.004	56	2	0.04	889	0.001	<1	0.29	0.045	0.25	<0.1	0.01	0.7	<0.1	<0.05			
1812147	Drill Core	0.3	0.5	0.1	<1	<0.01	0.003	53	2	0.05	629	<0.001	<1	0.26	0.034	0.23	<0.1	<0.01	0.7	<0.1	<0.05			
1812148	Drill Core	0.4	0.3	0.1	<1	<0.01	0.002	57	2	0.05	1075	0.001	<1	0.31	0.037	0.27	<0.1	<0.01	0.8	<0.1	<0.05			
1812149	Drill Core	0.2	0.5	0.1	<1	<0.01	0.002	45	2	0.04	265	<0.001	<1	0.28	0.037	0.25	<0.1	0.02	0.7	<0.1	<0.05			
1812150	Drill Core	0.2	0.4	0.1	<1	<0.01	0.003	31	2	0.03	462	0.001	<1	0.31	0.031	0.28	0.2	0.02	0.6	<0.1	<0.05			
1812151	Drill Core	0.1	0.3	<0.1	<1	<0.01	0.004	51	2	0.03	327	<0.001	<1	0.33	0.029	0.29	0.3	0.01	0.5	<0.1	<0.05			
1812152	Drill Core	0.2	0.6	0.3	<1	<0.01	0.003	31	2	0.07	531	<0.001	<1	0.38	0.039	0.30	0.2	<0.01	0.6	<0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1812123	Drill Core	1	<0.5	<0.2
1812124	Drill Core	1	<0.5	<0.2
1812125	Drill Core	1	<0.5	<0.2
1812126	Drill Core	1	<0.5	<0.2
1812127	Drill Core	<1	<0.5	<0.2
1812128	Drill Core	2	<0.5	<0.2
1812129	Drill Core	2	<0.5	<0.2
1812130	Drill Core	2	<0.5	<0.2
1812131	Drill Core	1	<0.5	<0.2
1812132	Drill Core	<1	<0.5	<0.2
1812133	Drill Core	1	<0.5	<0.2
1812134	Drill Core	1	<0.5	<0.2
1812135	Drill Core	<1	<0.5	<0.2
1812136	Drill Core	<1	<0.5	<0.2
1812137	Drill Core	<1	<0.5	<0.2
1812138	Drill Core	1	<0.5	<0.2
1812139	Drill Core	1	<0.5	<0.2
1812140	Rock Pulp	4	<0.5	<0.2
1812141	Drill Core	1	<0.5	<0.2
1812142	Drill Core	1	<0.5	<0.2
1812143	Drill Core	1	<0.5	<0.2
1812144	Drill Core	2	<0.5	<0.2
1812145	Drill Core	1	<0.5	<0.2
1812146	Drill Core	1	<0.5	<0.2
1812147	Drill Core	1	<0.5	<0.2
1812148	Drill Core	1	<0.5	<0.2
1812149	Drill Core	1	<0.5	<0.2
1812150	Drill Core	1	<0.5	<0.2
1812151	Drill Core	1	<0.5	<0.2
1812152	Drill Core	1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
1812153	Drill Core	3.58	474	0.012	0.02	<0.17	34.31	0.3	9.6	110.6	38	0.4	0.4	0.3	76	0.37	2.4	2.3	15.4	15.9	7
1812154	Drill Core	2.86	495	0.016	0.02	<0.17	34.29	0.4	9.0	88.6	51	0.6	0.6	0.3	75	0.58	2.4	3.0	33.8	15.3	5
1812155	Drill Core	2.26	508	0.006	<0.01	<0.17	35.10	0.5	7.8	92.3	53	0.3	0.3	0.1	49	0.38	1.8	2.3	2.0	18.2	4
1812156	Drill Core	3.00	461	0.006	<0.01	<0.17	39.41	1.5	8.7	165.0	65	0.2	0.4	0.2	124	0.43	0.7	2.5	<0.5	18.0	2
1812157	Drill Core	3.21	464	<0.005	<0.01	<0.17	38.91	0.5	2.8	42.0	50	0.2	0.4	0.2	79	0.40	<0.5	3.0	<0.5	18.2	5
1812158	Drill Core	2.43	459	0.006	<0.01	<0.17	37.89	2.8	3.4	60.4	56	0.2	0.4	0.2	74	0.41	1.7	2.3	<0.5	17.7	7
1812159	Drill Core	2.63	425	0.005	<0.01	<0.17	30.70	0.5	3.1	63.5	22	0.1	0.5	0.2	46	0.55	6.7	1.6	<0.5	15.4	17
1812160	Core DUP		450	0.005	<0.01	<0.17	32.91	0.6	3.2	61.7	25	0.1	0.6	0.2	46	0.55	7.1	1.6	<0.5	14.7	15
1812161	Drill Core	1.53	467	0.008	<0.01	<0.17	28.84	0.4	2.6	36.2	13	0.1	0.5	0.2	40	0.45	2.9	1.8	1.2	15.6	22



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1812153	Drill Core	<0.1	0.4	0.1	<1	<0.01	0.003	32	2	0.03	969	<0.001	<1	0.30	0.034	0.26	0.2	0.01	0.5	<0.1	<0.05
1812154	Drill Core	0.2	0.5	<0.1	<1	<0.01	0.004	37	2	0.04	547	<0.001	<1	0.28	0.033	0.21	<0.1	0.02	0.5	<0.1	<0.05
1812155	Drill Core	0.1	0.3	0.1	<1	<0.01	0.003	27	1	0.04	291	<0.001	<1	0.33	0.032	0.29	0.2	<0.01	0.5	<0.1	<0.05
1812156	Drill Core	0.3	0.2	0.2	<1	<0.01	0.001	38	1	0.10	282	<0.001	<1	0.43	0.002	0.34	0.3	<0.01	0.6	<0.1	<0.05
1812157	Drill Core	1.1	0.1	0.1	<1	0.03	0.001	42	2	0.10	322	<0.001	<1	0.42	0.001	0.36	0.3	<0.01	0.6	<0.1	<0.05
1812158	Drill Core	0.3	0.2	0.1	<1	<0.01	0.002	49	2	0.08	913	<0.001	<1	0.35	0.002	0.31	0.1	<0.01	0.6	<0.1	<0.05
1812159	Drill Core	0.2	0.5	<0.1	<1	<0.01	0.004	22	2	<0.01	1914	<0.001	<1	0.17	0.004	0.21	<0.1	<0.01	0.7	<0.1	<0.05
1812160	Core DUP	0.2	0.6	<0.1	<1	<0.01	0.003	21	3	<0.01	1728	<0.001	<1	0.17	0.004	0.22	<0.1	<0.01	0.6	<0.1	<0.05
1812161	Drill Core	0.1	0.3	<0.1	<1	<0.01	0.005	36	2	<0.01	2187	<0.001	<1	0.18	0.004	0.21	<0.1	<0.01	0.5	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000528.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1812153	Drill Core	1	<0.5	<0.2
1812154	Drill Core	1	<0.5	0.3
1812155	Drill Core	1	<0.5	<0.2
1812156	Drill Core	1	<0.5	<0.2
1812157	Drill Core	1	<0.5	<0.2
1812158	Drill Core	1	<0.5	<0.2
1812159	Drill Core	<1	<0.5	<0.2
1812160	Core DUP	<1	<0.5	<0.2
1812161	Drill Core	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI20000528.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																						
2025928	Drill Core		3.18	438	0.014	0.02	<0.17	24.73	0.8	50.5	98.4	122	0.7	5.5	6.4	538	1.74	1.5	3.4	9.1	10.0	12
REP 2025928	QC		0.011																			
2025930	Drill Core		2.46	525	0.007	<0.01	<0.17	32.27	0.4	26.1	13.0	80	0.3	3.2	1.1	231	1.90	1.7	1.3	3.5	8.0	24
REP 2025930	QC		0.009																			
2025944	Drill Core		2.47	534	0.010	<0.01	<0.17	23.37	3.2	43.3	60.1	203	0.6	8.3	3.4	169	2.31	16.3	3.4	7.6	9.2	7
REP 2025944	QC		2.9 40.7 56.8 189 0.6 7.6 3.2 167 2.29 15.1 3.1 7.4 8.5 6																			
2025979	Drill Core		2.78	398	0.016	0.01	<0.17	34.18	2.9	14.1	325.9	50	0.4	0.6	1.0	317	0.50	1.5	4.7	11.2	15.0	3
REP 2025979	QC		2.9 14.4 336.1 51 0.4 0.5 1.0 323 0.51 1.5 4.8 17.0 15.5 3																			
1812121	Drill Core		3.23	470	0.006	<0.01	<0.17	29.65	0.5	4.1	54.2	22	0.1	0.5	0.6	68	0.46	2.0	3.9	2.2	18.2	23
REP 1812121	QC		0.008																			
1812122	Drill Core		2.38	539	0.007	<0.01	<0.17	28.38	34.4	3.9	62.6	29	0.2	0.8	0.6	86	0.50	2.6	4.0	0.8	18.3	3
REP 1812122	QC		0.007																			
1812133	Drill Core		3.24	501	<0.005	<0.01	<0.17	32.70	0.2	4.0	56.1	20	0.1	0.3	0.2	60	0.36	1.0	1.9	<0.5	16.0	4
REP 1812133	QC		0.2 3.8 55.4 20 <0.1 0.4 0.2 57 0.36 0.8 1.9 <0.5 15.7 4																			
1812161	Drill Core		1.53	467	0.008	<0.01	<0.17	28.84	0.4	2.6	36.2	13	0.1	0.5	0.2	40	0.45	2.9	1.8	1.2	15.6	22
REP 1812161	QC		0.4 2.3 36.3 12 <0.1 0.4 0.1 39 0.46 2.6 1.7 1.8 15.6 22																			
Core Reject Duplicates																						
2025938	Drill Core		2.69	507	1.096	1.31	4.21	34.46	0.3	14.5	36.4	26	1.6	3.5	2.1	55	1.83	1.0	1.0	860.7	6.8	24
DUP 2025938	QC		516 1.073 1.28 4.40 31.81 0.3 15.3 43.1 28 2.0 3.2 2.1 55 1.75 1.3 1.0 1577.8 6.7 27																			
2025972	Drill Core		2.68	508	<0.005	0.02	0.25	36.36	0.5	3.8	49.6	31	0.1	0.4	0.2	65	0.47	2.7	2.0	0.9	13.9	11
DUP 2025972	QC		424 <0.005 0.03 0.32 31.48 0.5 3.9 50.2 30 0.1 0.5 0.2 71 0.55 2.8 2.0 0.7 14.0 11																			
1812125	Drill Core		3.09	516	0.029	0.03	<0.17	21.82	1.0	3.4	41.7	35	0.2	0.3	0.2	34	0.44	<0.5	2.7	3.9	16.8	20
DUP 1812125	QC		507 0.006 <0.01 <0.17 35.28 0.8 3.0 40.5 32 0.1 0.3 0.2 34 0.45 <0.5 2.7 <0.5 16.2 19																			
Reference Materials																						
STD BVGEO01	Standard		11.0 4290.7 183.9 1833 2.7 154.6 26.3 720 3.70 122.8 3.9 220.5 15.1 60																			
STD BVGEO01	Standard		10.8 4220.3 179.7 1750 2.6 168.9 24.9 732 3.85 112.3 3.6 205.4 13.5 57																			
STD DS11	Standard		14.3 144.7 143.4 348 1.7 79.7 14.0 998 3.13 43.7 3.0 74.3 9.4 69																			
STD DS11	Standard		14.4 147.5 134.1 353 1.8 79.4 14.0 1057 3.21 44.8 2.6 58.6 8.3 68																			



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 17, 2021

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000528.1

Method Analyte Unit MDL	AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Ti ppm 0.1	AQ201 S % 0.05
Pulp Duplicates																				
2025928 Drill Core	0.6	0.2	0.1	6	0.04	0.045	20	13	0.78	439	0.002	<1	0.93	0.015	0.19	<0.1	<0.01	1.1	<0.1	<0.05
REP 2025928 QC																				
2025930 Drill Core	0.2	0.8	<0.1	8	0.04	0.049	14	28	0.91	666	0.002	<1	0.96	0.020	0.23	<0.1	<0.01	1.4	<0.1	0.18
REP 2025930 QC																				
2025944 Drill Core	0.6	0.6	0.1	8	0.08	0.070	17	19	0.54	124	0.002	<1	0.97	0.020	0.26	<0.1	0.01	1.7	<0.1	0.06
REP 2025944 QC	0.6	0.5	0.1	8	0.08	0.064	15	17	0.53	111	0.001	<1	0.96	0.020	0.25	0.1	0.01	1.7	<0.1	0.05
2025979 Drill Core	0.1	1.5	0.2	<1	<0.01	0.003	31	2	0.09	336	0.001	<1	0.36	0.022	0.29	0.2	0.01	0.4	<0.1	<0.05
REP 2025979 QC	0.2	1.5	0.2	<1	0.01	0.003	31	2	0.09	342	0.001	<1	0.37	0.022	0.30	0.2	0.01	0.4	<0.1	<0.05
1812121 Drill Core	0.2	0.2	0.2	<1	<0.01	0.004	26	1	0.04	1344	<0.001	<1	0.31	0.038	0.21	<0.1	0.01	0.6	<0.1	<0.05
REP 1812121 QC																				
1812122 Drill Core	0.3	1.6	0.2	<1	0.01	0.005	39	2	0.03	303	<0.001	<1	0.28	0.038	0.19	<0.1	<0.01	0.6	<0.1	<0.05
REP 1812122 QC																				
1812133 Drill Core	0.1	0.2	<0.1	<1	<0.01	0.001	24	1	0.04	331	<0.001	<1	0.31	0.035	0.26	<0.1	<0.01	0.6	<0.1	<0.05
REP 1812133 QC	0.1	0.2	<0.1	<1	<0.01	0.002	23	1	0.04	322	0.001	<1	0.31	0.035	0.27	<0.1	<0.01	0.5	<0.1	<0.05
1812161 Drill Core	0.1	0.3	<0.1	<1	<0.01	0.005	36	2	<0.01	2187	<0.001	<1	0.18	0.004	0.21	<0.1	<0.01	0.5	<0.1	<0.05
REP 1812161 QC	<0.1	0.2	<0.1	<1	<0.01	0.005	36	2	<0.01	2253	<0.001	<1	0.18	0.004	0.21	<0.1	<0.01	0.5	<0.1	0.05
Core Reject Duplicates																				
2025938 Drill Core	0.1	0.3	<0.1	6	0.10	0.063	12	9	0.08	279	0.003	<1	0.40	0.036	0.38	0.1	<0.01	1.3	0.1	0.58
DUP 2025938 QC	0.1	0.3	<0.1	6	0.10	0.068	11	9	0.08	315	0.004	<1	0.36	0.034	0.36	0.1	<0.01	1.2	0.1	0.59
2025972 Drill Core	<0.1	0.2	<0.1	<1	0.01	0.002	22	1	0.08	1035	<0.001	<1	0.38	0.026	0.26	<0.1	<0.01	0.4	<0.1	<0.05
DUP 2025972 QC	<0.1	0.2	<0.1	<1	0.01	0.002	21	2	0.08	1025	<0.001	<1	0.38	0.027	0.27	<0.1	<0.01	0.4	<0.1	<0.05
1812125 Drill Core	0.2	0.2	0.2	<1	0.01	0.002	31	1	0.07	1366	<0.001	<1	0.33	0.029	0.24	<0.1	0.01	0.6	<0.1	<0.05
DUP 1812125 QC	0.2	0.2	0.1	<1	0.01	0.002	30	<1	0.06	1312	<0.001	<1	0.32	0.027	0.23	<0.1	<0.01	0.6	<0.1	<0.05
Reference Materials																				
STD BVGEO01 Standard	6.9	3.4	27.4	68	1.31	0.078	28	184	1.28	212	0.228	<1	2.29	0.185	0.88	4.7	0.10	6.4	0.6	0.64
STD BVGEO01 Standard	6.1	2.5	22.2	73	1.35	0.069	25	195	1.35	179	0.233	4	2.33	0.195	0.88	4.3	0.09	6.0	0.6	0.66
STD DS11 Standard	2.9	10.1	13.3	49	1.03	0.065	20	60	0.83	387	0.095	7	1.13	0.071	0.40	3.1	0.26	3.2	5.0	0.28
STD DS11 Standard	2.4	8.5	12.7	50	1.07	0.075	19	58	0.86	360	0.091	5	1.19	0.073	0.41	3.0	0.27	3.4	4.9	0.28



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000528.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2025928	Drill Core	3	<0.5	<0.2
REP 2025928	QC			
2025930	Drill Core	3	<0.5	<0.2
REP 2025930	QC			
2025944	Drill Core	3	0.7	<0.2
REP 2025944	QC	3	0.6	<0.2
2025979	Drill Core	2	<0.5	<0.2
REP 2025979	QC	2	<0.5	<0.2
1812121	Drill Core	1	<0.5	<0.2
REP 1812121	QC			
1812122	Drill Core	<1	<0.5	<0.2
REP 1812122	QC			
1812133	Drill Core	1	<0.5	<0.2
REP 1812133	QC	1	<0.5	<0.2
1812161	Drill Core	<1	<0.5	<0.2
REP 1812161	QC	<1	<0.5	<0.2
Core Reject Duplicates				
2025938	Drill Core	2	0.6	0.6
DUP 2025938	QC	2	0.6	0.7
2025972	Drill Core	2	<0.5	<0.2
DUP 2025972	QC	2	<0.5	<0.2
1812125	Drill Core	1	<0.5	<0.2
DUP 1812125	QC	1	<0.5	<0.2
Reference Materials				
STD BVGEO01	Standard	8	4.9	1.0
STD BVGEO01	Standard	8	4.7	1.0
STD DS11	Standard	5	1.9	4.8
STD DS11	Standard	5	2.4	5.0



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000528.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OREAS262	Standard							0.8	115.9	59.2	154	0.5	64.1	27.5	531	3.21	35.5	1.4	69.8	10.7	36
STD OREAS262	Standard							0.6	118.2	57.2	156	0.5	66.0	28.5	566	3.32	38.7	1.3	62.3	10.4	38
STD OREAS262	Standard							0.6	114.0	55.3	151	0.5	62.3	26.9	534	3.26	36.6	1.2	54.8	10.0	36
STD OREAS262	Standard							0.7	116.8	55.0	150	0.5	66.4	27.8	549	3.39	35.4	1.2	50.1	8.9	34
STD OXB130	Standard			0.123																	
STD OXB130	Standard			0.120																	
STD OXB130	Standard			0.124																	
STD OXG141	Standard			0.903																	
STD OXG141	Standard			0.941																	
STD OXG141	Standard			0.963																	
STD OXN155	Standard			7.856																	
STD OXN155	Standard			7.503																	
STD OXN155	Standard			7.812																	
STD OXP116	Standard					14.98	29.58														
STD OXP116	Standard					14.78	30.17														
STD OXP116	Standard					14.85	29.90														
STD OXP116	Standard					14.75	29.42														
STD OXP116	Standard					14.91	30.58														
STD OXP154	Standard					14.74	30.47														
STD OXP154	Standard					15.03	29.55														
STD OXP154	Standard					15.46	29.50														
STD OXP154	Standard					15.31	30.04														
STD OXP154	Standard					15.33	29.55														
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXP116 Expected						14.92															
STD OXP154 Expected						15.26															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000528.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OREAS262	Standard	0.8	6.7	1.2	22	2.84	0.038	19	45	1.16	272	0.003	4	1.32	0.066	0.31	0.2	0.16	3.6	0.5	0.25
STD OREAS262	Standard	0.7	4.3	1.1	22	3.01	0.041	16	43	1.21	256	0.003	<1	1.36	0.069	0.30	0.2	0.17	3.5	0.4	0.27
STD OREAS262	Standard	0.6	4.0	1.1	20	2.94	0.039	16	42	1.16	254	0.003	<1	1.29	0.066	0.31	0.2	0.16	3.4	0.4	0.25
STD OREAS262	Standard	0.6	3.3	0.9	22	3.07	0.039	16	46	1.21	233	0.003	4	1.41	0.072	0.32	0.1	0.15	3.3	0.5	0.26
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
STD OXP116 Expected																					
STD OXP154 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000528.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OREAS262	Standard	4	0.5	0.3
STD OREAS262	Standard	4	<0.5	0.3
STD OREAS262	Standard	4	0.6	0.3
STD OREAS262	Standard	4	<0.5	0.2
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD DS11 Expected		5.1	2.2	4.56
STD BVGEO01 Expected		7.37	4.84	1.02
STD OREAS262 Expected		4.1	0.4	0.23
STD OXP116 Expected				
STD OXP154 Expected				
BLK	Blank	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000528.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			0.007																	
Prep Wash																					
ROCK-WHI	Prep Blank		392	<0.005	<0.01	<0.17	30.50	1.0	3.4	1.5	29	<0.1	2.0	3.6	432	1.94	2.0	0.6	<0.5	2.7	24
ROCK-WHI	Prep Blank		435	<0.005	<0.01	<0.17	26.46	0.7	1.7	1.2	28	<0.1	1.0	3.4	425	1.87	1.3	0.5	<0.5	2.7	24



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 17, 2021

Page:

3 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000528.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.1	<0.1	<0.1	22	0.60	0.037	7	4	0.41	65	0.078	2	0.82	0.088	0.09	0.2	<0.01	2.7	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	21	0.56	0.034	7	2	0.38	65	0.075	1	0.86	0.112	0.10	0.2	<0.01	2.6	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 17, 2021

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000528.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	3	<0.5	<0.2
ROCK-WHI	Prep Blank	3	<0.5	<0.2