



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: October 06, 2020  
Analysis Start: December 21, 2020  
Report Date: January 15, 2021  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI20000529.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG20-24  
P.O. Number  
Number of Samples: 95

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code  | Number of Samples | Code Description                                 | Test Wgt (g) | Report Status | Lab |
|-----------------|-------------------|--------------------------------------------------|--------------|---------------|-----|
| PRP70-500       | 92                | Crush, split and pulverize 500g rock to 200 mesh |              |               | WHI |
| SPTRF           | 0                 | Split samples by riffle splitter                 |              |               | WHI |
| PUL85           | 0                 | Pulverize to 85% passing 200 mesh                |              |               | VAN |
| SLBHP           | 3                 | Sort, label and box pulps                        |              |               | WHI |
| FS631           | 95                | Metallic Sieve 500g to 150 mesh                  |              |               | VAN |
| Split +150 mesh | 95                | Analysis sample split/packet                     |              |               | VAN |
| Split -150      | 95                | Analysis sample split/packet                     |              |               | VAN |
| FS631           | 92                | Metallics Fire Assay for Au                      | 30           | Completed     | VAN |
| AQ201           | 95                | 1:1:1 Aqua Regia digestion ICP-MS analysis       | 15           | Completed     | VAN |
| SHP01           | 95                | Per sample shipping charges for branch shipments |              |               | VAN |

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Peter Tallman  
Ian Perry  
Graeme Joyce  
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2021

**Page:** 2 of 5 **Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI20000529.1

|         | Method     | Analyte | Unit | MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |        |     |     |
|---------|------------|---------|------|-----|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-----|-----|
|         |            |         |      |     | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au     | Th  | Sr  |
|         |            |         |      |     | kg   | g     | ppm    | ppm   | ppm   | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb    | ppm | ppm |
|         |            |         |      |     | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5    | 0.1 | 1   |
| 1814761 | Drill Core |         |      |     | 0.69 | 310   | 0.156  | 0.17  | 0.28  | 32.72 | 0.5   | 28.1  | 282.0 | 21    | 7.6   | 4.1   | 2.4   | 212   | 1.19  | 3.0   | 0.2   | 173.8  | 2.1 | 3   |
| 1814762 | Drill Core |         |      |     | 4.58 | 395   | 0.190  | 0.24  | 0.94  | 24.44 | 1.1   | 34.3  | 46.2  | 42    | 2.2   | 11.1  | 1.9   | 219   | 1.82  | 4.3   | 1.6   | 384.5  | 7.6 | 16  |
| 1814763 | Drill Core |         |      |     | 2.57 | 513   | 0.023  | 0.02  | <0.17 | 25.17 | 2.7   | 41.3  | 22.3  | 44    | 0.6   | 6.5   | 1.5   | 256   | 2.39  | 15.8  | 1.9   | 19.2   | 8.1 | 56  |
| 1814764 | Drill Core |         |      |     | 2.68 | 544   | 0.034  | 0.03  | <0.17 | 31.01 | 1.4   | 17.0  | 40.1  | 17    | 0.7   | 2.4   | 0.6   | 129   | 1.66  | 10.4  | 0.8   | 28.3   | 4.9 | 62  |
| 1814765 | Drill Core |         |      |     | 1.82 | 300   | 0.017  | 0.02  | <0.17 | 21.58 | 1.2   | 6.8   | 19.9  | 7     | 0.6   | 1.0   | 0.3   | 71    | 1.56  | 1.7   | 0.4   | 13.8   | 6.2 | 41  |
| 1814766 | Drill Core |         |      |     | 2.44 | 518   | 0.009  | <0.01 | <0.17 | 34.61 | 1.9   | 16.8  | 30.0  | 31    | 0.5   | 3.4   | 0.6   | 150   | 2.29  | 3.9   | 0.9   | 5.2    | 6.4 | 44  |
| 1814767 | Drill Core |         |      |     | 2.44 | 455   | 0.012  | 0.01  | <0.17 | 33.36 | 1.5   | 16.5  | 12.3  | 34    | 0.4   | 6.2   | 2.3   | 133   | 2.39  | 0.9   | 1.1   | 20.0   | 6.5 | 19  |
| 1814768 | Drill Core |         |      |     | 3.28 | 436   | 0.009  | <0.01 | <0.17 | 31.73 | 0.7   | 17.8  | 5.0   | 46    | 0.3   | 9.0   | 4.4   | 142   | 2.11  | 1.3   | 1.0   | 5.2    | 7.0 | 18  |
| 1814769 | Drill Core |         |      |     | 2.92 | 484   | 0.012  | 0.01  | <0.17 | 33.03 | 1.2   | 27.5  | 11.8  | 106   | 0.4   | 17.1  | 10.9  | 445   | 2.89  | 1.2   | 1.2   | 6.5    | 8.0 | 10  |
| 1814770 | Drill Core |         |      |     | 2.95 | 498   | 0.015  | 0.01  | <0.17 | 30.86 | 1.5   | 44.8  | 80.5  | 136   | 0.6   | 14.6  | 10.2  | 548   | 2.47  | 3.8   | 2.6   | 9.7    | 7.0 | 10  |
| 1814771 | Drill Core |         |      |     | 2.71 | 465   | 0.065  | 0.06  | <0.17 | 28.77 | 1.0   | 30.6  | 14.1  | 92    | 0.3   | 12.1  | 9.4   | 795   | 2.37  | 3.3   | 1.1   | 31.4   | 6.2 | 63  |
| 1814772 | Drill Core |         |      |     | 2.80 | 471   | 2.508  | 4.67  | 35.39 | 30.97 | 0.4   | 35.3  | 11.8  | 51    | 1.9   | 10.0  | 8.0   | 720   | 2.25  | 7.1   | 1.8   | 9210.8 | 5.1 | 83  |
| 1814773 | Drill Core |         |      |     | 2.99 | 525   | 0.013  | 0.01  | <0.17 | 38.24 | 1.5   | 39.8  | 53.5  | 140   | 0.7   | 12.8  | 8.1   | 689   | 2.04  | 1.3   | 0.9   | 11.1   | 7.0 | 58  |
| 1814774 | Drill Core |         |      |     | 2.97 | 432   | 0.012  | 0.01  | <0.17 | 36.25 | 0.7   | 28.7  | 9.9   | 64    | 0.5   | 11.5  | 7.6   | 661   | 2.08  | 2.6   | 1.2   | 6.5    | 7.6 | 48  |
| 1814775 | Drill Core |         |      |     | 2.95 | 489   | 0.014  | 0.01  | <0.17 | 35.42 | 2.1   | 24.1  | 15.4  | 77    | 0.5   | 13.6  | 9.2   | 702   | 2.46  | 4.4   | 1.0   | 8.4    | 6.9 | 50  |
| 1814776 | Drill Core |         |      |     | 3.17 | 540   | 0.020  | 0.02  | <0.17 | 29.71 | 2.8   | 89.0  | 173.8 | 122   | 1.8   | 12.2  | 7.4   | 503   | 1.94  | 3.9   | 1.2   | 23.6   | 6.4 | 31  |
| 1814777 | Drill Core |         |      |     | 2.75 | 453   | 0.011  | <0.01 | <0.17 | 37.20 | 0.8   | 50.5  | 22.6  | 98    | 0.8   | 14.9  | 8.8   | 428   | 1.96  | 4.0   | 2.0   | 6.8    | 7.7 | 8   |
| 1814778 | Drill Core |         |      |     | 3.22 | 518   | 0.009  | <0.01 | <0.17 | 30.47 | 0.3   | 22.7  | 4.7   | 116   | 1.1   | 13.2  | 7.3   | 627   | 1.83  | 5.0   | 1.1   | 3.6    | 7.9 | 46  |
| 1814779 | Drill Core |         |      |     | 3.03 | 509   | 0.015  | 0.01  | <0.17 | 26.00 | 1.4   | 55.2  | 19.0  | 100   | 0.7   | 12.2  | 7.8   | 454   | 1.64  | 3.4   | 1.0   | 10.6   | 8.2 | 40  |
| 1814780 | Rock       |         |      |     | 0.23 | 162   | <0.005 | <0.01 | <0.17 | 24.71 | 0.3   | 1.3   | 1.7   | 4     | <0.1  | 1.9   | 0.6   | 92    | 0.90  | 0.7   | 0.2   | <0.5   | 1.2 | 3   |
| 1814781 | Drill Core |         |      |     | 2.81 | 537   | 0.006  | <0.01 | <0.17 | 28.86 | 0.6   | 19.8  | 9.1   | 72    | 0.3   | 12.9  | 8.6   | 467   | 1.65  | 1.3   | 1.3   | 3.6    | 8.8 | 43  |
| 1814782 | Drill Core |         |      |     | 3.22 | 527   | 0.012  | 0.03  | 0.37  | 32.48 | 4.3   | 65.7  | 134.1 | 99    | 1.0   | 11.3  | 7.8   | 393   | 1.74  | 10.5  | 1.3   | 9.0    | 8.4 | 34  |
| 1814783 | Drill Core |         |      |     | 3.35 | 475   | 0.014  | 0.01  | <0.17 | 32.65 | 3.1   | 28.5  | 19.0  | 80    | 0.6   | 13.8  | 7.8   | 930   | 2.14  | 29.7  | 2.2   | 8.2    | 8.1 | 54  |
| 1814784 | Drill Core |         |      |     | 2.98 | 482   | 0.007  | <0.01 | <0.17 | 34.10 | 1.9   | 23.4  | 12.1  | 64    | 0.5   | 13.0  | 8.0   | 796   | 2.19  | 2.1   | 2.0   | 2.9    | 7.9 | 58  |
| 1814785 | Drill Core |         |      |     | 3.05 | 538   | 0.006  | <0.01 | <0.17 | 33.22 | 2.6   | 13.6  | 11.2  | 66    | 0.3   | 12.8  | 8.2   | 915   | 2.25  | 1.2   | 1.4   | 2.0    | 8.5 | 90  |
| 1814786 | Drill Core |         |      |     | 2.65 | 530   | 0.006  | <0.01 | <0.17 | 28.01 | 2.0   | 15.7  | 8.8   | 84    | 0.4   | 16.5  | 8.2   | 604   | 1.93  | 3.1   | 1.2   | 2.0    | 9.3 | 17  |
| 1814787 | Drill Core |         |      |     | 3.01 | 502   | 0.006  | <0.01 | <0.17 | 29.38 | 0.7   | 10.9  | 7.2   | 42    | 0.2   | 9.0   | 7.1   | 351   | 1.39  | 0.6   | 1.9   | 1.6    | 9.2 | 33  |
| 1814788 | Drill Core |         |      |     | 2.92 | 444   | 0.007  | <0.01 | <0.17 | 32.78 | 0.7   | 13.4  | 13.9  | 36    | 0.3   | 7.5   | 7.0   | 284   | 1.41  | 3.1   | 1.2   | 2.1    | 9.1 | 26  |
| 1814789 | Drill Core |         |      |     | 2.91 | 439   | 0.014  | 0.01  | <0.17 | 30.98 | 0.3   | 57.2  | 11.2  | 25    | 0.8   | 5.5   | 5.7   | 412   | 1.27  | 14.4  | 0.7   | 9.5    | 9.0 | 25  |
| 1814790 | Drill Core |         |      |     | 2.96 | 445   | 0.032  | 0.07  | 0.52  | 34.73 | 1.7   | 20.6  | 11.1  | 57    | 0.5   | 10.1  | 7.2   | 611   | 1.81  | 34.8  | 1.2   | 25.9   | 7.7 | 30  |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2012

**Page:** 2 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI20000529.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti     | B     | Al    | Na    | K     | W     | Hg    | Sc    | Tl    | S     |
|         |                                  | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %      | ppm   | %     | %     | %     | ppm   | ppm   | ppm   | ppm   | %     |
|         |                                  | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001  | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  |
| 1814761 | Drill Core                       | 0.2   | 23.5  | 0.7   | 2     | 0.03  | 0.013 | 5     | 9     | 0.18  | 84    | <0.001 | 2     | 0.30  | 0.018 | 0.11  | <0.1  | 0.02  | 0.5   | <0.1  | <0.05 |
| 1814762 | Drill Core                       | 0.4   | 0.4   | <0.1  | 3     | 0.11  | 0.046 | 13    | 7     | 0.53  | 174   | 0.001  | 2     | 0.74  | 0.019 | 0.22  | 2.8   | <0.01 | 0.9   | <0.1  | <0.05 |
| 1814763 | Drill Core                       | 0.3   | 1.2   | <0.1  | 5     | 0.12  | 0.052 | 11    | 10    | 0.68  | 199   | <0.001 | 1     | 0.95  | 0.011 | 0.27  | 0.1   | 0.01  | 1.1   | 0.1   | 0.17  |
| 1814764 | Drill Core                       | 0.1   | 1.4   | 0.1   | 4     | 0.05  | 0.031 | 8     | 8     | 0.29  | 223   | <0.001 | 1     | 0.45  | 0.018 | 0.28  | 0.1   | 0.01  | 0.6   | <0.1  | 0.25  |
| 1814765 | Drill Core                       | <0.1  | 0.4   | <0.1  | 2     | 0.03  | 0.019 | 9     | 6     | 0.06  | 223   | <0.001 | 1     | 0.29  | 0.017 | 0.28  | 0.1   | 0.02  | 0.4   | <0.1  | 0.25  |
| 1814766 | Drill Core                       | <0.1  | 0.3   | <0.1  | 6     | 0.04  | 0.047 | 8     | 10    | 0.49  | 210   | 0.001  | <1    | 0.70  | 0.016 | 0.27  | 0.1   | 0.02  | 1.1   | <0.1  | 0.25  |
| 1814767 | Drill Core                       | <0.1  | 0.2   | <0.1  | 6     | 0.04  | 0.057 | 9     | 10    | 0.38  | 231   | 0.001  | 1     | 0.69  | 0.015 | 0.31  | <0.1  | <0.01 | 1.0   | <0.1  | 0.68  |
| 1814768 | Drill Core                       | <0.1  | 0.2   | <0.1  | 5     | 0.06  | 0.060 | 10    | 10    | 0.40  | 242   | 0.001  | <1    | 0.67  | 0.021 | 0.26  | <0.1  | 0.01  | 0.7   | <0.1  | 0.67  |
| 1814769 | Drill Core                       | 0.4   | 0.2   | <0.1  | 8     | 0.10  | 0.061 | 9     | 12    | 0.68  | 130   | 0.001  | <1    | 1.02  | 0.020 | 0.29  | <0.1  | 0.06  | 1.4   | <0.1  | 1.04  |
| 1814770 | Drill Core                       | 0.6   | 0.3   | 0.1   | 7     | 0.17  | 0.062 | 10    | 10    | 0.99  | 120   | <0.001 | <1    | 1.24  | 0.012 | 0.26  | <0.1  | 0.01  | 1.3   | <0.1  | 0.47  |
| 1814771 | Drill Core                       | 0.6   | 0.2   | <0.1  | 6     | 1.22  | 0.068 | 7     | 9     | 0.99  | 125   | <0.001 | <1    | 0.93  | 0.011 | 0.30  | <0.1  | <0.01 | 1.4   | <0.1  | 1.02  |
| 1814772 | Drill Core                       | 0.5   | 0.2   | <0.1  | 6     | 1.96  | 0.055 | 7     | 10    | 0.77  | 169   | 0.002  | <1    | 0.78  | 0.015 | 0.32  | <0.1  | <0.01 | 1.8   | <0.1  | 0.99  |
| 1814773 | Drill Core                       | 0.8   | 0.2   | <0.1  | 4     | 1.91  | 0.049 | 5     | 5     | 0.77  | 126   | 0.001  | <1    | 0.62  | 0.011 | 0.29  | <0.1  | <0.01 | 1.0   | <0.1  | 1.54  |
| 1814774 | Drill Core                       | 0.4   | 0.2   | <0.1  | 5     | 1.66  | 0.052 | 8     | 7     | 0.67  | 139   | 0.001  | 1     | 0.71  | 0.016 | 0.33  | <0.1  | 0.01  | 1.4   | <0.1  | 1.27  |
| 1814775 | Drill Core                       | 0.3   | 0.2   | <0.1  | 6     | 1.67  | 0.062 | 5     | 9     | 0.83  | 119   | <0.001 | <1    | 0.80  | 0.012 | 0.31  | <0.1  | <0.01 | 1.5   | <0.1  | 1.48  |
| 1814776 | Drill Core                       | 1.4   | 1.3   | <0.1  | 2     | 1.07  | 0.046 | 7     | 3     | 0.37  | 116   | <0.001 | <1    | 0.34  | 0.013 | 0.27  | 0.2   | 0.03  | 0.8   | <0.1  | 1.43  |
| 1814777 | Drill Core                       | 0.9   | 0.7   | <0.1  | 3     | 0.28  | 0.046 | 10    | 5     | 0.18  | 153   | <0.001 | <1    | 0.57  | 0.013 | 0.31  | 0.1   | 0.02  | 1.0   | <0.1  | 0.97  |
| 1814778 | Drill Core                       | 0.4   | 0.4   | <0.1  | 4     | 1.87  | 0.047 | 6     | 6     | 0.48  | 148   | 0.001  | <1    | 0.73  | 0.015 | 0.30  | <0.1  | <0.01 | 1.1   | <0.1  | 1.12  |
| 1814779 | Drill Core                       | 1.0   | 0.1   | <0.1  | 6     | 1.48  | 0.059 | 11    | 9     | 0.39  | 219   | 0.002  | <1    | 0.71  | 0.027 | 0.30  | <0.1  | 0.01  | 1.4   | <0.1  | 0.80  |
| 1814780 | Rock                             | <0.1  | 0.1   | <0.1  | 2     | 0.02  | 0.002 | 2     | 4     | 0.03  | 43    | 0.002  | 2     | 0.11  | 0.005 | 0.03  | <0.1  | <0.01 | 0.2   | <0.1  | <0.05 |
| 1814781 | Drill Core                       | 0.2   | 0.1   | <0.1  | 8     | 1.39  | 0.065 | 11    | 12    | 0.62  | 351   | 0.002  | <1    | 0.99  | 0.030 | 0.31  | <0.1  | <0.01 | 1.5   | <0.1  | 0.28  |
| 1814782 | Drill Core                       | 1.4   | 0.3   | 0.2   | 5     | 1.26  | 0.062 | 15    | 7     | 0.31  | 150   | 0.002  | <1    | 0.65  | 0.030 | 0.30  | <0.1  | 0.01  | 1.3   | <0.1  | 1.14  |
| 1814783 | Drill Core                       | 0.4   | 0.3   | <0.1  | 8     | 1.88  | 0.059 | 17    | 13    | 0.90  | 154   | 0.001  | <1    | 1.14  | 0.018 | 0.30  | <0.1  | <0.01 | 1.6   | 0.1   | 0.82  |
| 1814784 | Drill Core                       | 0.3   | 0.2   | <0.1  | 7     | 2.01  | 0.056 | 14    | 12    | 0.72  | 143   | 0.001  | <1    | 1.03  | 0.016 | 0.28  | <0.1  | <0.01 | 1.6   | <0.1  | 0.84  |
| 1814785 | Drill Core                       | 0.3   | 0.2   | <0.1  | 10    | 2.25  | 0.060 | 16    | 14    | 0.60  | 161   | 0.002  | 1     | 1.01  | 0.024 | 0.27  | <0.1  | <0.01 | 2.0   | 0.1   | 0.79  |
| 1814786 | Drill Core                       | 0.4   | 0.2   | <0.1  | 7     | 0.48  | 0.063 | 27    | 13    | 0.63  | 191   | 0.002  | <1    | 1.02  | 0.022 | 0.26  | 0.2   | <0.01 | 1.4   | <0.1  | 0.37  |
| 1814787 | Drill Core                       | 0.3   | 0.2   | <0.1  | 5     | 1.17  | 0.051 | 18    | 9     | 0.24  | 161   | 0.002  | <1    | 0.60  | 0.037 | 0.32  | <0.1  | <0.01 | 1.0   | <0.1  | 0.72  |
| 1814788 | Drill Core                       | 0.2   | 0.2   | <0.1  | 4     | 0.95  | 0.048 | 17    | 6     | 0.18  | 143   | 0.002  | <1    | 0.51  | 0.036 | 0.35  | <0.1  | <0.01 | 0.9   | 0.1   | 0.94  |
| 1814789 | Drill Core                       | 0.3   | 0.4   | <0.1  | 4     | 1.14  | 0.046 | 20    | 6     | 0.16  | 131   | 0.001  | <1    | 0.45  | 0.027 | 0.33  | <0.1  | <0.01 | 1.0   | 0.1   | 0.79  |
| 1814790 | Drill Core                       | 0.6   | 0.4   | <0.1  | 5     | 1.18  | 0.051 | 20    | 9     | 0.47  | 156   | 0.001  | <1    | 0.72  | 0.016 | 0.33  | <0.1  | 0.01  | 1.2   | 0.1   | 1.03  |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: January 15, 2021

Page: 2 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI20000529.1

| Method<br>Analyte<br>Unit<br>MDL |            | AQ201 | AQ201 | AQ201 |
|----------------------------------|------------|-------|-------|-------|
|                                  |            | Ga    | Se    | Te    |
|                                  |            | ppm   | ppm   | ppm   |
|                                  |            | 1     | 0.5   | 0.2   |
| 1814761                          | Drill Core | 1     | <0.5  | 0.9   |
| 1814762                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814763                          | Drill Core | 3     | 0.5   | <0.2  |
| 1814764                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814765                          | Drill Core | 1     | 0.6   | <0.2  |
| 1814766                          | Drill Core | 2     | 0.6   | <0.2  |
| 1814767                          | Drill Core | 2     | 0.6   | <0.2  |
| 1814768                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814769                          | Drill Core | 3     | 0.5   | <0.2  |
| 1814770                          | Drill Core | 3     | <0.5  | <0.2  |
| 1814771                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814772                          | Drill Core | 2     | 0.6   | 0.4   |
| 1814773                          | Drill Core | 1     | 0.5   | <0.2  |
| 1814774                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814775                          | Drill Core | 2     | 0.5   | <0.2  |
| 1814776                          | Drill Core | <1    | 0.7   | <0.2  |
| 1814777                          | Drill Core | 1     | 0.5   | <0.2  |
| 1814778                          | Drill Core | 2     | 0.7   | <0.2  |
| 1814779                          | Drill Core | 2     | 0.6   | <0.2  |
| 1814780                          | Rock       | <1    | <0.5  | <0.2  |
| 1814781                          | Drill Core | 3     | <0.5  | <0.2  |
| 1814782                          | Drill Core | 2     | 0.8   | <0.2  |
| 1814783                          | Drill Core | 3     | 0.5   | <0.2  |
| 1814784                          | Drill Core | 3     | 0.5   | <0.2  |
| 1814785                          | Drill Core | 3     | <0.5  | <0.2  |
| 1814786                          | Drill Core | 3     | <0.5  | <0.2  |
| 1814787                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814788                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814789                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814790                          | Drill Core | 2     | <0.5  | <0.2  |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2021

**Page:** 3 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI20000529.1

|         | Method<br>Analyte<br>Unit<br>MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
|         |                                  | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au     | Th    | Sr    |
|         |                                  | kg   | g     | ppm    | ppm   | ppm   | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb    | ppm   | ppm   |
|         |                                  | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5    | 0.1   | 1     |
| 1814791 | Drill Core                       | 2.99 | 450   | 0.011  | 0.01  | <0.17 | 29.94 | 5.0   | 26.5  | 23.5  | 43    | 0.6   | 13.0  | 8.2   | 564   | 2.10  | 10.4  | 2.4   | 6.1    | 7.7   | 43    |
| 1814792 | Drill Core                       | 3.09 | 451   | 0.008  | <0.01 | <0.17 | 29.99 | 0.5   | 12.2  | 10.7  | 27    | 0.3   | 6.3   | 6.0   | 459   | 1.29  | 4.9   | 2.5   | 2.8    | 9.3   | 40    |
| 1814793 | Drill Core                       | 3.07 | 449   | 0.016  | 0.01  | <0.17 | 30.61 | 0.3   | 22.9  | 12.1  | 57    | 0.5   | 8.5   | 6.5   | 448   | 1.60  | 18.6  | 1.7   | 11.6   | 11.3  | 27    |
| 1814794 | Drill Core                       | 2.72 | 514   | 0.023  | 0.02  | <0.17 | 32.47 | 0.3   | 21.2  | 21.6  | 50    | 0.5   | 7.6   | 7.4   | 348   | 1.31  | 26.0  | 1.6   | 19.5   | 8.9   | 22    |
| 1814795 | Drill Core                       | 2.88 | 516   | 0.012  | 0.01  | <0.17 | 32.20 | 5.4   | 22.7  | 41.5  | 52    | 0.6   | 11.2  | 7.3   | 747   | 1.87  | 14.0  | 2.0   | 7.0    | 7.8   | 57    |
| 1814796 | Drill Core                       | 3.11 | 490   | 0.014  | 0.01  | <0.17 | 30.93 | 3.6   | 35.2  | 35.9  | 47    | 0.6   | 12.9  | 8.1   | 639   | 2.11  | 11.7  | 2.6   | 9.7    | 7.7   | 47    |
| 1814797 | Drill Core                       | 3.15 | 524   | 0.010  | <0.01 | <0.17 | 30.82 | 1.0   | 27.0  | 16.0  | 32    | 0.5   | 8.6   | 7.3   | 479   | 1.54  | 7.4   | 2.1   | 5.8    | 7.8   | 43    |
| 1814798 | Drill Core                       | 3.10 | 500   | 0.009  | <0.01 | <0.17 | 37.60 | 0.9   | 10.6  | 10.2  | 36    | 0.3   | 6.6   | 6.5   | 311   | 1.36  | 3.0   | 2.6   | 4.8    | 9.9   | 47    |
| 1814799 | Drill Core                       | 3.17 | 493   | 0.011  | 0.01  | <0.17 | 37.55 | 0.6   | 11.6  | 15.5  | 32    | 0.3   | 6.5   | 6.1   | 285   | 1.24  | 10.0  | 2.6   | 7.3    | 10.1  | 48    |
| 1814800 | Rock Pulp                        | 0.12 | 76    | 7.198  |       |       |       | 9.1   | 181.6 | 17.7  | 74    | 0.8   | 13.1  | 10.7  | 553   | 4.57  | 13.4  | 0.8   | 6244.9 | 2.5   | 66    |
| 1814801 | Drill Core                       | 3.18 | 465   | 0.006  | <0.01 | <0.17 | 29.68 | 0.5   | 11.5  | 15.3  | 32    | 0.2   | 6.5   | 5.7   | 334   | 1.26  | 2.5   | 2.8   | 3.7    | 10.1  | 74    |
| 1814802 | Drill Core                       | 3.02 | 524   | 0.006  | <0.01 | <0.17 | 29.37 | 0.8   | 11.4  | 12.1  | 36    | 0.2   | 6.4   | 5.7   | 294   | 1.13  | 2.7   | 2.5   | 2.1    | 9.9   | 64    |
| 1814803 | Drill Core                       | 3.14 | 533   | 0.007  | <0.01 | <0.17 | 34.96 | 0.5   | 10.7  | 13.9  | 33    | 0.2   | 5.8   | 5.3   | 291   | 0.98  | 1.0   | 2.2   | 3.1    | 10.1  | 83    |
| 1814804 | Drill Core                       | 3.28 | 528   | 0.006  | <0.01 | <0.17 | 29.10 | 0.3   | 10.9  | 15.4  | 31    | 0.2   | 5.9   | 5.6   | 344   | 1.45  | 1.4   | 2.0   | 3.1    | 10.3  | 62    |
| 1814805 | Drill Core                       | 3.22 | 522   | 0.069  | 0.10  | 0.53  | 37.52 | 0.2   | 9.8   | 8.4   | 17    | 0.2   | 4.8   | 5.4   | 247   | 0.94  | 1.2   | 1.2   | 19.2   | 9.8   | 59    |
| 1814806 | Drill Core                       | 3.02 | 488   | 0.009  | <0.01 | <0.17 | 38.13 | 0.8   | 12.1  | 15.7  | 37    | 0.3   | 6.8   | 6.1   | 341   | 1.35  | 8.3   | 2.0   | 8.6    | 9.9   | 59    |
| 1814807 | Drill Core                       | 3.33 | 483   | 0.006  | <0.01 | <0.17 | 34.63 | 1.1   | 11.3  | 13.6  | 22    | 0.2   | 6.5   | 6.7   | 288   | 1.19  | 1.4   | 2.3   | 1.6    | 9.3   | 58    |
| 1814808 | Drill Core                       | 3.06 | 508   | 0.006  | <0.01 | <0.17 | 31.05 | 0.5   | 11.4  | 11.6  | 23    | 0.2   | 6.6   | 6.7   | 251   | 1.16  | 1.5   | 2.1   | 1.5    | 9.2   | 54    |
| 1814809 | Drill Core                       | 3.16 | 501   | 0.009  | <0.01 | <0.17 | 35.44 | 1.6   | 12.8  | 17.2  | 17    | 0.2   | 7.2   | 7.5   | 266   | 1.48  | 4.9   | 1.9   | 4.5    | 8.9   | 57    |
| 1814810 | Drill Core                       | 3.23 | 543   | 0.008  | <0.01 | <0.17 | 37.10 | 0.7   | 12.3  | 13.9  | 24    | 0.2   | 7.3   | 7.7   | 242   | 1.28  | 2.6   | 1.8   | 3.5    | 9.5   | 57    |
| 1814811 | Drill Core                       | 2.91 | 479   | 0.007  | <0.01 | <0.17 | 27.89 | 1.7   | 10.2  | 16.3  | 24    | 0.2   | 6.3   | 6.2   | 345   | 1.25  | 1.2   | 1.5   | 3.3    | 8.8   | 80    |
| 1814812 | Drill Core                       | 3.18 | 454   | 0.577  | 0.73  | 2.78  | 30.90 | 0.7   | 12.7  | 6.1   | 21    | 0.4   | 5.6   | 5.8   | 264   | 1.46  | 6.3   | 1.4   | 569.4  | 7.4   | 47    |
| 1814813 | Drill Core                       | 3.25 | 487   | 0.300  | 0.40  | 1.87  | 31.60 | 0.4   | 16.3  | 7.1   | 36    | 0.9   | 7.8   | 6.9   | 501   | 1.99  | 22.5  | 1.4   | 301.8  | 6.5   | 63    |
| 1814814 | Drill Core                       | 2.99 | 491   | 0.010  | <0.01 | <0.17 | 31.32 | 1.3   | 21.1  | 13.4  | 40    | 0.4   | 10.0  | 8.5   | 355   | 1.67  | 8.8   | 1.1   | 5.2    | 8.4   | 56    |
| 1814815 | Drill Core                       | 3.19 | 510   | 0.007  | <0.01 | <0.17 | 30.28 | 1.2   | 46.7  | 31.5  | 77    | 0.8   | 10.2  | 7.4   | 712   | 1.67  | 3.3   | 1.5   | 10.0   | 8.8   | 78    |
| 1814816 | Drill Core                       | 3.24 | 473   | 0.006  | <0.01 | <0.17 | 32.13 | 0.8   | 15.7  | 8.8   | 59    | 0.4   | 9.8   | 7.8   | 625   | 1.93  | 1.3   | 1.6   | 1.6    | 8.8   | 66    |
| 1814817 | Drill Core                       | 3.03 | 542   | 0.008  | <0.01 | <0.17 | 27.89 | 2.9   | 15.8  | 23.2  | 76    | 0.3   | 17.2  | 10.5  | 875   | 2.55  | 1.4   | 1.2   | 2.9    | 7.4   | 91    |
| 1814818 | Drill Core                       | 3.31 | 481   | 0.005  | <0.01 | <0.17 | 35.70 | 1.0   | 11.9  | 8.0   | 83    | 0.2   | 12.0  | 8.2   | 527   | 2.78  | 0.6   | 1.6   | 1.2    | 7.9   | 54    |
| 1814819 | Drill Core                       | 3.30 | 539   | <0.005 | <0.01 | <0.17 | 34.00 | 0.6   | 15.3  | 8.7   | 93    | 0.3   | 10.3  | 7.5   | 685   | 2.94  | 1.6   | 1.8   | 1.5    | 7.1   | 71    |
| 1814820 | Rock Pulp                        | 0.13 | 80    | 0.573  |       |       |       | 6.7   | 108.7 | 80.2  | 141   | 0.6   | 11.7  | 4.9   | 595   | 2.53  | 40.7  | 0.4   | 575.1  | 2.0   | 33    |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2021

**Page:** 3 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI20000529.1

|         | Method     | Analyte | Unit | MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |     |      |       |
|---------|------------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-----|------|-------|
|         |            |         |      |     | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti     | B     | Al    | Na    | K     | W     | Hg    | Sc  | Tl   | S     |
|         |            |         |      |     | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %      | ppm   | %     | %     | %     | ppm   | ppm   | ppm | ppm  | %     |
|         |            |         |      |     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001  | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1 | 0.1  | 0.05  |
| 1814791 | Drill Core |         |      |     | 0.4   | 0.6   | 0.1   | 5     | 1.59  | 0.058 | 17    | 7     | 0.32  | 109   | 0.002  | <1    | 0.63  | 0.024 | 0.32  | <0.1  | 0.01  | 1.2 | <0.1 | 1.62  |
| 1814792 | Drill Core |         |      |     | 0.3   | 0.3   | <0.1  | 5     | 1.37  | 0.048 | 21    | 8     | 0.20  | 166   | 0.002  | 1     | 0.57  | 0.034 | 0.33  | <0.1  | <0.01 | 1.4 | <0.1 | 0.70  |
| 1814793 | Drill Core |         |      |     | 0.4   | 0.4   | <0.1  | 9     | 0.85  | 0.050 | 30    | 13    | 0.37  | 138   | 0.002  | <1    | 0.73  | 0.044 | 0.32  | <0.1  | 0.02  | 2.1 | 0.1  | 0.70  |
| 1814794 | Drill Core |         |      |     | 0.5   | 0.6   | 0.1   | 4     | 0.74  | 0.050 | 26    | 7     | 0.23  | 152   | <0.001 | 2     | 0.53  | 0.022 | 0.33  | 0.4   | 0.03  | 0.8 | 0.1  | 0.78  |
| 1814795 | Drill Core |         |      |     | 0.6   | 0.6   | 0.2   | 5     | 2.03  | 0.054 | 20    | 8     | 0.47  | 119   | 0.001  | 2     | 0.65  | 0.017 | 0.26  | 0.1   | 0.01  | 1.4 | 0.1  | 1.14  |
| 1814796 | Drill Core |         |      |     | 0.4   | 1.1   | <0.1  | 5     | 1.64  | 0.054 | 18    | 7     | 0.43  | 84    | 0.001  | 2     | 0.64  | 0.016 | 0.29  | 0.1   | <0.01 | 1.1 | 0.1  | 1.50  |
| 1814797 | Drill Core |         |      |     | 0.4   | 0.6   | <0.1  | 4     | 1.55  | 0.051 | 18    | 5     | 0.16  | 116   | 0.002  | 1     | 0.47  | 0.018 | 0.31  | 0.1   | <0.01 | 1.0 | <0.1 | 1.03  |
| 1814798 | Drill Core |         |      |     | 0.2   | 0.3   | 0.1   | 7     | 0.83  | 0.047 | 26    | 10    | 0.21  | 189   | 0.003  | 1     | 0.50  | 0.042 | 0.27  | <0.1  | <0.01 | 1.4 | <0.1 | 0.56  |
| 1814799 | Drill Core |         |      |     | 0.3   | 0.4   | 0.2   | 5     | 0.82  | 0.049 | 28    | 9     | 0.17  | 142   | 0.004  | <1    | 0.45  | 0.050 | 0.26  | <0.1  | <0.01 | 1.3 | <0.1 | 0.65  |
| 1814800 | Rock Pulp  |         |      |     | 0.2   | 4.9   | 0.5   | 106   | 0.89  | 0.058 | 7     | 17    | 0.82  | 111   | 0.115  | 3     | 1.64  | 0.168 | 0.22  | 3.8   | 0.20  | 3.1 | <0.1 | <0.05 |
| 1814801 | Drill Core |         |      |     | 0.3   | 0.4   | 0.2   | 6     | 1.00  | 0.048 | 30    | 9     | 0.18  | 143   | 0.006  | <1    | 0.42  | 0.052 | 0.23  | <0.1  | <0.01 | 1.6 | <0.1 | 0.62  |
| 1814802 | Drill Core |         |      |     | 0.3   | 0.4   | <0.1  | 6     | 0.90  | 0.047 | 28    | 9     | 0.17  | 215   | 0.007  | <1    | 0.40  | 0.052 | 0.24  | <0.1  | <0.01 | 1.4 | <0.1 | 0.50  |
| 1814803 | Drill Core |         |      |     | 0.3   | 0.5   | <0.1  | 6     | 0.94  | 0.048 | 28    | 9     | 0.18  | 395   | 0.005  | <1    | 0.39  | 0.046 | 0.22  | <0.1  | <0.01 | 1.4 | <0.1 | 0.34  |
| 1814804 | Drill Core |         |      |     | 0.3   | 0.4   | 0.2   | 9     | 0.89  | 0.046 | 30    | 10    | 0.16  | 212   | 0.006  | <1    | 0.45  | 0.052 | 0.27  | <0.1  | <0.01 | 2.0 | <0.1 | 0.49  |
| 1814805 | Drill Core |         |      |     | 0.2   | 0.4   | <0.1  | 6     | 0.74  | 0.045 | 28    | 8     | 0.11  | 294   | 0.004  | <1    | 0.40  | 0.053 | 0.27  | <0.1  | <0.01 | 1.5 | <0.1 | 0.38  |
| 1814806 | Drill Core |         |      |     | 0.3   | 0.4   | 0.2   | 6     | 0.96  | 0.046 | 28    | 9     | 0.25  | 136   | 0.003  | <1    | 0.52  | 0.046 | 0.26  | <0.1  | <0.01 | 1.6 | <0.1 | 0.63  |
| 1814807 | Drill Core |         |      |     | 0.3   | 0.2   | 0.1   | 4     | 0.87  | 0.045 | 26    | 6     | 0.14  | 127   | 0.003  | <1    | 0.43  | 0.038 | 0.29  | <0.1  | <0.01 | 1.1 | <0.1 | 0.74  |
| 1814808 | Drill Core |         |      |     | 0.3   | 0.3   | <0.1  | 4     | 0.77  | 0.046 | 25    | 7     | 0.15  | 132   | 0.002  | <1    | 0.43  | 0.038 | 0.29  | <0.1  | <0.01 | 1.1 | <0.1 | 0.72  |
| 1814809 | Drill Core |         |      |     | 0.3   | 0.3   | <0.1  | 4     | 0.86  | 0.047 | 23    | 6     | 0.08  | 66    | 0.002  | <1    | 0.38  | 0.037 | 0.30  | <0.1  | <0.01 | 1.0 | <0.1 | 1.23  |
| 1814810 | Drill Core |         |      |     | 0.3   | 0.2   | <0.1  | 4     | 0.75  | 0.049 | 23    | 7     | 0.14  | 118   | 0.002  | <1    | 0.45  | 0.043 | 0.30  | <0.1  | <0.01 | 1.1 | <0.1 | 0.85  |
| 1814811 | Drill Core |         |      |     | 0.3   | 0.2   | 0.1   | 5     | 0.96  | 0.045 | 20    | 8     | 0.18  | 126   | 0.003  | <1    | 0.47  | 0.044 | 0.29  | <0.1  | <0.01 | 1.3 | <0.1 | 0.70  |
| 1814812 | Drill Core |         |      |     | 0.2   | 0.2   | <0.1  | 5     | 0.66  | 0.044 | 12    | 7     | 0.18  | 105   | 0.002  | <1    | 0.40  | 0.040 | 0.23  | <0.1  | <0.01 | 1.2 | <0.1 | 0.95  |
| 1814813 | Drill Core |         |      |     | 0.3   | 0.8   | 0.1   | 7     | 1.25  | 0.052 | 11    | 9     | 0.35  | 80    | 0.002  | <1    | 0.54  | 0.036 | 0.25  | 0.1   | <0.01 | 1.9 | <0.1 | 1.34  |
| 1814814 | Drill Core |         |      |     | 0.4   | 0.3   | 0.1   | 7     | 1.08  | 0.066 | 21    | 9     | 0.20  | 121   | 0.003  | <1    | 0.54  | 0.031 | 0.31  | 0.1   | <0.01 | 1.5 | <0.1 | 1.07  |
| 1814815 | Drill Core |         |      |     | 0.8   | 0.2   | <0.1  | 7     | 1.52  | 0.056 | 21    | 10    | 0.33  | 65    | 0.002  | <1    | 0.65  | 0.028 | 0.31  | <0.1  | 0.01  | 1.5 | <0.1 | 0.96  |
| 1814816 | Drill Core |         |      |     | 0.4   | 0.4   | <0.1  | 9     | 1.76  | 0.066 | 26    | 11    | 0.31  | 116   | 0.003  | <1    | 0.75  | 0.030 | 0.31  | <0.1  | <0.01 | 2.2 | <0.1 | 0.94  |
| 1814817 | Drill Core |         |      |     | 0.5   | 0.1   | 0.1   | 12    | 2.46  | 0.057 | 20    | 60    | 0.76  | 98    | 0.002  | <1    | 1.09  | 0.026 | 0.22  | <0.1  | 0.01  | 2.5 | <0.1 | 1.04  |
| 1814818 | Drill Core |         |      |     | 0.3   | 0.1   | <0.1  | 12    | 1.73  | 0.065 | 21    | 18    | 0.75  | 82    | 0.002  | <1    | 1.24  | 0.030 | 0.26  | <0.1  | 0.02  | 2.4 | <0.1 | 1.12  |
| 1814819 | Drill Core |         |      |     | 0.5   | 0.1   | <0.1  | 12    | 2.56  | 0.061 | 18    | 19    | 0.94  | 99    | 0.001  | <1    | 1.33  | 0.026 | 0.22  | <0.1  | 0.08  | 2.5 | <0.1 | 1.28  |
| 1814820 | Rock Pulp  |         |      |     | 0.6   | 3.0   | <0.1  | 29    | 0.81  | 0.036 | 5     | 24    | 0.50  | 76    | 0.074  | 8     | 1.10  | 0.092 | 0.10  | 4.0   | 0.13  | 2.6 | 0.2  | 0.09  |



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: January 15, 2021

Page: 3 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI20000529.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|
|         |                                  | Ga    | Se    | Te    |
|         |                                  | ppm   | ppm   | ppm   |
|         |                                  | 1     | 0.5   | 0.2   |
| 1814791 | Drill Core                       | 2     | 0.6   | <0.2  |
| 1814792 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814793 | Drill Core                       | 3     | <0.5  | <0.2  |
| 1814794 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814795 | Drill Core                       | 2     | 0.6   | <0.2  |
| 1814796 | Drill Core                       | 2     | 0.6   | <0.2  |
| 1814797 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814798 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814799 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814800 | Rock Pulp                        | 5     | <0.5  | <0.2  |
| 1814801 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814802 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814803 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814804 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814805 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814806 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814807 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814808 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814809 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814810 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814811 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814812 | Drill Core                       | 2     | <0.5  | <0.2  |
| 1814813 | Drill Core                       | 2     | <0.5  | 0.3   |
| 1814814 | Drill Core                       | 2     | 0.5   | <0.2  |
| 1814815 | Drill Core                       | 3     | <0.5  | <0.2  |
| 1814816 | Drill Core                       | 3     | <0.5  | <0.2  |
| 1814817 | Drill Core                       | 3     | <0.5  | <0.2  |
| 1814818 | Drill Core                       | 4     | <0.5  | <0.2  |
| 1814819 | Drill Core                       | 4     | <0.5  | <0.2  |
| 1814820 | Rock Pulp                        | 4     | <0.5  | <0.2  |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2021

**Page:** 4 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI20000529.1

|         | Method<br>Analyte<br>Unit<br>MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    |
|         |                                  | kg   | g     | ppm    | ppm   | ppm   | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   |
|         |                                  | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5   | 0.1   | 1     |
| 1814821 | Drill Core                       | 2.97 | 503   | 0.007  | <0.01 | <0.17 | 34.38 | 1.0   | 12.0  | 6.9   | 77    | 0.2   | 13.9  | 9.1   | 533   | 2.65  | 0.6   | 1.3   | <0.5  | 7.6   | 63    |
| 1814822 | Drill Core                       | 2.94 | 510   | 0.007  | <0.01 | <0.17 | 33.80 | 4.8   | 17.2  | 38.4  | 67    | 0.3   | 15.7  | 8.8   | 570   | 2.43  | 0.8   | 1.0   | 3.6   | 7.4   | 82    |
| 1814823 | Drill Core                       | 3.11 | 463   | 0.008  | <0.01 | <0.17 | 28.90 | 1.2   | 13.7  | 7.8   | 77    | 0.2   | 10.6  | 7.5   | 598   | 2.57  | 3.4   | 1.3   | 3.9   | 7.8   | 77    |
| 1814824 | Drill Core                       | 3.30 | 474   | 0.006  | <0.01 | <0.17 | 35.42 | 0.6   | 14.5  | 8.3   | 81    | 0.2   | 10.3  | 7.9   | 659   | 2.68  | 1.1   | 1.0   | 2.3   | 6.8   | 80    |
| 1814825 | Drill Core                       | 3.03 | 483   | 0.006  | <0.01 | <0.17 | 27.79 | 2.4   | 16.1  | 7.6   | 70    | 0.2   | 14.5  | 7.4   | 495   | 2.43  | 1.0   | 1.5   | 1.7   | 8.2   | 76    |
| 1814826 | Drill Core                       | 2.97 | 482   | 0.019  | 0.02  | <0.17 | 33.25 | 1.2   | 15.3  | 33.7  | 63    | 0.5   | 13.8  | 6.8   | 985   | 2.20  | 23.4  | 1.3   | 14.2  | 7.4   | 95    |
| 1814827 | Drill Core                       | 2.80 | 492   | 0.014  | 0.01  | <0.17 | 34.41 | 4.4   | 24.5  | 31.0  | 82    | 0.5   | 23.0  | 10.0  | 871   | 2.71  | 35.9  | 2.0   | 7.6   | 7.1   | 84    |
| 1814828 | Drill Core                       | 3.32 | 520   | 0.032  | 0.03  | <0.17 | 34.41 | 0.5   | 36.2  | 8.4   | 73    | 0.6   | 12.7  | 6.8   | 727   | 2.23  | 45.3  | 2.2   | 24.7  | 8.3   | 83    |
| 1814829 | Drill Core                       | 3.09 | 529   | 0.006  | <0.01 | <0.17 | 26.86 | 1.0   | 12.5  | 6.6   | 79    | 0.2   | 9.9   | 6.5   | 482   | 2.24  | 0.7   | 1.2   | 2.0   | 8.9   | 57    |
| 1814830 | Drill Core                       | 3.21 | 472   | 0.006  | <0.01 | <0.17 | 38.17 | 0.8   | 14.5  | 6.9   | 80    | 0.2   | 12.1  | 7.8   | 496   | 2.23  | 0.7   | 1.1   | 2.1   | 8.8   | 65    |
| 1814831 | Drill Core                       | 3.13 | 517   | <0.005 | <0.01 | <0.17 | 29.85 | 0.2   | 13.2  | 8.4   | 65    | 0.2   | 11.9  | 6.4   | 513   | 1.99  | 0.7   | 1.2   | 2.0   | 8.4   | 76    |
| 1814832 | Drill Core                       | 3.17 | 555   | 0.007  | <0.01 | <0.17 | 31.88 | 1.4   | 16.9  | 7.5   | 75    | 0.2   | 15.3  | 8.1   | 655   | 2.32  | 1.2   | 1.4   | 2.9   | 7.6   | 81    |
| 1814833 | Drill Core                       | 3.03 | 471   | 0.010  | <0.01 | <0.17 | 24.46 | 4.9   | 22.1  | 25.1  | 81    | 0.4   | 16.4  | 7.9   | 630   | 3.06  | 1.1   | 0.8   | 4.8   | 7.0   | 80    |
| 1814834 | Drill Core                       | 3.28 | 380   | 0.008  | <0.01 | <0.17 | 32.84 | 2.3   | 18.1  | 12.4  | 62    | 0.3   | 15.8  | 7.8   | 442   | 2.48  | 0.9   | 0.7   | 3.0   | 7.5   | 49    |
| 1814835 | Drill Core                       | 3.09 | 370   | 0.025  | 0.02  | <0.17 | 22.16 | 0.3   | 12.2  | 12.9  | 42    | 0.2   | 10.0  | 6.8   | 236   | 1.57  | 0.8   | 2.0   | 2.7   | 9.4   | 29    |
| 1814836 | Drill Core                       | 3.25 | 468   | 0.008  | <0.01 | <0.17 | 25.56 | 0.8   | 15.4  | 7.9   | 38    | 0.2   | 12.4  | 8.0   | 312   | 1.96  | 1.0   | 1.7   | 3.6   | 8.6   | 41    |
| 1814837 | Drill Core                       | 3.24 | 380   | 0.008  | <0.01 | <0.17 | 27.16 | 1.1   | 14.3  | 18.8  | 53    | 0.2   | 15.4  | 9.3   | 457   | 2.21  | 1.3   | 2.0   | 3.5   | 7.5   | 60    |
| 1814838 | Drill Core                       | 3.29 | 420   | <0.005 | <0.01 | <0.17 | 35.50 | 0.7   | 8.5   | 24.1  | 11    | 0.2   | 6.3   | 4.7   | 163   | 1.36  | 0.9   | 2.7   | 1.9   | 11.7  | 21    |
| 1814839 | Drill Core                       | 3.18 | 530   | <0.005 | <0.01 | <0.17 | 29.03 | 0.4   | 10.5  | 9.9   | 13    | 0.2   | 9.7   | 7.3   | 234   | 1.64  | 1.1   | 2.0   | 2.4   | 9.7   | 33    |
| 1814840 | Rock Pulp                        | 0.12 | 74    | <0.005 |       |       |       | 3.8   | 19.7  | 0.9   | 31    | <0.1  | 6.8   | 3.8   | 553   | 2.27  | 1.4   | 0.4   | 2.3   | 1.8   | 28    |
| 1814841 | Drill Core                       | 3.26 | 536   | 0.009  | <0.01 | <0.17 | 32.93 | 0.6   | 10.9  | 9.8   | 24    | 0.2   | 9.3   | 7.2   | 344   | 1.61  | 1.1   | 1.7   | 4.3   | 8.9   | 45    |
| 1814842 | Drill Core                       | 3.07 | 488   | 0.008  | <0.01 | <0.17 | 32.89 | 0.2   | 12.2  | 5.3   | 14    | 0.2   | 10.2  | 7.3   | 289   | 2.05  | 1.4   | 2.2   | 3.4   | 9.3   | 36    |
| 1814843 | Drill Core                       | 2.98 | 462   | 0.010  | <0.01 | <0.17 | 31.31 | 2.4   | 16.8  | 32.8  | 56    | 0.3   | 16.4  | 8.6   | 629   | 2.25  | 2.1   | 1.2   | 8.9   | 6.9   | 74    |
| 1814844 | Drill Core                       | 3.16 | 511   | 0.009  | <0.01 | <0.17 | 27.86 | 0.2   | 12.3  | 5.4   | 27    | 0.2   | 9.8   | 7.3   | 333   | 1.72  | 1.3   | 2.0   | 3.4   | 9.0   | 44    |
| 1814845 | Drill Core                       | 3.14 | 488   | 0.009  | <0.01 | <0.17 | 31.92 | 1.0   | 13.7  | 9.8   | 29    | 0.2   | 8.9   | 7.1   | 344   | 1.53  | 1.1   | 2.1   | 4.2   | 9.6   | 52    |
| 1814846 | Drill Core                       | 2.88 | 493   | 0.007  | <0.01 | <0.17 | 28.61 | 0.9   | 10.7  | 7.0   | 20    | 0.2   | 6.3   | 5.6   | 276   | 1.29  | 1.3   | 2.3   | 2.9   | 9.1   | 52    |
| 1814847 | Drill Core                       | 2.79 | 484   | 0.028  | 0.03  | <0.17 | 23.22 | 0.3   | 10.5  | 15.4  | 23    | 0.2   | 6.3   | 5.0   | 264   | 1.02  | 10.4  | 3.7   | 21.3  | 9.2   | 51    |
| 1814848 | Drill Core                       | 3.05 | 504   | 0.041  | 0.05  | 0.19  | 31.08 | 0.5   | 4.2   | 37.0  | 8     | 0.2   | 1.5   | 1.2   | 156   | 0.52  | 0.9   | 4.1   | 195.9 | 13.7  | 56    |
| 1814849 | Drill Core                       | 2.90 | 521   | <0.005 | <0.01 | <0.17 | 36.00 | 0.3   | 3.9   | 37.1  | 10    | 0.2   | 0.3   | 0.3   | 134   | 0.37  | 1.0   | 3.7   | <0.5  | 15.7  | 33    |
| 1814850 | Drill Core                       | 2.62 | 503   | 0.005  | <0.01 | <0.17 | 37.82 | 0.8   | 4.6   | 16.7  | 15    | 0.1   | 2.2   | 1.8   | 217   | 0.58  | 4.8   | 3.6   | 1.5   | 13.9  | 29    |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2012

**Page:** 4 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI20000529.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti     | B     | Al    | Na    | K     | W     | Hg    | Sc    | Tl    | S     |
|         |                                  | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %      | ppm   | %     | %     | %     | ppm   | ppm   | ppm   | ppm   | %     |
|         |                                  | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001  | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  |
| 1814821 | Drill Core                       | 0.4   | 0.1   | <0.1  | 9     | 2.20  | 0.057 | 20    | 53    | 0.90  | 104   | 0.001  | 1     | 1.29  | 0.025 | 0.21  | <0.1  | 0.04  | 2.0   | <0.1  | 1.18  |
| 1814822 | Drill Core                       | 0.4   | 0.2   | 0.1   | 9     | 2.58  | 0.055 | 19    | 30    | 1.02  | 60    | <0.001 | 1     | 1.27  | 0.020 | 0.21  | <0.1  | <0.01 | 2.0   | <0.1  | 1.11  |
| 1814823 | Drill Core                       | 0.4   | 0.2   | <0.1  | 11    | 2.41  | 0.060 | 20    | 19    | 1.02  | 77    | 0.001  | 1     | 1.42  | 0.029 | 0.22  | <0.1  | 0.01  | 2.5   | <0.1  | 0.91  |
| 1814824 | Drill Core                       | 0.4   | 0.2   | <0.1  | 11    | 2.82  | 0.058 | 17    | 20    | 1.06  | 109   | 0.001  | 1     | 1.42  | 0.032 | 0.19  | <0.1  | 0.01  | 2.8   | <0.1  | 0.94  |
| 1814825 | Drill Core                       | 0.3   | 0.1   | <0.1  | 8     | 2.09  | 0.052 | 17    | 12    | 1.11  | 42    | 0.001  | <1    | 1.34  | 0.023 | 0.23  | <0.1  | <0.01 | 1.6   | <0.1  | 1.27  |
| 1814826 | Drill Core                       | 0.4   | 0.7   | <0.1  | 6     | 3.03  | 0.046 | 13    | 12    | 0.90  | 104   | <0.001 | <1    | 1.01  | 0.012 | 0.22  | 0.1   | 0.01  | 1.3   | <0.1  | 1.32  |
| 1814827 | Drill Core                       | 0.6   | 0.5   | 0.1   | 9     | 2.98  | 0.052 | 11    | 133   | 1.17  | 93    | 0.001  | <1    | 1.24  | 0.009 | 0.22  | <0.1  | 0.01  | 2.3   | <0.1  | 1.73  |
| 1814828 | Drill Core                       | 0.4   | 0.6   | <0.1  | 8     | 2.26  | 0.051 | 19    | 14    | 0.91  | 130   | 0.001  | <1    | 1.21  | 0.015 | 0.27  | <0.1  | 0.04  | 2.0   | <0.1  | 0.98  |
| 1814829 | Drill Core                       | 0.3   | 0.3   | <0.1  | 6     | 2.09  | 0.052 | 19    | 10    | 0.94  | 102   | 0.001  | 3     | 1.28  | 0.021 | 0.22  | <0.1  | 0.05  | 1.6   | <0.1  | 1.00  |
| 1814830 | Drill Core                       | 0.3   | 0.4   | <0.1  | 8     | 2.12  | 0.054 | 19    | 27    | 1.06  | 121   | 0.001  | 2     | 1.40  | 0.022 | 0.22  | <0.1  | 0.02  | 1.8   | <0.1  | 0.86  |
| 1814831 | Drill Core                       | 0.4   | 0.2   | <0.1  | 7     | 2.37  | 0.052 | 18    | 12    | 0.80  | 145   | 0.001  | 2     | 1.20  | 0.018 | 0.26  | <0.1  | 0.02  | 1.8   | <0.1  | 0.75  |
| 1814832 | Drill Core                       | 0.5   | 0.4   | <0.1  | 8     | 2.90  | 0.049 | 9     | 19    | 1.00  | 95    | 0.001  | 2     | 1.17  | 0.013 | 0.22  | <0.1  | 0.01  | 1.7   | <0.1  | 1.27  |
| 1814833 | Drill Core                       | 0.6   | 0.3   | <0.1  | 6     | 2.67  | 0.050 | 5     | 9     | 0.58  | 38    | 0.001  | 2     | 0.63  | 0.031 | 0.19  | <0.1  | 0.03  | 1.7   | <0.1  | 3.02  |
| 1814834 | Drill Core                       | 0.4   | 0.2   | <0.1  | 5     | 1.74  | 0.050 | 7     | 9     | 0.46  | 39    | 0.002  | 2     | 0.65  | 0.029 | 0.26  | <0.1  | 0.02  | 1.3   | <0.1  | 2.23  |
| 1814835 | Drill Core                       | 0.3   | 0.2   | <0.1  | 4     | 0.67  | 0.049 | 14    | 6     | 0.23  | 66    | 0.002  | 1     | 0.47  | 0.043 | 0.25  | <0.1  | <0.01 | 0.9   | <0.1  | 1.31  |
| 1814836 | Drill Core                       | 0.3   | 0.2   | <0.1  | 5     | 1.03  | 0.050 | 10    | 9     | 0.34  | 50    | 0.002  | 1     | 0.59  | 0.030 | 0.29  | <0.1  | 0.01  | 1.0   | <0.1  | 1.56  |
| 1814837 | Drill Core                       | 0.5   | 0.4   | <0.1  | 7     | 1.68  | 0.051 | 7     | 50    | 0.58  | 39    | 0.002  | 1     | 0.80  | 0.034 | 0.26  | <0.1  | <0.01 | 1.3   | <0.1  | 1.69  |
| 1814838 | Drill Core                       | 0.2   | 0.3   | <0.1  | 2     | 0.46  | 0.032 | 18    | 4     | 0.07  | 65    | 0.001  | <1    | 0.42  | 0.046 | 0.30  | <0.1  | <0.01 | 0.6   | <0.1  | 1.15  |
| 1814839 | Drill Core                       | 0.3   | 0.3   | <0.1  | 4     | 0.80  | 0.050 | 21    | 6     | 0.07  | 55    | 0.002  | 1     | 0.39  | 0.045 | 0.28  | <0.1  | <0.01 | 0.9   | <0.1  | 1.47  |
| 1814840 | Rock Pulp                        | <0.1  | 0.2   | <0.1  | 21    | 0.73  | 0.035 | 5     | 14    | 0.47  | 49    | 0.067  | 3     | 0.98  | 0.067 | 0.07  | 0.2   | <0.01 | 2.2   | <0.1  | <0.05 |
| 1814841 | Drill Core                       | 0.2   | 0.3   | 0.3   | 4     | 1.39  | 0.045 | 17    | 10    | 0.22  | 78    | 0.001  | 1     | 0.42  | 0.029 | 0.24  | <0.1  | <0.01 | 1.0   | <0.1  | 1.36  |
| 1814842 | Drill Core                       | 0.2   | 0.2   | <0.1  | 5     | 1.11  | 0.042 | 17    | 9     | 0.13  | 48    | 0.002  | 2     | 0.53  | 0.033 | 0.35  | <0.1  | <0.01 | 1.2   | <0.1  | 1.83  |
| 1814843 | Drill Core                       | 0.3   | 0.5   | 0.1   | 7     | 2.49  | 0.045 | 6     | 37    | 0.90  | 77    | 0.001  | 1     | 0.90  | 0.014 | 0.21  | <0.1  | <0.01 | 1.6   | <0.1  | 1.50  |
| 1814844 | Drill Core                       | 0.2   | 0.6   | <0.1  | 5     | 1.29  | 0.045 | 13    | 8     | 0.30  | 71    | 0.001  | 2     | 0.54  | 0.024 | 0.30  | <0.1  | 0.01  | 1.1   | <0.1  | 1.42  |
| 1814845 | Drill Core                       | 0.2   | 0.2   | <0.1  | 4     | 1.16  | 0.048 | 14    | 8     | 0.31  | 85    | 0.002  | 1     | 0.56  | 0.026 | 0.33  | <0.1  | 0.03  | 1.1   | <0.1  | 1.16  |
| 1814846 | Drill Core                       | 0.1   | 0.2   | <0.1  | 4     | 0.92  | 0.044 | 13    | 6     | 0.30  | 127   | 0.001  | 1     | 0.50  | 0.038 | 0.28  | <0.1  | 0.01  | 0.9   | <0.1  | 0.86  |
| 1814847 | Drill Core                       | 0.2   | 0.4   | <0.1  | 2     | 0.78  | 0.031 | 9     | 5     | 0.28  | 195   | <0.001 | 1     | 0.46  | 0.022 | 0.26  | 0.1   | <0.01 | 0.7   | <0.1  | 0.60  |
| 1814848 | Drill Core                       | 0.2   | 0.3   | <0.1  | <1    | 0.50  | 0.010 | 15    | 2     | 0.09  | 757   | <0.001 | <1    | 0.37  | 0.042 | 0.29  | <0.1  | <0.01 | 0.3   | <0.1  | 0.19  |
| 1814849 | Drill Core                       | 0.4   | 0.8   | <0.1  | <1    | 0.44  | 0.003 | 25    | 1     | 0.02  | 1075  | <0.001 | <1    | 0.28  | 0.036 | 0.28  | <0.1  | <0.01 | 0.2   | <0.1  | 0.08  |
| 1814850 | Drill Core                       | 0.2   | 0.2   | <0.1  | <1    | 0.69  | 0.015 | 19    | 2     | 0.07  | 329   | <0.001 | <1    | 0.29  | 0.017 | 0.25  | 0.1   | <0.01 | 0.3   | <0.1  | 0.25  |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: January 15, 2021

Page: 4 of 5

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI20000529.1

| Method<br>Analyte<br>Unit<br>MDL |            | AQ201 | AQ201 | AQ201 |
|----------------------------------|------------|-------|-------|-------|
|                                  |            | Ga    | Se    | Te    |
|                                  |            | ppm   | ppm   | ppm   |
|                                  |            | 1     | 0.5   | 0.2   |
| 1814821                          | Drill Core | 4     | <0.5  | <0.2  |
| 1814822                          | Drill Core | 3     | 0.5   | <0.2  |
| 1814823                          | Drill Core | 4     | <0.5  | <0.2  |
| 1814824                          | Drill Core | 4     | <0.5  | <0.2  |
| 1814825                          | Drill Core | 3     | 0.6   | <0.2  |
| 1814826                          | Drill Core | 3     | 0.6   | <0.2  |
| 1814827                          | Drill Core | 3     | 0.5   | <0.2  |
| 1814828                          | Drill Core | 3     | 0.5   | <0.2  |
| 1814829                          | Drill Core | 3     | <0.5  | <0.2  |
| 1814830                          | Drill Core | 3     | <0.5  | <0.2  |
| 1814831                          | Drill Core | 3     | <0.5  | <0.2  |
| 1814832                          | Drill Core | 3     | 0.6   | <0.2  |
| 1814833                          | Drill Core | 2     | 0.7   | <0.2  |
| 1814834                          | Drill Core | 2     | 0.5   | <0.2  |
| 1814835                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814836                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814837                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814838                          | Drill Core | 1     | <0.5  | <0.2  |
| 1814839                          | Drill Core | 1     | <0.5  | <0.2  |
| 1814840                          | Rock Pulp  | 4     | <0.5  | <0.2  |
| 1814841                          | Drill Core | 1     | <0.5  | <0.2  |
| 1814842                          | Drill Core | 1     | <0.5  | <0.2  |
| 1814843                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814844                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814845                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814846                          | Drill Core | 2     | <0.5  | <0.2  |
| 1814847                          | Drill Core | 1     | <0.5  | <0.2  |
| 1814848                          | Drill Core | 1     | <0.5  | <0.2  |
| 1814849                          | Drill Core | 1     | <0.5  | <0.2  |
| 1814850                          | Drill Core | <1    | <0.5  | <0.2  |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2021

**Page:** 5 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI20000529.1

| Method  | WGHT       | M150  | FA430 | FS600  | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|------------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Wgt        | TotWt | -Au   | TotAu  | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    |
| Unit    | kg         | g     | ppm   | ppm    | ppm   | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   |
| MDL     | 0.01       | 1     | 0.005 | 0.01   | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5   | 0.1   | 1     |
| 1814851 | Drill Core | 3.09  | 469   | <0.005 | <0.01 | <0.17 | 27.80 | 0.3   | 96.1  | 653.9 | 688   | 1.4   | 0.4   | 0.4   | 200   | 0.49  | 1.3   | 2.8   | 1.2   | 17.2  |
| 1814852 | Drill Core | 3.24  | 530   | 0.014  | 0.01  | <0.17 | 33.29 | 0.6   | 10.4  | 18.7  | 11    | 0.3   | 6.1   | 4.8   | 288   | 1.10  | 0.7   | 2.4   | 1.4   | 10.9  |
| 1814853 | Drill Core | 3.04  | 534   | 0.008  | <0.01 | <0.17 | 30.61 | 1.9   | 24.9  | 20.5  | 13    | 0.8   | 9.2   | 6.4   | 246   | 1.92  | 2.7   | 2.0   | 5.0   | 8.7   |
| 1814854 | Drill Core | 3.10  | 531   | 0.007  | <0.01 | <0.17 | 36.56 | 2.3   | 16.3  | 29.1  | 19    | 0.9   | 8.9   | 6.1   | 217   | 2.02  | 2.5   | 2.2   | 4.5   | 8.5   |
| 1814855 | Drill Core | 1.25  | 542   | 0.008  | <0.01 | <0.17 | 35.27 | 4.3   | 12.2  | 42.8  | 17    | 0.6   | 8.3   | 6.0   | 309   | 1.80  | 1.4   | 2.8   | 3.0   | 7.9   |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2021

**Page:** 5 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI20000529.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti     | B     | Al    | Na    | K     | W     | Hg    | Sc    | Tl    | S     |
|         |                                  | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %      | ppm   | %     | %     | %     | ppm   | ppm   | ppm   | ppm   | %     |
|         |                                  | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001  | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  |
| 1814851 | Drill Core                       | 6.6   | 1.1   | 0.2   | <1    | 0.37  | 0.004 | 27    | 2     | 0.06  | 969   | <0.001 | <1    | 0.35  | 0.036 | 0.29  | <0.1  | 0.01  | 0.2   | <0.1  | 0.15  |
| 1814852 | Drill Core                       | 0.4   | 0.3   | 0.2   | 2     | 0.81  | 0.034 | 9     | 3     | 0.10  | 106   | 0.001  | <1    | 0.30  | 0.028 | 0.26  | 0.1   | <0.01 | 0.6   | <0.1  | 0.89  |
| 1814853 | Drill Core                       | 0.4   | 0.3   | 0.1   | 3     | 0.84  | 0.043 | 7     | 4     | 0.06  | 36    | 0.001  | <1    | 0.37  | 0.029 | 0.30  | 0.1   | <0.01 | 0.7   | <0.1  | 1.81  |
| 1814854 | Drill Core                       | 0.4   | 0.7   | <0.1  | 3     | 1.04  | 0.045 | 8     | 4     | 0.04  | 29    | 0.002  | <1    | 0.33  | 0.041 | 0.25  | <0.1  | <0.01 | 0.6   | <0.1  | 2.07  |
| 1814855 | Drill Core                       | 0.5   | 0.6   | 0.1   | 3     | 1.23  | 0.047 | 7     | 4     | 0.03  | 36    | 0.002  | <1    | 0.30  | 0.045 | 0.22  | <0.1  | <0.01 | 0.6   | <0.1  | 1.83  |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: January 15, 2021

Page: 5 of 5

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI20000529.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|
|         |                                  | Ga    | Se    | Te    |
|         |                                  | ppm   | ppm   | ppm   |
|         |                                  | 1     | 0.5   | 0.2   |
| 1814851 | Drill Core                       | 1     | <0.5  | <0.2  |
| 1814852 | Drill Core                       | 1     | <0.5  | <0.2  |
| 1814853 | Drill Core                       | 1     | <0.5  | <0.2  |
| 1814854 | Drill Core                       | 1     | <0.5  | <0.2  |
| 1814855 | Drill Core                       | 1     | <0.5  | <0.2  |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2021

**Page:** 1 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI20000529.1

|                        | Method<br>Analyte<br>Unit<br>MDL | WGHT  | M150  | FA430 | FS600 | FS600 | FS600 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|------------------------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                        |                                  | Wgt   | TotWt | -Au   | TotAu | +Au   | +Wt   | Mo    | Cu     | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    |
|                        |                                  | kg    | g     | ppm   | ppm   | ppm   | g     | ppm   | ppm    | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   |
|                        |                                  | 0.01  | 1     | 0.005 | 0.01  | 0.17  | 0.01  | 0.1   | 0.1    | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5   | 0.1   | 1     |
| Pulp Duplicates        |                                  |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |
| 1814762                | Drill Core                       | 4.58  | 395   | 0.190 | 0.24  | 0.94  | 24.44 | 1.1   | 34.3   | 46.2  | 42    | 2.2   | 11.1  | 1.9   | 219   | 1.82  | 4.3   | 1.6   | 384.5 | 7.6   | 16    |
| REP 1814762            | QC                               |       |       |       |       |       |       | 1.1   | 35.0   | 47.0  | 43    | 2.2   | 11.2  | 2.0   | 220   | 1.83  | 4.4   | 1.7   | 205.9 | 7.7   | 17    |
| 1814793                | Drill Core                       | 3.07  | 449   | 0.016 | 0.01  | <0.17 | 30.61 | 0.3   | 22.9   | 12.1  | 57    | 0.5   | 8.5   | 6.5   | 448   | 1.60  | 18.6  | 1.7   | 11.6  | 11.3  | 27    |
| REP 1814793            | QC                               | 0.015 |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |
| 1814794                | Drill Core                       | 2.72  | 514   | 0.023 | 0.02  | <0.17 | 32.47 | 0.3   | 21.2   | 21.6  | 50    | 0.5   | 7.6   | 7.4   | 348   | 1.31  | 26.0  | 1.6   | 19.5  | 8.9   | 22    |
| REP 1814794            | QC                               | 0.024 |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |
| 1814795                | Drill Core                       | 2.88  | 516   | 0.012 | 0.01  | <0.17 | 32.20 | 5.4   | 22.7   | 41.5  | 52    | 0.6   | 11.2  | 7.3   | 747   | 1.87  | 14.0  | 2.0   | 7.0   | 7.8   | 57    |
| REP 1814795            | QC                               |       |       |       |       |       |       | 5.3   | 22.6   | 41.1  | 52    | 0.6   | 11.2  | 7.3   | 764   | 1.92  | 14.0  | 2.1   | 7.1   | 7.9   | 59    |
| 1814829                | Drill Core                       | 3.09  | 529   | 0.006 | <0.01 | <0.17 | 26.86 | 1.0   | 12.5   | 6.6   | 79    | 0.2   | 9.9   | 6.5   | 482   | 2.24  | 0.7   | 1.2   | 2.0   | 8.9   | 57    |
| REP 1814829            | QC                               |       |       |       |       |       |       | 1.0   | 12.2   | 6.5   | 76    | 0.2   | 9.5   | 6.3   | 461   | 2.14  | <0.5  | 1.1   | 2.3   | 8.7   | 55    |
| Core Reject Duplicates |                                  |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |
| 1814768                | Drill Core                       | 3.28  | 436   | 0.009 | <0.01 | <0.17 | 31.73 | 0.7   | 17.8   | 5.0   | 46    | 0.3   | 9.0   | 4.4   | 142   | 2.11  | 1.3   | 1.0   | 5.2   | 7.0   | 18    |
| DUP 1814768            | QC                               | 518   |       | 0.010 | <0.01 | <0.17 | 32.77 | 0.8   | 18.4   | 8.1   | 47    | 0.3   | 9.0   | 4.4   | 148   | 2.19  | 1.2   | 1.0   | 5.8   | 7.3   | 18    |
| 1814802                | Drill Core                       | 3.02  | 524   | 0.006 | <0.01 | <0.17 | 29.37 | 0.8   | 11.4   | 12.1  | 36    | 0.2   | 6.4   | 5.7   | 294   | 1.13  | 2.7   | 2.5   | 2.1   | 9.9   | 64    |
| DUP 1814802            | QC                               | 458   |       | 0.007 | <0.01 | <0.17 | 37.50 | 0.9   | 11.7   | 12.5  | 38    | 0.2   | 6.5   | 5.7   | 304   | 1.22  | 2.9   | 2.5   | 1.6   | 10.3  | 65    |
| 1814836                | Drill Core                       | 3.25  | 468   | 0.008 | <0.01 | <0.17 | 25.56 | 0.8   | 15.4   | 7.9   | 38    | 0.2   | 12.4  | 8.0   | 312   | 1.96  | 1.0   | 1.7   | 3.6   | 8.6   | 41    |
| DUP 1814836            | QC                               | 371   |       | 0.009 | <0.01 | <0.17 | 34.82 | 0.8   | 15.3   | 7.9   | 38    | 0.2   | 12.2  | 8.0   | 304   | 1.91  | 1.0   | 1.6   | 3.3   | 8.3   | 40    |
| Reference Materials    |                                  |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |
| STD BVGEO01            | Standard                         |       |       |       |       |       |       | 11.0  | 4363.4 | 179.8 | 1728  | 2.5   | 160.6 | 24.5  | 703   | 3.75  | 117.2 | 3.5   | 204.0 | 13.3  | 56    |
| STD DS11               | Standard                         |       |       |       |       |       |       | 14.6  | 139.7  | 126.6 | 331   | 1.7   | 78.0  | 13.1  | 1003  | 2.99  | 41.4  | 2.4   | 76.8  | 7.1   | 65    |
| STD DS11               | Standard                         |       |       |       |       |       |       | 15.0  | 146.8  | 123.9 | 325   | 1.8   | 77.7  | 13.1  | 1029  | 3.05  | 40.8  | 2.3   | 70.4  | 6.9   | 63    |
| STD OREAS262           | Standard                         |       |       |       |       |       |       | 0.7   | 113.0  | 52.5  | 150   | 0.5   | 63.9  | 26.6  | 536   | 3.32  | 36.3  | 1.1   | 62.3  | 8.3   | 35    |
| STD OREAS262           | Standard                         |       |       |       |       |       |       | 0.7   | 108.6  | 52.0  | 144   | 0.4   | 62.4  | 26.1  | 523   | 3.07  | 34.0  | 1.1   | 58.1  | 8.4   | 34    |
| STD OREAS262           | Standard                         |       |       |       |       |       |       | 0.6   | 113.6  | 51.0  | 143   | 0.5   | 62.8  | 26.4  | 548   | 3.19  | 33.8  | 1.1   | 69.0  | 8.0   | 34    |
| STD OXB130             | Standard                         | 0.123 |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXB130             | Standard                         | 0.130 |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXB130             | Standard                         | 0.124 |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXG141             | Standard                         | 0.903 |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 15, 2021

Page:

1 of 3

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI20000529.1

|                        | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|------------------------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                        |                                  | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti     | B     | Al    | Na    | K     | W     | Hg    | Sc    | Tl    | S     |
|                        |                                  | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %      | ppm   | %     | %     | %     | ppm   | ppm   | ppm   | ppm   | %     |
|                        |                                  | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001  | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  |
| Pulp Duplicates        |                                  |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| 1814762                | Drill Core                       | 0.4   | 0.4   | <0.1  | 3     | 0.11  | 0.046 | 13    | 7     | 0.53  | 174   | 0.001  | 2     | 0.74  | 0.019 | 0.22  | 2.8   | <0.01 | 0.9   | <0.1  | <0.05 |
| REP 1814762            | QC                               | 0.3   | 0.4   | <0.1  | 3     | 0.11  | 0.047 | 13    | 8     | 0.54  | 175   | 0.001  | 2     | 0.75  | 0.019 | 0.22  | 3.0   | <0.01 | 0.9   | <0.1  | <0.05 |
| 1814793                | Drill Core                       | 0.4   | 0.4   | <0.1  | 9     | 0.85  | 0.050 | 30    | 13    | 0.37  | 138   | 0.002  | <1    | 0.73  | 0.044 | 0.32  | <0.1  | 0.02  | 2.1   | 0.1   | 0.70  |
| REP 1814793            | QC                               |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| 1814794                | Drill Core                       | 0.5   | 0.6   | 0.1   | 4     | 0.74  | 0.050 | 26    | 7     | 0.23  | 152   | <0.001 | 2     | 0.53  | 0.022 | 0.33  | 0.4   | 0.03  | 0.8   | 0.1   | 0.78  |
| REP 1814794            | QC                               |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| 1814795                | Drill Core                       | 0.6   | 0.6   | 0.2   | 5     | 2.03  | 0.054 | 20    | 8     | 0.47  | 119   | 0.001  | 2     | 0.65  | 0.017 | 0.26  | 0.1   | 0.01  | 1.4   | 0.1   | 1.14  |
| REP 1814795            | QC                               | 0.5   | 0.6   | 0.2   | 5     | 2.04  | 0.054 | 20    | 8     | 0.48  | 122   | 0.001  | 2     | 0.69  | 0.018 | 0.28  | 0.1   | 0.01  | 1.5   | 0.1   | 1.12  |
| 1814829                | Drill Core                       | 0.3   | 0.3   | <0.1  | 6     | 2.09  | 0.052 | 19    | 10    | 0.94  | 102   | 0.001  | 3     | 1.28  | 0.021 | 0.22  | <0.1  | 0.05  | 1.6   | <0.1  | 1.00  |
| REP 1814829            | QC                               | 0.3   | 0.3   | <0.1  | 6     | 2.05  | 0.052 | 18    | 9     | 0.87  | 114   | <0.001 | 2     | 1.16  | 0.017 | 0.20  | <0.1  | 0.05  | 1.5   | <0.1  | 0.99  |
| Core Reject Duplicates |                                  |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| 1814768                | Drill Core                       | <0.1  | 0.2   | <0.1  | 5     | 0.06  | 0.060 | 10    | 10    | 0.40  | 242   | 0.001  | <1    | 0.67  | 0.021 | 0.26  | <0.1  | 0.01  | 0.7   | <0.1  | 0.67  |
| DUP 1814768            | QC                               | <0.1  | 0.2   | <0.1  | 5     | 0.06  | 0.061 | 10    | 10    | 0.41  | 254   | 0.001  | <1    | 0.69  | 0.021 | 0.27  | <0.1  | 0.01  | 0.8   | <0.1  | 0.68  |
| 1814802                | Drill Core                       | 0.3   | 0.4   | <0.1  | 6     | 0.90  | 0.047 | 28    | 9     | 0.17  | 215   | 0.007  | <1    | 0.40  | 0.052 | 0.24  | <0.1  | <0.01 | 1.4   | <0.1  | 0.50  |
| DUP 1814802            | QC                               | 0.3   | 0.4   | <0.1  | 7     | 0.91  | 0.048 | 29    | 10    | 0.17  | 195   | 0.008  | <1    | 0.44  | 0.059 | 0.26  | <0.1  | <0.01 | 1.5   | <0.1  | 0.48  |
| 1814836                | Drill Core                       | 0.3   | 0.2   | <0.1  | 5     | 1.03  | 0.050 | 10    | 9     | 0.34  | 50    | 0.002  | 1     | 0.59  | 0.030 | 0.29  | <0.1  | 0.01  | 1.0   | <0.1  | 1.56  |
| DUP 1814836            | QC                               | 0.3   | 0.2   | <0.1  | 5     | 1.02  | 0.050 | 9     | 8     | 0.34  | 48    | 0.002  | 1     | 0.56  | 0.028 | 0.29  | <0.1  | 0.01  | 0.9   | <0.1  | 1.60  |
| Reference Materials    |                                  |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| STD BVGEO01            | Standard                         | 6.3   | 3.7   | 22.8  | 74    | 1.30  | 0.071 | 25    | 182   | 1.31  | 268   | 0.230  | 4     | 2.31  | 0.195 | 0.90  | 4.8   | 0.08  | 5.8   | 0.6   | 0.64  |
| STD DS11               | Standard                         | 2.3   | 8.4   | 10.4  | 48    | 1.03  | 0.067 | 17    | 57    | 0.83  | 340   | 0.087  | 7     | 1.13  | 0.071 | 0.39  | 2.7   | 0.24  | 3.1   | 4.7   | 0.27  |
| STD DS11               | Standard                         | 2.2   | 6.9   | 10.1  | 48    | 1.04  | 0.067 | 16    | 56    | 0.85  | 321   | 0.082  | 7     | 1.14  | 0.071 | 0.40  | 2.2   | 0.26  | 3.1   | 4.7   | 0.27  |
| STD OREAS262           | Standard                         | 0.6   | 6.0   | 0.9   | 21    | 2.87  | 0.039 | 14    | 43    | 1.20  | 228   | 0.002  | 4     | 1.30  | 0.070 | 0.31  | 0.2   | 0.15  | 3.1   | 0.4   | 0.26  |
| STD OREAS262           | Standard                         | 0.6   | 5.6   | 0.9   | 21    | 2.82  | 0.039 | 14    | 43    | 1.13  | 220   | 0.002  | 4     | 1.34  | 0.065 | 0.30  | 0.2   | 0.13  | 3.1   | 0.4   | 0.25  |
| STD OREAS262           | Standard                         | 0.6   | 4.0   | 0.9   | 21    | 2.93  | 0.037 | 13    | 41    | 1.16  | 225   | 0.002  | 4     | 1.34  | 0.067 | 0.31  | <0.1  | 0.16  | 3.1   | 0.5   | 0.25  |
| STD OXB130             | Standard                         |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| STD OXB130             | Standard                         |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| STD OXB130             | Standard                         |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| STD OXG141             | Standard                         |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: January 15, 2021

Page: 1 of 3

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI20000529.1

|                        | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 |
|------------------------|----------------------------------|-------|-------|-------|
|                        |                                  | Ga    | Se    | Te    |
|                        |                                  | ppm   | ppm   | ppm   |
|                        |                                  | 1     | 0.5   | 0.2   |
| Pulp Duplicates        |                                  |       |       |       |
| 1814762                | Drill Core                       | 2     | <0.5  | <0.2  |
| REP 1814762            | QC                               | 2     | <0.5  | <0.2  |
| 1814793                | Drill Core                       | 3     | <0.5  | <0.2  |
| REP 1814793            | QC                               |       |       |       |
| 1814794                | Drill Core                       | 2     | <0.5  | <0.2  |
| REP 1814794            | QC                               |       |       |       |
| 1814795                | Drill Core                       | 2     | 0.6   | <0.2  |
| REP 1814795            | QC                               | 2     | 0.6   | <0.2  |
| 1814829                | Drill Core                       | 3     | <0.5  | <0.2  |
| REP 1814829            | QC                               | 3     | <0.5  | <0.2  |
| Core Reject Duplicates |                                  |       |       |       |
| 1814768                | Drill Core                       | 2     | <0.5  | <0.2  |
| DUP 1814768            | QC                               | 2     | 0.5   | <0.2  |
| 1814802                | Drill Core                       | 2     | <0.5  | <0.2  |
| DUP 1814802            | QC                               | 2     | <0.5  | <0.2  |
| 1814836                | Drill Core                       | 2     | <0.5  | <0.2  |
| DUP 1814836            | QC                               | 2     | <0.5  | <0.2  |
| Reference Materials    |                                  |       |       |       |
| STD BVGEO01            | Standard                         | 7     | 4.5   | 1.0   |
| STD DS11               | Standard                         | 5     | 2.2   | 4.5   |
| STD DS11               | Standard                         | 5     | 2.1   | 4.4   |
| STD OREAS262           | Standard                         | 4     | <0.5  | 0.2   |
| STD OREAS262           | Standard                         | 4     | <0.5  | <0.2  |
| STD OREAS262           | Standard                         | 4     | <0.5  | <0.2  |
| STD OXB130             | Standard                         |       |       |       |
| STD OXB130             | Standard                         |       |       |       |
| STD OXB130             | Standard                         |       |       |       |
| STD OXG141             | Standard                         |       |       |       |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2021

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI20000529.1

|                       |          | WGHT  | M150  | FA430 | FS600 | FS600  | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |  |
|-----------------------|----------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
|                       |          | Wgt   | TotWt | -Au   | TotAu | +Au    | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    |  |
|                       |          | kg    | g     | ppm   | ppm   | ppm    | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   |  |
|                       |          | 0.01  | 1     | 0.005 | 0.01  | 0.17   | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5   | 0.1   |  |
| STD OXG141            | Standard | 0.907 |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD OXG141            | Standard | 0.900 |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD OXN155            | Standard | 7.856 |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD OXN155            | Standard | 7.497 |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD OXN155            | Standard | 7.448 |       |       |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD OXP116            | Standard |       |       |       |       | 14.78  | 30.17 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD OXP116            | Standard |       |       |       |       | 15.08  | 28.97 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD OXP116            | Standard |       |       |       |       | 15.22  | 30.03 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD OXP116            | Standard |       |       |       |       | 15.18  | 28.73 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD OXP154            | Standard |       |       |       |       | 15.03  | 29.55 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD OXP154            | Standard |       |       |       |       | 15.42  | 29.76 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD OXP154            | Standard |       |       |       |       | 15.50  | 29.23 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD OXP154            | Standard |       |       |       |       | 15.23  | 29.55 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD BVGEO01 Expected  |          |       |       |       |       |        |       | 11.2  | 4415  | 187   | 1741  | 2.53  | 163   | 25    | 733   | 3.7   | 121   | 3.77  | 219   | 14.4  | 55    |  |
| STD DS11 Expected     |          |       |       |       |       |        |       | 14.6  | 149   | 138   | 345   | 1.71  | 77.7  | 14.2  | 1055  | 3.1   | 42.8  | 2.59  | 79    | 7.65  | 67.3  |  |
| STD OREAS262 Expected |          |       |       |       |       |        |       | 0.68  | 118   | 56    | 154   | 0.45  | 62    | 26.9  | 530   | 3.284 | 35.8  | 1.22  | 65    | 9.33  | 36    |  |
| STD OXP116 Expected   |          |       |       |       |       | 14.92  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| STD OXP154 Expected   |          |       |       |       |       | 15.26  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| BLK                   | Blank    |       |       |       |       |        |       | <0.1  | <0.1  | <0.1  | <1    | <0.1  | <0.1  | <0.1  | <0.1  | <1    | <0.01 | <0.5  | <0.1  | <0.5  | <0.1  |  |
| BLK                   | Blank    |       |       |       |       |        |       | <0.1  | <0.1  | <0.1  | <1    | <0.1  | <0.1  | <0.1  | <0.1  | <1    | <0.01 | <0.5  | <0.1  | <0.5  | <0.1  |  |
| BLK                   | Blank    |       |       |       |       |        |       | <0.1  | <0.1  | <0.1  | <1    | <0.1  | <0.1  | <0.1  | <0.1  | <1    | <0.01 | <0.5  | <0.1  | <0.5  | <0.1  |  |
| BLK                   | Blank    |       |       |       |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| BLK                   | Blank    |       |       |       |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| BLK                   | Blank    |       |       |       |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| BLK                   | Blank    |       |       |       |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| BLK                   | Blank    |       |       |       |       | <0.17  | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| BLK                   | Blank    |       |       |       |       | <0.17  | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| BLK                   | Blank    |       |       |       |       | <0.17  | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| BLK                   | Blank    |       |       |       |       | <0.17  | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2021

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI20000529.1

|                       |          | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201  | AQ201 | AQ201 | AQ201  | AQ201 | AQ201  | AQ201 | AQ201  | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  |
|-----------------------|----------|-------|-------|-------|-------|--------|--------|-------|-------|--------|-------|--------|-------|--------|--------|-------|-------|-------|-------|-------|--------|
|                       |          | Cd    | Sb    | Bi    | V     | Ca     | P      | La    | Cr    | Mg     | Ba    | Ti     | B     | Al     | Na     | K     | W     | Hg    | Sc    | Tl    | S      |
|                       |          | ppm   | ppm   | ppm   | ppm   | %      | %      | ppm   | ppm   | %      | ppm   | %      | ppm   | %      | %      | %     | ppm   | ppm   | ppm   | ppm   | %      |
|                       |          | 0.1   | 0.1   | 0.1   | 1     | 0.01   | 0.001  | 1     | 1     | 0.01   | 1     | 0.001  | 1     | 0.01   | 0.001  | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05   |
| STD OXG141            | Standard |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD OXG141            | Standard |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD OXN155            | Standard |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD OXN155            | Standard |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD OXN155            | Standard |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD OXP116            | Standard |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD OXP116            | Standard |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD OXP116            | Standard |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD OXP116            | Standard |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD OXP154            | Standard |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD OXP154            | Standard |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD OXP154            | Standard |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD OXP154            | Standard |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD BVGE001 Expected  |          | 6.5   | 3.39  | 25.6  | 73    | 1.3219 | 0.0727 | 25.9  | 187   | 1.2963 | 260   | 0.233  | 3.8   | 2.347  | 0.1924 | 0.89  | 5.3   | 0.1   | 5.97  | 0.62  | 0.6655 |
| STD DS11 Expected     |          | 2.37  | 8.74  | 12.2  | 50    | 1.063  | 0.0701 | 18.6  | 61.5  | 0.85   | 385   | 0.0976 |       | 1.1795 | 0.0762 | 0.4   | 2.9   | 0.26  | 3.4   | 4.9   | 0.2835 |
| STD OREAS262 Expected |          | 0.61  | 5.06  | 1.03  | 22.5  | 2.98   | 0.04   | 15.9  | 41.7  | 1.17   | 248   | 0.0027 | 4     | 1.3    | 0.071  | 0.312 | 0.2   | 0.17  | 3.24  | 0.47  | 0.253  |
| STD OXP116 Expected   |          |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| STD OXP154 Expected   |          |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| BLK                   | Blank    | <0.1  | <0.1  | <0.1  | <1    | <0.01  | <0.001 | <1    | <1    | <0.01  | <1    | <0.001 | <1    | <0.01  | <0.001 | <0.01 | <0.1  | <0.01 | <0.1  | <0.1  | <0.05  |
| BLK                   | Blank    | <0.1  | <0.1  | <0.1  | <1    | <0.01  | <0.001 | <1    | <1    | <0.01  | <1    | <0.001 | <1    | <0.01  | <0.001 | <0.01 | <0.1  | <0.01 | <0.1  | <0.1  | <0.05  |
| BLK                   | Blank    | <0.1  | <0.1  | <0.1  | <1    | <0.01  | <0.001 | <1    | <1    | <0.01  | <1    | <0.001 | <1    | <0.01  | <0.001 | <0.01 | <0.1  | <0.01 | <0.1  | <0.1  | <0.05  |
| BLK                   | Blank    |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| BLK                   | Blank    |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| BLK                   | Blank    |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| BLK                   | Blank    |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| BLK                   | Blank    |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| BLK                   | Blank    |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| BLK                   | Blank    |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| BLK                   | Blank    |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| BLK                   | Blank    |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |
| BLK                   | Blank    |       |       |       |       |        |        |       |       |        |       |        |       |        |        |       |       |       |       |       |        |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2021

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI20000529.1

|                       |          | AQ201<br>Ga<br>ppm<br>1 | AQ201<br>Se<br>ppm<br>0.5 | AQ201<br>Te<br>ppm<br>0.2 |
|-----------------------|----------|-------------------------|---------------------------|---------------------------|
| STD OXG141            | Standard |                         |                           |                           |
| STD OXG141            | Standard |                         |                           |                           |
| STD OXN155            | Standard |                         |                           |                           |
| STD OXN155            | Standard |                         |                           |                           |
| STD OXN155            | Standard |                         |                           |                           |
| STD OXP116            | Standard |                         |                           |                           |
| STD OXP116            | Standard |                         |                           |                           |
| STD OXP116            | Standard |                         |                           |                           |
| STD OXP116            | Standard |                         |                           |                           |
| STD OXP154            | Standard |                         |                           |                           |
| STD OXP154            | Standard |                         |                           |                           |
| STD OXP154            | Standard |                         |                           |                           |
| STD OXP154            | Standard |                         |                           |                           |
| STD BVGE001 Expected  |          | 7.37                    | 4.84                      | 1.02                      |
| STD DS11 Expected     |          | 5.1                     | 2.2                       | 4.56                      |
| STD OREAS262 Expected |          | 4.1                     | 0.4                       | 0.23                      |
| STD OXP116 Expected   |          |                         |                           |                           |
| STD OXP154 Expected   |          |                         |                           |                           |
| BLK                   | Blank    | <1                      | <0.5                      | <0.2                      |
| BLK                   | Blank    | <1                      | <0.5                      | <0.2                      |
| BLK                   | Blank    | <1                      | <0.5                      | <0.2                      |
| BLK                   | Blank    |                         |                           |                           |
| BLK                   | Blank    |                         |                           |                           |
| BLK                   | Blank    |                         |                           |                           |
| BLK                   | Blank    |                         |                           |                           |
| BLK                   | Blank    |                         |                           |                           |
| BLK                   | Blank    |                         |                           |                           |
| BLK                   | Blank    |                         |                           |                           |
| BLK                   | Blank    |                         |                           |                           |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2021

**Page:** 3 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI20000529.1

|           |            | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|-----------|------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|           |            | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    |
|           |            | kg   | g     | ppm    | ppm   | ppm   | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   |
|           |            | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5   | 0.1   | 1     |
| BLK       | Blank      |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Prep Wash |            |      |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| ROCK-WHI  | Prep Blank |      | 437   | <0.005 | <0.01 | <0.17 | 30.96 | 0.8   | 1.6   | 1.0   | 24    | <0.1  | 1.1   | 3.3   | 386   | 1.78  | 0.7   | 0.3   | 1.6   | 2.1   | 19    |
| ROCK-WHI  | Prep Blank |      | 475   | <0.005 | <0.01 | <0.17 | 38.52 | 0.8   | 2.7   | 1.1   | 24    | <0.1  | 1.1   | 3.5   | 392   | 1.83  | 0.8   | 0.4   | 0.8   | 2.2   | 24    |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2021

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI20000529.1

|           |            | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|-----------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|           |            | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Hg    | Sc    | Tl    | S     |
|           |            | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm   | ppm   | %     |
|           |            | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  |
| BLK       | Blank      |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Prep Wash |            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| ROCK-WHI  | Prep Blank | <0.1  | <0.1  | <0.1  | 20    | 0.55  | 0.035 | 6     | 4     | 0.41  | 48    | 0.050 | 3     | 0.80  | 0.063 | 0.07  | <0.1  | <0.01 | 2.0   | <0.1  | <0.05 |
| ROCK-WHI  | Prep Blank | <0.1  | <0.1  | <0.1  | 21    | 0.57  | 0.035 | 6     | 5     | 0.42  | 53    | 0.052 | 3     | 0.84  | 0.079 | 0.08  | <0.1  | <0.01 | 2.0   | <0.1  | <0.05 |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** January 15, 2021

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI20000529.1

|           |            | AQ201 | AQ201 | AQ201 |
|-----------|------------|-------|-------|-------|
|           |            | Ga    | Se    | Te    |
|           |            | ppm   | ppm   | ppm   |
|           |            | 1     | 0.5   | 0.2   |
| BLK       | Blank      |       |       |       |
| BLK       | Blank      |       |       |       |
| BLK       | Blank      |       |       |       |
| BLK       | Blank      |       |       |       |
| BLK       | Blank      |       |       |       |
| BLK       | Blank      |       |       |       |
| Prep Wash |            |       |       |       |
| ROCK-WHI  | Prep Blank | 4     | <0.5  | <0.2  |
| ROCK-WHI  | Prep Blank | 4     | <0.5  | <0.2  |