



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 06, 2020
Analysis Start: December 23, 2020
Report Date: January 18, 2021
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI20000530.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-25
P.O. Number
Number of Samples: 130

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	125	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			VAN
SLBHP	3	Sort, label and box pulps			WHI
FS631	130	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	130	Analysis sample split/packet			VAN
Split -150	130	Analysis sample split/packet			VAN
FS631	127	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	130	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	130	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201				
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
1885245	Drill Core				3.37	511	0.021	0.02	<0.17	29.80	3.3	23.3	90.8	331	1.1	17.3	16.0	617	2.72	10.7	2.1	14.0	7.9	25	
1885246	Drill Core				1.42	505	0.014	0.01	<0.17	32.57	0.4	19.0	33.2	215	0.4	8.5	6.6	344	1.70	4.8	1.4	10.8	11.9	29	
1885247	Drill Core				1.89	501	0.018	0.02	<0.17	34.67	0.5	17.0	15.9	158	0.4	8.0	6.9	381	1.97	13.0	1.8	14.8	12.9	21	
1885248	Drill Core				3.29	493	0.010	<0.01	<0.17	37.94	0.4	16.0	30.9	163	0.5	10.6	7.1	477	1.98	11.7	1.6	5.7	14.0	15	
1885249	Drill Core				1.38	532	0.014	0.01	<0.17	34.76	0.7	72.7	367.7	312	1.3	9.8	6.2	635	1.89	14.9	2.2	10.2	13.7	12	
1885250	Drill Core				2.50	515	0.007	<0.01	<0.17	32.38	0.4	21.9	69.5	331	0.4	9.6	7.8	660	2.00	15.3	1.4	2.9	16.2	13	
1885251	Drill Core				3.21	490	0.025	0.02	<0.17	26.50	1.1	16.7	113.8	148	0.4	4.9	3.7	413	1.44	32.1	1.5	19.0	14.7	11	
1885252	Drill Core				3.10	481	0.014	0.01	<0.17	26.61	1.6	8.6	132.2	228	0.5	5.0	2.8	478	1.15	23.4	1.8	9.6	16.9	9	
1885253	Drill Core				2.97	468	<0.005	<0.01	<0.17	35.44	0.4	10.0	253.6	221	0.4	2.1	0.8	311	0.78	6.0	1.7	0.7	19.2	4	
1885254	Drill Core				2.47	516	0.006	<0.01	<0.17	37.01	0.2	4.1	35.1	68	0.1	1.1	0.2	98	0.63	6.3	0.9	0.9	15.6	3	
1885255	Drill Core				3.36	473	0.008	<0.01	<0.17	32.37	0.2	9.1	38.9	391	0.3	7.4	1.9	453	1.00	13.3	1.6	0.6	19.6	8	
1885256	Drill Core				3.21	481	0.014	0.01	<0.17	32.74	0.5	65.6	684.9	974	0.6	18.1	11.5	809	2.80	35.1	2.4	2.4	16.7	34	
1885257	Drill Core				3.16	428	0.036	0.03	<0.17	36.48	0.8	76.6	633.6	384	1.2	4.3	2.5	309	1.30	27.2	2.3	26.8	15.9	14	
1885258	Drill Core				2.23	439	0.030	0.03	<0.17	28.66	0.6	107.0	690.3	429	2.1	6.4	2.8	396	1.69	24.8	2.3	22.8	16.8	6	
1885259	Drill Core				2.95	455	0.039	0.04	<0.17	32.39	0.4	10.6	57.6	258	0.3	2.5	1.9	153	0.89	22.4	1.3	27.7	16.1	7	
1885260	Core DUP					500	0.041	0.04	<0.17	28.64	0.6	11.2	57.5	254	0.3	2.5	2.0	163	0.99	21.3	1.3	29.9	16.3	7	
1885261	Drill Core				3.01	446	0.017	0.02	<0.17	38.81	0.3	16.0	22.0	154	0.3	6.6	4.0	267	1.44	12.9	1.5	10.5	16.4	20	
1885262	Drill Core				3.08	449	0.020	0.02	<0.17	32.99	0.2	24.0	9.3	91	0.4	27.5	11.0	448	3.00	11.0	0.9	13.6	12.4	22	
1885263	Drill Core				2.81	453	0.007	<0.01	<0.17	35.18	0.2	9.7	44.5	56	0.3	8.9	8.5	421	2.36	6.7	0.7	0.7	12.9	134	
1885264	Drill Core				1.48	446	0.007	<0.01	<0.17	27.91	0.1	14.1	3.8	29	0.2	8.0	5.5	221	1.94	3.7	0.7	3.1	12.9	66	
1885265	Drill Core				2.75	498	<0.005	<0.01	<0.17	34.25	2.5	9.9	9.0	87	0.2	114.1	33.1	975	4.70	21.1	0.5	<0.5	2.4	260	
1885266	Drill Core				1.97	432	<0.005	<0.01	<0.17	35.43	<0.1	35.8	6.5	87	0.5	72.0	19.8	588	3.39	58.0	1.0	<0.5	8.1	151	
1885267	Drill Core				2.13	448	<0.005	<0.01	<0.17	34.44	0.5	27.8	9.3	84	0.3	101.7	32.0	995	4.20	2.5	0.5	<0.5	2.9	272	
1885268	Drill Core				3.46	455	0.006	<0.01	<0.17	26.49	0.6	11.8	8.9	44	0.2	18.4	7.6	340	2.30	3.7	1.4	1.8	12.9	75	
1885269	Drill Core				3.14	512	0.006	<0.01	<0.17	26.74	0.3	5.8	10.9	58	0.1	3.8	3.7	263	1.87	4.2	1.4	2.0	12.5	73	
1885270	Drill Core				3.42	451	0.015	0.01	<0.17	38.66	0.2	11.6	36.7	58	0.3	3.7	4.0	313	1.70	16.6	1.4	8.0	14.2	47	
1885271	Drill Core				2.95	451	0.057	0.07	<0.17	37.86	0.5	18.3	42.6	100	0.3	3.2	2.8	278	1.66	31.4	1.4	48.2	13.7	20	
1885272	Drill Core				2.91	436	0.045	0.04	<0.17	29.37	0.7	24.6	39.2	73	0.5	2.8	2.2	157	1.51	32.3	2.0	40.6	14.3	20	
1885273	Drill Core				2.53	487	0.040	0.04	<0.17	38.09	0.3	12.0	29.4	74	0.5	2.6	2.0	171	1.81	36.8	2.2	32.0	14.2	29	
1885274	Drill Core				3.17	442	0.046	0.04	<0.17	29.38	1.4	13.0	102.5	200	0.6	3.1	2.4	297	1.72	44.7	2.5	41.9	15.0	16	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1885245	Drill Core	3.1	0.8	<0.1	26	0.27	0.050	30	67	1.15	285	0.011	<1	1.50	0.011	0.26	2.7	0.01	4.5	0.1	<0.05			
1885246	Drill Core	1.8	0.4	<0.1	7	0.19	0.050	34	10	0.60	180	0.003	<1	0.89	0.020	0.26	0.2	<0.01	2.0	0.1	<0.05			
1885247	Drill Core	2.2	0.4	<0.1	5	0.19	0.049	33	6	0.63	216	0.002	<1	1.05	0.020	0.27	0.1	<0.01	2.1	<0.1	<0.05			
1885248	Drill Core	2.0	0.4	<0.1	6	0.18	0.050	29	9	0.72	232	0.002	<1	1.12	0.010	0.32	0.2	<0.01	2.1	0.1	<0.05			
1885249	Drill Core	1.8	0.8	0.1	8	0.16	0.055	36	11	0.70	193	0.001	<1	1.05	0.010	0.25	0.1	0.03	2.0	<0.1	<0.05			
1885250	Drill Core	3.2	0.6	0.2	18	0.19	0.047	28	55	1.33	182	0.002	<1	1.54	0.018	0.25	0.1	0.04	4.7	<0.1	<0.05			
1885251	Drill Core	2.8	0.9	0.1	5	0.14	0.039	28	7	0.49	186	<0.001	<1	0.80	0.021	0.28	0.2	0.03	1.9	0.1	<0.05			
1885252	Drill Core	2.8	0.8	<0.1	5	0.13	0.031	53	8	0.46	168	<0.001	<1	0.76	0.010	0.24	0.4	0.02	1.7	0.1	<0.05			
1885253	Drill Core	1.1	0.2	<0.1	1	0.05	0.012	38	3	0.21	180	<0.001	<1	0.53	0.014	0.27	0.1	0.02	1.9	0.1	<0.05			
1885254	Drill Core	0.7	0.2	0.1	<1	0.02	0.005	34	3	0.11	156	<0.001	<1	0.37	0.023	0.22	<0.1	0.03	1.1	<0.1	<0.05			
1885255	Drill Core	4.1	0.3	<0.1	2	0.09	0.023	53	4	0.46	192	<0.001	<1	0.77	0.017	0.28	<0.1	0.02	2.6	0.1	<0.05			
1885256	Drill Core	3.1	0.9	0.1	35	0.24	0.061	26	99	1.73	162	0.002	<1	1.92	0.016	0.26	0.1	0.03	5.7	0.2	<0.05			
1885257	Drill Core	0.9	1.2	0.1	5	0.11	0.037	32	9	0.40	180	<0.001	<1	0.74	0.026	0.27	0.2	0.03	1.4	<0.1	<0.05			
1885258	Drill Core	1.2	1.9	0.2	6	0.09	0.031	31	10	0.72	146	0.001	<1	1.01	0.035	0.23	0.2	0.02	1.6	<0.1	<0.05			
1885259	Drill Core	1.7	1.1	0.1	1	0.08	0.035	36	4	0.22	184	<0.001	<1	0.53	0.025	0.28	0.2	0.02	0.8	<0.1	<0.05			
1885260	Core DUP	1.6	1.0	0.2	2	0.09	0.038	37	4	0.23	191	0.001	<1	0.56	0.027	0.30	0.2	0.02	0.8	<0.1	<0.05			
1885261	Drill Core	2.3	0.7	<0.1	6	0.13	0.042	35	11	0.53	211	0.003	<1	0.80	0.024	0.29	0.1	0.02	1.9	<0.1	<0.05			
1885262	Drill Core	2.5	0.6	<0.1	24	0.20	0.046	23	55	1.44	150	0.005	<1	1.68	0.011	0.25	<0.1	0.03	3.5	0.1	<0.05			
1885263	Drill Core	0.8	1.3	0.1	19	2.03	0.042	28	39	1.29	318	0.008	<1	1.41	0.020	0.28	0.3	0.02	3.8	0.2	<0.05			
1885264	Drill Core	0.4	0.6	<0.1	14	0.94	0.049	33	13	0.99	211	0.004	<1	1.09	0.032	0.18	0.1	0.01	2.6	<0.1	<0.05			
1885265	Drill Core	0.3	2.9	<0.1	103	5.01	0.064	5	193	3.63	482	0.036	<1	3.14	0.002	0.41	0.7	0.03	8.4	0.3	<0.05			
1885266	Drill Core	2.0	1.5	<0.1	53	2.58	0.047	21	115	2.35	141	0.015	<1	2.12	0.014	0.23	0.1	0.05	6.2	0.1	<0.05			
1885267	Drill Core	0.1	1.0	<0.1	100	5.50	0.065	6	142	2.87	131	0.249	<1	2.38	0.005	0.66	0.6	0.02	17.4	0.4	<0.05			
1885268	Drill Core	0.1	0.5	<0.1	17	1.21	0.048	32	24	0.80	206	0.038	<1	1.06	0.039	0.34	0.2	0.01	5.0	0.2	0.10			
1885269	Drill Core	0.2	0.3	<0.1	11	1.03	0.046	37	8	0.70	216	0.004	<1	0.97	0.042	0.28	0.2	<0.01	3.2	0.1	<0.05			
1885270	Drill Core	0.4	0.6	0.1	7	0.72	0.045	37	6	0.54	259	0.004	<1	0.82	0.026	0.31	<0.1	0.01	2.9	0.2	0.09			
1885271	Drill Core	0.8	1.0	<0.1	5	0.27	0.048	35	5	0.50	166	0.002	<1	0.76	0.023	0.30	<0.1	0.02	2.0	0.1	<0.05			
1885272	Drill Core	0.4	1.8	<0.1	4	0.13	0.048	27	5	0.34	155	0.002	<1	0.64	0.032	0.25	<0.1	0.02	1.9	<0.1	<0.05			
1885273	Drill Core	0.6	2.6	<0.1	5	0.11	0.046	22	6	0.40	151	0.001	<1	0.67	0.033	0.26	<0.1	0.02	1.7	<0.1	<0.05			
1885274	Drill Core	1.5	1.8	<0.1	4	0.13	0.048	34	6	0.49	142	0.001	<1	0.74	0.025	0.25	0.1	0.01	1.8	<0.1	<0.05			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1885245	Drill Core	5	<0.5	<0.2
1885246	Drill Core	3	<0.5	<0.2
1885247	Drill Core	3	<0.5	<0.2
1885248	Drill Core	3	<0.5	<0.2
1885249	Drill Core	3	<0.5	<0.2
1885250	Drill Core	5	<0.5	<0.2
1885251	Drill Core	3	<0.5	<0.2
1885252	Drill Core	2	<0.5	<0.2
1885253	Drill Core	1	<0.5	<0.2
1885254	Drill Core	1	<0.5	<0.2
1885255	Drill Core	2	<0.5	<0.2
1885256	Drill Core	7	<0.5	<0.2
1885257	Drill Core	2	<0.5	<0.2
1885258	Drill Core	3	<0.5	<0.2
1885259	Drill Core	1	<0.5	<0.2
1885260	Core DUP	2	<0.5	<0.2
1885261	Drill Core	3	<0.5	<0.2
1885262	Drill Core	6	<0.5	<0.2
1885263	Drill Core	6	<0.5	<0.2
1885264	Drill Core	5	<0.5	<0.2
1885265	Drill Core	10	<0.5	<0.2
1885266	Drill Core	8	<0.5	<0.2
1885267	Drill Core	8	<0.5	<0.2
1885268	Drill Core	5	<0.5	<0.2
1885269	Drill Core	5	<0.5	<0.2
1885270	Drill Core	4	<0.5	<0.2
1885271	Drill Core	3	<0.5	<0.2
1885272	Drill Core	3	<0.5	<0.2
1885273	Drill Core	3	<0.5	<0.2
1885274	Drill Core	3	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1885275	Drill Core	2.24	442	0.021	0.02	<0.17	34.81	0.8	41.0	174.3	261	1.0	26.9	6.8	566	1.73	19.5	2.2	20.3	13.0	23
1885276	Drill Core	3.33	501	0.009	<0.01	<0.17	38.69	0.5	13.0	99.6	141	0.3	3.0	3.1	311	1.19	16.7	1.5	4.9	14.2	21
1885277	Drill Core	2.98	447	1.118	1.60	8.01	31.10	0.8	11.7	26.2	215	1.0	8.1	3.8	332	1.48	24.1	1.5	2240.1	13.7	57
1885278	Drill Core	3.22	366	0.385	0.38	0.35	36.83	1.4	9.3	12.9	105	0.6	7.0	6.4	440	2.13	24.8	1.8	374.7	11.0	80
1885279	Drill Core	3.48	273	0.008	<0.01	<0.17	31.90	6.8	58.1	391.6	292	1.5	16.1	8.2	969	2.50	34.5	1.8	3.9	8.7	103
1885280	Rock	0.23	158	<0.005	<0.01	<0.17	31.65	0.3	1.2	3.5	4	<0.1	1.6	0.6	118	1.04	1.8	0.2	<0.5	1.2	2
1885281	Drill Core	2.81	505	0.006	<0.01	<0.17	37.31	0.7	62.3	197.7	398	1.0	16.7	11.6	1108	3.18	10.2	1.5	2.3	8.0	75
1885282	Drill Core	2.82	395	0.012	0.01	<0.17	27.87	0.7	36.0	40.1	262	0.7	8.6	6.8	728	2.32	24.0	1.2	6.5	11.2	32
1885283	Drill Core	2.89	497	0.012	0.01	<0.17	30.93	0.5	71.1	568.4	167	1.5	5.7	4.6	621	2.00	11.0	1.5	5.5	10.9	44
1885284	Drill Core	2.40	464	0.018	0.02	<0.17	25.88	0.6	33.0	119.1	302	0.9	9.2	7.0	645	1.99	22.3	1.7	13.9	10.1	16
1885285	Drill Core	3.03	517	0.026	0.03	<0.17	31.18	2.2	25.8	175.4	342	0.6	14.6	13.8	1086	2.33	45.7	2.5	23.7	10.4	23
1885286	Drill Core	2.51	474	0.059	0.06	<0.17	33.75	0.6	40.7	450.7	408	1.5	26.6	11.2	1178	2.73	33.0	2.5	55.3	8.3	42
1885287	Drill Core	2.08	496	0.107	0.10	<0.17	37.72	0.8	102.2	657.2	365	2.1	9.6	7.1	604	2.29	39.2	4.3	98.7	7.9	27
1885288	Drill Core	2.64	511	0.008	<0.01	<0.17	31.94	0.8	4.7	101.3	112	0.5	2.3	3.9	345	0.52	4.4	1.1	5.2	12.2	6
1885289	Drill Core	3.19	499	0.057	0.05	<0.17	33.89	25.2	111.1	2665.4	1285	3.9	8.3	3.0	562	2.21	77.9	6.2	56.9	9.8	32
1885290	Drill Core	3.21	474	0.039	0.04	<0.17	22.95	12.3	369.2	6129.3	1771	6.5	11.1	3.2	450	2.61	53.5	6.6	35.8	7.0	25
1885291	Drill Core	2.29	516	0.027	0.04	<0.17	32.20	0.9	58.7	560.1	1391	0.8	10.1	4.7	567	2.38	34.4	2.7	24.8	10.0	21
1885292	Drill Core	2.00	479	0.009	<0.01	<0.17	27.89	0.5	36.7	248.2	676	0.4	5.5	3.2	449	1.98	13.2	2.2	3.4	10.8	8
1885293	Drill Core	2.90	506	0.159	0.15	<0.17	36.16	0.7	30.7	191.8	409	0.5	7.7	7.2	518	2.26	4.7	1.3	128.2	9.0	12
1885294	Drill Core	2.70	435	0.137	0.15	0.37	32.30	0.3	32.2	92.8	318	0.6	9.1	7.1	574	2.30	9.5	1.1	112.4	8.8	40
1885295	Drill Core	3.03	509	0.044	0.05	<0.17	29.42	0.3	26.6	72.0	175	0.6	9.0	7.1	632	2.35	2.7	1.3	25.3	9.3	75
1885296	Drill Core	2.90	440	0.553	0.82	4.49	30.06	0.5	13.7	25.5	133	0.5	4.9	4.6	404	1.63	5.7	1.0	681.6	10.4	46
1885297	Drill Core	3.51	499	1.117	1.69	10.24	31.44	0.7	20.4	23.1	194	1.9	25.6	13.4	876	2.78	17.5	1.8	2394.7	6.1	56
1885298	Drill Core	2.78	451	0.122	0.14	0.41	33.75	0.6	13.7	8.6	102	0.9	10.3	8.2	369	2.35	50.0	2.5	95.2	9.6	19
1885299	Drill Core	2.80	451	0.028	0.05	0.27	33.32	0.5	20.1	25.1	113	0.7	13.2	9.3	509	1.72	22.2	1.5	25.6	9.5	16
1885300	Rock Pulp	0.12	71	6.916				8.9	184.2	17.7	74	0.9	13.1	10.5	535	4.38	13.0	0.8	7080.2	2.5	62
1885301	Drill Core	3.52	446	0.053	0.07	0.34	32.01	0.7	65.2	108.2	223	2.0	6.9	5.4	284	1.63	26.9	2.8	48.5	13.1	12
1885302	Drill Core	2.42	447	0.921	0.90	0.60	29.97	2.4	14.8	16.1	215	1.2	10.9	10.1	880	1.61	63.4	2.3	953.0	11.2	18
1885303	Drill Core	2.54	453	0.224	0.22	<0.17	30.97	0.3	8.1	5.0	97	0.2	7.7	6.3	391	1.57	41.6	1.3	239.0	10.7	18
1885304	Drill Core	2.80	444	0.122	0.13	0.25	24.09	0.3	4.4	27.3	50	0.6	3.1	1.6	278	0.86	2.0	0.8	92.8	11.1	15



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2012

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1885275	Drill Core	1.4	1.1	0.3	12	0.43	0.048	35	41	0.95	157	0.002	<1	1.09	0.018	0.29	<0.1	0.02	2.8	<0.1	<0.05			
1885276	Drill Core	1.1	0.4	<0.1	3	0.37	0.050	38	5	0.48	161	0.002	<1	0.71	0.025	0.28	<0.1	0.02	1.5	<0.1	<0.05			
1885277	Drill Core	1.5	0.6	0.2	4	1.01	0.045	30	8	0.48	176	0.002	<1	0.82	0.021	0.32	<0.1	0.01	1.6	0.1	<0.05			
1885278	Drill Core	1.0	0.7	0.1	13	1.43	0.043	32	22	0.87	161	0.002	3	1.17	0.018	0.32	0.1	0.02	2.7	0.1	<0.05			
1885279	Drill Core	2.1	2.0	0.1	21	1.77	0.063	26	33	0.94	224	0.006	3	1.28	0.016	0.31	0.2	0.04	3.4	0.2	0.11			
1885280	Rock	<0.1	<0.1	<0.1	2	0.04	0.002	2	5	0.02	13	0.002	3	0.07	0.003	0.02	<0.1	<0.01	0.2	<0.1	<0.05			
1885281	Drill Core	2.7	0.7	<0.1	32	1.43	0.061	25	61	1.66	121	0.004	2	1.82	0.018	0.28	0.1	0.02	4.9	0.2	0.13			
1885282	Drill Core	2.3	0.7	0.1	13	0.60	0.053	34	12	0.76	187	0.002	2	1.21	0.031	0.33	0.1	0.01	2.4	0.2	<0.05			
1885283	Drill Core	1.1	0.5	0.3	8	0.70	0.047	27	8	0.80	280	0.002	2	1.09	0.019	0.31	0.1	0.02	2.1	0.1	0.22			
1885284	Drill Core	1.5	0.8	<0.1	9	0.29	0.050	25	11	0.97	147	0.001	1	1.18	0.018	0.26	<0.1	<0.01	2.0	0.1	<0.05			
1885285	Drill Core	3.5	1.9	0.1	12	0.27	0.055	21	19	1.22	180	0.003	2	1.46	0.013	0.29	0.2	0.03	2.7	0.2	<0.05			
1885286	Drill Core	4.6	2.4	0.2	24	0.46	0.064	23	43	1.52	163	0.022	2	1.67	0.016	0.26	0.2	0.06	3.9	0.1	<0.05			
1885287	Drill Core	3.0	1.3	0.2	14	0.37	0.059	20	14	0.87	214	0.002	1	1.16	0.011	0.38	0.4	0.03	3.1	0.2	<0.05			
1885288	Drill Core	1.2	0.4	<0.1	<1	0.03	0.004	20	2	0.12	745	<0.001	<1	0.38	0.011	0.22	0.6	<0.01	0.2	<0.1	<0.05			
1885289	Drill Core	3.7	6.6	0.4	6	0.13	0.039	32	14	0.49	106	<0.001	<1	0.87	0.009	0.24	0.6	0.02	0.9	0.1	0.11			
1885290	Drill Core	3.7	6.4	0.5	10	0.12	0.044	28	19	0.75	97	0.001	<1	1.07	0.017	0.23	0.4	0.02	1.6	0.1	0.14			
1885291	Drill Core	5.5	1.0	<0.1	10	0.15	0.056	25	12	1.12	139	0.001	<1	1.35	0.012	0.31	0.2	0.03	1.8	0.1	<0.05			
1885292	Drill Core	2.9	0.6	<0.1	5	0.11	0.042	24	6	1.06	148	0.001	<1	1.23	0.016	0.25	0.1	0.01	1.4	<0.1	<0.05			
1885293	Drill Core	2.3	0.4	<0.1	10	0.14	0.053	19	12	1.36	157	0.002	<1	1.43	0.017	0.30	0.1	<0.01	2.1	0.1	<0.05			
1885294	Drill Core	3.6	0.4	<0.1	15	0.75	0.066	24	14	1.18	136	0.002	<1	1.36	0.020	0.29	0.1	<0.01	2.2	0.1	<0.05			
1885295	Drill Core	3.1	0.4	<0.1	17	1.31	0.067	22	16	1.11	334	0.003	<1	1.36	0.025	0.32	0.2	<0.01	2.5	0.1	0.17			
1885296	Drill Core	1.8	0.5	<0.1	7	0.77	0.044	28	6	0.66	466	0.002	<1	0.90	0.024	0.33	0.2	<0.01	1.6	0.1	0.07			
1885297	Drill Core	4.3	1.0	<0.1	21	0.85	0.062	18	36	1.24	1146	0.001	<1	1.44	0.010	0.28	0.3	<0.01	3.4	0.2	<0.05			
1885298	Drill Core	1.6	1.5	<0.1	15	0.24	0.070	25	14	0.86	400	0.001	<1	1.22	0.021	0.30	0.3	<0.01	2.2	0.1	<0.05			
1885299	Drill Core	0.9	1.0	<0.1	11	0.19	0.058	23	9	0.78	270	<0.001	<1	1.07	0.014	0.27	0.2	<0.01	1.7	0.1	<0.05			
1885300	Rock Pulp	0.2	4.5	0.5	101	0.84	0.059	7	17	0.80	110	0.101	2	1.53	0.161	0.21	3.4	0.23	2.9	<0.1	<0.05			
1885301	Drill Core	0.9	1.3	<0.1	5	0.16	0.050	31	5	0.46	286	0.001	<1	0.93	0.017	0.36	0.4	0.01	1.5	0.1	<0.05			
1885302	Drill Core	1.9	0.7	<0.1	6	0.15	0.038	27	6	0.59	808	0.001	<1	0.98	0.018	0.32	2.2	<0.01	1.5	0.1	0.05			
1885303	Drill Core	0.9	0.4	<0.1	5	0.42	0.046	24	5	0.67	244	0.002	<1	0.91	0.015	0.34	0.2	<0.01	1.7	0.1	0.09			
1885304	Drill Core	0.6	0.5	0.2	1	0.34	0.004	17	4	0.35	114	<0.001	<1	0.47	0.034	0.19	<0.1	<0.01	0.6	<0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1885275	Drill Core	4	<0.5	<0.2
1885276	Drill Core	3	<0.5	<0.2
1885277	Drill Core	3	<0.5	<0.2
1885278	Drill Core	5	<0.5	<0.2
1885279	Drill Core	5	<0.5	<0.2
1885280	Rock	<1	<0.5	<0.2
1885281	Drill Core	7	<0.5	<0.2
1885282	Drill Core	5	<0.5	<0.2
1885283	Drill Core	4	<0.5	<0.2
1885284	Drill Core	4	<0.5	<0.2
1885285	Drill Core	5	<0.5	<0.2
1885286	Drill Core	7	<0.5	<0.2
1885287	Drill Core	4	1.6	0.2
1885288	Drill Core	1	<0.5	<0.2
1885289	Drill Core	4	2.9	0.4
1885290	Drill Core	4	4.5	0.4
1885291	Drill Core	5	<0.5	<0.2
1885292	Drill Core	4	<0.5	<0.2
1885293	Drill Core	5	<0.5	<0.2
1885294	Drill Core	5	<0.5	<0.2
1885295	Drill Core	6	<0.5	<0.2
1885296	Drill Core	4	<0.5	<0.2
1885297	Drill Core	5	<0.5	0.3
1885298	Drill Core	5	<0.5	<0.2
1885299	Drill Core	4	<0.5	<0.2
1885300	Rock Pulp	5	<0.5	<0.2
1885301	Drill Core	3	0.6	<0.2
1885302	Drill Core	4	<0.5	0.3
1885303	Drill Core	3	<0.5	<0.2
1885304	Drill Core	2	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2012

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1885305	Drill Core	2.78	464	0.018	0.02	<0.17	32.62	0.2	2.4	28.2	42	0.2	3.1	1.0	164	0.66	0.9	0.8	26.9	12.4	7
1885306	Drill Core	2.76	463	0.026	0.02	<0.17	35.26	0.2	2.4	16.1	10	0.2	0.4	0.2	61	0.40	0.8	1.2	9.4	15.6	16
1885307	Drill Core	2.78	437	0.075	0.07	<0.17	26.85	0.1	1.4	7.0	14	0.1	0.5	0.4	83	0.49	0.9	1.7	312.5	14.1	7
1885308	Drill Core	3.17	447	0.007	<0.01	<0.17	22.54	0.5	4.4	37.7	53	0.2	4.7	3.7	268	1.16	0.9	5.6	7.6	12.2	26
1885309	Drill Core	2.63	464	0.032	0.03	<0.17	21.70	1.9	53.9	10.0	147	0.7	22.7	16.0	603	2.76	3.4	8.8	37.2	5.4	36
1885310	Drill Core	3.43	440	0.058	0.05	<0.17	29.72	0.6	18.5	10.3	71	0.3	7.7	5.2	305	1.39	5.5	0.9	25.6	11.0	22
1885311	Drill Core	2.92	452	0.255	0.29	0.84	23.70	0.4	16.6	10.7	73	0.9	10.9	9.1	956	1.98	2.8	1.0	182.5	7.3	278
1885312	Drill Core	2.59	471	0.313	0.33	0.62	27.49	0.4	8.4	15.1	51	0.6	3.7	3.2	150	1.43	1.7	2.1	311.0	10.0	22
1885313	Drill Core	2.69	485	0.078	0.09	0.25	23.93	0.6	13.4	18.3	24	1.6	1.8	1.1	99	1.22	2.8	1.3	99.5	10.9	19
1885314	Drill Core	3.23	446	0.022	0.03	<0.17	24.38	1.1	12.1	37.8	30	0.4	2.0	1.2	124	1.61	4.4	2.0	37.7	10.6	35
1885315	Drill Core	2.85	464	0.199	0.24	0.86	31.50	1.7	21.2	55.9	61	0.7	8.0	5.3	170	1.96	3.4	2.0	246.4	9.2	13
1885316	Drill Core	3.02	449	0.647	0.69	1.31	28.98	1.3	17.3	11.2	40	0.8	10.2	5.0	406	1.82	0.9	1.4	649.7	7.8	24
1885317	Drill Core	2.98	469	0.151	0.20	1.06	24.58	1.4	16.5	20.7	51	0.5	10.0	6.5	426	1.78	3.7	1.5	114.2	9.3	24
1885318	Drill Core	3.25	431	0.026	0.02	<0.17	30.82	2.2	22.1	59.2	66	0.7	7.7	5.6	171	2.01	1.7	1.0	29.2	7.0	21
1885319	Drill Core	2.87	453	0.014	0.01	<0.17	29.19	1.3	17.9	27.5	64	0.6	3.5	2.1	122	2.38	2.0	2.1	7.4	7.1	67
1885320	Rock Pulp	0.12	75	0.518				6.8	116.8	82.4	148	0.7	12.1	5.0	618	2.62	41.9	0.4	590.2	2.1	35
1885321	Drill Core	1.51	442	0.017	0.02	<0.17	34.86	1.1	51.9	31.6	133	1.0	8.9	4.8	228	2.36	2.5	1.8	11.5	8.2	80
1885322	Drill Core	1.12	447	0.010	<0.01	<0.17	27.25	1.0	66.2	34.1	166	0.9	14.3	9.9	577	2.12	2.8	0.5	7.7	6.7	28
1885323	Drill Core	2.62	471	0.010	<0.01	<0.17	34.74	1.0	32.5	48.5	114	0.6	7.2	4.6	457	1.67	5.2	0.4	7.4	5.2	51
1885324	Drill Core	3.19	442	0.007	<0.01	<0.17	23.02	0.4	13.1	4.0	74	0.2	11.2	7.7	649	2.62	1.1	1.6	3.5	7.1	70
1885325	Drill Core	2.64	444	0.032	0.03	<0.17	33.46	4.0	39.1	9.9	209	0.8	20.1	13.6	583	2.59	43.5	1.0	26.6	7.5	23
1885326	Drill Core	2.82	456	0.016	0.02	<0.17	27.18	0.7	23.1	4.9	190	0.5	15.7	11.7	785	2.61	26.9	1.0	13.4	6.3	40
1885327	Drill Core	3.01	444	0.019	0.02	<0.17	27.32	3.4	16.1	9.6	68	0.5	15.7	9.1	1024	2.82	20.4	0.3	14.2	6.1	51
1885328	Drill Core	2.82	453	<0.005	<0.01	<0.17	30.76	1.2	14.3	8.5	117	0.3	19.6	15.4	1258	3.26	7.5	0.7	2.2	8.1	38
1885329	Drill Core	3.09	454	0.006	<0.01	<0.17	29.85	1.3	12.1	7.8	75	0.3	7.3	4.9	87	2.79	19.8	0.6	2.4	8.1	25
1885330	Drill Core	2.77	444	0.007	<0.01	<0.17	33.56	2.0	21.0	21.6	90	0.4	15.9	9.3	208	3.58	31.9	1.2	3.4	8.6	49
1885331	Drill Core	2.83	426	0.036	0.03	<0.17	32.64	2.3	8.2	8.0	131	0.4	20.0	14.9	1316	2.64	41.5	0.8	30.4	5.9	38
1885332	Drill Core	2.97	396	0.023	0.02	<0.17	27.42	1.6	15.3	7.0	182	0.4	17.4	13.0	830	2.34	21.5	0.9	23.9	6.5	39
1885333	Drill Core	2.60	358	0.012	0.01	<0.17	35.27	1.1	13.6	6.7	199	0.4	21.1	13.8	879	2.63	8.7	1.4	7.7	7.1	58
1885334	Drill Core	3.13	495	0.005	<0.01	<0.17	26.50	3.0	11.4	17.8	92	0.3	13.9	8.8	856	2.52	3.1	1.3	2.2	6.8	58



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1885305	Drill Core	0.3	0.4	0.2	1	0.14	0.002	20	4	0.26	188	<0.001	<1	0.41	0.023	0.24	<0.1	<0.01	0.5	<0.1	<0.05			
1885306	Drill Core	<0.1	0.5	0.2	<1	0.08	0.002	28	1	0.09	648	<0.001	<1	0.34	0.031	0.29	0.1	<0.01	0.3	<0.1	<0.05			
1885307	Drill Core	<0.1	0.4	<0.1	<1	0.12	0.001	19	1	0.16	206	<0.001	<1	0.33	0.027	0.23	0.3	<0.01	0.3	<0.1	0.09			
1885308	Drill Core	0.1	0.6	0.2	5	0.35	0.021	11	20	0.84	410	0.002	<1	0.72	0.009	0.26	0.1	<0.01	0.7	<0.1	0.27			
1885309	Drill Core	0.5	0.9	<0.1	14	0.48	0.072	11	79	2.02	263	0.005	<1	1.42	0.005	0.28	<0.1	<0.01	1.9	<0.1	0.79			
1885310	Drill Core	0.3	1.8	<0.1	6	0.16	0.024	13	23	0.96	448	0.001	<1	0.84	0.006	0.30	0.1	<0.01	0.8	<0.1	0.32			
1885311	Drill Core	0.8	2.8	<0.1	9	4.13	0.030	9	27	1.20	145	0.010	<1	0.85	0.010	0.27	0.3	<0.01	3.1	<0.1	1.03			
1885312	Drill Core	0.2	1.0	<0.1	5	0.18	0.023	13	12	0.76	229	0.007	<1	0.69	0.017	0.24	0.1	<0.01	1.1	<0.1	0.39			
1885313	Drill Core	<0.1	2.7	0.1	2	0.05	0.012	15	4	0.26	274	0.001	3	0.40	0.021	0.23	<0.1	<0.01	0.6	<0.1	0.22			
1885314	Drill Core	<0.1	2.4	0.2	3	0.07	0.026	17	5	0.38	294	0.001	3	0.49	0.028	0.26	<0.1	<0.01	0.6	<0.1	0.36			
1885315	Drill Core	0.2	1.7	0.3	4	0.16	0.034	10	6	0.63	137	0.002	3	0.66	0.014	0.23	0.1	0.01	0.8	<0.1	1.17			
1885316	Drill Core	0.5	0.8	0.1	4	0.34	0.023	12	6	0.50	140	0.003	3	0.54	0.010	0.26	0.1	0.02	0.8	<0.1	1.12			
1885317	Drill Core	0.5	1.4	0.2	4	0.42	0.030	12	6	0.52	115	0.003	2	0.58	0.014	0.26	0.1	0.02	0.8	<0.1	1.14			
1885318	Drill Core	0.1	2.2	0.1	6	0.19	0.050	8	16	0.62	130	0.005	2	0.62	0.021	0.23	0.1	<0.01	1.1	<0.1	1.13			
1885319	Drill Core	<0.1	3.1	<0.1	5	0.07	0.042	10	18	0.36	366	0.002	2	0.50	0.042	0.30	<0.1	<0.01	0.9	<0.1	0.46			
1885320	Rock Pulp	0.6	3.0	<0.1	30	0.85	0.037	6	25	0.52	80	0.080	10	1.16	0.097	0.11	4.6	0.13	2.7	0.2	0.10			
1885321	Drill Core	0.5	2.5	<0.1	5	0.17	0.055	12	7	0.57	258	0.002	3	0.75	0.026	0.35	0.2	0.02	1.0	0.1	0.66			
1885322	Drill Core	1.0	3.5	<0.1	5	0.61	0.050	9	6	0.95	132	0.001	2	0.77	0.006	0.26	0.1	0.02	1.0	<0.1	1.40			
1885323	Drill Core	0.6	2.2	<0.1	4	1.11	0.037	8	7	0.70	147	0.001	2	0.62	0.007	0.24	0.1	0.01	0.9	<0.1	0.89			
1885324	Drill Core	0.4	0.5	<0.1	6	2.65	0.058	6	8	0.74	94	0.001	2	0.73	0.012	0.27	0.2	0.01	1.7	<0.1	2.02			
1885325	Drill Core	1.0	1.6	<0.1	7	0.85	0.056	9	11	0.54	68	<0.001	2	0.84	0.006	0.27	0.4	<0.01	1.3	0.1	1.59			
1885326	Drill Core	1.0	0.9	<0.1	7	1.48	0.056	8	10	0.68	72	<0.001	2	0.79	0.008	0.28	0.2	<0.01	1.7	0.1	1.43			
1885327	Drill Core	0.6	0.8	0.2	3	2.01	0.055	6	4	0.40	70	<0.001	2	0.36	0.008	0.25	0.1	<0.01	1.3	<0.1	2.39			
1885328	Drill Core	1.3	0.5	<0.1	4	1.34	0.068	8	5	0.12	94	<0.001	2	0.35	0.012	0.31	0.2	<0.01	1.3	0.1	2.19			
1885329	Drill Core	<0.1	0.4	<0.1	4	0.48	0.071	9	5	0.05	112	<0.001	1	0.32	0.009	0.31	0.2	<0.01	1.2	0.1	1.16			
1885330	Drill Core	0.8	0.6	0.2	4	1.19	0.081	8	7	0.11	80	<0.001	1	0.45	0.008	0.31	0.2	<0.01	1.6	0.1	2.47			
1885331	Drill Core	0.7	0.8	<0.1	4	1.40	0.054	8	6	0.32	56	<0.001	1	0.49	0.005	0.25	0.1	0.01	1.0	<0.1	2.08			
1885332	Drill Core	2.0	0.9	<0.1	4	1.55	0.051	8	6	0.23	85	<0.001	1	0.62	0.007	0.27	0.3	<0.01	1.2	0.1	1.79			
1885333	Drill Core	1.9	0.6	<0.1	4	1.90	0.054	10	6	0.42	89	<0.001	1	0.70	0.007	0.26	0.3	<0.01	1.4	<0.1	2.23			
1885334	Drill Core	0.5	0.4	0.1	5	2.23	0.048	8	7	0.72	109	<0.001	2	0.58	0.014	0.23	0.2	<0.01	1.8	<0.1	1.79			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1885305	Drill Core	2	<0.5	<0.2
1885306	Drill Core	2	<0.5	<0.2
1885307	Drill Core	1	<0.5	<0.2
1885308	Drill Core	2	<0.5	<0.2
1885309	Drill Core	4	<0.5	<0.2
1885310	Drill Core	3	<0.5	<0.2
1885311	Drill Core	3	0.5	0.2
1885312	Drill Core	3	<0.5	<0.2
1885313	Drill Core	2	<0.5	0.2
1885314	Drill Core	2	<0.5	<0.2
1885315	Drill Core	2	<0.5	<0.2
1885316	Drill Core	2	<0.5	<0.2
1885317	Drill Core	2	<0.5	<0.2
1885318	Drill Core	2	<0.5	<0.2
1885319	Drill Core	2	<0.5	<0.2
1885320	Rock Pulp	5	<0.5	<0.2
1885321	Drill Core	2	<0.5	<0.2
1885322	Drill Core	2	<0.5	<0.2
1885323	Drill Core	2	<0.5	<0.2
1885324	Drill Core	2	<0.5	<0.2
1885325	Drill Core	3	<0.5	<0.2
1885326	Drill Core	2	<0.5	<0.2
1885327	Drill Core	<1	0.6	<0.2
1885328	Drill Core	1	<0.5	<0.2
1885329	Drill Core	1	0.5	<0.2
1885330	Drill Core	1	0.6	<0.2
1885331	Drill Core	1	<0.5	<0.2
1885332	Drill Core	1	<0.5	<0.2
1885333	Drill Core	1	<0.5	<0.2
1885334	Drill Core	2	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2012

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1885335	Drill Core	2.84	438	0.005	<0.01	<0.17	30.99	0.3	12.6	6.2	91	0.2	12.8	9.9	612	2.31	9.8	1.3	3.6	8.4	47
1885336	Drill Core	2.86	477	0.007	<0.01	<0.17	33.54	0.4	18.7	5.4	103	0.2	12.3	10.2	632	1.99	4.9	3.8	4.1	9.8	18
1885337	Drill Core	3.08	488	0.029	0.03	<0.17	27.66	2.1	20.4	10.6	63	0.6	9.7	6.2	222	2.37	44.9	1.1	26.5	8.2	17
1885338	Drill Core	2.98	445	0.057	0.05	<0.17	33.77	2.5	15.2	6.3	54	1.2	16.8	11.3	877	2.50	106.8	1.0	50.6	7.6	28
1885339	Drill Core	2.20	455	0.019	0.02	<0.17	32.51	2.8	7.8	4.9	78	0.6	12.8	9.2	810	2.54	54.2	0.8	15.5	5.4	29
1885340	Rock Pulp	0.12	74	<0.005				4.0	20.5	0.9	32	<0.1	6.9	4.1	579	2.43	1.5	0.4	<0.5	1.9	30
1885341	Drill Core	2.76	403	0.006	<0.01	<0.17	32.97	1.9	12.5	15.9	55	0.3	13.7	7.4	899	2.34	10.8	0.6	3.4	5.9	83
1885342	Drill Core	3.07	497	<0.005	<0.01	<0.17	30.35	3.7	17.5	12.8	29	0.3	15.1	7.4	765	2.56	2.2	0.6	2.0	5.5	74
1885343	Drill Core	3.35	526	0.008	<0.01	<0.17	34.26	1.4	21.0	4.2	100	0.2	15.6	8.5	635	2.56	3.2	1.3	4.3	7.3	61
1885344	Drill Core	2.98	494	0.006	<0.01	<0.17	30.77	0.4	15.7	2.1	76	0.2	14.7	7.5	438	2.11	1.7	1.4	2.7	7.5	71
1885345	Drill Core	3.28	404	0.048	0.04	<0.17	24.29	1.5	15.2	8.8	82	0.3	16.9	9.3	646	2.70	1.0	1.4	14.4	6.7	75
1885346	Drill Core	3.03	534	0.008	<0.01	<0.17	29.34	2.3	19.9	30.6	39	0.4	14.4	7.4	759	2.79	1.0	0.9	3.6	5.8	68
1885347	Drill Core	2.90	369	0.010	<0.01	<0.17	34.58	2.2	18.1	30.5	57	0.5	18.5	9.8	538	2.94	1.0	1.9	5.6	7.7	43
1885348	Drill Core	3.03	460	0.009	0.01	<0.17	28.07	0.2	1.3	3.4	31	<0.1	2.1	1.6	295	0.82	1.0	4.9	18.9	17.6	35
1885349	Drill Core	3.28	444	0.007	<0.01	<0.17	31.31	0.4	1.6	16.5	42	<0.1	1.9	2.2	324	0.63	3.0	2.9	3.7	16.4	31
1885350	Drill Core	3.18	450	0.006	<0.01	<0.17	37.00	0.4	5.7	20.4	17	<0.1	0.7	0.8	187	0.55	1.8	3.3	3.0	15.3	26
1885351	Drill Core	3.18	474	<0.005	<0.01	<0.17	30.31	0.3	3.1	9.6	11	<0.1	3.3	2.3	150	0.86	1.1	3.7	2.0	13.9	15
1885352	Drill Core	3.13	445	<0.005	<0.01	<0.17	34.55	1.0	3.4	21.9	18	0.1	2.0	2.0	195	0.86	0.7	3.2	<0.5	15.0	22
1885353	Drill Core	3.20	491	<0.005	<0.01	<0.17	30.61	1.2	10.2	97.2	84	0.3	5.4	4.4	258	1.19	1.5	3.1	1.4	12.9	27
1885354	Drill Core	3.61	442	0.006	<0.01	<0.17	37.88	1.3	7.8	26.2	56	0.2	12.5	8.4	323	2.18	3.3	1.4	2.0	8.2	33
1885355	Drill Core	3.09	457	<0.005	<0.01	<0.17	34.88	1.9	41.5	7.7	35	0.3	10.3	8.2	313	1.93	2.0	1.9	1.3	8.2	32
1885356	Drill Core	3.17	482	0.158	0.17	0.26	35.16	0.7	19.4	43.2	97	0.4	13.6	10.5	501	1.99	1.6	1.7	218.3	8.6	55
1885357	Drill Core	3.44	453	0.006	<0.01	<0.17	35.68	3.1	10.5	18.7	22	0.2	9.3	6.0	184	2.08	1.4	2.5	2.9	7.6	34
1885358	Drill Core	3.04	432	0.010	<0.01	<0.17	27.79	1.9	13.2	15.7	33	0.2	8.8	6.0	246	1.86	4.6	2.1	5.9	8.3	23
1885359	Drill Core	3.11	503	<0.005	<0.01	<0.17	30.78	4.8	11.5	22.6	46	0.3	9.0	6.3	220	2.01	2.9	2.0	2.7	10.3	16
1885360	Core DUP		441	0.005	<0.01	<0.17	33.10	4.5	11.7	23.0	44	0.3	8.7	6.0	217	1.96	2.7	1.9	2.4	10.1	17
1885361	Drill Core	3.05	458	0.006	<0.01	<0.17	31.10	1.5	3.8	11.0	72	0.1	7.3	5.4	196	1.83	2.7	2.2	4.4	10.6	11
1885362	Drill Core	1.51	458	0.011	<0.01	<0.17	33.24	5.9	12.7	52.3	176	1.5	10.7	8.4	377	2.14	12.2	4.8	20.3	8.1	18
1885363	Drill Core	2.19	457	0.006	<0.01	<0.17	30.64	4.1	3.7	16.1	74	0.2	7.1	4.4	69	2.01	6.9	1.2	3.5	7.4	14
1885364	Drill Core	1.60	448	0.013	0.01	<0.17	26.53	3.6	3.5	37.5	103	0.3	6.2	4.9	85	1.64	9.0	1.2	9.7	7.0	17



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1885335	Drill Core	0.4	0.4	<0.1	9	1.53	0.057	11	14	0.90	108	0.001	1	1.06	0.009	0.33	0.2	<0.01	1.6	0.2	1.19
1885336	Drill Core	0.8	0.5	<0.1	6	0.53	0.049	21	11	0.31	112	0.001	2	0.65	0.035	0.27	0.1	0.02	1.3	<0.1	1.37
1885337	Drill Core	0.1	1.0	0.1	10	0.35	0.055	14	15	0.52	89	<0.001	1	0.88	0.025	0.26	0.2	0.01	1.4	0.1	1.18
1885338	Drill Core	0.3	1.4	<0.1	12	1.17	0.064	16	19	0.79	46	<0.001	1	1.13	0.007	0.26	0.6	<0.01	1.4	0.1	1.04
1885339	Drill Core	0.6	0.8	<0.1	11	1.19	0.054	10	16	0.75	51	<0.001	<1	0.86	0.004	0.24	0.6	0.02	1.6	0.1	1.21
1885340	Rock Pulp	<0.1	0.2	<0.1	22	0.75	0.039	5	14	0.49	55	0.068	3	1.02	0.073	0.08	0.2	<0.01	2.3	<0.1	0.05
1885341	Drill Core	0.3	0.4	<0.1	5	2.45	0.051	6	5	0.90	110	<0.001	1	0.42	0.009	0.24	0.2	<0.01	1.3	<0.1	1.73
1885342	Drill Core	0.1	0.4	<0.1	4	2.48	0.049	5	5	0.76	98	<0.001	1	0.41	0.011	0.25	0.1	<0.01	1.3	<0.1	2.23
1885343	Drill Core	0.6	0.5	<0.1	6	2.08	0.050	8	9	1.15	62	<0.001	1	0.85	0.009	0.26	0.2	<0.01	1.4	<0.1	1.79
1885344	Drill Core	0.3	0.7	<0.1	7	1.80	0.049	8	10	1.17	76	0.001	<1	0.97	0.008	0.22	0.2	<0.01	1.4	<0.1	1.30
1885345	Drill Core	0.7	1.0	<0.1	6	2.78	0.054	7	9	1.10	59	0.001	1	0.70	0.017	0.23	0.1	<0.01	1.9	<0.1	2.20
1885346	Drill Core	0.3	2.2	0.2	5	2.63	0.047	5	8	1.01	51	0.001	1	0.61	0.017	0.22	0.1	0.02	1.5	<0.1	2.53
1885347	Drill Core	0.4	2.0	<0.1	8	1.75	0.058	6	10	0.65	69	0.001	1	0.58	0.031	0.24	<0.1	0.02	1.8	<0.1	2.81
1885348	Drill Core	0.2	0.3	<0.1	<1	1.02	0.006	21	3	0.26	420	<0.001	3	0.50	0.025	0.26	0.1	<0.01	0.4	<0.1	0.33
1885349	Drill Core	0.5	0.2	<0.1	<1	0.91	0.004	22	1	0.10	419	<0.001	2	0.39	0.022	0.27	0.1	<0.01	0.2	<0.1	0.16
1885350	Drill Core	0.3	0.2	<0.1	<1	0.73	0.003	16	1	0.06	450	<0.001	2	0.34	0.022	0.27	0.1	<0.01	0.2	<0.1	0.21
1885351	Drill Core	<0.1	0.2	<0.1	1	0.39	0.013	13	3	0.09	200	<0.001	2	0.40	0.018	0.31	0.1	<0.01	0.3	<0.1	0.53
1885352	Drill Core	0.3	0.1	<0.1	1	0.65	0.010	17	4	0.08	178	<0.001	1	0.40	0.030	0.31	<0.1	<0.01	0.3	<0.1	0.56
1885353	Drill Core	1.2	0.3	0.2	2	0.89	0.030	15	4	0.09	138	0.001	1	0.43	0.020	0.33	0.1	<0.01	0.5	<0.1	0.91
1885354	Drill Core	0.6	0.3	<0.1	5	0.73	0.062	13	7	0.29	103	0.002	1	0.64	0.008	0.40	0.2	<0.01	0.9	0.1	1.78
1885355	Drill Core	0.2	0.3	<0.1	4	0.87	0.060	11	6	0.19	103	0.001	1	0.53	0.012	0.38	0.1	<0.01	0.8	0.1	1.61
1885356	Drill Core	1.1	0.4	0.1	6	1.60	0.067	11	17	0.34	120	0.002	1	0.62	0.015	0.35	0.1	<0.01	1.3	0.1	1.59
1885357	Drill Core	0.4	0.5	<0.1	3	0.60	0.047	11	5	0.09	52	0.002	1	0.41	0.032	0.29	0.1	<0.01	0.9	<0.1	1.94
1885358	Drill Core	0.4	0.5	0.1	3	0.54	0.039	10	5	0.13	100	0.001	1	0.42	0.020	0.29	0.1	<0.01	0.7	<0.1	1.58
1885359	Drill Core	0.6	0.5	0.1	2	0.31	0.043	10	3	0.06	53	<0.001	<1	0.35	0.023	0.26	0.1	<0.01	0.6	<0.1	1.89
1885360	Core DUP	0.6	0.5	0.1	3	0.31	0.044	11	4	0.06	71	<0.001	1	0.37	0.024	0.27	0.1	<0.01	0.6	<0.1	1.80
1885361	Drill Core	0.8	0.2	<0.1	2	0.19	0.024	14	3	0.07	105	<0.001	<1	0.38	0.032	0.27	0.1	<0.01	0.5	<0.1	1.57
1885362	Drill Core	1.8	0.5	<0.1	2	0.19	0.032	18	12	0.08	156	<0.001	<1	0.36	0.017	0.23	5.7	<0.01	0.6	<0.1	1.21
1885363	Drill Core	0.7	0.3	<0.1	2	0.06	0.029	21	4	0.04	135	<0.001	<1	0.34	0.022	0.30	0.2	<0.01	0.5	<0.1	1.34
1885364	Drill Core	0.5	0.4	<0.1	2	0.06	0.019	17	4	0.04	240	<0.001	<1	0.33	0.020	0.28	0.7	<0.01	0.4	<0.1	0.78



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1885335	Drill Core	3	<0.5	<0.2
1885336	Drill Core	3	<0.5	<0.2
1885337	Drill Core	3	<0.5	<0.2
1885338	Drill Core	4	<0.5	<0.2
1885339	Drill Core	3	<0.5	<0.2
1885340	Rock Pulp	4	<0.5	<0.2
1885341	Drill Core	1	0.6	<0.2
1885342	Drill Core	<1	0.6	<0.2
1885343	Drill Core	2	<0.5	<0.2
1885344	Drill Core	3	<0.5	<0.2
1885345	Drill Core	2	<0.5	<0.2
1885346	Drill Core	2	<0.5	<0.2
1885347	Drill Core	2	<0.5	<0.2
1885348	Drill Core	2	<0.5	<0.2
1885349	Drill Core	1	<0.5	<0.2
1885350	Drill Core	1	<0.5	<0.2
1885351	Drill Core	1	<0.5	<0.2
1885352	Drill Core	1	<0.5	<0.2
1885353	Drill Core	1	<0.5	<0.2
1885354	Drill Core	2	<0.5	<0.2
1885355	Drill Core	2	<0.5	<0.2
1885356	Drill Core	2	<0.5	<0.2
1885357	Drill Core	1	<0.5	<0.2
1885358	Drill Core	1	<0.5	<0.2
1885359	Drill Core	1	<0.5	<0.2
1885360	Core DUP	1	<0.5	<0.2
1885361	Drill Core	1	<0.5	<0.2
1885362	Drill Core	1	<0.5	<0.2
1885363	Drill Core	1	<0.5	<0.2
1885364	Drill Core	1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1885365	Drill Core	2.38	496	0.022	0.04	0.26	34.81	1.4	6.9	12.4	78	0.4	5.2	3.6	64	1.45	12.3	1.3	5.8	8.3
1885366	Drill Core	2.66	464	0.007	<0.01	<0.17	31.27	0.9	8.9	18.6	213	0.2	13.5	8.3	121	2.24	10.9	1.9	4.4	8.9
1885367	Drill Core	3.25	436	0.007	<0.01	<0.17	33.24	2.0	11.5	12.7	43	0.2	9.8	6.5	269	2.33	2.5	2.2	1.7	8.6
1885368	Drill Core	3.17	446	0.005	<0.01	<0.17	21.88	1.5	10.7	12.8	27	0.2	8.5	6.0	279	2.08	2.5	1.9	1.6	8.7
1885369	Drill Core	3.21	468	<0.005	<0.01	<0.17	29.94	1.6	8.6	15.7	11	0.2	7.6	5.8	222	1.81	4.7	2.2	1.7	8.5
1885370	Drill Core	3.40	430	0.011	0.01	<0.17	30.66	2.5	10.4	24.7	21	0.4	9.8	6.7	139	2.23	13.4	1.7	9.3	8.6
1885371	Drill Core	3.37	491	0.013	0.01	<0.17	28.74	0.4	12.9	11.4	38	0.2	8.9	6.5	288	1.84	7.9	2.7	8.8	7.5
1885372	Drill Core	2.72	444	0.009	<0.01	<0.17	26.18	1.4	14.5	16.3	78	0.3	9.7	7.1	376	1.90	16.4	2.8	5.6	8.7
1885373	Drill Core	3.05	462	0.010	<0.01	<0.17	25.05	1.8	15.8	18.7	55	0.3	9.8	6.7	318	2.24	11.8	2.5	2.3	8.5
1885374	Drill Core	3.04	454	0.010	<0.01	<0.17	30.17	1.1	22.8	27.6	53	0.5	6.3	4.8	300	1.54	3.4	2.9	6.8	10.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1885365	Drill Core	0.3	0.7	<0.1	2	0.07	0.029	10	4	0.03	272	<0.001	<1	0.27	0.017	0.24	0.8	<0.01	0.5	<0.1	0.71
1885366	Drill Core	0.7	0.3	0.2	5	0.15	0.044	13	8	0.11	109	0.001	<1	0.44	0.045	0.24	0.1	<0.01	1.1	0.1	1.66
1885367	Drill Core	0.8	0.4	<0.1	4	0.88	0.046	12	6	0.08	61	0.002	<1	0.38	0.043	0.28	0.2	<0.01	0.9	0.1	2.21
1885368	Drill Core	0.3	0.3	0.1	4	0.83	0.045	8	6	0.14	44	0.001	<1	0.39	0.032	0.27	0.1	<0.01	0.9	0.1	1.98
1885369	Drill Core	0.2	0.4	0.1	3	0.73	0.042	10	5	0.06	69	0.001	<1	0.34	0.029	0.28	0.2	<0.01	0.8	<0.1	1.68
1885370	Drill Core	0.3	0.7	0.2	3	0.33	0.045	12	5	0.05	55	<0.001	<1	0.38	0.032	0.27	0.1	<0.01	0.8	<0.1	2.16
1885371	Drill Core	0.6	0.5	<0.1	4	0.62	0.045	8	5	0.16	59	<0.001	<1	0.30	0.036	0.22	0.1	<0.01	1.0	<0.1	1.67
1885372	Drill Core	1.2	0.3	0.1	6	0.72	0.048	14	8	0.34	141	0.002	<1	0.48	0.039	0.27	0.2	<0.01	1.3	0.1	1.45
1885373	Drill Core	0.6	0.6	0.1	5	0.64	0.048	11	6	0.20	100	0.001	<1	0.37	0.038	0.24	0.2	<0.01	1.0	<0.1	2.08
1885374	Drill Core	0.5	0.6	0.2	4	0.77	0.032	11	6	0.23	127	0.001	<1	0.40	0.036	0.23	0.1	<0.01	1.1	<0.1	1.17



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000530.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1885365	Drill Core	<1	<0.5	<0.2
1885366	Drill Core	2	<0.5	<0.2
1885367	Drill Core	1	<0.5	<0.2
1885368	Drill Core	1	<0.5	<0.2
1885369	Drill Core	1	<0.5	<0.2
1885370	Drill Core	1	<0.5	<0.2
1885371	Drill Core	1	<0.5	<0.2
1885372	Drill Core	2	<0.5	<0.2
1885373	Drill Core	1	<0.5	<0.2
1885374	Drill Core	2	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 18, 2021

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI20000530.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
1885255	Drill Core	3.36	473	0.008	<0.01	<0.17	32.37	0.2	9.1	38.9	391	0.3	7.4	1.9	453	1.00	13.3	1.6	0.6	19.6	8
REP 1885255	QC	0.006																			
1885271	Drill Core	2.95	451	0.057	0.07	<0.17	37.86	0.5	18.3	42.6	100	0.3	3.2	2.8	278	1.66	31.4	1.4	48.2	13.7	20
REP 1885271	QC	0.5 17.3 41.3 98 0.3 3.0 2.8 274 1.64 30.6 1.4 51.5 13.4 20																			
1885274	Drill Core	3.17	442	0.046	0.04	<0.17	29.38	1.4	13.0	102.5	200	0.6	3.1	2.4	297	1.72	44.7	2.5	41.9	15.0	16
REP 1885274	QC	0.047																			
1885306	Drill Core	2.76	463	0.026	0.02	<0.17	35.26	0.2	2.4	16.1	10	0.2	0.4	0.2	61	0.40	0.8	1.2	9.4	15.6	16
REP 1885306	QC	0.2 2.4 15.8 9 0.2 0.4 0.2 60 0.38 1.0 1.1 6.3 15.2 16																			
1885341	Drill Core	2.76	403	0.006	<0.01	<0.17	32.97	1.9	12.5	15.9	55	0.3	13.7	7.4	899	2.34	10.8	0.6	3.4	5.9	83
REP 1885341	QC	1.9 12.5 15.7 54 0.3 13.6 7.4 906 2.35 10.2 0.6 3.6 5.8 83																			
1885351	Drill Core	3.18	474	<0.005	<0.01	<0.17	30.31	0.3	3.1	9.6	11	<0.1	3.3	2.3	150	0.86	1.1	3.7	2.0	13.9	15
REP 1885351	QC	0.006																			
1885370	Drill Core	3.40	430	0.011	0.01	<0.17	30.66	2.5	10.4	24.7	21	0.4	9.8	6.7	139	2.23	13.4	1.7	9.3	8.6	21
REP 1885370	QC	2.5 10.4 24.5 21 0.4 9.8 6.8 138 2.23 13.1 1.7 8.3 8.4 20																			
Core Reject Duplicates																					
1885270	Drill Core	3.42	451	0.015	0.01	<0.17	38.66	0.2	11.6	36.7	58	0.3	3.7	4.0	313	1.70	16.6	1.4	8.0	14.2	47
DUP 1885270	QC	433 0.016 0.01 <0.17 37.35 0.3 11.7 38.0 58 0.3 3.8 4.0 323 1.82 17.1 1.4 9.5 14.3 47																			
1885304	Drill Core	2.80	444	0.122	0.13	0.25	24.09	0.3	4.4	27.3	50	0.6	3.1	1.6	278	0.86	2.0	0.8	92.8	11.1	15
DUP 1885304	QC	445 0.148 0.15 0.25 31.69 0.3 4.2 31.4 58 0.8 3.2 1.9 295 0.81 2.0 1.0 212.7 12.9 14																			
1885338	Drill Core	2.98	445	0.057	0.05	<0.17	33.77	2.5	15.2	6.3	54	1.2	16.8	11.3	877	2.50	106.8	1.0	50.6	7.6	28
DUP 1885338	QC	511 0.056 0.05 <0.17 34.36 2.5 13.5 6.2 53 0.8 16.4 10.9 883 2.48 103.6 1.0 50.1 7.5 27																			
1885372	Drill Core	2.72	444	0.009	<0.01	<0.17	26.18	1.4	14.5	16.3	78	0.3	9.7	7.1	376	1.90	16.4	2.8	5.6	8.7	31
DUP 1885372	QC	448 0.011 0.01 <0.17 29.01 1.1 14.7 13.5 76 0.3 9.3 6.9 387 1.86 16.3 2.6 8.8 8.3 31																			
Reference Materials																					
STD BVGEO01	Standard	10.6 4444.0 176.3 1755 2.6 160.3 23.6 721 3.73 119.6 3.4 213.5 13.2 56																			
STD BVGEO01	Standard	10.8 4429.2 181.9 1733 2.6 165.2 24.4 711 3.83 114.4 3.6 215.9 13.8 55																			
STD DS11	Standard	13.3 150.5 137.8 351 1.7 81.8 14.1 1016 3.12 43.9 2.5 121.0 9.3 63																			
STD DS11	Standard	14.1 144.3 131.4 341 1.7 78.1 13.2 1016 3.14 43.3 2.3 88.1 7.2 65																			



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 18, 2021

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000530.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
1885255	Drill Core	4.1	0.3	<0.1	2	0.09	0.023	53	4	0.46	192	<0.001	<1	0.77	0.017	0.28	<0.1	0.02	2.6	0.1	<0.05
REP 1885255	QC																				
1885271	Drill Core	0.8	1.0	<0.1	5	0.27	0.048	35	5	0.50	166	0.002	<1	0.76	0.023	0.30	<0.1	0.02	2.0	0.1	<0.05
REP 1885271	QC	0.8	0.9	<0.1	5	0.26	0.046	33	5	0.49	167	0.002	<1	0.75	0.023	0.30	<0.1	0.02	2.0	0.1	<0.05
1885274	Drill Core	1.5	1.8	<0.1	4	0.13	0.048	34	6	0.49	142	0.001	<1	0.74	0.025	0.25	0.1	0.01	1.8	<0.1	<0.05
REP 1885274	QC																				
1885306	Drill Core	<0.1	0.5	0.2	<1	0.08	0.002	28	1	0.09	648	<0.001	<1	0.34	0.031	0.29	0.1	<0.01	0.3	<0.1	<0.05
REP 1885306	QC	<0.1	0.5	0.1	<1	0.07	0.002	26	1	0.08	626	<0.001	<1	0.32	0.030	0.28	0.1	<0.01	0.3	<0.1	<0.05
1885341	Drill Core	0.3	0.4	<0.1	5	2.45	0.051	6	5	0.90	110	<0.001	1	0.42	0.009	0.24	0.2	<0.01	1.3	<0.1	1.73
REP 1885341	QC	0.3	0.4	<0.1	5	2.40	0.049	6	5	0.91	106	<0.001	<1	0.43	0.009	0.24	0.2	0.01	1.3	<0.1	1.76
1885351	Drill Core	<0.1	0.2	<0.1	1	0.39	0.013	13	3	0.09	200	<0.001	2	0.40	0.018	0.31	0.1	<0.01	0.3	<0.1	0.53
REP 1885351	QC																				
1885370	Drill Core	0.3	0.7	0.2	3	0.33	0.045	12	5	0.05	55	<0.001	<1	0.38	0.032	0.27	0.1	<0.01	0.8	<0.1	2.16
REP 1885370	QC	0.3	0.6	0.2	3	0.33	0.045	11	5	0.05	37	<0.001	<1	0.38	0.031	0.26	0.1	<0.01	0.8	<0.1	2.12
Core Reject Duplicates																					
1885270	Drill Core	0.4	0.6	0.1	7	0.72	0.045	37	6	0.54	259	0.004	<1	0.82	0.026	0.31	<0.1	0.01	2.9	0.2	0.09
DUP 1885270	QC	0.4	0.7	<0.1	7	0.69	0.043	36	7	0.54	255	0.004	<1	0.84	0.026	0.32	<0.1	0.01	3.0	0.1	0.10
1885304	Drill Core	0.6	0.5	0.2	1	0.34	0.004	17	4	0.35	114	<0.001	<1	0.47	0.034	0.19	<0.1	<0.01	0.6	<0.1	<0.05
DUP 1885304	QC	0.6	0.4	0.2	1	0.35	0.004	19	3	0.40	129	<0.001	<1	0.52	0.033	0.19	<0.1	<0.01	0.6	<0.1	<0.05
1885338	Drill Core	0.3	1.4	<0.1	12	1.17	0.064	16	19	0.79	46	<0.001	1	1.13	0.007	0.26	0.6	<0.01	1.4	0.1	1.04
DUP 1885338	QC	0.3	1.3	<0.1	12	1.16	0.062	16	19	0.78	50	<0.001	<1	1.16	0.008	0.27	0.3	0.01	1.4	0.1	1.03
1885372	Drill Core	1.2	0.3	0.1	6	0.72	0.048	14	8	0.34	141	0.002	<1	0.48	0.039	0.27	0.2	<0.01	1.3	0.1	1.45
DUP 1885372	QC	1.0	0.4	0.1	6	0.73	0.047	13	8	0.34	132	0.001	<1	0.46	0.038	0.26	0.2	<0.01	1.2	0.1	1.42
Reference Materials																					
STD BVGEO01	Standard	6.4	4.0	23.8	74	1.33	0.073	25	183	1.32	319	0.224	4	2.31	0.190	0.90	5.6	0.08	6.0	0.6	0.68
STD BVGEO01	Standard	6.1	3.8	23.3	74	1.33	0.071	25	186	1.34	299	0.224	3	2.31	0.197	0.91	5.5	0.09	5.8	0.6	0.71
STD DS11	Standard	2.1	7.5	11.6	47	1.03	0.073	17	59	0.84	358	0.086	7	1.13	0.072	0.39	2.9	0.26	3.2	4.7	0.28
STD DS11	Standard	2.3	8.9	11.1	49	1.04	0.070	17	58	0.85	381	0.087	8	1.13	0.070	0.40	3.1	0.27	3.1	5.1	0.29



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000530.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
1885255	Drill Core	2	<0.5	<0.2
REP 1885255	QC			
1885271	Drill Core	3	<0.5	<0.2
REP 1885271	QC	3	<0.5	<0.2
1885274	Drill Core	3	<0.5	<0.2
REP 1885274	QC			
1885306	Drill Core	2	<0.5	<0.2
REP 1885306	QC	1	<0.5	<0.2
1885341	Drill Core	1	0.6	<0.2
REP 1885341	QC	1	0.5	<0.2
1885351	Drill Core	1	<0.5	<0.2
REP 1885351	QC			
1885370	Drill Core	1	<0.5	<0.2
REP 1885370	QC	1	<0.5	<0.2
Core Reject Duplicates				
1885270	Drill Core	4	<0.5	<0.2
DUP 1885270	QC	4	<0.5	<0.2
1885304	Drill Core	2	<0.5	<0.2
DUP 1885304	QC	2	<0.5	0.3
1885338	Drill Core	4	<0.5	<0.2
DUP 1885338	QC	4	0.5	<0.2
1885372	Drill Core	2	<0.5	<0.2
DUP 1885372	QC	2	<0.5	<0.2
Reference Materials				
STD BVGEO01	Standard	8	4.8	1.1
STD BVGEO01	Standard	8	4.8	1.2
STD DS11	Standard	5	2.2	4.8
STD DS11	Standard	5	2.1	4.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI20000530.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OREAS262	Standard							0.6	115.6	55.7	146	0.4	64.0	27.7	539	3.26	36.1	1.1	62.4	10.9	34
STD OREAS262	Standard							0.7	113.5	52.9	150	0.5	64.0	26.4	531	3.29	35.7	1.1	67.5	8.7	35
STD OREAS262	Standard							0.7	113.3	52.2	152	0.5	62.5	25.8	529	3.26	36.4	1.1	67.9	8.4	35
STD OREAS262	Standard							0.7	114.5	53.4	151	0.4	63.7	26.4	528	3.25	35.0	1.1	66.8	8.6	34
STD OXB130	Standard			0.123																	
STD OXB130	Standard			0.126																	
STD OXB130	Standard			0.120																	
STD OXB130	Standard			0.124																	
STD OXG141	Standard			0.903																	
STD OXG141	Standard			0.930																	
STD OXG141	Standard			0.919																	
STD OXG141	Standard			0.939																	
STD OXN155	Standard			7.694																	
STD OXN155	Standard			7.574																	
STD OXN155	Standard			7.558																	
STD OXN155	Standard			7.793																	
STD OXP116	Standard					15.08	28.97														
STD OXP116	Standard					15.10	30.19														
STD OXP116	Standard					15.23	29.62														
STD OXP116	Standard					15.02	29.82														
STD OXP154	Standard					15.42	29.76														
STD OXP154	Standard					15.62	29.90														
STD OXP154	Standard					15.35	29.77														
STD OXP154	Standard					15.24	29.98														
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXP116 Expected						14.92															
STD OXP154 Expected						15.26															



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000530.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OREAS262	Standard	0.6	4.3	1.0	20	2.94	0.042	15	41	1.18	249	0.003	3	1.16	0.067	0.29	0.2	0.16	3.3	0.4	0.27
STD OREAS262	Standard	0.6	6.0	0.9	23	2.88	0.039	17	43	1.20	237	0.002	5	1.34	0.067	0.32	0.2	0.18	3.2	0.5	0.27
STD OREAS262	Standard	0.6	6.2	1.0	22	2.80	0.040	16	41	1.19	245	0.002	4	1.31	0.068	0.31	0.2	0.14	3.2	0.5	0.27
STD OREAS262	Standard	0.6	5.9	0.9	23	2.86	0.039	16	43	1.18	232	0.002	3	1.34	0.068	0.31	0.2	0.16	3.1	0.5	0.27
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
STD OXP116 Expected																					
STD OXP154 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000530.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OREAS262	Standard	4	<0.5	<0.2
STD OREAS262	Standard	4	<0.5	<0.2
STD OREAS262	Standard	4	<0.5	0.3
STD OREAS262	Standard	4	<0.5	0.2
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD DS11 Expected		5.1	2.2	4.56
STD BVGEO01 Expected		7.37	4.84	1.02
STD OREAS262 Expected		4.1	0.4	0.23
STD OXP116 Expected				
STD OXP154 Expected				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000530.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.6	<0.1	<0.5	0.2	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.005															
BLK	Blank					<0.005															
BLK	Blank					<0.005															
BLK	Blank					<0.005															
BLK	Blank					0.006															
BLK	Blank					<0.005															
BLK	Blank					0.005															
Prep Wash																					
ROCK-WHI	Prep Blank		481	<0.005	<0.01	<0.17	20.18	0.7	1.9	0.9	25	<0.1	0.8	3.3	410	1.82	1.5	0.4	8.9	2.3	20
ROCK-WHI	Prep Blank		506	<0.005	<0.01	<0.17	33.06	0.9	1.9	1.0	23	<0.1	0.9	3.2	399	1.82	1.5	0.4	2.0	2.5	20



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000530.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.2	0.2	0.1	19	0.55	0.041	6	3	0.41	58	0.065	2	0.84	0.090	0.08	<0.1	<0.01	2.7	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	19	0.53	0.039	5	3	0.40	58	0.061	2	0.82	0.086	0.08	<0.1	<0.01	2.4	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 18, 2021

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000530.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	3	<0.5	<0.2
ROCK-WHI	Prep Blank	3	<0.5	<0.2