



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 06, 2020
Analysis Start: January 06, 2021
Report Date: January 19, 2021
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI20000531.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-26
P.O. Number
Number of Samples: 97

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	93	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	3	Sort, label and box pulps			WHI
FS631	97	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	97	Analysis sample split/packet			VAN
Split -150	97	Analysis sample split/packet			VAN
FS631	94	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	97	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	97	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

CERTIFICATE OF ANALYSIS

WHI20000531.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1885375	Drill Core	3.48	510	0.008	<0.01	<0.17	21.04	0.6	24.9	104.0	78	0.5	2.1	1.1	100	1.26	5.6	1.7	11.9	9.9	14
1885376	Drill Core	2.47	526	0.006	<0.01	<0.17	25.57	0.9	15.4	42.6	56	0.2	1.0	0.6	61	1.05	3.4	0.6	4.7	9.0	7
1885377	Drill Core	2.61	453	<0.005	<0.01	<0.17	32.49	0.4	17.8	25.4	65	0.2	1.6	0.9	93	1.27	3.4	1.6	3.5	10.5	8
1885378	Drill Core	3.31	410	<0.005	<0.01	<0.17	24.11	0.9	20.9	25.7	140	0.2	3.9	4.8	292	1.44	4.1	1.6	1.6	10.9	18
1885379	Drill Core	2.09	532	<0.005	<0.01	<0.17	27.86	0.5	6.8	15.2	231	<0.1	5.4	14.3	1259	0.99	1.2	1.3	0.5	11.8	9
1885380	Rock	0.23	162	<0.005	<0.01	<0.17	33.00	0.3	1.0	1.1	3	<0.1	1.2	0.5	99	0.87	0.6	0.2	<0.5	1.3	1
1885381	Drill Core	2.25	463	0.013	0.01	<0.17	32.67	0.3	42.7	7.0	123	0.2	2.1	2.1	115	1.18	4.3	5.3	12.9	12.3	5
1885382	Drill Core	2.78	400	0.052	0.06	<0.17	35.05	0.3	42.1	16.6	102	0.3	2.8	5.6	172	0.81	2.1	5.8	36.5	11.7	4
1885383	Drill Core	2.49	507	0.006	<0.01	<0.17	32.95	0.2	9.3	20.7	21	<0.1	0.9	0.8	37	0.44	2.2	3.0	<0.5	14.2	5
1885384	Drill Core	2.80	484	0.006	<0.01	<0.17	31.53	1.3	13.3	20.2	40	<0.1	1.0	1.2	64	0.72	2.5	2.9	1.0	12.6	6
1885385	Drill Core	1.32	458	0.008	<0.01	<0.17	27.32	2.2	20.3	75.6	73	0.6	1.8	1.9	126	0.62	3.2	4.3	3.7	12.1	5
1885386	Drill Core	2.36	502	0.006	<0.01	<0.17	31.63	1.2	18.9	24.5	85	0.2	2.7	2.6	118	0.93	6.8	3.8	2.5	11.6	6
1885387	Drill Core	1.78	430	0.008	<0.01	<0.17	36.52	0.5	15.5	17.7	49	0.2	1.7	1.8	74	0.63	2.4	2.6	2.7	11.2	4
1885388	Drill Core	0.81	406	0.009	<0.01	<0.17	28.62	0.3	9.7	12.2	36	0.3	0.9	0.7	49	0.50	1.0	1.5	2.1	11.8	3
1885389	Drill Core	3.53	451	0.014	0.01	<0.17	38.27	1.1	12.8	19.4	71	0.2	1.4	1.7	97	0.72	2.9	2.7	11.7	12.5	3
1885390	Drill Core	2.62	474	0.008	0.56	6.92	37.73	0.2	4.0	21.2	50	0.1	1.3	0.5	56	0.77	4.0	1.1	1.4	12.5	9
1885391	Drill Core	1.68	405	0.007	<0.01	<0.17	36.50	0.2	4.4	15.1	40	0.1	0.8	0.3	55	0.77	1.7	1.3	2.8	13.2	13
1885392	Drill Core	2.56	489	0.009	<0.01	<0.17	33.88	1.0	64.5	47.9	221	0.2	11.7	17.6	1284	0.52	1.8	3.6	4.5	16.4	7
1885393	Drill Core	2.17	416	0.007	<0.01	<0.17	34.50	0.3	26.7	31.7	119	0.1	3.7	3.1	253	0.64	2.7	2.8	2.6	14.7	8
1885394	Drill Core	2.70	552	0.009	<0.01	<0.17	32.88	0.4	10.4	26.0	84	0.2	1.4	2.1	150	0.55	2.3	1.3	1.4	11.3	5
1885395	Drill Core	3.12	525	0.008	<0.01	<0.17	35.05	0.2	8.6	17.9	51	0.1	1.3	1.3	111	0.46	0.6	1.0	2.7	11.2	4
1885396	Drill Core	1.52	529	<0.005	<0.01	<0.17	35.69	0.1	6.2	19.6	34	0.1	0.7	0.4	56	0.42	0.5	1.2	0.8	11.4	4
1885397	Drill Core	1.74	418	0.033	0.11	0.97	34.98	0.1	5.0	18.5	39	0.2	0.6	0.4	74	0.50	<0.5	1.2	43.1	11.2	4
1885398	Drill Core	2.13	426	0.474	1.16	9.38	32.64	0.2	39.7	28.3	152	0.5	2.2	2.4	273	1.20	<0.5	1.4	461.3	9.9	31
1885399	Drill Core	3.01	485	0.008	0.02	0.19	30.82	0.5	17.8	22.0	168	0.2	4.1	3.7	253	0.96	1.9	1.3	2.4	9.9	30
1885400	Rock Pulp	0.12	79	7.116				9.0	187.8	18.0	76	0.9	13.5	11.3	568	4.64	13.3	0.8	6729.6	2.5	69
1885401	Drill Core	2.27	476	0.079	0.15	1.13	32.68	0.6	9.6	15.8	201	0.2	6.3	4.5	186	1.39	4.1	1.1	54.0	9.4	38
1885402	Drill Core	2.87	481	0.011	0.01	<0.17	21.85	1.2	173.3	32.2	616	0.2	22.8	44.6	2883	0.94	1.7	6.8	10.4	12.6	17
1885403	Drill Core	2.66	468	0.007	<0.01	<0.17	30.09	0.4	53.2	12.3	558	0.1	13.0	13.2	827	1.98	0.8	2.4	0.7	11.1	12
1885404	Drill Core	2.50	484	0.074	0.09	0.29	31.00	1.0	180.9	19.1	910	0.2	26.2	34.3	2687	1.68	7.9	6.6	102.3	12.7	23



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2012

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000531.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1885375	Drill Core	0.1	0.3	<0.1	2	0.05	0.031	20	4	0.24	232	0.003	2	0.55	0.027	0.30	<0.1	0.02	0.7	<0.1	<0.05			
1885376	Drill Core	<0.1	0.2	<0.1	<1	0.02	0.011	20	3	0.09	248	0.002	2	0.33	0.018	0.25	0.3	<0.01	0.5	<0.1	<0.05			
1885377	Drill Core	0.2	0.2	0.1	2	0.04	0.021	22	4	0.19	180	0.002	1	0.43	0.020	0.25	0.1	<0.01	0.7	<0.1	<0.05			
1885378	Drill Core	1.0	0.3	0.1	2	0.05	0.023	22	4	0.37	215	0.002	1	0.68	0.021	0.29	<0.1	<0.01	0.7	<0.1	<0.05			
1885379	Drill Core	4.2	0.1	<0.1	<1	0.05	0.009	21	2	0.52	197	0.002	1	0.66	0.015	0.25	<0.1	<0.01	0.5	<0.1	<0.05			
1885380	Rock	<0.1	<0.1	<0.1	1	0.01	0.002	2	5	0.01	13	0.002	1	0.06	0.004	0.02	<0.1	<0.01	0.2	<0.1	<0.05			
1885381	Drill Core	0.6	0.6	<0.1	<1	0.05	0.012	30	3	0.28	175	0.002	2	0.57	0.014	0.25	0.1	<0.01	0.6	<0.1	<0.05			
1885382	Drill Core	0.7	0.2	<0.1	<1	0.02	0.010	24	2	0.07	143	<0.001	<1	0.40	0.009	0.20	0.1	<0.01	0.5	<0.1	<0.05			
1885383	Drill Core	0.2	<0.1	<0.1	<1	0.02	0.011	27	2	0.05	224	0.001	<1	0.36	0.029	0.32	<0.1	<0.01	0.3	<0.1	<0.05			
1885384	Drill Core	0.3	0.1	<0.1	<1	0.03	0.014	22	3	0.10	143	0.001	<1	0.36	0.024	0.26	<0.1	<0.01	0.3	<0.1	<0.05			
1885385	Drill Core	0.4	0.3	<0.1	<1	0.03	0.013	20	2	0.17	114	0.001	<1	0.38	0.009	0.21	0.1	<0.01	0.3	<0.1	<0.05			
1885386	Drill Core	0.5	0.2	0.2	2	0.03	0.013	23	4	0.25	175	0.002	<1	0.52	0.018	0.32	<0.1	<0.01	0.5	<0.1	<0.05			
1885387	Drill Core	0.3	0.1	0.3	<1	0.02	0.007	28	3	0.07	212	0.001	<1	0.42	0.029	0.32	0.2	<0.01	0.4	<0.1	<0.05			
1885388	Drill Core	0.1	<0.1	0.2	<1	<0.01	0.003	25	2	0.05	219	<0.001	<1	0.31	0.034	0.25	0.2	<0.01	0.4	<0.1	<0.05			
1885389	Drill Core	0.5	0.1	0.2	1	0.01	0.007	27	3	0.07	217	0.001	<1	0.43	0.021	0.36	<0.1	<0.01	0.4	<0.1	<0.05			
1885390	Drill Core	0.3	<0.1	0.1	1	<0.01	0.010	28	4	0.06	262	0.001	<1	0.36	0.026	0.35	<0.1	<0.01	0.5	<0.1	<0.05			
1885391	Drill Core	0.3	<0.1	<0.1	1	0.02	0.015	30	3	0.06	267	0.001	<1	0.37	0.027	0.34	<0.1	<0.01	0.6	<0.1	<0.05			
1885392	Drill Core	4.6	0.4	0.2	<1	0.02	0.009	33	3	0.07	273	0.001	<1	0.59	0.022	0.31	<0.1	<0.01	0.5	<0.1	<0.05			
1885393	Drill Core	1.2	0.1	0.1	<1	0.04	0.012	29	3	0.13	247	0.001	<1	0.53	0.015	0.33	0.1	<0.01	0.4	<0.1	<0.05			
1885394	Drill Core	0.9	0.1	0.2	<1	0.03	0.011	25	2	0.12	251	0.001	<1	0.40	0.030	0.32	<0.1	<0.01	0.6	<0.1	<0.05			
1885395	Drill Core	0.5	0.1	0.2	<1	0.02	0.007	29	3	0.09	276	0.001	<1	0.38	0.037	0.30	<0.1	<0.01	0.6	<0.1	<0.05			
1885396	Drill Core	0.2	0.2	0.1	<1	0.02	0.008	28	2	0.06	296	0.001	<1	0.34	0.038	0.29	<0.1	<0.01	0.5	<0.1	<0.05			
1885397	Drill Core	0.4	<0.1	<0.1	<1	0.03	0.011	27	2	0.10	311	0.001	<1	0.38	0.033	0.31	<0.1	<0.01	0.6	<0.1	<0.05			
1885398	Drill Core	2.1	0.1	0.1	2	0.10	0.020	22	4	0.22	782	0.001	<1	0.47	0.008	0.32	0.1	<0.01	1.0	<0.1	0.18			
1885399	Drill Core	1.7	0.1	0.1	3	0.29	0.033	19	5	0.42	314	0.002	<1	0.59	0.008	0.29	0.1	<0.01	1.2	<0.1	<0.05			
1885400	Rock Pulp	0.2	4.1	0.5	108	0.93	0.060	7	18	0.85	113	0.117	2	1.73	0.179	0.23	3.5	0.21	3.3	<0.1	<0.05			
1885401	Drill Core	2.8	0.2	0.2	4	0.48	0.035	18	8	0.53	221	0.002	<1	0.71	0.007	0.36	<0.1	<0.01	1.8	<0.1	0.12			
1885402	Drill Core	12.5	0.2	0.1	2	0.07	0.020	25	3	0.41	332	0.001	<1	1.17	0.011	0.32	<0.1	<0.01	1.2	0.1	<0.05			
1885403	Drill Core	3.6	0.2	<0.1	10	0.12	0.035	23	24	1.17	207	0.007	<1	1.37	0.020	0.33	<0.1	<0.01	3.2	0.1	<0.05			
1885404	Drill Core	12.0	0.2	<0.1	5	0.11	0.032	25	7	0.66	238	0.002	<1	1.31	0.034	0.29	<0.1	<0.01	2.5	0.1	<0.05			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000531.1

	Method	AQ201	AQ201	AQ201
	Analyte	Ga	Se	Te
	Unit	ppm	ppm	ppm
	MDL	1	0.5	0.2
1885375	Drill Core	2	<0.5	<0.2
1885376	Drill Core	1	<0.5	<0.2
1885377	Drill Core	2	<0.5	<0.2
1885378	Drill Core	2	<0.5	<0.2
1885379	Drill Core	2	<0.5	<0.2
1885380	Rock	<1	<0.5	<0.2
1885381	Drill Core	2	<0.5	<0.2
1885382	Drill Core	<1	<0.5	<0.2
1885383	Drill Core	1	<0.5	<0.2
1885384	Drill Core	1	<0.5	<0.2
1885385	Drill Core	1	<0.5	<0.2
1885386	Drill Core	2	<0.5	<0.2
1885387	Drill Core	1	<0.5	<0.2
1885388	Drill Core	1	<0.5	<0.2
1885389	Drill Core	1	<0.5	<0.2
1885390	Drill Core	1	<0.5	<0.2
1885391	Drill Core	1	<0.5	<0.2
1885392	Drill Core	1	<0.5	<0.2
1885393	Drill Core	1	<0.5	<0.2
1885394	Drill Core	1	<0.5	<0.2
1885395	Drill Core	1	<0.5	<0.2
1885396	Drill Core	1	<0.5	<0.2
1885397	Drill Core	1	<0.5	<0.2
1885398	Drill Core	2	0.7	<0.2
1885399	Drill Core	2	<0.5	<0.2
1885400	Rock Pulp	5	<0.5	<0.2
1885401	Drill Core	2	<0.5	<0.2
1885402	Drill Core	2	<0.5	<0.2
1885403	Drill Core	4	<0.5	<0.2
1885404	Drill Core	3	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2012

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000531.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1885405	Drill Core				3.00	435	0.191	0.20	0.25	36.51	0.2	13.1	36.2	159	0.3	4.8	2.1	280	0.92	2.4	1.0	205.7	9.7	40
1885406	Drill Core				2.96	473	0.826	1.68	14.18	30.33	0.5	10.6	9.5	77	0.4	1.5	2.0	170	0.77	1.0	0.7	787.7	10.3	30
1885407	Drill Core				2.99	521	0.682	0.80	2.47	35.64	0.2	32.0	11.7	219	1.5	4.9	7.5	689	1.38	3.9	1.1	1667.0	11.4	15
1885408	Drill Core				2.95	573	0.097	0.09	<0.17	29.80	0.2	5.5	23.4	47	0.2	1.6	2.7	401	1.16	2.0	1.3	93.9	11.0	116
1885409	Drill Core				3.21	491	1.368	3.24	34.70	27.61	0.3	104.8	120.8	438	0.6	13.3	41.9	2979	1.29	1.6	1.8	1815.7	12.1	48
1885410	Drill Core				2.29	508	0.039	0.05	0.20	30.14	0.2	29.7	30.9	295	0.1	6.6	12.3	1146	1.24	1.2	0.9	33.0	12.0	39
1885411	Drill Core				3.17	484	0.032	0.03	<0.17	23.41	0.1	27.8	22.3	203	0.2	5.4	9.2	644	1.13	0.8	1.5	38.7	11.5	45
1885412	Drill Core				2.27	509	0.024	0.03	<0.17	23.61	0.7	19.1	12.0	242	0.4	4.8	4.1	712	1.38	0.8	2.4	14.9	12.3	96
1885413	Drill Core				2.72	522	1.338	2.59	21.92	31.85	0.7	18.4	56.7	146	1.0	3.2	2.6	450	1.05	<0.5	1.4	3918.3	10.6	27
1885414	Drill Core				3.57	376	0.026	0.02	<0.17	24.68	1.0	9.7	19.3	116	0.2	4.0	3.4	321	1.06	0.7	1.9	13.3	11.2	29
1885415	Drill Core				2.81	414	0.013	0.01	<0.17	21.21	0.7	63.0	181.9	324	0.5	10.8	7.2	345	2.43	7.0	2.4	9.5	8.2	21
1885416	Drill Core				3.09	490	0.016	0.02	<0.17	24.29	1.1	84.3	353.9	351	1.2	6.2	3.4	175	3.12	8.9	2.1	5.6	5.2	52
1885417	Drill Core				3.05	424	0.023	0.02	<0.17	20.64	1.0	81.8	340.2	297	0.9	15.9	10.9	267	3.07	9.8	1.1	10.5	6.0	22
1885418	Drill Core				3.35	435	0.014	0.01	<0.17	30.66	1.8	54.1	173.5	477	0.6	8.1	6.3	458	2.69	7.5	1.4	7.4	5.1	31
1885419	Drill Core				2.59	533	0.022	0.02	<0.17	28.25	1.9	77.6	274.6	623	1.1	15.9	14.9	738	3.28	7.9	1.3	18.1	5.6	47
1885420	Rock Pulp				0.12	81	0.544				6.6	118.6	88.1	151	0.7	12.0	5.2	604	2.61	42.8	0.4	628.2	2.4	38
1885421	Drill Core				3.24	526	0.013	0.01	<0.17	24.62	1.9	57.7	301.6	839	0.7	21.1	17.4	1055	3.30	13.4	0.8	9.7	3.7	73
1885422	Drill Core				2.79	517	0.157	0.19	0.66	34.72	1.1	89.1	206.1	470	0.7	14.8	10.2	731	3.20	12.6	1.4	260.2	4.9	89
1885423	Drill Core				3.26	479	0.023	0.02	<0.17	28.73	0.6	75.5	220.4	463	0.7	14.4	11.4	628	3.49	25.7	0.9	14.2	4.5	50
1885424	Drill Core				2.91	437	0.170	0.31	2.97	22.20	2.1	105.5	299.0	727	1.9	32.3	18.4	1012	3.29	47.4	1.1	157.1	4.8	96
1885425	Drill Core				2.76	406	0.334	0.45	2.58	20.14	1.2	57.5	291.2	792	1.2	15.1	11.0	648	2.77	34.9	1.0	326.5	5.0	59
1885426	Drill Core				2.64	498	0.740	1.54	16.86	24.62	0.9	101.6	300.6	537	2.0	18.2	12.6	320	3.47	44.2	1.4	1347.2	3.8	35
1885427	Drill Core				2.86	506	0.314	0.38	1.55	27.71	0.3	158.6	497.1	690	1.9	14.2	11.8	756	3.25	28.3	0.9	302.3	4.2	80
1885428	Drill Core				3.04	531	0.266	0.31	0.85	35.16	0.3	139.0	526.9	749	1.6	12.7	9.9	1144	2.81	17.1	0.7	331.4	4.2	121
1885429	Drill Core				2.98	503	2.020	5.78	67.76	28.78	1.0	83.3	267.2	772	1.6	20.7	15.2	996	3.53	17.4	0.7	3518.6	2.6	75
1885430	Drill Core				3.11	535	0.327	0.42	2.04	29.42	0.6	122.9	561.4	1131	2.0	24.3	19.6	793	4.10	19.2	0.6	486.4	2.7	32
1885431	Drill Core				2.81	545	0.028	0.06	0.83	24.01	1.4	65.6	345.3	685	0.7	12.5	11.3	764	3.29	16.9	0.3	22.1	2.2	43
1885432	Drill Core				3.17	534	0.015	0.01	<0.17	29.73	1.0	70.7	122.3	336	0.6	1.9	6.5	406	2.49	15.6	0.2	15.5	1.5	29
1885433	Drill Core				3.01	531	0.029	0.03	<0.17	33.21	1.1	93.5	137.3	211	0.9	1.2	4.4	515	1.88	22.5	<0.1	19.6	1.0	50
1885434	Drill Core				2.56	508	0.037	0.03	<0.17	25.23	1.8	19.7	25.1	215	0.3	0.9	5.7	574	2.39	30.8	<0.1	5.9	1.2	31



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2012

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000531.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1885405	Drill Core				3.2	0.3	<0.1	3	0.30	0.034	20	6	0.20	199	0.002	<1	0.49	0.043	0.32	<0.1	<0.01	1.0	<0.1	0.10
1885406	Drill Core				0.7	0.2	<0.1	2	0.29	0.034	20	3	0.14	239	0.002	<1	0.44	0.044	0.33	<0.1	<0.01	0.8	<0.1	0.17
1885407	Drill Core				2.6	0.1	<0.1	3	0.17	0.036	19	4	0.26	193	0.002	<1	0.58	0.045	0.34	<0.1	<0.01	1.2	<0.1	0.61
1885408	Drill Core				0.6	<0.1	0.3	3	1.21	0.053	21	4	0.30	200	0.003	2	0.50	0.041	0.27	0.1	<0.01	1.9	<0.1	0.26
1885409	Drill Core				9.0	0.2	0.1	2	0.32	0.052	22	4	0.26	208	0.003	1	0.71	0.039	0.25	0.1	<0.01	1.8	<0.1	0.35
1885410	Drill Core				3.5	0.1	<0.1	3	0.35	0.033	24	5	0.39	252	0.003	<1	0.70	0.028	0.30	0.1	<0.01	1.9	0.1	0.06
1885411	Drill Core				1.7	0.2	<0.1	3	0.43	0.040	20	3	0.48	211	0.003	<1	0.69	0.017	0.28	0.1	<0.01	1.4	<0.1	0.11
1885412	Drill Core				3.4	0.4	0.1	2	0.77	0.023	14	4	0.44	284	0.002	1	0.54	0.026	0.24	<0.1	<0.01	1.4	<0.1	0.40
1885413	Drill Core				2.2	0.8	0.4	2	0.18	0.007	16	5	0.37	592	0.002	<1	0.50	0.028	0.24	<0.1	0.01	1.1	<0.1	0.20
1885414	Drill Core				1.0	0.3	0.2	2	0.25	0.016	11	3	0.41	238	0.002	<1	0.48	0.016	0.23	0.1	<0.01	1.1	<0.1	0.58
1885415	Drill Core				2.9	0.4	0.2	7	0.18	0.045	13	18	1.08	191	0.003	<1	0.96	0.016	0.24	0.1	0.03	1.9	<0.1	0.90
1885416	Drill Core				2.7	0.6	0.3	14	0.08	0.060	12	13	0.61	232	0.004	1	0.76	0.019	0.30	0.2	0.04	2.4	0.1	0.50
1885417	Drill Core				3.4	0.8	0.5	10	0.15	0.057	10	23	1.11	101	0.004	<1	0.91	0.021	0.22	<0.1	0.05	2.2	<0.1	2.04
1885418	Drill Core				10.2	0.6	0.3	14	0.16	0.057	12	14	1.06	222	0.005	<1	0.92	0.008	0.28	0.2	0.03	2.3	0.1	0.79
1885419	Drill Core				10.9	0.7	0.4	16	0.42	0.058	9	14	1.45	80	0.007	1	1.14	0.009	0.31	0.2	0.04	2.8	0.1	1.71
1885420	Rock Pulp				0.6	2.9	0.1	30	0.85	0.037	6	25	0.53	90	0.083	7	1.17	0.103	0.11	4.4	0.16	3.6	0.2	0.09
1885421	Drill Core				4.1	0.5	0.8	15	0.74	0.064	6	14	1.74	90	0.011	<1	1.15	0.006	0.24	0.1	0.06	2.9	<0.1	2.11
1885422	Drill Core				5.3	0.7	0.3	12	1.10	0.058	7	9	1.02	87	0.008	<1	0.81	0.008	0.28	0.2	0.05	2.5	<0.1	1.78
1885423	Drill Core				4.0	1.3	0.2	9	0.57	0.060	6	10	0.82	52	0.005	1	0.68	0.014	0.28	0.1	0.06	2.1	0.1	2.69
1885424	Drill Core				6.3	2.0	0.4	8	1.14	0.056	6	15	1.13	57	0.007	<1	0.69	0.013	0.25	0.2	0.13	2.0	0.1	2.80
1885425	Drill Core				7.5	1.3	0.4	6	0.56	0.039	8	17	1.03	72	0.004	<1	0.70	0.016	0.23	0.2	0.15	1.7	0.1	1.95
1885426	Drill Core				4.3	1.0	0.5	12	0.23	0.058	6	11	0.99	75	0.003	<1	0.87	0.016	0.26	0.2	0.23	2.2	0.1	2.34
1885427	Drill Core				6.0	1.3	0.4	13	0.79	0.062	5	11	0.96	81	0.003	<1	0.75	0.019	0.24	0.2	0.11	2.5	0.1	2.39
1885428	Drill Core				7.7	1.2	0.6	9	1.71	0.058	5	8	0.93	54	0.005	<1	0.71	0.023	0.23	0.4	0.16	2.2	<0.1	2.02
1885429	Drill Core				5.5	0.9	1.0	21	0.99	0.061	3	22	2.10	68	0.004	<1	1.44	0.016	0.19	0.1	0.15	3.3	<0.1	2.57
1885430	Drill Core				8.5	0.7	0.6	24	0.35	0.032	4	30	2.83	65	0.004	<1	1.90	0.020	0.23	0.2	0.22	4.4	<0.1	2.73
1885431	Drill Core				4.6	0.8	0.4	14	0.49	0.041	4	20	2.22	97	0.004	<1	1.63	0.021	0.26	0.2	0.11	3.4	<0.1	2.22
1885432	Drill Core				2.0	0.4	0.4	5	0.34	0.042	4	2	1.02	73	0.003	<1	0.95	0.028	0.30	0.1	0.03	1.6	<0.1	1.76
1885433	Drill Core				2.5	1.3	0.6	5	0.69	0.026	3	2	0.63	124	0.002	<1	0.57	0.023	0.25	0.1	0.02	1.4	<0.1	1.20
1885434	Drill Core				0.5	0.6	0.3	6	0.40	0.033	3	1	1.21	99	0.002	<1	0.97	0.025	0.21	0.1	<0.01	1.6	<0.1	1.58



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000531.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1885405	Drill Core	2	<0.5	<0.2
1885406	Drill Core	2	<0.5	<0.2
1885407	Drill Core	2	<0.5	0.6
1885408	Drill Core	1	<0.5	<0.2
1885409	Drill Core	1	<0.5	<0.2
1885410	Drill Core	2	<0.5	<0.2
1885411	Drill Core	2	<0.5	<0.2
1885412	Drill Core	1	<0.5	<0.2
1885413	Drill Core	1	<0.5	0.2
1885414	Drill Core	1	<0.5	<0.2
1885415	Drill Core	2	0.7	<0.2
1885416	Drill Core	2	0.9	<0.2
1885417	Drill Core	2	1.8	<0.2
1885418	Drill Core	2	1.0	<0.2
1885419	Drill Core	3	1.9	<0.2
1885420	Rock Pulp	4	<0.5	<0.2
1885421	Drill Core	2	1.3	<0.2
1885422	Drill Core	2	1.4	<0.2
1885423	Drill Core	2	1.1	<0.2
1885424	Drill Core	2	1.6	<0.2
1885425	Drill Core	1	1.7	<0.2
1885426	Drill Core	2	1.1	0.3
1885427	Drill Core	2	1.6	<0.2
1885428	Drill Core	2	1.3	<0.2
1885429	Drill Core	4	1.1	0.2
1885430	Drill Core	5	2.3	0.2
1885431	Drill Core	4	1.7	<0.2
1885432	Drill Core	2	0.6	<0.2
1885433	Drill Core	1	0.9	<0.2
1885434	Drill Core	2	1.1	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000531.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1885435	Drill Core	2.08	485	0.319	0.33	0.52	29.01	2.0	41.8	36.3	136	0.7	5.9	8.2	473	3.16	25.8	0.3	252.7	2.0	42
1885436	Drill Core	3.18	470	0.055	0.05	<0.17	34.87	<0.1	136.0	81.0	266	1.8	119.3	33.8	1643	5.33	3.8	<0.1	79.7	0.2	198
1885437	Drill Core	2.47	530	0.008	<0.01	<0.17	35.80	<0.1	66.0	41.3	192	0.3	79.3	26.9	1504	4.30	2.0	<0.1	5.0	0.1	203
1885438	Drill Core	2.34	528	0.065	0.07	0.25	28.02	0.1	127.4	22.3	329	0.5	75.8	37.2	1285	5.17	8.8	0.2	64.1	0.1	197
1885439	Drill Core	2.75	496	0.009	<0.01	<0.17	32.90	<0.1	67.9	64.0	156	0.3	131.0	30.1	1341	3.74	2.4	0.1	3.6	0.1	245
1885440	Rock Pulp	0.12	79	0.007				4.1	21.3	1.0	32	<0.1	7.1	4.5	562	2.42	1.3	0.4	1.2	2.3	34
1885441	Drill Core	3.31	489	<0.005	<0.01	<0.17	31.59	<0.1	2.2	13.6	74	<0.1	229.0	32.0	1354	2.80	0.5	<0.1	<0.5	<0.1	288
1885442	Drill Core	2.45	458	0.065	0.06	<0.17	30.50	0.1	125.1	17.6	113	0.3	68.4	24.0	972	3.67	3.1	0.3	63.8	2.5	173
1885443	Drill Core	3.08	437	0.019	0.02	<0.17	35.89	0.1	121.9	191.0	410	0.7	55.4	27.6	1076	4.24	8.6	0.1	6.8	0.8	88
1885444	Drill Core	2.95	393	0.006	<0.01	<0.17	34.96	0.1	120.8	17.1	290	0.3	69.4	31.1	1459	4.19	3.5	0.1	3.1	0.5	137
1885445	Drill Core	3.36	413	<0.005	<0.01	<0.17	32.97	<0.1	121.2	7.8	282	0.3	62.7	34.7	1432	4.38	6.4	<0.1	3.2	0.2	153
1885446	Drill Core	2.90	396	0.006	<0.01	<0.17	30.86	0.2	141.2	164.6	421	0.8	34.5	19.4	756	3.57	11.5	0.1	2.3	1.2	66
1885447	Drill Core	3.23	529	0.996	1.86	16.68	29.13	0.2	156.2	274.9	454	2.5	35.7	22.6	939	3.73	11.7	0.3	5301.9	1.0	61
1885448	Drill Core	2.97	470	0.063	0.06	<0.17	30.07	1.0	109.1	1252.0	1446	3.8	16.4	20.3	1106	4.70	18.6	0.1	76.3	1.2	32
1885449	Drill Core	2.85	427	0.011	<0.01	<0.17	31.44	1.5	52.5	434.0	691	2.1	4.1	6.3	607	2.55	12.8	<0.1	6.7	1.7	21
1885450	Drill Core	2.21	410	0.383	0.39	0.43	27.98	1.2	195.0	2518.2	2818	10.9	4.1	7.6	803	3.53	24.8	0.1	402.7	1.8	53
1885451	Drill Core	3.48	375	0.532	0.63	2.04	24.98	0.2	198.8	191.6	446	1.4	51.1	28.9	1232	4.12	12.5	0.1	480.2	0.1	49
1885452	Drill Core	3.04	464	0.374	0.44	1.55	26.38	1.1	87.7	265.2	435	1.7	17.3	12.2	740	3.12	17.1	<0.1	993.9	1.3	49
1885453	Drill Core	2.82	461	0.050	0.05	<0.17	23.02	1.6	33.2	146.7	482	0.8	1.8	5.3	480	2.60	15.1	0.2	27.7	1.6	39
1885454	Drill Core	3.56	408	0.133	0.13	<0.17	25.38	1.4	49.3	331.8	704	1.4	36.0	20.6	999	4.33	33.6	1.0	160.2	1.7	237
1885455	Drill Core	4.11	429	0.012	0.01	<0.17	34.98	1.5	14.2	189.6	273	0.7	4.4	8.2	640	3.32	14.4	0.6	8.9	2.2	49
1885456	Drill Core	2.72	471	0.016	0.02	<0.17	33.29	1.1	5.1	196.7	151	0.4	6.6	8.5	672	3.06	10.1	0.4	8.1	3.3	28
1885457	Drill Core	2.97	481	0.017	0.02	<0.17	32.12	0.6	38.4	144.6	480	0.7	7.7	10.0	697	3.04	17.5	0.2	11.8	1.7	63
1885458	Drill Core	3.00	456	0.015	0.01	<0.17	24.64	0.8	11.4	74.3	193	0.3	1.4	4.2	1095	2.50	10.3	<0.1	24.2	1.7	107
1885459	Drill Core	2.66	442	0.042	0.05	0.23	30.17	1.3	72.6	162.8	915	0.8	2.1	4.4	583	2.46	24.8	<0.1	36.8	1.7	47
1885460	Core DUP		372	0.045	0.04	<0.17	30.90	1.4	74.5	166.4	957	0.8	2.1	4.6	588	2.51	26.6	<0.1	18.2	1.8	46
1885461	Drill Core	3.60	519	0.014	0.02	<0.17	34.48	1.2	114.2	241.3	732	1.7	2.0	4.1	654	2.65	9.4	0.4	7.0	2.4	144
1885462	Drill Core	3.09	508	0.014	0.01	<0.17	30.59	1.5	88.6	153.4	1348	1.1	2.1	4.0	730	2.91	17.3	0.2	9.7	2.2	57
1885463	Drill Core	2.96	472	0.026	0.02	<0.17	32.33	0.8	256.5	386.5	1455	2.1	2.0	3.8	731	2.65	13.5	0.4	35.3	3.0	79
1885464	Drill Core	3.06	515	0.294	0.28	<0.17	28.90	0.9	184.2	262.1	1724	2.9	2.3	4.2	723	2.66	18.3	0.1	283.0	1.0	113



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2012

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000531.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1885435	Drill Core	0.5	1.4	0.4	18	0.33	0.043	5	10	1.57	80	0.003	1	1.37	0.014	0.27	0.1	<0.01	3.6	0.1	1.58
1885436	Drill Core	1.4	0.4	0.4	148	3.57	0.012	1	500	5.31	164	0.007	2	4.29	0.020	0.06	<0.1	<0.01	29.9	<0.1	0.27
1885437	Drill Core	1.1	0.3	<0.1	95	5.46	0.015	<1	190	4.19	253	0.006	2	3.37	0.008	0.12	<0.1	<0.01	21.7	<0.1	0.18
1885438	Drill Core	3.0	0.3	0.1	98	5.27	0.014	<1	162	4.11	83	0.022	2	3.38	0.012	0.21	0.1	<0.01	22.0	0.1	0.75
1885439	Drill Core	1.8	<0.1	0.3	92	6.62	0.009	<1	399	3.85	589	0.016	<1	2.72	0.008	0.15	<0.1	<0.01	20.2	<0.1	0.27
1885440	Rock Pulp	<0.1	0.1	<0.1	22	0.76	0.038	6	15	0.50	62	0.076	2	1.04	0.080	0.09	0.2	<0.01	3.5	<0.1	<0.05
1885441	Drill Core	1.5	<0.1	<0.1	106	8.37	0.005	<1	981	4.05	793	0.012	<1	2.48	0.001	0.01	<0.1	<0.01	20.4	<0.1	<0.05
1885442	Drill Core	1.1	0.2	<0.1	68	4.47	0.010	2	184	3.09	322	0.009	<1	2.47	0.020	0.18	0.1	<0.01	15.4	0.1	0.37
1885443	Drill Core	1.7	0.2	0.7	64	2.21	0.012	<1	98	3.82	138	0.005	2	2.96	0.009	0.18	<0.1	<0.01	14.2	<0.1	1.07
1885444	Drill Core	1.8	<0.1	<0.1	64	4.80	0.013	<1	139	3.54	191	0.004	2	2.89	0.011	0.19	<0.1	<0.01	13.9	<0.1	0.66
1885445	Drill Core	1.3	0.1	<0.1	53	3.74	0.012	<1	97	3.43	105	0.004	1	2.81	0.009	0.22	<0.1	<0.01	9.5	<0.1	0.76
1885446	Drill Core	0.8	0.2	0.5	34	1.08	0.025	2	67	2.52	105	0.003	2	1.98	0.025	0.21	<0.1	<0.01	4.9	<0.1	1.32
1885447	Drill Core	1.6	1.4	0.9	29	0.70	0.018	1	44	2.85	96	0.008	2	1.85	0.014	0.27	<0.1	0.03	5.2	0.2	2.01
1885448	Drill Core	20.0	1.2	5.9	47	0.34	0.029	1	12	4.87	101	0.005	<1	3.41	0.004	0.17	<0.1	0.19	7.0	<0.1	1.98
1885449	Drill Core	7.7	0.6	2.6	15	0.27	0.033	3	3	2.07	118	0.003	1	1.50	0.004	0.23	0.6	0.08	2.1	<0.1	1.17
1885450	Drill Core	49.4	2.0	16.3	13	0.59	0.041	2	3	2.10	56	0.006	2	1.35	0.007	0.22	0.1	0.79	2.1	0.2	2.40
1885451	Drill Core	0.9	0.6	0.4	39	0.62	0.009	<1	69	3.43	119	0.006	<1	2.37	0.008	0.22	0.1	0.02	5.6	0.1	1.92
1885452	Drill Core	9.8	0.7	1.3	15	0.54	0.026	2	22	2.08	97	0.003	<1	1.40	0.007	0.21	0.1	0.04	2.6	0.2	1.84
1885453	Drill Core	5.1	1.1	1.1	4	0.43	0.038	3	2	1.13	56	0.003	1	0.77	0.007	0.26	0.2	0.03	1.1	0.1	1.81
1885454	Drill Core	13.5	3.3	1.4	63	1.60	0.073	8	47	3.04	55	0.061	1	2.09	0.106	0.34	<0.1	0.08	9.1	0.7	1.76
1885455	Drill Core	0.9	0.8	1.3	8	0.43	0.040	3	4	2.33	92	0.003	<1	1.59	0.008	0.27	0.1	<0.01	1.8	0.1	2.25
1885456	Drill Core	0.2	0.6	0.5	12	0.23	0.024	3	6	3.02	76	0.003	1	1.95	0.004	0.21	0.1	<0.01	2.7	0.1	1.72
1885457	Drill Core	3.7	1.4	0.6	10	0.46	0.024	2	4	2.26	66	0.003	1	1.32	0.008	0.24	<0.1	0.08	2.3	0.1	2.11
1885458	Drill Core	0.8	0.8	0.4	4	0.89	0.044	4	2	1.50	75	0.005	<1	0.91	0.021	0.23	0.1	0.02	1.5	0.1	1.76
1885459	Drill Core	7.3	2.1	0.9	3	0.30	0.038	4	2	1.28	74	0.004	1	0.87	0.016	0.27	0.1	0.18	1.3	0.1	1.74
1885460	Core DUP	8.0	2.1	0.8	3	0.30	0.038	4	2	1.30	78	0.004	<1	0.89	0.016	0.28	0.1	0.19	1.2	0.1	1.90
1885461	Drill Core	6.8	11.1	0.8	7	0.20	0.034	5	3	2.25	110	0.003	<1	1.39	0.008	0.27	0.3	0.14	2.1	<0.1	1.74
1885462	Drill Core	12.7	2.0	1.0	5	0.15	0.030	4	3	2.49	101	0.003	1	1.58	0.003	0.24	0.2	0.41	1.5	<0.1	1.72
1885463	Drill Core	12.5	3.0	1.5	4	0.38	0.036	4	3	1.68	102	0.003	<1	1.09	0.016	0.20	0.2	0.45	1.5	<0.1	1.97
1885464	Drill Core	16.1	2.4	0.8	4	0.74	0.016	2	2	1.10	118	0.003	<1	0.71	0.009	0.26	0.2	0.60	1.4	0.1	2.28



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000531.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1885435	Drill Core	4	1.1	<0.2
1885436	Drill Core	10	<0.5	<0.2
1885437	Drill Core	7	<0.5	<0.2
1885438	Drill Core	7	<0.5	<0.2
1885439	Drill Core	6	<0.5	<0.2
1885440	Rock Pulp	4	<0.5	<0.2
1885441	Drill Core	5	<0.5	<0.2
1885442	Drill Core	5	<0.5	<0.2
1885443	Drill Core	6	1.7	<0.2
1885444	Drill Core	5	0.8	<0.2
1885445	Drill Core	5	<0.5	<0.2
1885446	Drill Core	4	0.8	<0.2
1885447	Drill Core	4	1.7	<0.2
1885448	Drill Core	8	5.4	<0.2
1885449	Drill Core	3	2.3	<0.2
1885450	Drill Core	3	11.9	0.6
1885451	Drill Core	5	1.2	0.5
1885452	Drill Core	3	1.6	0.3
1885453	Drill Core	2	1.3	<0.2
1885454	Drill Core	5	2.3	<0.2
1885455	Drill Core	3	2.0	<0.2
1885456	Drill Core	4	1.5	<0.2
1885457	Drill Core	3	1.5	<0.2
1885458	Drill Core	2	<0.5	<0.2
1885459	Drill Core	2	1.3	<0.2
1885460	Core DUP	2	1.5	<0.2
1885461	Drill Core	4	1.3	<0.2
1885462	Drill Core	4	1.5	<0.2
1885463	Drill Core	2	2.3	<0.2
1885464	Drill Core	2	1.7	0.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000531.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1885465	Drill Core	2.78	538	0.113	0.11	<0.17	27.10	0.7	779.4	1339.9	3767	6.0	2.0	5.5	532	2.81	45.8	<0.1	95.5	1.3	68
1885466	Drill Core	2.72	525	0.026	0.02	<0.17	22.26	1.4	123.5	402.1	1338	0.9	2.1	4.6	546	2.76	21.9	<0.1	19.9	1.7	47
1885467	Drill Core	2.91	539	0.039	0.04	<0.17	32.62	1.2	745.0	1175.5	2380	3.4	2.3	5.5	458	2.97	23.5	<0.1	111.9	1.9	66
1885468	Drill Core	3.07	528	0.058	0.05	<0.17	27.66	1.8	477.5	1351.5	2534	5.1	2.6	4.9	667	3.08	18.8	<0.1	77.5	2.2	65
1885469	Drill Core	3.17	536	0.178	0.20	0.60	33.49	0.9	228.0	589.2	1074	3.0	1.9	4.1	597	2.40	28.3	<0.1	166.0	1.5	92
1885470	Drill Core	1.57	532	0.034	0.03	<0.17	37.76	0.8	613.1	1618.4	3219	5.1	1.6	3.8	1044	2.60	15.8	<0.1	32.5	1.4	104
1885471	Drill Core	2.62	467	0.073	0.07	<0.17	25.51	1.3	155.1	295.0	564	1.2	1.9	4.6	834	2.45	27.0	<0.1	86.7	2.0	110



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000531.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1885465	Drill Core	30.6	160.5	3.8	4	0.56	0.040	3	3	0.83	98	0.003	<1	0.68	0.017	0.29	0.1	1.54	1.4	0.1	2.49
1885466	Drill Core	11.4	1.4	0.9	5	0.39	0.044	4	3	1.22	82	0.003	<1	0.98	0.018	0.28	0.2	0.46	1.4	<0.1	2.20
1885467	Drill Core	19.6	4.2	3.1	4	0.36	0.044	4	3	1.00	75	0.003	<1	0.85	0.017	0.28	0.2	0.75	1.5	<0.1	2.77
1885468	Drill Core	23.3	3.9	3.3	4	0.52	0.045	4	3	1.42	89	0.003	<1	1.02	0.019	0.24	<0.1	0.54	1.4	<0.1	2.77
1885469	Drill Core	10.1	1.2	1.8	4	0.62	0.032	4	3	1.12	122	0.004	<1	0.85	0.009	0.28	0.2	0.26	1.4	<0.1	1.91
1885470	Drill Core	25.8	3.6	6.1	4	0.93	0.036	3	3	1.44	86	0.003	<1	0.92	0.029	0.20	0.1	0.85	1.5	<0.1	2.06
1885471	Drill Core	4.1	1.1	0.7	3	1.10	0.040	3	2	0.92	101	0.003	<1	0.73	0.023	0.25	0.1	0.11	1.3	<0.1	1.96



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000531.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1885465	Drill Core	2	7.4	0.3
1885466	Drill Core	2	1.7	<0.2
1885467	Drill Core	2	5.9	<0.2
1885468	Drill Core	3	6.2	0.3
1885469	Drill Core	2	3.1	0.6
1885470	Drill Core	2	6.7	<0.2
1885471	Drill Core	2	2.1	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 19, 2021

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI20000531.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																				
1885380 Rock	0.23	162	<0.005	<0.01	<0.17	33.00	0.3	1.0	1.1	3	<0.1	1.2	0.5	99	0.87	0.6	0.2	<0.5	1.3	1
REP 1885380 QC							0.3	1.0	1.1	3	<0.1	1.2	0.5	97	0.87	0.5	0.2	<0.5	1.3	1
1885393 Drill Core	2.17	416	0.007	<0.01	<0.17	34.50	0.3	26.7	31.7	119	0.1	3.7	3.1	253	0.64	2.7	2.8	2.6	14.7	8
REP 1885393 QC			0.006																	
1885410 Drill Core	2.29	508	0.039	0.05	0.20	30.14	0.2	29.7	30.9	295	0.1	6.6	12.3	1146	1.24	1.2	0.9	33.0	12.0	39
REP 1885410 QC			0.052																	
1885413 Drill Core	2.72	522	1.338	2.59	21.92	31.85	0.7	18.4	56.7	146	1.0	3.2	2.6	450	1.05	<0.5	1.4	3918.3	10.6	27
REP 1885413 QC							0.6	18.0	56.1	144	0.8	3.2	2.5	444	1.04	<0.5	1.4	2361.4	10.5	27
1885447 Drill Core	3.23	529	0.996	1.86	16.68	29.13	0.2	156.2	274.9	454	2.5	35.7	22.6	939	3.73	11.7	0.3	5301.9	1.0	61
REP 1885447 QC							0.2	157.2	273.4	459	2.1	35.3	22.2	940	3.75	12.3	0.3	2449.9	1.0	62
1885461 Drill Core	3.60	519	0.014	0.02	<0.17	34.48	1.2	114.2	241.3	732	1.7	2.0	4.1	654	2.65	9.4	0.4	7.0	2.4	144
REP 1885461 QC			0.012																	
Core Reject Duplicates																				
1885397 Drill Core	1.74	418	0.033	0.11	0.97	34.98	0.1	5.0	18.5	39	0.2	0.6	0.4	74	0.50	<0.5	1.2	43.1	11.2	4
DUP 1885397 QC		490	0.074	0.13	0.74	37.67	0.1	5.1	19.3	41	0.3	0.6	0.4	69	0.47	<0.5	1.2	52.0	11.9	5
1885431 Drill Core	2.81	545	0.028	0.06	0.83	24.01	1.4	65.6	345.3	685	0.7	12.5	11.3	764	3.29	16.9	0.3	22.1	2.2	43
DUP 1885431 QC		500	0.022	0.07	0.88	28.37	1.2	64.9	339.9	660	0.8	12.4	11.2	731	3.12	16.4	0.2	113.1	2.1	43
1885465 Drill Core	2.78	538	0.113	0.11	<0.17	27.10	0.7	779.4	1339.9	3767	6.0	2.0	5.5	532	2.81	45.8	<0.1	95.5	1.3	68
DUP 1885465 QC		515	0.112	0.11	<0.17	30.81	0.5	808.6	1364.0	3961	6.2	2.1	5.5	552	2.81	46.0	0.1	130.6	1.3	69
Reference Materials																				
STD BVGE001 Standard							10.7	4456.7	188.2	1734	2.5	163.4	25.3	696	3.76	122.7	3.9	226.4	15.1	60
STD DS11 Standard							15.4	150.3	138.9	354	1.7	81.1	13.8	1038	3.16	44.8	2.7	63.6	8.1	72
STD DS11 Standard							15.1	148.9	133.2	340	1.7	80.6	14.0	1013	3.15	41.5	2.5	62.6	7.4	66
STD OREAS262 Standard							0.7	111.1	56.2	149	0.5	61.5	27.1	521	3.22	35.3	1.2	64.5	9.3	36
STD OREAS262 Standard							0.6	111.9	56.7	152	0.5	62.7	27.7	521	3.29	36.2	1.2	63.8	9.5	37
STD OREAS262 Standard							0.7	119.7	56.4	153	0.5	66.5	28.9	532	3.40	36.0	1.2	56.3	9.0	36
STD OXB130 Standard			0.125																	
STD OXB130 Standard			0.122																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 19, 2012

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000531.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
1885380	Rock	<0.1	<0.1	<0.1	1	0.01	0.002	2	5	0.01	13	0.002	1	0.06	0.004	0.02	<0.1	<0.01	0.2	<0.1	<0.05
REP 1885380	QC	<0.1	<0.1	<0.1	1	0.01	0.002	2	5	0.01	13	0.002	1	0.06	0.004	0.02	<0.1	<0.01	0.2	<0.1	<0.05
1885393	Drill Core	1.2	0.1	0.1	<1	0.04	0.012	29	3	0.13	247	0.001	<1	0.53	0.015	0.33	0.1	<0.01	0.4	<0.1	<0.05
REP 1885393	QC																				
1885410	Drill Core	3.5	0.1	<0.1	3	0.35	0.033	24	5	0.39	252	0.003	<1	0.70	0.028	0.30	0.1	<0.01	1.9	0.1	0.06
REP 1885410	QC																				
1885413	Drill Core	2.2	0.8	0.4	2	0.18	0.007	16	5	0.37	592	0.002	<1	0.50	0.028	0.24	<0.1	0.01	1.1	<0.1	0.20
REP 1885413	QC	2.2	0.6	0.4	1	0.17	0.007	15	5	0.36	574	0.002	<1	0.46	0.023	0.22	0.1	<0.01	1.1	<0.1	0.21
1885447	Drill Core	1.6	1.4	0.9	29	0.70	0.018	1	44	2.85	96	0.008	2	1.85	0.014	0.27	<0.1	0.03	5.2	0.2	2.01
REP 1885447	QC	1.5	1.4	1.0	29	0.70	0.017	1	44	2.86	97	0.008	2	1.89	0.014	0.27	0.1	0.02	5.0	0.2	1.99
1885461	Drill Core	6.8	11.1	0.8	7	0.20	0.034	5	3	2.25	110	0.003	<1	1.39	0.008	0.27	0.3	0.14	2.1	<0.1	1.74
REP 1885461	QC																				
Core Reject Duplicates																					
1885397	Drill Core	0.4	<0.1	<0.1	<1	0.03	0.011	27	2	0.10	311	0.001	<1	0.38	0.033	0.31	<0.1	<0.01	0.6	<0.1	<0.05
DUP 1885397	QC	0.4	<0.1	<0.1	<1	0.03	0.012	29	2	0.11	350	0.001	<1	0.41	0.034	0.33	<0.1	<0.01	0.7	<0.1	<0.05
1885431	Drill Core	4.6	0.8	0.4	14	0.49	0.041	4	20	2.22	97	0.004	<1	1.63	0.021	0.26	0.2	0.11	3.4	<0.1	2.22
DUP 1885431	QC	4.9	0.8	0.4	12	0.47	0.038	3	18	2.07	111	0.003	<1	1.46	0.017	0.19	0.2	0.11	2.8	<0.1	2.07
1885465	Drill Core	30.6	160.5	3.8	4	0.56	0.040	3	3	0.83	98	0.003	<1	0.68	0.017	0.29	0.1	1.54	1.4	0.1	2.49
DUP 1885465	QC	31.2	162.2	4.1	3	0.59	0.041	3	2	0.83	102	0.003	1	0.64	0.014	0.26	0.1	1.59	1.4	0.1	2.56
Reference Materials																					
STD BVGE001	Standard	6.2	3.5	26.6	74	1.31	0.076	28	182	1.25	268	0.231	5	2.27	0.196	0.91	5.1	0.09	6.3	0.6	0.66
STD DS11	Standard	2.3	9.2	12.4	50	1.08	0.071	20	61	0.86	381	0.095	8	1.20	0.076	0.41	3.0	0.27	3.5	4.9	0.28
STD DS11	Standard	2.3	7.9	10.7	50	1.05	0.067	17	61	0.85	337	0.091	8	1.16	0.073	0.40	2.8	0.26	3.2	4.8	0.27
STD OREAS262	Standard	0.7	5.4	1.1	22	2.83	0.038	17	42	1.15	245	0.003	5	1.29	0.066	0.31	0.2	0.16	3.4	0.5	0.24
STD OREAS262	Standard	0.6	5.0	1.1	23	2.94	0.039	17	44	1.16	246	0.003	4	1.35	0.068	0.31	0.2	0.17	3.5	0.4	0.25
STD OREAS262	Standard	0.7	4.7	1.0	23	3.05	0.039	16	46	1.22	243	0.003	5	1.35	0.070	0.32	0.2	0.18	3.3	0.5	0.27
STD OXB130	Standard																				
STD OXB130	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000531.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
1885380	Rock	<1	<0.5	<0.2
REP 1885380	QC	<1	<0.5	<0.2
1885393	Drill Core	1	<0.5	<0.2
REP 1885393	QC			
1885410	Drill Core	2	<0.5	<0.2
REP 1885410	QC			
1885413	Drill Core	1	<0.5	0.2
REP 1885413	QC	1	<0.5	<0.2
1885447	Drill Core	4	1.7	<0.2
REP 1885447	QC	4	1.7	<0.2
1885461	Drill Core	4	1.3	<0.2
REP 1885461	QC			
Core Reject Duplicates				
1885397	Drill Core	1	<0.5	<0.2
DUP 1885397	QC	2	<0.5	<0.2
1885431	Drill Core	4	1.7	<0.2
DUP 1885431	QC	3	1.3	<0.2
1885465	Drill Core	2	7.4	0.3
DUP 1885465	QC	2	6.7	0.3
Reference Materials				
STD BVGE001	Standard	7	5.1	1.0
STD DS11	Standard	5	2.7	5.0
STD DS11	Standard	5	2.2	4.7
STD OREAS262	Standard	4	0.8	0.3
STD OREAS262	Standard	4	<0.5	0.3
STD OREAS262	Standard	4	0.5	0.2
STD OXB130	Standard			
STD OXB130	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000531.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
STD OXB130	Standard	0.123																				
STD OXB130	Standard	0.124																				
STD OXB130	Standard	0.121																				
STD OXG141	Standard	0.901																				
STD OXG141	Standard	0.919																				
STD OXG141	Standard	0.988																				
STD OXG141	Standard	0.955																				
STD OXG141	Standard	0.946																				
STD OXN155	Standard	7.713																				
STD OXN155	Standard	7.709																				
STD OXN155	Standard	7.656																				
STD OXN155	Standard	7.348																				
STD OXN155	Standard	7.516																				
STD OXP116	Standard					15.47	30.18															
STD OXP116	Standard					15.07	30.00															
STD OXP116	Standard					14.74	29.72															
STD OXP154	Standard					15.47	30.00															
STD OXP154	Standard					15.43	29.94															
STD OXP154	Standard					15.38	29.85															
STD OXP116 Expected						14.92																
STD OXP154 Expected						15.26																
STD BVGEO01 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55	
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank	0.006																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000531.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP116 Expected																					
STD OXP154 Expected																					
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000531.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP116 Expected				
STD OXP154 Expected				
STD BVGEO01 Expected		7.37	4.84	1.02
STD DS11 Expected		5.1	2.2	4.56
STD OREAS262 Expected		4.1	0.4	0.23
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000531.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
BLK	Blank							<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		425	<0.005	<0.01	<0.17	38.23	0.6	1.3	1.1	24	<0.1	0.8	3.3	394	1.72	0.8	0.4	0.6	2.4	20
ROCK-WHI	Prep Blank		445	<0.005	<0.01	<0.17	27.58	0.7	1.8	1.0	25	<0.1	0.8	3.4	433	1.90	0.9	0.4	<0.5	2.3	24



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000531.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	20	0.56	0.034	6	3	0.38	52	0.073	3	0.80	0.085	0.09	<0.1	<0.01	2.2	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.60	0.037	7	4	0.41	55	0.077	3	0.88	0.098	0.10	<0.1	<0.01	2.4	<0.1	<0.05



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 19, 2021

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000531.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2