



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 06, 2020
Analysis Start: January 08, 2021
Report Date: February 04, 2021
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI20000537.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-28
P.O. Number
Number of Samples: 88

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	85	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	2	Sort, label and box pulps			WHI
FS631	88	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	88	Analysis sample split/packet			WHI
Split -150	88	Analysis sample split/packet			WHI
FS631	86	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	88	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	88	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000537.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
1887829	Drill Core	2.34	433	0.247	0.49	3.97	27.74	0.4	20.2	16.1	50	0.4	4.5	2.7	223	1.37	2.3	1.8	231.2	7.6	13
1887830	Drill Core	2.60	507	0.025	0.02	<0.17	28.98	0.2	33.3	7.7	35	0.3	3.8	1.8	112	1.38	1.4	1.0	15.7	8.6	19
1887831	Drill Core	2.87	515	0.006	0.02	<0.17	39.96	0.4	16.4	7.0	49	0.2	5.6	2.1	128	1.33	3.4	1.4	2.6	11.9	16
1887832	Drill Core	2.01	434	0.006	<0.01	<0.17	28.82	1.0	17.4	6.7	50	0.2	6.8	3.6	187	1.54	4.7	1.5	9.9	8.2	22
1887833	Drill Core	1.63	489	4.617	6.23	31.16	29.65	0.3	19.3	4.1	34	1.8	3.0	1.1	129	1.71	2.5	2.3	4605.7	7.9	31
1887834	Drill Core	0.89	427	5.931	8.91	65.65	21.28	0.3	28.0	5.1	41	6.1	4.7	2.8	96	2.06	1.4	1.7	6362.9	5.9	42
1887835	Drill Core	2.21	452	1.226	2.02	12.24	32.43	0.4	15.9	4.1	43	0.7	8.3	7.9	509	1.67	2.1	1.3	1180.3	8.5	19
1887836	Drill Core	2.16	461	0.013	0.01	<0.17	28.28	1.9	13.5	10.3	17	0.2	5.4	4.0	177	1.97	1.2	1.7	9.9	7.6	40
1887837	Drill Core	2.08	406	0.015	0.01	<0.17	26.74	1.5	12.1	7.6	54	0.2	7.8	8.2	933	1.94	4.0	1.0	11.4	8.0	45
1887838	Drill Core	2.93	445	0.012	0.01	<0.17	27.55	0.9	12.7	11.5	51	0.2	8.9	9.1	660	2.06	1.5	1.0	9.3	8.4	43
1887839	Drill Core	2.48	485	0.183	0.17	<0.17	35.44	2.0	17.3	8.5	33	0.2	8.2	5.3	329	2.17	1.6	1.0	150.7	7.9	24
1887840	Rock Pulp	0.12	79	0.005				4.1	21.9	0.9	32	<0.1	7.4	4.3	578	2.39	1.6	0.4	1.7	2.0	31
1887841	Drill Core	2.98	502	0.025	0.02	<0.17	36.22	0.5	17.3	4.0	84	0.2	16.2	11.9	898	1.87	2.3	0.7	33.3	7.7	21
1887842	Drill Core	2.80	449	0.269	0.28	0.40	27.53	1.6	21.8	6.7	69	0.7	7.2	2.8	107	2.81	135.2	1.6	285.5	7.1	18
1887843	Drill Core	2.10	427	9.751	12.25	46.95	28.69	0.5	24.0	6.0	72	4.5	5.7	3.2	90	3.89	30.5	0.7	9650.5	6.6	52
1887844	Drill Core	2.56	488	1.478	1.69	4.99	28.85	0.4	24.1	4.1	88	0.8	12.1	6.0	145	2.09	11.4	0.8	1028.8	7.8	13
1887845	Drill Core	2.69	462	0.102	0.09	<0.17	33.93	0.4	18.4	4.8	101	0.6	10.9	4.7	153	1.94	25.2	0.6	69.9	7.8	6
1887846	Drill Core	2.53	530	2.412	5.04	46.72	31.44	0.3	27.2	4.8	58	2.0	5.2	2.2	80	1.90	6.9	0.9	3381.6	7.8	43
1887847	Drill Core	3.02	462	0.432	0.48	1.13	33.51	3.4	25.7	62.8	63	0.9	4.5	1.5	99	1.73	8.6	0.8	439.3	7.7	23
1887848	Drill Core	2.83	472	0.220	0.36	2.09	34.40	0.4	24.1	4.1	131	0.4	11.3	3.7	151	1.90	15.9	1.0	234.8	8.1	14
1887849	Drill Core	1.61	506	2.884	3.38	11.43	29.48	0.3	22.7	4.5	53	1.4	5.2	1.5	84	1.93	11.8	1.1	2938.8	7.9	26
1887850	Drill Core	1.55	382	3.469	9.53	98.00	24.47	0.4	9.5	3.9	15	2.7	1.3	0.5	39	1.77	3.2	0.5	13323.5	6.0	20
1887851	Drill Core	2.35	504	1.425	1.62	4.86	29.23	0.3	28.8	4.9	109	0.9	12.4	9.0	444	1.82	4.9	1.0	1372.9	8.7	19
1887852	Drill Core	2.70	475	0.099	0.11	0.24	29.65	0.3	15.5	6.4	87	0.3	4.8	2.0	91	1.97	14.9	1.3	103.7	9.4	10
1887853	Drill Core	2.56	451	0.864	1.06	3.50	32.84	0.3	21.0	3.5	98	0.7	4.3	1.6	107	1.75	22.3	1.2	788.1	7.5	13
1887854	Drill Core	2.79	488	0.223	0.42	3.24	32.38	0.6	12.0	17.0	45	0.4	1.6	0.5	60	1.27	17.3	1.8	176.7	9.0	32
1887855	Drill Core	2.76	454	0.026	0.02	<0.17	35.20	0.4	13.1	66.4	46	0.5	2.1	1.2	84	1.32	17.2	1.3	22.7	9.2	26
1887856	Drill Core	2.40	445	0.015	0.01	<0.17	34.77	6.7	11.7	11.5	121	0.2	12.5	14.0	843	1.41	12.1	0.9	15.1	9.4	44
1887857	Drill Core	1.73	431	0.018	0.02	<0.17	30.40	0.6	15.6	15.7	62	0.3	5.3	3.2	76	1.95	25.6	1.0	22.9	9.5	9
1887858	Drill Core	1.85	406	1.271	1.74	8.43	26.46	0.5	14.5	13.9	59	1.3	4.2	2.5	63	1.86	9.3	0.9	4742.9	8.7	12



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000537.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1887829	Drill Core	0.3	0.4	<0.1	5	0.10	0.052	15	7	0.21	306	0.005	2	0.64	0.022	0.29	0.2	<0.01	1.4	0.1	<0.05
1887830	Drill Core	0.2	0.7	<0.1	5	0.08	0.039	16	7	0.13	591	0.002	1	0.48	0.030	0.26	0.2	0.02	1.0	<0.1	0.07
1887831	Drill Core	0.2	0.5	<0.1	6	0.13	0.058	21	10	0.22	297	0.011	2	0.64	0.034	0.30	0.4	<0.01	1.8	<0.1	<0.05
1887832	Drill Core	0.3	0.7	<0.1	6	0.13	0.048	16	9	0.25	305	0.015	2	0.73	0.035	0.31	0.4	0.01	1.5	0.1	0.10
1887833	Drill Core	0.2	0.7	<0.1	6	0.07	0.056	17	9	0.23	290	0.013	1	0.58	0.036	0.29	0.4	0.01	1.9	0.1	0.13
1887834	Drill Core	0.1	0.6	<0.1	5	0.05	0.055	11	10	0.17	903	0.009	<1	0.37	0.047	0.19	0.3	0.02	1.8	<0.1	0.12
1887835	Drill Core	0.6	0.7	<0.1	7	0.13	0.055	15	9	0.28	355	0.010	<1	0.65	0.033	0.32	0.3	0.01	1.6	0.1	0.07
1887836	Drill Core	0.2	0.3	0.1	4	0.04	0.059	12	6	0.06	447	0.003	<1	0.41	0.055	0.30	0.1	<0.01	1.1	<0.1	0.23
1887837	Drill Core	0.9	0.7	0.1	8	1.41	0.046	10	11	0.45	241	0.016	<1	0.74	0.031	0.35	0.3	<0.01	2.0	0.1	0.47
1887838	Drill Core	0.6	0.6	0.2	10	1.29	0.048	10	12	0.47	176	0.009	<1	0.80	0.036	0.37	0.2	<0.01	2.5	0.1	0.66
1887839	Drill Core	0.3	0.4	0.1	7	0.50	0.062	11	9	0.21	234	0.004	<1	0.60	0.047	0.33	0.2	<0.01	1.4	0.1	0.56
1887840	Rock Pulp	<0.1	0.1	<0.1	22	0.79	0.039	5	15	0.51	55	0.077	2	1.10	0.086	0.09	0.2	<0.01	2.5	<0.1	<0.05
1887841	Drill Core	1.7	0.4	<0.1	10	0.66	0.061	13	11	0.44	316	0.004	<1	0.86	0.034	0.32	0.1	<0.01	1.8	0.1	0.26
1887842	Drill Core	0.2	1.1	<0.1	17	0.06	0.063	16	11	0.20	861	0.002	<1	0.91	0.031	0.27	0.3	<0.01	2.4	0.1	0.11
1887843	Drill Core	0.2	0.6	<0.1	25	0.03	0.052	15	14	0.22	265	0.007	<1	0.92	0.053	0.32	0.4	0.01	4.0	0.1	0.22
1887844	Drill Core	0.4	0.5	<0.1	9	0.11	0.062	17	11	0.37	152	0.003	<1	0.94	0.025	0.27	0.2	<0.01	1.8	<0.1	0.08
1887845	Drill Core	0.7	0.7	<0.1	10	0.14	0.058	20	14	0.43	189	0.002	<1	1.00	0.024	0.27	0.2	<0.01	1.8	0.1	0.07
1887846	Drill Core	0.2	0.3	<0.1	7	0.08	0.071	17	11	0.23	204	0.001	<1	0.70	0.021	0.32	<0.1	0.01	1.6	0.1	0.13
1887847	Drill Core	0.2	0.3	0.1	6	0.06	0.055	19	13	0.26	460	0.002	<1	0.67	0.030	0.31	0.2	0.01	1.3	0.1	0.16
1887848	Drill Core	0.5	0.6	<0.1	7	0.11	0.061	19	12	0.50	310	0.004	<1	1.01	0.027	0.33	0.2	<0.01	1.6	0.2	0.06
1887849	Drill Core	0.5	0.3	<0.1	8	0.06	0.059	17	10	0.26	260	0.003	<1	0.71	0.032	0.33	0.2	<0.01	1.7	0.1	0.18
1887850	Drill Core	<0.1	0.3	<0.1	5	<0.01	0.028	15	7	0.04	611	0.004	<1	0.30	0.046	0.29	0.1	<0.01	1.0	<0.1	0.18
1887851	Drill Core	2.8	0.4	<0.1	7	0.29	0.058	15	12	0.38	302	0.003	<1	0.77	0.032	0.34	0.1	<0.01	1.6	0.1	0.47
1887852	Drill Core	0.4	0.8	0.1	7	0.05	0.052	19	14	0.31	185	0.003	<1	0.76	0.038	0.28	0.1	0.01	1.7	0.1	0.12
1887853	Drill Core	0.2	1.0	<0.1	7	0.02	0.035	14	12	0.21	153	0.001	<1	0.56	0.034	0.20	0.1	<0.01	1.5	<0.1	0.07
1887854	Drill Core	0.2	0.5	<0.1	6	0.03	0.037	19	11	0.09	272	0.001	<1	0.46	0.034	0.26	0.2	<0.01	1.4	0.1	0.11
1887855	Drill Core	0.3	0.4	<0.1	5	0.06	0.040	16	8	0.08	487	0.002	<1	0.42	0.039	0.32	0.1	<0.01	1.3	0.1	0.23
1887856	Drill Core	2.9	0.5	<0.1	6	1.18	0.047	15	10	0.24	130	0.002	<1	0.57	0.039	0.31	0.1	<0.01	1.8	<0.1	0.81
1887857	Drill Core	0.5	0.5	<0.1	7	0.11	0.049	14	12	0.12	164	0.003	<1	0.49	0.047	0.30	0.2	0.01	1.9	0.1	0.75
1887858	Drill Core	0.3	0.5	<0.1	5	0.06	0.040	12	9	0.13	111	0.004	<1	0.43	0.040	0.26	0.2	<0.01	1.6	<0.1	0.76



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000537.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887829	Drill Core	2	<0.5	<0.2
1887830	Drill Core	2	<0.5	<0.2
1887831	Drill Core	2	<0.5	<0.2
1887832	Drill Core	2	<0.5	<0.2
1887833	Drill Core	2	<0.5	0.4
1887834	Drill Core	2	0.5	3.2
1887835	Drill Core	2	<0.5	<0.2
1887836	Drill Core	1	<0.5	<0.2
1887837	Drill Core	2	<0.5	<0.2
1887838	Drill Core	2	1.1	<0.2
1887839	Drill Core	2	<0.5	<0.2
1887840	Rock Pulp	4	<0.5	<0.2
1887841	Drill Core	2	<0.5	<0.2
1887842	Drill Core	3	0.8	<0.2
1887843	Drill Core	3	1.3	1.4
1887844	Drill Core	3	0.8	<0.2
1887845	Drill Core	3	0.7	<0.2
1887846	Drill Core	3	0.7	0.4
1887847	Drill Core	2	0.7	<0.2
1887848	Drill Core	3	<0.5	<0.2
1887849	Drill Core	3	0.6	0.3
1887850	Drill Core	2	0.8	0.3
1887851	Drill Core	3	<0.5	0.2
1887852	Drill Core	3	<0.5	<0.2
1887853	Drill Core	3	<0.5	<0.2
1887854	Drill Core	2	<0.5	<0.2
1887855	Drill Core	2	<0.5	<0.2
1887856	Drill Core	2	<0.5	<0.2
1887857	Drill Core	2	<0.5	<0.2
1887858	Drill Core	2	0.8	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000537.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
1887859	Drill Core	2.29	488	0.058	0.05	<0.17	33.65	0.3	12.4	39.2	52	0.4	4.1	1.8	53	1.93	11.3	0.9	51.4	9.8	33
1887860	Core DUP		371	0.142	0.15	0.21	33.64	0.3	12.4	35.1	49	0.5	4.2	1.6	60	1.99	10.4	0.8	94.4	8.7	30
1887861	Drill Core	1.58	542	1.546	2.64	20.84	30.66	0.2	6.8	11.8	23	1.4	1.0	0.3	35	1.98	6.4	0.3	2551.5	7.6	42
1887862	Drill Core	1.92	367	1.350	1.81	7.08	29.23	0.4	12.5	8.4	34	0.9	1.9	1.0	54	2.31	4.9	0.6	2029.7	9.5	36
1887863	Drill Core	1.69	425	0.014	0.01	<0.17	34.11	0.3	22.1	8.3	68	0.2	6.2	5.0	94	1.67	7.3	0.7	3.1	9.5	15
1887864	Drill Core	2.82	523	0.024	0.02	<0.17	31.97	0.2	12.9	6.2	90	0.2	7.5	6.2	300	1.66	12.9	0.7	3.6	9.1	25
1887865	Drill Core	2.99	493	<0.005	<0.01	<0.17	32.30	0.3	20.6	6.9	78	0.3	11.0	9.2	500	1.70	1.9	1.1	0.8	8.7	39
1887866	Drill Core	2.82	496	1.128	2.28	18.26	33.35	0.3	15.7	6.3	74	0.7	8.2	6.3	419	1.53	1.5	1.8	1556.3	8.4	53
1887867	Drill Core	2.07	409	0.049	0.04	<0.17	35.58	1.3	22.4	35.1	100	0.4	7.9	5.9	547	1.61	19.2	2.3	22.7	8.2	49
1887868	Drill Core	2.97	477	0.215	0.20	<0.17	31.09	0.6	19.9	10.7	79	0.3	10.4	8.6	460	1.87	5.4	1.0	89.2	8.1	36
1887869	Drill Core	2.15	415	0.891	1.08	3.33	32.78	1.1	71.2	8.7	55	2.3	12.5	7.5	572	1.75	2.8	1.0	816.4	6.2	65
1887870	Drill Core	1.71	399	0.178	0.24	1.05	28.67	0.3	29.0	5.3	77	0.7	9.6	9.1	615	2.21	2.9	0.7	248.1	5.5	46
1887871	Drill Core	2.22	401	0.044	0.07	0.31	31.83	2.0	16.4	12.9	129	0.3	10.7	9.5	656	1.91	1.5	0.8	22.7	7.6	30
1887872	Drill Core	3.71	409	0.019	0.03	0.20	30.22	2.7	29.8	13.5	62	0.6	13.2	9.7	459	2.15	1.8	0.9	20.0	6.7	22
1887873	Drill Core	2.50	482	0.043	0.04	<0.17	33.04	0.3	27.3	3.2	67	0.6	12.3	8.8	346	1.97	1.4	1.1	51.7	6.6	23
1887874	Drill Core	3.10	371	0.088	0.08	<0.17	31.01	3.1	22.3	15.9	61	0.4	10.8	8.9	695	2.11	2.3	1.4	50.0	7.2	52
1887875	Drill Core	3.11	472	0.006	<0.01	<0.17	30.31	1.0	53.4	163.3	287	0.8	11.4	8.4	666	2.18	51.2	1.2	7.2	6.7	28
1887876	Drill Core	1.50	396	0.482	0.46	<0.17	21.67	2.3	69.7	272.6	310	1.2	11.0	20.9	1329	2.06	29.1	3.7	367.9	9.1	8
1887877	Drill Core	1.31	359	7.058	20.28	192.68	25.56	0.5	27.7	34.2	176	6.1	6.3	3.9	218	1.66	3.3	2.0	22923.1	9.9	6
1887878	Drill Core	2.89	453	0.063	0.06	<0.17	35.61	0.8	20.3	23.9	98	0.3	9.8	6.6	293	1.43	5.4	2.0	27.9	9.2	14
1887879	Drill Core	2.81	444	<0.005	<0.01	<0.17	33.27	0.7	12.7	10.8	100	0.3	9.2	7.2	513	1.64	20.4	1.6	6.1	9.3	34
1887880	Rock	0.23	159	0.006	<0.01	<0.17	29.16	0.5	0.9	1.2	3	<0.1	1.5	0.5	104	1.05	0.9	0.2	3.3	1.2	1
1887881	Drill Core	3.13	489	0.055	0.05	<0.17	31.18	0.5	23.7	91.6	168	0.5	9.2	6.5	387	1.77	22.0	3.0	39.6	9.5	13
1887882	Drill Core	2.56	374	0.031	0.03	<0.17	32.92	0.3	26.2	137.0	158	0.8	6.7	4.9	526	1.62	41.2	2.9	26.4	8.7	27
1887883	Drill Core	2.99	456	0.188	0.18	<0.17	31.19	0.3	13.2	23.1	83	0.3	9.0	7.8	391	1.82	16.1	2.3	118.8	8.4	37
1887884	Drill Core	2.60	484	0.020	0.02	<0.17	33.22	1.0	20.1	22.7	99	0.5	10.3	9.2	364	2.16	10.0	1.2	7.6	7.9	39
1887885	Drill Core	1.62	375	0.135	0.12	<0.17	35.03	0.5	21.1	44.9	223	0.3	12.0	10.3	449	1.86	3.1	2.3	71.9	10.2	10
1887886	Drill Core	2.09	451	0.115	0.11	<0.17	33.59	0.4	19.7	62.3	153	0.3	6.4	6.0	388	1.42	2.7	1.7	133.8	9.7	15
1887887	Drill Core	1.87	526	0.104	0.10	<0.17	28.01	1.3	29.2	224.9	151	0.7	2.7	3.7	373	1.15	7.6	3.2	55.8	12.7	4
1887888	Drill Core	1.84	443	0.023	0.02	<0.17	26.21	1.4	37.7	461.7	207	0.8	4.6	3.4	249	2.18	20.3	7.0	17.3	9.3	13



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000537.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1887859	Drill Core	0.3	0.3	<0.1	6	0.03	0.051	14	10	0.08	170	0.002	<1	0.43	0.047	0.33	0.4	<0.01	1.8	0.1	0.69
1887860	Core DUP	0.3	0.3	<0.1	5	0.03	0.047	13	9	0.07	195	0.002	<1	0.41	0.046	0.31	0.3	<0.01	1.5	0.1	0.67
1887861	Drill Core	0.1	0.2	<0.1	5	<0.01	0.030	16	7	0.02	316	0.002	<1	0.25	0.092	0.27	0.2	0.01	1.1	<0.1	0.40
1887862	Drill Core	0.2	0.3	<0.1	7	0.02	0.041	14	9	0.04	138	0.003	2	0.31	0.069	0.35	0.2	0.02	1.9	0.1	0.73
1887863	Drill Core	0.5	0.5	0.1	8	0.14	0.055	15	11	0.25	216	0.008	2	0.67	0.057	0.32	0.3	0.02	2.1	0.1	0.55
1887864	Drill Core	1.7	0.7	<0.1	10	0.46	0.049	13	14	0.35	197	0.005	2	0.65	0.049	0.26	0.2	0.02	3.0	0.1	0.64
1887865	Drill Core	1.5	0.5	<0.1	7	1.12	0.057	10	10	0.47	180	0.005	2	0.69	0.038	0.32	0.3	<0.01	1.5	<0.1	0.78
1887866	Drill Core	0.7	0.3	<0.1	5	1.36	0.050	10	9	0.65	270	0.004	1	0.72	0.034	0.29	0.1	<0.01	1.3	<0.1	0.51
1887867	Drill Core	2.1	0.4	0.2	5	1.19	0.053	12	9	0.62	206	0.003	1	0.79	0.032	0.32	0.2	<0.01	1.1	<0.1	0.56
1887868	Drill Core	1.0	0.5	<0.1	10	0.94	0.064	10	12	0.51	185	0.022	1	0.77	0.040	0.35	0.4	<0.01	1.7	0.1	0.70
1887869	Drill Core	0.4	0.4	<0.1	6	1.47	0.056	8	10	0.57	137	0.011	1	0.64	0.037	0.28	0.3	<0.01	1.7	<0.1	0.93
1887870	Drill Core	0.4	0.5	<0.1	9	1.41	0.064	8	12	0.44	100	0.008	1	0.70	0.031	0.37	0.2	<0.01	1.9	<0.1	1.09
1887871	Drill Core	0.9	0.2	0.1	5	0.91	0.053	9	6	0.38	100	0.003	<1	0.68	0.026	0.34	0.3	<0.01	1.3	<0.1	0.90
1887872	Drill Core	1.0	0.5	<0.1	5	0.77	0.055	6	6	0.27	61	0.002	<1	0.58	0.025	0.34	0.2	<0.01	1.1	<0.1	1.46
1887873	Drill Core	1.6	0.2	<0.1	6	0.58	0.057	8	6	0.26	83	0.003	<1	0.62	0.026	0.37	0.2	<0.01	1.3	<0.1	1.29
1887874	Drill Core	0.8	0.2	0.2	6	1.81	0.057	7	8	0.54	73	0.008	<1	0.77	0.023	0.35	0.2	0.01	1.6	<0.1	1.35
1887875	Drill Core	3.4	0.9	<0.1	10	0.80	0.071	10	14	0.70	134	0.009	<1	1.00	0.021	0.31	0.3	0.03	1.7	<0.1	0.94
1887876	Drill Core	1.8	0.9	<0.1	6	0.12	0.052	21	11	0.42	300	0.004	<1	0.85	0.026	0.27	0.5	0.02	1.3	0.2	0.23
1887877	Drill Core	0.5	0.5	<0.1	5	0.11	0.052	19	9	0.43	279	0.013	<1	0.83	0.044	0.31	0.5	0.02	1.4	<0.1	<0.05
1887878	Drill Core	0.9	0.7	0.1	6	0.25	0.050	14	10	0.60	164	0.017	<1	0.89	0.035	0.29	0.5	0.01	1.3	<0.1	0.32
1887879	Drill Core	0.6	0.7	<0.1	6	0.87	0.048	14	11	0.51	155	0.006	<1	0.80	0.055	0.31	0.2	0.01	1.1	<0.1	0.78
1887880	Rock	<0.1	<0.1	<0.1	2	0.02	0.002	2	7	0.01	9	0.004	<1	0.05	0.002	0.01	<0.1	<0.01	0.2	<0.1	<0.05
1887881	Drill Core	2.1	0.8	0.1	6	0.34	0.047	15	11	0.49	152	0.003	<1	0.75	0.056	0.28	0.1	0.02	1.1	<0.1	0.89
1887882	Drill Core	2.1	1.0	<0.1	6	0.57	0.054	18	11	0.52	230	0.003	<1	0.81	0.045	0.28	0.1	0.01	1.1	0.1	0.52
1887883	Drill Core	1.8	0.4	<0.1	5	0.71	0.051	12	8	0.28	84	0.002	<1	0.63	0.073	0.34	0.1	<0.01	1.1	<0.1	1.29
1887884	Drill Core	2.7	0.8	0.1	9	0.73	0.063	12	11	0.31	67	0.003	<1	0.69	0.047	0.32	0.1	0.02	1.6	0.1	1.40
1887885	Drill Core	1.6	0.5	<0.1	8	0.14	0.046	14	23	0.62	392	0.002	<1	0.93	0.038	0.30	0.2	<0.01	1.6	0.1	0.31
1887886	Drill Core	1.4	0.4	<0.1	4	0.12	0.047	14	7	0.44	416	0.003	<1	0.78	0.049	0.30	0.2	<0.01	1.3	<0.1	0.27
1887887	Drill Core	0.4	0.7	<0.1	2	0.03	0.021	23	4	0.26	323	0.001	<1	0.60	0.036	0.27	0.5	<0.01	0.6	<0.1	<0.05
1887888	Drill Core	1.1	0.7	0.2	4	0.02	0.049	21	8	0.32	704	0.001	<1	0.68	0.026	0.26	0.1	0.02	0.9	0.1	0.09



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000537.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887859	Drill Core	2	1.1	<0.2
1887860	Core DUP	2	0.9	<0.2
1887861	Drill Core	1	0.9	0.3
1887862	Drill Core	2	1.2	<0.2
1887863	Drill Core	2	<0.5	<0.2
1887864	Drill Core	3	0.5	<0.2
1887865	Drill Core	2	0.6	<0.2
1887866	Drill Core	2	<0.5	<0.2
1887867	Drill Core	2	<0.5	<0.2
1887868	Drill Core	2	0.6	<0.2
1887869	Drill Core	2	0.6	0.9
1887870	Drill Core	2	0.5	<0.2
1887871	Drill Core	1	<0.5	<0.2
1887872	Drill Core	1	0.9	<0.2
1887873	Drill Core	1	0.9	<0.2
1887874	Drill Core	2	0.8	<0.2
1887875	Drill Core	3	0.7	<0.2
1887876	Drill Core	2	<0.5	<0.2
1887877	Drill Core	2	<0.5	0.3
1887878	Drill Core	2	<0.5	<0.2
1887879	Drill Core	3	<0.5	<0.2
1887880	Rock	<1	<0.5	<0.2
1887881	Drill Core	2	<0.5	<0.2
1887882	Drill Core	3	<0.5	<0.2
1887883	Drill Core	2	<0.5	<0.2
1887884	Drill Core	2	0.7	<0.2
1887885	Drill Core	2	<0.5	<0.2
1887886	Drill Core	2	<0.5	<0.2
1887887	Drill Core	2	<0.5	<0.2
1887888	Drill Core	2	0.9	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000537.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
1887889	Drill Core	2.18	521	0.025	0.02	<0.17	29.91	2.8	54.8	293.5	124	2.3	3.5	1.7	105	1.95	4.4	5.7	7.9	8.9	11
1887890	Drill Core	2.11	468	0.008	<0.01	<0.17	33.88	2.0	26.6	142.8	58	0.7	9.0	5.9	49	2.28	2.7	3.5	1.4	9.5	13
1887891	Drill Core	2.77	486	0.008	<0.01	<0.17	37.15	1.7	34.1	127.2	73	1.2	8.9	6.1	37	2.28	1.6	3.7	1.8	9.2	16
1887892	Drill Core	2.91	409	0.008	<0.01	<0.17	34.96	2.1	21.3	75.3	41	1.0	7.5	5.9	53	2.13	2.0	2.4	<0.5	9.1	18
1887893	Drill Core	2.71	517	0.008	<0.01	<0.17	34.80	1.3	21.0	34.1	129	0.4	9.5	7.2	150	1.55	2.1	2.3	<0.5	8.4	23
1887894	Drill Core	2.74	501	0.009	<0.01	<0.17	33.63	0.4	15.0	9.3	296	0.2	7.1	8.9	440	0.99	2.5	2.5	2.0	8.4	25
1887895	Drill Core	1.67	387	0.053	0.05	<0.17	26.75	0.6	20.0	10.9	43	0.2	5.2	5.0	82	0.92	1.8	2.0	14.0	7.9	23
1887896	Drill Core	1.85	492	0.012	0.01	<0.17	26.05	3.1	33.7	392.1	164	0.6	3.8	2.0	220	1.11	9.3	4.2	1.4	12.5	12
1887897	Drill Core	2.71	515	0.006	<0.01	<0.17	29.45	0.7	32.7	571.3	175	0.7	3.2	1.4	186	0.91	12.2	3.4	5.1	10.6	10
1887898	Drill Core	2.89	465	0.007	<0.01	<0.17	35.84	0.2	12.4	119.5	26	0.5	0.4	0.2	47	0.52	2.7	1.9	3.1	12.8	24
1887899	Drill Core	2.40	446	0.007	<0.01	<0.17	38.54	0.7	11.6	57.5	26	0.8	0.5	0.1	60	0.50	1.3	1.5	3.2	14.2	8
1887900	Rock Pulp	0.12	78	7.076				9.8	188.3	18.4	77	0.9	14.2	11.6	556	4.79	13.8	0.8	6735.7	2.5	65
1887901	Drill Core	1.99	379	0.007	<0.01	<0.17	33.07	1.0	7.3	46.0	25	0.3	0.6	0.2	57	0.52	1.4	1.8	1.6	14.8	9
1887902	Drill Core	2.27	498	0.006	<0.01	<0.17	33.09	2.3	5.0	73.9	17	0.2	0.4	0.1	37	0.50	1.2	0.9	1.5	9.5	28
1887903	Drill Core	3.20	377	0.013	0.01	<0.17	34.04	3.1	17.1	170.9	42	1.0	0.6	0.4	49	0.91	2.2	2.0	8.1	13.9	9
1887904	Drill Core	2.81	463	0.007	<0.01	<0.17	35.96	2.8	16.2	78.9	57	0.2	0.8	0.4	91	0.55	2.7	4.0	3.1	15.6	2
1887905	Drill Core	2.58	493	0.027	0.02	<0.17	37.76	4.3	9.2	284.1	42	2.4	0.5	0.2	72	0.49	<0.5	3.2	18.4	14.1	12
1887906	Drill Core	2.94	449	0.010	<0.01	<0.17	32.16	1.2	9.9	62.4	40	0.3	0.5	0.2	88	0.48	0.8	2.7	5.1	12.8	8
1887907	Drill Core	2.41	440	0.026	0.02	<0.17	38.40	1.1	28.6	38.2	42	0.2	0.5	0.1	106	0.48	0.6	3.5	73.6	13.4	36
1887908	Drill Core	3.14	521	0.016	0.02	<0.17	38.91	0.5	11.1	91.1	72	0.4	0.6	0.3	83	0.45	<0.5	3.2	9.2	14.5	24
1887909	Drill Core	3.01	440	0.016	0.02	<0.17	27.16	4.6	19.1	110.2	42	0.9	0.6	0.2	52	0.51	0.8	4.3	11.7	13.9	2
1887910	Drill Core	3.09	544	0.005	<0.01	<0.17	37.13	34.0	6.4	86.0	44	0.2	0.6	0.6	103	0.44	1.3	2.9	1.2	16.2	5
1887911	Drill Core	2.90	446	0.006	<0.01	<0.17	37.14	0.9	5.5	49.8	50	0.1	0.7	0.3	72	0.45	0.8	3.2	1.4	16.6	6
1887912	Drill Core	3.14	445	<0.005	<0.01	<0.17	37.79	1.1	2.9	40.5	35	0.1	0.5	0.2	53	0.41	0.6	3.1	1.1	16.5	22
1887913	Drill Core	3.15	426	<0.005	<0.01	<0.17	38.63	0.5	2.5	31.1	44	0.1	0.7	0.3	84	0.47	1.1	3.2	0.5	15.9	16
1887914	Drill Core	1.60	475	<0.005	<0.01	<0.17	37.44	0.6	2.9	20.9	23	0.1	0.5	0.2	55	0.37	1.4	3.8	0.6	17.1	12
1887915	Drill Core	2.06	426	0.030	0.03	<0.17	35.93	0.7	11.1	62.4	52	0.3	0.7	1.8	96	0.43	5.7	3.1	24.4	15.9	6
1887916	Drill Core	2.70	515	0.009	<0.01	<0.17	30.46	0.7	20.1	7.4	57	0.2	5.9	2.7	164	1.46	2.1	1.5	5.3	8.9	15



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000537.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1887889	Drill Core	0.4	0.9	0.1	3	0.01	0.040	18	5	0.16	365	0.001	<1	0.50	0.025	0.25	<0.1	0.03	0.6	<0.1	0.37
1887890	Drill Core	5.6	0.5	<0.1	2	0.03	0.034	15	7	0.05	39	0.002	<1	0.42	0.035	0.26	<0.1	<0.01	0.5	<0.1	1.82
1887891	Drill Core	0.8	0.8	<0.1	3	0.04	0.036	12	5	0.03	30	0.002	<1	0.41	0.048	0.25	<0.1	<0.01	0.5	<0.1	2.07
1887892	Drill Core	7.9	0.6	0.2	2	0.08	0.040	9	5	0.05	35	0.002	<1	0.48	0.022	0.33	<0.1	<0.01	0.5	<0.1	1.88
1887893	Drill Core	4.5	0.3	0.4	4	0.22	0.047	10	6	0.06	59	0.002	<1	0.46	0.053	0.32	<0.1	<0.01	0.8	<0.1	1.29
1887894	Drill Core	5.1	0.3	<0.1	4	0.39	0.047	11	6	0.18	275	0.003	<1	0.62	0.049	0.38	0.1	<0.01	1.0	0.1	0.47
1887895	Drill Core	1.9	0.3	<0.1	3	0.09	0.043	12	5	0.15	296	0.002	<1	0.47	0.037	0.28	<0.1	<0.01	0.6	<0.1	0.48
1887896	Drill Core	0.4	0.7	0.1	2	0.05	0.018	24	5	0.51	697	0.002	<1	0.81	0.007	0.30	1.0	<0.01	0.7	0.1	0.07
1887897	Drill Core	0.2	0.5	<0.1	2	0.04	0.021	21	5	0.39	969	0.001	2	0.65	0.006	0.29	0.1	0.02	0.6	0.1	<0.05
1887898	Drill Core	<0.1	0.3	<0.1	<1	<0.01	0.004	21	2	0.06	1292	<0.001	1	0.31	0.031	0.22	<0.1	0.01	0.4	<0.1	<0.05
1887899	Drill Core	<0.1	0.4	<0.1	<1	<0.01	0.003	21	2	0.08	840	<0.001	1	0.33	0.022	0.23	0.1	0.01	0.3	<0.1	<0.05
1887900	Rock Pulp	0.2	5.5	0.5	108	0.87	0.063	7	19	0.87	116	0.109	3	1.69	0.179	0.23	3.9	0.22	3.1	<0.1	<0.05
1887901	Drill Core	<0.1	0.2	<0.1	<1	<0.01	0.002	18	3	0.10	675	<0.001	1	0.34	0.012	0.26	0.2	<0.01	0.4	<0.1	<0.05
1887902	Drill Core	<0.1	0.2	<0.1	<1	<0.01	0.002	13	2	0.05	1595	<0.001	1	0.28	0.021	0.22	0.1	<0.01	0.2	<0.1	0.07
1887903	Drill Core	<0.1	0.3	<0.1	<1	0.01	0.003	21	3	0.06	1340	<0.001	<1	0.35	0.018	0.25	0.1	<0.01	0.3	<0.1	<0.05
1887904	Drill Core	<0.1	0.4	<0.1	<1	0.02	0.005	39	3	0.17	110	<0.001	1	0.42	0.009	0.23	0.2	<0.01	0.3	<0.1	<0.05
1887905	Drill Core	0.2	0.6	1.1	<1	<0.01	0.002	21	3	0.10	813	<0.001	<1	0.33	0.020	0.24	0.1	<0.01	0.3	<0.1	0.10
1887906	Drill Core	<0.1	0.4	<0.1	<1	<0.01	0.003	27	3	0.13	624	<0.001	<1	0.34	0.019	0.24	0.1	<0.01	0.3	<0.1	<0.05
1887907	Drill Core	1.0	1.5	<0.1	<1	0.16	0.002	27	3	0.19	1054	<0.001	1	0.39	0.019	0.27	0.1	<0.01	0.5	<0.1	0.11
1887908	Drill Core	0.2	0.3	0.2	<1	0.02	0.003	29	3	0.16	1039	<0.001	1	0.38	0.017	0.25	<0.1	0.02	0.4	<0.1	0.08
1887909	Drill Core	<0.1	0.6	0.2	<1	0.02	0.003	33	3	0.06	170	<0.001	2	0.28	0.010	0.20	<0.1	0.02	0.2	<0.1	<0.05
1887910	Drill Core	<0.1	1.1	0.1	<1	0.01	0.001	28	3	0.10	291	<0.001	1	0.30	0.011	0.23	0.3	0.02	0.3	<0.1	<0.05
1887911	Drill Core	<0.1	0.2	<0.1	<1	0.02	0.001	29	3	0.14	369	<0.001	1	0.35	0.012	0.23	0.5	0.01	0.3	<0.1	<0.05
1887912	Drill Core	0.1	0.2	0.1	<1	0.03	0.001	34	3	0.11	980	<0.001	1	0.34	0.019	0.24	0.4	0.02	0.4	<0.1	<0.05
1887913	Drill Core	0.2	0.3	<0.1	<1	0.08	<0.001	41	4	0.16	638	<0.001	1	0.36	0.012	0.25	0.4	0.02	0.4	<0.1	<0.05
1887914	Drill Core	0.2	0.2	<0.1	<1	0.01	<0.001	27	3	0.08	763	<0.001	<1	0.29	0.014	0.24	0.3	<0.01	0.3	<0.1	<0.05
1887915	Drill Core	0.2	0.3	<0.1	<1	0.01	0.003	30	3	0.11	532	<0.001	1	0.30	0.014	0.20	0.5	<0.01	0.3	<0.1	<0.05
1887916	Drill Core	0.2	0.5	<0.1	5	0.11	0.045	20	9	0.19	304	0.004	<1	0.64	0.025	0.24	0.3	<0.01	1.4	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000537.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887889	Drill Core	1	2.4	<0.2
1887890	Drill Core	<1	1.3	<0.2
1887891	Drill Core	<1	<0.5	<0.2
1887892	Drill Core	<1	<0.5	<0.2
1887893	Drill Core	1	0.9	<0.2
1887894	Drill Core	1	<0.5	<0.2
1887895	Drill Core	1	<0.5	<0.2
1887896	Drill Core	2	0.6	<0.2
1887897	Drill Core	1	<0.5	<0.2
1887898	Drill Core	<1	<0.5	<0.2
1887899	Drill Core	<1	<0.5	<0.2
1887900	Rock Pulp	5	<0.5	<0.2
1887901	Drill Core	<1	<0.5	<0.2
1887902	Drill Core	<1	<0.5	<0.2
1887903	Drill Core	<1	<0.5	<0.2
1887904	Drill Core	<1	<0.5	<0.2
1887905	Drill Core	<1	1.3	0.3
1887906	Drill Core	<1	<0.5	<0.2
1887907	Drill Core	<1	<0.5	<0.2
1887908	Drill Core	<1	<0.5	<0.2
1887909	Drill Core	<1	<0.5	<0.2
1887910	Drill Core	<1	<0.5	<0.2
1887911	Drill Core	<1	<0.5	<0.2
1887912	Drill Core	<1	<0.5	<0.2
1887913	Drill Core	<1	<0.5	<0.2
1887914	Drill Core	<1	<0.5	<0.2
1887915	Drill Core	<1	<0.5	<0.2
1887916	Drill Core	2	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000537.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
Pulp Duplicates																					
1887858	Drill Core	1.85	406	1.271	1.74	8.43	26.46	0.5	14.5	13.9	59	1.3	4.2	2.5	63	1.86	9.3	0.9	4742.9	8.7	12
REP 1887858	QC							0.5	14.9	13.9	60	0.8	4.3	2.5	64	1.86	8.7	1.0	1209.3	8.7	12
1887882	Drill Core	2.56	374	0.031	0.03	<0.17	32.92	0.3	26.2	137.0	158	0.8	6.7	4.9	526	1.62	41.2	2.9	26.4	8.7	27
REP 1887882	QC			0.029																	
1887893	Drill Core	2.71	517	0.008	<0.01	<0.17	34.80	1.3	21.0	34.1	129	0.4	9.5	7.2	150	1.55	2.1	2.3	<0.5	8.4	23
REP 1887893	QC							1.4	21.2	34.6	133	0.4	9.7	7.3	150	1.55	2.2	2.3	<0.5	8.4	24
1887914	Drill Core	1.60	475	<0.005	<0.01	<0.17	37.44	0.6	2.9	20.9	23	0.1	0.5	0.2	55	0.37	1.4	3.8	0.6	17.1	12
REP 1887914	QC							0.6	2.9	21.3	23	0.1	0.5	0.2	54	0.38	1.5	3.8	1.0	17.4	12
Core Reject Duplicates																					
1887853	Drill Core	2.56	451	0.864	1.06	3.50	32.84	0.3	21.0	3.5	98	0.7	4.3	1.6	107	1.75	22.3	1.2	788.1	7.5	13
DUP 1887853	QC		438	0.711	1.51	14.13	25.91	0.4	20.4	3.7	95	0.6	4.4	1.6	107	1.76	21.1	1.3	778.4	8.3	13
1887887	Drill Core	1.87	526	0.104	0.10	<0.17	28.01	1.3	29.2	224.9	151	0.7	2.7	3.7	373	1.15	7.6	3.2	55.8	12.7	4
DUP 1887887	QC		449	0.095	0.09	<0.17	29.59	1.3	29.6	232.9	157	0.7	2.9	3.8	386	1.26	7.6	3.3	84.1	13.0	5
Reference Materials																					
STD BVGE001	Standard							11.3	4535.3	184.6	1746	2.8	162.4	26.2	762	3.87	121.3	3.7	212.5	13.8	59
STD DS11	Standard							14.7	148.6	133.2	340	1.8	79.7	13.9	1055	3.17	42.6	2.4	126.3	7.2	66
STD DS11	Standard							14.2	147.0	128.3	329	1.8	80.0	14.0	998	3.06	41.2	2.3	72.1	7.1	61
STD DS11	Standard							16.0	147.6	145.0	356	1.8	86.4	14.6	1045	3.15	47.4	3.0	71.0	8.6	72
STD OREAS262	Standard							0.7	118.7	56.3	151	0.5	65.7	28.0	557	3.37	35.8	1.2	60.8	9.0	36
STD OREAS262	Standard							0.7	119.8	55.4	153	0.5	67.3	28.6	575	3.42	37.9	1.2	52.9	8.9	37
STD OREAS262	Standard							0.7	110.7	52.0	143	0.5	64.9	27.7	518	3.20	33.2	1.1	51.9	8.2	32
STD OREAS262	Standard							0.7	118.2	62.8	154	0.5	67.7	29.3	546	3.26	39.6	1.4	59.6	10.4	38
STD OXB130	Standard			0.121																	
STD OXB130	Standard			0.121																	
STD OXB130	Standard			0.120																	
STD OXB130	Standard			0.127																	
STD OXG141	Standard			0.893																	
STD OXG141	Standard			0.908																	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: February 04, 2021

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000537.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
1887858	Drill Core	0.3	0.5	<0.1	5	0.06	0.040	12	9	0.13	111	0.004	<1	0.43	0.040	0.26	0.2	<0.01	1.6	<0.1	0.76
REP 1887858	QC	0.3	0.5	<0.1	5	0.06	0.041	12	10	0.13	118	0.004	<1	0.44	0.041	0.26	0.2	<0.01	1.6	<0.1	0.76
1887882	Drill Core	2.1	1.0	<0.1	6	0.57	0.054	18	11	0.52	230	0.003	<1	0.81	0.045	0.28	0.1	0.01	1.1	0.1	0.52
REP 1887882	QC																				
1887893	Drill Core	4.5	0.3	0.4	4	0.22	0.047	10	6	0.06	59	0.002	<1	0.46	0.053	0.32	<0.1	<0.01	0.8	<0.1	1.29
REP 1887893	QC	4.6	0.2	0.4	3	0.22	0.048	10	6	0.06	54	0.002	<1	0.47	0.053	0.32	<0.1	<0.01	0.8	<0.1	1.27
1887914	Drill Core	0.2	0.2	<0.1	<1	0.01	<0.001	27	3	0.08	763	<0.001	<1	0.29	0.014	0.24	0.3	<0.01	0.3	<0.1	<0.05
REP 1887914	QC	0.2	0.2	<0.1	<1	<0.01	<0.001	27	3	0.08	755	<0.001	<1	0.31	0.015	0.25	0.3	0.01	0.3	<0.1	<0.05
Core Reject Duplicates																					
1887853	Drill Core	0.2	1.0	<0.1	7	0.02	0.035	14	12	0.21	153	0.001	<1	0.56	0.034	0.20	0.1	<0.01	1.5	<0.1	0.07
DUP 1887853	QC	0.2	0.9	<0.1	7	0.03	0.037	16	13	0.22	174	0.002	<1	0.57	0.036	0.21	0.1	<0.01	1.6	0.1	0.07
1887887	Drill Core	0.4	0.7	<0.1	2	0.03	0.021	23	4	0.26	323	0.001	<1	0.60	0.036	0.27	0.5	<0.01	0.6	<0.1	<0.05
DUP 1887887	QC	0.5	0.7	<0.1	2	0.03	0.022	23	5	0.26	358	0.001	<1	0.64	0.038	0.29	0.4	<0.01	0.7	<0.1	<0.05
Reference Materials																					
STD BVGE001	Standard	6.3	3.2	24.2	76	1.38	0.077	26	191	1.35	259	0.237	4	2.42	0.196	0.89	5.0	0.10	6.2	0.7	0.69
STD DS11	Standard	2.3	8.0	10.5	47	1.07	0.069	17	60	0.86	343	0.089	7	1.17	0.077	0.41	2.8	0.25	3.2	4.8	0.28
STD DS11	Standard	2.3	8.0	10.5	48	1.04	0.067	16	61	0.84	300	0.087	7	1.13	0.070	0.40	2.9	0.26	3.1	4.6	0.27
STD DS11	Standard	2.7	9.1	12.9	51	1.09	0.074	20	65	0.88	378	0.102	8	1.20	0.074	0.42	3.1	0.27	3.6	4.8	0.29
STD OREAS262	Standard	0.6	4.9	1.0	21	3.10	0.040	16	45	1.21	251	0.003	4	1.32	0.070	0.32	0.2	0.18	3.3	0.5	0.25
STD OREAS262	Standard	0.6	4.7	1.0	22	2.97	0.042	15	45	1.22	242	0.003	4	1.43	0.069	0.31	0.2	0.18	3.4	0.5	0.27
STD OREAS262	Standard	0.6	4.8	0.9	20	2.87	0.037	12	42	1.14	218	0.002	3	1.19	0.066	0.28	0.2	0.16	3.0	0.4	0.26
STD OREAS262	Standard	0.7	4.8	1.1	23	2.93	0.041	19	48	1.23	263	0.003	4	1.41	0.070	0.33	0.2	0.18	3.5	0.5	0.27
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000537.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
1887858	Drill Core	2	0.8	<0.2
REP 1887858	QC	2	0.8	0.2
1887882	Drill Core	3	<0.5	<0.2
REP 1887882	QC			
1887893	Drill Core	1	0.9	<0.2
REP 1887893	QC	1	0.9	<0.2
1887914	Drill Core	<1	<0.5	<0.2
REP 1887914	QC	<1	<0.5	<0.2
Core Reject Duplicates				
1887853	Drill Core	3	<0.5	<0.2
DUP 1887853	QC	3	<0.5	<0.2
1887887	Drill Core	2	<0.5	<0.2
DUP 1887887	QC	2	<0.5	<0.2
Reference Materials				
STD BVGEO01	Standard	7	4.9	1.0
STD DS11	Standard	5	2.1	4.5
STD DS11	Standard	5	2.2	4.3
STD DS11	Standard	5	2.2	4.8
STD OREAS262	Standard	4	<0.5	0.2
STD OREAS262	Standard	4	0.7	0.2
STD OREAS262	Standard	3	<0.5	0.2
STD OREAS262	Standard	4	<0.5	0.3
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000537.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXG141	Standard	0.925																			
STD OXG141	Standard	0.924																			
STD OXN155	Standard	7.796																			
STD OXN155	Standard	7.783																			
STD OXN155	Standard	7.574																			
STD OXN155	Standard	7.664																			
STD OXP116	Standard	15.12 30.16																			
STD OXP116	Standard	15.17 30.00																			
STD OXP116	Standard	15.24 29.73																			
STD OXP116	Standard	15.02 29.63																			
STD OXP154	Standard	15.50 29.62																			
STD OXP154	Standard	14.77 29.79																			
STD OXP154	Standard	15.44 30.45																			
STD OXP154	Standard	15.40 29.81																			
STD BVGEO01 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXP116 Expected		14.92																			
STD OXP154 Expected		15.26																			
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank	<0.005																			
BLK	Blank	0.006																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI20000537.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
STD OXP116 Expected																					
STD OXP154 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000537.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD BVGEO01 Expected		7.37	4.84	1.02
STD DS11 Expected		5.1	2.2	4.56
STD OREAS262 Expected		4.1	0.4	0.23
STD OXP116 Expected				
STD OXP154 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000537.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank					<0.17	30.00														
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.008																	
BLK	Blank			0.007																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		414	<0.005	<0.01	<0.17	21.10	0.6	1.7	1.4	23	<0.1	1.0	3.1	396	1.77	0.7	0.4	0.7	2.2	24
ROCK-WHI	Prep Blank		423	<0.005	<0.01	<0.17	28.39	0.6	1.1	1.0	24	<0.1	0.7	3.2	400	1.74	1.0	0.4	<0.5	2.1	22



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000537.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	20	0.61	0.034	6	4	0.40	58	0.073	3	0.94	0.111	0.09	<0.1	<0.01	2.4	<0.1
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	20	0.58	0.035	6	3	0.41	54	0.068	3	0.88	0.101	0.09	<0.1	<0.01	2.2	<0.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 04, 2021

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000537.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2