



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 14, 2020
Analysis Start: January 14, 2021
Report Date: January 30, 2021
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI20000568.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-30
P.O. Number
Number of Samples: 106

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	101	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	4	Sort, label and box pulps			WHI
FS631	106	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	106	Analysis sample split/packet			VAN
Split -150	106	Analysis sample split/packet			VAN
FS631	102	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	106	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	106	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000568.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1887917	Drill Core	1.90	466	1.264	2.31	16.72	31.45	0.9	22.0	131.5	31	1.2	2.4	1.6	99	1.54	9.1	1.4	1519.0	4.5	30
1887918	Drill Core	3.00	393	0.165	0.16	<0.17	27.67	1.2	37.2	52.4	38	1.1	2.4	0.9	57	2.04	10.1	3.4	92.4	7.5	45
1887919	Drill Core	2.79	350	0.016	0.01	<0.17	29.17	0.8	3.0	11.7	6	0.5	1.0	0.2	49	0.77	2.6	0.6	11.3	5.9	16
1887920	Rock Pulp	0.13	77	0.571				7.0	111.7	88.0	143	0.7	12.3	5.8	590	2.53	43.6	0.5	572.1	2.7	35
1887921	Drill Core	2.65	398	0.014	0.01	<0.17	33.20	1.9	2.9	20.7	5	0.4	0.7	0.2	46	0.90	2.8	0.5	8.1	6.2	17
1887922	Drill Core	2.56	420	0.013	0.01	<0.17	26.93	0.8	3.8	14.3	6	0.5	0.8	0.2	42	1.27	7.4	0.6	8.1	9.8	40
1887923	Drill Core	1.57	340	0.017	0.02	<0.17	28.18	0.9	1.4	11.3	4	0.4	0.7	0.2	43	1.01	3.1	0.4	11.8	7.6	34
1887924	Drill Core	3.93	542	0.018	0.02	<0.17	32.15	0.5	1.5	8.3	5	0.3	0.7	0.2	40	0.61	1.4	0.4	13.3	7.1	11
1887925	Drill Core	2.89	327	0.756	1.32	7.48	27.41	0.7	4.8	4.7	7	0.9	0.9	0.7	40	1.50	14.7	2.1	895.5	9.6	25
1887926	Drill Core	2.95	367	2.449	2.96	9.08	28.30	0.4	30.6	4.7	64	1.2	9.2	6.9	311	2.19	14.0	2.8	2507.5	9.6	38
1887927	Drill Core	3.03	528	0.430	1.09	10.39	35.02	0.3	18.9	4.2	52	0.4	9.5	8.8	571	1.71	1.2	1.0	603.6	7.5	51
1887928	Drill Core	2.02	441	0.026	0.02	<0.17	29.39	0.9	18.2	7.2	80	0.3	13.0	12.1	911	2.12	1.3	0.6	13.3	7.7	46
1887929	Drill Core	3.23	415	0.578	0.57	0.52	26.89	0.8	17.5	4.0	65	0.4	10.5	9.4	619	1.81	0.7	0.7	553.9	6.9	63
1887930	Drill Core	3.27	428	0.496	0.63	2.55	27.05	1.1	18.4	5.5	36	0.4	9.2	8.1	589	1.68	0.8	1.2	732.1	7.4	64
1887931	Drill Core	2.77	350	0.318	0.31	0.18	28.13	0.6	17.8	10.1	47	0.3	10.2	8.4	470	1.86	0.9	1.6	363.2	8.9	43
1887932	Drill Core	2.65	511	0.237	0.23	<0.17	27.24	0.7	26.1	21.1	59	0.5	7.3	5.2	379	1.86	1.8	2.0	233.2	7.9	38
1887933	Drill Core	2.97	450	0.790	0.83	1.38	28.20	0.7	18.5	5.4	37	0.5	9.2	8.7	535	1.81	1.3	1.3	1165.9	8.0	54
1887934	Drill Core	2.73	449	0.011	<0.01	<0.17	31.96	0.7	11.6	14.7	21	0.1	6.5	7.6	453	1.37	1.3	1.4	3.6	8.5	68
1887935	Drill Core	3.15	466	2.369	3.48	20.17	29.10	0.3	23.7	4.3	32	1.4	9.4	8.0	442	1.89	3.5	2.2	2655.5	6.5	35
1887936	Drill Core	2.92	447	0.642	0.83	3.48	29.62	1.2	14.5	3.5	23	0.5	5.7	4.3	197	1.31	1.6	1.1	279.4	7.2	31
1887937	Drill Core	2.30	457	0.023	0.02	<0.17	27.95	1.1	18.5	8.7	37	0.2	7.1	5.6	269	1.70	3.6	1.5	14.4	8.3	27
1887938	Drill Core	2.87	462	0.013	0.01	<0.17	31.54	2.0	14.7	17.2	26	0.2	11.3	9.0	493	2.19	1.6	1.2	5.8	7.1	53
1887939	Drill Core	2.50	449	0.719	1.08	7.20	25.13	0.5	17.7	6.6	28	0.5	12.7	9.2	410	2.36	1.9	1.6	1082.7	6.2	30
1887940	Rock Pulp	0.13	78	0.007				4.1	20.9	1.0	32	<0.1	7.4	4.5	555	2.36	1.5	0.4	<0.5	2.2	33
1887941	Drill Core	2.79	457	1.156	1.95	11.38	35.40	1.1	16.9	3.8	23	1.2	11.3	8.7	324	2.12	1.9	1.5	3693.0	6.5	30
1887942	Drill Core	2.75	452	0.028	0.03	<0.17	36.23	1.8	19.3	6.1	35	0.2	11.7	9.1	379	1.81	3.2	1.6	18.3	8.3	37
1887943	Drill Core	2.43	460	1.046	1.08	1.49	34.13	0.4	41.0	4.4	77	1.3	16.0	11.2	728	2.03	8.9	1.5	1860.3	7.0	56
1887944	Drill Core	2.58	473	0.062	0.06	<0.17	33.69	0.3	17.5	5.5	87	0.2	14.9	10.4	1021	2.40	2.6	0.6	61.7	7.8	95
1887945	Drill Core	2.95	428	0.085	0.08	<0.17	34.28	1.1	42.4	10.2	82	0.8	13.6	8.7	1071	3.05	10.2	0.6	97.2	7.8	69
1887946	Drill Core	3.35	415	0.048	0.05	<0.17	20.41	0.6	22.2	27.4	108	0.7	17.3	11.2	681	2.44	39.6	0.9	37.4	8.3	36



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000568.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1887917	Drill Core	0.1	0.8	0.1	3	0.03	0.026	11	5	0.07	210	0.001	1	0.32	0.009	0.18	0.4	0.06	0.8	<0.1	0.06			
1887918	Drill Core	<0.1	0.9	<0.1	4	0.02	0.061	16	5	0.06	301	<0.001	<1	0.44	0.007	0.26	0.2	0.05	1.2	0.1	0.08			
1887919	Drill Core	<0.1	0.3	<0.1	3	0.01	0.016	19	5	0.03	272	0.002	<1	0.34	0.026	0.28	0.1	0.01	1.0	<0.1	0.06			
1887920	Rock Pulp	0.6	3.1	0.1	28	0.83	0.037	6	26	0.51	87	0.076	8	1.12	0.095	0.11	4.7	0.15	2.8	0.2	0.09			
1887921	Drill Core	<0.1	0.2	<0.1	3	<0.01	0.017	20	5	0.02	676	0.003	<1	0.29	0.057	0.22	0.2	0.01	1.0	<0.1	0.10			
1887922	Drill Core	<0.1	0.6	<0.1	2	<0.01	0.036	16	4	0.03	242	0.001	<1	0.32	0.036	0.29	0.1	0.02	0.6	0.1	0.22			
1887923	Drill Core	<0.1	0.6	<0.1	2	<0.01	0.032	16	4	0.02	309	0.002	<1	0.32	0.058	0.25	<0.1	0.01	0.7	<0.1	0.20			
1887924	Drill Core	<0.1	0.4	<0.1	2	<0.01	0.013	18	4	0.03	876	0.002	<1	0.29	0.028	0.25	<0.1	0.01	0.7	<0.1	0.09			
1887925	Drill Core	<0.1	1.0	<0.1	3	0.02	0.133	15	5	0.02	769	0.001	1	0.32	0.040	0.26	0.1	0.02	1.7	<0.1	0.19			
1887926	Drill Core	0.5	0.5	<0.1	8	0.21	0.096	16	10	0.18	664	0.003	2	0.72	0.029	0.32	0.2	0.02	2.4	0.1	0.21			
1887927	Drill Core	0.6	0.4	<0.1	8	1.20	0.071	11	10	0.41	301	0.004	1	0.71	0.024	0.29	0.1	<0.01	2.0	0.1	0.36			
1887928	Drill Core	0.8	0.6	<0.1	11	0.99	0.066	12	12	0.46	266	0.007	<1	0.82	0.025	0.33	<0.1	<0.01	2.0	0.1	0.44			
1887929	Drill Core	0.4	0.4	<0.1	7	1.42	0.060	11	10	0.57	261	0.004	<1	0.80	0.025	0.32	0.1	<0.01	1.9	<0.1	0.54			
1887930	Drill Core	0.4	0.3	<0.1	5	1.77	0.054	8	7	0.56	132	0.003	2	0.65	0.026	0.30	0.1	0.01	1.9	<0.1	0.77			
1887931	Drill Core	0.5	0.5	<0.1	5	1.04	0.056	11	8	0.30	169	0.003	<1	0.57	0.029	0.28	0.1	<0.01	1.5	<0.1	0.93			
1887932	Drill Core	0.8	0.8	0.2	6	0.38	0.064	14	8	0.32	384	0.002	<1	0.59	0.024	0.27	0.2	0.02	1.5	<0.1	0.37			
1887933	Drill Core	0.5	0.4	<0.1	5	1.26	0.056	8	9	0.32	88	0.004	1	0.47	0.029	0.24	0.1	0.01	1.5	<0.1	1.12			
1887934	Drill Core	0.4	0.3	<0.1	4	1.23	0.049	10	6	0.16	147	0.003	<1	0.45	0.028	0.29	0.1	<0.01	1.2	<0.1	0.88			
1887935	Drill Core	0.4	0.4	<0.1	5	0.70	0.072	7	7	0.22	123	0.002	<1	0.41	0.022	0.29	0.2	<0.01	1.6	<0.1	1.05			
1887936	Drill Core	0.2	0.3	<0.1	4	0.31	0.064	11	5	0.12	392	0.002	<1	0.36	0.019	0.28	0.2	<0.01	1.0	<0.1	0.39			
1887937	Drill Core	0.3	0.2	<0.1	4	0.51	0.074	10	6	0.10	256	0.002	<1	0.44	0.017	0.31	0.2	<0.01	1.3	<0.1	0.49			
1887938	Drill Core	0.5	0.3	<0.1	5	1.38	0.059	7	7	0.22	55	0.003	<1	0.45	0.024	0.27	0.1	<0.01	1.5	<0.1	1.65			
1887939	Drill Core	0.6	0.2	<0.1	5	0.60	0.046	8	7	0.12	50	0.003	<1	0.41	0.039	0.26	0.1	<0.01	1.6	<0.1	1.76			
1887940	Rock Pulp	<0.1	0.1	<0.1	22	0.76	0.037	6	14	0.49	60	0.077	1	1.00	0.070	0.08	0.2	<0.01	3.1	<0.1	<0.05			
1887941	Drill Core	0.3	0.2	<0.1	5	0.65	0.064	9	7	0.11	74	0.002	<1	0.43	0.037	0.30	0.2	<0.01	1.6	<0.1	1.64			
1887942	Drill Core	0.6	0.3	<0.1	5	0.83	0.065	10	7	0.17	148	0.003	<1	0.50	0.024	0.27	0.2	<0.01	1.4	<0.1	1.10			
1887943	Drill Core	0.9	0.6	<0.1	5	1.33	0.060	9	8	0.50	192	0.001	1	0.63	0.015	0.27	0.2	<0.01	1.8	<0.1	0.75			
1887944	Drill Core	0.5	0.4	<0.1	13	1.76	0.057	11	14	0.91	273	0.003	<1	1.15	0.013	0.31	0.2	<0.01	2.7	0.1	0.53			
1887945	Drill Core	0.5	0.9	<0.1	26	1.31	0.059	11	21	0.86	72	0.005	<1	1.13	0.029	0.28	0.2	0.01	3.8	0.2	1.27			
1887946	Drill Core	0.8	1.3	<0.1	15	0.66	0.066	12	17	0.59	229	0.002	<1	0.95	0.015	0.29	0.3	0.02	2.8	0.2	0.67			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000568.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887917	Drill Core	<1	<0.5	0.4
1887918	Drill Core	1	<0.5	<0.2
1887919	Drill Core	1	<0.5	<0.2
1887920	Rock Pulp	4	<0.5	<0.2
1887921	Drill Core	1	<0.5	<0.2
1887922	Drill Core	1	<0.5	<0.2
1887923	Drill Core	<1	<0.5	<0.2
1887924	Drill Core	<1	<0.5	<0.2
1887925	Drill Core	1	1.0	0.2
1887926	Drill Core	2	0.6	<0.2
1887927	Drill Core	2	<0.5	<0.2
1887928	Drill Core	3	<0.5	<0.2
1887929	Drill Core	2	0.6	<0.2
1887930	Drill Core	2	<0.5	<0.2
1887931	Drill Core	2	<0.5	<0.2
1887932	Drill Core	2	<0.5	<0.2
1887933	Drill Core	1	<0.5	<0.2
1887934	Drill Core	1	<0.5	<0.2
1887935	Drill Core	1	<0.5	0.4
1887936	Drill Core	1	<0.5	<0.2
1887937	Drill Core	1	0.5	<0.2
1887938	Drill Core	1	<0.5	<0.2
1887939	Drill Core	1	0.5	<0.2
1887940	Rock Pulp	4	<0.5	<0.2
1887941	Drill Core	1	0.7	<0.2
1887942	Drill Core	1	1.1	<0.2
1887943	Drill Core	2	0.7	<0.2
1887944	Drill Core	3	<0.5	<0.2
1887945	Drill Core	5	<0.5	<0.2
1887946	Drill Core	3	0.6	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 3 of 5 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000568.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1887947	Drill Core	2.75	453	0.011	0.01	<0.17	35.87	1.4	38.4	22.6	104	0.8	19.3	10.1	471	2.02	13.4	1.5	14.3	26
1887948	Drill Core	2.99	454	0.039	0.04	<0.17	22.87	1.5	21.2	16.8	90	0.6	14.7	9.7	278	1.80	37.6	0.8	34.9	15
1887949	Drill Core	3.26	436	3.238	5.29	33.50	29.58	0.3	22.2	3.8	46	1.8	8.5	9.2	659	1.91	2.1	1.0	4619.1	48
1887950	Drill Core	2.72	511	0.925	0.97	1.59	37.19	0.9	24.2	5.9	49	0.7	10.6	10.1	878	1.97	5.3	1.1	1445.4	49
1887951	Drill Core	2.94	443	0.045	0.04	<0.17	33.27	1.8	23.8	22.1	50	0.5	8.6	7.4	593	1.70	7.1	1.9	35.7	47
1887952	Drill Core	2.85	472	0.024	0.02	<0.17	33.42	0.3	9.5	3.7	44	0.2	7.0	7.0	469	1.49	4.2	1.6	11.7	44
1887953	Drill Core	2.66	421	0.041	0.04	<0.17	32.86	1.5	15.7	7.6	65	0.4	10.7	7.9	660	1.96	55.4	0.7	35.7	57
1887954	Drill Core	3.08	488	0.142	0.14	<0.17	20.94	1.3	15.4	9.5	48	0.4	10.2	7.9	415	1.98	63.4	1.6	125.5	35
1887955	Drill Core	3.68	396	0.119	0.11	<0.17	31.04	0.5	36.0	366.5	481	1.5	11.0	6.4	579	2.30	105.1	1.2	131.1	20
1887956	Drill Core	2.42	512	0.040	0.04	<0.17	31.06	0.2	32.5	79.3	148	0.7	11.8	7.2	532	2.23	21.2	1.9	12.1	34
1887957	Drill Core	3.45	347	0.025	0.02	<0.17	33.15	0.1	11.5	4.6	49	0.2	10.9	6.0	368	1.63	3.7	1.6	25.5	73
1887958	Drill Core	2.95	470	1.317	1.37	2.29	27.97	0.2	18.2	2.4	39	0.7	6.8	2.6	415	1.20	1.0	1.0	1425.9	101
1887959	Drill Core	3.09	387	1.138	1.34	4.02	27.37	0.2	20.1	7.9	110	1.2	14.6	4.1	520	2.00	4.9	1.4	1137.3	115
1887960	Core DUP		407	2.101	2.69	11.25	26.22	0.2	20.3	7.0	111	2.0	14.7	4.2	529	2.05	5.0	1.5	2773.0	117
1887961	Drill Core	2.81	425	1.097	1.36	4.19	36.28	0.3	16.2	3.6	70	0.8	9.8	3.0	276	1.42	14.4	1.1	1638.8	53
1887962	Drill Core	2.79	417	2.597	4.99	36.26	29.73	0.3	24.1	9.3	33	1.6	7.8	5.9	238	1.44	2.3	1.4	4264.5	53
1887963	Drill Core	3.66	370	0.797	0.89	2.15	24.60	0.2	20.1	8.9	52	0.7	10.7	5.8	279	1.89	10.5	1.6	1076.8	65
1887964	Drill Core	2.85	446	1.686	4.18	41.38	28.06	0.3	13.2	51.7	85	1.0	10.5	7.4	373	1.80	18.7	1.6	2336.8	50
1887965	Drill Core	2.57	407	0.409	0.62	3.64	26.11	0.2	66.9	201.2	203	1.2	7.4	7.3	366	1.55	12.7	1.3	1131.9	17
1887966	Drill Core	3.04	315	1.243	1.26	1.39	34.52	0.3	14.2	4.4	43	0.9	7.0	6.1	734	1.80	19.0	1.7	1247.3	69
1887967	Drill Core	2.85	458	0.821	1.56	13.72	26.32	0.5	12.3	4.4	49	0.5	6.8	5.7	509	1.45	12.4	1.8	286.2	66
1887968	Drill Core	2.93	454	0.035	0.03	<0.17	24.99	0.8	16.5	22.7	67	0.3	11.1	8.4	601	1.88	5.1	0.8	21.4	47
1887969	Drill Core	2.96	437	0.410	0.41	0.48	29.09	0.3	16.4	3.3	53	0.7	11.8	9.2	554	2.11	3.9	0.9	388.3	56
1887970	Drill Core	3.08	407	0.308	0.30	0.18	27.71	1.0	22.9	3.9	39	0.4	8.2	7.7	718	2.25	3.9	0.8	310.7	59
1887971	Drill Core	2.86	463	0.023	0.02	<0.17	28.94	3.2	19.0	13.5	13	0.7	11.8	7.9	543	1.95	2.1	0.8	17.7	42
1887972	Drill Core	3.10	448	0.712	1.22	9.14	27.25	0.3	24.2	3.2	23	0.8	10.9	7.8	532	1.98	3.4	1.4	714.8	46
1887973	Drill Core	2.69	452	0.202	0.25	1.01	29.68	28.2	36.7	39.2	68	0.6	9.4	7.4	733	2.10	7.9	0.9	232.9	72
1887974	Drill Core	3.06	184	0.148	0.13	<0.17	30.99	23.0	14.7	7.1	60	0.4	7.9	6.1	390	1.62	9.4	0.7	93.2	58
1887975	Drill Core	3.36	427	0.015	0.01	<0.17	30.73	0.5	12.7	6.9	57	0.2	8.6	6.1	326	1.51	9.0	0.7	7.0	36
1887976	Drill Core	2.85	452	0.015	0.01	<0.17	27.72	0.7	11.0	10.3	50	0.2	7.6	6.3	364	1.65	3.0	1.1	5.6	42



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000568.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1887947	Drill Core	1.0	0.5	<0.1	9	0.33	0.069	12	15	0.65	340	0.002	<1	1.00	0.020	0.28	0.2	0.01	2.0	0.1	0.41			
1887948	Drill Core	0.3	1.2	<0.1	7	0.25	0.064	13	12	0.51	345	0.001	<1	0.88	0.016	0.26	0.2	<0.01	1.4	<0.1	0.33			
1887949	Drill Core	0.7	0.3	<0.1	5	1.44	0.067	8	7	0.48	129	0.002	<1	0.57	0.019	0.29	0.2	<0.01	2.0	<0.1	1.02			
1887950	Drill Core	0.8	0.4	<0.1	6	1.80	0.059	6	8	0.41	85	0.001	<1	0.56	0.010	0.30	0.2	<0.01	2.2	<0.1	1.09			
1887951	Drill Core	0.4	0.7	0.1	4	1.62	0.048	9	8	0.57	141	0.002	<1	0.58	0.022	0.28	0.2	<0.01	1.1	<0.1	0.85			
1887952	Drill Core	0.3	0.4	<0.1	4	1.33	0.046	10	8	0.59	222	0.002	<1	0.78	0.023	0.30	0.2	<0.01	1.0	<0.1	0.51			
1887953	Drill Core	0.3	1.4	0.1	7	1.26	0.054	10	11	0.62	267	0.002	2	0.83	0.022	0.27	0.2	<0.01	1.7	<0.1	0.49			
1887954	Drill Core	0.3	1.6	<0.1	6	0.93	0.054	10	7	0.38	105	0.001	1	0.63	0.020	0.27	0.2	0.01	1.5	0.1	1.11			
1887955	Drill Core	4.3	2.3	<0.1	11	0.52	0.045	21	24	0.79	75	<0.001	1	0.83	0.059	0.11	0.2	0.03	3.3	<0.1	1.25			
1887956	Drill Core	1.1	0.8	<0.1	13	0.68	0.038	20	33	0.74	64	0.002	<1	0.86	0.057	0.16	0.1	0.03	4.3	<0.1	1.02			
1887957	Drill Core	0.4	0.4	<0.1	10	1.33	0.046	21	25	0.59	68	0.004	<1	0.73	0.088	0.13	0.1	0.01	4.4	<0.1	0.27			
1887958	Drill Core	0.4	0.5	<0.1	5	1.51	0.045	14	18	0.48	357	0.009	<1	0.44	0.089	0.04	0.1	<0.01	3.8	<0.1	0.27			
1887959	Drill Core	0.7	0.7	<0.1	12	1.72	0.052	17	39	1.01	172	0.009	<1	0.97	0.102	0.06	0.1	0.02	6.4	<0.1	0.31			
1887960	Core DUP	0.7	0.7	<0.1	13	1.73	0.051	17	39	1.04	185	0.009	<1	0.97	0.096	0.06	0.1	0.01	6.6	<0.1	0.35			
1887961	Drill Core	0.4	0.9	<0.1	7	0.72	0.033	16	28	0.59	110	0.005	<1	0.57	0.082	0.05	0.2	0.02	4.8	<0.1	0.31			
1887962	Drill Core	0.6	0.4	<0.1	6	0.71	0.049	14	14	0.41	209	0.008	<1	0.57	0.050	0.24	0.2	0.02	2.6	<0.1	0.69			
1887963	Drill Core	0.5	1.0	<0.1	12	0.81	0.049	20	27	0.61	165	0.008	<1	0.67	0.081	0.11	0.1	0.01	4.7	<0.1	0.84			
1887964	Drill Core	0.7	0.7	<0.1	8	0.81	0.048	13	16	0.46	87	0.003	<1	0.58	0.053	0.21	0.1	0.01	2.4	0.1	1.09			
1887965	Drill Core	2.7	0.6	<0.1	5	0.46	0.053	12	8	0.32	116	0.001	<1	0.52	0.024	0.30	0.1	0.02	1.3	0.1	1.00			
1887966	Drill Core	0.3	0.6	<0.1	5	1.90	0.049	8	8	0.63	76	<0.001	<1	0.49	0.016	0.31	0.3	0.02	1.3	0.1	0.77			
1887967	Drill Core	0.3	0.5	<0.1	3	1.32	0.044	11	6	0.48	237	<0.001	<1	0.50	0.019	0.25	0.3	0.02	1.1	<0.1	0.60			
1887968	Drill Core	0.4	0.3	0.1	7	1.29	0.055	10	14	0.56	208	0.001	<1	0.79	0.017	0.31	0.3	0.02	1.4	0.1	0.74			
1887969	Drill Core	0.3	0.3	<0.1	7	1.53	0.065	7	11	0.56	114	0.002	<1	0.79	0.019	0.33	0.2	<0.01	1.8	<0.1	1.07			
1887970	Drill Core	0.3	0.3	<0.1	7	1.96	0.065	5	8	0.56	78	0.002	<1	0.67	0.013	0.34	0.2	<0.01	1.8	<0.1	1.47			
1887971	Drill Core	0.2	0.5	<0.1	4	1.36	0.051	5	5	0.36	43	0.001	<1	0.48	0.018	0.29	0.2	0.01	1.0	<0.1	1.66			
1887972	Drill Core	0.2	0.3	<0.1	6	1.34	0.056	7	7	0.37	80	0.002	<1	0.58	0.018	0.31	0.2	<0.01	1.4	<0.1	1.46			
1887973	Drill Core	0.4	1.5	0.2	6	1.71	0.054	7	10	0.65	72	0.002	<1	0.76	0.017	0.29	0.2	0.02	1.4	<0.1	1.27			
1887974	Drill Core	0.3	1.1	<0.1	6	1.05	0.041	11	10	0.56	189	0.002	<1	0.81	0.030	0.32	0.2	0.01	1.1	0.1	0.55			
1887975	Drill Core	0.3	0.6	<0.1	6	0.75	0.044	12	11	0.56	184	0.002	<1	0.73	0.029	0.24	0.2	0.01	1.1	<0.1	0.63			
1887976	Drill Core	0.2	0.4	<0.1	6	0.80	0.045	13	11	0.55	149	0.003	<1	0.82	0.030	0.31	0.2	<0.01	1.4	<0.1	0.71			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000568.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887947	Drill Core	3	<0.5	<0.2
1887948	Drill Core	3	0.6	<0.2
1887949	Drill Core	2	0.5	0.4
1887950	Drill Core	1	<0.5	<0.2
1887951	Drill Core	2	<0.5	<0.2
1887952	Drill Core	2	<0.5	<0.2
1887953	Drill Core	2	<0.5	<0.2
1887954	Drill Core	2	0.6	<0.2
1887955	Drill Core	3	0.7	<0.2
1887956	Drill Core	3	<0.5	<0.2
1887957	Drill Core	2	<0.5	<0.2
1887958	Drill Core	1	<0.5	<0.2
1887959	Drill Core	3	<0.5	0.4
1887960	Core DUP	3	<0.5	0.7
1887961	Drill Core	2	<0.5	<0.2
1887962	Drill Core	2	0.5	0.3
1887963	Drill Core	2	<0.5	<0.2
1887964	Drill Core	3	<0.5	<0.2
1887965	Drill Core	2	<0.5	<0.2
1887966	Drill Core	1	<0.5	<0.2
1887967	Drill Core	2	<0.5	<0.2
1887968	Drill Core	2	<0.5	<0.2
1887969	Drill Core	2	0.6	0.3
1887970	Drill Core	2	0.5	<0.2
1887971	Drill Core	1	0.7	<0.2
1887972	Drill Core	2	0.8	<0.2
1887973	Drill Core	2	0.5	<0.2
1887974	Drill Core	3	<0.5	<0.2
1887975	Drill Core	3	<0.5	<0.2
1887976	Drill Core	3	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000568.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1887977	Drill Core	2.67	435	0.007	<0.01	<0.17	24.49	0.7	10.9	11.5	36	0.2	5.9	5.9	363	1.44	2.7	1.0	3.4	7.8	44
1887978	Drill Core	1.70	450	0.407	0.58	2.66	34.65	0.5	10.4	3.6	47	0.2	6.9	5.6	565	1.52	0.9	1.0	362.6	7.6	67
1887979	Drill Core	1.40	472	0.302	0.34	1.11	25.22	0.3	14.0	8.1	30	0.4	7.3	6.0	544	1.55	0.7	2.5	378.9	7.3	83
1887980	Rock	0.23	159	0.007	<0.01	<0.17	25.07	0.5	1.6	1.1	3	<0.1	1.8	0.6	143	1.28	0.9	0.2	0.9	1.2	4
1887981	Drill Core	2.99	439	0.146	0.15	<0.17	28.84	0.6	11.6	21.6	66	0.3	6.3	5.3	540	1.75	1.9	1.7	99.5	6.0	98
1887982	Drill Core	2.74	463	0.083	0.08	<0.17	32.38	0.3	9.7	9.1	36	0.2	6.5	5.8	448	1.52	1.4	1.9	26.6	7.8	54
1887983	Drill Core	2.98	441	0.120	0.11	<0.17	32.77	0.4	11.0	9.4	28	0.3	7.7	6.8	377	1.70	5.0	1.6	394.2	7.8	44
1887984	Drill Core	3.21	462	0.144	0.22	1.31	30.45	0.6	17.2	4.3	43	0.4	9.7	8.5	567	2.26	7.3	1.2	159.0	5.8	57
1887985	Drill Core	3.20	347	0.027	0.03	<0.17	23.05	0.4	9.9	9.5	64	0.4	9.1	6.8	512	1.68	44.6	3.5	28.0	8.3	39
1887986	Drill Core	2.82	469	0.022	0.02	<0.17	29.16	0.3	23.7	10.2	52	0.6	10.2	6.9	573	1.67	32.8	2.8	18.4	7.4	33
1887987	Drill Core	2.98	483	0.017	0.02	<0.17	32.11	2.0	29.3	37.4	44	1.3	10.2	7.0	58	2.44	6.6	2.2	10.5	8.6	9
1887988	Drill Core	2.97	484	0.009	<0.01	<0.17	27.04	1.3	9.6	19.4	33	0.4	9.9	6.5	156	1.92	7.5	2.1	6.8	8.3	24
1887989	Drill Core	3.22	508	0.013	0.01	<0.17	38.18	3.2	16.0	34.2	27	0.9	10.8	6.6	118	3.11	4.2	2.3	7.9	7.8	19
1887990	Drill Core	2.94	481	0.008	<0.01	<0.17	30.58	2.2	31.7	19.7	20	1.0	9.6	6.6	194	2.17	2.6	2.4	5.8	8.2	29
1887991	Drill Core	2.92	513	0.013	0.01	<0.17	23.22	0.3	11.6	7.8	40	0.2	5.9	5.8	416	1.44	1.7	1.9	11.8	7.3	61
1887992	Drill Core	2.21	578	<0.005	<0.01	<0.17	32.21	0.4	11.2	12.1	47	0.2	5.9	5.4	220	1.03	4.3	3.4	1.3	8.0	48
1887993	Drill Core	1.29	390	<0.005	<0.01	<0.17	33.24	0.8	7.0	13.2	34	0.2	0.8	0.5	43	0.49	2.4	3.1	1.6	11.0	8
1887994	Drill Core	2.29	489	0.006	<0.01	<0.17	30.09	0.3	3.2	31.9	28	0.2	0.7	0.5	42	0.54	3.7	3.9	2.3	11.5	14
1887995	Drill Core	3.07	505	0.009	<0.01	<0.17	35.50	1.2	3.8	25.3	24	0.3	0.5	0.2	36	0.48	2.8	2.5	5.1	12.5	10
1887996	Drill Core	2.45	548	0.019	0.02	<0.17	31.74	5.2	8.5	59.9	53	0.5	0.6	0.3	36	0.78	6.8	3.0	16.1	15.7	8
1887997	Drill Core	2.68	514	0.010	<0.01	<0.17	36.70	1.1	4.2	26.9	21	0.2	0.5	0.2	41	0.48	4.9	2.2	7.3	14.1	5
1887998	Drill Core	3.13	370	0.006	<0.01	<0.17	36.19	0.5	6.6	27.9	31	0.3	0.5	0.2	47	0.47	2.5	2.0	3.0	13.1	5
1887999	Drill Core	2.75	476	0.005	<0.01	<0.17	34.17	0.5	7.0	48.9	156	0.3	3.1	1.7	261	0.49	2.7	2.6	1.7	15.2	28
1888000	Rock Pulp	0.12	77	6.980				9.4	186.7	18.2	75	0.9	13.8	11.1	555	4.82	13.6	0.8	7533.6	2.5	71
1885101	Drill Core	3.59	383	0.006	<0.01	<0.17	29.27	1.0	4.5	30.0	24	0.2	0.6	0.2	54	0.48	2.8	2.7	2.0	16.1	4
1885102	Drill Core	2.70	452	0.005	<0.01	<0.17	37.84	0.9	4.7	23.9	27	0.4	0.5	0.3	51	0.42	3.4	2.3	2.7	15.4	3
1885103	Drill Core	3.16	394	0.007	<0.01	<0.17	32.35	0.7	4.3	22.6	25	0.2	0.6	0.2	48	0.49	3.1	2.1	2.3	15.0	5
1885104	Drill Core	2.77	353	0.007	<0.01	<0.17	30.26	1.0	4.8	45.1	62	0.3	0.8	0.5	87	0.52	4.9	3.1	4.5	14.9	14
1885105	Drill Core	2.98	390	0.013	0.01	<0.17	32.18	2.5	6.8	118.6	52	0.2	0.6	0.7	191	0.49	8.7	5.0	10.8	15.0	3
1885106	Drill Core	2.94	368	0.009	<0.01	<0.17	25.85	1.4	7.6	47.2	34	0.3	0.6	0.4	55	0.50	4.7	2.3	5.6	14.6	7



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000568.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1887977	Drill Core	0.2	0.5	<0.1	5	0.85	0.044	10	8	0.47	181	0.002	<1	0.67	0.026	0.27	0.2	<0.01	1.3	<0.1	0.58
1887978	Drill Core	0.6	0.3	<0.1	5	1.76	0.042	9	9	0.65	274	0.003	<1	0.78	0.029	0.32	0.2	<0.01	1.2	<0.1	0.48
1887979	Drill Core	0.3	0.4	<0.1	6	1.52	0.049	9	8	0.62	136	0.003	<1	0.72	0.027	0.30	0.2	<0.01	1.3	<0.1	0.62
1887980	Rock	<0.1	<0.1	<0.1	1	0.03	0.002	2	5	0.02	84	0.002	2	0.08	0.005	0.02	<0.1	<0.01	0.2	<0.1	<0.05
1887981	Drill Core	0.3	0.4	0.3	6	1.46	0.045	9	11	0.74	197	0.002	<1	0.83	0.024	0.24	0.2	<0.01	1.3	<0.1	0.52
1887982	Drill Core	0.4	0.4	<0.1	6	1.40	0.043	11	11	0.64	219	0.002	<1	0.78	0.030	0.28	0.2	0.01	1.2	<0.1	0.53
1887983	Drill Core	0.3	0.5	<0.1	5	1.18	0.045	10	8	0.30	77	0.002	<1	0.54	0.031	0.27	0.1	<0.01	1.1	<0.1	1.07
1887984	Drill Core	0.5	0.8	<0.1	10	1.75	0.060	7	15	0.44	46	0.003	<1	0.71	0.028	0.33	0.2	0.02	1.9	0.1	1.63
1887985	Drill Core	0.4	0.9	0.1	3	1.09	0.043	10	6	0.34	147	<0.001	2	0.54	0.016	0.28	0.2	<0.01	1.0	0.1	1.07
1887986	Drill Core	0.4	1.2	0.2	2	1.02	0.042	7	4	0.18	49	<0.001	2	0.37	0.014	0.27	0.1	0.03	0.7	<0.1	1.45
1887987	Drill Core	1.1	1.3	<0.1	2	0.17	0.046	9	5	0.03	20	0.001	2	0.33	0.034	0.22	0.2	<0.01	0.5	<0.1	2.54
1887988	Drill Core	0.5	0.6	<0.1	2	0.85	0.045	8	5	0.03	35	0.001	2	0.31	0.037	0.21	0.1	<0.01	0.5	<0.1	1.86
1887989	Drill Core	0.5	0.8	<0.1	2	0.44	0.042	6	4	0.04	18	0.001	2	0.34	0.005	0.26	0.2	<0.01	0.3	<0.1	3.23
1887990	Drill Core	0.5	1.2	0.3	2	0.68	0.041	7	4	0.04	26	0.002	1	0.32	0.019	0.27	0.1	<0.01	0.5	<0.1	2.03
1887991	Drill Core	0.4	0.3	<0.1	4	1.04	0.041	7	6	0.16	92	0.002	1	0.42	0.020	0.31	0.1	<0.01	1.1	<0.1	1.05
1887992	Drill Core	2.2	0.3	<0.1	2	0.54	0.040	20	5	0.18	278	0.001	1	0.39	0.015	0.29	0.1	<0.01	0.7	<0.1	0.63
1887993	Drill Core	<0.1	0.2	0.2	<1	0.04	0.003	22	2	0.04	1485	<0.001	<1	0.29	0.005	0.22	0.2	<0.01	0.2	<0.1	0.09
1887994	Drill Core	0.8	0.2	0.1	<1	0.02	0.003	19	2	0.04	1039	<0.001	<1	0.29	0.028	0.24	<0.1	<0.01	0.3	<0.1	0.15
1887995	Drill Core	<0.1	0.3	0.1	<1	0.02	0.002	17	2	0.04	1138	<0.001	1	0.29	0.012	0.23	0.2	<0.01	0.3	<0.1	0.11
1887996	Drill Core	<0.1	0.4	0.2	<1	0.06	0.003	27	2	0.05	1590	<0.001	<1	0.36	0.005	0.21	0.4	<0.01	0.3	<0.1	0.10
1887997	Drill Core	<0.1	0.3	<0.1	<1	0.02	0.003	25	2	0.05	778	<0.001	1	0.28	0.003	0.23	0.3	<0.01	0.3	<0.1	<0.05
1887998	Drill Core	<0.1	0.7	<0.1	<1	0.03	0.002	30	2	0.04	436	<0.001	1	0.31	0.007	0.28	0.2	<0.01	0.3	<0.1	<0.05
1887999	Drill Core	0.9	0.2	0.2	<1	0.32	0.002	74	2	0.07	726	<0.001	<1	0.33	0.004	0.28	0.3	<0.01	0.5	<0.1	<0.05
1888000	Rock Pulp	0.2	4.5	0.5	108	0.92	0.061	7	18	0.87	114	0.118	3	1.71	0.177	0.24	3.6	0.23	3.3	<0.1	<0.05
1885101	Drill Core	<0.1	0.3	0.2	<1	0.02	0.002	23	2	0.05	473	<0.001	1	0.33	0.012	0.26	0.3	<0.01	0.3	<0.1	<0.05
1885102	Drill Core	<0.1	2.0	0.1	<1	0.02	0.001	16	2	0.05	323	<0.001	2	0.37	0.010	0.29	0.2	<0.01	0.4	<0.1	<0.05
1885103	Drill Core	<0.1	0.3	0.1	<1	0.01	0.001	15	2	0.05	424	<0.001	2	0.33	0.010	0.27	0.1	<0.01	0.4	<0.1	<0.05
1885104	Drill Core	<0.1	0.5	0.1	<1	0.03	0.002	23	2	0.06	1430	<0.001	2	0.32	0.005	0.24	0.2	<0.01	0.5	<0.1	<0.05
1885105	Drill Core	0.1	0.6	<0.1	<1	0.05	0.006	83	2	0.05	316	<0.001	1	0.35	0.002	0.25	0.2	<0.01	0.3	0.1	<0.05
1885106	Drill Core	<0.1	0.4	0.2	<1	0.03	0.002	26	2	0.04	1085	<0.001	<1	0.34	0.009	0.24	0.2	<0.01	0.3	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000568.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1887977	Drill Core	2	<0.5	<0.2
1887978	Drill Core	2	<0.5	<0.2
1887979	Drill Core	2	<0.5	<0.2
1887980	Rock	<1	<0.5	<0.2
1887981	Drill Core	3	<0.5	<0.2
1887982	Drill Core	3	<0.5	<0.2
1887983	Drill Core	2	0.6	<0.2
1887984	Drill Core	2	<0.5	<0.2
1887985	Drill Core	2	<0.5	<0.2
1887986	Drill Core	1	<0.5	<0.2
1887987	Drill Core	1	<0.5	<0.2
1887988	Drill Core	1	<0.5	<0.2
1887989	Drill Core	<1	<0.5	<0.2
1887990	Drill Core	<1	0.8	<0.2
1887991	Drill Core	1	<0.5	<0.2
1887992	Drill Core	1	<0.5	<0.2
1887993	Drill Core	<1	<0.5	<0.2
1887994	Drill Core	1	<0.5	<0.2
1887995	Drill Core	<1	<0.5	<0.2
1887996	Drill Core	<1	<0.5	<0.2
1887997	Drill Core	<1	<0.5	<0.2
1887998	Drill Core	1	<0.5	<0.2
1887999	Drill Core	1	<0.5	<0.2
1888000	Rock Pulp	5	<0.5	<0.2
1885101	Drill Core	1	<0.5	<0.2
1885102	Drill Core	1	<0.5	<0.2
1885103	Drill Core	1	<0.5	<0.2
1885104	Drill Core	1	<0.5	<0.2
1885105	Drill Core	2	<0.5	<0.2
1885106	Drill Core	1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI20000568.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1885107	Drill Core	2.81	453	0.009	<0.01	<0.17	35.58	1.3	13.0	88.3	42	0.4	0.6	0.3	49	0.61	7.6	2.9	6.4	15.4
1885108	Drill Core	2.80	440	0.036	0.03	<0.17	36.63	5.3	13.8	112.9	59	0.5	0.7	0.4	74	0.53	9.0	3.4	9.0	13.9
1885109	Drill Core	2.63	500	0.007	<0.01	<0.17	38.18	6.6	9.7	114.9	36	0.3	0.5	0.2	47	0.36	3.8	3.4	3.6	14.8
1885110	Drill Core	2.73	349	0.018	0.02	<0.17	26.38	8.3	21.1	138.8	69	1.0	0.7	0.2	47	0.51	8.6	3.2	16.3	17.4
1885111	Drill Core	2.95	394	0.012	0.01	<0.17	34.62	5.8	20.6	195.3	38	1.1	0.6	0.2	51	0.56	4.6	3.6	5.6	15.5
1885112	Drill Core	3.29	442	<0.005	<0.01	<0.17	33.48	1.2	13.2	60.4	20	0.3	0.4	0.1	39	0.40	2.0	2.6	1.7	15.9
1885113	Drill Core	2.80	361	0.006	<0.01	<0.17	29.79	1.0	6.8	137.0	28	0.2	0.6	0.5	83	0.41	3.4	4.1	2.3	16.1
1885114	Drill Core	2.80	345	0.009	<0.01	<0.17	26.96	2.6	16.8	196.0	38	0.5	0.7	1.2	198	0.53	5.6	4.9	5.4	17.5
1885115	Drill Core	3.35	463	0.007	<0.01	<0.17	38.71	1.2	16.9	86.1	33	0.6	0.5	0.3	52	0.46	2.9	3.3	2.9	15.6
1885116	Drill Core	2.86	481	0.006	<0.01	<0.17	45.68	0.6	13.4	92.0	32	0.4	0.5	0.2	40	0.42	3.8	3.6	2.3	17.7
1885117	Drill Core	3.03	384	<0.005	<0.01	<0.17	29.50	1.3	18.2	54.2	22	0.3	0.5	0.3	43	0.49	2.1	3.0	1.3	15.4
1885118	Drill Core	3.04	372	0.009	<0.01	<0.17	32.67	0.5	14.1	78.2	40	0.2	0.4	0.3	42	0.44	0.6	3.2	2.8	16.9
1885119	Drill Core	2.88	459	0.080	0.19	1.55	34.84	0.3	6.0	77.7	57	0.4	0.4	0.3	58	0.47	0.5	3.4	26.6	15.7
1885120	Rock Pulp	0.12	77	0.589				6.8	118.8	89.5	147	0.7	12.1	5.1	608	2.58	43.3	0.5	543.3	2.5
1885121	Drill Core	3.17	438	0.006	<0.01	<0.17	25.66	0.3	2.0	27.9	37	0.1	0.5	0.3	57	0.43	<0.5	3.9	1.7	15.8
1885122	Drill Core	1.97	401	0.006	<0.01	<0.17	36.76	0.2	4.0	22.9	53	0.1	0.3	0.3	69	0.41	1.1	3.6	1.9	14.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI20000568.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1885107	Drill Core	<0.1	0.6	0.4	<1	0.04	0.002	22	2	0.04	528	<0.001	<1	0.33	0.006	0.23	0.1	<0.01	0.2	<0.1	<0.05
1885108	Drill Core	<0.1	0.5	<0.1	<1	0.05	0.002	24	2	0.05	490	<0.001	<1	0.35	0.005	0.22	0.4	<0.01	0.2	<0.1	<0.05
1885109	Drill Core	<0.1	0.3	0.1	<1	0.04	0.004	40	1	0.04	545	<0.001	<1	0.31	0.011	0.20	0.2	<0.01	0.1	<0.1	<0.05
1885110	Drill Core	<0.1	1.4	0.1	<1	0.10	0.003	28	1	0.08	661	<0.001	<1	0.46	0.012	0.21	0.2	0.02	0.2	<0.1	<0.05
1885111	Drill Core	<0.1	1.2	0.2	<1	0.02	0.003	22	2	0.05	1737	<0.001	<1	0.33	0.011	0.24	0.3	<0.01	0.3	<0.1	<0.05
1885112	Drill Core	<0.1	0.3	<0.1	<1	<0.01	0.002	19	1	0.06	409	<0.001	<1	0.33	0.012	0.27	<0.1	<0.01	0.3	<0.1	<0.05
1885113	Drill Core	<0.1	0.4	<0.1	<1	<0.01	0.005	42	2	0.06	95	<0.001	<1	0.30	0.013	0.25	<0.1	<0.01	0.3	<0.1	<0.05
1885114	Drill Core	0.2	1.7	0.2	<1	0.03	0.005	36	2	0.03	214	<0.001	<1	0.30	0.020	0.22	<0.1	<0.01	0.2	<0.1	<0.05
1885115	Drill Core	0.1	0.7	<0.1	<1	0.03	0.003	25	1	0.04	390	<0.001	<1	0.33	0.007	0.24	0.2	<0.01	0.2	<0.1	<0.05
1885116	Drill Core	<0.1	0.4	0.1	<1	0.02	0.004	29	1	0.04	233	<0.001	<1	0.33	0.012	0.24	0.4	<0.01	0.2	<0.1	<0.05
1885117	Drill Core	<0.1	0.2	0.2	<1	<0.01	0.002	16	2	0.05	831	<0.001	<1	0.33	0.027	0.26	<0.1	<0.01	0.3	<0.1	0.09
1885118	Drill Core	1.5	0.2	0.2	<1	0.02	0.001	31	1	0.05	824	<0.001	<1	0.32	0.042	0.25	<0.1	<0.01	0.3	<0.1	0.11
1885119	Drill Core	1.7	0.2	0.2	<1	0.09	0.001	23	2	0.07	618	<0.001	<1	0.27	0.044	0.21	<0.1	<0.01	0.4	<0.1	0.16
1885120	Rock Pulp	0.6	2.9	0.2	29	0.83	0.036	6	25	0.52	89	0.080	9	1.14	0.094	0.10	4.9	0.16	3.3	0.2	0.09
1885121	Drill Core	0.1	0.1	0.2	<1	0.17	0.002	32	2	0.11	1325	<0.001	1	0.33	0.034	0.27	<0.1	<0.01	0.6	<0.1	0.07
1885122	Drill Core	0.5	0.2	0.1	<1	0.37	0.002	31	1	0.18	849	0.001	<1	0.40	0.046	0.28	0.1	0.01	1.6	<0.1	0.12



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI20000568.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1885107	Drill Core	1	<0.5	<0.2
1885108	Drill Core	1	<0.5	<0.2
1885109	Drill Core	1	<0.5	<0.2
1885110	Drill Core	1	<0.5	<0.2
1885111	Drill Core	1	<0.5	<0.2
1885112	Drill Core	1	<0.5	<0.2
1885113	Drill Core	1	<0.5	<0.2
1885114	Drill Core	1	<0.5	<0.2
1885115	Drill Core	1	<0.5	<0.2
1885116	Drill Core	1	<0.5	<0.2
1885117	Drill Core	1	<0.5	<0.2
1885118	Drill Core	1	<0.5	<0.2
1885119	Drill Core	1	<0.5	<0.2
1885120	Rock Pulp	4	<0.5	<0.2
1885121	Drill Core	1	<0.5	<0.2
1885122	Drill Core	1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000568.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
Pulp Duplicates																					
1887924	Drill Core	3.93	542	0.018	0.02	<0.17	32.15	0.5	1.5	8.3	5	0.3	0.7	0.2	40	0.61	1.4	0.4	13.3	7.1	11
REP 1887924	QC	0.018																			
1887949	Drill Core	3.26	436	3.238	5.29	33.50	29.58	0.3	22.2	3.8	46	1.8	8.5	9.2	659	1.91	2.1	1.0	4619.1	6.4	48
REP 1887949	QC	0.3 23.7 4.1 47 2.2 8.6 9.3 650 1.91 2.2 1.0 6697.8 6.8 53																			
1887983	Drill Core	2.98	441	0.120	0.11	<0.17	32.77	0.4	11.0	9.4	28	0.3	7.7	6.8	377	1.70	5.0	1.6	394.2	7.8	44
REP 1887983	QC	0.4 11.0 9.3 28 0.2 7.7 6.9 386 1.76 5.0 1.7 55.9 7.8 44																			
1887998	Drill Core	3.13	370	0.006	<0.01	<0.17	36.19	0.5	6.6	27.9	31	0.3	0.5	0.2	47	0.47	2.5	2.0	3.0	13.1	5
REP 1887998	QC	0.006																			
REP 1885118	QC	0.5 14.0 78.8 40 0.2 0.4 0.3 43 0.45 0.7 3.4 3.4 17.3 18																			
1885122	Drill Core	1.97	401	0.006	<0.01	<0.17	36.76	0.2	4.0	22.9	53	0.1	0.3	0.3	69	0.41	1.1	3.6	1.9	14.4	54
REP 1885122	QC	0.1 3.8 23.3 51 0.1 0.3 0.3 71 0.41 1.0 3.7 1.4 15.7 54																			
Core Reject Duplicates																					
1887950	Drill Core	2.72	511	0.925	0.97	1.59	37.19	0.9	24.2	5.9	49	0.7	10.6	10.1	878	1.97	5.3	1.1	1445.4	5.3	49
DUP 1887950	QC	513 0.664 0.66 0.52 32.53 0.9 26.1 6.2 51 0.5 10.8 9.8 888 2.01 5.1 1.0 558.0 4.9 51																			
1887984	Drill Core	3.21	462	0.144	0.22	1.31	30.45	0.6	17.2	4.3	43	0.4	9.7	8.5	567	2.26	7.3	1.2	159.0	5.8	57
DUP 1887984	QC	447 0.195 0.23 0.84 27.30 0.6 17.0 4.4 43 0.4 9.4 8.4 551 2.26 7.6 1.1 190.7 5.9 54																			
1885118	Drill Core	3.04	372	0.009	<0.01	<0.17	32.67	0.5	14.1	78.2	40	0.2	0.4	0.3	42	0.44	0.6	3.2	2.8	16.9	18
DUP 1885118	QC	369 <0.005 <0.01 <0.17 31.68 0.5 14.2 83.0 38 0.2 0.4 0.3 40 0.41 0.6 3.3 1.1 17.0 17																			
Reference Materials																					
STD BVGEO01	Standard	10.4 4297.4 169.6 1728 2.5 155.1 23.8 681 3.60 109.0 3.3 198.1 12.5 52																			
STD BVGEO01	Standard	10.9 4436.2 193.9 1737 2.6 163.1 24.9 713 3.81 125.7 3.8 227.7 17.1 59																			
STD DS11	Standard	15.4 148.0 144.3 355 1.8 83.5 14.8 1029 3.18 46.4 2.9 80.2 8.9 76																			
STD DS11	Standard	15.2 149.6 132.8 338 1.8 81.2 13.8 1029 3.22 42.4 2.4 77.7 7.3 65																			
STD OREAS262	Standard	0.7 112.0 51.7 143 0.5 61.7 26.2 518 3.24 34.1 1.1 62.0 8.2 34																			
STD OREAS262	Standard	0.7 116.0 60.7 155 0.5 67.8 28.7 526 3.27 38.6 1.4 67.6 10.3 38																			
STD OREAS262	Standard	0.7 111.9 51.7 146 0.5 63.3 26.3 517 3.32 35.0 1.1 61.3 8.3 35																			
STD OREAS262	Standard	0.7 115.4 59.1 154 0.5 66.5 28.3 540 3.36 38.8 1.2 71.2 7.8 38																			
STD OXB130	Standard	0.120																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

January 30, 2021

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI20000568.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
1887924	Drill Core	<0.1	0.4	<0.1	2	<0.01	0.013	18	4	0.03	876	0.002	<1	0.29	0.028	0.25	<0.1	0.01	0.7	<0.1	0.09
REP 1887924	QC																				
1887949	Drill Core	0.7	0.3	<0.1	5	1.44	0.067	8	7	0.48	129	0.002	<1	0.57	0.019	0.29	0.2	<0.01	2.0	<0.1	1.02
REP 1887949	QC	0.7	0.3	<0.1	5	1.43	0.070	8	7	0.48	174	0.002	<1	0.57	0.020	0.29	0.2	<0.01	1.9	<0.1	0.96
1887983	Drill Core	0.3	0.5	<0.1	5	1.18	0.045	10	8	0.30	77	0.002	<1	0.54	0.031	0.27	0.1	<0.01	1.1	<0.1	1.07
REP 1887983	QC	0.3	0.5	<0.1	5	1.18	0.045	10	8	0.31	67	0.002	<1	0.56	0.032	0.28	0.1	0.01	1.1	<0.1	1.21
1887998	Drill Core	<0.1	0.7	<0.1	<1	0.03	0.002	30	2	0.04	436	<0.001	1	0.31	0.007	0.28	0.2	<0.01	0.3	<0.1	<0.05
REP 1887998	QC																				
REP 1885118	QC	1.5	0.2	0.2	<1	0.02	0.001	32	1	0.05	816	<0.001	<1	0.34	0.044	0.26	<0.1	<0.01	0.3	<0.1	0.11
1885122	Drill Core	0.5	0.2	0.1	<1	0.37	0.002	31	1	0.18	849	0.001	<1	0.40	0.046	0.28	0.1	0.01	1.6	<0.1	0.12
REP 1885122	QC	0.6	0.2	0.1	<1	0.36	0.003	30	1	0.18	815	0.001	<1	0.40	0.046	0.28	0.1	<0.01	1.8	<0.1	0.12
Core Reject Duplicates																					
1887950	Drill Core	0.8	0.4	<0.1	6	1.80	0.059	6	8	0.41	85	0.001	<1	0.56	0.010	0.30	0.2	<0.01	2.2	<0.1	1.09
DUP 1887950	QC	0.8	0.4	<0.1	6	1.87	0.060	6	8	0.41	108	0.001	2	0.55	0.011	0.30	0.2	0.02	1.7	<0.1	1.12
1887984	Drill Core	0.5	0.8	<0.1	10	1.75	0.060	7	15	0.44	46	0.003	<1	0.71	0.028	0.33	0.2	0.02	1.9	0.1	1.63
DUP 1887984	QC	0.5	0.8	<0.1	10	1.72	0.060	7	15	0.42	49	0.003	<1	0.69	0.028	0.31	0.2	0.02	1.9	0.1	1.61
1885118	Drill Core	1.5	0.2	0.2	<1	0.02	0.001	31	1	0.05	824	<0.001	<1	0.32	0.042	0.25	<0.1	<0.01	0.3	<0.1	0.11
DUP 1885118	QC	1.5	0.2	0.2	<1	0.02	0.001	32	1	0.05	785	<0.001	<1	0.29	0.039	0.23	<0.1	<0.01	0.3	<0.1	0.11
Reference Materials																					
STD BVGE001	Standard	5.8	3.1	21.4	71	1.27	0.067	23	181	1.23	212	0.210	3	2.19	0.189	0.89	4.7	0.09	5.6	0.6	0.70
STD BVGE001	Standard	6.8	3.9	26.1	76	1.32	0.075	27	181	1.33	275	0.234	5	2.32	0.195	0.90	6.0	0.10	6.3	0.6	0.69
STD DS11	Standard	2.4	9.0	13.1	51	1.08	0.071	20	63	0.87	392	0.102	7	1.20	0.074	0.42	2.9	0.29	3.5	5.2	0.28
STD DS11	Standard	2.3	8.2	10.7	47	1.08	0.069	17	61	0.87	341	0.091	8	1.18	0.071	0.42	2.9	0.27	3.2	4.9	0.29
STD OREAS262	Standard	0.6	5.1	0.9	22	2.85	0.037	15	43	1.14	229	0.002	4	1.34	0.068	0.31	0.2	0.16	3.1	0.5	0.26
STD OREAS262	Standard	0.7	6.2	1.2	22	2.89	0.039	17	45	1.15	270	0.002	4	1.34	0.069	0.32	0.2	0.18	3.5	0.5	0.27
STD OREAS262	Standard	0.6	5.1	0.9	21	2.92	0.038	15	43	1.15	229	0.002	4	1.32	0.067	0.31	0.2	0.17	3.1	0.4	0.27
STD OREAS262	Standard	0.7	5.7	1.1	23	2.96	0.040	16	45	1.21	255	0.003	4	1.35	0.069	0.31	0.2	0.14	3.5	0.5	0.27
STD OXB130	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000568.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
1887924	Drill Core	<1	<0.5	<0.2
REP 1887924	QC			
1887949	Drill Core	2	0.5	0.4
REP 1887949	QC	2	<0.5	0.5
1887983	Drill Core	2	0.6	<0.2
REP 1887983	QC	2	0.6	<0.2
1887998	Drill Core	1	<0.5	<0.2
REP 1887998	QC			
REP 1885118	QC	2	<0.5	<0.2
1885122	Drill Core	1	<0.5	<0.2
REP 1885122	QC	1	<0.5	<0.2
Core Reject Duplicates				
1887950	Drill Core	1	<0.5	<0.2
DUP 1887950	QC	1	0.6	<0.2
1887984	Drill Core	2	<0.5	<0.2
DUP 1887984	QC	2	<0.5	<0.2
1885118	Drill Core	1	<0.5	<0.2
DUP 1885118	QC	1	<0.5	<0.2
Reference Materials				
STD BVGEO01	Standard	7	4.5	1.1
STD BVGEO01	Standard	8	4.7	1.1
STD DS11	Standard	5	1.7	4.9
STD DS11	Standard	5	2.3	4.6
STD OREAS262	Standard	4	<0.5	0.3
STD OREAS262	Standard	4	<0.5	0.2
STD OREAS262	Standard	4	<0.5	0.2
STD OREAS262	Standard	4	<0.5	0.2
STD OXB130	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000568.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXB130	Standard			0.124																	
STD OXB130	Standard			0.124																	
STD OXB130	Standard			0.122																	
STD OXG141	Standard			0.889																	
STD OXG141	Standard			0.904																	
STD OXG141	Standard			0.909																	
STD OXG141	Standard			0.928																	
STD OXN155	Standard			7.512																	
STD OXN155	Standard			7.609																	
STD OXN155	Standard			7.568																	
STD OXN155	Standard			7.743																	
STD OXP116	Standard					15.15	29.91														
STD OXP116	Standard					14.92	30.03														
STD OXP116	Standard					15.18	30.04														
STD OXP154	Standard					15.39	29.88														
STD OXP154	Standard					15.38	30.23														
STD OXP154	Standard					15.25	30.04														
STD DS11 Expected								14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXP116 Expected						14.92															
STD OXP154 Expected						15.26															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			0.007																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000568.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXN155	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP116	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD OXP154	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253
STD OXP116 Expected																					
STD OXP154 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000568.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXB130	Standard			
STD OXB130	Standard			
STD OXB130	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXG141	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXN155	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP116	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD OXP154	Standard			
STD DS11 Expected		5.1	2.2	4.56
STD BVGE001 Expected		7.37	4.84	1.02
STD OREAS262 Expected		4.1	0.4	0.23
STD OXP116 Expected				
STD OXP154 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI20000568.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		474	<0.005	<0.01	<0.17	36.74	0.8	2.1	1.2	28	<0.1	1.1	3.9	459	1.95	1.1	0.5	<0.5	2.6	25
ROCK-WHI	Prep Blank		498	0.013	0.01	<0.17	31.97	0.7	1.7	1.2	28	<0.1	0.9	3.8	445	1.91	1.8	0.5	<0.5	2.7	23



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI20000568.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.60	0.040	7	3	0.47	63	0.083	2	0.83	0.076	0.08	<0.1	<0.01	2.7	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.53	0.041	7	2	0.42	60	0.080	2	0.77	0.074	0.08	<0.1	<0.01	2.6	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: January 30, 2021

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI20000568.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2