



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: October 21, 2020
Analysis Start: January 11, 2021
Report Date: February 09, 2021
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI20000586.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG20-32
P.O. Number
Number of Samples: 88

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	84	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
SLBHP	3	Sort, label and box pulps			WHI
AQ201	88	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	88	Per sample shipping charges for branch shipments			VAN
HOMOG	88	Homogenize pulps by light pulverizing			VAN
SS150	88	Sieve to 150 mesh			VAN
FA430	88	Lead Collection Fire Assay Fusion - AAS Finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 09, 2021

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000586.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1812357	Drill Core	1.19	0.8	27.0	8.7	50	6.8	9.5	12.0	397	1.48	2.3	1.6	4.8	9.2	13	0.1	0.7	<0.1	10	0.19
1812358	Drill Core	1.45	0.6	15.9	4.1	40	3.2	5.2	4.6	254	1.25	0.9	0.8	2.4	6.5	8	<0.1	0.5	<0.1	6	0.13
1812359	Drill Core	2.81	1.0	18.1	14.6	36	1.8	8.5	12.3	511	1.16	2.2	2.2	1.4	9.6	7	0.3	0.5	0.1	5	0.17
1812360	Core DUP		1.0	17.3	14.0	35	1.5	8.2	11.7	484	1.14	2.3	2.2	1.2	9.6	7	0.3	0.5	0.1	5	0.17
1812361	Drill Core	3.21	0.9	15.0	16.4	35	0.3	7.1	5.6	210	1.75	1.8	2.1	3.4	9.3	9	0.1	0.5	0.1	9	0.13
1812362	Drill Core	3.52	0.3	25.2	4.4	35	0.7	8.3	5.5	134	1.57	1.3	1.9	42.4	9.1	11	0.5	0.5	<0.1	8	0.18
1812363	Drill Core	2.92	1.0	17.5	9.3	60	0.3	14.0	11.6	380	1.73	1.8	1.8	27.7	9.0	12	0.6	0.6	0.1	9	0.16
1812364	Drill Core	3.32	3.6	25.2	21.4	97	0.4	13.5	8.2	288	3.09	4.2	4.0	8.6	9.2	6	0.5	0.8	0.1	15	0.04
1812365	Drill Core	3.38	1.3	13.8	9.4	38	0.2	5.9	4.5	144	1.41	1.7	1.9	6.9	10.8	6	0.2	0.6	<0.1	5	0.07
1812366	Drill Core	3.01	0.3	15.3	7.3	35	0.2	7.8	5.5	141	1.54	2.6	1.1	5.0	8.5	8	0.3	0.8	<0.1	5	0.13
1812367	Drill Core	3.44	0.6	21.7	4.6	40	0.7	8.2	6.2	196	1.63	2.3	2.0	759.1	8.0	7	0.3	0.6	<0.1	8	0.11
1812368	Drill Core	3.35	0.6	9.2	13.3	77	0.2	7.0	7.8	420	2.16	0.6	1.7	0.6	7.2	28	0.4	0.5	0.1	33	0.46
1812369	Drill Core	3.27	0.9	11.0	3.2	94	0.2	20.8	11.4	794	1.80	0.8	1.8	2.4	10.6	10	0.7	0.7	<0.1	17	0.18
1812370	Drill Core	3.20	1.0	13.1	2.5	84	0.1	16.7	15.7	890	1.62	0.7	1.8	1.5	10.6	14	0.6	0.8	<0.1	19	0.18
1812371	Drill Core	3.27	0.3	14.7	6.7	67	0.2	10.1	8.9	352	1.74	6.0	1.7	4.9	9.1	13	0.3	0.9	<0.1	14	0.16
1812372	Drill Core	3.30	0.3	19.1	31.1	77	0.2	10.9	7.4	298	1.73	1.0	2.2	1.4	8.6	15	0.4	0.7	<0.1	9	0.18
1812373	Drill Core	3.16	0.6	12.6	5.5	59	0.2	10.4	6.6	418	1.33	<0.5	1.6	<0.5	10.2	18	0.5	0.5	<0.1	5	0.33
1812374	Drill Core	3.28	0.4	14.7	4.5	125	0.2	26.1	14.9	706	2.86	1.5	1.1	1.5	6.1	15	1.1	0.7	<0.1	55	0.44
1812375	Drill Core	3.10	0.8	24.4	4.9	101	0.3	22.4	15.3	650	2.90	0.7	0.7	1.5	5.9	17	0.8	0.4	<0.1	60	0.77
1812376	Drill Core	2.77	2.0	39.1	6.9	128	0.3	39.6	26.9	1166	2.65	0.7	0.9	1.1	6.6	14	1.6	0.5	<0.1	46	0.21
1812377	Drill Core	3.21	2.7	32.4	4.8	90	0.4	21.0	17.4	856	1.90	3.0	0.9	3.5	7.5	7	0.9	1.1	<0.1	23	0.15
1812378	Drill Core	3.11	1.3	15.8	5.0	76	0.2	10.5	8.3	382	1.61	1.9	0.9	1.9	8.3	15	0.4	0.6	<0.1	17	0.15
1812379	Drill Core	3.47	1.1	13.9	12.8	101	0.2	8.9	8.1	388	1.88	1.0	1.0	0.5	9.0	9	0.4	0.6	<0.1	17	0.17
1812380	Rock	0.23	0.5	1.3	1.5	3	<0.1	1.7	0.6	138	1.20	0.9	0.2	<0.5	1.1	1	<0.1	0.3	<0.1	1	0.01
1812381	Drill Core	2.90	1.3	11.8	10.2	101	0.2	14.2	15.5	532	2.06	1.5	1.3	1.0	7.9	8	0.5	0.8	<0.1	20	0.16
1812382	Drill Core	3.33	1.4	13.9	6.1	145	0.2	18.1	16.1	707	2.51	2.0	1.8	1.1	7.8	10	0.7	1.0	<0.1	32	0.22
1812383	Drill Core	2.91	1.2	17.1	12.1	52	0.3	9.0	8.0	336	1.79	1.3	2.7	4.0	8.6	11	0.3	0.4	<0.1	8	0.06
1812384	Drill Core	3.41	0.9	19.1	15.9	35	0.9	3.6	1.6	45	2.12	1.6	2.9	63.6	8.6	14	<0.1	0.4	<0.1	7	0.01
1812385	Drill Core	3.03	2.1	34.0	57.1	105	0.9	11.0	10.3	157	2.62	7.9	4.1	34.5	8.3	7	0.4	0.8	<0.1	11	0.11
1812386	Drill Core	3.07	2.1	19.0	6.6	39	0.4	8.4	10.8	250	1.83	5.1	2.9	7.7	7.9	3	0.3	0.6	<0.1	9	0.06



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 09, 2021

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000586.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812357	Drill Core	0.042	19	18	0.41	269	0.041	<1	0.74	0.016	0.26	23.9	<0.01	1.9	0.2	<0.05	3	<0.5	<0.2	0.008			
1812358	Drill Core	0.032	14	11	0.32	174	0.037	<1	0.54	0.021	0.28	9.6	<0.01	1.6	0.2	<0.05	2	<0.5	<0.2	0.006			
1812359	Drill Core	0.047	24	8	0.20	215	0.015	<1	0.52	0.014	0.32	5.8	<0.01	1.2	0.1	<0.05	2	<0.5	<0.2	<0.005			
1812360	Core DUP	0.047	24	8	0.20	204	0.015	<1	0.51	0.014	0.32	5.3	<0.01	1.2	0.2	<0.05	2	<0.5	<0.2	<0.005			
1812361	Drill Core	0.056	24	16	0.16	228	0.017	<1	0.56	0.029	0.30	0.3	<0.01	1.9	0.1	<0.05	2	<0.5	<0.2	0.006			
1812362	Drill Core	0.054	14	14	0.23	266	0.021	<1	0.56	0.030	0.29	0.3	<0.01	1.9	<0.1	0.38	2	0.5	<0.2	0.051			
1812363	Drill Core	0.049	16	25	0.25	316	0.013	<1	0.63	0.030	0.28	0.2	<0.01	1.9	0.1	0.31	3	<0.5	<0.2	0.021			
1812364	Drill Core	0.057	26	75	0.23	241	0.005	<1	0.87	0.026	0.25	0.2	0.02	2.6	0.2	0.06	5	<0.5	<0.2	0.012			
1812365	Drill Core	0.038	17	9	0.22	154	0.003	<1	0.67	0.022	0.28	0.1	<0.01	1.3	0.1	0.19	3	<0.5	<0.2	0.010			
1812366	Drill Core	0.053	24	6	0.11	240	0.006	<1	0.47	0.029	0.27	0.2	<0.01	1.3	<0.1	0.47	2	<0.5	<0.2	0.010			
1812367	Drill Core	0.056	19	11	0.14	236	0.004	2	0.55	0.027	0.24	0.2	<0.01	1.5	<0.1	0.22	2	<0.5	<0.2	0.073			
1812368	Drill Core	0.050	13	159	1.62	294	0.087	<1	1.29	0.034	0.36	0.2	<0.01	3.9	0.2	0.26	5	<0.5	<0.2	<0.005			
1812369	Drill Core	0.035	17	139	0.93	153	0.008	<1	1.08	0.021	0.33	0.1	<0.01	2.8	0.2	<0.05	4	<0.5	<0.2	0.008			
1812370	Drill Core	0.034	29	140	1.05	328	0.009	2	1.16	0.018	0.35	0.1	<0.01	3.1	0.2	<0.05	4	<0.5	<0.2	<0.005			
1812371	Drill Core	0.054	23	52	0.49	299	0.007	1	0.76	0.020	0.29	0.1	<0.01	2.4	0.1	0.22	3	<0.5	<0.2	0.008			
1812372	Drill Core	0.051	24	51	0.42	363	0.007	1	0.75	0.026	0.28	0.1	<0.01	1.7	<0.1	0.29	3	<0.5	<0.2	<0.005			
1812373	Drill Core	0.042	27	12	0.53	349	0.005	1	0.73	0.020	0.26	0.1	<0.01	1.2	<0.1	0.15	3	<0.5	<0.2	0.005			
1812374	Drill Core	0.051	19	369	2.33	155	0.014	1	1.89	0.009	0.41	0.1	<0.01	9.3	0.2	0.16	6	<0.5	<0.2	0.006			
1812375	Drill Core	0.046	14	422	2.53	193	0.015	<1	1.91	0.012	0.38	<0.1	<0.01	8.9	0.2	<0.05	6	<0.5	<0.2	0.005			
1812376	Drill Core	0.048	21	277	1.89	450	0.006	<1	1.72	0.020	0.23	0.1	<0.01	7.1	0.1	<0.05	5	<0.5	<0.2	0.006			
1812377	Drill Core	0.044	25	47	0.80	234	0.002	<1	0.99	0.026	0.18	0.4	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2	0.008			
1812378	Drill Core	0.047	12	38	0.38	859	0.005	<1	0.72	0.032	0.26	0.2	<0.01	2.7	<0.1	<0.05	3	<0.5	<0.2	0.005			
1812379	Drill Core	0.048	16	39	0.56	244	0.009	<1	0.86	0.031	0.31	0.2	<0.01	3.1	0.1	<0.05	4	<0.5	<0.2	<0.005			
1812380	Rock	0.002	2	5	0.01	9	0.002	<1	0.07	0.004	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	<0.005			
1812381	Drill Core	0.045	22	118	0.92	261	0.005	<1	1.19	0.017	0.30	0.3	<0.01	3.4	0.1	<0.05	5	<0.5	<0.2	0.005			
1812382	Drill Core	0.050	24	236	1.28	228	0.008	<1	1.65	0.013	0.59	0.2	<0.01	4.5	0.3	<0.05	6	<0.5	<0.2	<0.005			
1812383	Drill Core	0.048	27	13	0.19	283	0.002	<1	0.63	0.024	0.28	0.1	<0.01	1.4	0.1	0.07	3	<0.5	<0.2	0.006			
1812384	Drill Core	0.048	21	9	0.08	385	0.003	<1	0.42	0.048	0.25	0.1	<0.01	1.4	<0.1	0.19	2	0.8	0.5	0.078			
1812385	Drill Core	0.074	24	23	0.09	98	0.001	<1	0.55	0.031	0.20	0.2	<0.01	1.7	<0.1	<0.05	2	<0.5	0.5	0.043			
1812386	Drill Core	0.040	22	17	0.06	136	0.001	<1	0.44	0.021	0.24	0.4	<0.01	0.9	<0.1	<0.05	2	<0.5	<0.2	0.011			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 09, 2021

Page: 3 of 4 **Part:** 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000586.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1812387	Drill Core	3.23	3.3	10.7	23.3	23	0.3	4.8	3.3	96	1.93	2.1	1.2	3.7	8.2	23	0.1	0.3	0.2	8	0.06
1812388	Drill Core	3.47	1.0	15.9	12.5	32	0.2	8.5	8.0	304	1.87	5.1	1.9	5.8	8.3	7	0.3	0.4	<0.1	8	0.10
1812389	Drill Core	2.80	1.0	15.6	21.3	68	0.2	9.2	8.8	326	1.78	1.4	1.8	2.0	9.5	5	0.4	0.2	<0.1	9	0.14
1812390	Drill Core	4.22	1.3	10.7	14.0	57	0.2	7.4	6.9	278	1.69	1.7	1.7	1.4	11.3	7	0.3	0.4	0.1	11	0.13
1812391	Drill Core	2.52	0.5	11.0	8.9	46	0.1	9.8	7.8	188	1.95	1.4	2.3	<0.5	8.5	16	0.2	0.4	<0.1	12	0.14
1812392	Drill Core	2.88	0.7	10.4	9.4	60	0.2	11.6	9.8	378	2.09	3.0	2.4	1.6	7.3	10	0.4	0.5	<0.1	15	0.13
1812393	Drill Core	3.52	0.5	7.1	5.0	13	0.2	2.8	2.0	64	1.71	11.6	1.5	32.9	6.7	34	<0.1	0.4	<0.1	6	0.04
1812394	Drill Core	3.32	1.1	11.8	19.3	61	0.2	6.5	4.4	279	1.39	1.3	1.7	<0.5	11.2	32	0.3	0.4	<0.1	9	0.18
1812395	Drill Core	3.15	1.8	4.6	5.2	40	0.1	8.0	4.0	309	1.03	<0.5	2.1	<0.5	13.5	15	0.3	0.3	<0.1	5	0.10
1812396	Drill Core	3.68	1.5	6.2	12.7	33	0.2	6.0	3.8	225	1.08	<0.5	1.5	<0.5	11.7	16	0.2	0.3	0.1	6	0.10
1812397	Drill Core	3.46	0.4	6.2	3.9	60	0.1	8.0	9.0	463	2.18	0.7	1.1	<0.5	7.3	30	<0.1	0.6	<0.1	33	0.37
1812398	Drill Core	3.75	0.4	16.5	8.0	36	0.3	10.5	8.4	273	1.87	1.0	1.2	1.5	8.5	23	0.2	0.4	0.1	9	0.42
1812399	Drill Core	3.67	2.0	13.7	8.4	44	0.2	10.7	10.4	273	2.06	1.4	1.4	0.8	7.9	18	0.4	0.4	<0.1	10	0.24
1812400	Rock Pulp	0.12	9.0	180.4	17.5	73	0.9	13.1	10.7	541	4.45	12.8	0.8	6925.7	2.4	64	0.2	4.8	0.5	106	0.89
1812401	Drill Core	3.23	0.3	16.3	3.6	71	0.2	10.4	9.0	622	1.94	0.9	1.9	3.2	8.2	31	0.3	0.8	<0.1	18	0.84
1812402	Drill Core	3.52	0.6	16.8	5.6	88	0.3	11.0	11.2	731	2.43	1.5	1.1	6.9	5.5	64	0.2	0.8	<0.1	36	1.61
1812403	Drill Core	3.57	1.7	8.7	4.6	68	0.2	12.6	12.9	478	2.49	1.9	1.4	4.2	6.8	41	<0.1	0.6	<0.1	33	0.86
1812404	Drill Core	3.50	3.3	27.8	8.8	72	0.3	11.3	11.6	459	2.37	1.8	2.2	2.5	8.4	35	<0.1	0.8	<0.1	32	0.65
1812405	Drill Core	3.81	1.0	3.5	13.5	32	0.2	4.7	4.5	233	1.19	1.3	2.8	2.0	13.1	38	<0.1	0.5	<0.1	11	0.47
1812406	Drill Core	3.54	0.5	9.2	2.6	60	0.1	8.2	7.9	384	1.89	1.3	2.4	1.3	9.8	32	0.1	0.5	<0.1	23	0.51
1812407	Drill Core	3.67	0.3	5.8	6.1	55	0.1	6.0	6.4	329	1.89	1.6	1.7	1.5	8.6	46	0.5	0.4	<0.1	20	0.43
1812408	Drill Core	3.74	0.2	19.0	2.6	44	0.2	5.6	6.7	330	1.71	1.4	2.5	1.2	9.2	40	<0.1	0.5	<0.1	19	0.55
1812409	Drill Core	3.67	0.2	13.7	6.5	55	0.2	5.3	6.8	325	1.80	1.1	2.1	1.0	9.0	35	0.2	0.5	<0.1	20	0.51
1812410	Drill Core	3.38	0.5	4.7	22.4	58	0.2	4.9	4.5	319	1.49	0.9	1.9	0.6	14.3	31	0.1	0.5	0.1	15	0.23
1812411	Drill Core	3.33	0.2	7.2	7.8	40	0.2	4.8	5.7	239	1.44	0.8	2.8	0.5	11.0	27	<0.1	0.4	<0.1	18	0.31
1812412	Drill Core	3.56	0.6	11.2	7.0	60	0.2	7.3	8.3	342	2.08	1.2	1.7	0.7	10.3	26	<0.1	0.5	<0.1	21	0.31
1812413	Drill Core	3.80	0.9	17.1	17.6	31	0.3	8.4	9.5	260	1.88	1.6	1.3	1.1	8.0	29	0.2	0.5	<0.1	17	0.68
1812414	Drill Core	3.74	1.8	15.4	16.6	28	0.4	12.3	11.1	238	2.24	1.8	1.9	1.5	9.0	21	0.1	0.6	0.2	17	0.61
1812415	Drill Core	3.44	0.5	10.1	11.3	80	0.2	8.2	9.0	529	2.28	1.3	1.7	0.8	8.4	64	0.3	0.5	<0.1	35	1.09
1812416	Drill Core	3.47	0.2	9.0	5.8	99	0.2	5.6	6.7	469	2.11	1.2	1.6	0.7	8.2	68	1.7	0.5	<0.1	26	0.97



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 09, 2021

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000586.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
1812387	Drill Core	0.045	17	28	0.10	283	0.003	<1	0.39	0.029	0.30	0.2	<0.01	1.2	0.1	0.43	2	0.5	<0.2	0.009			
1812388	Drill Core	0.050	18	11	0.08	237	0.002	<1	0.39	0.041	0.22	0.1	<0.01	1.5	<0.1	<0.05	2	<0.5	<0.2	0.029			
1812389	Drill Core	0.049	14	20	0.25	156	0.002	<1	0.64	0.027	0.28	<0.1	<0.01	1.3	0.1	<0.05	3	<0.5	<0.2	0.005			
1812390	Drill Core	0.038	22	29	0.43	106	0.002	<1	0.74	0.025	0.25	<0.1	<0.01	1.8	0.1	0.12	3	<0.5	<0.2	<0.005			
1812391	Drill Core	0.047	26	39	0.37	140	0.004	<1	0.72	0.023	0.30	0.1	<0.01	1.9	0.1	<0.05	3	<0.5	<0.2	<0.005			
1812392	Drill Core	0.045	22	102	0.55	135	0.003	<1	0.91	0.019	0.29	0.1	0.01	2.4	0.1	<0.05	4	<0.5	<0.2	0.006			
1812393	Drill Core	0.035	18	9	0.08	317	0.001	<1	0.34	0.041	0.28	0.1	<0.01	1.0	<0.1	0.28	2	<0.5	<0.2	0.036			
1812394	Drill Core	0.031	30	26	0.66	577	0.002	<1	0.85	0.025	0.26	<0.1	<0.01	1.9	0.1	0.07	3	<0.5	<0.2	<0.005			
1812395	Drill Core	0.028	29	8	0.51	453	0.002	<1	0.69	0.019	0.25	0.1	<0.01	1.1	<0.1	0.07	3	<0.5	<0.2	<0.005			
1812396	Drill Core	0.026	29	16	0.60	460	0.003	<1	0.67	0.029	0.21	<0.1	<0.01	1.2	<0.1	0.19	3	<0.5	<0.2	<0.005			
1812397	Drill Core	0.046	18	213	1.65	391	0.036	<1	1.40	0.023	0.33	<0.1	<0.01	4.8	0.1	0.15	5	<0.5	<0.2	<0.005			
1812398	Drill Core	0.047	31	27	0.33	101	0.008	<1	0.55	0.036	0.25	0.1	<0.01	1.9	<0.1	0.80	2	<0.5	<0.2	<0.005			
1812399	Drill Core	0.047	23	47	0.39	72	0.009	<1	0.55	0.032	0.29	0.2	<0.01	1.8	0.1	1.22	2	0.5	<0.2	<0.005			
1812400	Rock Pulp	0.057	7	17	0.82	109	0.111	2	1.60	0.171	0.22	3.3	0.22	3.0	<0.1	<0.05	5	<0.5	0.2	7.137			
1812401	Drill Core	0.053	21	96	0.80	154	0.068	<1	0.84	0.031	0.40	0.3	<0.01	3.7	0.2	0.89	3	<0.5	<0.2	<0.005			
1812402	Drill Core	0.054	15	253	1.89	208	0.100	2	1.36	0.020	0.56	0.3	<0.01	6.8	0.3	0.52	5	<0.5	<0.2	<0.005			
1812403	Drill Core	0.055	16	218	1.82	130	0.094	2	1.32	0.032	0.39	0.3	<0.01	5.3	0.1	0.90	5	<0.5	<0.2	<0.005			
1812404	Drill Core	0.059	19	146	1.76	144	0.097	2	1.35	0.039	0.61	0.3	<0.01	6.5	0.3	0.77	5	<0.5	<0.2	<0.005			
1812405	Drill Core	0.026	23	52	0.82	290	0.041	2	0.93	0.070	0.44	0.2	<0.01	2.5	0.1	0.32	3	<0.5	<0.2	<0.005			
1812406	Drill Core	0.046	22	108	1.43	264	0.077	2	1.15	0.048	0.57	0.2	<0.01	4.4	0.2	0.38	4	<0.5	<0.2	<0.005			
1812407	Drill Core	0.049	23	63	1.19	273	0.098	2	1.14	0.070	0.35	0.3	<0.01	4.7	0.1	0.30	5	<0.5	<0.2	<0.005			
1812408	Drill Core	0.049	25	48	1.03	324	0.091	2	0.97	0.058	0.43	0.3	<0.01	4.0	0.2	0.43	4	<0.5	<0.2	<0.005			
1812409	Drill Core	0.048	21	68	1.24	188	0.082	1	1.08	0.070	0.39	0.3	<0.01	4.4	0.1	0.39	4	<0.5	<0.2	<0.005			
1812410	Drill Core	0.025	26	80	1.24	303	0.047	1	1.12	0.055	0.36	0.2	<0.01	3.5	0.1	<0.05	5	<0.5	<0.2	<0.005			
1812411	Drill Core	0.040	24	75	0.97	261	0.052	<1	0.91	0.053	0.43	0.2	<0.01	2.0	0.2	0.25	3	<0.5	<0.2	<0.005			
1812412	Drill Core	0.045	25	106	1.26	268	0.061	<1	1.16	0.065	0.35	0.2	<0.01	2.5	0.1	0.46	4	<0.5	<0.2	<0.005			
1812413	Drill Core	0.052	20	75	0.66	66	0.065	<1	0.73	0.046	0.38	0.2	<0.01	1.8	0.1	1.08	2	0.5	<0.2	<0.005			
1812414	Drill Core	0.057	21	67	0.46	50	0.077	<1	0.67	0.059	0.35	0.2	<0.01	2.3	0.1	1.68	2	0.6	<0.2	<0.005			
1812415	Drill Core	0.052	21	174	1.70	290	0.091	<1	1.33	0.051	0.48	0.3	<0.01	5.2	0.2	0.42	5	<0.5	<0.2	<0.005			
1812416	Drill Core	0.049	21	93	1.36	653	0.089	<1	1.22	0.075	0.35	0.3	<0.01	5.0	0.1	0.26	5	<0.5	<0.2	<0.005			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 09, 2021

Page: 4 of 4 **Part:** 1 of 2

CERTIFICATE OF ANALYSIS

WHI20000586.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1
1812417	Drill Core	3.40	0.1	8.7	2.9	59	0.2	4.8	6.6	358	2.08	1.1	1.9	<0.5	8.4	42	0.2	0.5	<0.1	25	0.48
1812418	Drill Core	3.51	0.5	14.2	40.5	90	0.4	9.6	9.1	474	2.05	1.3	1.9	0.7	8.7	43	0.6	0.5	0.3	32	0.66
1812419	Drill Core	3.55	0.2	4.3	3.0	76	0.1	10.0	8.7	523	2.12	1.3	1.5	<0.5	7.8	47	<0.1	0.5	<0.1	35	0.70
1812420	Rock Pulp	0.12	6.7	115.3	81.2	142	0.7	12.0	5.1	623	2.56	41.4	0.4	581.4	2.1	38	0.5	2.8	0.1	30	0.89
1812421	Drill Core	3.15	1.8	10.3	32.4	127	0.4	17.7	15.0	794	3.15	1.6	1.1	<0.5	4.9	59	<0.1	0.8	0.5	71	1.19
1812422	Drill Core	3.63	0.5	15.6	50.8	160	0.5	5.6	8.1	520	2.25	1.8	1.4	1.3	8.0	32	0.5	0.7	0.3	27	0.45
1812423	Drill Core	2.93	0.1	19.3	72.2	173	0.3	6.8	8.2	543	2.18	1.7	2.4	1.0	8.5	50	1.5	0.7	0.2	26	0.67
1812424	Drill Core	3.43	0.1	23.0	6.2	53	0.2	5.0	6.2	318	1.92	1.2	2.5	1.2	9.3	42	<0.1	0.5	<0.1	18	0.62
1812425	Drill Core	3.29	0.3	19.9	3.5	113	0.2	17.0	12.7	698	2.90	1.5	1.8	1.4	6.9	46	<0.1	0.5	<0.1	45	0.80
1812426	Drill Core	3.14	0.2	6.8	2.8	56	0.1	4.7	6.2	340	1.89	1.1	2.5	0.7	9.6	35	0.1	0.6	<0.1	23	0.46
1812427	Drill Core	3.22	0.1	15.9	71.5	105	0.3	4.6	6.2	364	1.95	1.0	2.6	0.8	9.5	40	1.7	0.5	0.2	21	0.50
1812428	Drill Core	3.17	1.1	8.6	6.3	56	0.1	11.2	7.9	263	1.80	1.2	2.0	0.6	10.0	24	0.2	0.5	<0.1	15	0.29
1812429	Drill Core	3.34	1.0	11.4	10.7	61	0.2	7.9	6.5	273	1.75	1.4	2.1	0.7	9.8	41	0.3	0.6	0.2	16	0.38
1812430	Drill Core	3.35	0.3	7.4	17.8	67	0.2	7.4	6.6	332	1.80	1.8	1.9	0.8	8.2	56	0.4	0.7	<0.1	19	0.46
1812431	Drill Core	3.40	1.1	9.7	3.8	71	0.1	12.9	8.4	353	1.92	1.4	1.7	0.8	9.8	22	0.8	0.5	<0.1	18	0.29
1812432	Drill Core	3.06	0.5	15.2	16.8	86	0.2	9.5	7.5	375	1.67	3.1	2.1	0.9	9.3	29	2.5	0.5	<0.1	16	0.37
1812433	Drill Core	3.25	0.3	11.1	2.7	70	0.2	12.2	9.4	354	1.87	3.5	2.0	1.0	8.5	21	1.7	0.4	<0.1	24	0.33
1812434	Drill Core	3.03	0.9	16.4	2.9	67	0.2	10.3	12.8	485	2.33	1.2	0.5	1.0	5.1	22	0.2	0.5	<0.1	42	0.53
1812435	Drill Core	3.09	0.8	15.2	5.5	56	0.3	10.0	11.3	477	2.06	1.8	1.1	1.5	6.1	32	0.2	0.6	<0.1	35	1.15
1812436	Drill Core	3.32	0.2	13.5	8.1	35	0.2	10.2	7.2	206	1.59	3.7	1.7	0.6	10.9	8	0.4	0.3	<0.1	7	0.21
1812437	Drill Core	3.18	1.7	12.3	36.2	67	0.3	10.2	7.0	351	1.58	6.2	2.2	2.5	10.3	14	0.2	0.3	0.3	8	0.40
1812438	Drill Core	3.31	0.6	11.2	3.5	52	0.2	12.1	8.1	346	1.47	2.0	1.6	1.0	11.1	40	<0.1	0.2	<0.1	8	0.56
1812439	Drill Core	3.11	0.2	10.6	2.2	57	0.2	13.7	7.6	347	1.45	2.6	1.8	1.5	11.4	36	<0.1	0.2	<0.1	9	0.50
1812440	Rock Pulp	0.12	4.1	20.6	0.9	32	<0.1	6.9	5.0	556	2.39	1.6	0.4	6.6	2.6	32	<0.1	0.2	<0.1	22	0.73
1812441	Drill Core	3.27	1.0	9.6	11.5	59	0.2	9.8	6.9	385	1.62	3.2	2.2	1.9	11.8	35	0.1	0.3	<0.1	8	0.52
1812442	Drill Core	3.45	0.7	9.2	7.8	57	0.2	11.3	7.3	362	1.48	1.7	2.1	1.9	11.5	26	<0.1	0.2	<0.1	8	0.50
1812443	Drill Core	2.97	0.2	11.3	7.5	60	0.2	14.2	8.5	371	1.49	2.2	2.3	1.6	11.4	31	0.1	0.3	<0.1	10	0.47
1812444	Drill Core	3.32	0.3	11.3	6.7	52	0.2	9.5	7.0	388	1.51	1.5	1.9	1.6	10.9	34	0.2	0.3	<0.1	9	0.61



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 09, 2021

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI20000586.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2
1812417	Drill Core	0.050	21	50	1.32	297	0.096	<1	1.12	0.063	0.36	0.3	<0.01	5.1	0.1	0.48	5	<0.5	<0.2	<0.005
1812418	Drill Core	0.048	20	159	1.55	304	0.080	<1	1.20	0.054	0.42	0.2	<0.01	4.2	0.2	0.36	5	<0.5	<0.2	<0.005
1812419	Drill Core	0.049	18	214	1.76	286	0.095	1	1.32	0.039	0.46	0.2	<0.01	4.2	0.2	0.20	5	<0.5	<0.2	<0.005
1812420	Rock Pulp	0.036	6	25	0.52	82	0.087	8	1.19	0.102	0.11	4.4	0.14	3.1	0.2	0.09	5	<0.5	<0.2	0.550
1812421	Drill Core	0.062	10	483	3.12	105	0.123	2	2.18	0.040	0.74	0.3	<0.01	7.0	0.5	<0.05	9	<0.5	<0.2	<0.005
1812422	Drill Core	0.047	15	73	1.28	151	0.097	1	1.29	0.064	0.28	0.4	<0.01	5.2	0.1	0.20	5	0.6	<0.2	<0.005
1812423	Drill Core	0.051	17	87	1.54	155	0.107	1	1.43	0.041	0.38	0.3	<0.01	5.6	0.2	0.38	5	1.0	<0.2	<0.005
1812424	Drill Core	0.053	18	39	1.09	150	0.106	1	1.03	0.060	0.36	0.3	<0.01	4.9	0.2	0.54	4	<0.5	<0.2	<0.005
1812425	Drill Core	0.058	11	317	2.83	119	0.117	1	2.08	0.025	0.55	0.3	<0.01	8.6	0.3	0.12	8	<0.5	<0.2	<0.005
1812426	Drill Core	0.052	20	64	1.11	211	0.132	1	1.07	0.054	0.59	0.3	<0.01	5.2	0.3	0.32	4	<0.5	<0.2	<0.005
1812427	Drill Core	0.050	23	67	1.14	398	0.130	1	1.04	0.064	0.58	0.2	<0.01	5.3	0.3	0.28	4	1.0	<0.2	<0.005
1812428	Drill Core	0.048	20	18	1.06	239	0.124	<1	1.08	0.043	0.66	0.2	<0.01	4.9	0.3	0.19	5	<0.5	<0.2	<0.005
1812429	Drill Core	0.048	19	25	1.02	225	0.115	1	1.01	0.051	0.58	0.3	<0.01	4.4	0.3	0.21	4	<0.5	<0.2	<0.005
1812430	Drill Core	0.046	16	38	1.09	290	0.105	1	0.98	0.048	0.60	0.3	<0.01	4.4	0.4	0.28	5	<0.5	<0.2	<0.005
1812431	Drill Core	0.049	22	50	1.32	193	0.117	<1	1.24	0.045	0.42	0.2	<0.01	4.6	0.2	0.11	5	<0.5	<0.2	<0.005
1812432	Drill Core	0.045	25	52	1.13	203	0.090	1	1.14	0.040	0.52	0.3	<0.01	4.2	0.2	0.11	4	<0.5	<0.2	<0.005
1812433	Drill Core	0.050	21	175	1.52	160	0.075	<1	1.29	0.033	0.47	0.2	<0.01	3.3	0.2	0.21	5	0.6	<0.2	0.006
1812434	Drill Core	0.056	13	391	2.41	220	0.075	<1	1.78	0.024	0.41	0.2	<0.01	2.3	0.2	<0.05	5	<0.5	<0.2	<0.005
1812435	Drill Core	0.052	17	273	1.56	122	0.063	<1	1.30	0.025	0.38	0.2	<0.01	3.5	0.2	0.32	4	<0.5	<0.2	0.007
1812436	Drill Core	0.047	29	17	0.43	147	0.007	<1	0.71	0.032	0.36	<0.1	<0.01	1.6	0.1	0.58	2	0.7	<0.2	<0.005
1812437	Drill Core	0.046	33	14	0.84	122	0.005	<1	0.92	0.020	0.28	0.1	<0.01	2.0	0.1	0.25	4	<0.5	<0.2	<0.005
1812438	Drill Core	0.047	31	11	0.82	513	0.009	<1	0.90	0.018	0.35	<0.1	<0.01	2.4	0.1	0.28	3	<0.5	<0.2	<0.005
1812439	Drill Core	0.050	30	11	0.86	541	0.014	1	0.92	0.027	0.35	0.1	<0.01	2.6	0.1	0.18	3	<0.5	<0.2	<0.005
1812440	Rock Pulp	0.042	6	15	0.50	62	0.072	2	1.00	0.072	0.08	0.3	<0.01	2.8	<0.1	0.05	4	<0.5	<0.2	0.008
1812441	Drill Core	0.050	27	11	0.95	406	0.040	<1	0.99	0.022	0.39	0.1	<0.01	2.3	0.2	0.32	4	<0.5	<0.2	0.006
1812442	Drill Core	0.046	24	11	0.89	447	0.051	<1	0.89	0.021	0.38	0.1	<0.01	2.6	0.2	0.26	3	<0.5	<0.2	0.005
1812443	Drill Core	0.049	26	12	0.90	633	0.075	1	0.95	0.028	0.52	0.2	<0.01	3.3	0.3	0.20	4	<0.5	<0.2	0.005
1812444	Drill Core	0.051	21	13	0.81	340	0.061	<1	0.83	0.025	0.42	0.1	<0.01	2.7	0.2	0.39	3	0.6	<0.2	0.009



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

February 09, 2021

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI20000586.1

	Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
1812378	Drill Core	3.11	1.3	15.8	5.0	76	0.2	10.5	8.3	382	1.61	1.9	0.9	1.9	8.3	15	0.4	0.6	<0.1	17	0.15
REP 1812378	QC		1.2	15.9	5.0	76	0.1	10.2	8.3	387	1.64	1.7	0.9	2.0	8.3	15	0.4	0.6	<0.1	17	0.15
1812381	Drill Core	2.90	1.3	11.8	10.2	101	0.2	14.2	15.5	532	2.06	1.5	1.3	1.0	7.9	8	0.5	0.8	<0.1	20	0.16
REP 1812381	QC																				
1812413	Drill Core	3.80	0.9	17.1	17.6	31	0.3	8.4	9.5	260	1.88	1.6	1.3	1.1	8.0	29	0.2	0.5	<0.1	17	0.68
REP 1812413	QC		0.9	17.5	17.7	32	0.3	8.5	9.6	264	1.91	1.5	1.3	1.2	8.1	30	0.2	0.5	<0.1	17	0.69
REP 1812419	QC																				
1812439	Drill Core	3.11	0.2	10.6	2.2	57	0.2	13.7	7.6	347	1.45	2.6	1.8	1.5	11.4	36	<0.1	0.2	<0.1	9	0.50
REP 1812439	QC		0.2	11.0	2.2	58	0.2	13.9	7.7	349	1.47	2.9	1.8	2.8	11.8	36	0.1	0.2	<0.1	8	0.49
Core Reject Duplicates																					
1812385	Drill Core	3.03	2.1	34.0	57.1	105	0.9	11.0	10.3	157	2.62	7.9	4.1	34.5	8.3	7	0.4	0.8	<0.1	11	0.11
DUP 1812385	QC		2.4	35.0	60.8	107	0.9	11.5	11.6	178	2.71	8.1	4.4	31.7	8.7	7	0.4	0.9	<0.1	11	0.11
1812419	Drill Core	3.55	0.2	4.3	3.0	76	0.1	10.0	8.7	523	2.12	1.3	1.5	<0.5	7.8	47	<0.1	0.5	<0.1	35	0.70
DUP 1812419	QC		0.2	3.9	3.2	76	0.1	10.0	8.7	521	2.10	1.2	1.5	<0.5	7.7	47	<0.1	0.5	<0.1	36	0.71
Reference Materials																					
STD BVGEO01	Standard		10.6	4240.6	179.8	1779	2.6	152.6	23.8	722	3.61	113.2	3.5	213.7	13.4	53	6.0	3.6	22.8	69	1.31
STD BVGEO01	Standard		10.2	4340.7	170.9	1703	2.5	161.7	24.8	716	3.66	111.2	3.4	194.2	12.9	55	6.2	3.5	22.2	73	1.32
STD DS11	Standard		13.4	144.8	130.3	342	1.7	81.6	15.2	1013	3.12	45.7	2.4	64.8	8.3	65	2.5	9.0	11.7	49	1.05
STD DS11	Standard		13.6	143.1	124.5	331	1.7	77.5	13.0	983	3.00	39.8	2.3	64.0	6.8	62	2.2	8.5	10.2	48	1.02
STD OREAS262	Standard		0.6	111.7	55.0	151	0.4	64.3	28.0	513	3.24	37.3	1.1	66.0	9.5	35	0.7	6.1	1.0	21	2.87
STD OREAS262	Standard		0.7	113.4	53.4	145	0.4	62.1	26.3	515	3.21	33.5	1.1	65.3	8.4	33	0.6	5.7	0.9	22	2.86
STD OREAS262	Standard		0.7	118.4	53.6	155	0.5	65.1	27.2	549	3.24	35.4	1.1	71.5	8.4	34	0.6	6.2	0.9	20	2.96
STD OREAS262	Standard		0.7	114.0	53.7	146	0.5	62.8	27.6	527	3.21	34.5	1.1	60.0	8.9	34	0.6	5.4	1.0	22	2.90
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXG141	Standard																				
STD OXG141	Standard																				
STD OXN155	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 09, 2021

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000586.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430	
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	
Pulp Duplicates																					
1812378	Drill Core	0.047	12	38	0.38	859	0.005	<1	0.72	0.032	0.26	0.2	<0.01	2.7	<0.1	<0.05	3	<0.5	<0.2	0.005	
REP 1812378	QC	0.046	12	38	0.38	869	0.005	<1	0.75	0.034	0.26	0.2	<0.01	2.7	<0.1	<0.05	3	<0.5	<0.2		
1812381	Drill Core	0.045	22	118	0.92	261	0.005	<1	1.19	0.017	0.30	0.3	<0.01	3.4	0.1	<0.05	5	<0.5	<0.2	0.005	
REP 1812381	QC																				0.005
1812413	Drill Core	0.052	20	75	0.66	66	0.065	<1	0.73	0.046	0.38	0.2	<0.01	1.8	0.1	1.08	2	0.5	<0.2	<0.005	
REP 1812413	QC	0.052	19	77	0.67	70	0.066	<1	0.74	0.046	0.38	0.2	<0.01	1.8	0.1	1.09	3	0.5	<0.2		
REP 1812419	QC																				<0.005
1812439	Drill Core	0.050	30	11	0.86	541	0.014	1	0.92	0.027	0.35	0.1	<0.01	2.6	0.1	0.18	3	<0.5	<0.2	<0.005	
REP 1812439	QC	0.049	30	11	0.86	491	0.013	<1	0.90	0.024	0.35	<0.1	<0.01	2.4	0.1	0.21	3	<0.5	<0.2		
Core Reject Duplicates																					
1812385	Drill Core	0.074	24	23	0.09	98	0.001	<1	0.55	0.031	0.20	0.2	<0.01	1.7	<0.1	<0.05	2	<0.5	0.5	0.043	
DUP 1812385	QC	0.075	25	25	0.09	100	0.001	<1	0.55	0.028	0.20	0.2	<0.01	1.7	<0.1	<0.05	2	<0.5	0.5	0.039	
1812419	Drill Core	0.049	18	214	1.76	286	0.095	1	1.32	0.039	0.46	0.2	<0.01	4.2	0.2	0.20	5	<0.5	<0.2	<0.005	
DUP 1812419	QC	0.048	18	217	1.77	295	0.095	1	1.36	0.047	0.47	0.2	<0.01	4.2	0.2	0.19	5	<0.5	<0.2	<0.005	
Reference Materials																					
STD BVGEO01	Standard	0.067	25	179	1.28	276	0.216	4	2.27	0.187	0.86	4.8	0.09	5.7	0.6	0.68	7	4.8	1.0		
STD BVGEO01	Standard	0.070	24	197	1.33	231	0.223	4	2.34	0.197	0.88	5.0	0.08	6.0	0.6	0.67	7	4.7	1.1		
STD DS11	Standard	0.070	18	61	0.85	355	0.093	7	1.13	0.069	0.40	3.2	0.26	3.2	4.7	0.30	5	2.2	4.8		
STD DS11	Standard	0.066	16	56	0.82	323	0.085	7	1.10	0.068	0.39	2.7	0.23	3.0	4.6	0.29	5	2.0	4.5		
STD OREAS262	Standard	0.039	15	42	1.13	251	0.002	4	1.26	0.067	0.30	0.2	0.16	3.7	0.4	0.27	4	0.6	0.2		
STD OREAS262	Standard	0.038	14	42	1.14	229	0.002	3	1.29	0.067	0.30	0.2	0.16	3.0	0.4	0.26	4	<0.5	0.2		
STD OREAS262	Standard	0.038	14	42	1.17	229	0.002	4	1.27	0.067	0.29	0.2	0.17	3.0	0.5	0.26	4	0.6	0.2		
STD OREAS262	Standard	0.038	17	46	1.18	235	0.002	4	1.45	0.069	0.33	0.2	0.16	3.3	0.5	0.26	4	0.6	0.3		
STD OXB130	Standard																				0.123
STD OXB130	Standard																				0.125
STD OXG141	Standard																				0.939
STD OXG141	Standard																				0.901
STD OXN155	Standard																				7.793



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 09, 2021

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI20000586.1

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXN155	Standard																				
STD DS11 Expected			14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	1.063
STD BVGEO01 Expected			11.2	4415	187	1741	2.53	163	25	733	3.7	121	3.77	219	14.4	55	6.5	3.39	25.6	73	1.3219
STD OREAS262 Expected			0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5	2.98
STD OXG141 Expected																					
STD OXN155 Expected																					
STD OXB130 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	0.2	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.9	5.9	1.0	31	<0.1	1.6	4.5	547	2.08	0.8	0.3	<0.5	1.8	20	<0.1	<0.1	<0.1	28	0.70
ROCK-WHI	Prep Blank		0.9	5.1	0.7	31	<0.1	1.7	4.2	573	2.06	1.0	0.3	<0.5	1.8	20	<0.1	<0.1	<0.1	26	0.70



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: February 09, 2021

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI20000586.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA430
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
STD OXN155	Standard																			7.411
STD DS11 Expected		0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56	
STD BVGEO01 Expected		0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655	7.37	4.84	1.02	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	4.1	0.4	0.23	
STD OXG141 Expected																				0.93
STD OXN155 Expected																				7.762
STD OXB130 Expected																				0.125
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			<0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
Prep Wash																				
ROCK-WHI	Prep Blank	0.037	5	3	0.55	45	0.076	1	0.97	0.092	0.09	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2	<0.005
ROCK-WHI	Prep Blank	0.039	5	4	0.57	49	0.067	1	1.00	0.094	0.09	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2	0.006